

USDA, AMS Cotton and Tobacco Program

Cotton Market News Division

3275 Appling Road

Memphis, TN 38133

901-384-3016

mp_cn831

CORRECTED

Annual Quality

**COTTON QUALITY - UNITED STATES
2017 Crop**

Color

The predominant color grade of Upland cotton classed from the 2017 crop was color grade 31, accounting for 36.5 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton and Tobacco Program. Color grades 11&21 accounted for 30.7 percent of classings; color grade 41, 21.1 percent; grades 51, 61 and 71, 1.1 percent. For the 2016 Upland crop, color 31 was the predominant color grade, accounting for 43.0 percent of classings; color grades 11&21 accounted for 26.8 percent of classings; color grade 41, 20.0 percent; color grades 51, 61 and 71, 1.4 percent. In the white color grades, color 41 and better made up 88.3 percent of classings, down from 89.9 percent in 2016. All white color grades accounted for 89.4 percent of the 2017 crop, down from 91.2 percent in 2016. Light Spotted color grades comprised 8.4 percent of classings, up from 7.6 percent in 2016. Spotted, Tinged, Yellow Stained and Below Grades accounted for about 2.3 percent of classings this season, up from 1.2 in 2016.

Leaf

The predominant leaf grade of Upland cotton classed from the 2017 crop was leaf grade 3, accounting for 41.7 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 42.0 percent of classings. Leaf grade 1 and 2 comprised the next highest percentage from the 2017 crop at 30.5 percent against 31.5 percent a year ago. Leaf grades 4 made up 21.1 percent of classings of the 2017 crop, compared with 20.2 percent in 2016. Leaf grade 5 made up 5.8 percent of classings of the 2017 crop, up from 5.2 percent in 2016. Leaf grades 6, 7 and 8 made up 0.9 percent of classings, down from 1.1 percent last year.

Staple

The average staple length of Upland cotton classed from the 2017 crop was 36.4 thirty-seconds of an inch, up from 36.3 a year ago. The predominant staple length was 37, accounting for 26.0 percent of classings. Staples 32 and shorter comprised .9 percent of classings; staple 33, 3.3 percent; staple 34, 8.8 percent; staple 35, 15.3 percent; staple 36, 19.9 percent; staple 38, 15.4 percent; staple 39 and longer, 10.5 percent. For the 2016 crop, staple 37 was the predominate staple length, accounting for 30.0 percent of classings; staples 32 and shorter comprised .6 percent of classings; staple 33, 2.3 percent; staple 34, 7.3 percent; staple 35, 16.7 percent; staple 36, 27.1 percent; staple 38, 10.2 percent; staple 39 and longer, 5.8 percent.

Mike

The average mike of Upland cotton classed from the 2017 crop was 4.1, down from 4.4 last year. Cotton with mike 2.9 and lower made up 7.2 percent of classing; 3.0 to 3.2, 6.5 percent, 3.3 to 3.4, 5.3 percent, 3.5 to 3.6, 6.4 percent, 3.7 to 4.2, 29.1 percent, 4.3 to 4.9, 41.2 percent; 5.0 to 5.2, 3.9 percent; 53 and higher, 0.3 percent. For the 2016 crop, cotton with mike 2.9 and lower made up 1.0 percent of classing; 3.0 to 3.2, 1.8 percent, 3.3 to 3.4, 2.2 percent, 3.5 to 3.6, 3.3 percent, 3.7 to 4.2, 22.9 percent, 4.3 to 4.9, 55.4 percent; 5.0 to 5.2, 11.6 percent; 53 and higher, 1.8 percent.

Strength

The average fiber strength of Upland cotton classed from the 2017 crop was 30.3 grams per tex (gpt), the same as a year ago. Strengths in the 25 gpt and lower range accounted for 1.0 percent of classings; strengths in the 26 to 27 gpt, 8.9 percent; strengths of 28 to 29 gpt, 31.4 percent; strengths of 30 to 31 gpt, 38.2 percent; strengths in the 32 to 33 gpt, 16.5 percent; strengths in the 34 and higher range comprised 3.9 percent of classings. For the 2016 crop, strengths in the 25 gpt and lower range accounted for 0.5 percent of classings; strengths in the 26 to 27 gpt, 6.1 percent; strengths of 28 to 29 gpt, 26.4 percent; strengths of 30 to 31 gpt, 39.7 percent; strengths in the 32 to 33 gpt, 21.7 percent; strengths in the 34 and higher range comprised 5.7 percent of classings.

American Pima

Color grades 1 and 2 made up 97.9 percent of classings from the 2017 crop, up from 87.4 percent last year. Color grade 1 was the predominant color grade in 2017, accounting for 62.3 percent of the classings. Color grade 2 accounted for 35.6 percent; color grade 3, 1.9 percent; color grade 4, 0.2 percent; color grades 5 and lower, less than 0.05 percent of the 2017 classings. Leaf grade 2 was the predominant leaf grade in 2017, accounting for 50.4 percent of classings. Leaf grade 1 accounted for 46.1 percent, leaf grade 3, 3.2 percent; leaf grade 4, 0.2 percent; leaf grades 5 and lower, less than 0.05 percent. The average staple length was 49.1 thirty-seconds of an inch, up from 48.9 last year. Staple 48 and longer was the predominate staple length, accounting for 90.0 percent of classings. Average mike was 4.1, up from 3.9 last year. Average fiber strength was 43.4 grams per tex, down slightly from 43.6 last year.

Cotton Ginnings

Ginnings of 2017-crop cotton in the United States totaled 20,441,350 running bales, according to the Cotton Ginnings 2017 Summary report released on May 10, 2018 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 19,764,300 bales of Upland and 677,050 bales of American Pima cotton. The number of active cotton gins for crop year 2017 was 553, down from 556 in 2016. Classings at AMS, Cotton and Tobacco Program, Classing Offices totaled 19,693,382 Upland samples and 676,967 American Pima samples through June 2, 2018.

Color	2016	2017
11 & 21	26.8%	30.7%
31	43.0%	36.5%
41	20.0%	21.1%
51, 61, 71	1.4%	1.1%
LT SP	7.6%	8.4%
SP, TG, YS, BG	1.2%	2.3%

Leaf Group	2016	2017
1 & 2	31.5%	30.5%
3	42.0%	41.7%
4	20.2%	21.1%
5	5.2%	5.8%
6, 7, 8	1.1%	0.9%

Staple	2016	2017
32 & shorter	0.6%	0.9%
33	2.3%	3.3%
34	7.3%	8.8%
35	16.7%	15.3%
36	27.1%	19.9%
37	30.0%	26.0%
38	10.2%	15.4%
39	4.4%	7.7%
40 & longer	1.4%	2.8%

Mike	2016	2017
29 & lower	1.0%	7.2%
30-32	1.8%	6.5%
33-34	2.2%	5.3%
35-36	3.3%	6.4%
37-42	22.9%	29.1%
43-49	55.4%	41.2%
50-52	11.6%	3.9%
53 & higher	1.8%	0.3%

Strength	2016	2017
25 & lower	0.5%	1.0%
26 to 27	6.1%	8.9%
28 to 29	26.4%	31.4%
30 to 31	39.7%	38.2%
32 to 33	21.7%	16.5%
34 and higher	5.7%	3.9%

	2016	2017
Cotton Ginnings		
Upland	16,160,450	19,764,300
Pima	549,550	677,050
Total	16,710,000	20,441,350
Number of Gins	556	553

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2017 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	5	80	722	6,044	36,560	157,300	425,779	626,490
	3	-	2	16	130	1,274	9,608	49,202	162,340	222,572
	4	-	-	-	10	118	861	4,503	13,118	18,610
	5	-	-	-	-	3	41	272	715	1,031
	6	-	-	-	-	-	4	11	15	30
	7	-	-	-	-	-	-	1	-	1
	TOTAL---		-	7	96	862	7,439	47,074	211,289	601,967
31	1-2	-	1	22	318	4,184	26,616	105,952	232,655	369,748
	3	-	-	13	145	2,345	18,297	90,596	277,647	389,043
	4	-	-	1	45	555	3,167	14,878	51,136	69,782
	5	-	-	1	10	131	430	2,171	6,089	8,832
	6	-	-	-	1	18	73	342	767	1,201
	7	-	-	-	-	4	13	78	118	213
	TOTAL----		-	1	37	519	7,237	48,596	214,017	568,412
41	1-2	-	-	-	77	651	5,052	21,981	45,048	72,809
	3	-	-	1	42	923	7,643	42,168	123,856	174,633
	4	-	-	3	20	402	2,739	13,636	44,204	61,004
	5	-	1	1	4	106	713	3,490	10,056	14,371
	6	-	-	-	2	29	135	671	1,815	2,652
	7	-	-	-	2	5	26	158	435	626
	TOTAL----		-	1	5	147	2,116	16,308	82,104	225,414
51	1-2	-	-	-	-	32	342	1,343	1,934	3,651
	3	-	-	-	2	73	750	3,288	6,994	11,107
	4	-	-	-	4	86	426	1,340	3,161	5,017
	5	-	-	-	-	39	195	517	927	1,678
	6	-	-	-	-	10	95	190	419	714
	7	-	-	-	-	2	15	92	207	316
	TOTAL----		-	-	-	6	242	1,823	6,770	13,642
61	1-2	-	-	-	-	-	2	16	33	51
	3	-	-	-	-	-	8	22	78	108
	4	-	-	-	-	-	2	9	69	80
	5	-	-	-	-	-	-	1	18	19
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	1	-	3	4
	TOTAL----		-	-	-	-	-	13	48	202
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	1	-	1
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	1	-
12 & 22	1-2	-	-	14	129	1050	6126	25,224	61,782	94,325
	3	-	1	4	54	604	3,029	14,364	43,828	61,884
	4	-	-	-	9	64	481	2,642	6,399	9,595
	5	-	-	-	-	4	46	251	417	718
	6	-	-	-	-	-	6	15	14	35
	7	-	-	-	-	-	1	8	2	11
	TOTAL----		-	1	18	192	1,722	9,689	42,504	112,442
32	1-2	-	-	1	30	654	3,429	12,292	22,191	38,597
	3	-	-	3	43	660	4,295	16,499	40,253	61,753
	4	-	1	1	28	294	1,974	7,036	15,343	24,677
	5	-	-	-	6	64	796	2,347	3,745	6,958
	6	-	-	-	1	16	126	408	671	1,222
	7	-	-	-	-	2	17	65	120	204
	TOTAL----		-	1	5	108	1,690	10,637	38,647	82,323
42	1-2	-	-	2	74	243	971	2,788	4,916	8,994
	3	-	-	-	72	564	2,361	7,627	19,084	29,708
	4	-	-	2	53	441	1,916	5,435	11,585	19,432
	5	-	-	-	13	134	1,258	3,323	4,841	9,569
	6	-	-	-	3	25	412	1,393	1,739	3,572
	7	-	-	-	-	-	99	395	503	997
	TOTAL----		-	-	4	215	1,407	7,017	20,961	42,668
52	1-2	-	-	-	12	58	32	173	549	824
	3	-	-	-	5	26	108	646	2,911	3,696
	4	-	-	-	1	24	78	340	1,732	2,175
	5	-	-	-	1	10	48	189	581	829
	6	-	-	-	-	2	13	127	182	324
	7	-	-	-	-	-	15	92	123	230
	TOTAL----		-	-	-	19	120	294	1,567	6,078

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2017 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	2	8	10
	3	-	-	-	-	-	2	18	154	174
	4	-	-	-	-	1	1	11	108	121
	5	-	-	-	-	-	1	2	30	33
	6	-	-	-	-	-	-	-	5	5
	7	-	-	-	-	-	-	1	3	4
	TOTAL----		-	-	-	-	1	4	34	308
13 & 23	1-2	-	-	3	75	463	2,183	7,692	18,799	29,215
	3	-	-	5	43	301	1,355	4,820	14,148	20,672
	4	-	-	1	2	35	228	868	2,328	3,462
	5	-	-	-	-	2	17	114	221	354
	6	-	-	-	-	-	-	4	8	12
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	9	120	801	3,783	13,498	35,504
33	1-2	-	-	-	16	87	293	1,210	2,568	4,174
	3	-	-	3	6	99	520	1,920	5,789	8,337
	4	-	-	2	13	61	383	1,188	3,223	4,870
	5	-	-	-	3	19	128	405	949	1,504
	6	-	-	-	1	1	22	66	169	259
	7	-	-	-	-	-	8	12	18	38
	TOTAL----		-	-	5	39	267	1,354	4,801	12,716
43	1-2	-	-	1	4	29	138	506	778	1,456
	3	-	1	8	27	105	584	1,480	3,625	5,830
	4	-	-	1	18	77	364	1,132	2,673	4,265
	5	-	-	-	2	26	196	628	1,033	1,885
	6	-	-	-	-	3	112	348	337	800
	7	-	-	-	1	-	30	171	182	384
	TOTAL----		-	1	10	52	240	1,424	4,265	8,628
53	1-2	-	-	-	1	-	24	79	103	207
	3	-	-	-	2	4	32	227	951	1,216
	4	-	-	-	-	11	47	159	699	916
	5	-	-	-	-	1	16	78	210	305
	6	-	-	-	-	-	10	61	97	168
	7	-	-	-	-	-	2	29	44	75
	TOTAL----		-	-	-	3	16	131	633	2,104
63	1-2	-	-	-	-	-	-	-	3	3
	3	-	-	-	-	6	6	3	109	124
	4	-	-	-	-	10	7	4	173	194
	5	-	-	-	-	-	1	3	47	51
	6	-	-	-	-	-	1	2	3	6
	7	-	-	-	-	-	-	-	2	2
	TOTAL----		-	-	-	-	16	15	12	337
24-54	1-7	-	2	12	58	270	1,030	3,080	9,921	14,373
25-35	1-7	-	-	-	1	20	61	231	466	779
81-85 1/	1-7	-	-	-	-	2	19	310	1,163	1,494
All Colors	8 2/	-	-	-	-	2	48	191	372	613
TOTAL, ALL----		-	14	201	2,341	23,606	149,320	644,963	1,724,667	2,545,114

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2017 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
11 & 21	1-2	Bales 681,315	Bales 832,201	Bales 955,477	Bales 417,092	Bales 206,797	Bales 70,962	Bales 3,163,844	Bales 3,790,334
	3	335,831	489,670	560,470	246,159	121,861	66,094	1,820,085	2,042,657
	4	28,552	48,763	60,116	24,184	11,612	8,044	181,271	199,881
	5	968	1,377	1,782	754	350	151	5,382	6,413
	6	15	26	36	18	5	3	103	133
	7	-	1	-	-	-	-	1	2
	TOTAL----		1,046,681	1,372,038	1,577,881	688,207	340,625	145,254	5,170,686
31	1-2	300,734	297,566	281,927	106,135	44,150	13,465	1,043,977	1,413,725
	3	524,277	715,436	1,052,718	647,429	303,850	117,448	3,361,158	3,750,201
	4	133,764	255,031	501,689	441,144	248,171	107,490	1,687,289	1,757,071
	5	14,504	27,845	64,812	67,413	46,350	17,475	238,399	247,231
	6	1,399	1,785	3,037	2,791	1,662	637	11,311	12,512
	7	157	124	109	45	15	9	459	672
	TOTAL----		974,835	1,297,787	1,904,292	1,264,957	644,198	256,524	6,342,593
41	1-2	52,811	42,003	34,951	9,517	2,706	637	142,625	215,434
	3	221,976	291,334	430,264	211,163	79,979	23,863	1,258,579	1,433,212
	4	123,850	250,815	536,678	441,663	206,719	59,710	1,619,435	1,680,439
	5	26,520	67,289	189,491	229,471	149,680	36,417	698,868	713,239
	6	4,497	9,849	28,900	34,325	24,632	6,066	108,269	110,921
	7	811	1,166	2,376	2,210	984	249	7,796	8,422
	TOTAL----		430,465	662,456	1,222,660	928,349	464,700	126,942	3,835,572
51	1-2	1,654	1,437	865	209	35	2	4,202	7,853
	3	8,952	9,870	15,111	6,886	1,563	305	42,687	53,794
	4	5,405	10,511	23,937	22,435	9,969	1,569	73,826	78,843
	5	1,977	4,564	12,006	20,006	14,918	2,456	55,927	57,605
	6	707	1,557	3,047	3,854	3,698	889	13,752	14,466
	7	275	399	468	354	219	48	1,763	2,079
	TOTAL----		18,970	28,338	55,434	53,744	30,402	5,269	192,157
61	1-2	6	12	1	-	-	-	19	70
	3	52	31	31	11	3	3	131	239
	4	37	36	47	39	10	1	170	250
	5	6	7	21	38	16	-	88	107
	6	5	4	5	29	6	-	49	50
	7	1	3	4	1	-	-	9	13
	TOTAL----		107	93	109	118	35	4	466
71	1-2	-	-	-	-	-	-	-	-
	3	-	1	-	-	-	-	1	1
	4	1	-	1	2	-	-	4	5
	5	-	-	-	-	-	-	-	-
	6	-	1	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-
	TOTAL----		1	2	1	2	-	6	7
12 & 22	1-2	97,209	92,228	56,947	11,186	2,769	403	260,742	355,067
	3	87,895	107,707	71,989	15,269	4,563	1,184	288,607	350,491
	4	13,064	20,576	19,117	4,457	1,177	356	58,747	68,342
	5	768	1,205	1,459	451	143	21	4,047	4,765
	6	27	52	69	9	4	1	162	197
	7	-	1	-	-	-	-	1	12
	TOTAL----		198,963	221,769	149,581	31,372	8,656	1,965	612,306
32	1-2	22,079	13,088	5,805	1,339	667	113	43,091	81,688
	3	66,137	58,108	32,439	9,918	5,032	1,346	172,980	234,733
	4	31,063	37,201	27,562	8,835	4,240	1,608	110,509	135,186
	5	6,550	7,094	6,677	2,168	1,174	420	24,083	31,041
	6	1,043	875	832	263	102	35	3,150	4,372
	7	166	99	88	18	8	2	381	585
	TOTAL----		127,038	116,465	73,403	22,541	11,223	3,524	354,194
42	1-2	5,428	3,410	1,893	450	74	11	11,266	20,260
	3	32,686	28,622	18,184	6,441	1,934	558	88,425	118,133
	4	24,582	27,733	23,983	9,895	3,901	1,282	91,376	110,808
	5	8,927	9,462	10,021	4,470	2,015	768	35,663	45,232
	6	2,972	2,234	2,455	967	405	140	9,173	12,745
	7	751	497	360	112	25	20	1,765	2,762
	TOTAL----		75,346	71,958	56,896	22,335	8,354	2,779	237,668
52	1-2	1,236	745	361	94	24	2	2,462	3,286
	3	7,572	7,795	5,827	2,399	707	58	24,358	28,054
	4	4,373	6,893	6,805	2,202	742	131	21,146	23,321
	5	1,117	1,891	2,103	645	268	101	6,125	6,954
	6	282	459	442	147	81	34	1,445	1,769
	7	170	133	90	30	14	5	442	672
	TOTAL----		14,750	17,916	15,628	5,517	1,836	331	55,978

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2017 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL Bales	
		35 Bales	36 Bales	37 Bales	38 Bales	39 Bales	40 &+ Bales	35 to 40+ Bales		
62	1-2	15	14	2	-	1	-	32	42	
	3	633	392	80	42	11	-	1,158	1,332	
	4	605	803	236	116	28	-	1,788	1,909	
	5	87	216	165	80	9	-	557	590	
	6	24	12	82	51	3	-	172	177	
	7	1	3	-	-	-	-	4	8	
	TOTAL----		1,365	1,440	565	289	52	-	3,711	4,058
13 & 23	1-2	30,229	26,760	11,818	1,301	210	19	70,337	99,552	
	3	28,772	29,879	16,037	2,309	441	81	77,519	98,191	
	4	4,660	5,448	4,345	875	165	29	15,522	18,984	
	5	385	449	448	94	23	3	1,402	1,756	
	6	10	24	28	7	2	-	71	83	
	7	-	-	1	-	-	-	1	1	
	TOTAL----		64,056	62,560	32,677	4,586	841	132	164,852	218,567
33	1-2	3,367	2,082	942	249	53	15	6,708	10,882	
	3	12,504	11,248	6,562	2,066	796	178	33,354	41,691	
	4	6,897	8,389	6,006	1,837	858	274	24,261	29,131	
	5	1,770	2,034	1,758	441	191	68	6,262	7,766	
	6	310	361	245	60	19	27	1,022	1,281	
	7	35	40	25	2	-	3	105	143	
	TOTAL----		24,883	24,154	15,538	4,655	1,917	565	71,712	90,894
43	1-2	762	476	205	93	7	1	1,544	3,000	
	3	5,339	4,569	2,598	921	305	155	13,887	19,717	
	4	5,326	6,366	4,523	1,876	830	376	19,297	23,562	
	5	2,289	2,776	2,413	836	408	164	8,886	10,771	
	6	869	927	753	154	74	29	2,806	3,606	
	7	288	336	145	24	18	11	822	1,206	
	TOTAL----		14,873	15,450	10,637	3,904	1,642	736	47,242	61,862
53	1-2	129	122	36	4	1	-	292	499	
	3	1,532	2,140	915	162	39	8	4,796	6,012	
	4	1,717	1,886	1,441	378	111	43	5,576	6,492	
	5	500	440	558	200	78	45	1,821	2,126	
	6	129	159	113	37	30	15	483	651	
	7	62	83	45	3	6	13	212	287	
	TOTAL----		4,069	4,830	3,108	784	265	124	13,180	16,067
63	1-2	7	14	9	-	-	-	30	33	
	3	303	202	116	20	4	-	645	769	
	4	588	151	108	38	13	-	898	1,092	
	5	166	32	38	9	1	-	246	297	
	6	26	6	13	5	-	3	53	59	
	7	25	7	1	-	-	-	33	35	
	TOTAL----		1,115	412	285	72	18	3	1,905	2,285
24-54	1-7	0	13,121	6,773	1,404	486	75	39,630	54,003	
25-35	1-7	0	187	64	8	-	-	559	1,338	
81-85 1/	1-7	0	631	221	70	9	2	2,229	3,723	
All Colors	8 2/	0	492	324	313	74	38	1,677	2,290	
TOTAL, ALL----		0	3,912,099	5,126,077	3,033,227	1,515,333	544,267	17,148,323	19,693,382	
EXTRANEEOUS MATTER									Average Staple -----	36.4
Bark - Level 1		1,456,829							Percent Tenderable -----	69.2
Bark - Level 2		68								
Grass - Level 1		17,335								
Grass - Level 2		28								
Prep - Level 1		4,146								
Prep - Level 2		12								
Other - Level 1		12,742								
Other - Level 2		3								
19,693,382 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.										

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	3	39	838	9,580	55,583	204,976	271,019
	3	-	-	2	6	162	1,770	11,991	51,988	65,919
	4	-	-	-	1	-	93	640	2,635	3,369
	5	-	-	-	-	-	2	22	94	118
	6	-	-	-	-	-	-	-	3	3
	7	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	5	46	1,000	11,445	68,236	259,696
31	1-2	-	-	13	98	1,104	11,158	59,554	194,356	266,283
	3	-	-	6	87	1,307	9,047	54,875	217,300	282,622
	4	-	-	4	51	504	2,473	9,437	36,118	48,587
	5	-	-	-	3	91	456	1,429	2,907	4,886
	6	-	-	-	-	3	48	143	225	419
	7	-	-	-	-	-	3	9	17	29
	TOTAL----		-	-	23	239	3,009	23,185	125,447	450,923
41	1-2	-	-	1	8	303	2,393	13,212	35,460	51,377
	3	-	-	5	119	740	5,329	35,477	115,928	157,598
	4	-	-	7	96	631	3,333	16,499	64,421	84,987
	5	-	1	-	30	318	1,665	5,866	18,545	26,425
	6	-	-	1	3	80	604	2,157	4,297	7,142
	7	-	-	-	2	23	149	630	916	1,720
	TOTAL----		-	1	14	258	2,095	13,473	73,841	239,567
51	1-2	-	-	-	1	90	411	1,508	2,445	4,455
	3	-	-	-	21	271	1,563	6,558	13,512	21,925
	4	-	-	1	2	124	1,064	3,776	10,485	15,452
	5	-	-	-	-	29	352	1,154	3,648	5,183
	6	-	-	-	1	20	116	534	1,626	2,297
	7	-	-	-	-	6	118	424	929	1,477
	TOTAL----		-	-	1	25	540	3,624	13,954	32,645
61	1-2	-	-	-	-	-	7	57	81	145
	3	-	-	-	-	8	67	282	468	825
	4	-	-	-	-	12	38	122	285	457
	5	-	-	-	-	3	9	33	121	166
	6	-	-	-	-	1	8	13	36	58
	7	-	-	-	1	-	9	4	12	26
	TOTAL----		-	-	-	1	24	138	511	1,003
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	3	-	3
	5	-	-	-	-	-	-	1	-	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	4	-
12 & 22	1-2	-	-	-	13	142	873	3,814	11,340	16,182
	3	-	-	-	1	44	516	2,767	8,943	12,271
	4	-	-	-	-	13	129	510	1,336	1,988
	5	-	-	-	-	-	5	16	105	126
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	14	199	1,523	7,107	21,725
32	1-2	-	-	12	48	259	1,620	4,225	9,119	15,283
	3	-	-	-	50	449	2,300	7,976	20,676	31,451
	4	-	-	-	10	133	856	2,562	7,066	10,627
	5	-	-	-	2	18	203	508	1,621	2,352
	6	-	-	-	-	-	23	106	363	492
	7	-	-	-	-	1	1	19	71	92
	TOTAL----		-	-	12	110	860	5,003	15,396	38,916
42	1-2	-	-	3	14	119	573	1,507	2,638	4,854
	3	-	-	1	52	524	2,727	10,850	23,288	37,442
	4	-	-	-	58	631	2,674	7,796	21,627	32,786
	5	-	-	2	19	319	1,259	2,801	6,758	11,158
	6	-	-	1	13	74	366	935	1,735	3,124
	7	-	-	-	1	24	92	244	457	818
	TOTAL----		-	-	7	157	1,691	7,691	24,133	56,503
52	1-2	-	-	3	37	50	147	450	622	1,309
	3	-	-	6	98	575	2,838	8,582	11,923	24,022
	4	-	-	4	114	819	3,721	9,512	20,206	34,376
	5	-	-	1	47	400	1,728	3,254	7,135	12,565
	6	-	-	1	13	146	588	1,094	1,750	3,592
	7	-	-	-	1	43	200	439	564	1,247
	TOTAL----		-	-	15	310	2,033	9,222	23,331	42,200

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	2	10	7	65	44	128
	3	-	-	1	61	418	746	1,167	921	3,314
	4	-	-	-	31	303	903	1,472	1,783	4,492
	5	-	-	1	10	106	175	446	725	1,463
	6	-	-	-	1	22	33	78	147	281
	7	-	-	-	-	1	8	23	35	67
	TOTAL----		-	-	2	105	860	1,872	3,251	3,655
13 & 23	1-2	-	-	1	3	7	49	252	1,005	1,317
	3	-	-	-	2	6	39	150	623	820
	4	-	-	-	-	-	13	30	98	141
	5	-	-	-	-	-	-	-	5	5
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	1	5	13	101	432	1,733
33	1-2	-	-	-	7	9	56	292	1,071	1,435
	3	-	-	-	6	15	115	651	2,276	3,063
	4	-	-	-	1	11	96	303	947	1,358
	5	-	-	-	-	3	34	80	270	387
	6	-	-	-	-	-	1	3	55	59
	7	-	-	-	-	-	-	2	6	8
	TOTAL----		-	-	-	14	38	302	1,331	4,625
43	1-2	-	-	-	-	3	44	104	153	304
	3	-	-	1	2	35	248	954	1,825	3,065
	4	-	-	-	4	54	238	874	2,175	3,345
	5	-	-	-	2	45	155	346	853	1,401
	6	-	-	-	-	15	51	96	384	546
	7	-	-	-	-	-	9	30	134	173
	TOTAL----		-	-	1	8	152	745	2,404	5,524
53	1-2	-	-	4	1	19	53	43	55	175
	3	-	-	2	34	254	746	1,344	1,670	4,050
	4	-	-	7	251	676	1,078	2,665	4,953	9,630
	5	-	-	2	65	367	1,115	1,671	2,159	5,379
	6	-	-	1	4	68	400	672	691	1,836
	7	-	-	-	4	8	74	163	270	519
	TOTAL----		-	-	16	359	1,392	3,466	6,558	9,798
63	1-2	-	-	-	4	16	27	40	15	102
	3	-	-	1	38	165	362	488	290	1,344
	4	-	-	8	48	280	720	921	834	2,811
	5	-	-	3	30	187	410	536	526	1,692
	6	-	-	-	4	29	133	200	196	562
	7	-	-	-	-	2	21	37	46	106
	TOTAL----		-	-	12	124	679	1,673	2,222	1,907
24-54	1-7	-	-	-	2	22	133	520	1,262	1,939
25-35	1-7	-	-	-	-	-	-	1	1	2
81-85 1/	1-7	-	-	2	56	176	269	375	404	1,282
All Colors	8 2/	-	-	-	6	53	211	665	865	1,800
TOTAL, ALL----		-	1	111	1,839	14,836	84,076	369,719	1,172,952	1,643,534

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
11 & 21	1-2	477,748	726,882	782,832	334,895	196,848	78,369	2,597,574	2,868,593
	3	175,674	377,067	451,284	164,093	84,421	30,888	1,283,427	1,349,346
	4	11,273	32,637	45,981	14,052	5,303	2,028	111,274	114,643
	5	338	956	1,383	535	216	49	3,477	3,595
	6	9	18	23	12	5	-	67	70
	7	-	-	-	-	-	-	-	-
	TOTAL----		665,042	1,137,560	1,281,503	513,587	286,793	111,334	3,995,819
31	1-2	386,485	488,595	421,589	149,445	71,240	22,174	1,539,528	1,805,811
	3	582,865	1,057,008	1,171,008	357,557	160,562	48,131	3,377,131	3,659,753
	4	135,914	353,239	528,995	174,179	62,194	19,188	1,273,709	1,322,296
	5	10,277	32,690	61,603	27,111	7,638	2,168	141,487	146,373
	6	548	1,454	2,764	1,273	376	116	6,531	6,950
	7	22	72	131	44	5	3	277	306
	TOTAL----		1,116,111	1,933,058	2,186,090	709,609	302,015	91,780	6,338,663
41	1-2	52,550	54,936	42,216	10,770	3,486	916	164,874	216,251
	3	229,242	330,074	314,377	82,982	27,402	6,842	990,919	1,148,517
	4	176,705	329,978	476,800	157,141	39,118	8,503	1,188,245	1,273,232
	5	50,833	101,477	195,698	96,065	21,253	3,400	468,726	495,151
	6	9,770	17,889	29,559	16,522	4,237	752	78,729	85,871
	7	1,837	3,396	4,311	1,992	592	82	12,210	13,930
	TOTAL----		520,937	837,750	1,062,961	365,472	96,088	20,495	2,903,703
51	1-2	2,564	1,900	815	101	25	14	5,419	9,874
	3	18,177	17,049	11,083	2,798	844	214	50,165	72,090
	4	20,948	21,527	16,163	4,352	1,431	275	64,696	80,148
	5	8,913	10,486	8,595	2,147	571	97	30,809	35,992
	6	3,048	3,688	2,939	763	184	17	10,639	12,936
	7	1,506	1,692	1,287	285	89	24	4,883	6,360
	TOTAL----		55,156	56,342	40,882	10,446	3,144	641	166,611
61	1-2	47	51	21	6	-	-	125	270
	3	487	440	296	63	4	-	1,290	2,115
	4	408	415	299	38	12	-	1,172	1,629
	5	169	165	126	11	5	-	476	642
	6	44	33	20	11	9	3	120	178
	7	20	7	7	4	6	2	46	72
	TOTAL----		1,175	1,111	769	133	36	5	3,229
71	1-2	-	-	-	-	-	-	-	-
	3	1	1	3	-	-	-	5	5
	4	-	5	1	-	-	-	6	9
	5	-	1	1	-	-	-	2	3
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
	TOTAL----		1	7	5	-	-	-	13
12 & 22	1-2	25,184	31,019	19,372	3,482	1,420	996	81,473	97,655
	3	26,241	47,992	32,556	5,535	1,716	659	114,699	126,970
	4	5,334	11,300	10,654	1,378	254	78	28,998	30,986
	5	569	635	704	67	17	3	1,995	2,121
	6	20	18	16	1	-	-	55	56
	7	-	-	-	-	-	-	-	-
	TOTAL----		57,348	90,964	63,302	10,463	3,407	1,736	227,220
32	1-2	15,306	14,875	8,400	1,692	1,025	706	42,004	57,287
	3	44,549	57,141	38,351	7,871	3,137	1,439	152,488	183,939
	4	21,104	37,987	30,329	6,365	1,716	518	98,019	108,646
	5	3,993	7,756	7,837	1,653	425	110	21,774	24,126
	6	634	956	1,061	227	55	26	2,959	3,451
	7	53	53	91	28	4	-	229	321
	TOTAL----		85,639	118,768	86,069	17,836	6,362	2,799	317,473
42	1-2	2,883	2,184	1,258	230	86	19	6,660	11,514
	3	32,668	28,778	17,092	3,353	965	242	83,098	120,540
	4	42,744	50,792	33,019	6,260	1,468	315	134,598	167,384
	5	14,267	20,288	15,352	3,363	633	137	54,040	65,198
	6	3,537	4,732	3,804	969	182	68	13,292	16,416
	7	846	1,041	923	250	60	16	3,136	3,954
	TOTAL----		96,945	107,815	71,448	14,425	3,394	797	294,824
52	1-2	384	252	147	6	1	-	790	2,099
	3	12,049	7,386	3,374	318	67	10	23,204	47,226
	4	27,589	19,336	8,876	808	158	29	56,796	91,172
	5	10,331	8,213	4,462	571	71	45	23,693	36,258
	6	2,579	1,939	946	164	16	16	5,660	9,252
	7	832	732	280	35	8	8	1,895	3,142
	TOTAL----		53,764	37,858	18,085	1,902	321	108	112,038

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL Bales	
		35 Bales	36 Bales	37 Bales	38 Bales	39 Bales	40 &+ Bales	35 to 40+ Bales		
62	1-2	19	3	3	3	-	-	28	156	
	3	529	311	89	4	1	-	934	4,248	
	4	1,021	578	341	29	3	-	1,972	6,464	
	5	487	169	99	8	-	-	763	2,226	
	6	118	37	19	-	-	-	174	455	
	7	29	14	10	1	-	4	58	125	
	TOTAL----		2,203	1,112	561	45	4	4	3,929	13,674
13 & 23	1-2	2,693	3,668	2,148	411	139	41	9,100	10,417	
	3	2,235	3,936	3,326	732	227	82	10,538	11,358	
	4	327	752	866	210	40	11	2,206	2,347	
	5	21	61	82	22	2	1	189	194	
	6	3	3	10	3	-	-	19	21	
	7	-	-	-	-	-	-	-	-	
	TOTAL----		5,279	8,420	6,432	1,378	408	135	22,052	24,337
33	1-2	2,698	3,446	1,995	275	116	45	8,575	10,010	
	3	7,480	11,538	8,920	1,839	689	209	30,675	33,738	
	4	3,513	6,232	6,763	1,517	452	122	18,599	19,957	
	5	631	1,222	1,815	414	127	24	4,233	4,620	
	6	72	124	243	54	35	18	546	605	
	7	4	14	16	-	4	2	40	48	
	TOTAL----		14,398	22,576	19,752	4,099	1,423	420	62,668	68,978
43	1-2	238	207	113	15	8	-	581	885	
	3	2,484	2,576	1,509	357	160	37	7,123	10,188	
	4	4,161	5,157	3,490	802	252	58	13,920	17,265	
	5	2,094	2,815	2,342	525	173	41	7,990	9,391	
	6	612	746	848	247	71	16	2,540	3,086	
	7	200	219	208	72	34	4	737	910	
	TOTAL----		9,789	11,720	8,510	2,018	698	156	32,891	41,725
53	1-2	23	25	6	1	-	-	55	230	
	3	1,194	417	181	16	10	5	1,823	5,873	
	4	4,136	2,190	779	87	19	5	7,216	16,846	
	5	2,172	1,335	638	75	12	2	4,234	9,613	
	6	571	404	182	30	4	1	1,192	3,028	
	7	216	140	72	21	4	-	453	972	
	TOTAL----		8,312	4,511	1,858	230	49	13	14,973	36,562
63	1-2	6	6	1	-	-	-	13	115	
	3	160	39	11	-	-	-	210	1,554	
	4	510	197	44	2	2	-	755	3,566	
	5	311	117	24	3	-	1	456	2,148	
	6	85	52	31	5	-	1	174	736	
	7	12	6	6	1	-	-	25	131	
	TOTAL----		1,084	417	117	11	2	2	1,633	8,250
24-54	1-7	2,846	4,395	3,378	614	240	68	11,541	13,480	
25-35	1-7	26	43	12	-	-	-	81	83	
81-85 1/	1-7	221	198	132	17	5	3	576	1,858	
All Colors	8 2/	1,376	1,074	1,023	283	150	36	3,942	5,742	
TOTAL, ALL----		2,697,652	4,375,699	4,852,889	1,652,568	704,539	230,532	14,513,879	16,157,375	
EXTRANEOUS MATTER									Average Staple -----	36.3
Bark - Level 1		1,084,172							Percent Tenderable -----	72.0
Bark - Level 2		12								
Grass - Level 1		16,305								
Grass - Level 2		4								
Prep - Level 1		1,842								
Prep - Level 2		4								
Other - Level 1		15,607								
Other - Level 2		7								

16,157,375 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2017 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	*	0.2	0.8	2.2	3.5	4.2	4.9	2.1	1.1	0.4	19.2
	3	-	*	*	*	*	*	0.2	0.8	1.7	2.5	2.8	1.2	0.6	0.3	10.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.3	0.1	0.1	*	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
TOTAL----		-	*	*	*	*	0.2	1.0	3.1	5.3	6.9	8.0	3.4	1.8	0.7	30.6
31	1-2	-	*	*	*	*	0.1	0.5	1.2	1.5	1.4	0.5	0.2	0.1	7.2	
	3	-	-	*	*	*	0.1	0.5	1.4	2.7	3.6	5.3	3.3	1.5	0.6	19.0
	4	-	-	*	*	*	*	0.1	0.3	0.7	1.3	2.5	2.2	1.3	0.5	8.9
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.3	0.3	0.2	0.1	1.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.2	1.1	2.9	5.0	6.5	9.5	6.3	3.2	1.3	36.5
41	1-2	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	1.1
	3	-	-	-	*	*	*	0.2	0.6	1.1	1.5	2.2	1.1	0.4	0.1	7.3
	4	-	-	*	*	*	*	0.1	0.2	0.6	1.3	2.7	2.2	1.0	0.3	8.5
	5	-	*	*	*	*	*	*	0.1	0.1	0.3	1.0	1.2	0.8	0.2	3.6
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	0.6
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.4	1.1	2.1	3.4	6.2	4.7	2.3	0.6	21.1	
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	0.2	0.3	0.2	0.2	*	1.1
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	*	*	*	*	0.1	0.3	0.5	0.5	0.3	0.1	*	*	1.8
	3	-	*	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	1.8
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.2	0.5	1.0	1.1	0.8	0.2	*	*	*	3.9
32	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.2
	4	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.2	0.4	0.6	0.6	0.3	0.1	*	*	*	2.5
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.2	0.3	0.2	0.3	0.1	*	*	*	1.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL Pct.	
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.5	
	3	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.1
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.4	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	0.3	
53	1-2	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3	
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		-	*	*	*	0.1	0.8	3.3	8.8	15.3	19.9	26.0	15.4	7.7	2.8	100.0	
EXTRANEIOUS MATTER																Average Staple	36.4
																Percent Tenderable	69.2
Bark - Level 1		7.4															
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 2		*															

19,693,382 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Alabama: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total	
		26 & - Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct		
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	1.3	
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	0.5	0.6	0.2	*	1.7	
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	0.1	0.3	0.4	0.9	1.0	0.3	*	3.2
31	1-2	-	-	-	-	-	*	*	0.3	1.0	1.6	1.5	0.7	0.2	*	6.8	
	3	-	-	-	-	-	*	*	0.2	1.2	3.1	4.7	8.5	7.3	3.1	28.8	
	4	-	-	-	-	-	*	*	0.1	0.7	1.4	4.4	4.6	2.3	0.7	14.4	
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.5	0.6	0.3	0.1	1.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.5	2.3	5.4	7.8	14.9	13.2	5.9	1.5	51.7
41	1-2	-	-	-	-	*	*	0.1	0.4	0.4	0.3	0.2	0.1	*	*	1.5	
	3	-	-	-	-	*	*	0.2	0.9	1.8	2.4	4.0	2.1	0.7	0.2	12.4	
	4	-	-	-	-	*	*	0.1	0.4	1.4	2.2	6.3	5.3	1.8	0.5	17.9	
	5	-	-	-	-	-	*	*	0.1	0.3	0.6	2.5	2.6	1.1	0.2	7.4	
	6	-	-	-	-	-	-	-	*	*	0.1	0.4	0.4	0.2	*	1.2	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	Total	--	-	-	-	-	*	*	0.4	1.8	3.9	5.6	13.4	10.5	3.8	0.9	40.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3	
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	*	*	0.1	0.1	0.2	0.2	*	*	*	0.9	
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	-	-	*	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	-	-	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.6	
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	0.2	0.2	0.4	0.2	0.1	*	1.4	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	0.8	
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	0.5	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.2	*	1.8	
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL Pct.	
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/ All Colors	1-7 8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		-	-	-	-	*	0.1	1.0	4.7	10.3	14.8	30.6	25.3	10.5	2.6	100.0	
EXTRANEEOUS MATTER																Average Staple Percent Tenderable	37.0 85.0
Bark - Level 1		4.8															
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

774,914 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	1.1	6.5	16.6	24.4	11.3	7.1	2.4	69.5
	3	-	-	-	-	-	*	*	0.2	1.1	2.9	4.2	2.4	1.3	0.7	12.8
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	1.3	7.7	19.6	28.8	13.8	8.5	3.1	82.9
31	1-2	-	-	-	-	-	*	*	0.1	0.4	1.3	1.4	0.3	0.1	*	3.7
	3	-	-	-	*	*	*	*	0.2	0.7	1.6	1.9	0.9	0.4	0.1	5.8
	4	-	-	-	-	*	*	*	0.2	0.4	0.6	0.7	0.4	0.2	0.1	2.6
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL----		-	-	-	*	*	*	0.6	1.6	3.6	4.1	1.7	0.7	0.2	12.6	
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.3	0.4	0.3	0.1	*	*	1.2	
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	*	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	*	*	*	0.3	0.2	0.1	*	*	*	0.7
	3	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	0.6
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.5	0.6	0.2	*	*	*	1.4	
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.3	0.4	0.1	*	*	*	1.2	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.4	
52	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	*	

* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL Pct.		
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	-	*	-	-	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	-	-	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/ All Colors	1-7 8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		-	-	*	*	*	0.1	0.4	2.2	10.4	24.8	33.4	15.8	9.4	3.4		100.0	
EXTRANEIOUS MATTER																	Average Staple Percent Tenderable	36.9 86.0
	Bark - Level 1	2.1																
	Bark - Level 2	-																
	Grass - Level 1	*																
	Grass - Level 2	-																
	Prep - Level 1	-																
	Prep - Level 2	-																
	Other - Level 1	0.5																
	Other - Level 1	-																

458,850 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	-	*	*	0.3	0.9	0.3	0.1	0.1	1.8
	3	-	-	-	-	-	-	-	*	*	0.3	1.2	0.7	0.4	0.4	2.9
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	0.6	2.2	1.1	0.6	0.6
31	1-2	-	-	-	-	-	-	*	*	0.1	0.5	1.1	0.3	0.1	0.1	2.2
	3	-	-	-	-	*	*	*	*	0.2	2.0	8.1	4.4	1.7	1.4	17.9
	4	-	-	-	-	-	-	*	*	0.1	1.0	6.1	7.7	3.7	1.2	19.9
	5	-	-	-	-	-	-	*	*	*	0.1	0.8	1.8	1.4	0.3	4.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	0.4	3.6	16.1	14.2	6.9	3.0
41	1-2	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.9	3.5	1.4	0.4	0.3	6.6
	4	-	-	-	-	-	-	*	*	0.1	1.1	7.4	8.0	2.9	0.7	20.3
	5	-	-	-	-	-	-	*	*	*	0.3	3.2	7.2	4.6	0.7	16.0
	6	-	-	-	-	-	-	-	*	*	*	0.3	1.0	1.0	0.2	2.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	Total	--	-	-	-	-	-	*	*	0.2	2.4	14.6	17.6	8.9	1.9	45.7
51	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.5	0.8	0.3	*	1.6
	5	-	-	-	-	-	-	-	-	*	*	0.2	1.0	0.7	0.1	2.0
	6	-	-	-	-	-	-	-	-	*	*	*	0.2	0.2	*	0.4
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	*	*	0.9	2.1	1.2	0.1	4.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 6. -- Arkansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL, ALL	---	-	-	-	-	*	*	*	0.1	0.8	6.7	33.9	35.0	17.8	5.7	100.0	
EXTRANEIOUS MATTER																Average Staple	37.8
Bark - Level 1		0.9														Percent Tenderable	90.1
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

1,123,871 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- California: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct	
11 & 21	1-2	-	-	-	-	-	*	*	0.1	1.8	9.3	15.9	11.5	8.0	2.5	49.1
	3	-	-	-	-	-	-	-	*	0.1	1.1	3.3	3.8	4.1	1.7	14.0
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.4
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.1	1.9	10.4	19.2	15.4	12.2	4.3
31	1-2	-	-	-	-	-	-	*	0.1	0.6	1.8	1.8	2.0	3.2	1.0	10.4
	3	-	-	-	-	-	*	*	0.1	0.4	1.0	2.1	3.4	6.2	2.7	15.8
	4	-	-	-	-	-	-	*	*	0.2	0.1	0.3	0.8	1.0	0.7	3.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.2	1.2	2.9	4.2	6.2	10.5	4.5
41	1-2	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.4
	5	-	-	-	-	-	-	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	Total	--	-	-	-	-	-	*	*	0.1	0.4	0.2	0.1	*	*	*
51	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	0.4
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	0.6
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	0.2	0.2	0.5	0.1	1.0
32	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	*	0.4
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.6	0.8	0.3	2.3
	4	-	-	-	-	-	-	*	*	0.1	*	0.1	0.2	0.2	0.2	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	0.2
	6	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.2	0.3	0.5	0.9	1.2	0.6	3.8
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	0.1	0.2	*	*	*	*	*	0.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	Total	--	-	-	-	-	-	-	-	-	*	*	-	*	-	*

* Less than 0.05 percent

Table 7. -- California: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL, ALL	---	-	-	-	-	-	-	0.1	0.7	4.0	13.9	24.3	22.8	24.6	9.6	100.0		
EXTRANEIOUS MATTER																Average Staple	37.8	
																Percent Tenderable	90.8	
Bark - Level 1		1.8																
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

222,677 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.2	0.1	0.2	0.1	*	*	0.8
	3	-	-	-	-	-	*	0.1	0.2	0.3	0.4	0.5	0.3	*	*	1.8
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	0.2	0.4	0.4	0.6	0.6	0.3	*	2.7
31	1-2	-	-	-	-	-	*	0.1	0.7	2.2	2.1	1.4	0.6	0.2	*	7.3
	3	-	-	-	-	-	*	0.2	1.0	4.3	7.8	11.2	10.2	7.3	1.4	43.3
	4	-	-	-	-	-	*	*	0.1	0.5	1.4	3.3	5.2	4.8	1.4	16.8
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.8
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	0.3	1.8	7.0	11.4	16.1	16.2	12.5	2.9	68.2
41	1-2	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	1.2
	3	-	-	-	-	*	*	0.3	1.0	2.2	2.7	3.2	2.0	0.9	0.2	12.5
	4	-	-	-	-	-	*	*	0.2	0.9	1.4	3.2	3.4	1.9	0.6	11.7
	5	-	-	-	-	-	-	-	*	0.1	0.1	0.6	0.5	0.4	0.1	1.7
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
Total	--	-	-	-	-	*	*	0.4	1.4	3.6	4.5	7.1	5.9	3.2	0.9	27.2
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	0.1	0.2	0.2	0.3	0.1	*	-	1.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.4
42	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 8. -- Florida: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	*	-	*	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL	--	-	-	-	-	*	0.1	0.8	3.5	11.5	16.8	24.3	23.0	16.3	3.9	100.0	
EXTRANEIOUS MATTER																Average Staple	37.1
																Percent Tenderable	87.1
Bark - Level 1		5.8															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

119,040 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Georgia: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.4	0.3	0.1	*	2.0
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.6	0.8	0.4	*	2.5
	4	-	-	-	-	-	*	*	*	*	*	*	0.1	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	0.1	0.4	0.6	0.7	1.0	1.2	0.5	*	4.6
31	1-2	-	-	-	*	*	0.1	0.6	1.7	2.5	1.9	1.7	0.9	0.2	*	9.6
	3	-	-	-	-	*	*	0.5	2.3	4.4	5.2	9.0	9.2	3.3	0.3	34.4
	4	-	-	-	-	*	*	*	0.2	0.5	0.8	2.2	3.8	2.1	0.3	9.8
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
Total	--	-	-	-	*	*	0.1	1.1	4.2	7.4	7.9	13.0	14.1	5.7	0.6	54.2
41	1-2	-	-	-	*	*	0.1	0.5	1.1	1.2	0.6	0.4	0.1	*	*	4.1
	3	-	-	-	-	*	0.1	0.9	2.7	3.8	3.5	5.1	3.2	0.9	0.1	20.3
	4	-	-	-	-	*	*	0.1	0.5	1.0	1.5	3.3	3.8	1.7	0.2	12.0
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.4	0.6	0.3	0.1	1.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	0.2	1.5	4.3	6.1	5.7	9.2	7.7	2.9	0.4	38.1
51	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	1.0
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	0.1	0.4	0.3	0.3	0.3	0.3	0.2	*	*	1.8
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.4
52	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 9. -- Georgia: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL, ALL	---	-	-	-	*	*	0.4	3.1	9.4	14.8	15.0	23.7	23.3	9.3	1.1	100.0	
EXTRANEIOUS MATTER																Average Staple	36.6
																Percent Tenderable	87.9
Bark - Level 1		4.9															
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

2,193,203 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Kansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	*	*	0.5	2.4	5.6	5.4	2.4	0.1	*	-	16.5
	3	-	-	-	*	*	*	0.2	1.8	4.4	5.9	3.1	0.1	*	-	15.5
	4	-	-	-	-	*	*	0.1	0.2	0.5	0.9	0.5	*	*	-	2.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	*	*	*	0.8	4.4	10.5	12.2	6.0	0.2	*	-	34.2
31	1-2	-	-	-	-	-	*	*	0.8	3.4	2.8	0.7	*	*	-	7.7
	3	-	-	-	-	*	*	*	1.1	5.5	8.0	3.9	0.1	*	*	18.7
	4	-	-	-	-	-	*	*	0.1	0.8	2.4	2.5	0.1	*	-	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.4	*	*	-	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
Total	--	-	-	-	-	*	*	*	2.0	9.8	13.5	7.5	0.2	*	*	33.4
41	1-2	-	-	-	-	-	*	*	*	0.1	0.2	0.1	-	-	-	0.4
	3	-	-	-	-	-	-	*	0.2	0.9	1.3	1.0	*	-	-	3.4
	4	-	-	-	-	-	*	*	0.1	0.5	1.2	1.3	*	-	-	3.2
	5	-	-	-	-	-	-	*	*	*	0.2	0.4	*	*	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
Total	--	-	-	-	-	-	*	*	0.3	1.5	2.9	2.9	*	*	-	7.9
51	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	-	-	0.5
	3	-	-	-	-	*	*	*	0.2	0.6	0.4	0.1	*	-	-	1.4
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	*	0.4	0.9	0.7	0.1	*	-	-	2.2
32	1-2	-	-	-	-	-	-	*	0.2	0.5	0.2	*	-	-	-	1.0
	3	-	-	-	-	-	-	*	0.4	1.8	1.2	0.3	*	-	-	3.8
	4	-	-	-	-	*	*	*	0.1	0.5	0.9	0.3	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	*	0.7	2.8	2.4	0.7	*	-	-	6.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
	5	-	-	-	-	-	*	-	*	*	0.1	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
Total	--	-	-	-	-	-	*	*	*	0.2	0.4	0.2	*	-	-	0.8
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
Total	--	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*

* Less than 0.05 percent.

Table 10. -- Kansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26&- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3	
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	-	-	0.6
33	1-2	-	-	-	-	-	*	*	0.3	0.3	0.1	*	-	-	-	0.7	
	3	-	-	-	-	*	*	*	0.4	1.7	0.9	0.1	*	-	-	3.2	
	4	-	-	-	-	-	*	*	0.2	0.6	0.8	0.2	*	-	-	1.8	
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	-	-	-	0.2	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.9	2.7	1.9	0.4	*	-	-	-	5.9
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.2	*	-	-	-	0.4	
	4	-	-	-	-	-	-	*	*	0.2	0.4	0.1	-	-	-	0.8	
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	0.3	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	0.4	0.7	0.2	-	-	-	1.6
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	0.1	1.2	2.1	1.1	0.3	*	*	-	4.8	
25-35	1-7	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3	
81-85 1/ All Colors	1-7 8 2/	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	-	-	-	1.1	
TOTAL, ALL	---	-	-	-	-	*	*	0.1	1.4	11.0	32.0	36.2	18.7	0.5	*	*	100.0
EXTRANEIOUS MATTER																Average Staple	35.6
																Percent Tenderable	39.4
Bark - Level 1		30.3															
Bark - Level 2		-															
Grass - Level 1		-															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		0.1															
Other - Level 1		-															

187,252 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Louisiana: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	*	*	0.2	0.4	0.5	0.4	0.2	0.2	1.9
	3	-	-	-	-	-	-	*	*	0.1	0.6	1.1	0.9	0.7	0.5	3.9
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	*	*	0.3	1.0	1.7	1.4	1.0	0.8	6.2
31	1-2	-	-	-	-	-	-	*	*	0.5	1.3	0.8	0.5	0.3	0.1	3.6
	3	-	-	-	-	-	*	*	0.3	2.3	5.7	7.4	4.9	4.2	1.6	26.3
	4	-	-	-	-	-	-	*	0.1	0.7	2.4	4.9	2.8	2.7	1.6	15.1
	5	-	-	-	-	-	-	-	*	*	0.2	0.6	0.5	0.2	0.1	1.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	0.4	3.5	9.6	13.7	8.7	7.4	3.4	46.7
41	1-2	-	-	-	-	-	-	*	*	0.2	0.6	0.2	0.1	*	*	1.1
	3	-	-	-	-	-	-	*	0.4	1.9	4.1	3.0	1.7	1.1	0.3	12.5
	4	-	-	-	-	-	-	*	0.5	2.2	5.1	5.9	3.3	2.2	0.6	19.8
	5	-	-	-	-	-	*	*	0.1	0.3	1.5	2.9	1.6	0.7	0.2	7.3
	6	-	-	-	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	1.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	1.0	4.6	11.5	12.5	7.1	4.1	1.1	41.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	*	0.3	0.4	0.2	*	*	*	1.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.4
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	0.1	0.2	0.3	0.3	0.2	0.1	*	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	0.2	0.5	0.5	0.6	0.3	0.1	*	2.2
52	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	0.9	

* Less than 0.05 percent.

Table 11. -- Louisiana: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	0.4		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL	---	-	-	-	-	-	-	*	0.1	1.7	9.4	23.5	29.3	17.9	12.9	5.2	100.0	
EXTRANEIOUS MATTER																Average Staple	37.1	
																Percent Tenderable	83.8	
Bark - Level 1		1.9																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.1																
Other - Level 1		-																

407,696 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Mississippi: Percent Distribution of color, leaf and staple for upland cotton classed: 2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	*	*	*	0.2	0.3	0.8	0.4	0.8	0.7	3.4
	3	-	-	-	-	-	*	*	*	0.2	0.6	1.5	1.0	1.9	2.5	7.6
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	0.2	0.4	0.9
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	*	*	*	0.4	0.9	2.5	1.5	2.9	3.6	11.9
31	1-2	-	-	-	-	*	*	*	0.1	0.2	0.4	0.8	0.4	0.4	0.2	2.5
	3	-	-	-	-	-	*	*	0.2	0.9	3.3	6.8	4.0	5.0	4.2	24.5
	4	-	-	-	-	-	*	*	0.1	0.5	2.4	6.6	4.4	4.1	4.3	22.4
	5	-	-	-	-	-	*	*	*	*	0.3	1.6	1.3	0.8	0.6	4.7
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	0.4	1.6	6.4	15.9	10.2	10.3	9.3	54.3
41	1-2	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	3	-	-	-	-	-	*	*	*	0.3	0.9	1.7	1.1	1.1	0.8	6.0
	4	-	-	-	-	-	*	*	0.1	0.4	1.7	4.2	2.3	2.1	1.9	12.7
	5	-	-	-	-	-	*	*	*	0.2	1.0	3.5	2.2	1.1	0.8	8.8
	6	-	-	-	-	-	*	*	*	*	0.2	0.9	0.7	0.2	0.1	2.2
	7	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.3
Total	--	-	-	-	-	*	*	*	0.1	0.9	3.9	10.5	6.5	4.6	3.6	30.4
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	0.1	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	-	-	-	*	*	*	0.2	0.6	0.3	0.2	*	1.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
Total	--	-	-	-	-	-	*	*	*	*	0.2	*	*	*	*	0.5
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	-	*	*	*	0.2	0.2	*	*	*	*	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 12. -- Mississippi: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL, ALL	---	-	-	-	-	*	*	0.1	0.6	3.1	12.0	30.2	18.7	18.3	16.9	100.0		
EXTRANEEOUS MATTER																Average Staple	37.9	
																Percent Tenderable	84.8	
Bark - Level 1		1.1																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

1,287,347 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- Missouri: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	*	*	0.1	0.5	1.5	0.6	0.1	*	2.8
	3	-	-	-	-	-	-	-	*	*	0.2	1.7	1.2	0.3	*	3.5
	4	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	0.1	0.7	3.2	1.9	0.5	*
31	1-2	-	-	-	-	-	-	-	*	0.1	0.7	1.9	0.8	0.1	*	3.7
	3	-	-	-	-	-	-	-	*	0.1	1.4	10.3	8.4	2.0	0.2	22.4
	4	-	-	-	-	-	-	-	*	*	0.2	3.4	7.4	4.3	0.8	16.0
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.7	1.0	0.3	2.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	0.2	2.3	15.8	17.3	7.4	1.3
41	1-2	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	0.5
	3	-	-	-	-	-	-	-	*	0.1	0.5	4.1	3.2	0.8	0.1	8.7
	4	-	-	-	-	-	*	-	*	*	0.2	4.5	9.9	5.5	0.8	20.9
	5	-	-	-	-	-	-	-	*	*	*	1.1	5.4	5.8	1.3	13.7
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.5	0.8	0.3	1.7
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	0.1	0.8	10.1	19.1	12.9	2.5
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.5	0.4	0.1	1.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.5	0.6	0.1	1.4
	6	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	0.4	1.2	1.1	0.3	3.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	Total	--	-	-	-	-	-	-	-	-	-	-	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	-
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*
42	1-2	-	-	-	-	-	-	-	-	*	-	*	*	-	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	0.1	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	*

* Less than 0.05 percent.

Table 13. -- Missouri: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	4	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
TOTAL, ALL	---	-	-	-	-	-	*	*	*	0.4	3.9	29.7	39.7	22.1	4.1	100.0	
EXTRANEIOUS MATTER																Average Staple	37.9
																Percent Tenderable	89.3
Bark - Level 1		0.9															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		*															

682,976 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- New Mexico: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	*	0.1	0.1	0.9	5.2	17.4	26.6	12.2	7.4	1.2	71.1
	3	-	-	-	-	*	0.1	*	0.1	0.6	1.7	2.8	1.4	0.5	0.4	7.6
	4	-	-	-	-	-	*	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	0.2	0.1	1.0	5.8	19.1	29.5	13.6	7.9	1.6	78.9
31	1-2	-	-	-	-	-	*	*	0.1	1.0	2.5	2.6	1.1	1.4	0.3	9.0
	3	-	-	-	-	-	*	*	*	0.5	1.6	2.9	1.3	0.8	0.3	7.4
	4	-	-	-	-	-	*	-	*	*	0.2	0.4	0.4	0.1	*	1.3
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
Total	--	-	-	-	-	-	*	*	0.1	1.5	4.3	6.0	2.8	2.3	0.6	17.8
41	1-2	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	-	-	-	-	0.2	0.3	0.4	0.2	*	0.1	1.1
	4	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
Total	--	-	-	-	-	-	-	-	-	0.3	0.5	0.6	0.3	*	0.1	1.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.2
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	*	*	*	0.2	*	*	*	0.4
32	1-2	-	-	-	-	-	-	-	-	*	*	0.1	-	*	-	0.2
	3	-	-	-	-	-	-	-	-	*	*	0.3	*	*	*	0.4
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	*	*	0.5	0.1	*	*	0.8
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
Total	--	-	-	-	-	-	-	-	-	*	-	*	*	*	*	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 14. -- New Mexico: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	-
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL	--	-	-	-	-	*	0.2	0.2	1.2	7.8	23.9	36.9	17.1	10.3	2.4	100.0	
EXTRANEEOUS MATTER																Average Staple	37.0
																Percent Tenderable	72.4
Bark - Level 1		0.3															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		0.1															
Other - Level 1		-															

43,250 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- North Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.0
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.1	*	0.9
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.3	0.1	0.1	*
31	1-2	-	-	-	-	*	*	0.2	0.8	1.2	0.7	0.4	0.1	0.1	*	3.4
	3	-	-	-	-	*	*	0.2	1.4	3.6	4.0	3.3	1.8	1.2	0.3	15.7
	4	-	-	-	-	*	*	*	0.3	1.2	2.0	1.9	0.9	0.8	0.3	7.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.4	2.5	6.1	6.9	5.8	2.9	2.2	0.6
41	1-2	-	-	-	-	-	*	0.1	0.5	0.6	0.4	0.2	0.1	*	*	1.8
	3	-	-	-	-	-	*	0.2	1.5	4.6	6.7	5.6	2.2	1.4	0.4	22.6
	4	-	-	-	*	-	*	0.1	0.6	3.6	9.1	10.4	3.7	2.4	0.7	30.4
	5	-	-	-	-	-	*	*	0.1	0.8	2.4	3.4	1.3	0.8	0.3	9.1
	6	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.1	0.1	*	0.9
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	Total	--	-	-	-	*	*	*	0.4	2.7	9.7	18.8	20.0	7.4	4.7	1.4
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	0.2	0.7	0.6	0.2	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	-	-	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	*	*	1.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	0.2	0.6	0.8	0.7	0.2	*	*
52	1-2	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 15. -- North Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	-	-	-	*	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
TOTAL, ALL	---	-	-	-	*	*	*	0.9	5.8	17.1	28.1	28.0	11.0	7.0	2.1	100.0		
EXTRANEIOUS MATTER																Average Staple	36.5	
Bark - Level 1		1.7															Percent Tenderable	82.8
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

763,203 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- Oklahoma: Percent Distribution of color, leaf and staple for upland cotton classed: 2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	*	*	*	0.4	2.1	5.2	8.2	12.9	6.8	3.5	0.9	40.0
	3	-	-	-	-	*	*	0.1	0.7	1.8	2.5	4.2	1.8	0.7	0.3	12.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	*	*	*	0.5	2.8	7.1	10.8	17.3	8.7	4.2	1.2	52.6
31	1-2	-	-	-	-	*	*	0.1	0.4	1.1	2.0	2.7	0.9	0.4	0.1	7.7
	3	-	-	-	-	*	*	0.1	0.8	2.1	3.8	5.8	1.9	0.8	0.3	15.6
	4	-	-	-	-	*	*	*	0.2	0.8	1.3	1.5	0.5	0.2	0.1	4.7
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	0.2	1.4	4.1	7.3	10.2	3.4	1.4	0.5	28.6
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.3	*	*	*	0.8
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.4	0.1	0.1	*	1.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.8
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	*	*	0.4	1.0	1.1	0.2	0.1	*	3.1	
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.9	1.0	0.7	0.1	*	*	3.0
	3	-	-	-	-	*	*	*	0.2	0.5	0.6	0.4	0.1	*	*	1.8
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	0.1	0.5	1.5	1.7	1.2	0.2	*	*	5.0
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.1	0.3	0.4	0.3	*	*	*	1.1
	4	-	*	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
Total	--	-	*	-	-	*	*	*	0.2	0.7	0.9	0.6	0.1	*	*	2.5
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	0.9	
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
Total	--	-	-	-	-	-	-	*	*	*	*	-	-	-	*	

* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	0.1	0.3	0.5	0.6	0.2	*	*	*	1.7	
	3	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	-	1.0	
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.1	0.4	0.9	0.9	0.4	*	*	*	2.9
33	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2	
	3	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.9	
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	*	*	*	0.2	0.7	0.7	0.2	*	*	*	1.9
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2	
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	-	*	*	*	*	0.2	*	*	*	*	0.6
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	0.1	0.2	0.6	0.4	0.2	*	*	*	1.5	
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL	---	-	*	-	*	*	0.2	1.2	6.4	16.2	24.2	31.6	12.7	5.8	1.7	100.0	
EXTRANEIOUS MATTER																Average Staple	36.5
																Percent Tenderable	76.1
Bark - Level 1		14.8															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		0.1															
Other - Level 1		-															

917,337 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- South Carolina: Percent Distribution of color, leaf and staple for upland cotton classed: 2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.3	0.3	0.2	*	*	1.5
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.7	0.5	0.2	*	2.6
	4	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	0.2	0.6	0.7	0.7	1.1	0.8	0.2	*	4.3
31	1-2	-	-	-	*	*	0.1	0.5	1.3	1.7	1.7	1.3	0.4	0.1	*	7.0
	3	-	-	-	-	*	0.1	0.7	2.6	4.5	5.8	8.0	5.7	1.6	0.2	29.1
	4	-	-	-	-	-	*	0.1	0.4	1.3	2.4	3.7	4.2	1.9	0.4	14.3
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.4	0.2	0.1	1.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	*	*	0.2	1.3	4.3	7.6	10.2	13.3	10.7	3.8	0.7	51.8
41	1-2	-	-	-	*	*	0.1	0.3	0.8	0.9	0.5	0.3	0.1	*	*	2.9
	3	-	-	-	*	*	0.1	0.6	2.3	4.0	3.7	1.9	0.5	*	*	16.7
	4	-	-	-	-	*	*	0.2	0.9	2.7	3.3	4.4	3.7	1.5	0.2	16.8
	5	-	-	-	-	-	*	*	0.1	0.4	0.8	1.2	1.1	0.6	0.1	4.3
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	0.2	1.1	4.1	8.0	8.4	9.7	6.9	2.6	0.3	41.1
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	*	-	*	-	*	-	*	-	-	*
Total	--	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	0.2	0.2	0.3	0.1	*	*	*	1.0
52	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 17. -- South Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL, ALL	---	-	-	-	*	*	0.4	2.7	9.4	16.9	19.9	24.6	18.4	6.8	0.9	100.0
EXTRANEIOUS MATTER															Average Staple	36.4
															Percent Tenderable	90.8
Bark - Level 1		2.2														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

405,645 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Tennessee: Percent Distribution of color, leaf and staple for upland cotton classed: 2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
11 & 21	1-2	-	-	-	-	-	-	-	*	*	0.3	1.1	1.3	0.2	0.1	*	2.9
	3	-	-	-	-	-	-	-	*	*	0.1	0.8	1.9	0.5	0.1	0.1	3.4
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	0.4	1.9	3.3	0.8	0.2	0.1	6.5
31	1-2	-	-	-	-	-	-	*	*	0.3	1.5	2.1	0.3	0.1	*	4.3	
	3	-	-	-	-	-	-	*	*	0.1	0.7	4.6	12.1	3.9	0.9	0.3	22.6
	4	-	-	-	-	-	-	*	*	0.2	1.6	6.7	4.6	1.4	0.4	14.8	
	5	-	-	-	-	-	-	-	*	*	0.1	0.6	0.7	0.4	0.1	1.9	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	0.1	1.2	7.8	21.5	9.5	2.8	0.8
41	1-2	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.1	*	*	1.4	
	3	-	-	-	-	-	-	*	*	0.4	3.1	8.2	2.3	0.3	*	14.4	
	4	-	-	-	-	*	-	*	*	0.2	1.8	8.9	6.8	2.1	0.3	20.0	
	5	-	-	-	-	-	*	-	*	*	0.3	2.2	3.4	2.1	0.4	8.4	
	6	-	-	-	-	-	-	*	*	*	*	0.2	0.4	0.3	0.1	1.0	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	0.7	5.7	20.2	13.0	4.8	0.8	45.2
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	0.8	
	4	-	-	-	-	-	-	-	*	*	0.1	0.6	0.5	0.2	*	1.4	
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	0.6	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	0.3	1.2	1.0	0.3	*	*	2.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3	
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	0.2	0.2	*	*	0.7
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.6
52	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 18. -- Tennessee: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL	---	-	-	-	-	*	*	*	0.2	2.4	15.8	46.8	24.7	8.3	1.7	100.0	
EXTRANEIOUS MATTER																Average Staple	37.3
																Percent Tenderable	81.7
Bark - Level 1		0.8															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

718,537 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Texas: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	*	*	*	0.1	0.4	1.6	4.2	6.2	6.6	6.7	2.7	1.1	0.4	29.9
	3	-	*	*	*	*	0.1	0.5	1.6	3.2	4.4	4.4	1.6	0.6	0.2	16.6
	4	-	-	-	*	*	*	*	0.1	0.3	0.5	0.6	0.2	0.1	*	1.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
Total	--	-	*	*	*	0.1	0.5	2.1	5.9	9.7	11.5	11.7	4.5	1.8	0.6	48.4
31	1-2	-	*	*	*	*	0.3	0.9	1.8	2.0	1.7	1.4	0.5	0.2	*	8.9
	3	-	-	*	*	*	0.2	0.8	2.0	3.1	3.3	2.9	1.1	0.4	0.1	13.9
	4	-	-	*	*	*	*	0.1	0.4	0.9	1.2	1.2	0.5	0.2	*	4.6
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
Total	--	-	*	*	*	*	0.5	1.8	4.3	6.1	6.4	5.7	2.2	0.8	0.1	28.1
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	3	-	-	*	*	*	*	0.2	0.3	0.4	0.4	0.2	0.1	*	*	2.0
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	0.1	*	1.5
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
Total	--	-	*	*	*	*	*	0.4	0.7	0.9	0.9	0.9	0.3	0.2	*	4.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-
Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
12 & 22	1-2	-	-	*	*	*	0.1	0.3	0.6	0.9	0.9	0.5	0.1	*	*	3.5
	3	-	*	*	*	*	*	0.2	0.4	0.9	1.1	0.7	0.2	*	*	3.5
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
Total	--	-	*	*	*	*	0.1	0.5	1.1	1.9	2.2	1.4	0.3	*	*	7.7
32	1-2	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.8
	3	-	-	*	*	*	*	0.2	0.4	0.6	0.5	0.2	0.1	*	*	2.0
	4	-	-	*	*	*	*	0.1	0.1	0.3	0.3	0.2	*	*	*	1.1
	5	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	*	*	*	*	0.4	0.7	1.2	1.0	0.4	0.1	*	*	4.2
42	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.0
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	*	*	*	*	0.2	0.4	0.7	0.4	0.2	*	*	*	2.3
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
Total	--	-	-	-	*	*	*	*	*	0.1	0.2	0.2	*	*	*	0.5

* Less than 0.05 percent.

Table 19. -- Texas: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	-
13 & 23	1-2	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	3	-	-	*	*	*	*	*	0.1	0.3	0.3	0.2	*	*	*	1.0
	4	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	Total	--	-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.3	*	*	*
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	4	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	Total	--	-	-	*	*	*	*	*	0.1	0.2	*	*	*	*	0.7
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	*	*	*	*	*	*	*	*	*	*	*	*	0.4
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
63	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL	---	-	*	*	*	0.2	1.5	5.8	13.9	21.7	23.8	21.5	7.8	2.9	0.8	100.0
EXTRANEIOUS MATTER		Average Staple														35.8
		Percent Tenderable														51.3
Bark - Level 1		11.2														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

9,205,577 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Virginia: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.5
31	1-2	-	-	-	-	-	*	*	0.4	1.0	0.9	0.3	0.1	0.2	*	2.9	
	3	-	-	-	-	-	*	*	0.4	2.3	4.3	4.0	1.2	1.0	0.2	13.5	
	4	-	-	-	-	-	*	*	*	0.4	1.7	2.7	0.9	0.3	0.1	6.1	
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4	
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	0.8	3.7	7.0	7.2	2.3	1.5	0.3	22.9
41	1-2	-	-	-	-	*	*	*	0.3	1.1	1.1	0.8	0.2	0.1	*	3.6	
	3	-	-	-	-	-	*	*	0.8	6.0	11.6	13.0	3.0	2.0	0.5	36.9	
	4	-	-	-	-	-	-	*	0.1	1.7	6.2	12.1	3.2	1.2	0.3	24.8	
	5	-	-	-	-	-	-	*	*	0.1	0.3	1.3	0.6	0.1	*	2.4	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	Total	--	-	-	-	-	*	*	*	1.2	8.9	19.2	27.2	7.0	3.4	0.8	67.8
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	0.8	
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	0.7	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	0.3	0.5	0.5	0.1	*	*	1.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3	
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.5
42	1-2	-	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.1	
	3	-	-	-	-	-	-	*	0.1	0.6	0.6	0.8	0.1	*	*	2.2	
	4	-	-	-	-	-	-	-	*	0.3	0.6	1.1	0.3	*	*	2.4	
	5	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	0.3	
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	0.1	1.0	1.3	2.1	0.5	*	*	5.0
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.5	
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	*	0.7	
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	0.2	0.4	0.5	*	*	*	1.3

* Less than 0.05 percent.

Table 20. -- Virginia: Percent Distribution of color, leaf and staple for upland cotton classed:
2017 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	Total	--	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL	---	-	-	-	-	*	*	0.1	2.3	14.3	28.7	37.9	10.3	5.1	1.3	100.0	
EXTRANEIOUS MATTER																Average Staple	36.6
																Percent Tenderable	88.5
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

182,007 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2017 crop.

State	Extraneous matter														Total	
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		Level 1	Level 2
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	1,004	2	36,936	18	501	0	290	0	2	0	5	0	73	0	38,811	20
Arizona	0	0	9,495	0	60	0	2,262	0	4	0	2	0	41	0	11,864	0
Arkansas	21	0	10,652	0	723	0	207	0	3	0	0	0	97	0	11,703	0
California	2	0	3,913	0	6	0	78	0	1	0	15	0	17	0	4,032	0
Florida	43	0	6,950	0	105	0	42	0	0	0	1	0	5	0	7,146	0
Georgia	2,442	3	106,501	42	1,860	5	412	0	15	0	0	0	266	0	111,496	50
Kansas	1	0	56,764	0	0	1	141	0	0	0	0	0	17	0	56,923	1
Louisiana	14	2	7,662	0	730	0	238	0	1	0	0	0	30	0	8,675	2
Mississippi	69	0	13,612	0	1,724	20	285	0	4	0	0	0	227	0	15,921	20
Missouri	9	0	5,867	0	321	0	76	0	0	0	0	0	118	1	6,391	1
New Mexico	0	0	120	0	59	0	50	0	0	0	0	0	0	0	229	0
North Carolina	95	0	13,175	0	1,379	0	19	0	0	0	0	0	24	0	14,692	0
Oklahoma	3	0	135,336	0	45	1	672	0	4	0	0	0	71	0	136,131	1
South Carolina	10	0	8,823	0	1,043	0	3	0	0	0	0	0	28	0	9,907	0
Tennessee	3	0	5,658	0	326	0	17	0	1	0	0	0	54	0	6,059	0
Texas	429	5	1,034,532	8	8,390	1	5,020	0	57	2	0	0	1,736	0	1,050,164	16
Virginia	1	0	833	0	63	0	0	0	0	0	0	0	11	0	908	0
United States	4,146	12	1,456,829	68	17,335	28	9,812	0	92	2	23	0	2,815	1	1,491,052	111

Table 22. -- Tenderability of upland cotton classed, by states, 2016 crop

State	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
Alabama	658,664	85.0	116,250	15.0
Arizona	394,656	86.0	64,194	14.0
Arkansas	1,012,673	90.1	111,198	9.9
California	202,172	90.8	20,505	9.2
Florida	103,669	87.1	15,371	12.9
Georgia	1,928,855	87.9	264,348	12.1
Kansas	73,826	39.4	113,426	60.6
Louisiana	341,531	83.8	66,165	16.2
Mississippi	1,092,255	84.8	195,092	15.2
Missouri	610,150	89.3	72,826	10.7
New Mexico	31,299	72.4	11,951	27.6
North Carolina	632,085	82.8	131,118	17.2
Oklahoma	697,711	76.1	219,626	23.9
South Carolina	368,361	90.8	37,284	9.2
Tennessee	587,345	81.7	131,192	18.3
Texas	4,722,246	51.3	4,483,331	48.7
Virginia	161,001	88.5	21,006	11.5
United States	13,618,499	69.2	6,074,883	30.8

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1998-2017 crops.

Year	Tenderable		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,618,499	69.2	6,074,883	30.8

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2017 crop.

Color	Leaf	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
11 & 21	1-2	16.5	40.0	34.7	35.4	19.7	0.7	3.6	3.0	1.0	1.5	0.2	1.0	
	3	15.5	12.1	10.0	11.4	13.2	3.3	8.7	7.6	0.9	2.6	0.3	1.3	
	4	2.1	0.5	0.6	0.7	1.5	0.6	1.0	0.9	0.1	0.2	*	0.1	
	5	0.1	*	*	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	34.2	52.6	45.3	47.5	34.4	4.6	13.3	11.5	2.0	4.3	0.5	2.4
	31	1-2	7.7	7.7	17.6	12.6	6.7	0.7	2.1	1.8	3.4	7.0	2.9	4.4
3		18.7	15.6	18.4	17.3	14.7	15.6	24.1	22.4	15.7	29.1	13.5	19.4	
4		6.0	4.7	4.1	4.5	5.4	23.1	23.6	23.5	7.4	14.3	6.1	9.3	
5		0.9	0.6	0.5	0.6	0.4	5.4	5.4	5.4	0.9	1.4	0.4	0.9	
6		0.1	*	*	*	*	0.2	0.3	0.3	*	*	*	*	
7		*	*	*	*	*	*	*	*	*	*	*	*	
Total		--	33.4	28.6	40.6	35.0	27.2	45.0	55.5	53.4	27.4	51.8	22.9	34.0
41		1-2	0.4	0.1	0.7	0.4	1.5	0.1	0.3	0.3	1.8	2.9	3.6	2.4
	3	3.4	0.8	1.9	1.6	5.5	4.6	5.1	5.0	22.6	16.7	36.9	22.7	
	4	3.2	1.2	1.4	1.5	3.8	23.4	10.9	13.4	30.4	16.8	24.8	25.6	
	5	0.7	0.8	0.6	0.7	0.9	18.1	8.7	10.6	9.1	4.3	2.4	6.7	
	6	0.1	0.2	0.1	0.2	0.2	2.9	2.4	2.5	0.9	0.4	0.1	0.6	
	7	0.1	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	
	Total	--	7.9	3.1	4.7	4.4	11.9	49.2	27.7	32.1	64.9	41.1	67.8	58.0
	51	1-2	*	-	*	*	0.1	-	*	*	*	*	*	*
3		*	*	*	*	0.6	*	0.1	0.1	0.2	0.1	0.8	0.2	
4		*	*	*	*	0.5	0.3	0.5	0.5	0.8	0.2	0.7	0.6	
5		*	*	*	*	0.1	0.3	0.6	0.6	0.7	0.1	0.1	0.4	
6		*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	0.1	
7		-	*	*	*	*	*	*	*	*	*	*	*	
Total		--	*	*	*	*	1.3	0.7	1.4	1.4	1.9	0.4	1.6	1.3
61		1-2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	-	*	-	*	
	4	-	-	-	-	*	-	*	*	-	*	-	*	
	5	-	-	-	-	*	-	*	*	*	-	-	*	
	6	-	-	-	-	*	-	*	*	*	*	-	*	
	7	-	-	-	-	*	-	*	*	-	*	-	*	
	Total	--	-	-	-	-	*	-	*	*	*	*	-	*
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	*	-	-	-	-	-	-	-	
4		-	-	-	-	*	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		--	-	-	-	-	*	-	-	-	-	-	-	-
12 & 22		1-2	0.5	3.0	1.4	2.0	3.2	-	*	*	*	*	*	*
	3	1.4	1.8	0.9	1.4	3.9	-	*	*	*	*	*	*	
	4	0.3	0.2	0.1	0.2	0.8	-	*	*	*	*	*	*	
	5	*	*	*	*	*	-	*	*	*	*	*	*	
	6	-	*	*	*	*	-	-	-	-	-	-	-	
	7	-	-	*	*	*	-	-	-	-	-	-	-	
	Total	--	2.2	5.0	2.4	3.6	7.9	-	*	*	*	*	*	*
	32	1-2	1.0	0.2	0.9	0.6	0.8	-	*	*	*	*	0.1	*
3		3.8	1.1	1.8	1.7	2.8	*	0.2	0.2	0.3	0.4	0.3	0.3	
4		1.8	0.9	0.7	0.9	1.9	*	0.2	0.2	0.3	0.2	0.2	0.3	
5		0.3	0.3	0.2	0.2	0.4	*	*	*	*	0.1	*	0.1	
6		*	*	*	*	*	*	*	*	*	*	*	*	
7		-	*	*	*	*	*	*	*	*	*	*	*	
Total		--	6.9	2.5	3.6	3.4	5.9	*	0.4	0.4	0.7	0.7	0.5	0.7
42		1-2	*	*	0.2	0.1	0.5	-	*	*	*	*	0.1	*
	3	0.2	0.2	0.5	0.3	2.6	*	0.1	0.1	0.6	0.3	2.2	0.8	
	4	0.4	0.3	0.3	0.3	1.6	0.1	0.3	0.3	1.3	0.5	2.4	1.2	
	5	0.2	0.3	0.1	0.2	0.5	0.1	0.2	0.2	0.5	0.2	0.3	0.4	
	6	*	0.1	*	0.1	0.2	*	0.1	0.1	0.1	*	*	0.1	
	7	*	*	*	*	*	*	*	*	*	*	*	*	
	Total	--	0.8	0.9	1.1	1.0	5.4	0.2	0.7	0.7	2.5	1.0	5.0	2.5
	52	1-2	*	-	*	*	0.1	-	*	*	*	*	*	*
3		-	*	*	*	1.1	-	*	*	*	*	0.5	0.1	
4		*	*	*	*	0.8	*	*	*	0.1	*	0.7	0.1	
5		*	*	*	*	0.2	*	*	*	0.1	*	0.1	0.1	
6		*	*	*	*	*	*	*	*	*	*	*	*	
7		*	*	*	*	*	*	*	*	*	*	*	*	
Total		--	*	*	*	*	2.2	*	*	*	0.2	*	1.3	0.3

Table 24. --- Continued.

Color	Leaf	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
62	1-2	-	-	-	-	*	-	-	-	-	-	-	-	
	3	-	-	-	-	0.1	-	*	*	*	-	*	*	
	4	-	-	-	-	0.1	-	-	-	*	-	*	*	
	5	-	-	-	-	*	-	-	-	*	-	-	*	
	6	-	-	-	-	*	-	-	-	*	-	-	*	
	7	-	*	-	*	*	-	-	-	-	-	-	-	
Total	--	-	*	-	*	0.2	-	*	*	*	-	*	*	
13 & 23	1-2	0.1	1.7	0.3	0.9	0.2	-	*	*	*	-	-	-	
	3	0.3	1.0	0.2	0.5	0.2	-	*	*	*	-	-	-	
	4	0.2	0.2	*	0.1	0.1	-	*	*	*	-	-	-	
	5	*	*	*	*	*	-	-	-	-	-	-	-	
	6	-	*	-	*	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	0.6	2.9	0.5	1.5	0.5	-	*	*	*	-	-	-	
33	1-2	0.7	0.2	0.1	0.2	0.1	-	*	*	*	*	*	*	
	3	3.2	0.9	0.3	0.8	0.4	*	0.1	0.1	*	0.1	*	*	
	4	1.8	0.6	0.2	0.5	0.3	*	0.1	*	*	*	*	*	
	5	0.2	0.2	0.1	0.1	0.1	*	*	*	*	*	*	*	
	6	*	*	*	*	*	-	-	-	*	*	*	*	
	7	-	*	*	*	*	-	-	-	*	-	-	*	
Total	--	5.9	1.9	0.7	1.6	0.9	*	0.2	0.1	*	0.1	*	*	
43	1-2	*	*	*	*	0.1	-	*	*	*	*	*	*	
	3	0.4	0.1	0.1	0.1	0.4	*	*	*	*	*	0.1	0.1	
	4	0.8	0.2	0.1	0.2	0.4	*	0.2	0.1	0.1	0.1	0.1	0.1	
	5	0.3	0.2	0.1	0.1	0.1	*	0.1	0.1	0.1	*	*	*	
	6	0.1	0.1	*	0.1	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	-	*	*	*	*	*	*	
Total	--	1.6	0.6	0.3	0.5	1.0	*	0.3	0.2	0.2	0.1	0.2	0.2	
53	1-2	*	-	*	*	*	-	-	-	*	*	*	*	
	3	-	-	*	*	0.3	-	*	*	*	*	*	*	
	4	-	*	*	*	0.3	-	*	*	*	*	*	*	
	5	*	*	*	*	0.1	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	-	*	*	*	-	*	*	
Total	--	*	*	*	*	0.7	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	*	-	-	-	-	-	-	-	
	3	-	-	*	*	*	-	-	-	-	-	-	-	
	4	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	-	-	-	-	-	-	-	
	6	-	*	-	-	*	-	*	*	*	-	-	-	
	7	-	-	-	-	*	-	-	-	-	-	-	-	
Total	--	-	*	*	*	*	*	*	*	*	-	-	*	
24 - 54	1-7	4.8	1.5	0.3	1.2	0.3	*	*	*	*	*	*	*	
25 - 35	1-7	0.3	*	*	*	*	-	-	-	-	-	-	-	
81 - 85 1/	1-7	1.1	0.1	*	0.1	*	-	-	-	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	-	*	
STAPLE														
28 & shorter		-	*	*	*	-	-	-	-	-	-	-	-	
29		-	-	*	*	*	-	-	-	-	-	-	-	
30		*	*	0.1	*	*	-	-	-	*	*	-	*	
31		*	*	0.9	0.4	0.2	-	-	-	*	*	*	*	
32		0.1	0.2	4.4	2.2	1.1	-	*	*	*	0.4	*	0.1	
33		1.4	1.2	12.0	6.5	3.9	*	0.1	0.1	0.9	2.7	0.1	1.3	
34		11.0	6.4	19.7	13.3	9.4	0.2	0.5	0.5	5.8	9.4	2.3	6.4	
35		32.0	16.2	22.6	20.7	19.1	2.0	2.9	2.7	17.1	16.9	14.3	16.6	
36		36.2	24.2	19.0	22.7	25.8	8.3	11.9	11.2	28.1	19.9	28.7	25.7	
37		18.7	31.6	13.9	21.8	24.9	33.7	30.7	31.3	28.0	24.6	37.9	28.3	
38 & longer		0.6	20.2	7.4	12.2	15.6	55.8	53.9	54.3	20.1	26.2	16.6	21.4	
All Staples		100	100	100	100	100	100	100	100	100	100	100	100	
Average Staple		35.6	36.5	35.1	35.7	36.1	37.9	37.9	37.9	36.5	36.4	36.6	36.5	
Total Classed		187,252	917,337	1,064,362	2,168,951	2,339,003	262,112	1,036,020	1,298,132	763,203	405,645	182,007	1,350,855	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2017 crop.

Color	Leaf	LAMESA		MACON				MEMPHIS					
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
11 & 21	1-2	35.9	31.8	1.8	0.8	2.0	1.9	0.3	2.2	2.8	2.0	2.9	2.3
	3	12.2	22.1	2.2	1.8	2.5	2.4	0.8	2.8	3.5	3.3	3.4	3.0
	4	0.9	2.6	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2
	5	*	0.1	*	*	*	*	*	*	*	*	*	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	Total	--	49.0	56.6	4.1	2.7	4.6	4.4	1.3	5.2	6.5	5.6	6.5
31	1-2	16.3	4.9	9.6	7.3	9.6	9.5	1.6	2.7	3.7	2.1	4.3	3.2
	3	17.2	10.8	35.0	43.3	34.4	34.9	17.2	18.6	22.4	24.0	22.6	20.9
	4	4.4	4.4	12.8	16.8	9.8	10.6	17.3	18.9	16.0	18.3	14.8	16.9
	5	0.7	0.8	0.9	0.8	0.4	0.5	2.9	4.0	2.2	1.9	1.9	2.7
	6	0.1	0.1	*	*	*	*	0.1	0.1	*	*	0.1	0.1
	7	*	*	*	-	*	*	*	-	-	-	*	*
	Total	--	38.7	21.0	58.3	68.2	54.2	55.5	39.1	44.3	44.3	46.3	43.7
41	1-2	0.4	0.1	2.1	1.2	4.1	3.6	0.2	0.4	0.5	0.5	1.4	0.7
	3	1.1	0.5	14.6	12.5	20.3	19.0	8.3	7.2	8.7	9.7	14.4	9.8
	4	1.0	0.5	13.4	11.7	12.0	12.2	26.4	19.3	20.9	21.8	20.0	20.8
	5	0.5	0.2	3.0	1.7	1.6	1.9	15.6	15.3	13.7	9.9	8.4	12.7
	6	0.1	0.1	0.3	0.1	0.1	0.1	2.9	2.2	1.7	1.5	1.0	1.8
	7	*	*	*	*	*	*	0.1	*	*	0.1	*	0.1
	Total	--	3.1	1.4	33.4	27.2	38.1	36.8	53.5	44.4	45.5	43.5	45.2
51	1-2	*	*	0.1	*	0.2	0.2	-	*	*	*	*	*
	3	*	*	0.5	0.6	1.0	0.9	*	0.3	0.2	0.1	0.8	0.4
	4	*	*	0.4	0.5	0.5	0.5	0.1	1.9	1.2	0.7	1.4	1.3
	5	*	*	0.1	0.1	0.1	0.1	0.1	2.5	1.4	0.6	0.6	1.3
	6	*	*	0.1	*	*	*	0.1	0.5	0.3	0.4	0.1	0.3
	7	*	*	*	*	*	*	*	*	*	0.1	*	*
	Total	--	*	*	1.2	1.2	1.8	1.7	0.3	5.2	3.1	1.9	2.9
61	1-2	-	*	*	-	*	*	-	-	-	-	-	-
	3	-	*	*	*	*	*	-	-	-	-	*	*
	4	-	-	*	*	*	*	-	*	-	*	*	*
	5	-	-	-	-	*	*	-	*	*	-	*	*
	6	-	*	-	*	*	*	-	-	-	*	*	*
	7	-	-	-	-	*	*	-	-	*	-	-	*
	Total	--	-	*	*	*	*	*	-	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	-	-	-	-	-
12 & 22	1-2	0.8	5.3	*	-	0.1	0.1	*	*	*	*	*	*
	3	0.8	5.2	*	*	*	*	*	*	*	*	*	*
	4	0.1	1.0	*	-	*	*	*	*	*	*	*	*
	5	*	0.1	-	*	*	*	*	-	-	-	-	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	*	-	-	-	-	-	-	-	-	-	-	-
	Total	--	1.7	11.6	*	*	0.1	0.1	*	*	*	*	*
32	1-2	1.3	0.5	0.1	*	0.1	0.1	*	*	*	*	*	*
	3	2.3	1.6	0.5	0.2	0.3	0.3	0.7	0.1	0.1	0.2	0.3	0.2
	4	1.0	0.8	0.4	0.2	0.1	0.2	0.9	0.1	0.1	0.2	0.3	0.2
	5	0.2	0.2	0.1	*	*	*	*	0.3	*	*	0.1	0.1
	6	*	*	*	-	*	*	*	*	*	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	*
	Total	--	4.8	3.1	1.1	0.4	0.5	0.6	1.9	0.2	0.2	0.5	0.7
42	1-2	0.2	0.1	*	*	*	*	*	*	*	*	*	*
	3	0.5	0.4	0.5	0.1	0.2	0.2	0.3	0.1	0.1	0.3	0.2	0.1
	4	0.6	0.4	0.5	0.1	0.2	0.3	1.3	0.2	0.1	0.5	0.3	0.3
	5	0.3	0.1	0.2	0.1	*	0.1	1.1	0.1	0.1	0.4	0.1	0.2
	6	0.1	*	*	*	*	*	0.3	*	*	*	*	*
	7	*	*	*	-	*	*	*	*	*	*	*	*
	Total	--	1.7	1.0	1.2	0.3	0.4	0.6	3.0	0.4	0.3	1.3	0.6
52	1-2	*	*	*	-	*	*	-	-	-	-	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	0.1	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	0.1	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	-	*	*	*	*	*	*	*	*
	Total	--	*	*	0.1	*	*	*	*	*	*	0.1	*

* Less than 0.05 percent.

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 25. -- Continued.

		LAMESA	LUBBOCK	MACON				MEMPHIS					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
62	1-2	-	-	*	-	-	*	-	-	-	-	-	-
	3	-	*	*	-	*	*	-	*	-	-	-	*
	4	-	*	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	*	*
	7	-	-	-	-	*	*	-	-	-	-	*	*
	Total	--	-	*	*	-	*	*	-	*	-	-	*
13 & 23	1-2	0.1	1.9	*	-	*	*	-	-	-	-	-	-
	3	0.1	1.9	*	*	*	*	*	*	*	*	*	*
	4	*	0.4	*	*	*	*	*	-	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	*	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	Total	--	0.2	4.2	*	*	*	*	*	*	*	*	*
33	1-2	0.1	0.1	*	-	*	*	*	*	*	*	*	*
	3	0.2	0.2	0.1	*	*	*	0.1	*	*	*	*	*
	4	0.1	0.2	*	*	*	*	0.1	*	*	0.1	*	*
	5	*	0.1	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	-	*	*	*	*	*	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	Total	--	0.4	0.6	0.1	*	*	*	0.2	*	*	0.1	*
43	1-2	*	*	*	-	*	*	*	*	*	-	*	*
	3	0.1	*	0.1	*	*	*	0.1	*	*	*	0.1	*
	4	0.1	0.1	0.1	*	*	*	0.2	0.1	*	0.1	0.1	0.1
	5	*	*	*	*	*	*	0.1	*	*	*	*	*
	6	*	*	*	-	*	*	*	*	*	*	*	*
	7	*	*	*	-	-	-	*	-	*	*	-	*
	Total	--	0.2	0.1	0.2	*	*	*	0.4	0.1	*	0.2	0.1
53	1-2	*	*	*	-	*	*	-	-	-	-	-	-
	3	*	*	*	-	*	*	*	*	*	-	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	-	*	*	*	*	*	-	*	*
	7	*	*	*	-	*	*	-	*	*	*	*	*
	Total	--	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-	-	-
	6	-	*	-	-	*	*	-	-	-	-	-	-
	7	*	-	-	-	*	*	-	-	-	-	-	-
	Total	--	*	*	-	-	*	*	-	-	-	-	-
24 - 54	1-7	*	0.5	*	*	*	*	*	*	*	*	*	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	-	*	*	*	-	*	-	*	*
All Colors	8 2/	-	-	*	-	*	*	*	-	*	*	-	*
STAPLE													
28 & shorter		-	*	-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	*	*	-	-	-	-	-	-
31		0.2	0.1	*	*	*	*	-	*	-	*	*	*
32		1.9	0.7	0.1	0.1	0.4	0.3	*	*	*	*	*	*
33		10.1	3.5	1.6	0.8	3.1	2.7	*	*	*	0.2	*	*
34		24.1	10.9	7.0	3.5	9.4	8.7	0.2	0.1	*	0.6	0.2	0.1
35		26.3	21.1	14.3	11.5	14.8	14.6	2.8	0.5	0.4	3.2	2.4	1.4
36		18.7	26.1	16.5	16.8	15.0	15.3	11.6	6.2	3.9	11.2	15.8	9.1
37		13.5	24.9	27.0	24.3	23.7	24.3	37.3	34.0	29.7	27.7	46.8	36.1
38 & longer		5.1	12.6	33.4	43.1	33.6	34.0	48.0	59.3	66.0	57.0	34.8	53.3
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Staple		35.1	36.0	36.7	37.1	36.6	36.6	37.5	37.8	37.9	38.0	37.3	37.7
Total Classed		1,704,439	4,077,179	505,466	119,040	2,193,203	2,817,709	269,448	861,759	682,976	227,802	718,537	2,760,522

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2017 crop.

Color	Leaf	RAYVILLE				VISALIA				Classing Office Total	UNITED STATES
		Arkansas 1/	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas		
11 & 21	1-2	-	1.9	-	2.0	69.5	49.1	71.1	78.0	63.7	19.2
	3	-	3.9	-	3.9	12.8	14.0	7.6	6.8	12.7	10.4
	4	-	0.4	-	0.4	0.6	0.4	0.2	0.3	0.5	1.0
	5	-	*	-	*	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
Total	--	-	6.2	-	6.3	82.9	63.5	78.9	85.1	76.9	30.6
31	1-2	-	3.6	-	4.6	3.7	10.4	9.0	9.3	6.2	7.2
	3	-	26.3	-	27.3	5.8	15.8	7.4	4.7	8.8	19.0
	4	-	15.1	-	14.6	2.6	3.1	1.3	0.2	2.6	8.9
	5	-	1.6	-	1.5	0.5	0.2	0.1	*	0.4	1.3
	6	-	0.1	-	*	*	*	*	-	*	0.1
	7	-	-	-	-	*	-	-	-	*	*
Total	--	-	46.7	-	48.0	12.6	29.5	17.8	14.2	18.0	36.5
41	1-2	-	1.1	-	1.2	0.1	0.2	0.3	0.3	0.2	1.1
	3	-	12.5	-	12.4	0.4	0.3	1.1	0.2	0.4	7.3
	4	-	19.8	-	19.0	0.3	0.4	0.4	0.1	0.3	8.5
	5	-	7.3	-	6.9	0.3	0.2	*	*	0.2	3.6
	6	-	1.2	-	1.1	0.1	*	*	*	0.1	0.6
	7	-	-	-	-	*	*	*	*	*	*
Total	--	-	41.9	-	40.6	1.2	1.1	1.8	0.6	1.2	21.1
51	1-2	-	*	-	*	*	*	-	-	*	*
	3	-	0.3	-	0.3	*	*	*	-	*	0.3
	4	-	0.5	-	0.5	*	*	*	-	*	0.4
	5	-	0.4	-	0.4	*	-	*	-	*	0.3
	6	-	0.1	-	0.1	-	*	-	-	*	0.1
	7	-	-	-	-	-	*	-	-	*	*
Total	--	-	1.3	-	1.3	*	*	*	-	*	1.1
61	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
Total	--	-	*	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	--	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	-	*	0.7	0.4	0.2	0.1	0.5	1.8
	3	-	*	-	*	0.6	0.6	0.2	*	0.6	1.8
	4	-	*	-	*	0.1	*	*	-	0.1	0.3
	5	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	*
Total	--	-	*	-	*	1.4	1.0	0.4	0.1	1.2	3.9
32	1-2	-	*	-	*	0.1	0.4	0.2	-	0.2	0.4
	3	-	0.2	-	0.2	0.4	2.3	0.4	-	0.9	1.2
	4	-	0.2	-	0.2	0.5	0.9	0.1	-	0.6	0.7
	5	-	*	-	*	0.2	0.2	0.1	-	0.2	0.2
	6	-	-	-	-	*	*	*	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
Total	--	-	0.4	-	0.4	1.2	3.8	0.8	-	1.9	2.5
42	1-2	-	*	-	*	*	*	*	-	*	0.1
	3	-	0.5	-	0.5	*	0.1	0.1	-	0.1	0.6
	4	-	1.1	-	1.1	0.1	0.3	*	-	0.1	0.6
	5	-	0.5	-	0.4	0.2	0.3	*	-	0.2	0.2
	6	-	0.1	-	0.1	0.1	0.1	*	-	0.1	0.1
	7	-	-	-	-	*	*	*	-	*	*
Total	--	-	2.2	-	2.1	0.4	0.8	0.1	-	0.5	1.6
52	1-2	-	*	-	*	*	*	-	-	*	*
	3	-	0.1	-	*	*	*	-	-	*	0.1
	4	-	0.3	-	0.3	*	*	-	-	*	0.1
	5	-	0.4	-	0.4	*	*	-	-	*	*
	6	-	0.1	-	0.1	*	*	-	-	*	*
	7	-	-	-	-	*	*	-	-	*	*
Total	--	-	0.9	-	0.8	*	*	-	-	*	0.2

* Less than 0.05 percent.

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 26. --- Continued.

RAYVILLE						VISALIA					
Color	Leaf	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	UNITED STATES
62	1-2	-	*	-	*	*	-	-	-	*	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	*	-	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	-	*	0.5
	3	-	-	-	-	*	*	*	-	*	0.5
	4	-	-	-	-	*	-	*	-	*	0.1
	5	-	-	-	-	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	*	*	*	-	*
33	1-2	-	*	-	*	*	*	*	-	*	0.1
	3	-	*	-	*	*	*	*	-	*	0.2
	4	-	*	-	*	*	0.1	*	-	*	0.1
	5	-	*	-	*	*	*	-	-	*	*
	6	-	-	-	-	*	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	*	-	*	*	0.1	*	-	*
43	1-2	-	*	-	*	-	-	*	-	*	*
	3	-	0.1	-	0.1	*	*	-	-	*	0.1
	4	-	0.2	-	0.1	*	*	-	-	*	0.1
	5	-	0.1	-	0.1	*	*	-	-	*	0.1
	6	-	*	-	*	*	*	-	-	*	*
	7	-	-	-	-	*	*	-	-	*	*
	Total	--	-	0.4	-	0.3	*	*	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	*	-	-	-	*	*
	6	-	*	-	*	*	-	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	*	-	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	*
	Total	--	-	*	-	*	*	-	-	-	*
24 - 54	1-7	-	*	-	*	*	*	-	-	*	0.3
25 - 35	1-7	-	-	-	-	-	-	-	-	-	*
81 - 85 1/	1-7	-	-	-	-	*	-	-	-	*	*
All Colors	8 2/	-	-	-	-	*	*	-	-	*	*
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	*	-	-	-	*	*
30		-	-	-	-	*	-	-	-	*	*
31		-	-	-	-	*	-	*	-	*	0.1
32		-	*	-	*	0.1	*	0.2	-	0.1	0.8
33		-	0.1	-	0.1	0.4	0.1	0.2	-	0.3	3.3
34		-	1.7	-	1.7	2.2	0.7	1.2	0.1	1.6	8.8
35		-	9.4	-	9.7	10.4	4.0	7.8	0.4	8.1	15.3
36		-	23.5	-	23.7	24.8	13.9	23.9	4.3	20.9	19.9
37		-	29.3	-	29.5	33.4	24.3	36.9	22.0	30.6	26.0
38 & longer		-	36.0	-	35.4	28.7	57.0	29.8	73.3	38.4	25.9
All Staples		-	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Staple		-	37.1	-	37.1	36.9	37.8	37.0	38.2	37.2	36.4
Total Classed		-	407,696	-	431,221	458,850	222,677	43,250	20,594	745,371	19,693,382

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2017 crop.

Mike and Fiber Strength	ABILENE				CORPUS CHRISTI			DUMAS			FLORENCE		
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
MIKE													
24 & below	0.4	*	*	*	*	-	-	-	-	-	-	-	
25	3.7	0.1	0.1	0.4	*	-	*	*	*	*	-	*	
26	5.4	0.2	0.2	0.6	*	-	*	*	*	*	-	*	
27	3.8	0.2	0.3	0.5	*	-	*	*	*	*	-	*	
28	3.8	0.3	0.4	0.7	*	*	*	*	*	*	*	*	
29	4.1	0.3	0.8	0.9	*	*	*	*	*	*	*	*	
30	4.0	0.4	1.2	1.1	*	*	*	*	*	*	*	*	
31	4.5	0.6	1.7	1.5	*	*	0.1	0.1	*	*	*	*	
32	4.8	1.0	2.6	2.1	0.1	*	0.3	0.2	*	*	*	*	
33	4.8	1.4	3.9	2.9	0.1	*	0.7	0.6	0.1	*	0.1	0.1	
34	5.6	1.9	5.1	3.8	0.2	0.2	1.2	1.0	0.1	0.1	0.2	0.1	
35	6.4	2.5	6.8	4.9	0.4	0.3	1.7	1.4	0.2	0.1	0.3	0.2	
36	6.2	3.6	8.3	6.1	0.7	0.7	2.4	2.1	0.3	0.2	0.5	0.3	
37	6.3	4.8	9.3	7.2	1.3	1.1	3.2	2.7	0.5	0.5	0.6	0.5	
38	5.8	6.4	10.5	8.3	1.9	1.9	4.2	3.7	0.9	0.8	1.0	0.9	
39	6.2	7.7	10.6	9.0	2.6	3.1	4.8	4.4	1.3	1.5	1.7	1.4	
40	5.9	9.1	9.4	9.0	3.9	4.9	5.9	5.7	2.3	2.9	2.9	2.5	
41	5.9	9.5	8.2	8.5	5.2	7.1	6.9	7.0	3.5	5.0	4.9	4.2	
42	4.7	9.8	6.4	7.7	6.8	8.8	8.0	8.2	5.4	8.6	7.8	6.7	
43	3.2	9.5	4.8	6.6	8.5	10.0	8.9	9.1	7.8	12.5	10.9	9.6	
44	2.4	8.3	3.4	5.4	10.3	11.2	9.3	9.7	10.4	14.7	14.7	12.3	
45	1.0	6.9	2.4	4.2	11.3	10.9	9.2	9.6	12.4	14.6	15.6	13.5	
46	0.5	5.5	1.7	3.2	12.0	10.3	8.8	9.1	13.1	12.9	13.2	13.1	
47	0.4	4.0	1.0	2.2	11.2	8.9	7.1	7.5	12.2	10.2	10.5	11.4	
48	0.2	2.8	0.5	1.4	9.2	7.0	5.7	6.0	10.2	6.7	7.1	8.7	
49	0.1	1.7	0.3	0.8	6.5	4.9	4.2	4.3	7.9	4.2	3.7	6.2	
50	0.1	1.0	0.1	0.5	4.1	3.4	3.1	3.2	5.4	2.2	1.9	4.0	
51	*	0.4	*	0.2	2.1	2.4	2.1	2.2	3.1	1.0	1.2	2.2	
52	*	0.1	*	0.1	0.9	1.4	1.2	1.3	1.7	0.6	0.5	1.2	
53	*	*	*	*	0.4	0.8	0.6	0.6	0.7	0.3	0.3	0.6	
54	-	*	*	*	0.1	0.3	0.2	0.2	0.3	0.1	0.1	0.2	
55	-	*	*	*	*	0.1	*	0.1	0.1	*	*	*	
56	-	-	*	*	*	0.1	*	*	*	*	*	*	
57	-	-	-	-	*	*	*	*	*	*	*	*	
58	-	-	-	-	*	-	-	-	*	-	*	*	
59	-	-	-	-	-	-	-	-	*	*	*	*	
60 & above	-	-	-	-	-	-	-	-	-	-	-	-	
Average mike	35	41	38	39	45	45	43	44	46	45	45	45	
Fiber Strength 1/													
17 & below	*	*	*	*	-	-	-	-	-	-	-	-	
18	*	*	*	*	-	-	-	-	-	-	-	-	
19	*	*	*	*	-	-	-	-	-	-	-	-	
20	0.1	*	*	*	*	-	-	-	-	-	-	-	
21	0.2	*	*	*	*	-	-	-	-	-	-	-	
22	0.4	*	*	*	*	-	-	-	-	-	-	-	
23	0.6	*	0.1	0.1	*	-	-	-	*	*	*	*	
24	1.1	0.1	0.4	0.3	0.2	-	-	-	*	0.1	*	*	
25	2.1	0.2	1.7	1.1	0.6	-	-	-	0.2	0.6	0.3	0.3	
26	4.1	0.9	5.8	3.6	1.9	*	*	*	1.1	2.6	2.2	1.7	
27	7.7	4.0	13.5	9.0	5.1	0.1	0.2	0.2	4.4	7.6	6.7	5.7	
28	18.2	12.1	21.7	17.3	11.0	0.7	1.1	1.0	8.7	14.9	12.3	11.1	
29	28.3	23.0	23.5	23.7	18.2	3.5	4.2	4.1	14.3	20.9	16.0	16.5	
30	22.0	24.2	17.7	20.8	23.4	12.9	12.8	12.8	20.3	23.6	18.2	21.0	
31	10.3	18.5	9.4	13.3	18.9	26.9	28.1	27.8	20.0	15.2	18.3	18.4	
32	3.5	11.5	4.0	7.2	11.4	25.1	29.1	28.3	15.1	7.5	13.4	12.6	
33	1.1	4.4	1.5	2.7	5.7	15.1	14.9	15.0	8.9	4.0	7.5	7.2	
34	0.2	0.9	0.5	0.6	2.4	8.7	6.7	7.1	4.3	1.9	3.6	3.5	
35	*	0.1	0.1	0.1	0.9	4.6	2.2	2.7	1.8	0.8	1.2	1.4	
36 & above	*	*	*	*	0.4	2.4	0.6	1.0	0.9	0.3	0.4	0.6	
Average Strength	28.9	29.9	28.8	29.3	30.1	31.9	31.7	31.7	30.6	29.7	30.2	30.3	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2017 crop.

Mike and Fiber Strength	LAMESA		LUBBOCK				MACON				MEMPHIS			
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total		
MIKE														
24 & below	0.3	2.1	*	-	*	*	*	-	*	-	*	*		
25	0.4	3.9	*	-	*	*	*	*	*	*	*	*		
26	0.6	5.2	*	-	*	*	*	*	*	*	*	*		
27	0.8	5.7	*	-	*	*	*	*	*	*	*	*		
28	1.1	6.5	*	-	*	*	*	*	*	0.1	*	*		
29	1.5	7.3	0.1	*	*	*	0.1	*	*	0.1	*	*		
30	2.1	7.9	0.1	*	*	0.1	0.2	0.1	*	0.2	0.1	0.1		
31	2.5	8.3	0.2	*	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1		
32	3.4	8.3	0.2	*	0.1	0.1	0.6	0.3	0.1	0.5	0.2	0.2		
33	4.5	7.9	0.3	0.1	0.3	0.3	1.0	0.4	0.2	0.7	0.3	0.4		
34	5.7	7.4	0.5	0.2	0.5	0.5	1.6	1.0	0.5	1.2	0.5	0.8		
35	6.9	6.6	0.8	0.4	0.8	0.8	2.8	1.8	0.8	1.6	0.7	1.3		
36	8.2	5.7	1.3	0.6	1.4	1.3	3.6	3.2	1.2	2.1	1.1	2.1		
37	9.1	4.7	1.8	1.2	2.0	1.9	5.0	4.8	2.1	2.9	1.7	3.2		
38	9.4	3.6	2.7	1.6	2.6	2.6	6.4	6.7	3.3	3.9	2.3	4.5		
39	9.1	2.7	3.7	2.1	3.3	3.4	7.6	8.5	4.7	4.6	3.1	5.7		
40	8.4	2.0	5.2	3.1	4.3	4.4	8.8	9.9	6.3	5.7	4.1	7.0		
41	7.4	1.4	6.8	5.0	5.8	5.9	9.9	10.4	8.4	6.8	5.2	8.2		
42	5.7	0.9	8.4	7.7	7.9	8.0	9.2	10.0	10.5	7.0	6.8	9.0		
43	4.5	0.6	9.5	10.0	10.2	10.1	8.3	8.9	10.8	7.4	8.3	9.0		
44	3.1	0.4	10.2	11.6	12.1	11.7	7.7	7.9	10.0	8.1	8.8	8.7		
45	2.1	0.3	10.9	12.2	12.3	12.1	7.2	6.9	9.0	9.3	9.2	8.3		
46	1.3	0.2	10.6	11.9	11.1	11.0	6.1	5.7	8.0	8.2	9.4	7.5		
47	0.8	0.1	8.9	11.0	9.0	9.1	5.4	4.7	6.9	8.0	8.8	6.7		
48	0.4	0.1	7.3	8.9	6.7	6.9	3.9	3.4	5.8	6.7	8.2	5.6		
49	0.3	*	5.1	6.2	4.5	4.7	2.3	2.5	4.6	5.4	7.0	4.4		
50	0.2	*	3.2	3.4	2.9	3.0	1.2	1.5	3.1	3.8	5.8	3.2		
51	0.1	*	1.6	1.6	1.4	1.4	0.5	0.8	2.1	2.6	4.2	2.1		
52	*	*	0.5	0.6	0.4	0.4	0.2	0.4	1.0	1.6	2.8	1.2		
53	*	*	0.1	0.2	0.1	0.1	*	0.1	0.3	0.5	1.0	0.4		
54	*	*	*	0.1	0.1	*	*	*	0.1	0.3	0.4	0.2		
55	*	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1		
56	-	*	*	*	*	*	*	*	*	*	*	*		
57	*	-	-	*	*	*	*	*	*	0.1	*	*		
58	-	-	-	-	-	-	-	-	*	*	*	*		
59	-	-	-	-	-	-	-	-	-	-	-	-		
60 & above	-	-	*	-	*	*	-	-	-	-	-	-		
Average mike	38	32	44	45	44	44	42	42	44	44	45	43		
Fiber Strength 1/														
17 & below	-	-	-	-	-	-	-	-	-	-	-	-		
18	-	*	-	-	-	-	-	-	-	-	-	-		
19	*	*	-	-	-	-	-	-	-	-	-	-		
20	*	*	-	-	-	-	-	-	-	-	-	-		
21	*	*	*	-	*	*	-	-	-	-	-	-		
22	*	0.1	*	*	*	*	-	-	-	-	-	-		
23	0.1	0.2	*	*	*	*	-	*	-	*	-	*		
24	0.3	0.5	0.1	0.1	0.1	0.1	*	*	*	*	*	*		
25	1.3	1.2	0.5	0.7	0.9	0.8	*	*	*	*	*	*		
26	4.5	3.4	2.2	2.3	4.1	3.7	0.3	*	*	0.1	0.1	0.1		
27	11.8	8.6	7.5	7.1	11.1	10.3	2.8	0.8	0.5	0.5	1.2	1.0		
28	21.6	16.0	16.8	14.5	17.2	17.1	11.1	5.9	3.8	2.1	5.9	5.6		
29	25.2	20.9	25.1	21.7	23.1	23.4	21.7	19.7	15.4	6.3	17.3	17.1		
30	19.5	19.9	22.6	22.6	20.6	21.0	24.6	30.7	32.4	14.1	27.1	28.2		
31	10.6	14.8	13.5	16.2	12.4	12.7	20.4	21.6	29.2	18.8	24.0	23.8		
32	3.8	8.7	6.9	9.1	6.7	6.8	12.0	11.4	13.0	21.3	13.9	13.3		
33	1.0	3.9	3.2	3.9	2.7	2.9	4.8	5.8	3.9	20.8	6.5	6.6		
34	0.2	1.3	1.1	1.3	0.8	0.9	1.7	2.8	1.3	11.8	2.7	3.0		
35	0.1	0.4	0.4	0.3	0.2	0.2	0.5	1.0	0.4	3.2	1.0	1.0		
36 & above	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.9	0.3	0.3		
Average Strength	28.9	29.5	29.5	29.7	29.3	29.3	30.1	30.5	30.5	31.8	30.6	30.6		

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.
 2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2017 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA				UNITED STATES	
	Arkansas 2/	Louisiana	Mississippi	Classing Office Total	Arizona	California	New Mexico	Texas		Classing Office Total
MIKE										
24 & below	-	-	-	-	0.1	*	*	*	0.1	0.5
25	-	-	-	-	0.2	*	0.4	-	0.2	0.9
26	-	*	-	*	0.2	*	0.2	0.1	0.1	1.2
27	-	*	-	*	0.2	*	0.7	-	0.2	1.3
28	-	*	-	*	0.3	*	1.2	-	0.3	1.5
29	-	*	-	*	0.3	0.1	1.6	-	0.3	1.8
30	-	*	-	*	0.4	0.1	2.2	-	0.4	2.0
31	-	*	-	*	0.6	0.3	3.1	0.1	0.6	2.2
32	-	0.1	-	0.1	0.6	0.5	4.8	0.1	0.8	2.3
33	-	0.1	-	0.1	0.8	0.6	5.1	0.2	1.0	2.5
34	-	0.2	-	0.2	0.9	0.8	5.8	0.9	1.2	2.8
35	-	0.3	-	0.3	1.3	1.1	5.6	1.6	1.5	3.0
36	-	0.8	-	0.8	1.7	1.6	5.9	2.2	1.9	3.4
37	-	1.2	-	1.3	2.2	2.2	7.5	4.5	2.6	3.8
38	-	1.6	-	1.7	2.6	3.4	6.4	5.1	3.1	4.2
39	-	2.5	-	2.6	3.0	4.7	6.1	7.1	3.8	4.5
40	-	3.2	-	3.2	4.0	6.3	7.1	10.1	5.0	5.0
41	-	3.8	-	3.9	5.0	7.9	5.9	16.7	6.2	5.5
42	-	5.4	-	5.6	6.2	9.1	6.2	11.5	7.2	6.1
43	-	7.0	-	7.3	7.8	10.5	5.0	9.2	8.5	6.7
44	-	9.0	-	9.4	9.9	10.3	3.8	7.0	9.6	7.1
45	-	11.6	-	11.9	10.4	10.6	3.7	6.6	10.0	7.1
46	-	12.6	-	12.4	10.4	9.2	3.7	5.9	9.5	6.7
47	-	12.3	-	12.0	9.7	7.9	2.3	4.6	8.6	5.8
48	-	10.8	-	10.4	8.1	5.4	2.6	3.5	6.8	4.5
49	-	7.0	-	6.8	6.6	3.5	1.4	1.5	5.2	3.2
50	-	4.8	-	4.6	3.8	1.9	1.3	0.8	3.0	2.1
51	-	3.1	-	2.9	2.0	1.0	0.4	0.3	1.6	1.2
52	-	1.7	-	1.6	0.6	0.5	*	-	0.5	0.6
53	-	0.6	-	0.6	0.2	0.2	-	0.1	0.2	0.2
54	-	0.1	-	0.1	0.1	0.1	-	-	0.1	0.1
55	-	*	-	*	*	*	-	0.6	*	*
56	-	*	-	*	-	0.1	-	*	*	*
57	-	*	-	*	-	0.1	-	-	*	*
58	-	-	-	-	-	-	-	-	-	*
59	-	-	-	-	*	-	-	-	*	*
60 & above	-	-	-	-	-	-	-	-	-	*
Average mike	-	45	-	45	44	43	39	42	43	41
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	*
18	-	-	-	-	-	-	-	-	-	*
19	-	-	-	-	-	-	-	-	-	*
20	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	*	-	-	-	*	*
22	-	-	-	-	*	-	*	-	*	*
23	-	-	-	-	*	-	*	-	*	0.1
24	-	*	-	*	0.1	-	0.1	-	0.1	0.2
25	-	*	-	*	0.2	*	0.3	*	0.1	0.7
26	-	*	-	*	0.4	*	1.0	0.1	0.3	2.4
27	-	0.1	-	0.5	1.2	*	3.2	0.6	1.0	6.5
28	-	0.8	-	2.1	3.4	0.1	15.5	7.1	3.2	12.6
29	-	5.1	-	6.7	7.0	0.6	26.2	17.2	6.5	18.8
30	-	16.9	-	17.0	15.2	2.1	26.9	25.2	12.2	21.0
31	-	29.4	-	28.3	22.6	4.7	19.9	33.7	17.4	17.2
32	-	26.5	-	25.2	21.5	11.3	4.5	11.6	17.2	11.0
33	-	14.4	-	13.7	16.3	13.9	2.0	2.9	14.4	5.5
34	-	5.0	-	4.7	8.0	11.8	0.4	0.3	8.5	2.3
35	-	1.1	-	1.1	3.0	15.3	0.1	0.1	6.4	0.9
36 & above	-	0.6	-	0.6	1.1	40.3	*	1.1	12.7	0.7
Average Strength	-	30.7	-	30.6	30.3	33.4	29.9	29.6	31.6	30.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2017 crop.

Mike Groupings, Uniformity and Trash	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
MIKE													
24 & below	0.4	*	*	*	*	-	-	-	-	-	-	-	
25-26	9.1	0.3	0.4	1.1	*	-	*	*	*	*	*	*	
27-29	11.7	0.8	1.5	2.1	*	*	*	*	*	*	*	*	
30-32	13.3	2.0	5.5	4.7	0.1	*	0.5	0.4	0.1	0.1	0.1	0.1	
33-34	10.3	3.3	9.0	6.7	0.4	0.2	1.9	1.6	0.2	0.1	0.3	0.2	
35-36	12.6	6.1	15.1	11.1	1.1	1.0	4.1	3.5	0.5	0.3	0.8	0.5	
37-42	34.7	47.3	54.3	49.7	21.6	26.8	33.0	31.7	13.9	19.3	19.0	16.2	
43-49	7.7	38.7	14.1	23.9	69.0	63.3	53.2	55.3	74.0	75.9	75.8	74.8	
50-52	0.1	1.6	0.2	0.8	7.1	7.3	6.5	6.7	10.2	3.8	3.6	7.4	
53 & above	*	0.1	*	*	0.6	1.3	0.8	0.9	1.1	0.5	0.4	0.8	
Average mike	35	41	38	39	45	45	43	44	46	45	45	45	
Mike 35 - 49	55.1	92.0	83.5	84.7	91.8	91.1	90.3	90.5	88.4	95.5	95.6	91.5	
Uniformity 1/													
72 & below	*	-	-	*	*	-	-	-	-	-	-	-	
73	*	*	*	*	*	-	-	-	-	-	-	-	
74	0.2	*	*	*	*	-	-	-	*	*	*	*	
75	0.6	*	0.2	0.2	*	-	-	-	*	*	*	*	
76	1.2	*	1.1	0.7	0.1	-	-	-	*	*	*	*	
77	3.2	0.3	5.0	2.9	0.4	*	*	*	*	*	0.1	*	
78	7.1	1.7	14.6	8.5	1.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
79	16.2	6.5	26.2	17.0	6.4	1.0	1.2	1.1	1.3	1.4	0.9	1.3	
80	31.6	18.9	29.1	25.0	17.9	4.8	5.9	5.7	7.3	8.0	5.5	7.3	
81	29.2	35.4	17.2	26.0	32.6	19.1	23.5	22.6	24.7	30.7	22.0	26.1	
82	9.3	27.4	5.1	14.9	28.4	38.9	43.7	42.7	37.2	38.9	37.7	37.8	
83	1.2	8.5	1.0	4.2	10.9	26.4	21.7	22.7	22.7	17.3	27.5	21.7	
84	0.1	1.0	0.1	0.5	1.6	8.4	3.4	4.4	5.8	3.2	5.9	5.0	
85	*	0.1	*	*	0.1	1.2	0.3	0.5	0.7	0.2	0.4	0.5	
86	*	*	*	*	*	*	*	*	*	*	*	*	
87	*	*	*	*	*	*	*	*	*	*	*	*	
88	*	*	*	*	*	-	*	*	*	-	*	*	
89	*	*	*	*	-	*	*	*	-	-	-	-	
90 & above	*	*	*	*	-	-	-	-	-	-	-	-	
Average uniformity	80.0	81.0	79.5	80.2	81.1	82.1	81.8	81.9	81.9	81.7	82.0	81.8	
Trash 2/													
00	*	*	*	*	*	-	-	-	-	-	-	-	
01	6.3	19.4	19.4	18.3	8.7	0.1	0.6	0.5	0.7	1.3	0.4	0.8	
02	23.0	34.0	37.2	34.6	26.3	3.1	9.1	7.9	7.6	12.9	8.4	9.3	
03	27.1	21.2	22.0	22.1	25.6	11.3	20.0	18.2	18.3	24.1	25.0	20.9	
04	19.7	11.3	10.7	11.7	18.5	18.9	22.1	21.5	23.2	24.3	29.5	24.4	
05	11.4	5.9	5.1	6.0	10.6	21.7	18.2	18.9	20.3	17.7	20.5	19.6	
06	6.0	3.3	2.5	3.2	5.3	18.8	12.8	14.0	13.9	10.2	10.2	12.3	
07	3.1	1.9	1.3	1.7	2.5	12.9	8.1	9.1	8.1	5.2	4.0	6.7	
08	1.6	1.1	0.7	1.0	1.2	7.2	4.6	5.2	4.2	2.4	1.4	3.3	
09	0.8	0.7	0.4	0.6	0.6	3.5	2.4	2.6	2.0	1.1	0.4	1.5	
10	0.5	0.4	0.2	0.3	0.3	1.5	1.2	1.2	0.9	0.5	0.1	0.7	
11	0.2	0.3	0.1	0.2	0.2	0.6	0.5	0.5	0.4	0.2	*	0.3	
12	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	0.1	
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	
14	0.1	0.1	*	0.1	*	*	*	*	*	*	*	*	
15	*	*	*	*	*	*	*	*	*	*	*	*	
16	*	*	*	*	*	*	*	*	*	*	*	*	
17	*	*	*	*	*	*	*	*	*	*	*	*	
18 & above	*	*	*	*	*	*	*	*	*	*	*	*	
Average trash	0.36	0.29	0.27	0.28	0.34	0.54	0.47	0.49	0.48	0.42	0.42	0.45	

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2017 crop.

Mike Groupings, Uniformity and Trash	LAMESA		LUBBOCK		MACON			MEMPHIS				
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
MIKE												
24 & below	0.3	2.1	*	-	*	*	*	-	*	-	-	*
25-26	1.0	9.1	*	-	*	*	*	*	*	*	*	*
27-29	3.4	19.4	0.1	*	*	*	0.2	*	*	0.2	0.1	0.1
30-32	8.0	24.5	0.5	0.1	0.2	0.3	0.9	0.4	0.2	1.0	0.3	0.5
33-34	10.3	15.3	0.8	0.4	0.8	0.8	2.6	1.4	0.7	1.9	0.7	0.8
35-36	15.1	12.3	2.0	1.0	2.2	2.1	6.4	5.0	2.0	3.8	1.8	2.0
37-42	49.2	15.3	28.6	20.7	25.9	26.2	46.9	50.3	35.3	30.9	23.1	28.6
43-49	12.4	1.8	62.4	71.9	65.9	65.5	41.0	40.0	55.1	53.2	59.6	62.4
50-52	0.3	*	5.3	5.7	4.7	4.8	1.9	2.7	6.2	8.0	12.8	5.3
53 & above	*	*	0.2	0.3	0.2	0.2	0.1	0.1	0.5	1.0	1.5	0.2
Average mike	38	32	44	45	44	44	42	42	44	44	45	44
Mike 35 - 49	76.7	29.4	93.1	93.6	94.1	93.9	94.4	95.3	92.4	87.9	84.6	91.1
Uniformity 1/ 72 & below	-	*	-	-	-	-	-	-	-	-	-	-
73	*	*	-	-	-	-	-	-	-	-	-	-
74	*	0.1	-	-	*	*	-	*	-	-	-	*
75	0.2	0.3	*	-	*	*	-	*	*	*	*	*
76	1.1	1.7	*	*	*	*	*	*	*	*	*	*
77	4.4	5.8	*	*	*	*	0.1	*	*	0.1	*	*
78	14.1	14.3	0.3	0.1	0.2	0.2	0.2	0.1	0.1	0.4	0.2	0.1
79	29.7	24.9	2.0	0.5	1.5	1.5	1.3	0.4	0.2	1.4	0.8	0.7
80	32.4	27.3	9.6	4.4	7.6	7.8	6.4	4.0	2.0	4.5	4.2	3.8
81	14.7	17.4	27.2	20.6	25.4	25.5	20.1	20.8	12.1	13.9	15.4	16.6
82	3.1	6.5	37.2	36.0	38.6	38.2	35.6	39.9	34.4	31.7	33.2	35.7
83	0.3	1.5	19.4	27.6	20.8	20.9	27.1	28.7	36.4	32.8	33.1	31.9
84	*	0.2	3.9	9.3	5.1	5.1	8.1	5.8	13.1	13.1	11.5	9.9
85	-	*	0.4	1.4	0.7	0.7	1.1	0.3	1.5	2.0	1.4	1.1
86	-	*	*	0.1	*	*	0.1	*	0.1	0.2	0.1	0.1
87	-	*	*	*	*	*	-	*	*	*	*	*
88	-	-	-	-	*	*	-	-	*	*	-	*
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	79.4	79.5	81.7	82.1	81.8	81.8	82.0	82.1	82.5	82.3	82.3	81.7
Trash 2/												
00	*	*	-	-	*	*	-	-	-	-	-	-
01	21.8	13.3	1.6	0.5	2.1	1.9	0.1	0.4	0.6	0.4	1.1	0.6
02	38.0	36.4	15.3	10.8	19.6	18.5	2.6	6.3	7.7	5.5	9.3	7.0
03	21.4	26.6	27.4	27.4	31.7	30.7	10.7	14.2	16.1	15.1	19.3	15.7
04	9.7	13.4	25.0	28.2	24.1	24.5	19.7	18.8	18.9	21.9	21.7	19.9
05	4.5	5.9	15.9	18.5	13.0	13.8	21.7	19.1	18.1	21.0	18.3	19.1
06	2.2	2.5	8.1	8.9	5.8	6.4	17.7	16.1	15.1	15.6	13.0	15.2
07	1.1	1.0	3.7	3.5	2.3	2.6	12.0	11.5	10.6	9.6	8.2	10.3
08	0.6	0.4	1.6	1.4	0.8	1.0	7.5	7.0	6.6	5.4	4.7	6.2
09	0.3	0.2	0.7	0.5	0.3	0.4	4.3	3.8	3.6	3.0	2.5	3.4
10	0.2	0.1	0.3	0.2	0.1	0.1	2.0	1.7	1.6	1.4	1.1	1.5
11	0.1	*	0.2	0.1	*	0.1	0.9	0.6	0.6	0.6	0.5	0.6
12	*	*	0.1	*	*	*	0.4	0.3	0.3	0.3	0.2	0.3
13	*	*	*	*	*	*	0.2	0.1	0.1	0.1	0.1	0.1
14	*	*	*	*	*	*	0.1	*	*	0.1	*	*
15	*	*	*	*	*	*	*	*	*	*	*	*
16	*	*	*	-	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*	*	*	*
18 & above	*	-	*	-	*	*	*	*	*	*	*	*
Average trash	0.26	0.28	0.40	0.41	0.36	0.37	0.55	0.52	0.51	0.51	0.47	0.51

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2017 crop.

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA				Classing Office Total	UNITED STATES
	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas		
MIKE										
24 & below	-	-	-	-	0.1	*	*	*	0.1	0.5
25-26	-	*	-	*	0.4	*	0.6	0.1	0.3	2.1
27-29	-	*	-	*	0.8	0.2	3.5	-	0.7	4.6
30-32	-	0.1	-	0.1	1.6	0.9	10.1	0.2	1.8	6.5
33-34	-	0.3	-	0.3	1.7	1.4	11.0	1.1	2.1	5.3
35-36	-	1.1	-	1.2	3.0	2.7	11.5	3.7	3.4	6.4
37-42	-	17.8	-	18.3	23.0	33.6	39.2	55.0	28.0	29.1
43-49	-	70.3	-	70.2	62.8	57.3	22.5	38.2	58.1	41.2
50-52	-	9.6	-	9.2	6.4	3.5	1.7	1.0	5.1	3.9
53 & above	-	0.7	-	0.7	0.3	0.4	-	0.7	0.3	0.3
Average mike	-	45	-	45	44	43	39	42	43	41
Mike 35 - 49	-	89.2	-	89.7	88.8	93.6	73.2	96.9	89.6	76.7
Uniformity 1/										
72 & below	-	-	-	-	*	*	-	-	*	*
73	-	-	-	-	*	-	-	-	*	*
74	-	-	-	-	*	*	-	-	*	*
75	-	-	-	-	*	*	*	-	*	0.1
76	-	*	-	*	*	*	-	-	*	0.5
77	-	*	-	*	0.1	0.1	0.1	*	0.1	2.0
78	-	0.1	-	0.1	0.7	0.4	1.7	0.6	0.6	5.4
79	-	0.7	-	0.9	4.1	1.5	9.6	2.5	3.6	11.0
80	-	9.0	-	10.4	17.4	8.1	25.9	16.9	15.1	16.7
81	-	37.7	-	38.2	40.4	24.3	36.1	48.9	35.6	23.0
82	-	38.8	-	37.4	30.4	22.9	23.6	27.5	27.7	24.4
83	-	12.5	-	11.9	6.4	26.8	3.0	3.4	12.2	13.3
84	-	1.1	-	1.0	0.4	14.6	*	0.1	4.6	3.2
85	-	0.1	-	0.1	*	1.1	*	*	0.3	0.4
86	-	-	-	-	*	0.1	-	-	*	*
87	-	-	-	-	-	-	-	-	-	*
88	-	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-	*
90 & above	-	-	-	-	-	-	-	-	-	*
Average uniformity	-	81.5	-	81.5	81.1	82.1	80.7	81.0	81.4	80.9
Trash 2/										
00	-	-	-	-	*	*	*	*	*	*
01	-	0.8	-	1.0	36.9	26.1	42.8	49.2	34.4	9.5
02	-	9.9	-	11.4	41.5	40.3	40.4	39.4	41.0	24.3
03	-	23.2	-	24.0	12.8	21.5	11.6	8.6	15.2	23.2
04	-	25.4	-	24.8	4.4	7.3	3.4	2.1	5.1	17.2
05	-	18.5	-	17.8	1.9	2.7	1.2	0.5	2.1	11.2
06	-	11.2	-	10.7	1.0	1.2	0.4	0.1	1.0	6.8
07	-	5.8	-	5.5	0.6	0.5	0.1	*	0.5	3.8
08	-	2.9	-	2.7	0.3	0.2	0.1	*	0.3	2.0
09	-	1.3	-	1.2	0.2	0.1	*	*	0.2	1.0
10	-	0.6	-	0.6	0.1	0.1	*	*	0.1	0.5
11	-	0.2	-	0.2	0.1	*	-	*	0.1	0.2
12	-	0.1	-	0.1	*	*	-	-	*	0.1
13	-	*	-	*	*	*	-	*	*	*
14	-	*	-	*	*	*	-	-	*	*
15	-	-	-	-	*	*	-	-	*	*
16	-	-	-	-	*	*	-	-	*	*
17	-	-	-	-	*	*	-	-	*	*
18 & above	-	-	-	-	*	-	-	-	*	*
Average trash	-	0.44	-	0.43	0.20	0.23	0.18	0.17	0.21	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total.

Table 33. -- Percentage distribution of color, staple and uniformity American Pima cotton classed, by states and United States, 2017 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	19,934	66.7	211,645	34.7	3,313	23.0	7,045	29.9	241,937	35.7
	2	6,029	20.2	158,635	26.0	4,990	34.6	7,883	33.5	177,537	26.2
	3	367	1.2	1,579	0.3	137	1.0	306	1.3	2,389	0.4
	4	2	*	1	*	-	-	-	-	3	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		26,332	88.1	371,860	61.0	8,440	58.6	15,234	64.7	421,866	62.3
02	1	1,827	6.1	65,356	10.7	889	6.2	1,563	6.6	69,635	10.3
	2	1,532	5.1	146,389	24.0	4,015	27.9	4,828	20.5	156,764	23.2
	3	119	0.4	11,964	2.0	923	6.4	990	4.2	13,996	2.1
	4	1	*	244	*	40	0.3	12	0.1	297	*
	5	-	-	1	*	-	-	-	-	1	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		3,479	11.6	223,954	36.7	5,867	40.8	7,393	31.4	240,693	35.6
03	1	12	*	670	0.1	1	*	4	*	687	0.1
	2	32	0.1	6,073	1.0	32	0.2	414	1.8	6,551	1.0
	3	7	*	4,307	0.7	59	0.4	358	1.5	4,731	0.7
	4	1	*	732	0.1	15	0.1	21	0.1	769	0.1
	5	-	-	48	*	-	-	-	-	48	*
	6	-	-	11	*	-	-	-	-	11	*
	7	-	-	3	*	-	-	-	-	3	*
Total		52	0.1	11,844	1.9	107	0.7	797	3.4	12,800	1.9
04	1	1	*	12	*	-	-	2	*	15	*
	2	-	-	258	*	-	-	31	0.1	289	*
	3	2	*	549	0.1	-	-	10	*	561	0.1
	4	-	-	297	*	-	-	5	*	302	*
	5	-	-	64	*	-	-	2	*	66	*
	6	-	-	31	*	-	-	7	*	38	*
	7	8	*	15	*	-	-	5	*	28	*
Total		11	*	1,226	0.1	-	-	62	0.1	1,299	0.1
05	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	24	*	-	-	6	*	30	*
	3	-	-	62	*	-	-	-	-	62	*
	4	-	-	84	*	-	-	1	*	85	*
	5	-	-	21	*	-	-	4	*	25	*
	6	-	-	10	*	-	-	29	0.1	39	*
	7	16	0.1	8	*	2	*	30	0.1	56	*
Total		16	0.1	209	*	2	*	70	0.2	297	*
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	*	-	-	-	-	1	*
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	4	*	-	-	-	-	4	*
	5	-	-	5	*	-	-	-	-	5	*
	6	-	-	-	-	-	-	-	-	-	-
	7	1	*	-	-	-	-	-	-	1	*
Total		1	*	10	*	-	-	-	-	11	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	1	*	-	-	-	-	1	*
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		-	-	1	*	-	-	-	-	1	*
STAPLE											
40 & shorter		-	-	-	-	-	-	-	-	-	-
42	-	-	65	*	1	*	1	*	67	*	
44	32	0.1	5,172	0.8	58	0.4	277	1.2	5,539	0.8	
46	4,447	14.9	50,615	8.3	2,494	17.3	4,274	18.1	61,830	9.1	
48 & longer	25,412	85.0	553,254	90.8	11,863	82.3	19,004	80.7	609,533	90.0	
<i>Average</i>			48.4		49.2		47.9		47.8		49.1
UNIFORMITY											
72 & below		-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-
78	-	-	-	-	-	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-
80	-	-	2	*	-	-	-	-	2	*	
81	1	*	27	*	7	*	3	*	38	*	
82	10	*	279	*	7	*	8	*	304	*	
83	80	0.3	2,411	0.4	40	0.3	182	0.8	2,713	0.4	
84	554	1.9	30,374	5.0	380	2.6	871	3.7	32,179	4.8	
85	8,687	29.1	84,152	13.8	3,199	22.2	2,675	11.4	98,713	14.6	
86	14,890	49.8	229,767	37.7	7,906	54.8	12,229	51.9	264,792	39.1	
87	5,591	18.7	222,846	36.6	2,790	19.4	7,311	31.0	238,538	35.2	
88	69	0.2	36,706	6.0	86	0.6	265	1.1	37,126	5.5	
89	9	*	2,512	0.4	1	*	12	0.1	2,534	0.4	
90 & above	-	-	30	*	-	-	-	-	30	*	
<i>Average</i>			85.8		86.2		85.9		86.1		86.2
BALES CLASSED			29,891		609,104		14,416		23,556		676,967

* Less than 0.05 percent.

Table 34. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2017 crop.

Grade, Staple and Mike	State								United States	
	Arizona		California		New Mexico		Texas			
Mike groups										
24 & below	-	-	18	*	-	-	-	-	18	*
25 - 26	1	*	210	*	10	0.1	-	-	221	*
27 - 29	67	0.2	1,506	0.2	102	0.7	160	0.7	1,835	0.3
30 - 32	369	1.2	6,835	1.1	440	3.1	501	2.1	8,145	1.2
33 - 34	1,360	4.5	9,966	1.6	974	6.8	656	2.8	12,956	1.9
35 - 36	3,810	12.7	19,022	3.1	1,626	11.3	1,108	4.7	25,566	3.8
37 - 42	23,922	80.0	334,068	54.8	8,022	55.6	13,064	55.5	379,076	56.0
43 - 49	362	1.2	237,412	39.0	3,241	22.5	8,067	34.2	249,082	36.8
50 - 52	-	-	69	*	1	*	-	-	70	*
53 & above	-	-	-	-	-	-	-	-	-	-
Average mike	38		41		40		41		41	
Mike readings										
24 & below	-	-	18	*	-	-	-	-	18	*
25	-	-	87	*	3	*	-	-	90	*
26	1	*	123	*	7	*	-	-	131	*
27	11	*	221	*	21	0.1	43	0.2	296	*
28	23	0.1	449	0.1	26	0.2	47	0.2	545	0.1
29	33	0.1	836	0.1	55	0.4	70	0.3	994	0.1
30	44	0.1	1,440	0.2	77	0.5	53	0.2	1,614	0.2
31	140	0.5	2,061	0.3	225	1.6	252	1.1	2,678	0.4
32	185	0.6	3,334	0.5	138	1.0	196	0.8	3,853	0.6
33	426	1.4	4,122	0.7	369	2.6	310	1.3	5,227	0.8
34	934	3.1	5,844	1.0	605	4.2	346	1.5	7,729	1.1
35	1,536	5.1	7,423	1.2	795	5.5	512	2.2	10,266	1.5
36	2,274	7.6	11,599	1.9	831	5.8	596	2.5	15,300	2.3
37	4,143	13.9	17,011	2.8	714	5.0	814	3.5	22,682	3.4
38	5,275	17.6	27,038	4.4	1,148	8.0	1,530	6.5	34,991	5.2
39	4,915	16.4	43,047	7.1	1,618	11.2	2,282	9.7	51,862	7.7
40	4,503	15.1	64,176	10.5	1,420	9.9	2,770	11.8	72,869	10.8
41	3,226	10.8	83,289	13.7	1,693	11.7	2,753	11.7	90,961	13.4
42	1,860	6.2	99,507	16.3	1,429	9.9	2,915	12.4	105,711	15.6
43	312	1.0	92,507	15.2	1,084	7.5	2,581	11.0	96,484	14.3
44	35	0.1	71,925	11.8	1,126	7.8	2,659	11.3	75,745	11.2
45	8	*	42,851	7.0	723	5.0	1,827	7.8	45,409	6.7
46	3	*	19,916	3.3	231	1.6	842	3.6	20,992	3.1
47	2	*	7,599	1.2	37	0.3	132	0.6	7,770	1.1
48	-	-	2,182	0.4	39	0.3	21	0.1	2,242	0.3
49	2	*	432	0.1	1	*	5	*	440	0.1
50	-	-	64	*	1	*	-	-	65	*
51	-	-	5	*	-	-	-	-	5	*
52	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	38		41		40		41		41	
Strength										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-
29	-	-	1	*	-	-	-	-	1	*
30	-	-	10	*	-	-	-	-	10	*
31	-	-	32	*	1	*	-	-	33	*
32	1	*	61	*	-	-	1	*	63	*
33	1	*	215	*	5	*	6	*	227	*
34	8	*	669	0.1	20	0.1	67	0.3	764	0.1
35	11	*	1,614	0.3	63	0.4	136	0.6	1,824	0.3
36	24	0.1	4,443	0.7	53	0.4	113	0.5	4,633	0.7
37	92	0.3	10,899	1.8	358	2.5	436	1.9	11,785	1.7
38	371	1.2	22,191	3.6	491	3.4	469	2.0	23,522	3.5
39	1,793	6.0	26,048	4.3	757	5.3	1,009	4.3	29,607	4.4
40	2,844	9.5	21,972	3.6	1,821	12.6	2,110	9.0	28,747	4.2
41	3,769	12.6	25,825	4.2	2,520	17.5	4,040	17.2	36,154	5.3
42	5,551	18.6	47,264	7.8	2,398	16.6	4,805	20.4	60,018	8.9
43	7,106	23.8	80,167	13.2	2,082	14.4	3,408	14.5	92,763	13.7
44	5,228	17.5	110,592	18.2	1,514	10.5	2,857	12.1	120,191	17.8
45 & above	3,092	10.3	257,103	42.2	2,333	16.2	4,099	17.4	266,627	39.4
Average Strength	42.3		43.5		42.0		42.2		43.4	
Extraneous matter										
Bark	28	0.1	31	*	-	-	-	-	59	*
Grass	-	-	399	0.1	-	-	-	-	399	0.1
Spindle twist	-	-	2,284	0.4	-	-	-	-	2,284	0.3
Preparation	-	-	33	*	-	-	-	-	33	*

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.