



Quality of Cotton Classed by Classing Office

Volume 60, No. 23

4-Jan-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**
For The Week Ending January 3, 2019

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Abilene	38	61,084	40	603,692
Corpus Christi	15	8,752	54	1,712,644
Dumas	26	38,538	40	1,333,294
Florence	34	31,234	53	1,149,938
Lamesa	33	64,459	36	611,146
Lubbock	70	283,769	72	2,515,742
Macon	73	125,438	79	2,031,673
Memphis	34	36,975	81	2,865,531
Rayville	11	13,569	21	487,601
Visalia	23	30,866	33	369,909
United States	357	694,684	509	13,681,170
Percent tenderable		62.7		67
AMERICAN PIMA				
Visalia	19	36,323	23	499,711
United States	19	36,323	23	499,711
United States all cotton	373	731,007	522	14,180,881

* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	3.4	2.2	2.4	17.2	*	0.4	*	0.1	5.6	5.2
	4	2.6	2.2	2.3	10.8	*	0.7	0.3	0.3	4.3	3.7
	5	0.3	0.2	0.1	0.7	*	0.1	0.1	*	0.2	0.4
	6	*	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
	Total	-----	6.3	4.6	4.8	28.7	0.1	1.2	0.4	0.4	10.1
31	1-2	11.8	8.6	1.7	5.8	0.6	1.7	0.7	1.9	11.6	9.9
	3	27.2	25.0	1.0	11.7	5.5	13.5	7.0	14.3	28.0	26.3
	4	8.0	7.8	0.1	3.4	2.6	6.7	5.3	7.2	11.6	10.9
	5	0.8	0.8	-	0.2	0.2	0.4	0.6	0.6	1.5	1.7
	6	*	*	-	*	*	*	*	*	0.2	0.1
	7	-	*	-	*	-	-	-	-	*	*
		-	-	-	-	-	-	-	-	-	-
	Total	-----	47.8	42.3	2.8	21.1	9.0	22.4	13.6	24.1	52.9
41	1-2	1.6	2.4	0.2	1.7	0.7	0.9	0.7	1.8	0.4	1.2
	3	12.5	16.8	1.8	5.6	20.3	17.3	16.1	23.9	5.2	8.9
	4	11.4	13.8	0.6	2.7	38.7	33.3	27.6	23.7	6.7	11.2
	5	4.6	4.5	-	0.4	11.1	10.8	7.4	5.3	3.6	5.3
	6	0.8	0.7	-	*	0.5	0.7	0.7	0.4	1.0	1.5
	7	0.1	0.1	-	*	*	*	*	*	0.2	0.4
		-	-	-	-	-	-	-	-	-	-
	Total	-----	31.0	38.4	2.6	10.5	71.3	63.1	52.5	55.1	17.1
51	1-2	*	0.1	2.6	0.4	*	*	*	0.1	*	*
	3	0.2	0.4	11.7	2.0	1.0	0.4	1.9	1.4	*	*
	4	0.4	0.7	8.2	1.3	4.5	1.8	7.2	2.1	0.1	0.1
	5	0.4	0.8	1.0	0.3	3.3	1.7	5.1	1.2	0.1	0.2
	6	0.2	0.4	*	*	0.4	0.3	1.0	0.2	*	0.3
	7	0.1	0.1	*	*	*	*	0.1	*	0.1	0.2
		-	-	-	-	-	-	-	-	-	-
	Total	-----	1.3	2.4	23.6	4.1	9.3	4.2	15.3	5.0	0.3
61	1-2	-	-	*	*	-	-	-	*	-	-
	3	-	-	1.0	0.1	*	*	*	*	-	-
	4	-	-	0.8	0.1	-	*	*	*	-	-
	5	*	*	0.1	*	-	-	*	*	-	-
	6	*	*	-	*	-	*	*	*	-	*
	7	-	*	-	*	-	-	-	*	-	-
		-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	2.0	0.3	*	*	0.1	*	-
71	1-2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
		-	-	*	*	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.2	0.2	1.6	4.2	-	*	*	*	0.5	0.5
	3	0.4	0.4	0.3	4.0	*	*	*	*	1.3	0.9
	4	*	0.1	-	0.7	-	*	-	*	0.3	0.2
	5	*	*	-	*	-	-	-	*	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
	Total	-----	0.7	0.7	1.9	9.0	*	*	0.1	*	2.1
32	1-2	0.6	0.4	-	1.1	*	*	0.1	0.1	0.6	0.4
	3	2.0	1.7	*	3.2	0.5	0.4	1.1	1.0	4.1	2.5
	4	1.1	1.2	-	1.6	0.5	0.4	0.8	0.5	3.3	2.1
	5	0.4	0.3	-	0.2	*	*	0.1	0.1	1.3	0.6
	6	0.1	*	-	*	-	*	*	*	0.3	0.1
	7	*	*	-	*	-	-	-	-	0.1	*
		-	-	-	-	-	-	-	-	-	-
	Total	-----	4.2	3.6	*	6.1	1.0	0.9	2.1	1.8	9.7
42	1-2	0.3	0.2	0.1	0.5	*	*	0.1	0.4	*	0.1
	3	2.0	1.4	0.1	2.9	0.9	1.1	1.8	4.6	0.5	0.8
	4	1.9	1.6	0.1	2.4	3.5	3.2	4.4	4.0	0.9	1.0
	5	1.0	0.8	-	0.6	1.4	1.4	1.9	0.8	0.7	0.7
	6	0.4	0.2	-	0.1	0.1	0.1	0.3	0.1	0.4	0.3
	7	0.1	*	-	*	-	*	*	*	0.1	0.1
		-	-	-	-	-	-	-	-	-	-
	Total	-----	5.6	4.3	0.3	6.5	5.9	5.8	8.6	9.9	2.6
52	1-2	*	*	0.2	0.2	-	*	*	0.1	-	*
	3	0.2	0.2	5.7	1.7	0.1	0.1	0.3	0.9	0.1	*
	4	0.4	0.3	18.1	2.3	0.7	0.6	1.2	1.0	0.1	*
	5	0.2	0.3	7.7	0.9	0.4	0.7	1.2	0.4	*	*
	6	0.1	0.1	0.3	0.2	0.1	0.2	0.5	0.1	*	*
	7	*	*	-	*	*	*	0.1	*	*	*
		-	-	-	-	-	-	-	-	-	-
	Total	-----	0.9	1.0	32.0	5.3	1.3	1.5	3.3	2.5	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.3	*	-	*	-	*	-	*
	3	-	0.1	1.8	0.3	-	*	*	*	-	*
	4	*	*	3.4	0.6	-	*	0.1	*	-	*
	5	-	-	1.4	0.3	-	*	*	*	-	*
	6	-	*	0.3	*	-	*	*	*	-	*
	7	-	*	*	*	*	*	0.1	*	-	*
Total	-----	*	0.1	7.2	1.2	*	*	0.2	0.1	-	*
13 & 23	1-2	*	*	0.6	0.4	-	-	-	*	*	*
	3	0.1	0.1	0.2	0.5	-	-	*	*	0.1	0.1
	4	*	0.1	*	0.2	*	*	-	*	*	0.1
	5	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	0.2	0.9	1.1	*	*	*	*	0.2	0.2
33	1-2	*	*	*	0.1	-	*	-	*	0.1	*
	3	0.2	0.3	-	0.4	*	*	0.2	0.1	0.9	0.3
	4	0.2	0.4	-	0.3	0.1	*	0.2	0.1	1.1	0.6
	5	0.1	0.1	-	0.1	*	*	*	*	0.4	0.3
	6	0.1	*	-	*	-	-	*	*	0.2	*
	7	*	*	-	*	-	-	-	*	*	*
Total	-----	0.5	0.9	*	0.9	0.1	0.1	0.4	0.1	2.7	1.2
43	1-2	*	*	0.2	*	-	*	*	*	*	*
	3	0.2	0.1	0.2	0.4	0.1	0.1	0.4	0.2	0.2	0.1
	4	0.4	0.2	0.1	0.5	0.7	0.3	1.0	0.3	0.5	0.1
	5	0.2	0.2	*	0.2	0.3	0.1	0.5	0.1	0.5	0.2
	6	0.1	0.1	-	0.1	0.1	*	0.2	*	0.2	0.1
	7	0.1	*	-	*	*	*	*	*	*	*
Total	-----	1.0	0.6	0.5	1.3	1.3	0.5	2.1	0.7	1.4	0.5
53	1-2	*	*	*	*	-	-	*	*	*	*
	3	0.1	*	0.4	0.4	*	*	0.1	0.1	0.2	*
	4	0.2	*	0.7	0.8	0.2	0.1	0.3	0.1	*	*
	5	*	*	0.7	0.5	0.2	0.1	0.2	0.1	*	*
	6	*	*	0.1	0.1	0.1	*	0.2	*	-	*
	7	*	*	-	*	*	*	*	*	*	*
Total	-----	0.3	0.2	2.0	1.9	0.5	0.2	0.8	0.2	0.2	0.1
63	1-2	-	*	-	*	-	-	-	*	-	-
	3	-	*	0.2	0.1	-	*	-	*	-	-
	4	*	*	3.6	0.5	-	*	*	*	-	-
	5	*	*	7.4	0.5	-	*	*	*	-	-
	6	*	*	1.8	0.2	-	*	-	*	-	-
	7	-	-	*	*	-	-	*	*	-	-
		*	*	13.1	1.3	-	*	*	*	-	-
24 - 54	1-7	0.1	0.6	0.2	0.4	0.2	0.1	0.5	0.1	0.6	0.2
25 - 35	1-7	-	0.1	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	0.1	6.2	0.4	*	*	*	*	*	*
All Colors	8 2/	0.1	0.1	*	*	*	*	0.1	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		18.7	11.8	2.5	1.4	3.5	1.2	4.8	2.4	15.0	10.1
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	-	0.7	0.1	0.2	0.1	0.1	*	*
Grass - Level 2		-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	*	-	*	2.3	0.6	0.1	*	-	*
Prep - Level 2		-	-	-	-	*	*	-	-	-	-
Other - Level 1		-	*	-	*	*	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	*	*	-	-	-	*	-	-
30		*	*	0.1	0.2	-	-	*	*	-	*
31		0.2	0.1	0.7	0.8	-	-	*	*	0.1	*
32		0.5	0.8	0.9	2.3	*	*	0.2	0.1	0.4	0.4
33		3.2	3.1	1.9	5.7	0.2	0.2	3.2	1.1	2.1	2.5
34		9.1	7.7	10.5	12.3	1.2	1.9	9.4	6.2	11.8	10.3
35		16.1	14.7	26.5	18.4	4.4	6.6	19.2	17.7	21.6	23.4
36		23.1	24.2	15.3	22.3	10.8	13.7	21.1	24.2	26.0	26.2
37		26.5	28.8	31.0	21.9	28.2	28.5	31.9	28.0	26.4	24.1
38 & longer		21.3	20.6	13.0	15.9	55.2	49.0	15.0	22.6	11.8	12.9
Average staple		36.3	36.4	36.0	35.9	37.7	37.4	36.2	36.5	36.0	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	5.9	4.1	0.1	0.9	*	0.5	*	0.6	18.0	28.3
	4	7.1	4.9	0.1	1.7	0.2	0.5	0.6	1.2	7.4	7.3
	5	1.0	0.7	*	0.2	*	*	0.1	0.1	0.2	0.2
	6	*	*	-	*	-	*	-	*	0.1	*
	7	-	*	-	-	-	-	-	-	-	-
	Total	-----	14.0	9.7	0.2	2.7	0.2	1.1	0.7	1.9	25.7
31	1-2	11.4	9.5	0.6	3.0	0.4	0.9	0.2	2.6	15.6	12.2
	3	29.8	26.3	5.0	20.7	5.0	5.6	8.2	14.9	21.4	14.7
	4	12.5	11.8	2.6	10.0	2.9	3.1	6.0	5.9	4.3	2.5
	5	1.8	1.9	0.2	0.6	0.3	0.3	0.8	0.4	0.9	0.3
	6	0.1	0.1	*	*	*	*	-	*	0.1	*
	7	*	*	-	*	-	-	-	-	*	*
	Total	-----	55.6	49.6	8.4	34.4	8.5	9.8	15.2	23.9	42.4
41	1-2	0.8	1.2	2.3	1.3	0.4	1.6	1.2	1.9	3.8	4.0
	3	6.0	9.9	21.2	16.9	12.6	18.1	22.1	18.1	10.6	12.6
	4	6.9	12.1	23.7	21.4	28.1	25.9	21.1	18.2	7.0	6.1
	5	3.5	5.7	5.8	4.8	10.2	7.8	2.6	3.9	1.9	1.2
	6	1.0	1.4	0.5	0.3	1.0	0.6	0.1	0.2	0.3	0.2
	7	0.2	0.2	*	*	*	*	-	*	0.1	*
	Total	-----	18.4	30.6	53.5	44.6	52.3	54.0	47.1	42.2	23.6
51	1-2	-	*	0.2	*	*	0.1	0.8	0.5	*	0.1
	3	*	*	3.3	0.9	1.8	1.5	4.2	2.3	0.2	1.0
	4	*	0.1	6.4	2.0	7.2	4.6	1.8	1.9	0.4	1.1
	5	0.1	0.2	3.2	1.2	8.5	3.4	0.1	0.5	0.3	0.4
	6	0.1	0.2	0.6	0.2	1.9	0.5	-	0.1	0.1	0.1
	7	*	0.1	0.1	*	0.1	*	-	*	*	*
	Total	-----	0.2	0.6	13.6	4.4	19.4	10.1	7.0	5.3	1.0
61	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	*	*	0.3	*	-	*
	4	-	-	*	*	0.1	*	0.3	*	-	-
	5	-	-	*	*	0.1	*	*	*	-	-
	6	-	-	*	*	*	*	*	*	-	-
	7	-	*	-	*	*	*	-	-	-	-
	Total	-----	-	*	*	*	0.3	*	0.7	0.1	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	*	-	-	-	-	-
12 & 22	1-2	0.4	0.3	*	*	-	*	-	0.1	0.3	1.1
	3	0.7	0.5	*	0.1	*	*	-	0.2	0.9	0.7
	4	0.2	0.2	*	*	*	*	*	*	0.1	0.2
	5	*	*	-	*	-	*	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	Total	-----	1.3	1.0	*	0.1	*	0.1	*	0.4	1.4
32	1-2	1.0	0.5	0.1	0.3	*	0.2	*	0.2	0.2	0.3
	3	3.7	2.1	1.0	1.8	0.7	0.9	0.5	1.3	1.3	1.2
	4	1.8	1.7	0.7	1.0	0.9	0.5	1.9	0.8	0.4	0.3
	5	0.5	0.5	0.1	0.1	0.1	0.1	1.8	0.2	0.1	0.1
	6	0.1	*	*	*	*	*	0.2	*	*	*
	7	*	*	-	-	-	*	-	*	*	*
	Total	-----	7.0	4.8	1.9	3.2	1.7	1.6	4.4	2.5	2.1
42	1-2	0.1	0.1	0.2	0.1	*	0.5	0.3	0.4	*	0.1
	3	0.5	0.7	3.7	2.3	1.3	6.7	4.9	5.2	0.5	0.9
	4	0.6	1.0	6.3	3.4	5.5	8.8	5.5	5.9	1.7	1.1
	5	0.4	0.5	2.2	1.0	4.2	2.5	1.1	1.5	0.7	0.3
	6	0.1	0.1	0.2	0.1	0.8	0.2	0.1	0.1	*	0.1
	7	*	*	*	*	0.1	*	*	*	*	*
	Total	-----	1.7	2.5	12.6	6.9	12.0	18.8	11.8	13.0	3.0
52	1-2	-	*	*	*	-	*	0.2	0.2	*	*
	3	*	*	0.5	0.2	0.1	0.4	3.2	1.9	0.1	0.1
	4	*	*	1.8	0.7	1.1	1.3	2.7	2.8	0.1	0.3
	5	*	*	1.4	0.5	1.7	0.9	0.4	1.1	0.1	0.2
	6	*	*	0.3	0.1	0.4	0.2	*	0.2	*	*
	7	*	*	*	*	*	*	-	*	*	*
	Total	-----	*	0.1	4.2	1.6	3.3	2.7	6.6	6.2	0.3

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season								
Color 62	1-2	-	*	-	-	-	-	0.1	*	-	*
	3	-	*	*	*	-	*	0.3	0.2	-	*
	4	-	*	*	*	-	*	0.4	0.2	-	*
	5	-	*	*	*	*	*	0.1	0.1	*	*
	6	-	*	*	*	*	*	*	*	-	-
	7	-	-	*	*	*	*	-	*	-	-
Total	-----	-	*	0.1	*	*	*	0.9	0.6	*	*
13 & 23	1-2	0.1	*	*	*	-	*	-	*	-	*
	3	0.1	*	*	*	-	*	*	*	-	0.1
	4	*	*	-	*	-	*	-	*	*	*
	5	*	*	-	-	-	-	-	-	-	*
	6	*	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.2	0.1	*	*	-	*	*	*	*	0.1
33	1-2	0.1	*	*	*	*	*	-	*	-	*
	3	0.4	0.2	0.1	0.2	0.1	*	0.1	0.1	0.1	*
	4	0.4	0.2	0.2	0.1	0.1	*	0.1	*	0.1	*
	5	0.1	0.1	*	*	*	*	0.1	*	0.1	*
	6	*	*	*	*	-	*	0.1	*	*	*
	7	-	*	-	-	-	*	-	-	*	*
Total	-----	1.1	0.5	0.4	0.4	0.2	0.1	0.3	0.1	0.4	0.1
43	1-2	*	*	*	*	*	*	*	*	-	*
	3	*	*	0.9	0.3	0.1	0.4	0.9	0.5	*	*
	4	0.1	0.1	1.8	0.5	0.7	0.6	0.9	0.8	*	0.1
	5	0.1	0.1	0.8	0.2	0.5	0.2	0.3	0.3	*	0.1
	6	*	*	0.1	*	0.2	*	0.2	*	*	*
	7	*	*	*	*	*	*	*	*	*	*
Total	-----	0.2	0.2	3.7	1.1	1.5	1.3	2.4	1.6	0.1	0.2
53	1-2	*	*	*	*	-	*	*	*	-	-
	3	*	*	0.1	*	*	*	1.1	0.4	-	*
	4	*	*	0.3	0.1	0.1	0.1	0.9	0.7	*	*
	5	*	*	0.3	0.1	0.3	0.1	0.2	0.5	-	*
	6	*	*	0.1	*	0.1	*	*	0.1	-	*
	7	*	*	*	*	*	*	-	*	-	*
Total	-----	*	*	0.9	0.3	0.5	0.3	2.2	1.6	*	*
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	*	0.1	-	-
	4	-	*	*	*	-	*	0.1	0.1	-	-
	5	-	*	*	*	-	*	0.1	0.1	-	-
	6	-	-	*	*	-	*	*	*	-	-
	7	-	-	*	*	-	*	-	*	-	-
		-	*	0.1	*	-	*	0.3	0.4	-	-
24 - 54	1-7	0.1	0.1	0.4	0.2	0.1	0.1	0.3	0.2	*	*
25 - 35	1-7	-	-	*	*	-	*	-	*	-	-
81 - 85 1/	1-7	*	*	0.1	*	*	*	0.1	*	*	*
All Colors	8 2/	0.2	0.1	*	*	*	*	*	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		8.7	8.5	22.3	13.7	6.0	1.0	14.1	3.8	0.9	0.7
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		*	*	*	0.1	0.3	0.1	*	0.1	*	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.1	0.1	*	*	-	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	*	*	-	*	-	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	*	*	*	-	-
31		*	*	*	*	-	*	*	0.1	-	*
32		0.4	0.3	0.1	0.1	*	*	0.4	0.4	-	*
33		2.6	1.8	1.5	1.0	*	0.1	2.3	1.5	*	0.2
34		10.4	8.0	7.9	5.3	0.5	0.9	4.8	4.3	0.7	1.4
35		23.7	20.5	14.7	13.3	3.0	6.3	19.2	12.1	4.6	5.7
36		27.6	27.5	18.9	18.5	13.4	19.8	20.0	18.1	11.8	14.0
37		24.7	27.3	28.5	30.3	48.0	39.4	25.4	26.2	25.6	27.7
38 & longer		10.6	14.6	28.5	31.6	35.1	33.5	27.9	37.3	57.4	51.0
Average staple		36.0	36.2	36.6	36.8	37.3	37.1	36.6	37.0	37.8	37.7

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	*	0.1	-	-	-	-	-	-
22	*	*	0.2	0.2	-	-	*	*	*	*
23	*	*	0.5	0.4	-	-	0.2	*	*	*
24	*	0.1	1.7	1.1	*	*	1.0	0.1	*	*
25	0.1	0.3	5.2	2.1	0.1	0.1	4.0	0.8	0.1	0.2
26	0.9	1.0	14.1	4.0	0.7	0.4	10.8	3.1	0.9	1.0
27	3.6	3.1	24.1	6.8	2.5	2.0	20.2	6.8	3.4	3.7
28	10.8	9.7	29.7	11.9	10.4	7.4	27.7	13.8	8.7	10.5
29	19.7	19.2	15.2	19.2	24.3	20.6	19.4	22.0	17.4	18.9
30	23.3	23.1	5.5	21.2	29.6	31.9	9.9	23.0	22.8	22.0
31	19.0	19.7	2.2	17.0	19.4	23.1	4.0	15.5	20.5	20.8
32	12.3	12.8	1.2	9.2	8.9	9.5	1.6	8.4	14.6	14.0
33	6.8	7.4	0.3	4.0	3.1	3.6	0.6	4.2	7.0	6.0
34	2.4	2.7	0.1	1.8	0.9	1.1	0.2	1.7	2.9	2.1
35	0.7	0.8	-	0.7	0.3	0.3	0.1	0.4	1.3	0.7
36 & above	0.4	0.3	-	0.3	*	*	*	0.1	0.6	0.2
Average	30.2	30.2	27.6	29.5	29.9	30.1	28.0	29.6	30.4	30.2
MIKE										
24 & below	*	*	-	*	-	-	-	*	0.2	0.1
25	0.3	0.1	-	*	*	*	-	-	1.1	0.4
26	0.2	0.1	-	*	*	*	-	*	1.5	0.5
27	0.2	0.1	-	*	*	*	-	*	1.4	0.6
28	0.2	0.2	-	*	*	*	-	*	1.7	0.7
29	0.2	0.2	-	*	*	*	*	*	2.0	0.8
30	0.3	0.3	-	0.1	*	*	-	*	2.1	1.0
31	0.6	0.5	-	0.1	*	*	-	*	2.4	1.2
32	1.0	0.7	-	0.2	*	*	*	*	2.8	1.5
33	1.2	1.0	-	0.2	*	*	*	*	2.9	2.0
34	1.8	1.4	-	0.3	-	*	0.1	0.1	3.6	2.3
35	2.0	1.7	*	0.4	*	*	0.1	0.2	4.2	3.0
36	2.0	2.1	0.1	0.4	*	*	0.4	0.3	4.9	3.9
37	2.4	3.0	0.3	0.7	*	0.1	0.7	0.5	5.8	4.7
38	3.2	3.7	0.1	1.0	*	0.3	1.4	0.9	6.0	5.4
39	4.9	4.7	0.3	1.4	0.2	0.5	2.7	1.6	7.1	6.3
40	6.5	6.0	0.6	1.9	0.4	0.9	4.8	2.8	7.8	7.4
41	7.6	7.5	1.2	2.7	1.4	1.7	6.0	4.4	6.8	8.1
42	8.9	8.4	2.0	3.9	3.6	2.7	8.5	6.4	7.2	8.5
43	9.2	9.1	3.9	5.5	5.6	4.2	10.6	8.4	6.8	8.9
44	10.0	9.8	6.7	7.3	5.6	6.3	13.6	10.8	5.8	7.8
45	9.7	10.1	11.0	9.1	7.3	9.3	13.6	13.1	5.3	7.3
46	7.9	9.1	19.0	10.6	9.6	13.6	12.1	14.4	4.1	6.0
47	6.8	7.4	15.2	11.2	13.5	16.9	8.7	13.2	2.5	4.3
48	5.0	5.3	16.3	10.7	17.2	16.9	6.5	9.9	1.5	3.1
49	3.5	3.5	10.5	9.1	15.0	13.2	4.6	6.1	1.0	2.2
50	2.7	2.0	7.0	7.2	10.2	7.4	2.9	3.6	0.6	1.1
51	1.1	1.2	3.4	5.6	5.5	3.5	1.4	1.9	0.4	0.6
52	0.5	0.6	1.9	4.1	2.8	1.5	0.8	0.9	0.4	0.3
53	0.1	0.2	0.3	2.9	1.3	0.7	0.3	0.3	0.1	0.1
54	*	0.1	*	2.0	0.4	0.2	0.1	0.1	*	*
55	*	*	*	0.9	0.1	*	0.1	*	*	*
56	-	*	-	0.3	*	*	-	*	-	*
57	-	-	-	0.1	*	*	-	*	-	-
58	-	-	-	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	43	43	47	47	47	47	45	45	39	41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season								
STRENGTH 1/	Pct.									
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	*	*	-	-	-	-	-	-
21	-	-	*	*	-	-	-	-	-	-
22	-	-	*	*	-	-	*	*	-	-
23	*	*	*	*	-	*	0.1	*	-	-
24	*	*	0.1	0.1	*	*	0.2	0.1	*	*
25	0.1	0.1	0.8	0.8	0.1	0.1	0.3	0.5	*	*
26	0.7	0.4	3.6	3.8	0.7	0.7	2.1	1.6	0.1	*
27	2.6	1.6	10.3	11.0	5.2	4.0	4.3	4.0	0.9	0.4
28	7.9	5.3	17.8	21.2	19.3	13.9	13.8	7.9	2.7	2.3
29	15.5	11.9	22.9	27.4	28.4	27.6	32.8	17.6	5.6	7.5
30	20.1	18.2	21.3	20.2	25.3	26.5	22.0	27.8	13.3	13.4
31	21.5	22.2	12.2	9.9	14.3	15.4	12.2	21.1	16.9	16.5
32	17.5	20.1	6.7	3.8	4.3	7.6	7.0	11.7	15.9	15.8
33	9.3	12.5	2.6	1.3	1.9	3.1	3.7	5.0	14.5	14.0
34	3.4	5.4	1.1	0.4	0.3	0.9	1.1	1.9	9.4	8.9
35	0.9	1.7	0.4	0.1	0.1	0.2	0.2	0.5	7.9	5.9
36 & above	0.4	0.6	0.1	*	*	*	0.1	0.2	12.7	15.2
Average	30.6	31.0	29.3	29.0	29.4	29.7	29.5	30.1	32.4	32.4
MIKE										
24 & below	0.2	0.1	-	-	-	-	-	-	-	*
25	0.5	0.2	-	*	-	*	-	*	*	*
26	0.7	0.3	*	*	-	*	-	*	0.1	*
27	0.8	0.3	*	*	-	*	-	*	*	0.1
28	1.1	0.4	*	*	-	*	*	*	0.1	0.1
29	1.5	0.6	*	*	-	*	-	*	0.1	0.1
30	1.8	0.9	0.1	*	-	*	*	*	0.5	0.2
31	2.2	1.2	0.1	0.1	*	*	*	*	0.2	0.2
32	2.8	1.6	0.2	0.2	*	*	-	*	0.3	0.3
33	3.1	2.1	0.3	0.4	0.1	*	-	*	0.5	0.5
34	3.6	2.7	0.6	0.7	0.1	0.1	-	*	0.9	0.8
35	4.3	3.4	1.0	1.1	0.2	0.1	*	*	1.1	0.9
36	5.0	4.1	1.4	1.6	0.6	0.2	*	0.1	1.1	1.2
37	5.1	4.7	2.0	2.4	0.9	0.4	0.2	0.1	1.8	1.6
38	5.5	5.5	3.0	3.6	1.6	0.7	0.3	0.2	2.7	2.1
39	5.8	6.3	4.3	5.5	2.0	1.1	1.0	0.5	4.3	2.9
40	6.2	6.8	5.8	8.0	2.9	1.7	0.8	0.7	5.1	3.6
41	6.4	7.2	8.7	10.6	4.4	2.8	2.0	1.4	5.6	4.9
42	6.3	7.3	11.9	13.0	5.6	4.4	2.5	2.4	6.8	6.3
43	6.6	7.3	13.8	13.5	9.7	6.2	4.1	3.3	8.2	7.5
44	6.1	7.0	14.4	12.2	11.1	8.5	4.9	4.4	7.4	8.8
45	5.6	6.6	12.1	9.9	13.3	10.6	8.2	7.0	7.2	9.3
46	4.8	6.0	8.8	7.0	12.5	11.7	10.2	9.8	10.2	10.5
47	4.2	5.1	5.8	4.7	10.1	11.7	11.1	13.4	11.9	10.5
48	3.3	4.0	3.1	2.8	7.5	11.0	15.7	15.8	8.8	8.9
49	2.6	3.1	1.5	1.6	7.0	9.4	13.6	15.1	6.1	6.6
50	1.7	2.2	0.7	0.7	4.3	7.4	11.9	12.0	4.6	5.0
51	1.1	1.4	0.3	0.3	2.8	5.3	5.9	7.3	2.1	3.6
52	0.6	0.8	0.1	0.1	1.5	3.5	3.1	4.0	0.8	2.0
53	0.4	0.4	*	*	1.2	2.0	3.0	1.7	0.3	0.8
54	0.2	0.2	*	*	0.5	0.9	1.0	0.4	0.1	0.3
55	*	0.1	*	*	0.2	0.3	0.3	0.1	0.2	0.1
56	*	*	*	*	*	*	*	*	0.3	0.1
57	*	*	*	*	*	*	*	*	0.4	0.1
58	-	*	-	*	-	*	-	-	-	*
59	-	-	-	*	-	-	-	-	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	40	41	43	43	45	47	47	48	44	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	*	-	-	-	*	0.2	0.1
25 - 26	0.5	0.2	-	*	*	*	-	*	2.6	0.9
27 - 29	0.6	0.4	-	0.1	0.1	*	*	*	5.1	2.1
30 - 32	1.9	1.4	-	0.3	0.1	*	*	*	7.3	3.7
33 - 34	3.1	2.4	-	0.5	*	*	0.1	0.1	6.5	4.3
35 - 36	4.0	3.8	0.1	0.8	*	0.1	0.5	0.5	9.1	6.9
37 - 42	33.5	33.3	4.6	11.6	5.7	6.3	24.1	16.6	40.6	40.4
43 - 49	52.0	54.3	82.7	63.6	73.8	80.2	69.7	76.0	27.0	39.4
50 - 52	4.2	3.7	12.2	16.9	18.6	12.4	5.1	6.3	1.4	2.0
53 & above	0.1	0.4	0.4	6.2	1.9	1.0	0.4	0.5	0.1	0.1
Average	43	43	47	47	47	47	45	45	39	41
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	*	*
01	3.2	2.0	3.1	7.9	*	0.2	0.1	0.3	3.9	3.7
02	18.9	15.5	8.2	26.1	2.8	4.9	2.6	6.3	20.4	17.7
03	25.1	24.9	13.4	25.0	12.5	15.7	11.7	20.7	25.0	23.7
04	20.0	21.4	17.8	17.5	21.3	22.8	21.8	26.3	19.0	19.5
05	12.9	14.5	17.2	10.5	23.2	22.0	23.2	20.8	12.3	13.3
06	8.1	9.0	13.5	5.9	18.8	16.2	17.4	12.9	7.5	8.5
07	4.7	5.4	9.4	3.2	11.8	9.7	10.8	6.8	4.8	5.3
08	2.9	3.1	7.0	1.7	5.5	4.9	5.8	3.3	2.9	3.2
09	1.7	1.8	4.5	0.9	2.5	2.2	3.2	1.5	1.7	2.0
10	0.9	1.0	3.0	0.5	1.0	0.9	1.7	0.6	1.1	1.2
11	0.6	0.6	1.7	0.3	0.4	0.3	0.8	0.2	0.7	0.8
12	0.3	0.3	0.7	0.2	0.1	0.1	0.5	0.1	0.4	0.5
13	0.2	0.2	0.3	0.1	0.1	*	0.2	*	0.2	0.3
14	0.1	0.1	0.1	0.1	*	*	0.1	*	0.1	0.2
15	0.1	0.1	*	*	*	*	0.1	*	*	0.1
16	*	*	-	*	*	*	*	*	*	*
17	*	*	-	*	*	*	*	*	*	*
18 & above	0.1	*	-	*	*	*	*	*	*	*
Average	0.41	0.43	0.52	0.35	0.52	0.50	0.54	0.46	0.40	0.42
UNIFORMITY 2/										
72.4 & below	*	*	-	*	-	-	-	-	-	-
72.5-73.4	*	*	-	*	-	-	-	-	-	-
73.5-74.4	*	*	*	*	-	-	*	*	*	*
74.5-75.4	*	*	0.2	0.2	-	-	*	*	*	*
75.5-76.4	0.1	0.1	1.3	0.8	-	-	0.2	*	0.2	0.1
76.5-77.4	0.7	0.8	4.5	2.0	-	-	0.9	0.3	1.4	0.8
77.5-78.4	4.0	3.4	14.7	4.4	1.0	0.7	5.0	1.8	5.4	3.0
78.5-79.4	15.4	12.6	36.6	8.7	5.5	3.6	19.0	9.3	17.5	11.1
79.5-80.4	32.5	29.9	28.4	16.6	20.4	17.5	37.8	28.7	30.2	28.5
80.5-81.4	31.7	32.9	11.0	25.1	35.5	38.8	26.4	35.7	28.6	34.3
81.5-82.4	12.8	16.2	2.8	24.8	27.6	30.1	8.7	19.2	12.8	17.3
82.5-83.4	2.4	3.6	0.4	14.2	8.6	8.1	1.7	4.2	3.7	4.4
83.5-84.4	0.2	0.5	*	2.8	1.4	1.2	0.2	0.5	0.2	0.5
84.5-85.4	*	*	-	0.2	0.1	0.1	*	*	*	*
85.5-86.4	*	*	-	*	-	-	-	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	-	-	-
89.5 & above	*	*	-	-	-	-	-	-	-	-
Average	80.3	80.5	79.3	81.0	81.1	81.2	80.1	80.7	80.3	80.6
Tenderable 3/	67.7	75.0	30.8	55.7	69.3	78.0	72.7	78.0	62.6	73.4
SAMPLES CLASSED										
Week	61,084		8,752		38,538		31,234		64,459	
Season		603,692		1,712,644		1,333,294		1,149,938		611,146

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 3, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.2	0.1	-	-	-	-	-	-	-	*
25 - 26	1.3	0.5	*	*	-	*	-	*	0.1	0.1
27 - 29	3.4	1.4	0.1	*	-	*	*	*	0.3	0.2
30 - 32	6.8	3.7	0.3	0.3	*	*	*	*	1.0	0.7
33 - 34	6.6	4.8	1.0	1.1	0.1	0.1	-	*	1.4	1.3
35 - 36	9.3	7.5	2.4	2.7	0.8	0.4	*	0.1	2.2	2.1
37 - 42	35.2	37.9	35.7	43.1	17.4	11.1	6.9	5.3	26.4	21.4
43 - 49	33.2	39.0	59.5	51.6	71.2	69.1	67.9	68.9	59.7	62.2
50 - 52	3.4	4.4	1.0	1.2	8.5	16.2	20.8	23.3	7.5	10.6
53 & above	0.6	0.7	*	*	1.9	3.1	4.3	2.3	1.4	1.5
Average	40	41	43	43	45	47	47	48	44	45
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	3.0	2.3	0.4	0.5	*	0.3	0.1	0.6	10.1	16.7
02	21.0	16.7	4.7	7.6	1.2	4.6	5.1	9.4	32.5	34.0
03	27.3	23.8	15.2	20.9	8.1	14.2	21.7	22.7	25.8	23.9
04	20.4	20.5	22.0	25.3	17.4	21.5	28.4	24.8	14.4	12.6
05	12.5	14.6	21.3	20.4	20.8	21.6	20.4	18.9	8.3	6.5
06	6.9	9.3	15.7	12.7	19.6	16.6	11.6	11.6	4.7	3.2
07	3.8	5.6	9.8	6.8	14.1	10.5	5.8	6.3	2.0	1.5
08	2.1	3.2	5.5	3.2	8.9	5.7	3.3	3.1	1.0	0.7
09	1.2	1.8	2.8	1.4	4.9	2.8	1.7	1.4	0.4	0.4
10	0.7	1.0	1.4	0.6	2.5	1.3	0.8	0.6	0.3	0.2
11	0.4	0.6	0.7	0.3	1.3	0.5	0.5	0.3	0.2	0.1
12	0.2	0.3	0.3	0.1	0.6	0.2	0.4	0.1	0.1	0.1
13	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	*	*
14	0.1	0.1	0.1	*	0.1	*	0.1	*	0.1	*
15	*	0.1	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*
18 & above	0.1	*	*	*	*	*	-	-	*	*
Average	0.39	0.42	0.51	0.46	0.59	0.51	0.46	0.45	0.31	0.28
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	*	-	-
72.5-73.4	-	-	-	-	-	-	-	*	-	-
73.5-74.4	-	-	-	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	-	-	*	0.1	-	*
75.5-76.4	0.1	0.1	-	*	*	*	0.2	0.2	-	*
76.5-77.4	0.5	0.3	0.1	0.1	*	*	0.6	0.7	0.1	*
77.5-78.4	2.5	1.5	0.5	0.7	0.1	0.2	2.1	2.6	0.4	0.3
78.5-79.4	10.2	6.5	3.7	4.4	1.2	1.4	10.3	9.5	2.2	1.9
79.5-80.4	25.2	20.2	17.2	20.4	8.1	8.0	25.6	22.5	9.3	8.1
80.5-81.4	33.3	34.1	39.4	41.0	33.1	25.1	34.9	34.4	26.5	23.6
81.5-82.4	21.4	26.9	29.2	25.7	40.4	36.4	21.4	22.2	36.4	34.5
82.5-83.4	5.8	9.0	8.3	6.7	15.4	23.8	4.6	6.4	20.3	18.1
83.5-84.4	0.8	1.4	1.5	1.0	1.6	4.8	0.4	1.3	4.0	8.6
84.5-85.4	0.1	0.1	0.1	0.1	0.1	0.3	*	0.2	0.6	4.5
85.5-86.4	*	*	*	*	*	*	-	*	0.2	0.3
86.5-87.4	-	-	*	*	-	*	-	*	*	*
87.5-88.4	-	-	-	-	-	*	-	*	-	-
88.5-89.4	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	80.7	81.1	81.2	81.1	81.6	81.8	80.7	80.8	81.7	82.0
Tenderable 3/	68.4	73.2	58.9	74.8	66.3	61.9	46.0	55.8	83.6	81.4
SAMPLES CLASSED										
Week	283,769		125,438		36,975		13,569		30,866	
Season		2,515,742		2,031,673		2,865,531		487,601		369,909

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending January 3, 2019

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA		
		Week	Season		Week	Season	
01	1	17.3	19.3	MIKE	-	*	
	2	21.8	22.2	24 & below	*	*	
	3	0.2	0.4	25-26	0.5	0.2	
	4	-	*	27-29	1.4	0.6	
	5	-	-	30-32	1.9	1.2	
	6	-	-	33-34	7.5	4.0	
	7	-	-	35-36	56.3	53.9	
	Total -----		39.3	41.9	37-42	32.3	40.2
02	1	7.1	6.0	43-49	*	*	
	2	42.0	38.4	50-52	*	*	
	3	5.0	7.6	53 & above	*	*	
	4	0.1	0.1	Average	41	41	
	5	-	*	ALL RANGE MIKE	-	*	
	6	-	-	24 & below	*	*	
	7	-	-	25	*	*	
	Total -----		54.2	52.2	26	*	*
03	1	0.1	0.1	27	0.1	*	
	2	3.3	2.6	28	0.1	0.1	
	3	2.4	2.3	29	0.2	0.1	
	4	0.4	0.3	30	0.3	0.1	
	5	-	*	31	0.5	0.2	
	6	-	*	32	0.6	0.3	
	7	-	-	33	0.9	0.4	
	Total -----		6.2	5.4	34	1.0	0.7
04	1	*	*	35	2.8	1.5	
	2	0.1	0.2	36	4.7	2.5	
	3	0.1	0.2	37	6.2	3.8	
	4	*	*	38	7.6	5.8	
	5	*	*	39	8.4	8.4	
	6	-	*	40	11.7	10.6	
	7	-	*	41	11.2	11.7	
	Total -----		0.3	0.5	42	11.2	13.7
05	1	-	-	43	9.6	14.7	
	2	-	*	44	9.8	12.7	
	3	*	*	45	7.9	7.9	
	4	-	*	46	4.0	3.5	
	5	-	-	47	0.8	1.1	
	6	-	-	48	0.2	0.2	
	7	-	-	49	*	*	
	Total -----		*	0.1	50	*	*
06	1	-	-	51	-	*	
	2	-	-	52	-	*	
	3	*	*	53	*	*	
	4	*	*	54	*	*	
	5	-	-	55	-	*	
	6	-	-	56	-	-	
	7	-	-	57	-	-	
	Total -----		*	*	58	-	-
07	1	-	-	59	-	-	
	2	-	-	60 & above	-	-	
	3	-	*	Average	41	41	
	4	-	*	Strength	-	-	
	5	-	-	17 & below	-	-	
	6	-	-	18	-	-	
	7	-	-	19	-	-	
	Total -----		-	*	20	-	-
STAPLE	40 & shorter	-	-	21	-	-	
	42	-	-	22	-	-	
	44	0.2	0.2	23	-	-	
	46	5.7	5.0	24	-	-	
	48 & longer	94.1	94.8	25	-	-	
	Average	49.2	49.2	26	-	-	
	UNIFORMITY	72.4 & below	-	-	27	-	-
		72.5-73.4	-	-	28	-	-
73.5-74.4		-	-	29	-	-	
74.5-75.4		-	-	30	-	-	
75.5-76.4		-	-	31	-	*	
76.5-77.4		-	-	32	-	*	
77.5-78.4		-	-	33	*	*	
78.5-79.4		-	-	34	*	*	
79.5-80.4		-	*	35	*	*	
80.5-81.4		*	*	36	0.1	0.1	
81.5-82.4		0.2	*	37	0.2	0.3	
82.5-83.4		0.7	0.3	38	1.1	1.2	
83.5-84.4		3.3	1.8	39	3.1	2.7	
84.5-85.4		17.8	11.8	40	6.3	3.9	
85.5-86.4		42.0	40.1	41	4.3	3.7	
86.5-87.4		32.1	40.8	42	6.0	6.5	
87.5-88.4		3.8	4.8	43	12.4	13.3	
88.5-89.4		0.2	0.3	44	15.5	21.5	
89.5 & above		*	*	45 & above	51.1	46.6	
Average		86.1	86.3	Average	44.1	44.0	
SAMPLES CLASSED	Week	36,323		EXTRANEIOUS MATTER			
	Season		499,711	Bark	*	*	
				Grass	*	0.2	
				Spindle Twist Preparation	0.4	0.1	

* Less than 0.05 percent.



Cotton and Tobacco Program
 3275 Appling Road, Memphis, TN 38133
 (901) 384-3016

Extraneous Matter By Classing Office

04-Jan-19

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Week ending Thursday, January 3, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	-	-	18.7%	-	*	-	*	-	-	-	-	-	-	-	18.7%	-	61,084
Corpus Christi	-	-	2.5%	-	-	-	24.2%	-	-	-	-	-	-	-	26.7%	-	8,752
Dumas	2.3%	*	3.5%	-	0.1%	-	0.6%	-	-	-	-	-	*	-	6.6%	*	38,538
Florence	0.1%	-	4.8%	-	0.1%	-	0.1%	-	-	-	-	-	-	-	5.0%	-	31,234
Lamesa	-	-	15.0%	-	*	-	*	-	-	-	-	-	-	-	15.0%	-	64,459
Lubbock	-	-	8.7%	-	*	-	*	-	*	-	-	-	*	-	8.7%	-	283,769
Macon	0.1%	-	22.3%	-	*	-	0.9%	-	-	-	-	-	*	-	23.3%	-	125,438
Memphis	*	-	6.0%	-	0.3%	-	*	-	-	-	-	-	-	-	6.3%	-	36,975
Rayville	-	-	14.1%	-	*	-	0.1%	-	-	-	-	-	-	-	14.2%	-	13,569
Visalia	-	-	0.9%	-	*	-	0.1%	-	-	-	*	-	-	-	1.0%	-	30,866
United States	0.2%	*	11.7%	-	*	-	0.5%	-	*	-	*	-	*	-	12.4%	*	694,684

* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Season ending Thursday, January 3, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	11.8%	-	*	-	*	-	*	-	-	-	*	-	11.8%	-	603,692
Corpus Christi	*	-	1.4%	-	0.7%	-	3.5%	-	*	-	-	-	*	-	5.6%	-	1,712,644
Dumas	0.6%	*	1.2%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.2%	*	1,333,294
Florence	*	-	2.4%	-	0.1%	-	*	-	*	-	-	-	*	-	2.5%	-	1,149,938
Lamesa	*	-	10.1%	-	*	-	*	-	-	-	-	-	-	-	10.1%	-	611,146
Lubbock	*	-	8.5%	-	*	-	*	-	*	-	-	-	*	*	8.5%	*	2,515,742
Macon	0.1%	-	13.7%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	14.0%	*	2,031,673
Memphis	*	-	1.0%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.2%	-	2,865,531
Rayville	*	-	3.8%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	4.1%	-	487,601
Visalia	*	-	0.7%	-	*	-	0.9%	-	-	-	*	-	-	-	1.6%	-	369,909
United States	0.1%	*	5.4%	*	0.1%	*	0.5%	-	*	-	*	-	*	*	6.2%	*	13,681,170

* Less than 0.05 percent.