

## Quality of Cotton Classed by State

mp\_cn811

Volume 20, No. 23

04-Jan-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,  
*For The Week Ending JANUARY 3, 2019*

State	Week		Season	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Alabama	24	31,581	29	683,789
Arizona	14	18,271	14	202,036
Arkansas	9	27,582	28	1,169,536
California	6	8,353	16	136,337
Florida	3	3,470	4	64,470
Georgia	55	99,269	59	1,553,793
Kansas	3	3,564	3	48,003
Louisiana	9	7,896	19	404,813
Mississippi	30	33,069	38	1,290,351
Missouri	8	5,217	21	740,061
New Mexico	2	3,451	2	24,466
North Carolina	18	9,482	33	676,352
Oklahoma	12	27,014	12	279,095
South Carolina	14	21,163	16	305,791
Tennessee	5	3,067	22	758,569
Texas	143	391,646	189	5,175,913
Virginia	2	589	4	167,795
<b>United States</b>	<b>357</b>	<b>694,684</b>	<b>509</b>	<b>13,681,170</b>
Percent Tenderable		62.7		67.0
<b>AMERICAN PIMA</b>				
Arizona	2	-	4	16,026
California	15	33,594	17	457,339
New Mexico *	1	-	1	-
Texas *	1	-	1	-
<b>United States</b>	<b>19</b>	<b>33,594</b>	<b>23</b>	<b>473,365</b>
<b>United States all cotton</b>	<b>373</b>	<b>728,278</b>	<b>522</b>	<b>14,154,535</b>

\*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN106

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	-	0.3	*	0.2	9.4	11.8	39.6	56.6	0.1	*	0.1	1.1	
	3	0.1	0.4	*	0.2	3.5	4.4	16.8	12.2	0.1	*	0.1	2.0	
	4	*	*	-	*	0.2	0.3	0.3	0.1	-	-	*	0.2	
	5	-	*	-	-	0.1	*	-	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>0.1</b>	<b>0.7</b>	<b>*</b>	<b>0.4</b>	<b>13.2</b>	<b>16.6</b>	<b>56.7</b>	<b>68.9</b>	<b>0.1</b>	<b>*</b>	<b>0.2</b>	<b>3.3</b>
	31	1-2	0.3	1.5	*	0.5	15.2	11.7	9.9	10.2	1.0	0.3	0.7	3.4
3		3.1	12.8	0.3	4.3	22.3	14.1	19.1	13.6	6.2	5.8	5.4	22.5	
4		2.5	6.6	0.9	3.0	5.0	2.7	3.0	2.0	1.1	3.2	2.9	11.1	
5		0.2	0.5	0.1	0.4	1.3	0.3	*	0.2	-	0.1	0.2	0.7	
6		-	*	-	*	0.2	*	-	*	-	-	*	*	
7		-	-	-	-	*	*	-	*	-	-	-	*	
<b>Total</b>		-----	<b>6.0</b>	<b>21.4</b>	<b>1.4</b>	<b>8.2</b>	<b>43.9</b>	<b>28.8</b>	<b>32.0</b>	<b>26.1</b>	<b>8.3</b>	<b>9.4</b>	<b>9.1</b>	<b>37.7</b>
41		1-2	1.5	1.0	0.1	0.6	5.0	6.4	*	0.1	1.6	0.5	2.3	1.3
	3	16.6	15.6	9.1	15.4	15.3	20.5	0.5	0.4	23.2	17.2	21.9	16.6	
	4	30.6	23.7	37.9	30.7	10.1	9.9	0.4	0.1	24.6	33.7	22.6	20.2	
	5	11.6	8.0	13.8	11.2	3.0	1.8	-	*	4.5	6.3	4.5	4.1	
	6	1.3	1.0	0.8	1.0	0.4	0.2	-	*	0.1	0.2	0.3	0.2	
	7	0.1	*	*	*	0.1	*	-	*	-	-	*	*	
	<b>Total</b>	-----	<b>61.8</b>	<b>49.3</b>	<b>61.8</b>	<b>58.8</b>	<b>33.8</b>	<b>38.9</b>	<b>0.9</b>	<b>0.6</b>	<b>54.1</b>	<b>57.8</b>	<b>51.7</b>	<b>42.4</b>
	51	1-2	0.1	*	*	0.1	*	0.2	-	-	0.7	0.1	0.2	*
3		0.9	0.6	1.4	1.7	0.3	1.9	-	*	2.1	1.6	3.7	0.9	
4		3.8	1.6	7.6	6.3	0.6	2.0	-	-	6.8	6.0	6.7	1.9	
5		3.6	1.6	10.3	5.4	0.5	0.7	*	*	2.6	3.4	2.9	0.9	
6		0.9	0.6	2.0	0.8	0.1	0.1	*	*	0.4	0.3	0.5	0.1	
7		0.2	0.1	*	*	*	*	*	*	0.1	*	*	*	
<b>Total</b>		-----	<b>9.5</b>	<b>4.5</b>	<b>21.4</b>	<b>14.3</b>	<b>1.6</b>	<b>4.9</b>	<b>0.1</b>	<b>*</b>	<b>12.6</b>	<b>11.4</b>	<b>14.0</b>	<b>3.9</b>
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	*	*	*	
	4	-	*	*	*	-	-	-	-	-	*	*	*	
	5	*	*	*	*	-	-	-	-	0.1	*	*	*	
	6	-	*	-	*	-	-	-	-	-	-	*	*	
	7	-	*	-	*	-	-	-	-	-	*	-	*	
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>*</b>
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	*	
4		-	*	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		-----	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>
12 & 22		1-2	-	*	-	*	*	1.6	1.2	0.7	-	*	*	0.1
	3	*	*	-	*	0.3	0.8	2.8	0.7	-	-	*	0.1	
	4	*	*	-	*	0.2	0.3	0.1	*	-	-	*	*	
	5	-	-	-	-	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>0.5</b>	<b>2.8</b>	<b>4.0</b>	<b>1.4</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>0.1</b>
	32	1-2	*	0.1	-	*	*	0.2	0.7	0.5	0.1	*	0.2	0.3
3		0.8	1.6	0.1	0.3	0.4	0.9	4.0	2.0	2.0	0.3	1.0	2.0	
4		1.0	1.3	*	0.2	0.3	0.4	0.6	0.3	1.9	0.3	0.8	1.0	
5		0.1	0.2	*	*	0.1	0.2	*	*	*	*	0.1	0.1	
6		-	*	*	*	*	*	-	-	-	*	*	*	
7		-	*	-	-	0.1	*	-	-	-	-	-	-	
<b>Total</b>		-----	<b>2.0</b>	<b>3.2</b>	<b>0.2</b>	<b>0.6</b>	<b>1.0</b>	<b>1.7</b>	<b>5.4</b>	<b>2.8</b>	<b>4.0</b>	<b>0.6</b>	<b>2.1</b>	<b>3.4</b>
42		1-2	*	0.2	*	0.1	0.1	0.1	*	*	*	0.1	0.3	0.1
	3	1.8	4.3	0.9	3.8	0.7	1.5	0.2	0.1	4.5	2.7	4.0	2.0	
	4	5.5	8.0	4.4	7.3	2.7	1.9	0.3	0.1	4.6	4.7	6.6	3.2	
	5	3.6	2.9	3.0	2.2	1.2	0.5	*	*	0.9	1.2	2.2	0.9	
	6	0.9	0.4	0.4	0.2	*	0.1	-	*	*	0.1	0.2	*	
	7	0.1	*	*	*	*	*	-	-	-	-	*	*	
	<b>Total</b>	-----	<b>11.9</b>	<b>15.9</b>	<b>8.7</b>	<b>13.6</b>	<b>4.8</b>	<b>4.2</b>	<b>0.6</b>	<b>0.2</b>	<b>10.1</b>	<b>8.7</b>	<b>13.4</b>	<b>6.2</b>
	52	1-2	*	*	-	*	*	*	-	*	*	*	*	*
3		0.5	0.3	0.1	0.3	0.1	0.2	-	-	0.7	1.2	0.5	0.1	
4		1.5	0.9	1.8	1.3	0.2	0.6	-	-	3.9	5.1	1.7	0.4	
5		1.7	0.7	2.2	1.1	0.2	0.3	*	*	2.4	2.9	1.2	0.3	
6		0.6	0.2	0.4	0.2	*	0.1	*	*	0.4	0.4	0.2	0.1	
7		0.1	*	*	*	-	*	-	-	0.1	*	*	*	
<b>Total</b>		-----	<b>4.4</b>	<b>2.2</b>	<b>4.6</b>	<b>2.9</b>	<b>0.5</b>	<b>1.2</b>	<b>*</b>	<b>*</b>	<b>7.4</b>	<b>9.7</b>	<b>3.6</b>	<b>0.9</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	*	*	-	*	-	*	-	*	-	*	-	*
	4	*	*	-	*	-	*	-	*	0.2	0.1	*	*
	5	0.1	*	-	*	-	*	-	*	0.3	0.1	*	*
	6	*	*	-	*	-	*	-	*	-	*	*	*
	7	*	*	*	*	-	*	-	*	-	*	*	*
<b>Total</b>	-----	<b>0.2</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>0.6</b>	<b>0.2</b>	<b>*</b>	<b>*</b>
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	0.1	-	*	-	-	-	*
	4	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
<b>Total</b>	-----	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>0.2</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>*</b>
33	1-2	*	*	-	*	-	*	-	*	-	*	0.1	0.1
	3	*	0.1	*	*	0.1	*	0.2	*	0.5	*	0.2	0.3
	4	0.1	0.1	-	*	0.2	0.1	0.1	*	0.3	*	0.2	0.1
	5	0.1	*	-	*	0.1	0.1	-	*	-	-	*	*
	6	*	*	-	-	0.1	*	-	-	-	-	*	*
	7	-	*	-	-	*	*	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.3</b>	<b>0.2</b>	<b>*</b>	<b>*</b>	<b>0.5</b>	<b>0.2</b>	<b>0.3</b>	<b>*</b>	<b>0.7</b>	<b>0.1</b>	<b>0.4</b>	<b>0.5</b>
43	1-2	*	*	-	*	-	*	-	*	-	*	0.1	*
	3	0.2	0.3	0.1	0.2	*	*	-	*	0.3	0.3	1.1	0.3
	4	1.1	0.8	0.6	0.5	0.1	0.1	*	*	0.4	0.5	2.0	0.5
	5	0.7	0.4	0.3	0.2	*	0.1	*	*	0.1	0.1	0.8	0.2
	6	0.3	0.1	0.1	*	*	*	-	-	-	*	0.1	*
	7	*	*	*	*	*	*	-	-	-	-	*	*
<b>Total</b>	-----	<b>2.2</b>	<b>1.6</b>	<b>1.1</b>	<b>0.8</b>	<b>0.1</b>	<b>0.3</b>	<b>*</b>	<b>*</b>	<b>0.9</b>	<b>0.9</b>	<b>4.0</b>	<b>1.1</b>
53	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	*	0.1	*	*	-	*	-	*	0.1	0.1	0.1	*
	4	0.3	0.2	0.3	0.1	*	*	-	-	0.2	0.4	0.3	0.1
	5	0.4	0.1	0.3	0.1	-	*	-	-	0.2	0.4	0.3	0.1
	6	0.2	*	0.1	*	-	*	-	-	-	0.1	0.1	*
	7	*	*	*	*	-	*	-	-	-	*	*	*
<b>Total</b>	-----	<b>1.0</b>	<b>0.5</b>	<b>0.7</b>	<b>0.3</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>0.5</b>	<b>0.9</b>	<b>0.8</b>	<b>0.2</b>
63	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	*	*	-	*	-	*	-	*	*	*	*	*
	5	*	*	-	*	-	*	-	*	*	*	*	*
	6	0.1	*	-	*	-	*	-	*	0.3	*	*	*
	7	*	*	-	*	-	*	-	*	0.1	*	*	*
<b>Total</b>	-----	<b>0.1</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>0.4</b>	<b>0.1</b>	<b>*</b>	<b>*</b>
24 - 54	1-7	0.4	0.1	0.2	*	*	0.1	-	*	0.1	*	0.4	0.1
25 - 35	1-7	-	*	-	*	-	*	-	*	-	*	*	*
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	2.1	0.2
All Colors	8 2/	*	*	*	*	*	0.1	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>													
Bark - Level 1		26.1	11.9	6.4	1.6	0.6	1.0	0.8	0.1	24.4	22.3	19.6	12.1
Bark - Level 2		-	*	-	-	-	-	-	-	-	*	-	*
Grass - Level 1		*	0.1	0.2	0.2	*	*	-	0.1	*	*	*	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	0.1	1.2	0.1	-	*	-	*	*	*	0.1	0.1
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	-	-	-	-	-	*	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	*	-	-	-	*
32		*	*	-	*	*	*	-	*	-	*	0.1	0.1
33		0.4	0.5	-	*	*	0.2	*	0.1	0.6	0.1	1.7	1.1
34		2.6	3.1	*	0.4	0.9	2.2	0.3	0.1	6.5	1.2	9.0	5.9
35		7.7	10.6	0.5	2.8	6.0	8.0	0.7	2.0	6.4	3.4	16.6	14.2
36		20.2	21.7	5.6	11.6	15.6	18.9	6.8	7.4	5.5	11.8	19.5	18.8
37		41.8	37.5	40.2	36.9	27.8	29.9	23.4	25.4	30.7	35.2	26.2	28.5
38 & longer		27.1	26.6	53.7	48.3	49.7	40.9	68.7	64.9	50.3	48.3	26.9	31.5
<b>Average staple</b>		<b>36.9</b>	<b>36.8</b>	<b>37.8</b>	<b>37.6</b>	<b>37.6</b>	<b>37.3</b>	<b>37.9</b>	<b>38.1</b>	<b>37.2</b>	<b>37.4</b>	<b>36.5</b>	<b>36.7</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	2.5	2.7	-	0.7	-	0.7	0.1	0.4	0.1	0.1	15.1	14.1
	4	2.9	3.2	-	1.2	-	0.7	0.5	0.9	0.9	0.2	7.2	6.3
	5	0.1	0.2	*	0.1	-	*	*	0.1	0.1	*	0.3	0.2
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>5.5</b>	<b>6.2</b>	<b>*</b>	<b>1.9</b>	<b>-</b>	<b>1.4</b>	<b>0.6</b>	<b>1.4</b>	<b>1.1</b>	<b>0.3</b>	<b>22.6</b>
31	1-2	7.1	6.8	0.4	2.8	1.8	0.8	0.9	1.8	0.5	1.7	18.0	18.1
	3	16.3	20.8	8.1	16.4	15.9	6.7	9.1	14.1	10.2	13.8	25.5	23.7
	4	5.2	7.1	4.6	6.7	1.9	3.1	4.3	7.1	5.1	7.4	5.2	3.7
	5	1.8	1.0	0.3	0.4	0.4	0.3	0.3	0.5	0.3	0.8	1.5	0.6
	6	*	*	-	*	*	*	*	*	*	*	0.1	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>30.4</b>	<b>35.8</b>	<b>13.3</b>	<b>26.3</b>	<b>20.0</b>	<b>11.0</b>	<b>14.5</b>	<b>23.5</b>	<b>16.1</b>	<b>23.6</b>	<b>50.2</b>
41	1-2	*	0.5	1.2	1.8	1.3	0.8	0.9	1.2	0.3	1.6	4.8	2.8
	3	2.7	6.1	30.1	18.6	30.2	21.5	21.5	17.0	17.2	23.9	11.8	16.6
	4	15.9	12.7	23.4	19.7	23.9	33.8	31.0	30.9	29.4	24.3	8.0	9.5
	5	22.6	8.8	1.3	4.3	6.6	8.8	8.2	10.0	8.7	5.4	1.0	2.3
	6	6.3	1.8	-	0.3	0.4	0.4	0.4	0.7	0.9	0.4	0.9	0.7
	7	0.6	0.1	-	-	-	*	*	*	-	*	0.4	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>48.1</b>	<b>30.0</b>	<b>56.0</b>	<b>44.7</b>	<b>62.4</b>	<b>65.3</b>	<b>62.1</b>	<b>59.8</b>	<b>56.5</b>	<b>55.5</b>	<b>26.8</b>
51	1-2	-	-	0.6	0.2	*	*	*	*	*	0.1	-	-
	3	-	*	1.6	1.5	3.1	0.7	1.2	0.4	0.6	1.3	*	*
	4	*	1.1	1.7	1.7	5.3	3.8	4.3	1.7	4.6	2.0	*	0.2
	5	1.8	1.9	0.1	0.6	0.8	2.9	2.5	1.6	4.3	1.0	-	0.2
	6	2.4	1.2	-	0.1	0.2	0.3	0.3	0.3	0.5	0.2	-	*
	7	0.7	0.4	-	*	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>4.9</b>	<b>4.7</b>	<b>4.0</b>	<b>4.1</b>	<b>9.5</b>	<b>7.8</b>	<b>8.3</b>	<b>4.0</b>	<b>10.0</b>	<b>4.6</b>	<b>0.1</b>
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	*	*	-	*	-	-
	4	-	-	*	*	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	*	*	*	-	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	0.2	-	*	-	*	-	*	-	*	-	*
	3	-	0.8	-	*	-	*	*	*	*	*	-	*
	4	*	0.3	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.1</b>	<b>1.3</b>	-	<b>0.1</b>	-	*	*	*	*	*	-
32	1-2	-	0.2	*	0.2	-	*	*	0.1	*	0.1	-	-
	3	0.6	1.4	0.7	1.2	0.2	0.4	0.7	0.5	1.2	0.8	-	*
	4	0.2	2.2	0.6	0.6	0.2	0.2	0.9	0.5	1.0	0.5	0.1	0.1
	5	0.2	0.8	*	*	*	*	0.1	0.1	*	*	0.1	*
	6	-	*	-	*	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.0</b>	<b>4.6</b>	<b>1.3</b>	<b>2.1</b>	<b>0.4</b>	<b>0.7</b>	<b>1.7</b>	<b>1.1</b>	<b>2.2</b>	<b>1.5</b>	<b>0.2</b>
42	1-2	-	-	0.3	0.4	-	0.1	*	0.1	*	0.4	-	*
	3	-	*	5.6	4.5	1.4	3.6	1.4	1.4	2.3	4.8	-	0.2
	4	1.2	1.1	4.6	5.5	3.2	6.3	5.0	3.6	4.7	4.4	*	0.1
	5	4.0	1.8	0.5	1.3	0.8	1.6	2.1	2.0	2.0	0.8	0.1	*
	6	2.7	0.5	-	*	*	0.1	0.2	0.2	0.4	0.1	-	*
	7	0.4	0.1	-	*	-	-	-	*	0.1	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>8.4</b>	<b>3.5</b>	<b>11.1</b>	<b>11.8</b>	<b>5.5</b>	<b>11.7</b>	<b>8.7</b>	<b>7.3</b>	<b>9.4</b>	<b>10.5</b>	<b>0.1</b>
52	1-2	-	-	0.3	0.2	-	*	-	*	-	0.1	-	-
	3	-	-	3.8	1.6	0.1	0.1	0.3	0.1	0.1	0.9	-	*
	4	0.1	0.5	2.6	2.4	0.3	0.7	0.7	0.5	0.5	1.2	-	-
	5	0.4	1.4	0.6	0.9	0.1	0.6	0.3	0.7	0.3	0.4	-	-
	6	0.6	0.5	*	0.1	-	0.1	0.1	0.2	0.1	0.1	*	*
	7	*	*	-	*	-	*	*	*	-	*	0.1	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.0</b>	<b>2.4</b>	<b>7.3</b>	<b>5.2</b>	<b>0.5</b>	<b>1.5</b>	<b>1.4</b>	<b>1.6</b>	<b>0.9</b>	<b>2.8</b>	<b>0.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	*	*	-	*	-	*	-	*	-	-
	4	-	-	0.2	*	-	*	*	*	-	*	-	-
	5	-	-	0.1	*	-	*	-	*	-	*	-	-
	6	-	*	*	*	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	<b>Total</b>	-----	-	*	0.3	0.1	-	*	*	*	-	0.1	-
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.7	-	-	-	-	*	*	-	*	-	*
	4	-	0.7	-	-	-	-	*	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	1.4	-	*	-	*	*	*	-	*	-
33	1-2	-	0.1	-	*	-	*	*	*	-	*	-	*
	3	-	0.6	0.1	0.1	0.2	*	0.1	*	0.2	*	-	*
	4	0.1	1.7	0.1	*	0.2	*	0.1	*	0.1	*	-	-
	5	-	0.8	*	*	*	*	*	*	*	*	-	-
	6	-	0.1	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	*	-	-
	<b>Total</b>	-----	0.1	3.2	0.2	0.1	0.3	*	0.2	0.1	0.3	0.1	-
43	1-2	-	-	0.1	0.1	-	*	-	*	-	*	-	*
	3	-	*	1.1	0.5	0.2	0.1	0.2	0.1	0.6	0.2	-	*
	4	-	0.1	1.3	0.8	0.7	0.3	0.9	0.3	1.0	0.3	-	*
	5	*	0.2	0.3	0.3	0.3	0.1	0.5	0.2	0.2	0.1	-	-
	6	*	0.1	-	*	*	*	0.1	*	0.1	*	-	-
	7	0.1	*	-	-	-	*	*	*	*	*	-	-
	<b>Total</b>	-----	0.1	0.5	2.8	1.6	1.2	0.5	1.6	0.7	1.8	0.6	-
53	1-2	-	-	*	*	-	*	-	*	-	*	-	*
	3	-	-	1.6	0.3	*	*	*	*	0.1	0.1	-	-
	4	-	*	1.0	0.6	0.1	*	0.2	0.1	0.2	0.1	-	-
	5	*	*	0.2	0.4	0.1	*	0.2	0.1	0.1	*	-	*
	6	-	*	*	*	*	*	0.1	*	*	*	-	-
	7	-	*	-	*	-	*	*	*	-	*	-	-
	<b>Total</b>	-----	*	*	2.8	1.5	0.2	0.1	0.5	0.3	0.3	0.2	-
63	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	*	0.1	-	-	-	*	-	*	-	-
	4	-	-	0.2	0.1	-	*	-	*	-	*	-	-
	5	-	-	0.2	0.1	-	-	*	*	-	*	-	-
	6	-	*	*	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	<b>Total</b>	-----	-	*	0.4	0.3	-	*	*	*	-	*	-
24 - 54	1-7	0.1	4.8	0.3	0.2	*	*	0.1	0.1	1.1	0.1	-	*
25 - 35	1-7	-	0.7	-	*	-	-	-	*	-	-	-	-
81 - 85 1/	1-7	*	0.7	*	*	*	*	*	*	0.1	*	*	*
All Colors	82/	0.3	0.2	*	*	*	*	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>													
Bark - Level 1		37.1	27.9	2.5	2.5	0.4	0.7	2.5	1.1	6.3	2.2	2.7	1.2
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	*	0.1	*	0.1	0.2	0.2	0.1	0.1	-	-
Grass - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	-	-	-	-	*	1.7	0.6	*	*	-	-
Prep - Level 2		-	-	-	-	-	-	*	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	*	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	*	-	-	-	-	-	*	-	-
31		-	*	-	*	-	*	-	*	-	*	-	-
32		-	*	0.1	*	-	*	*	*	-	*	-	-
33		0.1	0.4	1.0	0.4	-	*	0.3	0.3	0.9	0.9	-	0.3
34		1.2	2.4	2.0	2.7	-	0.3	1.7	2.3	6.9	5.5	0.7	0.9
35		19.7	20.0	10.1	9.9	2.1	2.9	5.7	7.9	19.8	18.1	7.9	5.1
36		30.9	38.1	19.5	18.0	8.3	11.2	13.9	15.2	27.0	26.2	5.9	9.7
37		26.6	33.1	29.5	27.0	50.9	41.7	30.3	29.4	34.0	28.3	24.5	28.7
38 & longer		21.4	6.0	37.8	42.0	38.7	43.9	48.0	44.9	11.4	21.0	61.1	55.4
<b>Average staple</b>		<b>36.5</b>	<b>36.2</b>	<b>37.1</b>	<b>37.2</b>	<b>37.5</b>	<b>37.5</b>	<b>37.4</b>	<b>37.3</b>	<b>36.2</b>	<b>36.4</b>	<b>37.8</b>	<b>37.8</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 2.0	Pct. 1.3	Pct. *	Pct. 0.1	Pct. -	Pct. 0.8	Pct. 5.6	Pct. 8.4	Pct. -	Pct. 0.1
	3	1.0	1.6	0.1	0.4	-	0.7	6.2	6.5	-	0.2
	4	0.1	0.2	*	*	-	*	0.8	0.7	-	*
	5	*	*	-	-	-	-	*	*	-	-
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>3.2</b>	<b>3.1</b>	<b>0.1</b>	<b>0.6</b>	<b>-</b>	<b>1.6</b>	<b>12.6</b>	<b>15.7</b>	<b>-</b>
31	1-2	12.2	7.9	0.8	1.2	-	1.7	11.3	8.3	0.5	3.9
	3	29.4	26.5	5.7	10.6	-	5.5	28.3	21.1	1.7	23.3
	4	7.3	7.1	5.5	8.0	-	1.5	11.8	8.7	0.8	4.8
	5	0.6	0.4	0.7	0.7	-	0.1	1.7	1.2	-	0.1
	6	*	*	*	*	-	*	0.1	0.1	-	*
	7	-	-	-	-	-	-	*	*	-	-
	<b>Total</b>	-----	<b>49.5</b>	<b>41.9</b>	<b>12.7</b>	<b>20.6</b>	<b>-</b>	<b>8.8</b>	<b>53.1</b>	<b>39.4</b>	<b>3.1</b>
41	1-2	2.1	2.4	0.9	1.7	1.0	4.0	0.8	1.5	1.2	2.8
	3	18.7	22.1	15.1	18.0	13.0	21.8	5.9	8.5	32.9	34.8
	4	12.8	16.5	26.3	27.5	23.0	15.4	7.0	8.8	44.8	14.2
	5	3.9	3.9	6.8	7.8	5.3	2.4	3.4	3.8	6.6	0.6
	6	0.3	0.4	0.6	0.5	0.3	0.1	1.0	0.9	-	*
	7	*	*	*	*	-	-	0.2	0.2	-	-
	<b>Total</b>	-----	<b>38.0</b>	<b>45.3</b>	<b>49.7</b>	<b>55.6</b>	<b>42.6</b>	<b>43.7</b>	<b>18.3</b>	<b>23.7</b>	<b>85.6</b>
51	1-2	-	*	*	0.3	-	0.1	0.1	0.2	-	*
	3	*	0.2	2.5	1.9	3.8	2.3	0.4	0.8	-	0.5
	4	0.2	0.4	8.6	3.3	18.9	4.0	0.3	0.6	0.7	0.4
	5	0.2	0.6	5.6	2.2	18.2	1.6	0.1	0.3	2.7	0.1
	6	0.1	0.2	1.2	0.4	4.9	0.1	0.1	0.1	0.2	*
	7	0.1	*	0.1	*	0.3	*	*	0.1	-	*
	<b>Total</b>	-----	<b>0.6</b>	<b>1.4</b>	<b>18.0</b>	<b>8.1</b>	<b>46.2</b>	<b>8.2</b>	<b>1.0</b>	<b>2.0</b>	<b>3.6</b>
61	1-2	-	-	-	*	-	*	*	*	-	-
	3	-	-	*	*	0.1	*	*	*	-	-
	4	-	-	*	*	1.0	*	*	*	-	*
	5	-	-	*	*	1.3	*	*	*	-	-
	6	-	-	*	*	0.5	*	*	*	-	-
	7	-	-	-	*	0.1	*	-	*	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>0.1</b>	<b>*</b>	<b>3.0</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>-</b>
71	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>-</b>
12 & 22	1-2	0.2	0.1	*	*	-	0.1	0.4	1.6	-	*
	3	0.5	0.2	0.1	0.1	-	0.1	0.7	1.7	-	*
	4	*	*	-	*	-	*	0.2	0.4	-	*
	5	-	*	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.7</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>	<b>-</b>	<b>0.1</b>	<b>1.4</b>	<b>3.7</b>	<b>-</b>
32	1-2	0.1	0.1	0.1	0.2	-	0.6	0.9	0.7	0.8	0.2
	3	0.8	1.0	1.1	1.3	*	1.7	3.6	2.6	1.4	1.4
	4	0.3	0.7	0.7	0.7	-	0.6	2.1	1.7	-	0.4
	5	0.1	0.2	0.1	0.1	-	*	0.7	0.4	-	*
	6	*	*	*	*	-	*	0.1	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	<b>Total</b>	-----	<b>1.3</b>	<b>2.0</b>	<b>2.1</b>	<b>2.2</b>	<b>*</b>	<b>3.0</b>	<b>7.4</b>	<b>5.4</b>	<b>2.2</b>
42	1-2	0.4	0.2	0.2	0.5	-	1.8	0.1	0.2	-	0.5
	3	1.9	1.4	1.5	3.1	1.1	13.9	0.6	1.6	1.9	6.4
	4	1.3	1.3	4.3	3.3	1.0	10.3	0.8	1.6	1.5	3.4
	5	0.4	0.5	1.9	1.0	0.2	1.6	0.5	0.6	0.2	0.2
	6	0.2	0.1	0.3	0.1	-	0.1	0.2	0.1	-	*
	7	*	*	*	*	-	-	*	*	-	-
	<b>Total</b>	-----	<b>4.2</b>	<b>3.6</b>	<b>8.3</b>	<b>8.2</b>	<b>2.3</b>	<b>27.7</b>	<b>2.2</b>	<b>4.2</b>	<b>3.6</b>
52	1-2	*	*	-	0.1	-	*	*	0.1	-	*
	3	0.3	0.1	0.4	0.9	*	0.8	0.2	0.6	-	0.7
	4	0.5	0.2	1.6	1.0	1.3	2.1	0.4	0.8	1.2	0.3
	5	0.1	0.2	1.6	0.5	1.2	1.0	0.2	0.4	0.7	*
	6	0.1	0.1	0.7	0.1	1.0	0.1	*	0.1	-	*
	7	*	*	0.1	*	0.1	*	*	*	-	-
	<b>Total</b>	-----	<b>1.0</b>	<b>0.6</b>	<b>4.4</b>	<b>2.7</b>	<b>3.7</b>	<b>4.0</b>	<b>0.8</b>	<b>2.0</b>	<b>1.9</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	*	*	*	-	-
	3	-	*	*	*	-	*	*	0.1	-	-
	4	-	*	0.1	*	-	*	0.1	0.2	-	-
	5	-	-	*	*	0.2	*	*	0.1	-	-
	6	-	*	*	*	0.2	*	*	*	-	-
	7	-	*	0.1	*	*	*	*	*	-	-
	<b>Total</b>	-----	-	*	<b>0.2</b>	<b>0.1</b>	0.5	*	<b>0.2</b>	<b>0.5</b>	-
13 & 23	1-2	*	*	-	*	-	*	0.1	0.1	-	*
	3	*	*	-	*	-	*	0.1	0.2	-	*
	4	*	*	-	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.1</b>	*	*	*	-	*	<b>0.2</b>	<b>0.4</b>	-
33	1-2	-	*	-	*	-	*	0.1	*	-	*
	3	0.1	0.2	0.2	0.1	-	0.1	0.5	0.3	-	*
	4	0.1	0.2	0.2	0.1	-	*	0.5	0.3	-	*
	5	*	*	*	*	-	*	0.2	0.1	-	*
	6	-	*	*	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	<b>Total</b>	-----	<b>0.2</b>	<b>0.4</b>	<b>0.4</b>	<b>0.2</b>	-	<b>0.1</b>	<b>1.3</b>	<b>0.7</b>	-
43	1-2	*	*	*	*	*	0.1	*	*	-	*
	3	0.2	0.1	0.4	0.3	0.3	1.0	0.1	0.2	-	0.2
	4	0.2	0.2	1.0	0.5	*	0.8	0.2	0.2	-	0.2
	5	0.1	0.2	0.6	0.2	*	0.1	0.2	0.1	0.2	*
	6	*	0.1	0.2	*	-	*	0.1	*	-	*
	7	*	*	*	*	-	*	*	*	-	-
	<b>Total</b>	-----	<b>0.5</b>	<b>0.6</b>	<b>2.3</b>	<b>1.2</b>	<b>0.4</b>	<b>2.1</b>	<b>0.5</b>	<b>0.7</b>	<b>0.2</b>
53	1-2	*	*	*	*	-	*	*	*	-	*
	3	0.2	0.1	0.1	0.1	-	0.1	*	0.1	-	*
	4	0.3	0.1	0.4	0.2	0.1	0.2	*	0.3	-	*
	5	*	*	0.3	0.1	0.6	0.1	*	0.2	-	*
	6	-	*	0.2	*	0.3	*	*	0.1	-	*
	7	-	*	0.1	*	*	*	*	*	-	-
	<b>Total</b>	-----	<b>0.4</b>	<b>0.2</b>	<b>1.1</b>	<b>0.4</b>	<b>1.0</b>	<b>0.5</b>	<b>0.1</b>	<b>0.7</b>	-
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	-	-	*	*	*	-	-
	4	-	*	*	*	-	*	0.1	0.2	-	-
	5	-	*	*	*	-	*	0.2	0.2	-	-
	6	-	-	-	-	-	*	*	0.1	-	-
	7	-	-	*	*	-	-	*	*	-	-
	<b>Total</b>	-----	-	*	*	*	-	-	<b>0.3</b>	<b>0.5</b>	-
24 - 54	1-7	0.2	0.4	0.2	0.1	0.1	0.1	0.2	0.2	-	*
25 - 35	1-7	-	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	*	0.1	*	*	0.2	*	0.1	0.1	*	*
All Colors	8 2/	*	*	0.2	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		8.5	4.9	4.2	4.1	13.1	0.4	11.3	6.8	2.9	0.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	-	0.1	-	*	*	0.2	2.5	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	*	0.1	*	-	*	*	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	*	-	-	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	*	*	-	-	*	0.1	-	-
31		0.3	0.1	*	*	-	*	0.1	0.3	-	-
32		0.6	0.6	0.3	0.1	-	*	0.4	1.0	-	*
33		3.6	2.5	4.2	1.9	*	0.1	2.6	3.4	4.4	0.7
34		9.2	6.8	10.1	6.1	*	1.4	10.6	9.9	20.0	9.5
35		15.4	12.5	18.9	12.0	3.1	12.6	23.0	19.9	19.0	26.3
36		21.5	22.4	18.5	17.0	24.7	35.5	26.7	25.3	18.8	29.6
37		27.3	29.9	31.2	30.6	39.2	38.6	25.0	25.0	23.9	22.4
38 & longer		22.2	25.3	16.7	32.2	32.9	11.8	11.7	15.1	13.8	11.6
<b>Average staple</b>		<b>36.3</b>	<b>36.5</b>	<b>36.1</b>	<b>36.7</b>	<b>37.2</b>	<b>36.5</b>	<b>36.0</b>	<b>36.1</b>	<b>35.8</b>	<b>36.0</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	*	*
21	-	-	-	-	-	-	-	-	-	-	*	*
22	-	-	-	-	-	-	-	-	-	-	*	*
23	*	*	-	*	-	-	-	-	-	*	*	*
24	*	0.1	-	*	*	*	-	-	0.1	0.1	0.2	0.1
25	0.2	0.4	*	*	*	*	-	-	0.4	0.6	0.9	0.8
26	1.5	1.9	0.2	0.5	0.1	0.1	*	*	3.5	3.2	4.0	4.2
27	6.6	8.0	3.2	2.7	0.8	0.6	*	*	8.5	11.4	11.2	11.5
28	19.7	22.1	15.0	9.8	2.5	3.4	*	0.1	25.1	30.5	17.7	20.1
29	29.1	32.2	24.8	26.1	4.2	10.4	1.8	1.0	41.6	32.9	20.7	25.6
30	24.7	21.9	26.1	28.9	14.0	18.3	3.4	2.6	15.0	14.8	20.7	20.5
31	10.7	9.1	18.1	18.4	21.9	23.0	3.0	5.0	3.9	5.6	12.9	10.7
32	5.0	3.1	8.7	9.1	21.3	19.9	5.8	9.8	1.4	0.9	7.0	4.3
33	1.6	0.9	2.7	3.4	18.7	13.8	11.5	16.3	0.5	0.2	2.9	1.5
34	0.6	0.2	0.8	0.8	9.5	6.5	13.6	14.0	0.1	*	1.1	0.5
35	0.1	*	0.3	0.2	4.4	2.9	19.6	11.7	-	*	0.5	0.1
36 & above	*	*	*	*	2.7	1.3	41.2	39.4	-	-	0.2	0.1
<b>Average</b>	<b>29.3</b>	<b>29.0</b>	<b>29.8</b>	<b>29.9</b>	<b>31.8</b>	<b>31.3</b>	<b>34.8</b>	<b>34.6</b>	<b>28.7</b>	<b>28.6</b>	<b>29.3</b>	<b>29.0</b>
MIKE												
24 & below	-	-	-	-	-	*	-	-	-	-	-	-
25	-	*	*	*	0.1	*	-	*	-	-	-	*
26	-	*	*	*	0.1	*	0.2	0.1	-	-	*	*
27	-	*	*	*	*	*	0.1	0.1	-	-	*	*
28	-	*	*	*	*	*	0.2	0.1	-	-	*	*
29	-	*	*	*	*	*	0.2	0.1	-	-	*	*
30	-	*	*	*	0.3	0.1	0.4	0.2	-	*	0.1	*
31	*	*	*	*	0.1	0.1	0.2	0.3	-	-	0.1	0.1
32	0.2	0.1	*	*	0.2	0.1	0.1	0.6	-	-	0.1	0.2
33	0.4	0.3	*	*	0.1	0.2	0.8	0.9	-	*	0.3	0.5
34	0.4	0.4	*	*	0.3	0.3	1.9	1.3	-	*	0.7	0.8
35	0.8	0.7	*	0.1	0.2	0.4	0.9	1.3	0.1	0.1	1.0	1.3
36	1.1	1.2	0.3	0.1	0.3	0.5	1.6	1.7	*	0.2	1.6	1.7
37	2.1	2.2	0.4	0.2	1.0	0.8	2.3	2.5	0.1	0.4	2.1	2.5
38	3.1	3.2	0.7	0.4	1.2	1.2	4.8	2.8	1.3	1.0	3.0	3.8
39	4.6	4.1	0.8	0.8	1.8	1.7	7.7	3.8	2.3	1.6	4.3	6.0
40	5.6	5.9	1.3	1.6	3.0	2.3	8.4	4.7	4.7	3.8	5.9	8.6
41	8.0	7.3	2.9	2.9	4.0	3.7	7.7	6.4	9.1	5.9	8.7	11.6
42	10.0	9.0	4.5	4.8	5.6	4.6	8.9	8.2	16.6	8.8	12.0	14.0
43	11.3	10.6	8.5	6.9	7.9	5.8	9.5	9.6	15.0	12.0	14.3	14.1
44	12.8	11.0	8.8	9.9	7.3	7.1	6.9	11.3	13.3	12.6	14.9	12.4
45	12.7	11.0	10.9	12.5	7.7	8.6	7.7	11.0	17.5	15.6	11.8	9.3
46	10.3	9.7	12.1	13.8	11.5	10.7	9.7	11.1	9.2	13.9	8.5	6.1
47	7.7	8.0	12.6	13.3	12.5	12.5	11.9	8.4	4.8	10.4	5.3	3.7
48	4.8	6.0	11.6	11.5	11.3	11.8	5.3	5.9	2.2	6.8	2.9	1.9
49	3.0	4.1	10.2	8.3	9.2	9.8	1.9	3.1	1.9	4.6	1.3	0.9
50	0.6	2.6	6.6	5.6	7.3	7.7	0.8	1.8	1.4	1.6	0.7	0.4
51	0.2	1.4	4.2	3.4	3.5	5.4	-	1.1	0.4	0.4	0.3	0.1
52	0.1	0.8	1.9	2.0	1.3	2.8	-	1.1	0.1	0.1	0.1	*
53	*	0.3	1.0	1.0	0.5	1.1	-	0.6	*	*	*	*
54	*	0.1	0.4	0.5	0.2	0.4	-	0.2	-	-	*	*
55	*	*	0.2	0.2	0.3	0.1	-	0.1	-	-	*	*
56	0.1	*	*	0.1	0.6	0.2	-	*	-	-	-	*
57	*	*	*	*	0.7	0.2	-	*	-	-	*	*
58	-	*	-	-	-	-	-	*	-	-	-	-
59	-	*	-	-	-	-	-	-	-	-	-	-
60 & above	-	*	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>43</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>43</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>43</b>	<b>42</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.



**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	*	-	*	-	-	-	*	*	*	*	-
23	-	*	-	*	-	*	*	*	0.1	*	-	-
24	-	0.1	*	*	-	*	0.1	*	0.3	0.1	-	-
25	0.1	0.5	0.1	*	-	*	0.1	0.1	2.1	0.4	-	-
26	0.3	1.2	0.3	0.3	-	0.5	1.4	0.9	6.8	1.8	0.1	*
27	0.7	3.8	0.4	1.5	1.6	2.7	3.7	3.0	17.3	4.9	4.3	1.1
28	9.7	16.2	4.4	5.7	17.9	11.5	12.6	8.7	26.6	11.1	11.0	5.0
29	33.9	31.2	28.1	17.5	30.5	24.3	26.9	21.8	21.1	19.8	21.6	19.3
30	26.8	23.2	29.3	30.6	19.5	28.2	29.6	31.0	13.2	23.8	31.3	31.8
31	20.2	14.9	18.1	22.9	16.6	17.5	17.1	21.3	7.4	18.1	16.8	25.2
32	7.8	7.8	10.8	12.9	3.5	8.8	6.2	8.7	3.2	10.9	12.2	13.7
33	0.6	1.0	6.0	5.6	8.3	4.5	1.7	3.3	1.4	5.8	2.6	3.2
34	*	0.1	1.9	2.1	1.8	1.6	0.5	0.9	0.5	2.4	0.1	0.6
35	*	*	0.4	0.6	0.4	0.3	0.1	0.2	0.1	0.6	-	*
36 & above	-	*	0.2	0.2	-	*	*	*	*	0.1	-	*
<b>Average</b>	<b>29.8</b>	<b>29.5</b>	<b>30.2</b>	<b>30.4</b>	<b>29.8</b>	<b>29.9</b>	<b>29.6</b>	<b>30.0</b>	<b>28.5</b>	<b>30.0</b>	<b>29.9</b>	<b>30.3</b>
MIKE												
24 & below	-	*	-	-	-	-	-	-	-	*	-	*
25	-	0.1	-	*	-	-	-	-	-	-	-	*
26	-	0.4	-	-	-	-	-	-	-	-	*	0.1
27	-	0.6	-	-	-	*	-	-	-	*	-	0.1
28	*	0.8	-	-	-	-	-	-	-	*	0.4	0.4
29	-	0.6	-	-	-	-	-	*	*	*	0.8	0.4
30	0.7	1.0	-	*	-	*	-	*	-	*	2.2	1.0
31	2.8	2.1	-	*	-	*	-	*	-	*	1.1	0.6
32	4.5	2.8	-	*	-	*	-	*	*	*	1.0	0.6
33	4.1	4.3	-	*	-	*	-	*	*	0.1	1.6	1.0
34	3.2	5.6	-	*	-	*	-	*	*	0.1	1.9	2.1
35	3.5	5.9	-	*	-	*	-	*	0.1	0.2	7.0	3.5
36	4.0	7.4	-	*	-	0.1	*	0.1	0.3	0.3	4.6	4.8
37	2.6	9.5	-	*	-	0.2	*	0.2	0.7	0.5	5.5	4.1
38	5.0	9.0	-	0.1	*	0.4	0.3	0.4	1.8	0.8	5.9	6.8
39	7.8	8.9	-	0.3	0.7	0.7	0.6	0.7	2.8	1.4	9.0	7.8
40	11.7	8.1	0.2	0.5	1.3	1.1	1.2	1.1	3.7	2.1	8.0	8.2
41	10.9	7.6	0.6	1.1	2.1	2.2	2.1	1.9	4.2	3.2	8.9	6.9
42	10.4	7.2	1.4	1.9	6.0	4.0	3.5	3.0	4.8	4.8	6.3	8.1
43	10.5	6.6	2.4	2.7	7.8	6.1	5.3	4.4	4.6	6.9	4.2	8.2
44	4.5	4.5	3.1	3.6	8.6	8.2	5.6	6.4	7.1	9.6	6.3	8.4
45	5.3	3.4	6.4	6.3	7.8	10.5	8.5	9.1	10.2	13.0	2.2	6.4
46	2.2	2.1	5.0	9.5	13.8	11.7	9.4	13.1	15.5	15.1	5.9	6.0
47	2.9	0.8	7.4	13.6	9.9	12.3	13.3	16.0	13.0	14.3	8.8	6.2
48	3.5	0.5	17.7	16.5	11.1	11.3	16.6	16.3	11.1	11.1	5.6	3.9
49	-	0.1	17.3	15.7	9.5	10.0	14.5	13.2	7.8	7.3	1.5	1.7
50	-	0.1	16.5	13.0	3.5	7.6	10.4	7.6	6.2	4.6	0.8	1.1
51	-	*	9.3	8.2	3.5	5.7	4.9	3.6	3.4	2.5	0.3	0.8
52	-	-	5.2	4.6	5.2	4.1	2.3	1.6	1.8	1.3	-	0.3
53	-	-	5.1	2.0	5.8	2.5	1.1	0.8	0.5	0.5	0.4	0.2
54	-	-	1.8	0.5	2.4	1.1	0.3	0.3	0.3	0.2	*	0.2
55	-	-	0.5	0.1	0.8	0.3	0.1	*	0.3	*	-	-
56	-	-	0.1	*	*	*	*	*	-	*	-	*
57	-	-	*	*	-	*	*	*	-	*	-	-
58	-	-	-	-	-	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>40</b>	<b>38</b>	<b>49</b>	<b>48</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>41</b>	<b>41</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	-	*	-	-
20	-	-	-	-	-	-	-	*	-	-
21	-	*	-	-	-	-	*	*	-	-
22	-	*	*	*	-	-	*	0.1	-	-
23	*	*	0.3	0.1	-	*	*	0.1	-	*
24	*	*	1.4	0.3	*	*	0.1	0.4	1.2	0.1
25	0.1	0.1	5.0	1.6	0.6	0.1	0.3	0.8	2.0	0.8
26	0.8	0.4	12.7	5.4	5.4	1.0	1.0	1.7	10.7	4.1
27	2.1	1.9	21.5	10.5	16.5	6.1	3.4	3.8	20.5	7.7
28	6.1	6.5	28.2	17.4	14.1	18.5	9.2	8.5	27.7	18.2
29	15.1	14.5	18.5	24.2	21.6	29.1	16.6	15.8	22.9	27.0
30	25.8	24.2	8.4	22.3	26.2	22.5	20.2	19.9	10.7	21.2
31	23.6	22.2	2.6	11.4	6.3	12.9	20.3	20.1	3.4	11.9
32	15.7	14.6	1.0	4.4	5.8	6.6	16.0	15.2	0.5	5.8
33	7.9	10.3	0.3	1.7	3.2	2.5	8.4	8.5	0.2	2.1
34	2.3	3.9	0.1	0.6	0.1	0.7	3.2	3.6	0.2	0.8
35	0.4	1.0	*	0.1	0.1	0.2	1.0	1.2	-	0.2
36 & above	0.2	0.3	*	*	*	*	0.4	0.4	-	*
<b>Average</b>	<b>30.5</b>	<b>30.6</b>	<b>27.8</b>	<b>29.0</b>	<b>29.0</b>	<b>29.4</b>	<b>30.4</b>	<b>30.4</b>	<b>28.0</b>	<b>29.2</b>
MIKE										
24 & below	*	*	-	-	-	-	0.2	0.1	-	-
25	*	*	-	-	-	-	0.6	0.2	-	-
26	0.1	*	-	*	-	-	0.8	0.2	-	-
27	*	*	-	-	-	-	0.9	0.2	-	-
28	0.1	0.1	-	-	-	-	1.1	0.3	-	-
29	0.1	0.1	-	*	-	-	1.4	0.4	-	-
30	0.1	0.1	-	*	-	*	1.7	0.6	-	-
31	0.2	0.1	-	*	-	*	2.0	0.8	-	-
32	0.3	0.2	*	*	-	*	2.6	1.1	-	-
33	0.3	0.3	*	*	-	*	2.8	1.4	-	*
34	0.8	0.5	0.1	0.1	-	*	3.4	1.8	-	-
35	0.8	0.7	0.2	0.2	-	0.1	4.0	2.2	-	*
36	0.8	1.0	0.4	0.4	-	0.1	4.7	2.7	-	*
37	1.8	1.7	0.7	0.8	-	0.2	4.9	3.3	-	0.1
38	2.9	2.9	1.3	1.5	*	0.3	5.2	3.8	-	0.1
39	6.2	4.2	2.7	2.9	0.4	0.5	5.7	4.5	-	0.2
40	6.8	5.9	5.4	5.5	0.5	1.0	6.2	5.1	0.2	0.3
41	7.9	7.7	7.0	9.1	5.9	1.7	6.3	5.8	2.0	0.6
42	7.9	8.5	10.3	12.3	7.6	2.5	6.6	6.4	4.9	1.7
43	8.5	9.3	13.2	14.6	15.6	3.7	6.8	7.0	12.9	3.6
44	10.5	10.4	16.5	15.3	16.5	5.5	6.4	7.4	14.8	7.3
45	10.7	11.4	15.2	12.8	14.9	7.8	6.1	7.7	10.5	14.0
46	8.8	10.0	10.5	9.7	11.1	9.9	5.4	7.8	11.9	20.2
47	8.4	8.3	6.5	6.7	7.1	11.5	4.4	7.2	20.0	20.4
48	6.0	6.4	4.3	4.2	2.8	12.9	3.4	6.3	9.7	15.6
49	4.3	4.4	3.0	2.1	3.9	12.3	2.6	5.1	10.0	8.9
50	3.0	2.8	1.5	1.1	4.3	11.0	1.8	3.8	3.1	4.2
51	1.8	1.6	0.5	0.5	5.4	8.5	1.0	2.7	-	1.9
52	0.8	0.9	0.4	0.2	2.2	5.5	0.6	1.8	-	0.7
53	0.2	0.3	0.2	0.1	1.0	3.1	0.3	1.2	-	0.2
54	*	0.2	-	*	0.7	1.5	0.1	0.7	-	*
55	*	0.1	-	*	0.1	0.3	*	0.3	-	*
56	-	*	-	*	-	*	*	0.1	-	*
57	-	-	-	*	*	*	*	*	-	*
58	-	-	-	*	-	*	-	*	-	*
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
<b>Average</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>48</b>	<b>40</b>	<b>43</b>	<b>46</b>	<b>47</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	*	-	-	-	-	-	-
25 - 26	-	*	*	*	0.1	*	0.2	0.1	-	-	*	*
27 - 29	-	*	0.1	*	0.1	0.1	0.4	0.3	-	-	0.1	*
30 - 32	0.2	0.1	0.1	0.1	0.6	0.3	0.6	1.0	-	*	0.3	0.4
33 - 34	0.8	0.7	*	0.1	0.4	0.5	2.7	2.2	-	*	1.0	1.3
35 - 36	1.9	1.9	0.3	0.2	0.5	0.9	2.5	3.0	0.1	0.4	2.6	3.0
37 - 42	33.4	31.7	10.5	10.8	16.6	14.2	39.7	28.2	34.2	21.6	36.1	46.3
43 - 49	62.6	60.4	74.7	76.2	67.5	66.2	52.9	60.4	63.8	75.9	58.9	48.4
50 - 52	1.0	4.8	12.7	11.0	12.1	15.9	0.8	4.0	1.9	2.1	1.0	0.5
53 & above	0.1	0.4	1.6	1.7	2.2	2.0	-	0.9	*	*	*	*
<b>Average</b>	<b>43</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>43</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>43</b>	<b>42</b>
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.2	0.2	*	0.1	7.3	9.2	17.4	29.7	0.1	*	0.4	0.5
02	2.7	4.9	0.3	2.2	26.1	27.9	41.7	43.0	5.1	1.8	4.9	8.2
03	10.1	17.1	3.5	10.6	25.7	26.4	26.8	19.4	17.2	11.6	16.1	21.5
04	19.7	24.0	12.6	19.8	16.8	17.1	10.4	5.6	25.2	25.3	22.7	25.5
05	21.2	20.8	21.9	22.4	11.2	9.7	2.7	1.5	22.0	26.5	21.6	20.3
06	17.4	14.3	23.6	18.7	6.7	4.9	0.8	0.5	14.6	18.1	15.4	12.5
07	11.9	8.7	17.9	12.6	3.1	2.3	0.2	0.1	8.1	9.5	9.3	6.5
08	7.7	4.9	10.4	7.1	1.4	1.1	0.1	0.1	4.3	4.3	5.0	3.0
09	4.4	2.6	5.5	3.7	0.6	0.6	*	*	1.8	1.9	2.5	1.2
10	2.3	1.3	2.4	1.7	0.4	0.3	*	*	0.9	0.7	1.2	0.5
11	1.3	0.6	1.1	0.7	0.2	0.2	*	*	0.3	0.2	0.5	0.2
12	0.6	0.3	0.4	0.3	0.1	0.1	-	-	0.3	0.1	0.3	0.1
13	0.3	0.1	0.2	0.1	0.1	0.1	-	*	-	*	0.1	*
14	0.1	0.1	0.1	*	0.1	*	*	*	*	*	0.1	*
15	*	*	*	*	0.1	*	-	-	-	-	*	*
16	*	*	*	*	*	*	-	-	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*	*	*
18 & above	*	*	*	*	*	*	-	-	-	*	*	*
<b>Average</b>	<b>0.56</b>	<b>0.50</b>	<b>0.62</b>	<b>0.55</b>	<b>0.35</b>	<b>0.33</b>	<b>0.24</b>	<b>0.21</b>	<b>0.48</b>	<b>0.51</b>	<b>0.50</b>	<b>0.45</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	*	-	*	-	-	-	-
75.5-76.4	-	*	-	*	-	*	-	*	-	-	-	*
76.5-77.4	0.1	0.1	-	*	0.1	*	-	*	*	0.1	*	0.1
77.5-78.4	0.7	0.8	0.5	0.2	0.7	0.3	*	0.3	0.4	0.3	0.4	0.7
78.5-79.4	4.2	4.5	2.7	1.2	3.5	2.7	0.3	1.1	2.4	2.9	3.5	4.2
79.5-80.4	18.7	20.0	9.8	7.4	14.1	12.3	2.8	3.0	30.3	33.8	16.4	19.2
80.5-81.4	43.0	41.9	32.6	26.5	33.2	31.4	15.9	13.7	53.5	52.3	37.7	39.5
81.5-82.4	26.3	25.9	34.7	37.6	31.1	36.5	42.3	30.7	11.5	9.6	30.7	27.2
82.5-83.4	6.3	5.9	17.1	22.7	14.0	14.0	28.5	19.8	1.6	0.9	9.3	7.8
83.5-84.4	0.8	0.8	2.5	4.1	2.9	2.4	7.8	19.0	0.2	0.1	1.7	1.2
84.5-85.4	0.1	0.1	0.2	0.2	0.3	0.3	1.6	11.6	0.1	*	0.2	0.1
85.5-86.4	*	*	*	*	*	*	0.6	0.6	-	-	*	*
86.5-87.4	-	*	-	*	-	*	0.1	0.1	-	-	*	*
87.5-88.4	-	*	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>81.1</b>	<b>81.0</b>	<b>81.6</b>	<b>81.8</b>	<b>81.4</b>	<b>81.5</b>	<b>82.2</b>	<b>82.7</b>	<b>80.7</b>	<b>80.6</b>	<b>81.3</b>	<b>81.1</b>
<b>Tenderable 3/</b>	<b>57.0</b>	<b>63.6</b>	<b>65.4</b>	<b>71.3</b>	<b>77.6</b>	<b>74.0</b>	<b>93.0</b>	<b>90.9</b>	<b>58.8</b>	<b>61.6</b>	<b>60.4</b>	<b>77.5</b>
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	<b>31,581</b>		<b>27,582</b>		<b>18,271</b>		<b>8,353</b>		<b>3,470</b>		<b>99,269</b>	
<b>SEASON</b>		<b>683,789</b>		<b>1,169,536</b>		<b>202,036</b>		<b>136,337</b>		<b>64,470</b>		<b>1,553,793</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	-	-	-	*	-	*
25 - 26	-	0.5	-	*	-	-	-	-	-	-	*	0.1
27 - 29	*	2.0	-	-	-	*	-	*	*	*	1.2	1.0
30 - 32	7.9	5.9	-	*	-	*	-	*	*	*	4.3	2.2
33 - 34	7.3	10.0	-	*	-	*	-	*	*	0.2	3.5	3.1
35 - 36	7.5	13.2	-	*	-	0.1	*	0.1	0.4	0.5	11.6	8.3
37 - 42	48.5	50.3	2.2	3.8	10.2	8.5	7.7	7.4	18.0	13.0	43.5	41.9
43 - 49	28.7	18.0	59.4	67.8	68.6	70.1	73.4	78.5	69.1	77.3	34.5	40.8
50 - 52	-	0.1	31.0	25.7	12.2	17.4	17.5	12.8	11.4	8.3	1.0	2.3
53 & above	-	-	7.5	2.6	9.0	3.9	1.4	1.1	1.0	0.7	0.4	0.3
<b>Average</b>	<b>40</b>	<b>38</b>	<b>49</b>	<b>48</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>41</b>	<b>41</b>
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	0.9	1.6	0.2	0.6	*	0.1	0.1	0.2	*	0.2	3.8	5.6
02	11.2	11.3	4.9	9.1	4.4	3.1	3.7	5.5	2.3	5.7	37.2	30.8
03	11.7	17.4	22.5	22.1	23.7	12.6	16.2	16.5	13.6	20.1	27.7	29.3
04	8.7	16.0	32.3	25.0	29.7	21.1	24.2	22.7	23.3	26.4	14.1	16.5
05	9.2	13.5	22.7	19.6	19.9	23.0	22.2	21.5	22.5	21.2	8.5	8.5
06	8.8	11.6	11.1	12.1	12.1	18.4	16.4	15.7	16.0	13.2	4.6	4.7
07	10.9	9.3	4.1	6.4	6.1	11.5	9.4	9.4	10.4	7.1	1.7	2.1
08	11.1	7.1	1.5	3.0	2.6	5.8	4.5	4.9	5.8	3.4	0.8	1.0
09	9.5	4.8	0.5	1.3	1.1	2.6	2.0	2.2	3.1	1.6	0.2	0.6
10	6.4	2.9	0.3	0.5	0.3	1.0	0.9	0.9	1.6	0.7	0.4	0.3
11	4.5	1.8	*	0.2	0.1	0.4	0.3	0.4	0.8	0.3	0.3	0.3
12	2.8	1.1	*	0.1	-	0.1	0.2	0.1	0.4	0.1	0.5	0.1
13	1.7	0.6	-	*	*	*	*	0.1	0.1	*	0.1	0.1
14	1.2	0.3	-	*	-	*	*	*	0.1	*	0.1	*
15	0.5	0.2	-	*	-	*	*	*	*	*	*	*
16	0.3	0.1	-	-	-	*	*	*	*	*	-	*
17	0.2	0.1	-	-	-	*	*	*	*	*	-	-
18 & above	0.6	0.1	-	-	-	*	-	*	*	*	-	-
<b>Average</b>	<b>0.65</b>	<b>0.53</b>	<b>0.43</b>	<b>0.44</b>	<b>0.45</b>	<b>0.52</b>	<b>0.50</b>	<b>0.49</b>	<b>0.53</b>	<b>0.47</b>	<b>0.32</b>	<b>0.33</b>
UNIFORMITY 2/												
72.4 & below	-	*	-	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	-	*	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	*	-	-	-	-
74.5-75.4	-	*	*	*	-	-	-	*	-	*	-	-
75.5-76.4	-	0.1	*	0.1	-	*	0.1	*	0.1	*	-	-
76.5-77.4	0.1	0.3	0.2	0.3	-	*	0.1	0.1	0.3	0.3	-	*
77.5-78.4	0.2	1.8	1.2	1.4	-	*	0.9	0.9	3.6	1.6	-	*
78.5-79.4	1.7	5.9	7.8	6.9	0.1	0.3	5.9	4.4	14.6	8.0	0.3	0.7
79.5-80.4	27.4	34.1	20.7	20.5	2.6	2.5	22.6	18.4	32.6	25.4	1.1	2.9
80.5-81.4	40.3	42.4	35.1	36.7	20.4	14.7	36.4	38.3	28.6	35.8	22.0	15.1
81.5-82.4	27.1	13.6	26.8	25.0	51.4	37.1	27.2	29.1	15.7	22.9	47.0	36.1
82.5-83.4	3.0	1.7	7.5	7.4	22.4	35.5	6.1	7.8	4.0	5.3	28.3	40.5
83.5-84.4	0.1	*	0.5	1.5	2.9	9.4	0.6	0.9	0.5	0.7	1.3	4.5
84.5-85.4	0.1	*	0.1	0.2	0.1	0.6	*	0.1	*	0.1	-	0.1
85.5-86.4	0.1	*	-	*	-	*	-	*	-	*	-	*
86.5-87.4	*	*	-	*	-	*	-	-	-	*	-	-
87.5-88.4	-	*	-	*	-	*	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>81.0</b>	<b>80.6</b>	<b>81.0</b>	<b>81.0</b>	<b>82.0</b>	<b>82.3</b>	<b>81.0</b>	<b>81.1</b>	<b>80.4</b>	<b>80.8</b>	<b>82.0</b>	<b>82.2</b>
<b>Tenderable 3/</b>	<b>42.9</b>	<b>52.0</b>	<b>45.8</b>	<b>56.7</b>	<b>73.0</b>	<b>68.7</b>	<b>68.4</b>	<b>76.0</b>	<b>69.7</b>	<b>76.2</b>	<b>88.9</b>	<b>89.9</b>
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	<b>3,564</b>		<b>7,896</b>		<b>5,217</b>		<b>33,069</b>		<b>9,482</b>		<b>3,451</b>	
<b>SEASON</b>		<b>48,003</b>		<b>404,813</b>		<b>740,061</b>		<b>1,290,351</b>		<b>676,352</b>		<b>24,466</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 3, 2019**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	0.2	0.1	-	-
25 - 26	0.1	*	-	*	-	-	1.4	0.4	-	-
27 - 29	0.2	0.1	-	*	-	-	3.4	1.0	-	-
30 - 32	0.5	0.4	*	*	-	*	6.3	2.4	-	-
33 - 34	1.1	0.9	0.2	0.1	-	*	6.2	3.2	-	*
35 - 36	1.6	1.7	0.6	0.5	-	0.2	8.7	5.0	-	*
37 - 42	33.5	30.8	27.4	32.1	14.3	6.2	34.9	28.9	7.1	2.9
43 - 49	57.1	60.2	69.4	65.4	71.8	63.6	35.1	48.4	89.8	90.0
50 - 52	5.7	5.3	2.3	1.8	11.9	25.0	3.3	8.3	3.1	6.8
53 & above	0.2	0.6	0.2	0.1	1.9	4.9	0.5	2.4	-	0.3
<b>Average</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>48</b>	<b>40</b>	<b>43</b>	<b>46</b>	<b>47</b>
HVI TRASH 1/										
00	-	-	-	-	-	-	*	*	-	-
01	2.4	1.1	0.1	0.3	*	0.8	3.3	4.3	-	0.3
02	18.5	13.5	2.7	5.4	1.2	10.1	20.5	19.9	3.1	10.4
03	27.8	26.2	10.8	15.7	5.8	21.9	26.3	24.2	12.2	32.3
04	22.7	24.2	20.9	23.2	13.3	24.5	19.9	19.3	28.2	31.7
05	13.5	16.1	23.3	22.5	18.8	19.2	12.6	13.0	28.4	16.6
06	7.7	9.1	18.1	15.8	20.3	11.9	7.3	8.1	14.1	6.0
07	3.7	4.7	11.1	9.1	15.3	6.4	4.2	4.8	8.7	1.9
08	1.9	2.4	5.9	4.5	9.4	3.0	2.4	2.7	3.9	0.6
09	0.8	1.2	3.3	2.0	6.5	1.3	1.4	1.5	0.7	0.2
10	0.5	0.6	1.8	0.9	4.4	0.5	0.8	0.9	0.5	*
11	0.2	0.3	0.9	0.3	2.8	0.2	0.5	0.5	0.3	*
12	0.1	0.2	0.6	0.1	1.4	0.1	0.3	0.3	-	*
13	0.1	0.1	0.3	0.1	0.4	*	0.2	0.2	-	*
14	*	0.1	0.1	*	0.2	*	0.1	0.1	-	*
15	*	*	0.1	*	0.1	*	*	0.1	-	*
16	*	*	*	*	-	*	*	*	-	*
17	*	*	*	*	*	*	*	*	-	*
18 & above	-	*	*	*	*	*	0.1	*	-	-
<b>Average</b>	<b>0.39</b>	<b>0.42</b>	<b>0.54</b>	<b>0.49</b>	<b>0.63</b>	<b>0.44</b>	<b>0.39</b>	<b>0.40</b>	<b>0.49</b>	<b>0.38</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	*	-	-	-	-	*	*	-	-
73.5-74.4	-	*	*	*	-	-	*	*	-	*
74.5-75.4	*	*	0.1	*	-	-	*	0.1	-	*
75.5-76.4	0.1	*	0.3	0.1	*	*	0.2	0.3	0.5	*
76.5-77.4	0.4	0.3	1.1	0.4	*	*	0.8	1.0	1.2	0.2
77.5-78.4	2.5	1.6	5.6	2.7	0.1	0.2	3.5	2.9	4.6	1.2
78.5-79.4	9.6	7.2	21.1	12.7	1.2	1.9	12.9	8.5	15.4	8.7
79.5-80.4	28.7	23.6	40.2	34.2	4.4	11.9	26.9	20.9	35.0	32.2
80.5-81.4	39.2	37.9	25.3	34.3	29.0	29.6	31.3	30.7	33.1	38.0
81.5-82.4	16.4	22.9	5.6	12.9	56.8	35.6	18.6	24.0	9.5	16.3
82.5-83.4	3.0	5.5	0.7	2.4	8.0	17.8	5.0	9.7	0.7	3.2
83.5-84.4	0.2	0.8	*	0.3	0.5	2.7	0.7	1.7	-	0.3
84.5-85.4	*	0.1	-	*	0.1	0.2	0.1	0.1	-	*
85.5-86.4	*	*	-	*	-	*	*	*	-	-
86.5-87.4	-	*	-	-	-	-	*	*	-	-
87.5-88.4	*	*	-	-	-	-	*	*	-	-
88.5-89.4	*	*	-	-	-	-	*	*	-	-
89.5 & above	*	*	-	-	-	-	-	*	-	-
<b>Average</b>	<b>80.6</b>	<b>80.9</b>	<b>80.0</b>	<b>80.4</b>	<b>81.6</b>	<b>81.6</b>	<b>80.6</b>	<b>80.9</b>	<b>80.2</b>	<b>80.6</b>
<b>Tenderable 3/</b>	<b>78.6</b>	<b>83.0</b>	<b>73.8</b>	<b>80.1</b>	<b>67.5</b>	<b>46.6</b>	<b>65.8</b>	<b>67.0</b>	<b>84.9</b>	<b>81.6</b>
<b>SAMPLES CLASSED</b>										
<b>WEEK</b>	<b>27,014</b>		<b>21,163</b>		<b>3,067</b>		<b>391,646</b>		<b>589</b>	
<b>SEASON</b>		<b>279,095</b>		<b>305,791</b>		<b>758,569</b>		<b>5,175,913</b>		<b>167,795</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

MP\_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending JANUARY 3, 2019

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	3.4	18.5	20.9	-	-	-	-
	2	-	14.8	22.8	23.4	-	-	-	-
	3	-	1.6	0.2	0.4	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	19.7	41.6	44.7	-	-	-	-
02	1	-	11.2	7.3	5.9	-	-	-	-
	2	-	22.3	41.7	38.7	-	-	-	-
	3	-	1.7	4.2	7.4	-	-	-	-
	4	-	*	*	0.1	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	35.2	53.3	52.1	-	-	-	-
03	1	-	1.8	0.1	*	-	-	-	-
	2	-	24.1	2.7	1.4	-	-	-	-
	3	-	7.8	1.8	1.4	-	-	-	-
	4	-	0.3	0.2	0.2	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	34.0	4.8	3.1	-	-	-	-
04	1	-	*	*	*	-	-	-	-
	2	-	4.7	0.1	*	-	-	-	-
	3	-	4.7	0.1	0.1	-	-	-	-
	4	-	0.3	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	9.8	0.2	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	0.3	-	*	-	-	-	-
	3	-	0.8	*	*	-	-	-	-
	4	-	0.1	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	1.2	*	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		-	0.1	0.2	0.2	-	-	-	-
46		-	19.7	5.4	4.2	-	-	-	-
48 & longer		-	80.3	94.4	95.6	-	-	-	-
<b>Average</b>		-	48.7	49.3	49.3	-	-	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	*	0.2	0.1	-	-	-	-
83		-	*	0.7	0.4	-	-	-	-
84		-	0.1	3.5	2.0	-	-	-	-
85		-	12.5	19.3	12.3	-	-	-	-
86		-	44.5	41.1	40.1	-	-	-	-
87		-	39.6	31.0	39.8	-	-	-	-
88		-	3.2	3.9	5.0	-	-	-	-
89		-	*	0.2	0.3	-	-	-	-
90 & above		-	-	*	*	-	-	-	-
<b>Average</b>		-	86.3	86.0	86.3	-	-	-	-
SAMPLES CLASSED									
WEEK		-		33,594		-	-	-	-
SEASON		-	16,026	457,339		-	-	-	-

\* Less than 0.05 percent.

MP\_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending JANUARY 3, 2019

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	*	-	-	-	-
25 - 26	-	-	0.1	0.1	-	-	-	-
27 - 29	-	-	0.5	0.2	-	-	-	-
30 - 32	-	*	1.6	0.6	-	-	-	-
33 - 34	-	0.3	2.1	1.2	-	-	-	-
35 - 36	-	1.8	7.5	4.0	-	-	-	-
37 - 42	-	78.3	55.7	52.2	-	-	-	-
43 - 49	-	19.6	32.6	41.7	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	*	*	-	-	-	-
<b>Average</b>	-	<b>41</b>	<b>41</b>	<b>41</b>	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	*	-	-	-	-
25	-	-	*	*	-	-	-	-
26	-	-	*	*	-	-	-	-
27	-	-	0.1	*	-	-	-	-
28	-	-	0.2	0.1	-	-	-	-
29	-	-	0.2	0.1	-	-	-	-
30	-	-	0.3	0.1	-	-	-	-
31	-	-	0.5	0.2	-	-	-	-
32	-	*	0.7	0.3	-	-	-	-
33	-	*	1.0	0.4	-	-	-	-
34	-	0.3	1.1	0.7	-	-	-	-
35	-	0.2	2.9	1.5	-	-	-	-
36	-	1.6	4.6	2.5	-	-	-	-
37	-	4.2	6.0	3.6	-	-	-	-
38	-	8.3	7.9	5.5	-	-	-	-
39	-	16.9	8.5	7.7	-	-	-	-
40	-	18.8	11.1	10.0	-	-	-	-
41	-	16.6	11.1	11.4	-	-	-	-
42	-	13.3	11.1	13.9	-	-	-	-
43	-	11.3	9.8	15.3	-	-	-	-
44	-	5.2	9.8	13.3	-	-	-	-
45	-	2.3	7.8	8.1	-	-	-	-
46	-	0.6	4.2	3.6	-	-	-	-
47	-	0.1	0.9	1.1	-	-	-	-
48	-	*	0.2	0.3	-	-	-	-
49	-	*	*	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	*	*	-	-	-	-
52	-	-	*	*	-	-	-	-
53	-	-	*	*	-	-	-	-
54	-	-	*	*	-	-	-	-
55	-	-	*	*	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
<b>Average</b>	-	<b>41</b>	<b>41</b>	<b>41</b>	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	*	-	-	-	-
32	-	-	-	*	-	-	-	-
33	-	-	-	*	-	-	-	-
34	-	-	*	*	-	-	-	-
35	-	-	*	*	-	-	-	-
36	-	*	0.1	0.1	-	-	-	-
37	-	*	0.2	0.4	-	-	-	-
38	-	0.4	1.2	1.3	-	-	-	-
39	-	3.4	3.1	2.9	-	-	-	-
40	-	8.2	6.1	3.9	-	-	-	-
41	-	7.2	4.4	3.6	-	-	-	-
42	-	7.1	5.8	6.2	-	-	-	-
43	-	19.7	11.9	12.8	-	-	-	-
44	-	27.5	15.0	21.2	-	-	-	-
45 & above	-	26.5	52.2	47.7	-	-	-	-
<b>Average</b>	-	<b>43.2</b>	<b>44.2</b>	<b>44.0</b>	-	-	-	-
EXTRANEIOUS MATTER								
Bark	-	-	-	*	-	-	-	-
Grass	-	0.2	*	0.2	-	-	-	-
Spindle Twist Preparation	-	*	0.4	0.1	-	-	-	-
	-	*	*	*	-	-	-	-

\* Less than 0.05 percent.



### Extraneous Matter By State

04-Jan-19

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states**  
**For the Week ending Thursday, January 3, 2019**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	*	-	26.1%	-	*	-	0.7%	-	-	-	-	-	-	-	26.8%	-	31,581
Arizona	-	-	0.6%	-	*	-	0.1%	-	-	-	*	-	-	-	0.7%	-	18,271
Arkansas	1.2%	-	6.4%	-	0.2%	-	0.3%	-	-	-	-	-	-	-	8.1%	-	27,582
California	-	-	0.8%	-	-	-	*	-	-	-	*	-	-	-	0.9%	-	8,353
Florida	*	-	24.4%	-	*	-	0.6%	-	-	-	-	-	-	-	25.1%	-	3,470
Georgia	0.1%	-	19.6%	-	*	-	0.9%	-	-	-	-	-	*	-	20.7%	-	99,269
Kansas	-	-	37.1%	-	*	-	-	-	-	-	-	-	-	-	37.1%	-	3,564
Louisiana	-	-	2.5%	-	*	-	0.2%	-	-	-	-	-	-	-	2.7%	-	7,896
Mississippi	1.7%	*	2.5%	-	0.2%	-	0.5%	-	-	-	-	-	*	-	5.0%	*	33,069
Missouri	-	-	0.4%	-	*	-	-	-	-	-	-	-	-	-	0.5%	-	5,217
New Mexico	-	-	2.7%	-	-	-	-	-	-	-	-	-	-	-	2.8%	-	3,451
North Carolina	*	-	6.3%	-	0.1%	-	0.1%	-	-	-	-	-	-	-	6.5%	-	9,482
Oklahoma	-	-	8.5%	-	*	-	-	-	-	-	-	-	-	-	8.6%	-	27,014
South Carolina	0.1%	-	4.2%	-	-	-	0.1%	-	-	-	-	-	-	-	4.4%	-	21,163
Tennessee	-	-	13.1%	-	-	-	-	-	-	-	-	-	-	-	13.1%	-	3,067
Texas	*	-	11.3%	-	*	-	0.6%	-	*	-	-	-	*	-	11.8%	-	391,646
Virginia	-	-	2.9%	-	2.5%	-	-	-	-	-	-	-	-	-	5.4%	-	589
United States	0.2%	*	11.7%	-	*	-	0.5%	-	*	-	*	-	*	-	12.4%	*	694,684

\* Less than 0.05 percent.

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states**  
**For the Season ending Thursday, January 3, 2019**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	11.9%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	12.2%	*	683,789
Arizona	*	-	1.0%	-	*	-	1.6%	-	-	-	*	-	-	-	2.6%	-	202,036
Arkansas	0.1%	-	1.6%	-	0.2%	-	*	-	*	-	*	-	*	-	1.9%	-	1,169,536
California	*	-	0.1%	-	0.1%	-	*	-	-	-	*	-	-	-	0.2%	-	136,337
Florida	*	-	22.3%	*	*	-	0.3%	-	-	-	-	-	-	-	22.7%	*	64,470
Georgia	0.1%	-	12.1%	*	*	-	0.2%	-	-	-	-	-	*	-	12.4%	*	1,553,793
Kansas	-	-	27.9%	-	*	-	0.1%	-	-	-	-	-	*	-	28.0%	-	48,003
Louisiana	*	-	2.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.7%	-	404,813
Mississippi	0.6%	*	1.1%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.0%	*	1,290,351
Missouri	*	-	0.7%	-	0.1%	-	-	-	*	-	*	-	*	-	0.8%	-	740,061
New Mexico	-	-	1.2%	-	-	-	*	-	-	-	-	-	-	-	1.2%	-	24,466
North Carolina	*	-	2.2%	-	0.1%	-	*	-	*	-	-	-	-	-	2.2%	-	676,352
Oklahoma	*	-	4.9%	-	*	-	*	-	*	-	*	-	-	-	4.9%	-	279,095
South Carolina	*	-	4.1%	-	0.1%	-	*	-	-	-	-	-	*	-	4.2%	-	305,791
Tennessee	*	-	0.4%	-	*	-	-	-	*	-	-	-	-	-	0.5%	-	758,569
Texas	*	-	6.8%	-	0.2%	-	1.2%	-	-	-	-	-	*	*	8.2%	*	5,175,913
Virginia	*	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.3%	-	167,795
United States	0.1%	*	5.4%	*	0.1%	*	0.5%	-	*	-	*	-	*	*	6.2%	*	13,681,170

\* Less than 0.05 percent.