2017 Crop Year Premiums and Discounts P&D's and Additional Discounts for Wheat, Barley and Oats

A Discounts Wheat P & D's

14.0 and above

These tables provide the P & D's for 2017 crop year Wheat.

| | 20 |)16 | 20 | 17 |
|-----------------------------|--|---------------------------------|---|---------------------------------|
| Grade or Factor Description | Disc | Discount Per Bushel | | count |
| | Per 1 | | | Bushel |
| Hard Red Sprin | g Wheat Includin | g All Subclas | ses | |
| Dark Northern Spring | \$.0 |)() | \$.00 |) |
| Northern Spring | |)5 | .05 | |
| Red Spring | .1 | 10 | .10 |) |
| Durum Protein 1 | Percent Premium | s and Discou | nts | |
| | Effective | 2016 Crop | Effectiv | e 2017 Crop |
| | Per B | ushel | Per | Bushel |
| | Premium | Discount | Premium | Discount |
| Grade of Factor Description | U.S. No.2 or Better Hard Amber Durun only | All grades and subclasses | U.S. No. 2 or Better Hard Amber Durum Only | All grades and subclasses |
| Below 10.9 and below | .00 | .00 | .00 | \$.00 |
| 11.0 – 11.1 | .00 | .00 | .00 | .00 |
| 11.2 – 11.3 | .00 | .00 | .00 | .00 |
| 11.4 – 11.5 | .00 | .00 | .00 | .00 |
| 11.6 – 11.7 | .00 | .00 | .00 | .00 |
| 11.8 – 11.9 | .00 | .00 | .00 | .00 |
| 12.0 – 12.1 | .00 | .00 | .00 | .00 |
| 12.2 – 12.3 | .00 | .00 | .00 | .00 |
| 12.4- 12.5 | .00 | .00 | .00 | .00 |
| 12.6 – 12.7 | .00 | .00 | .00 | .00 |
| 12.8 – 12.9 | .00 | .00 | .00 | .00 |
| 13.0 – 13.1 | .00 | .00 | .00 | .00 |
| 13.2 – 13.3 | .00 | .00 | .00 | .00 |
| 13.4 – 13.5 | .00 | .00 | .00 | .00 |
| 13.6 – 13.7 | .00 | .00 | .00 | .00 |
| 13.8 – 13.9 | .00 | .00 | .00 | .00 |
| | | | | |

July 1, 2017

.00

.00

.00

.00

| | Effective | 2016 Crop | Effective 2 | 2017 Crop |
|---|-----------|-----------|-------------|-----------|
| | Per I | Bushel | Per B | ushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent | | | | |
| Soft White Wheat Premiums apply only to wheat grading U.S. No. 2 or better and 9 or less IDK | | | | |
| 10.0 - 0 | \$.00 | \$.00 | \$.00 | \$.00 |
| Hard Red Winter Hard White Wheat Premiums apply only to wheat grading U.S. No. 2 or better and 9 or less IDK Discounts apply to all Grades | | | | |
| 8.9 and below | | \$.11 | | \$.22 |
| 9.0 - 9.1 | | .10 | | .20 |
| 9.2 - 9.3 | | .09 | | .18 |
| 9.4 - 9.5 | | .08 | | .16 |
| 9.6 - 9.7 | | .07 | | .14 |
| 9.8 - 9.9 | | .06 | | .12 |
| 10.0 - 10.1 | | .05 | | .10 |
| 10.2 - 10.3 | | .04 | | .08 |
| 10.4 - 10.5 | | .03 | | .06 |
| 10.6 - 10.7 | | .02 | | .04 |
| 10.8 - 10.9 | | .01 | | .02 |
| 11.0- 11.1 | | .00 | | .00 |

| A Wheat P & D's (Continued) | T | | | |
|---|-----------|-----------|-------------|-----------|
| | Effective | 2016 Crop | Effective 2 | 2017 Crop |
| | Per I | Bushel | Per Bushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent (cont'd) | | | | |
| Hard Red Winter Hard White Wheat Premiums apply only to wheat grading U.S. No. 2 or better & 9 or less IDK Discounts apply to all Grades | | | | |
| 11.2 - 11.3 | \$.01 | | \$.01 | |
| 11.4 - 11.5 | .02 | | .02 | |
| 11.6 - 11.7 | .03 | | .03 | |
| 11.8 - 11.9 | .04 | | .04 | |
| 12.0 - 12.1 | .05 | | .05 | |
| 12.2 - 12.3 | .07 | | .07 | |
| 12.4 - 12.5 | .09 | | .09 | |
| 12.6 - 12.7 | .11 | | .11 | |
| 12.8 - 12.9 | .13 | | .13 | |
| 13.0 and over | .15 | | .15 | |

| | Effective | 2016 Crop | Effective | 2017 Crop |
|---|-----------|-----------|------------|-----------|
| | | Bushel | Per Bushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent | Premim | Disconni | Premiim | Disconn |
| Hard Red Spring Premiums apply only to wheat grading U.S. No. 2 or better & 9 or less IDK Discounts apply to all grades | | | | |
| 8.9 and below | | \$.80 | | \$.80 |
| 9.0 - 9.1 | | .75 | | .75 |
| 9.2 - 9.3 | | .70 | | .70 |
| 9.4 - 9.5 | | .65 | | .65 |
| 9.6 - 9.7 | | .60 | | .60 |
| 9.8 - 9.9 | | .55 | | .55 |
| 10.0 - 10.1 | | .50 | | .50 |
| 10.2 - 10.3 | | .45 | | .45 |
| 10.4 - 10.5 | | .40 | | .40 |
| 10.6 - 10.7 | | .35 | | .35 |
| 10.8 - 10.9 | | .30 | | .30 |
| 11.0 - 11.1 | | .25 | | .25 |
| 11.2 - 11.3 | | .20 | | .20 |
| 11.4 - 11.5 | | .15 | | .15 |
| 11.6 - 11.7 | | .10 | | .10 |
| 11.8 - 11.9 | | .05 | | .05 |
| 12.0- 12.1 | | \$.00 | | .00 |

| | Effective | 2016 Crop | Effective | 2017 Crop |
|---|-----------|-----------|-----------|-----------|
| | Per I | Bushel | Per I | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent (cont'd) | | | | |
| Hard Red Spring Premiums applicable to Grade U.S. No. 2 or better & 9 or less IDK Discounts applicable to all Grades | | | | |
| 12.2- 12.3 | \$.01 | | \$.01 | |
| 12.4- 12.5 | .02 | | .02 | |
| 12.6- 12.7 | .03 | | .03 | |
| 12.8- 12.9 | .04 | | .04 | |
| 13.0- 13.1 | .05 | | .05 | |
| 13.2- 13.3 | .06 | | .06 | |
| 13.4- 13.5 | .07 | | .07 | |
| 13.6- 13.7 | .08 | | .08 | |
| 13.8- 13.9 | .09 | | .09 | |
| 14.0- 14.1 | .10 | | .10 | |
| 14.2 - 14.3 | .13 | | .13 | |
| 14.4- 14.5 | .16 | | .16 | |
| 14.6- 14.7 | .19 | | .19 | |
| 14.8- 14.9 | .22 | | .22 | |
| 15.0 - 15.1 | .25 | | .25 | |
| 15.2 - 15.3 | .28 | | .28 | |
| 15.4 - 15.5 | .31 | | .31 | |
| 15.6 - 15.7 | .34 | | .34 | |
| 15.8 - 15.9 | .37 | | .37 | |
| 16.0 - and above | .40 | | .40 | |

| | Effective 2 | Effective 2016 Crop | | 2017 Crop |
|---------------------------------------|-------------|---------------------|---------|-----------|
| | Per R | ushel | Per l | Rushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade Discount by Class: | | | | |
| Hard Red Winter, Hard White Wheat | | | | |
| Grade U.S. No. 3 | | \$.15 | | \$.15 |
| Grade U.S. No. 4 | | .20 | | .20 |
| Grade U.S. No. 5 | | .35 | | .35 |
| Hard Red Spring | | | | |
| Grade U.S. No. 2 | | \$.02 | | \$.02 |
| Grade U.S. No. 3 | | \$.10 | | \$.10 |
| Grade U.S. No. 4 | | .15 | | .15 |
| Grade U.S. No. 5 | | .30 | | .30 |
| Soft White Wheat | | | | |
| Grade U.S. No. 2 | | \$.02 | | \$.02 |
| Grade U.S. No. 3 | | .10 | | .10 |
| Grade U.S. No. 4 | | .15 | | .15 |
| Grade U.S. No. 5 | | .30 | | .30 |

| | Effective 2016 Crop Per Bushel | | | 2017 Crop Bushel |
|-----------------------------|--------------------------------|----------|---------|---------------------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade Discount by Class: | | | | |
| Soft Red Winter | | | | |
| Grade U.S. No. 3 | | \$.30 | | \$.30 |
| Grade U.S. No. 4 | | .60 | | .60 |
| Grade U.S. No. 5 | | .90 | | .90 |
| • Durum (All Subclasses) | | | | |
| Grade U.S. No. 2 | | \$.05 | | \$.05 |
| Grade U.S. No. 3 | | .15 | | .15 |
| Grade U.S. No. 4 | | .25 | | .25 |
| Grade U.S. No. 5 | | .40 | | .40 |

| | Effective 2 | Effective 2016 Crop | | fective 2016 Crop Effective 2017 Cr | | e 2017 Crop |
|--|-----------------|-----------------------------------|----------------------------------|-------------------------------------|--|-------------|
| | Per B | ushel | Per | Bushel | | |
| Grade or Factor Description | Premium | Discount | Premium | Discount | | |
| Class Discounts - Mixed Wheat: | | | | | | |
| Note : Un-classed wheat and the class Red Durum are ineligible for | | | | | | |
| Durum (All subclasses) | | \$.50 | | \$.50 | | |
| Hard Red Spring (All subclasses) | | .50 | | .50 | | |
| Hard Red Winter | | .50 | | .50 | | |
| Hard White Wheat | | .50 | | .50 | | |
| Soft Red Winter | | .50 | | .50 | | |
| Soft White Wheat (All subclasses) | | .50 | | .50 | | |
| Notes: The class discount for mixed wheat applicals. If a mixed wheat discount is applied, discount apply. In addition to the mixed wheat discount the predominant class also apply. | scounts for Whe | eat of Other Clapses, all premium | asses and Cont ms and discour | rasting do nts based | | |
| Wheat of Contrasting Classes Discounts for Wheat, Soft Red Winter, Soft White Wheat) | or (Durum, Hard | Red Spring, Hai | rd Red Winter, I | Hard White | | |
| For each 0.5 percent over 1.0 | | | | | | |

| Wheat, Soft Red Winter, Soft White Wheat) | (C (| | | |
|---|-------|-------|--|--|
| For each 0.5 percent over 1.0 percent through 10.0 percent, deduct an additional | \$.02 | \$.02 | | |
| Note : Over 10 percent will be considered mixed wheat, and mixed wheat discounts will apply. | | | | |
| Wheat of Other Classes Discounts for (Durum, Hard Red Spring, Hard Red Winter, Hard White Wheat, Soft Red Winter, Soft White Wheat) | | | | |
| For each 0.5 percent over 3.0 percent through 10.0 percent, deduct an additional | \$.02 | \$.02 | | |
| Note : Over 10 percent will be considered mixed wheat, and mixed wheat discounts will apply. | | | | |

| | Effective 2016 Crop | | Effective 2016 Crop Effective 2017 Crop | | 2017 Crop |
|--|---------------------|----------|---|----------|-----------|
| | Per I | Bushel | Per Bushel | | |
| Grade or Factor Description | Premium | Discount | Premium | Discount | |
| Dockage Discounts (for SWW ONLY) | | | | | |
| 0.20 - 0.29 | | \$.01 | | \$.01 | |
| 0.30 - 0.39 | | .03 | | .03 | |
| 0.40 - 0.49 | | .03 | | .03 | |
| 0.50 - 0.59 | | .03 | | .03 | |
| 0.60 - 0.69 | | .04 | | .04 | |
| 0.70 - 0.79 | | .06 | | .06 | |
| 0.80 - 0.89 | | .06 | | .06 | |
| 0.90 - 0.99 | | .07 | | .07 | |
| 1.00 - 1.09 | | .08 | | .08 | |
| 1.10 - 1.19 | | .11 | | .11 | |
| 1.20 - 1.29 | | .12 | | .12 | |
| 1.30 - 1.39 | | .13 | | .13 | |
| 1.40 - 1.49 | | .14 | | .14 | |
| 1.50 - 1.59 | | .15 | | .15 | |
| For each tenth of a percent or fraction thereof over 1.59 percent, deduct an additional \$.01, up to a maximum total dockage discount of \$.80 per bushel. | | .01 | | .01 | |

Note: The maximum Dockage Discount for SWW shall be set to \$0.80.

| | Effective 2016 Crop | | Effective 2 | 2017 Crop |
|----------------------------------|---------------------|----------|-------------|-----------|
| Grade or Factor Description | Per | Bushel | Per B | sushel |
| Grade of Factor Description | Premium | Discount | Premium | Discount |
| Dockage Discounts (for SRW ONLY) | | | | |
| 1.01 – 1.10 | | \$.02 | | \$.02 |
| 1.11 - 1.20 | | .04 | | .04 |
| 1.21 - 1.30 | | .06 | | .06 |
| 1.31 - 1.40 | | .08 | | .08 |
| 1.41 - 1.50 | | .10 | | .10 |

For each 0.1 percent or fraction thereof over 1.50 percent, deduct an additional **\$.02**. **Example**: The total discount for 1.64 percent dockage would be \$0.14

| Example. The total discount for 1.01 percent dockage would be \$0.11 | | | |
|---|--------|-------|--|
| Dockage Discounts (for HRW, HWW, HRS and DUM ONLY) | | | |
| 0.71 - 1.00 | \$.04 | \$.04 | |
| 1.01 – 1.50 | .08 | .08 | |
| 1.51 - 2.00 | .12 | .12 | |
| 2.01 - 2.50 | .16 | .16 | |
| 2.51 – 3.00 | .20 | .20 | |
| 3.01 – 3.50 | .24 | .24 | |
| 3.51 – 4.00 | .28 | .28 | |
| 4.01 – 4.50 | .32 | .32 | |
| 4.51 – 5.00 | .36 | .36 | |
| For each additional 0.5 percent or fraction thereof over 5.0 percent, deduct an additional: | .04 | .04 | |

July 1, 2017 10

B Wheat Additional Discounts These tables provide the Additional Discounts for 2017 crop year Wheat

| | Effective July 1, 2016 Per Bushel | Effective July 1, 2017 Per Rushel |
|--|------------------------------------|------------------------------------|
| Grade or Factor Description | Discount | Discount |
| Sample Grade Discount by Class: | | |
| • HRW, HWW | \$.70 | \$.70 |
| SWW (all subclasses) | .60 | .60 |
| • HRS | .60 | .60 |
| • SRW | 1.00 | 1.00 |
| • DUM (all subclasses) | .75 | .75 |
| Heat-Damaged Kernels Percent for All Classes: | | |
| 3.1 - 3.2 | \$.02 | \$.02 |
| 3.3 - 3.4 | .04 | .04 |
| 3.5 - 3.6 | .06 | .06 |
| 3.7 - 3.8 | .08 | .08 |
| 3.9 - 4.0 | .10 | .10 |
| 4.1 - 4.2 | .12 | .12 |
| 4.3 - 4.4 | .14 | .14 |
| 4.5 - 4.6 | .16 | .16 |
| 4.7 - 4.8 | .18 | .18 |
| 4.9 - 5.0 | .20 | .20 |
| 5.1 - 5.2 | .22 | .22 |
| 5.3 - 5.4 | .24 | .24 |
| 5.5 - 5.6 | .26 | .26 |
| 5.7 - 5.8 | .28 | .28 |
| 5.9 - 6.0 | .30 | .30 |
| For each .2 percent or fraction thereof over 6.0 percent, deduct an additional | \$.02 | \$.02 |

Example: The total discount for 18.0 percent heat-damaged kernels would be \$1.50

July 1, 2017

| | Effective July 1, 2016 | Effective July 1, 2017 |
|---|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Damaged Kernels (Total) Percent: Soft White Wheat, Hard Red Spring Wheat and Durum Classes Only | | |
| 1.1 – 1.5 | \$.01 | \$.01 |
| 1.6 - 2.0 | .02 | .02 |
| 2.1 – 2.5 | .03 | .03 |
| 2.6 – 3.0 | .04 | .04 |
| 3.1 – 3.5 | .05 | .05 |
| 3.6 – 4.0 | .06 | .06 |
| 4.1 – 4.5 | .07 | .07 |
| 4.6 – 5.0 | .08 | .08 |
| 5.1 - 5.5 | .09 | .09 |
| 5.6 – 6.0 | .10 | .10 |
| 6.1 – 6.5 | .11 | .11 |
| 6.6 – 7.0 | .12 | .12 |
| 7.1 – 7.5 | .13 | .13 |
| 7.6 – 8.0 | .14 | .14 |
| 8.1 – 8.5 | .15 | .15 |
| 8.6 – 9.0 | .16 | .16 |
| 9.1 – 9.5 | .17 | .17 |
| 9.6 – 10.0 | .18 | .18 |
| 10.1 – 10.5 | .20 | .20 |
| 10.6 – 11.0 | .22 | .22 |
| 11.1 – 11.5 | .24 | .24 |
| 11.6 – 12.0 | .26 | .26 |
| 12.1 – 12.5 | .28 | .28 |
| 12.6 – 13.0 | .30 | .30 |

| | Effective July 1, 2016 | Effective July 1, 2017 |
|---|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Damaged Kernels (Total) Percent: | | |
| Soft White Wheat, Hard Red Spring Wheat and Durum Classes Only | | |
| 13.1 – 13.5 | .32 | .32 |
| 13.6 – 14.0 | .34 | .34 |
| 14.1 - 14.5 | .36 | .36 |
| 14.6 – 15.0 | .38 | .38 |
| 15.1 - 16.0 | .41 | .41 |
| 16.1 - 17.0 | .44 | .44 |
| 17.1 - 18.0 | .47 | .47 |
| 18.1 - 19.0 | .50 | .50 |
| 19.1 - 20.0 | .53 | .53 |
| For each 1 percent or fraction thereof, over 20.0 percent, deduct an additional \$0.03. | .03 | .03 |
| Example: The total discount for 20.3 percent damage kernels (Total) would be \$.56 | | |

| Grade or Factor Description | Effective July 1, 2016 | Effective July 1, 2017 |
|---|---|-----------------------------|
| Damaged Kernels (Total) Percent D | viscounts for Soft Red Winter, Hard White Wheat Classes Only | l Red Winter Wheat and Hard |
| 15.1 - 16.0 | \$.03 | \$.03 |
| 16.1 - 17.0 | .06 | .06 |
| 17.1 - 18.0 | .09 | .09 |
| 18.1 - 19.0 | .12 | .12 |
| 19.1 - 20.0 | .15 | .15 |
| For each whole percent or fraction of a percent over 20 percent, deduct an additional: | .03 | .03 |
| Example: The total discount for 30.3 percent damaged kernels (total) would be \$.48. | | |

| | Effective July 1, 2016 | Effective July 1, 2017 |
|---|------------------------|------------------------|
| | Per Rushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent (All Classes Except SRW): | | |
| 13.6 - 14.0 | \$.04 | \$.04 |
| 14.1- 14.5 | .08 | .08 |
| 14.6 - 15.0 | .12 | .12 |
| 15.1 - 15.5 | .16 | .16 |
| 15.6 - 16.0 | .20 | .20 |
| 16.1 - 16.5 | .24 | .24 |
| 16.6 - 17.0 | .28 | .28 |
| 17.1 - 17.5 | .32 | .32 |
| 17.6 - 18.0 | .36 | .36 |
| For each 0.5 percent or fraction thereof over 18 percent, deduct an additional: | .04 | .04 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | Effective July 1, 2016 Per Bushel | Effective July 1, 2017 Per Bushel |
|---|------------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Moisture Percent (For SRW): | | |
| 13.6 - 14.0 | \$.03 | \$.03 |
| 14.1 - 14.5 | .06 | .06 |
| 14.6 - 15.0 | .09 | .09 |
| 15.1 - 15.5 | .12 | .12 |
| 15.6 - 16.0 | .15 | .15 |
| 16.1 - 16.5 | .19 | .19 |
| 16.6 - 17.0 | .23 | .23 |
| 17.1 - 17.5 | .27 | .27 |
| 17.6 - 18.0 | .31 | .31 |
| 18.1 - 18.5 | .35 | .35 |
| 18.6 - 19.0 | .39 | .39 |
| 19.1 - 19.5 | .43 | .43 |
| 19.6 - 20.0 | .47 | .47 |
| 20.1 - 20.5 | .51 | .51 |
| 20.6 - 21.0 | .55 | .55 |
| For each 0.5 percent or fraction thereof over 21.0 percent, deduct an additional: | .04 | .04 |

Example: The total discount for 23.5 percent moisture would be \$.75.

| | Effective | July 1, 2016 | Effective Ju | ıly 1, 2017 |
|---|--------------------------------------|--|--------------------------------------|--|
| | Per 1 | Bushel | Per B | ushel |
| Grade or Factor Description | Dis | count | Disco | ount |
| Test Weight (Pounds): | Hard Red Spring and White Club | All Other Classes and Subclasses | Hard Red Spring and White Club | All Other Classes and Subclasses |
| 50.9 - 50.0 | | \$.06 | | \$.06 |
| 49.9 - 49.0 | \$.02 | .12 | \$.02 | .12 |
| 48.9 - 48.0 | .04 | .18 | .04 | .18 |
| 47.9 - 47.0 | .06 | .24 | .06 | .24 |
| 46.9 - 46.0 | .08 | .30 | .08 | .30 |
| 45.9 - 45.0 | .10 | .36 | .10 | .36 |
| 44.9 - 44.0 | .13 | .42 | .13 | .42 |
| 43.9 - 43.0 | .16 | .48 | .16 | .48 |
| 42.9 - 42.0 | .19 | .54 | .19 | .54 |
| 41.9 - 41.0 | . 22 | .60 | .22 | .60 |
| 40.9 - 40.0 | .25 | .66 | .25 | .66 |
| For each whole pound or fraction of a pound under 40.0 pounds per bushel, deduct an additional: | .06 | .06 | .06 | .06 |

Example: The total discount for 35.0 pounds would be \$.30.

| | Effective July 1, 2016 Per Bushel | | Effective J | |
|-----------------------------|------------------------------------|-------|-------------|----------|
| Grade or Factor Description | Premium Discount | | Premium | Discount |
| Special Grade Discount: | | | | |
| Animal Filth | | \$.15 | | \$.15 |
| Musty | | .15 | | .15 |
| Sour | | .15 | | .15 |
| Heating | | .25 | | .25 |
| COFO | | .20 | | .20 |

| | Effective July 1, 2016 Per Bushel | | Effective July 1, 2017 Per Bushel | |
|---|------------------------------------|----------|-----------------------------------|----------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Special Grade Discount | | | | |
| Lightly Smutty for: • All Classes and Subclasses | | .10 | | .10 |
| Smutty for: • All Classes and Subclasses | | .20 | | .20 |
| Garlic: Each bulblet for: All Classes and Subclasses of Wheat | | .02 | | .02 |
| Infested (wheat containing live insects) All Classes and Subclasses | | .15 | | .15 |
| Ergoty All classes and subclasses | | .20 | | .20 |
| Stones (4 or more) | | .10 | | .10 |

| | Effective July 1, 2016 | Effective July 1, 2017 |
|---|---|---|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Insect Damaged Kernels (IDK): | | |
| 10 | \$.10 | \$.10 |
| 11 | .11 | .11 |
| 12 | .12 | .12 |
| 13 | .13 | .13 |
| 14 | .14 | .14 |
| 15 | .15 | .15 |
| 16 | .16 | .16 |
| 17 | .17 | .17 |
| 18 | .18 | .18 |
| 19 | .19 | .19 |
| 20 | .20 | .20 |
| 21 | .21 | .21 |
| 22 | .22 | .22 |
| 23 | .23 | .23 |
| 24 | .24 | .24 |
| 25 | .25 | .25 |
| 26 | .26 | .26 |
| 27 | .27 | .27 |
| 28 | .28 | .28 |
| 29 | .29 | .29 |
| 30 | .30 | .30 |
| 31 | .31 | .31 |
| Wheat with insect damaged kernels (IDK) of 32 or more will be graded as sample grade. | For 32 and up IDK, \$.31 plus \$.03 each additional IDK over 31. See 8-LP (Rev. 2), paragraph 815 for grade information. Example: Discount for 36 IDK is \$.46, and the sample grade discount shall apply. | For 32 and up IDK, \$.31 plus \$.03 each additional IDK over 31. See 8-LP (Rev. 2), paragraph 815 for grade information. Example: Discount for 36 IDK would be \$.46, and the sample grade discount shall apply. |

| | Effective July 1, 2016 Per Bushel | | Effective July 1, 2017 Per Bushel | |
|---|------------------------------------|----------|-----------------------------------|----------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Falling Number Discounts | | | | |
| HRS, DUM, SWW, and all Subclasses of Mentioned Wheat Only | | | | |
| 299 - 275 | | \$.15 | | \$.15 |
| 274 - 250 | | .25 | | .25 |
| 249 - 225 | | .35 | | .35 |
| 224 - 200 | | .45 | | .45 |
| 199 - 175 | | .60 | | .60 |
| 174 - 0 | | .75 | | .75 |

Note: All Falling Numbers discounts for SRW, HRW, and HWW were eliminated effective July 1, 2016.

| | Effective July 1, 2016 | | Effective Ju | ly 1, 2017 |
|-----------------------------|------------------------|----------|--------------------|------------|
| | Per B | ushel | Per Bu | shel |
| Grade or Factor Description | Premium | Discount | Premium <u>1</u> / | Discount |
| Durum Premiums | | | | |
| Hard Vitreous Amber Color | | | | |
| 85 or higher | .45 | | .45 | |
| 84 | .45 | | .45 | |
| 83 | .45 | | .45 | |
| 82 | .45 | | .45 | |
| 81 | .45 | | .45 | |
| 80 | .45 | | .45 | |
| 79 | .45 | | .45 | |
| 78 | .45 | | .45 | |
| 77 | .45 | | .45 | |
| 76 | .45 | | .45 | |
| 75 | .45 | | .45 | |

^{1/} Premiums only apply to wheat grading U.S. No. 2 or better and 9 or less IDK.

| | Effective July 1, 2016 | | Effective July 1, 2017 | |
|-----------------------------|------------------------|-----------------|------------------------|----------|
| | Per B | ushel | Per B | sushel |
| Grade or Factor Description | Premium | Discount | Premium 1/ | Discount |
| Durum Premiums (Cont'd) | | | | |
| Hard Vitreous Amber Color | | | | |
| 74 | \$.30 | | \$.30 | |
| 73 | .28 | | .28 | |
| 72 | .26 | | .26 | |
| 71 | .24 | | .24 | |
| 70 | .22 | | .22 | |
| 69 | .20 | | .20 | |
| 68 | .18 | | .18 | |
| 67 | .16 | | .16 | |
| 66 | .14 | | .14 | |
| 65 | .12 | | .12 | |
| 64 | .10 | | .10 | |
| 63 | .08 | | .08 | |
| 62 | .06 | | .06 | |
| 61 | .04 | | .04 | |
| 60 | .02 | | .02 | |
| .59 and below | .00 | d O on loss IDV | .00 | |

^{1/} Premiums only apply to wheat grading U.S. No. 2 or better. and 9 or less IDK.

| | Effective 1 | for 2016 Crop | Effective 1 | for 2017 Crop |
|------------------|----------------|--------------------|-------------|---------------|
| Grade or Factor | Per Bushel | | Per | Bushel |
| Description | Premium | Discount | Premium | Discount |
| Spout Damage Dis | scount Applies | s to All Wheat Cla | asses | |
| .0050 | F.F. | \$.00 | | \$.00 |
| .51-1.00 | | .01 | | .01 |
| 1.01-1.50 | | .03 | | .03 |
| 1.51-2.00 | | .04 | | .04 |
| 2.01-2.50 | | .06 | | .06 |
| 2.51-3.00 | | .07 | | .07 |
| 3.01-3.50 | | .09 | | .09 |
| 3.51-4.00 | | .10 | | .10 |
| 4.01-4.50 | | .12 | | .12 |
| 4.51-5.00 | | .13 | | .13 |
| 5.01-5.50 | | .15 | | .15 |
| 5.51-6.00 | | .16 | | .16 |
| 6.01-6.50 | | .18 | | .18 |
| 6.51-7.00 | | .19 | | .19 |
| 7.01-7.50 | | .21 | | .21 |
| 7.51-8.00 | | ,22 | | .22 |
| 8.01-8.50 | | .24 | | .24 |
| 8.51-9.00 | | .25 | | .25 |
| 9.01-9.50 | | .27 | | .27 |
| 9.51-10.00 | | .28 | | .28 |
| 10.01-10.50 | | .30 | | .30 |
| 10.51-11.00 | | .31 | | .31 |
| 11.01-11.50 | | .33 | | .33 |
| 11.51-12.00 | | .34 | | .34 |
| 12.01-12.50 | | .36 | | .36 |
| 12.51-13.00 | | .37 | | .37 |
| 13.01-13.50 | | .39 | | .39 |
| 13.51-14.00 | | .40 | | .40 |
| 14.01-14.50 | | .42 | | .42 |
| 14.51and up | | .43 | | .43 |

| | Effective July 1, 2016 Per Bushel | | Effective July 1, 2017 Per Bushel | |
|--|------------------------------------|----------|-----------------------------------|----------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Vomitoxin Level: | | | | |
| Applies to All Wheat Classes, Subclasses, and Grades | | | | |
| 2 parts per million and Below | | \$.00 | | \$.00 |
| 2.1 - 3.0 parts per million | | .25 | | .25 |
| 3.1 - 4.0 parts per million | | .50 | | .50 |
| 4.1 - 5.0 parts per million | | .75 | | .75 |
| 5.1 and higher | | 1/ | | 1/ |

^{1/} Wheat delivered with more than 5 PPM shall have a settlement value of **zero.**

C Barley P & D's

This table provides the P & D's for 2017 crop year Barley.

| | Effective 2016 Crop | | Effective | 2017 Crop |
|---|---------------------|--------------------|------------|-----------|
| | Per R | ushel | Per Rushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade U.S. No. 3 | | \$.20 | | \$.20 |
| Grade U.S. No. 4 | | .40 | | .40 |
| Grade U.S. No. 5 | | .50 | | .50 |
| All Grades - Dockage Discount: | | | | |
| 1.0 - 1.9 percent dockage | | \$.01 | | \$.01 |
| 2.0 - 2.9 percent dockage | | .03 | | .03 |
| 3.0 - 3.9 percent dockage | | .04 | | .04 |
| 4.0 - 4.9 percent dockage | | .05 | | .05 |
| For each whole percent or fraction thereof, ded | uct an addition | nal \$.01 . | | |
| Example : The total discount for 8.0 - 8.9 perce | nt dockage wo | ould be \$.09. | | |
| All Grades - Special Grade Discount of Garlicky | | \$.15 | | \$.15 |
| Blighted, Ergoty, Smutty: | | .15 | | .15 |
| Moisture Percent: | | | | |
| 13.6 | | \$.01 | | \$.01 |
| 13.7 | | .02 | | .02 |
| 13.8 | | .03 | | .03 |
| 13.9 | | .04 | | .04 |
| 14.0 | | .05 | | .05 |
| 14.1 | | .06 | | .06 |
| 14.2 | | .07 | | .07 |
| 14.3 | | .08 | | .08 |
| 14.4 | | .09 | | .09 |
| 14.5 | | .10 | | .10 |

C Barley P & D's (Continued)

This table provides the P & D's for 2017 crop year Barley

| | Effective July 1, 2016 Per Bushel | Effective July 1, 2017 Per Bushel |
|-----------------------------|------------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Test Weight (Pounds): | | |
| 46.0 or better | \$.00 | \$.00 |
| 45.9 – 45.0 | .02 | .02 |
| 44.9 – 44.0 | .04 | .04 |
| 43.9 – 43.0 | .06 | .06 |
| 42.9 – 42.0 | .08 | .08 |
| 41.9 – 41.0 | .10 | .10 |
| 40.9 – 40.0 | .12 | .12 |
| 39.9 – 39.0 | .15 | .15 |
| 38.9 – 38.0 | .18 | .18 |
| 37.9 – 37.0 | .21 | .21 |
| 36.9 – 36.0 | .24 | .24 |

See additional schedule of discounts for barley with a test weight under 36.0 pounds per bushel.

D Barley Additional Discounts

These tables provide the additional discounts for **2017** crop year **Barley**

| | Effective July 1, 2016 Per Rushel | Effective July 1, 2017 Per Rushel |
|--|------------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Grade Discount: Sample Grade | \$.60 | \$.60 |
| Thin Percent: | | |
| 75.1 - 80.0 | \$.05 | \$.05 |
| 80.1 - 85.0 | .10 | .10 |
| 85.1 - 90.0 | .15 | .15 |
| 90.1 - 95.0 | .20 | .20 |
| 95.1 - 99.0 | .25 | .25 |
| Test Weight (Pounds): | | |
| 35.9 - 35.0 | \$.27 | \$.27 |
| 34.9 - 34.0 | .30 | .30 |
| 33.9 - 33.0 | .33 | .33 |
| 32.9 - 32.0 | .36 | .36 |
| 31.9 - 31.0 | .39 | .39 |
| 30.9 - 30.0 | .42 | .42 |
| 29.9 - 29.0 | .45 | .45 |
| 28.9 - 28.0 | .48 | .48 |
| 27.9 - 27.0 | .51 | .51 |
| 26.9 - 26.0 | .54 | .54 |
| For each whole or fraction of a pound under 26.0 pounds per bushel, deduct an additional | \$.03 | \$.03 |
| Example : The total discount for 24.5 | pound test weight would be \$.60 |) |

D Barley Additional Discounts (Continued)

| | Effective July 1, 2016 | Effective July 1, 2017 |
|---|------------------------|------------------------|
| | Per Rushel | Per Rushel |
| Grade or Factor Description | Discount | Discount |
| Foreign Material Percent: | | |
| 5.1 - 6.0 | \$.01 | \$.01 |
| 6.1 - 7.0 | .02 | .02 |
| 7.1 - 8.0 | .03 | .03 |
| 8.1 - 9.0 | .04 | .04 |
| 9.1 - 10.0 | .05 | .05 |
| 10.1 - 11.0 | .07 | .07 |
| 11.1 - 12.0 | .09 | .09 |
| 12.1 - 13.0 | .11 | .11 |
| 13.1 - 14.0 | .13 | .13 |
| 14.1 - 15.0 | .15 | .15 |
| 15.1 - 16.0 | .17 | .17 |
| For each whole or fraction of a percent over 16 percent, deduct an additional | \$.02 | \$.02 |
| Heat-Damaged Kernels Percent: | | |
| 3.1 | \$.02 | \$.02 |
| 3.2 | .04 | .04 |
| 3.3 | .06 | .06 |
| 3.4 | .08 | .08 |
| 3.5 | .10 | .10 |
| 3.6 | .12 | .12 |
| 3.7 | .14 | .14 |
| 3.8 | .16 | .16 |
| 3.9 | .18 | .18 |
| 4.0 | .20 | .20 |
| For each 10th of a percent over 4 percent, deduct an additional | \$.02 | \$.02 |

D Barley Additional Discounts (Continued)

| | Effective July 1, 2016 | Effective July 1, 2017 |
|---|------------------------|------------------------|
| Grade or Factor Description | Per Rushel | Per Rushel |
| | Discount | Discount |
| Damaged Kernels (Total) Percent: 10.1 - 11.0 | \$.02 | \$.02 |
| | | |
| 11.1 - 12.0 | .04 | .04 |
| 12.1 - 13.0 | .06 | .06 |
| 13.1 - 14.0 | .08 | .08 |
| 14.1 - 15.0 | .10 | .10 |
| For each whole percent or fraction of a percent over 15 percent, deduct an additional | \$.05 | \$.05 |
| Moisture Percent: | | |
| 14.6 | \$.11 | \$.11 |
| 14.7 | .12 | .12 |
| 14.8 | .13 | .13 |
| 14.9 | .14 | .14 |
| 15.0 | .15 | .15 |
| 15.1 | .16 | .16 |
| 15.2 | .17 | .17 |
| 15.3 | .18 | .18 |
| 15.4 | .19 | .19 |
| 15.5 | .20 | .20 |
| 15.6 | .21 | .21 |
| 15.7 | .22 | .22 |
| 15.8 | .23 | .23 |
| 15.9 | .24 | .24 |
| 16.0 | .25 | .25 |
| For each tenth of a percent over 16 percent, deduct an additional | \$.01 | \$.01 |

D Barley Additional Discounts (Continued)

| Grade or Factor Description | Effective July 1, 2016 Per Bushel Discount | Effective July 1, 2017 Per Bushel Discount |
|-----------------------------|--|--|
| Special Grades: | | |
| Musty | \$.25 | \$.25 |
| Sour | \$.25 | \$.25 |
| Infested | \$.25 | \$.25 |
| Heating | \$.25 | \$.25 |
| COFO | \$.25 | \$.25 |
| Animal Filth | \$.25 | \$.25 |

E Oats P & D's

These tables provide the P & D's for 2017 crop year Oats.

| | Effective July 1, 2016 Per Rushel | | Effective July 1, 2017 Per Bushel | |
|-----------------------------|------------------------------------|-----------|------------------------------------|-----------|
| | | | | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade U.S. No. 3 | | \$.15 | | \$.15 |
| Grade U.S. No. 4 | | .25 | | .25 |
| U.S. Sample Grade | | .35 | | .35 |
| | Effective | 2016 Crop | Effective | 20157Crop |
| Test Weight (Pounds): | Premium | Discount | Premium | Discount |
| 38.0 or better | | \$.00 | | \$.00 |
| 37.5 | | .08 | | .08 |
| 37.0 | | .08 | | .08 |
| 36.5 | | .09 | | .09 |
| 36.0 | | .09 | | .09 |
| 35.5 | | .12 | | .12 |
| 35.0 | | .13 | | .13 |
| 34.5 | | .14 | | .14 |
| 34.0 | | .15 | | .15 |
| 33.5 | | .16 | | .16 |
| 33.0 | | .17 | | .17 |
| 32.5 | | .18 | | .18 |
| 32.0 | | .21 | | .21 |
| 31.5 | | .24 | | .24 |
| 31.0 | | .27 | | .27 |
| 30.5 | | .30 | | .30 |
| 30.0 | | .33 | | .33 |

E Oats P & D's (Continued)

These tables provide the P&D's for 2017 crop year Oats.

| | Effective 2 | 2016 Crop | Effective 2017 Crop | |
|--------------------------------------|-------------|-----------|---------------------|----------|
| | Per Rushel | | Per Bushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Moisture Percent: | | | | |
| 13.5 – 13.7 | | \$.01 | | \$.01 |
| 13.8 – 14.0 | | .02 | | .02 |
| Foreign Material Percent: | | | | |
| 3.1 – 3.5 | | \$.01 | | \$.01 |
| 3.6 – 4.0 | | .02 | | .02 |
| Heat Damaged Kernels Percent: | | | | |
| 0.4 - 0.5 | | \$.03 | | \$.03 |
| 0.6 | | .06 | | .06 |
| 0.7 | | .09 | | .09 |
| 0.8 | | .12 | | .12 |
| 0.9 | | .15 | | .15 |
| 1.0 | | .18 | | .18 |
| Sound-Cultivated Oats Percent: | | | | |
| 93.0 - 93.9 | | \$.03 | | \$.03 |
| 92.0 - 92.9 | | .06 | | .06 |
| 91.0 - 91.9 | | .09 | | .09 |
| 90.0 - 90.9 | | .12 | | .12 |
| Slightly Weathered | | \$.15 | | \$.15 |
| Special Grade Discount: Garlicky | | \$.15 | | \$.15 |

F Oats Additional Discounts

These tables provide the Additional Discounts for 2017 crop year Oats.

| | Effective 2016 Crop | | Effective 2017 Crop | |
|--------------------------------|---------------------|----------|---------------------|----------|
| | Per B | ushel | | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Test Weight (Pounds) (Cont'd): | | | | |
| 29.5 | | \$.36 | | \$.36 |
| 29.0 | | .39 | | .39 |
| 28.5 | | .42 | | .42 |
| 28.0 | | .45 | | .45 |
| 27.5 | | .48 | | .48 |
| 27.0 | | .51 | | .51 |
| 26.5 | | .54 | | .54 |
| 26.0 | | .54 | | .54 |
| 25.5 | | .57 | | .57 |
| 25.0 | | .57 | | .57 |

For each whole pound or fraction thereof under 25.0 pounds per bushel, deduct an additional \$.04.

Example: The total discount for 23.5 pound test weight would be \$.65 per bushel.

| Heat Damaged Kernels Percent: | Premium | Discount | Premium | Discount |
|--|---------|----------|---------|----------|
| 1.1 | | .21 | | .21 |
| 1.2 | | .24 | | .24 |
| 1.3 | | .27 | | .27 |
| 1.4 | | .30 | | .30 |
| 1.5 | | .33 | | .33 |
| For each tenth of a percent over 1.5 percent, deduct an additional | | \$.01 | | \$.01 |

| | Effective July 1, 2016 | | Effective July 1, 2017 | |
|--------------------------------|------------------------|------------|------------------------|------------|
| | Per Rushel | Per Rushel | Per Rushel | Per Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Sound-Cultivated Oats Percent: | | | | |
| 89.0 – 89.9 | | .15 | | .15 |
| 88.0 – 88.9 | | .18 | | .18 |
| 87.0 – 87.9 | | .21 | | .21 |
| 86.0 – 86.9 | | .24 | | .24 |
| 85.0 – 85.9 | | .27 | | .27 |
| 84.0 – 84.9 | | .30 | | .30 |
| 83.0 – 83.9 | | .33 | | .33 |
| 82.0 – 82.9 | | .36 | | .36 |
| 81.0 – 81.9 | | .39 | | .39 |
| 80.0 – 80.9 | | .42 | | .42 |

For each 1 percent or fraction thereof under 80.0 percent, deduct an additional \$.03.

Example: The total discount for 77.8 percent sound-cultivated oats would be \$.51.

| | Effective July 1, 2016 | Effective July 1, 2017 |
|-----------------------------|------------------------|------------------------|
| Crade or Factor Description | Per Rushel | Per Rushel |
| Grade or Factor Description | Discount | Discount |
| Foreign Material Percent: | | |
| 4.1 - 4.5 | \$.03 | \$.03 |
| 4.6 - 5.0 | .04 | .04 |
| 5.1 - 5.5 | .05 | .05 |
| 5.6 - 6.0 | .06 | .06 |
| 6.1 - 6.5 | .07 | .07 |
| 6.6 - 7.0 | .08 | .08 |
| 7.1 - 7.5 | .09 | .09 |
| 7.6 - 8.0 | .10 | .10 |
| 8.1 - 8.5 | .12 | .12 |
| 8.6 - 9.0 | .14 | .14 |
| 9.1 - 9.5 | .16 | .16 |
| 9.6 - 10.0 | .18 | .18 |
| 10.1 - 10.5 | .20 | .20 |
| 10.6 - 11.0 | .22 | .22 |
| 11.1 - 11.5 | .24 | .24 |
| 11.6 - 12.0 | .26 | .26 |
| 12.1 - 12.5 | .28 | .28 |
| 12.6 - 13.0 | .30 | .30 |

| Grade or Factor Description Foreign Material Percent, | Effective July 1, 2016 Per Rushel Discount | Effective July 1, 2017 Per Rushel Discount |
|---|--|--|
| Contd.: | | |
| 13.1 - 13.5 | \$.32 | \$.32 |
| 13.6 - 14.0 | .34 | .34 |
| 14.1 - 14.5 | .36 | .36 |
| 14.6 - 15.0 | .38 | .38 |
| 15.1 - 15.5 | .39 | .39 |
| 15.6 - 16.0 | .40 | .40 |
| 16.1 - 16.5 | .41 | .41 |
| 16.6 - 17.0 | .42 | .42 |
| For each half percent or fraction of a half percent over 17 percent, deduct an additional | \$.01 | \$.01 |

| | Effective July 1, 2016 | Effective July 1, 2017 |
|-----------------------------|------------------------|------------------------|
| | Per Rushel | Per Rushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent: | | |
| 14.1 | \$.03 | \$.03 |
| 14.2 | .04 | .04 |
| 14.3 | .05 | .05 |
| 14.4 | .06 | .06 |
| 14.5 | .07 | .07 |
| 14.6 | .08 | .08 |
| 14.7 | .09 | .09 |
| 14.8 | .10 | .10 |
| 14.9 | .11 | .11 |
| 15.0 | .12 | .12 |
| 15.1 | .13 | .13 |
| 15.2 | .14 | .14 |
| 15.3 | .15 | .15 |
| 15.4 | .16 | .16 |
| 15.5 | .17 | .17 |

| | Effective July 1, 2016 | Effective July 1, 2017 |
|-----------------------------|------------------------|------------------------|
| | Per Rushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent, Contd.: | | |
| 15.6 | \$.19 | \$.19 |
| 15.7 | .21 | .21 |
| 15.8 | .23 | .23 |
| 15.9 | .25 | .25 |
| 16.0 | .27 | .27 |
| 16.1 | .29 | .29 |
| 16.2 | .31 | .31 |
| 16.3 | .33 | .33 |
| 16.4 | .35 | .35 |
| 16.5 | .37 | .37 |
| 16.6 | .39 | .39 |
| 16.7 | .41 | .41 |
| 16.8 | .43 | .43 |
| 16.9 | .45 | .45 |
| 17.0 | .47 | .47 |
| 17.1 | .49 | .49 |
| 17.2 | .51 | .51 |

| | Effective July 1, 2016 Per Bushel | Effective July 1, 2017 Per Bushel |
|---|------------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Moisture Percent, Contd.: | | |
| 17.3 | \$.53 | \$.53 |
| 17.4 | .55 | .55 |
| 17.5 | .57 | .57 |
| 17.6 | .59 | .59 |
| 17.7 | .61 | .61 |
| 17.8 | .63 | .63 |
| 17.9 | .65 | .65 |
| 18.0 | .67 | .67 |
| 18.1 | .69 | .69 |
| 18.2 | .71 | .71 |
| 18.3 | .73 | .73 |
| 18.4 | .75 | .75 |
| 18.5 | .77 | .77 |
| 18.6 | .79 | .79 |
| 18.7 | .81 | .81 |
| 18.8 | .83 | .83 |
| 18.9 | .85 | .85 |
| 19.0 | .87 | .87 |
| For each .5 percent or fraction thereof over 19.0 percent, deduct an additional | \$.02 | \$.02 |

| | Effective July 1, 2016 Per Rushel Discount | Effective July 1, 2017 Per Bushel Discount |
|---------------------------------------|--|--|
| Grade or Factor Description | | |
| Sour | \$.15 | \$.15 |
| Musty | \$.15 | \$.15 |
| Heating | \$.15 | \$.15 |
| Infested | \$.15 | \$.15 |
| Smutty | \$.15 | \$.15 |
| Bleached | \$.10 | \$.10 |
| Materially Weathered or Badly Stained | \$.15 | \$.15 |
| COFO | \$.15 | \$.15 |