

NOUS41 KWBC 171935
PNSWSH

Service Change Notice 18-84
National Weather Service Headquarters Silver Spring MD
335 PM EDT Thu Aug 16 2018

To: Subscribers:
 -NOAA Weather Wire Service
 -Emergency Managers Weather Information Network
 -NOAAPort
 Other NWS Partners, Users and Employees

From: Douglas C. Young, Chief
 Digital and Graphical Information Support Branch

Subject: Corrections to Gridded Binary Version 2 (GRIB2) Encoding
 Parameters for National Digital Forecast Database (NDFD)
 Products Effective October 30, 2018

Effective October 30, 2018, at 1400 UTC (1000 am EDT), changes to certain GRIB2 encoding parameters for select NDFD products will be implemented. The following is a detailed list of the changes that will take place:

1) Change type of first fixed surface (Section 4, Octet 23) from Ground or Water Surface (1) to Specified Height above Ground Level (103). This change applies to the following NDFD weather elements:

Maximum Temperature
Minimum Temperature
Temperature
Dew Point Temperature
Apparent Temperature
Wind Speed
Wind Direction
Wind Gust
Relative Humidity
Maximum Relative Humidity
Minimum Relative Humidity

2) Change scaled value of first fixed surface (Section 4, Octet 25) from 0 meters to 2 meters. This change applies to the following NDFD weather elements:

Maximum Temperature
Minimum Temperature
Temperature
Dew Point Temperature
Apparent Temperature
Relative Humidity
Maximum Relative Humidity
Minimum Relative Humidity

3) Change scaled value of first fixed surface (Section 4, Octet 25) from 0 meters to 10 meters. This change applies to the following NDFD weather elements:

Wind Speed
Wind Direction
Wind Gust

4) Change encoding of Forecast Time value (Section 4, Octet 19; Template 4.8 and Template 4.9) to conform strictly to GRIB2 standards. The Forecast Time specified in Section 4, Octet 19, together with the Reference Time (Section 1, Octets 13-20) defines the start time of the valid time interval. This change applies to the following NDFD weather elements:

Maximum Temperature
Minimum Temperature
Maximum Relative Humidity
Minimum Relative Humidity
12-hour Probability of Precipitation
Quantitative Precipitation Forecast
Snow Amount
Ice Accumulation
Forecast Reference Evapotranspiration (FRET)
FRET Departure from Climatology
Total FRET
Storm Surge Threat
Flooding Rain Threat
Tornado Threat
Wind Threat
Convective Hazard Outlook
Critical/Extreme-Critical Risk Fire Weather Outlook
Dry Lightning Thunderstorm Risk Fire Weather Outlook
Probability of Hail
Probability of Extreme Hail
Probability of Tornadoes
Probability of Extreme Tornadoes
Probability of Damaging Thunderstorm Winds
Probability of Extreme Thunderstorm Winds
Total Probability of Severe Thunderstorms
Total Probability of Extreme Severe Thunderstorms

5) Change the encoded Parameter Number (Section 4, Octet 11) for the NDFD element WaveHeight from 5 (Significant Height of Wind Waves) to 3 (Significant Height of Combined Wind Waves and Swell).

Sample GRIB2 files with the corrected encoding can be found at:

<https://sats.nws.noaa.gov/~downloads/ndfd/grib2/>

Information on accessing and using NDFD elements is online at:

https://www.weather.gov/mdl/ndfd_home

For general questions regarding NDFD data, please email:

NWS.NDFD@noaa.gov

For technical questions regarding NDFD data, please contact:

David Ruth
STI/MDL/Digital Forecast Services Branch
National Weather Service Headquarters
Silver Spring, Maryland
David.Ruth@noaa.gov

If you have questions regarding this notice, please contact:

Michael Dion
National Weather Service
Digital and Graphical Information Support Branch
Analyze, Forecast and Support Office
Silver Spring, Maryland 20910
Michael.Dion@noaa.gov

NDFD-related notices are online at:

https://www.weather.gov/mdl/ndfd_TINs

National Service Change Notices are online at:

<https://www.weather.gov/notification/>

NNNN