Form EIA-871D

OMB 1905-0145 Exp. 1/31/2016

2012 CBECS District Steam/Hot Water Usage Form

Service address:

111 Elm St. Anytown, US, 12345

Please provide information on district steam/hot water usage for this address between November 2011 and February 2013.

Use the Tab key (next column) and arrow key (next button) to navigate through the form. Avoid the Enter key.

1 \$ 2 \$ 3 \$ 4 \$ 5 \$ 6 \$ 7 \$ 8 \$ 9 \$ 10 \$ 11 \$ 12 \$ 13 \$	Billing Period	Enter the Begin Date for Each Billing Period MM/DD/YY			Enter the End Date for Each Billing Period MM/DD/YY			Enter the Amount Used in (Select One): Million Btu Thousand Pounds Pounds Other (specify):			Enter the Total Dollar Amount Including Taxes [Exclude merchandise and repair costs, hook-up, disconnect, and late-payment fees]		
3 \$ 4 \$ 5 \$ 6 \$ 7 \$ 8 \$ 9 \$ 10 \$ 11 \$ 12 \$ 13 \$	1										\$		
4	2										\$		
5 \$ 6 \$ 7 \$ 8 \$ 9 \$ 10 \$ 11 \$ 12 \$ 13 \$	3										\$		
6	4										\$		
7	5										\$		
8 \$ 9 \$ 10 \$ 11 \$ 12 \$ 13 \$	6										\$		
9	7										\$		
10 \$ 11 \$ 12 \$ 13 \$	8										\$		
11 \$ 12 \$ 13 \$	9]	\$[
12	10										\$[
13 \$\$	11										\$[
	12										\$[
14	13										\$[
	14										\$[
15 \$\$	15										\$[
16 \$	16										\$[

Comments]
Back	Save	Submit



Form EIA-871D OMB 1905-0145 Exp. 1/31/2016

2012 CBECS District Steam/Hot Water Additional Questions

Service address:

111 Elm St. Anytown, US, 12345

Please provide the following information for this service address between November 2011 and February 2013.
1. Is the reporting unit billed for the district steam or hot water piped into it? Yes No
O Don't know
2. Is the reporting unit, itself, a heating plant (i.e., does it contain the equipment used to supply district steam/hot water to other buildings)? Yes No
O Don't know
3. Does the information reported include deliveries or sales to any other building(s) or unit(s) other than the reporting unit?
Yes - The information includes substantial deliveries or sales to buildings or units other than the reporting unit, and you were unable to report separately for the reporting unit. Continue with Question 4
 No - The information includes deliveries or sales only to the reporting unit (or the reporting unit and minor outbuildings, such as a shed). Go to End Don't know
4. In your estimation of the consumption reported, what percentage was consumed by the reporting unit?
Go to End. If you can't estimate the percentage, continue with Questions 5 and 6.
5. What is the square footage of the reporting unit?
6. What is the square footage of all the buildings or units on the district loop, including the reporting unit?
Comments
Back Save Submit

Supplier ID: 50011 EIA Case ID: 50011-106-DH1