

RISK FOR COVID-19 ASSOCIATED HOSPITALIZATION RELATED TO UNDERLYING CONDITIONS

FACTORS THAT INCREASE COMMUNITY SPREAD AND INDIVIDUAL RISK



CROWDED SITUATIONS




CLOSE / PHYSICAL CONTACT



ENCLOSED SPACE



DURATION OF EXPOSURE



If you have these conditions and get COVID-19, you are at the increased risk shown for hospitalization, compared to those people without that condition


*Conditions included (coronary artery disease, history of stroke, diabetes, obesity, severe obesity, chronic kidney disease, asthma and COPD)

Data has shown that racial and ethnic minorities with the above referenced conditions are at even higher risk for poor COVID-related outcomes. Race and ethnicity are risk markers for other underlying conditions that impact health — including socioeconomic status, access to health care, and increased exposure to the virus due to occupation (e.g., frontline, essential, and critical infrastructure workers).

ACTIONS TO REDUCE RISK OF COVID-19 INFECTION



WEARING A MASK



SOCIAL DISTANCING (6 FT GOAL)



HAND HYGIENE



CLEANING AND DISINFECTION



ALTHOUGH RISK GENERALLY INCREASES WITH AGE, **ALL** INDIVIDUALS SHOULD ROUTINELY TAKE ACTIONS TO REDUCE RISK OF INFECTION AND AVOID ACTIVITIES THAT INCREASE COMMUNITY SPREAD

cdc.gov/coronavirus

Source: Ko JY, Danielson ML, Town M et al. 2020.

CS319360-A 07/31/2020