U.S. Fish & Wildlife Service

# **Bombay Hook**

National Wildlife Refuge

Birds



# Introduction

Bombay Hook National Wildlife Refuge lies low and flat on the Atlantic Coastal Plain along the western shore of Delaware Bay. Nearly two-thirds of its almost 16,000 acres spreads out into tidal salt marsh and cordarass meadows interrupted by winding rivers and creeks. Away from the bay and marsh are man-made freshwater ponds called impoundments. Upland woods, swamps, brushy thickets, grassy fields, and croplands complete the diversity of habitat which attracts a wide variety of bird life.

Look for greatest numbers of waterfowl during March and November. Shorebirds, wading birds and songbirds are most abundant during May, August and September.

# Snow geese



#### **Notes**

Location	
Date	
Observers	

This brochure lists 267 species that have been identified on or seen from the refuge, and is in accordance with the sixth American Ornithologists Union Checklist. A list of approximately 70 accidental birds (seen at intervals of 5 or more years) is available on request.

Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

### Season

s spring March – MayS summer June – August

F fall September – November W winter December – February

• Birds known to nest on or near the refuge Italics indicate threatened/endangered species

## **Relative Abundance**

Relative abundance indicates how frequently you might see a bird in its favored habitat.

a abundant a species which is very numerous

c common likely to be seen or heard in suitable habitat

u uncommon
o occasional
r rare
present, but not certain to be seen
seen only a few times during a season
may be present but not every year

**Habitat Types** 

F Forest, woodlands, thickets

Wetlands (includes all bodies of water and fresh

and salt water marshes)

M Meadows, fields




		S	S	F	W	Н
Loon	s – Grebes					
	Red-throated Loon			r	r	W
	Common Loon		r			W
	• Pied-billed Grebe	0	o	u	o	W
	Horned Grebe	0	u	0	u	W
	Eared Grebe				r	W
Pelic	an					
	American White Pelican		r		r	W

	s	S	F	W	Н
Cormorant					
Double-crested Cormorant	u	u	c	u	W
Bitterns – Herons					
• American Bittern	0	u	u	o	W
• Least Bittern	0	u	0		W
Great Blue Heron	c	c	a	c	W
Great Egret	u	a	c	o	W/M
Snowy Egret	0	a	$\mathbf{c}$	r	W/M
Little Blue Heron	0	c	c		W
Tricolored Heron	0	u	0	r	W
Cattle Egret	0	u	0		W/M
• Green Heron	$\mathbf{c}$		c	r	W
Black-crowned Night-Heron _	$\mathbf{c}$	c	$\mathbf{c}$	u	W
Yellow-crowned Night-Heron	0	0	О	0	W
lbises					
Glossy Ibis	c	c	u		W/M
Vultures					
• Black Vulture	0	0	O		F/M/W
• Turkey Vulture	c	c	c	c]	F/M/W
Black duck	_				
Swans – Geese – Ducks W					
Fulvous Whistling-Duck	r	r	r		W
Tundra Swan	0	r	c	u	W/M
Mute Swan	r	r	r	0	W/M
Greater White-fronted Goose	r		r	r	W/M
Snow Goose	c	r	a	a	W/M
Ross' Goose	r		r	r	W/M
• Canada Goose	a	c	a	a	W/M
• Wood Duck Green-winged Teal	c	c	a	0	W/F
Green-winged Teal	a	0	a	c	W/M
• American Black Duck	c	c	c	c	W w/w
• Mallard	a	c	a	a	W/M W
Northern Pintail Blue-winged Teal	a	0	a	a	W/M
Northern Shoveler	c	u	a	r	W
	c c	o a	a a	u u	W
• Gadwall	·	a	а	u	* *

	S	S	F	W	Н
Eurasian Wigeon	r	r	r	0	W
American Wigeon	c	0	a	c	W/M
Canvasback			O	0	W
Redhead	0		O	0	W
Ring-necked Duck	0		u	0	W
Greater Scaup	u	0	u	u	W
Lesser Scaup	u		u	u	W
Oldsquaw		r	u	O	W
Black Scoter	0	r	O	O	W
Surf Scoter	O		0	O	W
White-winged Scoter	0		O	0	W
Common Goldeneye	u	r	u	u	W
Bufflehead	c	r	$\mathbf{c}$	c	W
Bufflehead Hooded Merganser	u	0	u	c	W
Common Merganser	u	r	$\mathbf{c}$	c	W
Red-breasted Merganser	u	r	u	u	W
Ruddy Duck	c	o	$\mathbf{c}$	c	W
Osprey – Kites – Hawks – Eagles					
• Osprey	0	o	0		W/F
• Bald Eagle	u	u	u	u V	W/F/M
<ul> <li>Northern Harrier</li> </ul>	c	o	$\mathbf{c}$	c	W/M
Sharp-shinned Hawk	0	o	0	o	F/M
Cooper's Hawk	o	r	0	О	F/M
• Red-shouldered Hawk	0	o	0	О	F/M
Broad-winged Hawk	r	r	r		F/M
<ul> <li>Red-tailed Hawk</li> </ul>	u	o	$\mathbf{c}$	c]	F/M/W
Rough-legged Hawk	0		O	c]	F/W/M
Golden Eagle			$\mathbf{r}$	r l	F/M/W
Falcons					
• American Kestrel	u	u	$\mathbf{c}$	c	M/F
Merlin	r		0	r	W/F
Peregrine Falcon	r		u	r	W/F
0 II: D: I					
Gallinaceous Birds					3.5.7
- Ring-necked Pheasant		c	c	c	M/F
<ul> <li>Wild Turkey</li> <li>Northern Bobwhite</li> </ul>	c	c	c	c	M/F
• Northern Bobwhite	c	c	c	c	M/F
Rails					
Black Rail	r	r	r		W
• Clapper Rail	c	c	c	0	W
• King Rail	c	c	c	О	W
• virginia Kaii	u	u	u	О	W
Sora	u	0	u		W
• Common Moorhen	0	u	0	r	W
• American Coot	u	u	u	u	W

	s	S	F	W	Н
Plovers – Sandpipers					
Black-bellied Plover	c	u	$\mathbf{c}$	O	W/M
Lesser Golden-Plover	0	r	O		M/W
Semipalmated Plover	c	u	$\mathbf{c}$	r	W/M
• Killdeer	c	c	c	u	M/W
Oystercatchers					
American Oystercatcher	r				W
Stilts and Avocets					
• Black-necked Stilt	u	c	0		W
American Avocet	u	c	u	r	W
				_	
Sandpipers					
Greater Yellowlegs	c	c	a	0	W/M
Lesser Yellowlegs	c	c	c	0	W/M
Solitary Sandpiper	0	o	0		W/M
• Willet	a	a	o	r	W
Spotted Sandpiper	u	o	u		W
Upland Sandpiper	r		r		M
Whimbrel Hudsonian Godwit	r	r	$\mathbf{r}$		M/W
Hudsonian Godwit	r	o	o		W
Marbled Godwit		r	$\mathbf{r}$		W
Ruddy Turnstone	a	o	u		W
Red Knot	a	o	o		W
Sanderling	c	o	$\mathbf{c}$		W
Semipalmated Sandpiper	a	c	a		W/M
Western Sandpiper	0	o	$\mathbf{c}$	r	W/M
Least Sandpiper	c	c	$\mathbf{c}$	r	W/M
White-rumped Sandpiper	u	o	u		W/M
Baird's Sandpiper	r	r	r		W/M
Pectoral Sandpiper	0	c	$\mathbf{c}$	r	W/M
Dunlin	a	o	a	c	W
Curlew Sandpiper	r	r	r		W
Stilt Sandpiper	u	c	u		W
Stilt SandpiperBuff-breasted Sandpiper		r	r		M/W
Ruff	r	0	0		W/M



	S	S	F	W	Н
Short-billed Dowitcher	$\mathbf{c}$	c	a	r	W/M
Long-billed Dowitcher		o	0		W/M
Common Snipe	$\mathbf{c}$	o	c	u	W/M
Common Snipe  • American Woodcock	$\mathbf{c}$	u	c	r	W/F
Wilson's Phalarope	o	u	o		W
Red-necked Phalarope	o		r		W
Gulls – Terns					
Laughing Gull	c	c	c		W/M
Bonaparte's Gull	o	o	o		W
Ring-billed Gull	c	u	a	c	W/M
Herring Gull	c	c	a	c	W/M
Great Black-backed Gull	c	c	c	c	W/M
Gull-billed Tern	o	o			W
Caspian Tern	o	u	u		W
Royal Tern		0	r		W
Common Tern	o	0	0		W
• Forster's Tern	o	c	c		W
Least Tern	o	c			W
Black Tern	r	0	0		W
Black Skimmer	o	u	0		W
Doves					
• Rock Dove	o	o	0	o	M
• Mourning Dove	c	c	a	c	M/F
Cuckoos					
• Black-billed Cuckoo	0	o	0		$\mathbf{F}$
• Yellow-billed Cuckoo	c	c	c		F
Barn Owls					
• Barn Owl	u	u	u	u	$\mathbf{F}$
	и	и	и	и	•
Typical Owls					
• Eastern Screech-Owl	11	11	u	u	F
• Great Horned Owl	c	c			F
- Barred Owl	c	c	c	c	F
Long-eared Owl	Č		r	r	F
Short-eared Owl	o		0	0	M/W
Northern Saw-whet Owl	r		r	r	$\mathbf{F}$
	_		_	_	_
Nightjars					
Common Nighthawk	0	o	0		$\mathbf{F}$
Whip-poor-will	0	0			F
	-				
Swifts					
Chimney Swift	c	c	c		M
	C		C		717

	s	S	F	W	Н
Hummingbirds					
• Ruby-throated Hummingbird	c	c	c		$\mathbf{F}$
Kingfishers					
• Belted Kingfisher	c	u	c	c	W
Woodpeckers					
Red-headed Woodpecker	r		r	r	$\mathbf{F}$
• Red-bellied Woodpecker	c	c	c	c	F
Yellow-bellied Sapsucker	0		0	0	${f F}$
• Downy Woodpecker	c	c	c	c	$\overline{\mathbf{F}}$
- Hairy Woodpecker		u	u	u	$\overline{\mathbf{F}}$
Northern Flicker	c	c	c	0	${f F}$
Tapaculos					
• Eastern Wood-Pewee	c	a	c		$\mathbf{F}$
• Acadian Flycatcher	u	c	0		F
Alder Flycatcher	r	C	$^{ m c}$		F
• Willow Flycatcher	0	c	0		F
Least Flycatcher	0		0		F
• Eastern Phoebe	c	u	c	r	F
• Great Crested Flycatcher	c	c	c	-	F
• Eastern Kingbird	c	a	c		F/M
Shrikes					
					Б
Loggerhead Shrike	r		r	r	F
Vireos					
• White-eyed Vireo	c	c	c		$\mathbf{F}$
Solitary Vireo	0		0		$\mathbf{F}$
Yellow-throated Vireo	0	o	0		$\mathbf{F}$
• Red-eyed Vireo	a	a	a		$\mathbf{F}$
Crows- Jays					
• Blue Jay	c	c	c	c	$\mathbf{F}$
• American Crow	c	c	c	c	F
• Fish Crow	c	c	c	0	F/W
Larks • Horned Lark	u	o	u	u	M
· Horned Lark	и	U	и	u	1/1
Swallows					
• Purple Martin	c	c	0		M/W
• Tree Swallow	$\mathbf{c}$	a	a	r	M/W
Northern Rough-					
winged Swallow	u	O	u		M/W
Bank Swallow	0	c	c		M/W

	s	S	F	W	Н
• Barn Swallow	c	c	c	r	M/W
Chickadees – Titmice					
Black-capped Chickadee			r	r	$\mathbf{F}$
Carolina Chickadee	c	c	c	c	$\mathbf{F}$
• Tufted Titmouse	c	c	$\mathbf{c}$	c	$\mathbf{F}$
Nuthatches					
Red-breasted Nuthatch	0		u	u	F
White-breasted Nuthatch	u	0	u	u	F
Creepers					_
Brown Creeper	c		c	c	F
Wrens					
• Carolina Wren	c	c	c	c	$\mathbf{F}$
• House Wren	c	c	c	r	$\mathbf{F}$
Winter Wren	u		c	c	$\mathbf{F}$
• Sedge Wren	0	o	0	r	W
• Marsh Wren	c	c	$\mathbf{c}$	0	W
Kinglets					
Golden-crowned Kinglet	0		c	c	$\mathbf{F}$
Ruby-crowned Kinglet	c		c	0	F
rusy crowned ranges	C		C	U	1
Old World Warblers					
• Blue-gray Gnatcatcher	c	u	О	r	F
Thrushes					
• Eastern Bluebird	u	u	u	u	F/M
Veery	c	o	c		$\mathbf{F}$
Gray-cheeked Thrush	0		0		$\mathbf{F}$
Swainson's Thrush	u		u		$\mathbf{F}$
Hermit Thrush	c		c	0	$\mathbf{F}$
• Wood Thrush	c	c	c		$\mathbf{F}$
• American Robin	c	c	$\mathbf{c}$	0	F/M
Mimic Thrushes					
	0	0		0	F
• Gray Catbird • Northern Mockingbird	c	c	c	c	F/M
Proxy Threshor	c	c	c	c	
• Brown Thrasher	С	c	c	0	F
Starlings					
• European Starling	a	a	a	al	F/M/W
Wagtails – Pipits					
American Pipit	u		u	o	M/W

Manning	s	S	F	w	Н
Waxwings - Cedar Waxwing	0	r	0	0	F
Cedar waxwing	U	1	U	U	ľ
Wood Warblers					
T)	0		0		$\mathbf{F}$
	0		0		F
	0		0		F
Nashville Warbler	0		0		F
Northern Parula	c	0	c		F
• Yellow Warbler	c	c	c		F
Chestnut-sided Warbler	c	0	c		F
3.6 1. 337 1.1	c	U	c		F
Cape May Warbler	0		0		F
Black-throated Blue Warbler	c		c		F
Yellow-rumped Warbler	a		a	c	F
Black-throated Green Warbler	c		c	C	F
Blackburnian Warbler	0	0	0		F
Pine Warbler	c	0	0		F
Prairie Warbler	c	0	0		F
Dolma Wardalan	c	J	c	r	F
Bay-breasted Warbler	0		0	1	F
Blackpoll Warbler	c		c		F
O 1 TTT 11	r		C		F
TO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	c	0	c		F
A	c	0	c		F
T 11 TTT 11	u	0	0		F/W
TTT TTT 1.1	0	J	$^{ m c}$		F
Black-and-white warbler  Ovenbird	c	u	c		${f F}$
Northern Waterthrush	c	0	c		F/W
• Louisiana Waterthrush	0	o	O		F/W
• Kentucky Warbler	u	u	o		$\mathbf{F}$
<ul> <li>Common Yellowthroat</li> </ul>	c	a	$\mathbf{c}$	r	F/W
	r	r	r		$\mathbf{F}$
	o		0		$\mathbf{F}$
Canada Warbler	c	0	0		$\mathbf{F}$
	u	u	u	r	$\mathbf{F}$
Tanagers • Scarlet Tanager	c	c	c		F

Towhees – Sparrows	3		-		п
• Eastern Towhee	c	c	c	o	$\mathbf{F}$
• American Tree Sparrow			u	u	$\mathbf{F}$
Chipping Sparrow	u	u	u	r	F/M
• Field Sparrow	c	c	c	c	F/M
Savannah Sparrow	c	r	c	c	F/W
Grasshopper Sparrow	0	u	0		M
• Salt marsh sharp-tailed	•				
Sparrow	a	a	a	o	W
• Seaside Sparrow	a	a	a	o	W
Fox Sparrow	0		u	u	$\mathbf{F}$
• Song Sparrow	с	c	c	c	$\mathbf{F}$
Swamp Sparrow	c	c	c	c	M/W
White-throated Sparrow	a		a	a	$\mathbf{F}$
White-crowned Sparrow	0		0	o	$\mathbf{F}$
Dark-eyed Junco	c		$\mathbf{c}$	c	$\mathbf{F}$
Lapland Longspur				0	$\mathbf{M}$
Snow Bunting	-		O	u	M
Cardinals – Grosbeaks – Allies					
• Northern Cardinal	c	c	c	c	F
Rose-breasted Grosbeak	. 0	u	0	C	F
• Blue Grosbeak	. c	c	u		F
• Indigo Bunting	· c	c	u		F/M
mage building		C	и		1'/111
Blackbirds – Orioles					
Bobolink	_	u	$\mathbf{c}$		$\mathbf{M}$
Red-winged Blackbird	a	a	a	a]	F/M/W
• Eastern Meadowlark	u	u	u	u	M
Rusty Blackbird	c		$\mathbf{c}$	u	
Boat-tailed Grackle	0	o	u	u	W/M
• Common Grackle	a	c	a	c	F/M
• Brown-headed Cowbird	c	c	c	c	F/M
Orchard Oriole	c	u	0		$\mathbf{F}$
• Northern Oriole	. u	u	0		F
inches					
Purple Finch	0		r	r	$\mathbf{F}$
• House Finch	-		u	u	F
Common Redpoll			r	r	F
Dino Ciglzin	r		r	r	F
• American Goldfinch		c	c	u	F
Evening Grosbeak	r		$^{\mathrm{c}}$	r	F
Old World Charrette					
Old World Sparrows • House Sparrow		u	u	u	F

s S F W

Н

Bombay Hook National Wildlife Refuge 2591 Whitehall Neck Road Smyrna, DE 19977-6872 Telephone: 302/653 9345 1 800/232 5460 TDD/1 800/232 5470 voice. Email: FW5RW\_BHNWR@FWS.GOV

U.S. Fish & Wildlife Service 1 800/344 WILD http://www.northeast.fws.gov

May 2000

