

# U.S. Fall Prevention Programs for Seniors

**Selected Programs Using Home Assessment and Modification** 





# U.S. Fall Prevention Programs for Seniors

by Elizabeth K. Parra Judy A. Stevens, Ph.D. This selection of U.S. fall prevention programs is a publication of the National Center for Injury Prevention and Control of the Centers for Disease Control and Prevention:

Centers for Disease Control and Prevention Jeffrey P. Koplan, MD, MPH, Director

National Center for Injury Prevention and Control Sue Binder, MD, Director

**Division of Unintentional Injury Prevention** Christine M. Branche, PhD, Director

Home and Leisure Injury Prevention Team Sarah J. Olson, MS, CHES, Leader

### **Authors**

Elizabeth K. Parra Judy A. Stevens, PhD

### Acknowledgments

We acknowledge and appreciate the contributions of Dr. Christine Branche and Ms. LaTanya Butler for their ongoing support of this project, and Ms. Sarah Olson and Dr. David Sleet who reviewed the content and provided invaluable suggestions.

Production services were provided by the staff of the Office of Communication Resources, National Center for Injury Prevention and Control, and the Management Analysis and Services Office.

Suggested Citation: Parra EK, Stevens JA. U.S. Fall Prevention Programs for Seniors: Selected Programs Using Home Assessment and Home Modification. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control, 2000.

# **CONTENTS**

Introduction
Comprehensive Programs
Arizona
Fall Prevention Project, Pima Council on Aging (Tucson)
California Community Home Injury Prevention Project for Seniors
(San Francisco)
Connecticut
New Haven Health Department (New Haven)
Idaho Southeast Idaho Council of Governments (Pocatello)
Kentucky Green River Area Development District (Owensboro)
Maryland Southeast Senior Housing Initiative (Baltimore)
New Hampshire  New Hampshire Housing Finance Authority (Manchester)
New York         ProAction Senior Wellness Program (Bath)
Ohio
Ohio State University Office of Geriatrics and Gerontology (Columbus)
Pennsylvania         Fall Injury Prevention Coalition (York)
Utah Southeast Utah District Health Department (Price)
Virginia York County Fire & Life Safety (Williamsburg)4

Appendix A — Additional Noteworthy Programs	. A-1
Appendix B — Examples of Program Materials	. B-1
Program Guidelines York County Fire & Life Safety (Williamsburg, VA)	. B-5
Program Descriptions  Community and Home Injury Prevention Project for Seniors  (San Francisco, CA)	B-11
Home Safety Checklists  Fall Prevention Project, Pima Council on Aging (Tucson, AZ)  Community and Home Injury Prevention Project for Seniors (San Francisco, CA)	B-19
Educational Materials  Home Secure, Jewish Family Services of Los Angeles  (Los Angeles, CA)	
Liability Waiver Pro Action Senior Wellness Program (Bath, NY)	B-35

### Introduction

# **Background**

Among older adults, falls are a serious public health problem. In the United States, one of every three persons over age 65 falls each year (1,2) and two-thirds of those who fall do so again within six months (3). Among people age 65 and older, falls are the leading cause of injury deaths and serious injuries (4). About 9,600 older adults died in 1998 from fall-related injuries (4). Among seniors with osteoporosis, falls can cause devastating injuries such as hip fractures; 75%–80% of hip fractures are sustained by women (5). Half of all older adults hospitalized for hip fracture cannot return home or live independently after their injuries (5,6).

Among people age 65 and older, unintentional falls account for 87% of all fractures treated in emergency departments (7) and are the second leading cause of spinal cord and brain injuries (8). Falls also can have serious psychological consequences. Many older adults avoid activities because they fear falling, but limiting what they do actually increases their risk of falling (8).

The causes of falls can be divided into two categories, personal factors and environmental factors. Personal factors include muscle weakness, balance problems, limited vision, and taking certain medications such as tranquillizers or antidepressants (6,9,10). Environmental factors include home hazards such as clutter, loose rugs or other tripping hazards, poor lighting, especially on stairs, and not having stair railings or grab bars in the bathroom (11).

### **Audience**

This document is intended for state and local health departments, State and Area Agencies on Aging, non-profit organizations, health maintenance organizations, community-level injury prevention programs, and others who work with seniors and are planning, implementing, or expanding fall prevention activities.

## **Purpose**

The purpose of this document is to describe fall prevention programs for U.S. seniors that research show are important components of effective programs: education, home assessment for environmental fall hazards, and access to home modification and/or repair services. These programs may provide models for agencies or organizations that want to develop fall prevention programs for older adults.

# **Methods of Locating Programs**

Researchers made initial informal telephone and e-mail contacts to each of the fifty states and the District of Columbia. Information about one state was completed before starting another. We began with the broadest contacts such as the state and local health departments and the State and Area Agencies on Aging. Some of these organizations had programs within their own offices. Other initial contacts, depending on availability, included university gerontology and nursing departments, local chapters of the American Red Cross, and other information sources for seniors such as First Call for Help. Further contacts were made based on referrals from each of these initial contacts. Following this procedure, we identified specific community-based programs in each state.

### **Program Selection Process**

We made a total of 1,694 contacts, an average of 33 contacts per state. We identified and contacted 290 community-level programs that promote home modification services to help prevent falls, such as installing grab bars (see Figure 1). After eliminating programs with repair services not related to fall prevention (such as roof repairs or weatherization), we retained 68 that were primarily fall prevention programs. We divided these 68 programs into three categories: those that include education about preventing falls but do *not* provide access to home repairs (7), programs that do not provide education but *do* provide access to home repairs (21), and those that provide *both* education about preventing falls *and* access to home repairs (40). Of the latter 40 programs, 18 exceptional programs provide comprehensive education about preventing falls, home assessments and/or safety checklists, and access to home repair services. These 18 programs, representing 12 states, are described in the body of this publication.


Appendix A lists twenty-two additional programs that offer only limited education but do include home assessments and/or safety checklists and access to home repairs. The list includes contact information for these 22 additional programs, by state.

# **Organization of This Document**

Listed by state, each of the 18 featured program summaries includes the name of the organization, a description of the target populations, program goals and procedures, strengths and weaknesses, types of program materials used, funding method, and contact information. Most of these programs are currently in operation. Appendix B contains examples of some of the program materials used by a few of the programs described in this document, reprinted by permission.

### References

- 1. Tinetti ME, Speechley M, Ginter SF. Risk factors for falls among elderly persons living in the community. *New England Journal of Medicine* 1988;319(26):1701–07.
- 2. Sattin RW. Falls among older persons: A public health perspective. *Annual Review of Public Health 1992*;13:489–508.
- 3. Hornbrook MC, Stevens VJ, Wingfield DJ, Hollis JF, Greenlick MR, Ory MG. Preventing falls among community-dwelling older persons: Results from a randomized trial. *The Gerontologist* 1994;34(1):16–23.
- 4. Murhy SL. Deaths: Final Data for 1998. *National Vital Statistics Reports*; vol. 48 no. 11. Hyattsville, Maryland: National Center for Health Statistics, 2000.
- 5. Melton LJ III, Riggs BL. Epidemiology of age-related fractures, in Avioli LV (ed): *The Osteoporotic Syndrome*. New York, Grune & Stratton, 1983, pp 45–72.
- 6. Scott JC. Osteoporosis and hip fractures. *Rheumatic Diseases Clinics of North America* 1990;16(3): 717–740.
- 7. Fife D, Barancik JI. Northeastern Ohio Trauma Study III: Incidence of fractures. *Annals of Emergency Medicine* 1985;14:244–248.
- 8. Kraus KF, Black MA, Hessol N et al. The incidence of acute brain injury and serious impairment in a defined population. *American Journal of Epidemiology* 1984;119:186–201.
- 9. Sorock GS. Falls among the elderly: Epidemiology and prevention. *American Journal of Preventive Medicine* 1988;4(5):282–288.
- 10. Ray W, Griffin MR. Prescribed medications and the risk of falling. Topics in Geriatric Rehabilitation 1990;5:12–20.
- 11. Tinetti ME, Speechley M. Prevention of falls among the elderly. *The New England Journal of Medicine* 1989;320(16):1055–1059.



**Figure 1. Program Selection Process**