

Issued in Renton, Washington, on October 1, 2004.

Kalene C. Yanamura,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 04-22947 Filed 10-12-04; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. NM291; Special Conditions No. 25-273-SC]

Special Conditions: Raytheon Aircraft MU-300-10 and 400 Airplanes; High Intensity Radiated Fields (HIRF)

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final special conditions; request for comments.

SUMMARY: These special conditions are issued for Raytheon Aircraft Company Model MU-300-10 and 400 airplanes modified by ARINC Inc. These airplanes will have novel and unusual design features when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. The proposed modification incorporates the installation of a Dual Thommen AD-32 Air Data Display Units. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for the protection of these systems from the effects of high-intensity-radiated fields (HIRF). These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: The effective date of these special conditions is November 12, 2004. Comments must be received on or before November 12, 2004.

ADDRESSES: Comments on these special conditions may be mailed in duplicate to: Federal Aviation Administration, Transport Airplane Directorate, Attn: Rules Docket (ANM-113), Docket No. NM291, 1601 Lind Avenue SW., Renton, Washington, 98055-4056; or delivered in duplicate to the Transport Airplane Directorate at the above address. Comments must be marked: Docket No. NM291. Comments may be inspected in the Rules Docket weekdays, except Federal holidays, between 7:30 a.m. and 4 p.m.

FOR FURTHER INFORMATION CONTACT: Greg Dunn, FAA, Airplane and Flight Crew Interface Branch, ANM-111, Transport

Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue SW., Renton, Washington, 98055-4056; telephone (425) 227-2799; facsimile (425) 227-1149.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA has determined that notice and opportunity for prior public comment hereon is unnecessary as the substance of these special conditions has been subject to the public comment process in several prior instances with no substantive comments received. The FAA, therefore, finds that good cause exists for making these special conditions effective upon issuance; however, we invite interested persons to participate in this rulemaking by submitting written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data. We ask that you send us two copies of written comments.

We will file in the docket all comments we receive, as well as a report summarizing each substantive public contact with FAA personnel concerning these special conditions. The docket is available for public inspection before and after the comment closing date. If you wish to review the docket in person, go to the address in the **ADDRESSES** section of this preamble between 7:30 a.m. and 4 p.m. Monday through Friday, except Federal holidays.

We will consider all comments we receive on or before the closing date for comments. We will consider comments filed late if it is possible to do so without incurring expense or delay. We may change these special conditions in light of the comments received.

If you want the FAA to acknowledge receipt of your comments on these special conditions, include with your comments a pre-addressed, stamped postcard on which the docket number appears. We will stamp the date on the postcard and mail it back to you.

Background

On March 1, 2004, ARINC Inc., 1632 South Murray Blvd. Colorado Springs, CO 80916, applied for a supplemental type certificate (STC) to modify Raytheon Aircraft Company Models MU-300-10 (Diamond II) and 400 (Beechjet) airplanes. The Raytheon airplanes are small transport category airplanes powered by two turbojet engines, with maximum takeoff weights of up to 15,780 pounds. These airplanes operate with a 2-pilot crew and can seat up to 9 passengers. The proposed

modification incorporates the installation of a Dual Thommen AD-32 Air Data Display Units. The information this equipment presents is flight critical. The avionics/electronics and electrical systems to be installed on these airplanes have the potential to be vulnerable to high-intensity radiated fields (HIRF) external to the airplane.

Type Certification Basis

Under the provisions of 14 CFR 21.101, ARINC Inc. must show that the Raytheon Aircraft Company Model MU-300-10 and 400 airplanes, as changed, continue to meet the applicable provisions of the regulations incorporated by reference in Type Certificate No. A16SW, or the applicable regulations in effect on the date of application for the change. The regulations incorporated by reference in the type certificate are commonly referred to as the "original type certification basis."

The regulations incorporated by reference in Type Certificate No. A16SW include 14 CFR part 25, as amended by Amendments 25-1 through 25-40; § 25.1351(d), 25.1353(c)(5), and 25.1450 as amended by Amendment 25-41; §§ 25.29, 25.255, and 25.1353(c)(6) as amended by Amendment 25-42; § 25.361(b) as amended by Amendment 25-46; and 14 CFR part 36 as amended by Amendment 36-1 through 36-12.

If the Administrator finds that the applicable airworthiness regulations (i.e., part 25, as amended) do not contain adequate or appropriate safety standards for modified Model MU-300-10 and 400 airplanes, because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

In addition to the applicable airworthiness regulations and special conditions, the Raytheon Model MU-300-10 and 400 airplanes must comply with the fuel vent and exhaust emission requirements of 14 CFR part 34 and the noise certification requirements of 14 CFR part 36.

Special conditions, as defined in 14 CFR 11.19, are issued in accordance with § 11.38, and become part of the type certification basis in accordance with § 21.101.

Special conditions are initially applicable to the model for which they are issued. Should ARINC Inc. apply at a later date for supplemental type certificate to modify any other model included on the same type certificate to incorporate the same novel or unusual design feature, these special conditions would also apply to the other model under the provisions of § 21.101.

Novel or Unusual Design Features

The modified Model MU-300-10 and 400 airplanes will incorporate avionics/electrical systems that will perform critical functions. These systems may be vulnerable to HIRF external to the airplane.

Discussion

There is no specific regulation that addresses protection requirements for electrical and electronic systems from HIRF. Increased power levels from ground-based radio transmitters and the growing use of sensitive avionics/electrical and electronic systems to command and control airplanes have made it necessary to provide adequate protection.

To ensure that a level of safety is achieved equivalent to that intended by the regulations incorporated by reference, special conditions are needed for the Model MU-300-10 and 400 airplanes. These special conditions require that new avionics/electronics and electrical systems that perform critical functions be designed and installed to preclude component damage and interruption of function due to both the direct and indirect effects of HIRF.

High-Intensity Radiated Fields (HIRF)

With the trend toward increased power levels from ground-based transmitters, plus the advent of space and satellite communications, coupled with electronic command and control of the airplane, the immunity of critical digital avionics/electronics and electrical systems to HIRF must be established.

It is not possible to precisely define the HIRF to which the airplane will be exposed in service. There is also uncertainty concerning the effectiveness of airframe shielding for HIRF. Furthermore, coupling of electromagnetic energy to cockpit-installed equipment through the cockpit window apertures is undefined. Based on surveys and analysis of existing HIRF emitters, an adequate level of protection exists when compliance is shown with either HIRF protection special condition paragraph 1 or 2 below:

1. A minimum threat of 100 volts rms (root-mean-square) per meter electric field strength from 10 KHz to 18 GHz.
 - a. The threat must be applied to the system elements and their associated wiring harnesses without the benefit of airframe shielding.
 - b. Demonstration of this level of protection is established through system tests and analysis.
2. A threat external to the airframe of the field strengths indicated in the

following table for the frequency ranges indicated. Both peak and average field strength components from the table are to be demonstrated.

Frequency	Field strength (volts per meter)	
	Peak	Average
10 kHz-100 kHz	50	50
100 kHz-500 kHz	50	50
500kHz-2 MHz	50	50
2MHz-30 MHz	100	100
30 MHz-70 MHz	50	50
70 MHz-100 MHz	50	50
100 MHz-200 MHz	100	100
200 MHz-400 MHz	100	100
400 MHz-700 MHz	700	50
700 MHz-1 GHz	700	100
1 GHz-2 GHz	2000	200
2 GHz-4 GHz	3000	200
4GHz-6 GHz	3000	200
6GHz-8 GHz	1000	200
8GHz-12 GHz	3000	300
12 GHz-18 GHz	2000	200
18 GHz-40 GHz	600	200

The field strengths are expressed in terms of peak of the root-mean-square (rms) over the complete modulation period.

The threat levels identified above are the result of an FAA review of existing studies on the subject of HIRF, in light of the ongoing work of the Electromagnetic Effects Harmonization Working Group of the Aviation Rulemaking Advisory Committee.

Applicability

As discussed above, these special conditions are applicable to the Raytheon Aircraft Company Model MU-300-10 and 400 airplanes. Should ARINC Inc. apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design feature, these special conditions would apply to that model as well under the provisions of 14 CFR 21.101.

Conclusion

This action affects only certain novel or unusual design features on the Raytheon Aircraft Company Model MU-300-10 and 400 airplanes. It is not a rule of general applicability and affects only the applicant who applied to the FAA for approval of these features on the airplanes.

The substance of the special conditions for these airplanes has been subjected to the notice and comment procedure in several prior instances and has been derived without substantive change from those previously issued. Because a delay would significantly affect the certification of the airplane, which is imminent, the FAA has determined that prior public notice and comment are unnecessary and

impracticable, and good cause exists for adopting these special conditions immediately. The FAA is requesting comments to allow interested persons to submit views that may not have been submitted in response to the prior opportunities for comment described above.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701, 44702, 44704.

The Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the supplemental type certification basis for Raytheon Aircraft Company Model MU-300-10 and 400 airplanes modified by ARINC Inc.

1. *Protection from Unwanted Effects of High-Intensity Radiated Fields (HIRF).* Each electrical and electronic system that performs critical functions must be designed and installed to ensure that the operation and operational capability of these systems to perform critical functions are not adversely affected when the airplane is exposed to high intensity radiated fields.

2. For the purpose of these special conditions, the following definition applies: *Critical Functions:* Functions whose failure would contribute to or cause a failure condition that would prevent the continued safe flight and landing of the airplane.

Issued in Renton, Washington, on October 1, 2004.

Kalene C. Yanamura,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 04-22946 Filed 10-12-04; 8:45 am]

BILLING CODE 4910-13-P