

Appendix C. Baselines for Age-Adjusted Mortality Objectives Using Rates Age Adjusted to 1940 and to 2000 Standards: United States, 1998

Objective number	Short objective text	Total population		Male		Female		White		Black or African American		American Indian or Alaska Native		Asian or Pacific Islander		Hispanic or Latino ¹	
		1940	2000	1940	2000	1940	2000	1940	2000	1940	2000	1940	2000	1940	2000	1940	2000
3.1	All cancer	123.6	202.4	147.7	252.4	105.5	169.2	121.0	199.3	161.2	255.1	83.4	129.3	74.8	124.2	76.1	123.7
3.2	Lung cancer	37.0	57.6	49.5	79.9	27.0	41.5	36.8	57.5	44.6	66.7	25.1	38.2	17.2	29.3	13.6	22.7
3.3	Female breast cancer	18.8	27.9	18.8	27.9	18.3	27.3	25.3	35.7	10.3	14.2	9.8	13.1	12.1	16.8
3.4	Cervical cancer	2.3	3.0	2.3	3.0	2.1	2.7	4.4	6.0	1.7	2.5	2.2	3.3	2.5	3.3
3.5	Colorectal cancer	11.8	21.2	14.3	25.4	9.9	18.2	11.5	20.8	16.5	28.2	8.2	13.3	7.8	13.7	7.4	12.8
3.6	Oropharyngeal cancer	2.0	3.0	3.1	4.5	1.1	1.7	1.8	2.8	3.3	4.5	1.4	2.1	1.5	2.2	1.2	1.8
3.7	Prostate cancer	13.2	32.0	13.2	32.0	12.0	29.4	30.3	68.7	7.4	15.9	4.7	12.4	9.0	20.9
3.8	Melanoma	1.9	2.8	2.7	4.1	1.2	1.8	2.2	3.1	0.3	0.5	*	*	0.2	0.3	0.5	0.8
5.5	Diabetes-related ²	40.7	75.2	47.2	87.1	35.6	66.7	37.0	69.8	76.3	129.9	66.4	106.5	30.7	61.6	48.3	86.3
12.1	Coronary heart disease	96.8	208.3	131.8	264.9	68.0	165.2	94.1	206.0	133.2	252.0	70.1	126.2	53.6	123.3	68.3	144.7
12.7	Stroke	25.1	59.6	26.6	60.1	23.6	58.3	23.3	57.6	41.4	80.3	19.6	37.7	22.7	50.6	19.0	39.2
13.14	HIV infection	4.6	4.9	7.2	7.7	2.2	2.3	2.6	2.7	20.6	22.1	2.2	2.3	0.8	0.8	6.2	6.7
15.3	Firearm-related injuries	11.3	11.3	19.6	20.1	3.3	3.3	9.5	10.0	22.7	20.3	12.0	11.3	4.4	4.2	10.4	9.7
15.8	Poisoning	6.3	6.8	9.0	9.6	3.8	4.1	6.5	6.9	7.3	7.9	7.9	8.1	1.5	1.6	5.6	5.9
15.9	Suffocation	3.5	4.1	5.2	6.0	1.8	2.4	3.5	4.1	3.5	4.2	7.2	7.6	2.9	3.5	2.8	3.1
15.13	Unintentional injuries	29.3	35.0	42.1	49.4	17.1	22.1	29.1	34.8	34.3	39.5	54.9	59.9	14.0	17.6	27.4	30.2
15.15a	Motor vehicle crashes	15.2	15.6	20.9	21.6	9.6	10.1	15.2	15.6	16.2	16.8	30.3	30.4	8.5	9.3	14.6	14.7
15.25	Fire	1.0	1.2	1.3	1.6	0.8	0.9	0.8	1.0	2.4	3.0	1.8	2.1	0.2	0.3	0.7	0.9
15.27	Falls	2.3	4.7	3.4	6.4	1.4	3.5	2.4	4.9	1.9	3.1	3.1	4.4	1.5	3.4	2.2	3.7
15.29	Drowning	1.6	1.6	2.7	2.7	0.6	0.6	1.5	1.5	2.4	2.3	3.0	3.1	1.5	1.5	1.6	1.5
15.32	Homicide	7.1	6.5	11.0	10.0	3.2	3.1	4.3	4.0	24.8	22.6	9.5	9.1	3.6	3.5	9.7	8.8
18.1	Suicide	10.4	11.3	17.2	19.2	4.0	4.3	11.2	12.2	5.9	5.8	13.4	12.6	5.9	6.6	6.0	6.3
24.10	Chronic obstructive pulmonary deaths (aged 45 years and older)	78.1	119.4	95.4	153.7	66.2	98.8	81.0	124.3	61.3	85.3	57.3	79.6	26.8	48.6	30.4	52.5
26.2	Cirrhosis	7.2	9.5	10.3	13.4	4.4	6.0	7.1	9.4	8.0	9.9	22.0	25.9	2.4	3.5	11.7	15.4
26.3	Drug-induced	5.9	6.3	8.2	8.6	3.6	3.9	5.8	6.1	8.1	8.8	6.7	7.0	1.2	1.2	5.9	6.2

...Not applicable. *Data are unreliable. Based on fewer than 20 deaths. ¹ Hispanic origin can be of any race. ² 1997 data using any mention of diabetes on the death certificate.

