List of Trend Tables		14. Low-birthweight live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1993–95, 1996–98, and	
Health Status and Determinants		1999–2001	112
Population		United States, average annual 1993–95, 1996–98, and 1999–2001	114
1. Resident population, according to age, sex, race, and Hispanic origin: United States, selected years 1950–2001	95	16. Legal abortions and legal abortion ratios , according to selected patient characteristics: United States, selected years 1973–99	116
2. Persons and families below poverty level, according to selected characteristics, race, and Hispanic origin: United States, selected years 1973–2001	97	17. Contraceptive use among women 15–44 years of age, according to age, race, Hispanic origin, and method of contraception: United States, 1982, 1988, and 1995	117
Fertility and Natality		18. Breastfeeding by mothers 15–44 years of age by year of baby's birth, according to selected characteristics of methor. United States, average append 1973, 74 to	
B. Crude birth rates, fertility rates, and birth rates by age of mother, according to race and Hispanic origin: United States, selected years 1950–2001	99	of mother: United States, average annual 1972–74 to 1993–94	120
4. Women 15–44 years of age who have not had at least I live birth, by age: United States, selected years 1960–2002	101	Mortality 19. Infant, neonatal, and postneonatal mortality rates, according to detailed race and Hispanic origin of mother:	
5. Live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2001	102	United States, selected years 1983–2001	121
6. Prenatal care for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2001	102	race, and Hispanic origin: United States, selected years 1983–2001	123
7. Early prenatal care according to race and Hispanic origin of mother, geographic division, and State:	103	21. Infant mortality rates according to birthweight: United States, selected years 1983–2001	124
United States, average annual 1993–95, 1996–98, and 1999–2001	104	22. Infant mortality rates , fetal mortality rates, and perinatal mortality rates, according to race: United States, selected years 1950–2001	125
B. Teenage childbearing, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2001	106	23. Infant mortality rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91, 1996–98, and 1999–2001	126
P. Nonmarital childbearing according to detailed race and dispanic origin of mother, and maternal age: United States, selected years 1970–2001	107	24. Neonatal mortality rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91, 1996–98, and 1999–2001	128
10. Maternal education for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2001	108	25. Infant mortality rates and international rankings: Selected countries, selected years 1960–99	130
11. Mothers who smoked cigarettes during pregnancy, according to mother's detailed race, Hispanic origin, age,		26. Life expectancy at birth and at 65 years of age, according to sex: Selected countries, selected years 1980–1998	131
and education: Selected States, 1989–2001	109	27. Life expectancy at birth, at 65 years of age, and at 75 years of age, according to race and sex: United States, selected years 1900–2001	133
United States, selected years 1970–2001	110	28. Age-adjusted death rates , according to race, Hispanic origin, geographic division, and State: United States,	
origin, and education: United States, selected years	111	average annual 1979–81, 1989–91, and 1999–2001	134

29. Age-adjusted death rates for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1950–2001	136	46. Death rates for suicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	187
30. Years of potential life lost before age 75 for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1980–2001	140	47. Death rates for firearm-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1970–2001	190
81. Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2001	144	48. Deaths from selected occupational diseases for persons 15 years of age and over: United States, selected years 1980–2001	193
32. Leading causes of death and numbers of deaths, according to age: United States, 1980 and 2001	148	49. Occupational injury deaths and rates by industry, sex, age, race, and Hispanic origin: United States, 1992–2001	194
33. Age-adjusted death rates, according to race, sex, region, and urbanization level: United States, average annual 1984–86, 1989–91, and 1998–2000	150	Determinants and Measures of Health	.,
84. Age-adjusted death rates for persons 25–64 years of age for selected causes of death, according to sex and educational attainment: Selected States, 1994–2001	153	50. Occupational injuries with lost workdays in the private sector, according to industry: United States, selected years 1980–2001	196
85. Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	155	51. Healthy People 2010 Leading Health Indicators : United States, selected years 1990–2002 and 2010 target	197
36. Death rates for diseases of heart , according to sex, ace, Hispanic origin, and age: United States, selected years 1950–2001	159	52. Selected notifiable disease rates , according to disease: United States, selected years 1950–2001	199
87. Death rates for cerebrovascular diseases , according o sex, race, Hispanic origin, and age: United States, selected years 1950–2001	162	53. Acquired immunodeficiency syndrome (AIDS) cases, according to age at diagnosis, sex, detailed race, and Hispanic origin: United States, selected years 1985–2002	200
88. Death rates for malignant neoplasms , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	165	54. Age-adjusted cancer incidence rates for selected cancer sites, according to sex, race, and Hispanic origin: Selected geographic areas, 1990–2000	20 1
39. Death rates for malignant neoplasms of trachea, pronchus, and lung, according to sex, race, Hispanic prigin, and age: United States, selected years	169	55. Five-year relative cancer survival rates for selected cancer sites, according to race and sex: Selected geographic areas, 1974–79, 1980–82, 1983–85, 1986–88,	20.
40. Death rates for malignant neoplasm of breast for remales, according to race, Hispanic origin, and age: Jnited States, selected years 1950–2001	172	1989–91, and 1992–98	204
41. Death rates for chronic lower respiratory diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1980–2001	174	57. Respondent-assessed health status according to selected characteristics: United States, selected years 1991–2001	208
42. Death rates for human immunodeficiency virus (HIV) disease , according to sex, race, Hispanic origin, and age: United States, selected years 1987–2001	177	58. Suicidal ideation, suicide attempts, and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States,	200
43. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, according to race, Hispanic origin, and age: United States, selected years 1950–2001	179	selected years 1991–2001	210
44. Death rates for motor vehicle-related injuries, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	180	selected years 1965–2001	212
45. Death rates for homicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	184	race, and education: United States, selected years 1974–2001	214

61. Current cigarette smoking by adults according to sex, race, Hispanic origin, age, and education: United States, average annual 1990–92, 1995–98, and 1999–2001	215	74. No usual source of health care among children under 18 years of age, according to selected characteristics: United States, average annual 1993–94, 1997–98, and	
62. Use of selected substances in the past month by persons 12 years of age and over, according to age, sex, race, and Hispanic origin: United States, 2002	217	2000–01	244
63. Use of selected substances by high school seniors, eighth-, and tenth-graders, according to sex and race:	219	selected characteristics: United States, selected years 1997–2001	246
United States, selected years 1980–2002	219	76. No usual source of health care among adults 18–64 years of age, according to selected characteristics: United States, average annual 1993–94, 1995–96, 1999–2000, and 2000–01	249
United States, selected years 1990–2001	222	77. Emergency department visits within the past 12 months among adults 18 years of age and over, according	247
over, according to selected characteristics: United States, selected years 1997–2001	224	to selected characteristics: United States, selected years 1997–2001	251
66. Hypertension among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1988–94 and 1999–2000	227	78. Dental visits in the past year according to selected characteristics: United States, selected years 1997–2001	253
67. Serum cholesterol levels among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, 1988–94, and 1999–2000	228	79. Untreated dental caries according to age, sex, race and Hispanic origin, and poverty status: United States, 1971–74, 1982–84, and 1988–94	255
68. Overweight, obesity, and healthy weight among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74,	220	80. Use of mammography for women 40 years of age and over according to selected characteristics: United States, selected years 1987–2000	256
1976–80, 1988–94, and 1999–2000	230	81. Use of Pap smears for women 18 years of age and over according to selected characteristics: United States, selected years 1987–2000	258
age, according to sex, age, race, and Hispanic origin: United States, selected years 1963–65 through 1999–2000	234	82. Ambulatory care visits to physician offices and hospital outpatient and emergency departments by selected characteristics: United States, selected years	240
Utilization of Health Resources		1995–2001	260
Ambulatory Care		injury: United States, average annual 1995–96, 1998–99, and 2000–01	262
70. Health care visits to doctor's offices, emergency departments, and home visits within the past 12 months, according to selected characteristics: United States,		84. Ambulatory care visits to primary care and specialist physicians, according to selected characteristics and type of physician: United States, 1980, 1990, and 2001	264
selected years 1997–2001	235	85. Substance abuse clients in specialty treatment units according to substance abused, geographic division, and State: United States, 1998–2002	266
poverty status, and residence in metropolitan statistical area (MSA): United States, 1995–2002	238	86. Additions to mental health organizations according to type of service and organization: United States, selected	
72. Vaccination coverage among children 19–35 months of age according to geographic division, State, and selected urban areas: United States, 1995–2002	240	years 1986–98	267
73. No health care visits to an office or clinic within the past 12 months among children under 18 years of age,		diagnosis: United States, selected years 1992–2000	268
according to selected characteristics: United States, average annual 1997–98 and 2000–01	242	diagnosis: United States, selected years 1992–2000	269

Health, United States, 2003 91

Inpatient Care		103. First-year enrollment and graduates of health professions schools and number of schools, according to	
89. Discharges , days of care, and average length of stay in short–stay hospitals, according to selected characteristics:	270	profession: United States, selected years 1980–2001	295
United States, selected years 1997–2001	270	health occupations, according to detailed race and Hispanic origin: United States, academic years 1970–71, 1980–81, 1990–91, and 2000–01	296
selected characteristics: United States, selected years 1980–2001	273	105. First-year and total enrollment of women in schools for selected health occupations, according to detailed race	
91. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals for discharges with the diagnosis of human immunodeficiency virus (HIV) and for all		and Hispanic origin: United States, academic years 1971–72, 1980–81, 1990–91, and 1999–2000	298
discharges: United States, selected years 1986–2001	275	Facilities	
92. Rates of discharges and days of care in non-Federal short-stay hospitals, according to sex, age, and selected first–listed diagnoses: United States, selected years 1990–2001	276	106. Hospitals , beds, and occupancy rates, according to type of ownership and size of hospital: United States, selected years 1975–2001	299
93. Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years		107. Mental health organizations and beds for 24-hour hospital and residential treatment according to type of organization: United States, selected years 1986–98	300
94. Ambulatory and inpatient procedures according to place, sex, age, and type of procedure: United States,	279	108. Community hospital beds and average annual percent change, according to geographic division and State: United States, selected years 1960–2001	301
selected years 1994–2001	282	109. Occupancy rates in community hospitals and average	
95. Hospital admissions , average length of stay, and outpatient visits, according to type of ownership and size of bespital, and percent outpatient surgery. United States		annual percent change, according to geographic division and State: United States, selected years 1960–2001	302
hospital, and percent outpatient surgery: United States, selected years 1975–2001	285	110. Nursing homes , beds, occupancy, and residents, according to geographic division and State: United States,	200
96. Nursing home residents 65 years of age and over, according to age, sex, and race: United States, 1973–74, 1985, 1995, and 1999	286	1995–2001	303
97. Nursing home residents 65 years of age and over, according to selected functional status and age, sex, and		Health Care Expenditures	
race: United States, 1985, 1995, and 1999	287	National Health Expenditures	
Health Care Resources		111. Total health expenditures as a percent of gross domestic product and per capita health expenditures in dollars: Selected countries and years 1960–2000	305
Personnel		112. Gross domestic product, Federal and State and local government expenditures, national health expenditures,	
98. Persons employed in health service sites: United States, selected years 1970–2002	289	and average annual percent change: United States, selected years 1960–2001	306
99. Active non-Federal physicians and doctors of medicine in patient care, according to geographic division and State: United States, 1975, 1985, 1995, and 2001	290	113. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2002	307
100. Doctors of medicine , according to activity and place of medical education: United States and outlying U.S. areas, selected years 1975–2001	292	114. Growth in personal health care expenditures and percent distribution of factors affecting growth: United States, 1960–2001	308
101. Doctors of medicine in primary care, according to specialty: United States and outlying U.S. areas, selected years 1949–2001	293	115. National health expenditures , average annual percent change, and percent distribution, according to type of expenditure: United States, selected years 1960–2001	309
102. Active health personnel according to occupation: United States, selected years 1980–2000	294		

116. Personal health care expenditures, according to type of expenditure and source of funds: United States, selected years 1960–2001	311	130. Health insurance coverage for persons 65 years of age and over, according to type of coverage and selected characteristics: United States, selected years	222
117. Expenditures for health care and prescribed medicine according to selected population characteristics: United States, selected years 1987–99	313	1989–2001	333
I18. Sources of payment for health care according to selected population characteristics: United States, selected years 1987–99	315	United States, 1998–2001	337
119. Health care expenses paid out of pocket for persons with medical expenses by age: United States 1987, 1998, and 1999	317	and enrollment, according to model type, geographic region, and Federal program: United States, selected years 1976–2002	339
120. Expenditures for health services and supplies and percent distribution, by type of payer: United States,		133. Medical care benefits for employees of private establishments by size of establishment and occupation: United States, selected years 1990–97	340
selected calendar years 1987–2000	318	134. Medicare enrollees and expenditures and percent distribution, according to type of service: United States and other areas, selected years 1970–2001	342
selected years 1991–2003	320	135. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, according to sex and age: United States and other areas, 1994–2000	344
and size of hospital: United States, selected years 1980–2001	321	136. Medicare beneficiaries by race and ethnicity, according to selected characteristics: United States, 1992	0.45
resident and percent of residents, according to selected acility and resident characteristics: United States, 1977, 1985, 1995, 1997, and 1999	322	and 1999	345 347
124. Nursing home average monthly charges per resident and percent of residents, according to primary source of payments and selected facility characteristics: Jnited States, 1985, 1995, and 1999	323	138. Medicaid recipients and medical vendor payments, according to type of service: United States, selected fiscal years 1972–2000	348
125. Mental health expenditures , percent distribution, and per capita expenditures, according to type of mental health progranization: United States, selected years 1975–98	324	139. Department of Veterans Affairs health care expenditures and use, and persons treated according to selected characteristics: United States, selected fiscal years 1970–2002	350
126. Federal spending for human immunodeficiency virus (HIV)-related activities, according to agency and type of activity: United States, selected fiscal years 1985–2002	325	State Health Expenditures and Health Insura	
Health Care Coverage and Major Federal Programs		140. Personal health care per capita expenditures, by geographic region and State: United States, selected years 1991–98	351
127. Private health insurance coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2001		141. Hospital care per capita expenditures , by geographic region and State: United States, selected years 1991–98	353
	326	142. Physician and other professional services per capita expenditures, by geographic region and State: United States, selected years 1991–98	355
age, according to selected characteristics: United States, selected years 1984–2001	329	143. Nursing home care and home health care per capita expenditures, by geographic region and State:	
55 years of age, according to selected characteristics: United States, selected years 1984–2001	331	United States, selected years 1991–98	356
		United States, selected years 1991–98	357

Health, United States, 2003 93

145. Medicare expenditures as a percent of total personal health care expenditures by geographic region and State: United States, 1991–98	358
146. Medicaid expenditures as a percent of total personal health care expenditures by geographic region and State: United States, 1991–98	359
147. State mental health agency per capita expenditures for mental health services and average annual percent change by geographic region and State: United States, selected fiscal years 1981–2001	360
148. Medicare enrollees, enrollees in managed care, payments per enrollee, and short-stay hospital utilization by geographic region and State: United States, 1994 and 2000	362
149. Medicaid recipients, recipients in managed care, payments per recipient, and recipients per 100 persons below the poverty level by geographic region and State: United States, selected fiscal years 1989–2000	364
150. Persons enrolled in health maintenance organizations (HMOs) by geographic region and State: United States, selected years 1980–2002	366
151. Persons under 65 years of age without health insurance coverage by State: United States, selected years 1987–2001	367