

CONTENTS

ABSTRACT	iii
SUMMARY	v
ACRONYMS	xv
1. INTRODUCTION	1-1
1.1 Scope	1-1
1.2 Program Objectives	1-3
1.2.1 Environmental Monitoring Objectives.....	1-3
1.2.2 Approach to Meeting Objectives	1-4
1.3 Quality Assurance/Quality Control	1-5
1.3.1 Quality Assurance Program	1-5
1.3.2 Quality Control Program.....	1-6
1.4 Site Overview	1-6
1.4.1 Regional Physical Setting	1-8
1.4.2 Geology.....	1-9
1.4.3 Hydrology	1-10
2. COMPLIANCE MONITORING PROGRAM	2-1
2.1 Drinking Water Program	2-1
2.1.1 Program Design Basis.....	2-1
2.1.2 Data Summary and Assessment by Facility.....	2-5
2.1.3 Special Studies	2-8
2.1.4 Quality Assurance/Quality Control.....	2-9
2.2 Liquid Effluent Monitoring Program	2-10
2.2.1 Program Design Basis.....	2-10
2.2.2 Data Summary and Assessment by Facility.....	2-12
2.2.3 Special Studies	2-19
2.2.4 Quality Assurance/Quality Control.....	2-21
2.3 Storm Water Monitoring Program.....	2-23
2.3.1 Program Design Basis.....	2-25
2.3.2 Data Summary and Assessment.....	2-28
2.3.3 Quality Assurance/Quality Control.....	2-28

2.4	Groundwater Monitoring Program.....	2-28
2.4.1	Program Design Basis.....	2-28
2.4.2	Data Summary and Assessment by Facility.....	2-29
2.4.3	Quality Assurance/Quality Control.....	2-33
3.	ENVIRONMENTAL SURVEILLANCE PROGRAM.....	3-1
3.1	Air Surveillance.....	3-5
3.1.1	Data Summary and Assessment for Waste Management Surveillance.....	3-5
3.1.2	Data Summary and Assessment for Site Surveillance.....	3-10
3.1.3	Special Study.....	3-15
3.2	Surface Water Runoff.....	3-17
3.2.1	Data Summary and Assessment for Waste Management Surveillance.....	3-18
3.3	Soil Surveillance.....	3-18
3.3.1	Data Summary and Assessment for Waste Management Surveillance.....	3-18
3.3.2	Data Summary and Assessment for Site Surveillance.....	3-19
3.4	Biotic Surveillance.....	3-19
3.4.1	Data Summary and Assessment for Waste Management Surveillance.....	3-19
3.5	Direct Radiation.....	3-19
3.5.1	Data Summary and Assessment for Waste Management Surveillance.....	3-20
3.5.2	Data Summary and Assessment for Site Surveillance.....	3-28
3.6	Quality Assurance/Quality Control.....	3-28
4.	REFERENCES.....	4-1
	Appendix A—Facility Maps with Monitoring Locations.....	A-1
	Appendix B—Statistical Analyses Methods.....	B-1
	Appendix C—Detection Limits.....	C-1
	Appendix D—Environmental Standards.....	D-1

FIGURES

1-1.	Environmental monitoring media sampled.....	1-2
1-2.	Map of Idaho National Engineering and Environmental Laboratory vicinity showing primary and secondary facilities, counties, and cities.....	1-7

2-1.	Carbon tetrachloride concentrations in Radioactive Waste Management Complex drinking water well and distribution system	2-6
2-2.	Trichloroethylene concentrations in Technical Support Facility drinking water wells and distribution system	2-8
2-3.	Total nitrogen concentrations at the Idaho Nuclear Technology and Engineering Center Sewage Treatment Plant from 1995 through 2000	2-17
2-4.	Electrical conductivity vs. soil depth (fall sampling).....	2-20
2-5.	Sodium adsorption ratio vs. soil depth (fall sampling).....	2-21
2-6.	Big Lost River System	2-24
2-7.	Chloride concentrations from Idaho Nuclear Technology and Engineering Center Percolation Ponds wells and effluent (CPP-797).....	2-31
2-8.	Total dissolved solids concentrations from Idaho Nuclear Technology and Engineering Center Percolation Ponds wells and effluent (CPP-797)	2-31
2-9.	Total nitrogen concentrations in Sewage Treatment Plant effluent, ICPP-MON-PW-024, and USGS-052.....	2-32
3-1.	Gross alpha concentrations by year, facility, and monitor type	3-6
3-2.	Gross beta concentrations by year, facility, and monitor type	3-6
3-3.	Quarterly average of gross beta air concentrations (cesium-137 equivalent) measured at Radioactive Waste Management Complex for the past 10 years.....	3-9
3-4.	Quarterly average of gross beta air concentrations (cesium-137 equivalent) measured at Waste Experimental Reduction Facility for the past 10 years	3-10
3-5.	2000 maximum quarterly suspended particulate concentrations.....	3-15
3-6.	Year 2000 fire burns on the INEEL	3-16
3-7.	1989–2000 RWMC and WERF thermoluminescent dosimeter exposures using negative exponential smoothing	3-21
3-8.	Comparison of 1999 and 2000 thermoluminescent dosimeter exposure by facility	3-22
3-9.	Comparison of 1999 and 2000 thermoluminescent dosimeter exposure by season	3-24
3-10.	Six-month exposures measured by thermoluminescent dosimeters on the east and northeast borders of Transuranic Storage Area.....	3-24
3-11.	Six-month exposures measured by thermoluminescent dosimeters around Waste Experimental Reduction Facility.....	3-25
3-12.	Spring 2000 Radioactive Waste Management Complex surface radiation survey	3-26

3-13.	Fall 2000 Radioactive Waste Management Complex surface radiation survey	3-27
A-1.	Thermoluminescent dosimeter, tritium, and nitrogen dioxide/sulfur dioxide monitoring locations.....	A-1
A-2.	Argonne National Laboratory-West monitoring locations.....	A-2
A-3.	Auxiliary Reactor Area monitoring locations	A-3
A-4.	Central Facilities Area monitoring locations.....	A-4
A-5.	Test Area North/Specific Manufacturing Capability monitoring locations	A-5
A-6.	Experimental Breeder Reactor-I monitoring locations.....	A-6
A-7.	Gun Range monitoring locations.....	A-7
A-8.	Idaho Nuclear Technology and Engineering Center monitoring locations	A-8
A-9.	Idaho Falls monitoring locations.....	A-9
A-10.	Main Gate monitoring locations.....	A-10
A-11.	Naval Reactors Facility monitoring locations	A-11
A-12.	Radioactive Waste Management Complex monitoring locations	A-12
A-13.	Radioactive Waste Management Complex thermoluminescent dosimeter monitoring locations.....	A-13
A-14.	Radioactive Waste Management Complex storm water monitoring locations	A-14
A-15.	Test Area North/Technical Support Facility monitoring locations	A-15
A-16.	Test Reactor Area monitoring locations.....	A-16
A-17.	Water Reactor Research Test Facility monitoring locations.....	A-17
A-18.	Waste Experimental Reduction Facility monitoring locations.....	A-18
A-19.	Adams Boulevard storm water monitoring locations.....	A-19
A-20.	Lincoln Boulevard Gravel Pit storm water monitoring locations	A-20
A-21.	Monroe Boulevard storm water monitoring locations.....	A-21
A-22.	T-12 Gravel Pit storm water monitoring locations.....	A-22
A-23.	T-28 North Gravel Pit storm water monitoring locations	A-23
A-24.	T-28 South Gravel Pit storm water monitoring locations	A-24

A-25.	Soil and biota monitoring locations.....	A-25
A-26.	INTEC soil sampling small grid.....	A-26
A-27.	RWMC soil monitoring locations	A-27
A-28.	Test Area North soil sampling locations	A-28
A-29.	Biota control locations (RWMC—Frenchman’s Cabin, WERF —Tractor Flats)	A-29

TABLES

2-1.	2000 drinking water monitoring locations, parameters, and frequencies.....	2-2
2-2.	Monitored parameters of interest in 2000	2-5
2-3.	Carbon tetrachloride concentrations in Radioactive Waste Management Complex drinking water well and distribution system (2000).....	2-7
2-4.	Trichloroethylene concentrations at Technical Support Facility #1 Well and distribution system (2000).....	2-7
2-5.	Radon results in 2000.....	2-8
2-6.	2000 effluent monitoring locations, parameters, and frequencies.....	2-13
2-7.	Idaho Nuclear Technology and Engineering Center Sewage Treatment Plant average nitrogen concentrations.....	2-18
2-8.	2000 storm water monitoring locations and frequencies.....	2-26
2-9.	2000 Groundwater Monitoring Program sampling locations for INEEL Wastewater Land Application Permit facilities	2-30
3-1.	Summary of waste management surveillance activities.....	3-2
3-2.	Summary of site surveillance activities.....	3-4
3-3.	Summary statistics for gross alpha concentrations (4-in. filters)	3-7
3-4.	Summary statistics for gross beta concentrations (4-in. filters)	3-8
3-5.	Maximum gross alpha concentrations for 2000 per location	3-11
3-6.	Mean gross alpha concentrations for 2000 per location.....	3-12
3-7.	Mean gross beta concentrations for 2000 per location.....	3-13
3-8.	Site surveillance radiochemistry detections for air	3-13

3-9.	2000 annual mean suspended particulate concentrations.....	3-14
3-10.	Air monitoring concentrations during July 2000 wildfires	3-17
3-11.	Thermoluminescent dosimeter summary statistics by facility	3-21
3-12.	Thermoluminescent dosimeter summary statistics by season	3-23
3-13.	Comparison of the site surveillance 2000 thermoluminescent dosimeter exposures to past exposures	3-28
C-1.	Absolute detection limits for waste management surveillances of air, water, and soil samples for gamma spectrometry	C-3
C-2.	Absolute detection limits for waste management surveillance of biotic samples for gamma spectrometry.....	C-5
C-3.	Detection limits for environmental surveillance samples for radiochemical analyses.....	C-6
D-1.	Derived Concentration Guides	D-3
D-2.	Radiation standards for protection of the public at the INEEL	D-4
D-3.	Environmental Protection Agency ambient air quality standards	D-4
D-4.	Environmental Concentration Guidelines for common radionuclides found in environmental soil samples	D-5
D-5.	Parameters and maximum contaminant levels	D-6
D-6.	City of Idaho Falls Sewer Code effluent concentration limits for 1999.....	D-10
D-7.	Environmental Protection Agency benchmark concentrations for storm water monitoring parameters.....	D-11