

13.0 LITERATURE CITED

Arthaud, D., K. Kratz, C. Vandemoer, J. Morrow, M. Grady. 2004. Streamflow and salmon production in the interior Columbia basin. NOAA Fisheries, Idaho State Habitat Office (ISHO), Boise, Idaho.

Battelle and USGS (U.S. Geological Survey). 2000. Assessment of the impacts of development and operation of the Columbia River hydroelectric system on mainstem riverine processes and salmon habitats. Battelle Pacific Northwest Division, Richland, Washington, and USGS, Biological Resources Division, Cook, Washington.

Beamesderfer, R. C. 1992. Reproduction and early life history of northern squawfish, *Ptychocheilus oregonensis*, in Idaho's St. Joe River. *Environmental Biology of Fishes* 35:231-241.

Beamesderfer, R. C., B. E. Rieman, L. J. Bledsoe, and S. Vigg. 1990. Management implications of a model of predation by a resident fish on juvenile salmonids migrating through a Columbia River reservoir. *North American Journal of Fisheries Management* 10:290-304.

Beamesderfer, R. C., D. L. Ward, and A. A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 53:2898-2908.

Bell, M. C. 1991. Fisheries handbook of engineering requirements and biological criteria. Report to U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.

Bennett and Naughton. 1999. Predator abundance and salmonid prey consumption in tailrace and forebay of Lower Granite Dam. Completion Report to U.S. Army Corps of Engineers, Walla Walla District, Project 14-45-0009-1579, Walla Walla, Washington.

Bentley, W. W., and H. L. Raymond. 1976. Delayed migration of yearling chinook salmon since completion of Lower Monumental and Little Goose dams on the Snake River. *Transactions of the American Fisheries Society* 105:422-424.

Beyer, J. M., G. Lucchetti, and G. Gray. 1988. Digestive tract evacuation in northern squawfish (*Ptychocheilus oregonensis*). *Canadian Journal of Fisheries and Aquatic Sciences* 45:548-553.

Bjornn, T. C., M. L. Keefer, C. A. Peery, K. R. Tolotti, R. R. Ringe, and L. C. Stuehrenburg. 1999. Adult chinook and sockeye salmon, and steelhead fallback rates at Bonneville Dam – 1996, 1997, and 1998. Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, for U.S. Army Corps of Engineers, Portland, Oregon.

Bottom, D., S. Simenstad, A. Baptista, D. Jay, J. Burke, E. Casillas, K. Jones, and M. Schiewe. 2000. Estuarine influence on the recovery and resilience of Columbia River salmonids. Report to Bonneville Power Administration, Portland, Oregon. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.

BRT (Biological Review Team). 2003. Draft status review update for West Coast steelhead from Washington, Idaho, Oregon, and California. National Marine Fisheries Service, West Coast Steelhead BRT, Seattle, Washington.

Casillas, E. 1999. Role of the Columbia River estuary and plume in salmon productivity. NWPPC Ocean Symposium, July 1, 1999. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.

Casillas, E., L. Crockett, Y. deReynier, J. Glock, M. Helvey, B. Meyer, C. Schmitt, M. Yoklavich, A. Bailey, B. Chao, B. Johnson, and T. Pepperell. 1998. Essential fish habitat, West Coast groundfish appendix. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.

Collis, K., D. D. Roby, C. Couch, G. Dorsey, K. Fisher, D. E. Lyons, A. M. Myers, S. K. Nelson, R. M. Suryan, A. Evans, and M. Hawbecker. 2003. Caspian tern research on the lower Columbia River, Draft 2003 Season Summary. Prepared for the Bonneville Power Administration and the Interagency Caspian Tern Working Group, 38 pages. Available at www.columbiabirdresearch.org.

Collis, K., D. D. Roby, D. P. Craig, S. Adamany, J. Adkins, and D. E. Lyons. 2002. Colony size and diet composition of piscivorous waterbirds on the lower Columbia River: Implications for losses of juvenile salmonids to avian predation. *Transactions of the American Fisheries Society* 131: 537-550.

Collis, K., D. D. Roby, D. E. Lyons, M. Antolos, S. K. Anderson, A. M. Myers, and M. Hawbecker. 2000. Caspian tern research on the Lower Columbia River; Final 2000 Season Summary. Prepared for the Bonneville Power Administration and the Interagency Caspian Tern Working Group, 26 pages. Available at www.columbiabirdresearch.org.

CBFWA (Columbia Basin Fish and Wildlife Authority). 1991. Integrated system plan for salmon and steelhead production in the Columbia River basin. Portland, Oregon.

Connor, W. P., A. P. Garcia, H. L. Burge, and R. H. Taylor. 1993. Fall chinook salmon spawning in free-flowing reaches of the Snake River: Identification of the spawning, rearing, and migratory requirements of fall chinook salmon in the Columbia River basin. 1991 Annual Report to Bonneville Power Administration, Contract DE-AI79-91BP21708, Portland, Oregon.

Connor, W. P. et al. 2001. Snake River fall chinook salmon early life history and growth as affected by dams. Pages 27 to 60 in K. F. Tiffan, D. W. Rondorf, W. P. Connor, and H. L. Burge, editors. Annual report 1999 to Bonneville Power Administration Contract Number DE-AI79-91BP21708. Portland, Oregon. 29 p.

Connor, W. P., H. L. Burge, R. Waite, and T. C. Bjornn. 2002. Juvenile life history of wild fall chinook salmon in the Snake and Clearwater Rivers. *North American Journal of Fisheries Management* 22:703-712.

Connor, W. P., R. K. Steinhorst and H. L. Burge. 2003. Migrational behavior and seaward movement of wild subyearling fall chinook salmon in the Snake River. *North American Journal of Fisheries Management* 23:414-430.

Connor, W. P., J. G. Sneva, K. F. Tiffan, R. K. Steinhorst, and D. Ross. In press. Two alternative life histories for fall chinook salmon in the Snake River basin. Accepted for publication in *Transactions of the American Fisheries Society* on August 9, 2004.

Corps (U.S. Army Corps of Engineers) 1960. Fisheries engineering research program. U.S. Army Corps of Engineers, North Pacific Division. Portland, Oregon. 152 p.

_____. 1994. Draft Salmon River salmon mitigation analysis system configuration study, phase 1, appendix B: John Day Reservoir minimum operating pool technical report. U.S. Army Corps of Engineers, Portland, Oregon.

CREDDP (Columbia River Estuary Data Development Program). 1980. Volume 1: summary plus maps. Volume 2: annotated bibliography. Pacific Northwest River Basins Commission, Vancouver, Washington.

DART, U. Wash. Data access in real time. University of Washington School of Aquatic & Fishery Sciences Columbia Basin Research. Available at:
<http://www.cqs.washington.edu/dart/dart.html>.

Dauble, D. D., R. L. Johnson, R. P. Mueller, and C. S. Abernathy. 1995. Spawning of fall chinook salmon downstream of lower Snake River hydroelectric projects 1994. U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington. 14 p.

Dawley, E. M., R. D. Ledgerwood, T. H. Blahm, C. W. Sims, J. T. Durkin, R. A. Kirn, A. E. Rankis, G. E. Moran, and F. J. Ossiander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Report to Bonneville Power Administration, Portland, Oregon by National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington,.

Ecovista, Nez Perce Tribe Wildlife Division, and Washington State University Center for Environmental Education. 2003. Draft Clearwater subbasin assessment. Report prepared for Nez Perce Tribe Watersheds Division and Idaho Soil Conservation Commission. Available at:
<http://www.nwcouncil.org/fw/subbasinplanning/Clearwater/plan/Default.htm>. August 2004.

Ehlke, R. D. and K. Keller. 2003. 2002 chum salmon spawning ground surveys on the mainstem Columbia and its Washington tributaries. Report to Bonneville Power Administration, Contract Number 1999-003-01, by Pacific States Marine Fisheries Commission, Vancouver, Washington.

EMCON (EMCON Northwest, Inc.). 1993. Upper Methow Valley ground water management area hydrogeological summary report. Portland, Oregon.

Faler, M. P., L. M. Miller, and K. I. Wedke. 1988. Effects of variation in flow on distribution of northern squawfish in the Columbia River below McNary Dam. *North American Journal of Fisheries Management* 8:30-31.

Falter, C. M. 1969. Digestive rates and daily rations of northern squawfish in the St. Joe River, Idaho. Doctoral dissertation. University of Idaho, Moscow.

Federal Caucus. 2000. Conservation of Columbia River fish: Final basinwide salmon recovery strategy. December. Available at: <http://www.samonrecovery.gov>.

Ferguson, J. W., G. M. Matthews, R. L. McComas, R. F. Absolon, D. A. Brege, M. H. Gessel, L. G. Gilbreath. 2004. Passage of adult and juvenile salmon through Federal Columbia River Power System dams. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, Washington. June.

Flagg, T. A., F. W. Waknitz, D. J. Maynard, G. B. Milner, and C. V. W. Mahnken. 1995. The effect of hatcheries on native coho salmon populations in the lower Columbia River. *In* Uses and effects of cultured fishes in aquatic systems. *Transactions of the American Fisheries Society* 15:366-375.

Fresh, K. 2004. E-mail L. Krasnow re: Q re. use of plume. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, Washington. June 25.

Fresh, K. L., E. Casillas, L. L. Johnson, and D. L. Bottom. 2004. Role of the estuary in the recovery of Columbia River basin salmon and steelhead: an evaluation of the effects of selected factors on population viability. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, Washington. June.

Friesen, T. A., and D. L. Ward. 1999. Management of northern squawfish and implications for juvenile survival in the lower Columbia and Snake rivers. *North American Journal of Fisheries Management* 19:406-420.

Fulton, L. A. 1970. Spawning areas and abundance of steelhead trout and coho, sockeye, and chum salmon in the Columbia River basin – past and present. *Spec. Sci. Rep. – Fisheries No. 618*. NOAA Fisheries, Washington, D.C. 37 p.

Gadomski, D. M., M. G. Mesa, and T. M. Olson. 1994. Vulnerability to predation and physiological stress responses of experimentally descaled juvenile chinook salmon, *Oncorhynchus tshawytscha*. *Environmental Biology of Fishes* 39:191-199.

Good, T. P., K. Barnas, D. M. Marsh, M. M. McClure, B. A. Ryan, B. P. Sandford, and E. Casillas. 2004. Caspian tern predation on juvenile salmonid outmigrants in the Columbia River estuary. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, Washington. June.

Gray, G. A., and D. W. Rondorf. 1986. Predation on juvenile salmonids in Columbia Basin reservoirs. Pages 178-185 in G. E. Hall and M. J. Van Den Avyle, editors. Reservoir fisheries management strategies for the '80s. American Fisheries Society, Southern Division, Reservoir Committee, Bethesda, Maryland.

HSRG (The Hatchery Scientific Review Group). 2003. Hatchery reform recommendations, Skagit River Basin, Nooksack and Samish Rivers, Central Puget Sound. Copies available at Long Live the Kings, 1305 Fourth Avenue, Seattle, WA 98101 or www.lltk.org/hatcheryreform.html. 214 p. March.

IDEQ (Idaho Department of Environmental Quality). 1999. Lemhi River watershed TMDL: an allocation of nonpoint source pollutants in the water quality limited watersheds of the Lemhi River Valley. December.

Interior TRT (Interior Columbia Basin Technical Recovery Team). 2003. Independent populations of chinook, steelhead, and sockeye for listed evolutionarily significant units within the Interior Columbia River Domain. Interior Columbia Basin Technical Recovery Team, Northwest Fisheries Science Center, Seattle, Washington. July.

ISG (Independent Science Group). 1996. Return to the river: Restoration of salmonid fishes in the Columbia River ecosystem. ISG, Report 96-6, for Northwest Power Planning Council, Portland, Oregon. 522 p.

Kareiva, P., M. Marvier, and M. McClure. 2000. Recovery and management options for spring/summer chinook salmon in the Columbia River basin. *Science* 290:977-979.

Keefer, M. L. and C. Peery. 2004. Adult salmonid fallback and escapement during summer (July-August) spill/no spill periods at Bonneville, The Dalles, John Day and Ice Harbor dams. Letter Report, University of Idaho, Moscow.

Keefer, M. L., C. Peery, K. Tolotti, S. Lee, M. Jepson, M. Heinrich, and M. Morasch. 2004. Reach and hydrosystem escapement estimates for radio-tagged salmon and steelhead: 1996-2002. Report to the U.S. Army Corps of Engineers and Bonneville Power Administration, University of Idaho, Idaho Cooperative Fish and Wildlife Research Unit, Moscow. 7 p.

McElhany, P., M. H. Ruckelshaus, M. J. Ford, T. C. Wainwright, and E. P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.

McElhany, P., T. Backman, C. Busack, S. Kolmes, J. Myers, D. Rawding, A. Steel, C. Steward, T. Whitesel, and C. Willis. 2004. Status evaluation of salmon and steelhead populations in the Willamette and lower Columbia basins. Willamette/Lower Columbia Technical Recovery Team. May.

McMahon, T. E. and D. H. Bennett. 1996. Walleye and northern pike: Boost or bane to northwest fisheries? *Fisheries* 21:6-13.

Mesa, M. G. 1994. Effects of multiple acute stressors on the predator avoidance ability and physiology of juvenile chinook salmon. *Transactions of the American Fisheries Society* 123:786-793.

Mesa, M. G., and T. M. Olsen. 1993. Prolonged swimming performance of northern squawfish. *Transactions of the American Fisheries Society* 122:1104-1110.

Methow Valley Planning Committee (Methow Valley Water Pilot Planning Project Planning Committee). 1994. Draft Methow River basin plan. January.

Myers, J. M., R. G. Kope, G. Bryant, et al. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. NOAA Fisheries Technical Memorandum. NMFS-NWFSC-35. National Marine Fisheries Service, Seattle, Washington. 443 p. February.

NMFS (National Marine Fisheries Service). 1995. Proposed recovery plan for Snake River salmon. NOAA Fisheries, Portland, Oregon. 364 p.

—. 1999. Memorandum re. Habitat approach to NMFS/NWR staff from R. Applegate, NMFS, Portland, Oregon and D. Darm, NMFS, Seattle, Washington. August 26.

—. 2000a. Endangered Species Act – Section 7 Consultation, Biological Opinion; Reinitiation of consultation on operation of the Federal Columbia River Power System, including the juvenile fish transportation program, and 19 Bureau of Reclamation projects in the Columbia basin. National Marine Fisheries Service, Northwest Region, Portland, Oregon. December 21.

—. 2000b. White paper: Predation on salmonids relative to the Federal Columbia River Power System. NMFS, Northwest Fisheries Science Center, Seattle, Washington. February.

—. 2000c. Draft biological opinion: Operation of the Federal Columbia River Power System including the juvenile fish transportation program and the Bureau of Reclamation's 31 projects, including the entire Columbia Basin Project. National Marine Fisheries Service, Northwest Region, Portland, Oregon. July 27.

—. 2000d. White paper: Salmonid travel time and survival related to flow in the Columbia River basin. NMFS, Northwest Fisheries Science Center, Seattle, Washington. March.

—. 2002a. Endangered and threatened species: Findings on petitions to delist Pacific salmonid ESUs. *Federal Register* [Docket No. 020205024-2024-01] 67(28): 6215–6220.

—. 2002b. Endangered and threatened species: Status review updates for Snake River sockeye salmon and Southern California steelhead; and additional information request for nine evolutionarily significant units of West Coast steelhead. *Federal Register* [Docket No. 021219319-2319-01; 31 December 2002] 67(251): 79898–79900.

- . 2003a. Second draft recovery strategy and status report: Snake River salmon and steelhead. Seattle, Washington.
- . 2003b. Preliminary conclusions regarding the updated status of listed ESUs of West Coast salmon and steelhead. Comanager review draft. West Coast Salmon Biological Review Team. Southwest Fisheries Science Center, La Jolla, California, and Northwest Fisheries Science Center, Seattle, Washington. February.
- . 2003c. Memorandum re: Request for information, including non-Federal salmon habitat actions in the Columbia basin, to technical contacts for states and Tribes in the Columbia basin from R. Walton, NMFS. Portland, Oregon. November 26.
- . 2004a. Biological opinion on impacts of treaty Indian and non-Indian fall season fisheries in the Columbia River basin in year 2004 on salmon and steelhead listed under the Endangered Species Act. Copies available from National Marine Fisheries Service, 7600 Sand Point Way, NE, Seattle, Washington 98115.
- . 2004b. Artificial propagation evaluation workshop report. NOAA Fisheries, Northwest Region, Protected Resources Division. May 18, 2004. Available at: www.nwr.noaa.gov/1srd/Prop_Determins/
- . 2004c. Technical memorandum: Passage of adult and juvenile salmon through Federal Columbia River Power System dams. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, Washington. June 8. Available at: http://www.salmonrecovery.gov/remand/analysis_reports/hydro/FP-Tech-Memo-June-8-04.pdf
- Nowak, M. C. *et al.* 2001. Grande Ronde subbasin summary. Draft report to the Northwest Power Planning Council. November 30. Available at: <http://www.cbfwa.org/files/province/blue/subsum/011130Grande.pdf>.
- NPCC (Northwest Power and Conservation Council). 2004a. Draft John Day subbasin plan. Portland, Oregon. June. Available at: <http://www.nwcouncil.org/fw/subbasinplanning/johnday/plan/default.asp>
- . 2004b. Draft Salmon River subbasin plan. Portland, Oregon. June. Available at: <http://www.nwcouncil.org/fw/subbasinplanning/salmon/plan/>
- NRC (National Research Council). 1996. Upstream: salmon and society in the Pacific Northwest. National Academy Press, Washington, D.C.
- NWPPC (Northwest Power Planning Council). 1986. Compilation of information on salmon and steelhead losses in the Columbia River basin. Portland, Oregon. 252 p.
- ODFW (Oregon Department of Fish and Wildlife). 2001. Upper Willamette River spring chinook in freshwater fisheries of the Willamette basin and lower Columbia River. Portland, Oregon.

Park, D. L. 1969. Seasonal changes in downstream migration of age-group 0 chinook salmon in the upper Columbia River. *Transactions of the American Fisheries Society* 98:315-317.

Peterson, J. J., and R. E. Jackson. 1990. Methow River basin 2 cfs water inventory. 17 p.

PFMC (Pacific Fishery Management Council). 1999. Amendment 14 to the Pacific Coast Salmon Plan. Appendix A: Description and Identification of Essential Fish Habitat, Adverse Impacts and Recommended Conservation Measures for Salmon. Portland, Oregon.

Poe, T. P., M. G. Mesa, R. S. Shively, and R. D. Peters. 1994. Development of biological criteria for siting and operation of juvenile bypass systems: implications for protecting juvenile salmonids from predation. Pages 169-176 *in* Proceedings of symposium on fish passage responsibility and technology, American Fisheries Society Annual Meeting, 1993, Portland, Oregon.

Raymond, H. L. 1968. Migration rates of yearling chinook salmon in relation to flows and impoundments in the Columbia and Snake rivers. *Transactions of the American Fisheries Society* 97:356-359.

—. 1969. Effect of John Day reservoir on the migration rate of juvenile chinook salmon and steelhead in the Columbia River. *Transactions of the American Fisheries Society* 98:513-514.

—. 1979. Effects of dams and impoundments on migrations of juvenile chinook salmon and steelhead from the Snake River, 1966 to 1975. *Transactions of the American Fisheries Society* 108:505-529.

—. 1988. Effects of hydroelectric development and fisheries enhancement on spring and summer chinook salmon and steelhead in the Columbia River basin. *North American Journal of Fisheries Management* 8:1-23.

Rich, W. H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento rivers. *Bulletin of the U.S. Bureau of Fisheries* 37:1-74.

Rieman, B. E., and R. C. Beamesderfer. 1990. Dynamics of a northern squawfish population and the potential to reduce predation on juvenile salmonids in a Columbia River reservoir. *North American Journal of Fisheries Management* 10:228-241.

Rieman, B. E., R. C. Beamesderfer, S. Vigg, and T. P. Poe. 1991. Estimated loss of juvenile salmonids to predation by northern squawfish, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society* 120:448-458.

Roby, D. D., D. P. Craig, K. Collis, and S. L. Adamany. 1998. Avian predation on juvenile salmonids in the lower Columbia River. Report to Bonneville Power Administration and U.S. Army Corps of Engineers. Oregon Cooperative Fish and Wildlife Research Unit, Corvallis and Columbia River Inter-Tribal Fish Commission, Portland, Oregon. September revision.

- Roby, D. D., D. E. Lyons, D. P. Craig, K. Collis, and G. H. Visser. 2003. Quantifying the effects of predators on endangered species using a bioenergetics approach: Caspian terns and juvenile salmonids in the Columbia River estuary. *Canadian Journal of Zoology* 81:250-265.
- Ruggerone, G. T. 1986. Consumption of migrating juvenile salmonids by gulls foraging below a Columbia River dam. *Transactions of the American Fisheries Society* 115:736-742.
- Ryan, B. A., S. G. Smith, J. M. Butzerin, and J. W. Ferguson. 2003. Relative vulnerability to avian predation of juvenile salmonids tagged with passive integrated transponders in the Columbia River estuary, 1998-2000. *Transactions of the American Fisheries Society* 132: 275-288.
- Stansell, Robert J. Evaluation of pinniped predation on adult salmonids and other fish in the Bonneville Dam tailrace, 2002-2004. Draft report to Corps of Engineers. June 30.
- Steigenberger, L. W., and P. A. Larkin. 1974. Feeding activity and rates of digestion of northern squawfish (*Ptychocheilus oregonensis*). *Journal of the Fisheries Research Board of Canada* 31:411-420.
- Tabor, R. A., R. S. Shively, and T. P. Poe. 1993. Predation of juvenile salmonids by smallmouth bass and northern squawfish in the Columbia River near Richland, Washington. *North American Journal of Fisheries Management* 13:831-838.
- Tiffen, K. F., D. W. Rondorf, W. P. Connor, H. L. Burge. 2001. Post-release attributes and survival of hatchery and natural fall chinook salmon in the Snake River. 1999 Annual Report to Bonneville Power Administration. Portland, Oregon. 140 p.
- TRT (Interior Columbia Basin Technical Recovery Team). 2003. Independent populations of chinook, steelhead, and sockeye for listed evolutionarily significant units within the Interior Columbia River Domain. Working draft. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, Washington.
- USDA 2001 MFJD Biological Assessment.
- U.S. Fish and Wildlife Service, U.S. Army Corps of Engineers and NOAA Fisheries. 2004. Caspian tern management to reduce predation of juvenile salmonids in the Columbia River estuary. Draft Environmental Impact Statement. Portland, Oregon.
- Van Hyning, J. M. 1973. Factors affecting the abundance of fall chinook salmon in the Columbia River. Research Report for Fisheries Commission of Oregon 4:3-87.
- Vigg, A., and C. C. Burley. 1991. Temperature dependent maximum daily consumption of juvenile salmonids by northern squawfish (*Ptychocheilus oregonensis*) from the Columbia River. *Canadian Journal of Fisheries and Aquatic Sciences* 48:2491-2498.

Vigg, S., T. P. Poe, L. A. Prendergast, and H. C. Hansel. 1991. Rates of consumption of juvenile salmonids and alternate prey fish by northern squawfish, walleyes, smallmouth bass, and channel catfish in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society* 120:421-438.

Waples, R. S., J. Robert, P. Jones, B. R. Beckman, and G. A. Swan. 1991. Status review for Snake River fall chinook salmon. NOAA Fisheries Technical Memorandum. NMFS F/NWC-201. National Marine Fisheries Service, Seattle, Washington. 73 p.

Ward, D. L., J. H. Peterson, and J. J. Loch. 1995. Index of predation on juvenile salmonids by northern squawfish in the lower and middle Columbia River and in the lower Snake River. *Transactions of the American Fisheries Society* 124:321-334.

WCS BRT (West Coast Salmon Biological Review Team). 2003. Updated status of Federally listed ESUs of West Coast salmon and steelhead. West Coast Salmon Biological Review Team, Northwest Fisheries Science Center, Seattle, Washington, and Southwest Fisheries Science Center, Santa Cruz, California.

Whitney, R. R., L. Calvin, M. Erho, and C. Coutant. 1997. Downstream passage for salmon at hydroelectric projects in the Columbia River basin: development, installation, and evaluation. U.S. Department of Energy. Northwest Power Planning Council, Report 97-15. Portland, Oregon.

Williams, J. G., S. G. Smith, W. D. Muir, B. P. Sandford, S. Achord, R. McNatt, D. M. Marsh, R. W. Zabel, and M. D. Scheuerell. 2004. Effects of the Federal Columbia River Power System on salmon populations. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, Washington. June.

Wright, S. J. and W. T. Grisoli. 2004. Letter to B. Lohn submitting the FCRPS action agencies' amendment to the 2004/2004-2008 Implementation Plan regarding summer spill reductions and offsets in 2004. Bonneville Power Administration and U.S. Army Corps of Engineers. Portland, Oregon. June 23.

Zimmerman, M. P. 1999. Food habits of smallmouth bass, walleyes, and northern pikeminnow in the lower Columbia River Basin during outmigration of juvenile anadromous salmonids. *Transactions of the American Fisheries Society* 128:1036-1054.