		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>	
Drug	Total <sup>1</sup>	Received	Not Received
Any Illicit Drug <sup>3</sup>	29,638	5,677	23,908
Marijuana and Hashish	21,850	3,959	17,865
Cocaine	5,394	1,311	4,067
Crack	1,454	446	1,004
Heroin	353	122	229
Hallucinogens	3,804	707	3,083
LSD	684	140	545
PCP	126	28	92
Ecstasy	2,621	487	2,126
Inhalants	1,005	215	790
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	12,397	2,908	9,454
Pain Relievers	9,122	2,095	6,999
Tranquilizers	4,281	1,228	3,046
Stimulants	2,531	642	1,870
Methamphetamine	1,315	296	1,013
Sedatives	843	355	476
Any Illicit Drug Other Than Marijuana <sup>3</sup>	17,086	3,800	13,236

 

 Table 6.28A
 Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Numbers in Thousands, 2002

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the total column represent past year use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

<sup>3</sup> Any Illicit Drug other Than Marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>	
Drug	Total <sup>1</sup>	Received	Not Received
Any Illicit Drug <sup>3</sup>	14.1	20.8	13.1
Marijuana and Hashish	10.4	14.5	9.8
Cocaine	2.6	4.8	2.2
Crack	0.7	1.6	0.6
Heroin	0.2	0.4	0.1
Hallucinogens	1.8	2.6	1.7
LSD	0.3	0.5	0.3
PCP	0.1	0.1	0.1
Ecstasy	1.2	1.8	1.2
Inhalants	0.5	0.8	0.4
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	5.9	10.6	5.2
Pain Relievers	4.3	7.7	3.8
Tranquilizers	2.0	4.5	1.7
Stimulants	1.2	2.3	1.0
Methamphetamine	0.6	1.1	0.6
Sedatives	0.4	1.3	0.3
Any Illicit Drug Other Than Marijuana <sup>3</sup>	8.1	13.9	7.3

 Table 6.28B
 Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling:

 Percentages, 2002

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the total column represent past year use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information. <sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or

mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

		MENTAL HEALTH TREATMENT/COUNSELIN	
Drug	Total <sup>1</sup>	Received	Not Received
PAST YEAR			
Any Tobacco <sup>3</sup>	78,892	11,404	67,321
Cigarettes	66,273	10,300	55,839
Smokeless Tobacco	9,514	938	8,548
Cigars	23,417	2,924	20,462
Pipes			
Alcohol	146,912	19,185	127,475
Binge Alcohol Use <sup>4</sup>			
Heavy Alcohol Use <sup>4</sup>			
PAST MONTH			
Any Tobacco <sup>3</sup>	67,732	9,850	57,737
Cigarettes	57,928	9,117	48,698
Smokeless Tobacco	7,299	611	6,661
Cigars	11,634	1,350	10,256
Pipes	1,679	243	1,435
Alcohol	115,455	14,735	100,506
Binge Alcohol Use <sup>4</sup>	51,146	5,978	45,017
Heavy Alcohol Use <sup>4</sup>	15,231	1,773	13,431

 

 Table 6.29A
 Tobacco and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Numbers in Thousands, 2002

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Estimates in the total column represent past year and past month use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

			MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>	
Drug	Total <sup>1</sup>	Received	Not Received	
PAST YEAR				
Any Tobacco <sup>3</sup>	37.5	41.7	36.9	
Cigarettes	31.5	37.7	30.6	
Smokeless Tobacco	4.5	3.4	4.7	
Cigars	11.1	10.7	11.2	
Pipes				
Alcohol	69.8	70.2	69.8	
Binge Alcohol Use <sup>4</sup>				
Heavy Alcohol Use <sup>4</sup>				
PAST MONTH				
Any Tobacco <sup>3</sup>	32.2	36.1	31.6	
Cigarettes	27.5	33.4	26.7	
Smokeless Tobacco	3.5	2.2	3.6	
Cigars	5.5	4.9	5.6	
Pipes	0.8	0.9	0.8	
Alcohol	54.9	53.9	55.1	
Binge Alcohol Use <sup>4</sup>	24.3	21.9	24.7	
Heavy Alcohol Use <sup>4</sup>	7.2	6.5	7.4	

 

 Table 6.29B
 Tobacco and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Percentages, 2002

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Estimates in the total column represent past year and past month use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Treatment/Counseling: Numbers in Thousands, 2002				
	Total <sup>1</sup>	MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>		
Dependence/Abuse		Received	Not Received	
DEPENDENCE OR ABUSE <sup>3</sup>				
Any Illicit Drug or Alcohol <sup>4</sup>	19,797	4,276	15,469	
Any Illicit Drug <sup>4</sup>	5,740	1,665	4,059	
Alcohol	16,647	3,298	13,298	
DEPENDENCE <sup>3</sup>				
Any Illicit Drug or Alcohol <sup>4</sup>	10,425	2,813	7,581	
Any Illicit Drug <sup>4</sup>	3,855	1,171	2,680	
Alcohol	7,695	1,999	5,668	

# Table 6.30A Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Numbers in Thousands, 2002

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

<sup>3</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>4</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>	
Dependence/Abuse	Total <sup>1</sup>	Received	Not Received
DEPENDENCE OR ABUSE <sup>3</sup>			
Any Illicit Drug or Alcohol <sup>4</sup>	9.4	15.6	8.5
Any Illicit Drug <sup>4</sup>	2.7	6.1	2.2
Alcohol	7.9	12.1	7.3
DEPENDENCE <sup>3</sup>			
Any Illicit Drug or Alcohol <sup>4</sup>	5.0	10.3	4.2
Any Illicit Drug <sup>4</sup>	1.8	4.3	1.5
Alcohol	3.7	7.3	3.1

# Table 6.30B Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Percentages, 2002

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

<sup>3</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>4</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.