

## Index to Trend Tables

(Numbers refer to table numbers)

A	<i>Table</i>
Abortion	16
Access to care (see also Ambulatory care; Dental visits; Health insurance; Hospital utilization)	51, 70, 73, 74, 76
No health care visit, all persons	70
No recent health care visit, children	73
No usual source of care	51, 74, 76
Accidents, see Motor vehicle-related injuries; Unintentional injuries.	
Activities of Daily Living (ADL), see Limitation of activity.	
Adolescents, see Child and adolescent health.	
AIDS, see HIV/AIDS.	
Alcohol abuse treatment clients	85
Alcohol and drug hospitalizations	92, 93
Alcohol consumption	51, 62, 63, 65
Alzheimer's disease	31, 32
Ambulatory care (see also Access to care; Cocaine use; Dental visits; Hospital utilization; Mammography; Medicare; Mental health, additions; Pap smear; Veterans' medical care)	70, 75, 77, 82, 83, 84
Health care contacts	70
Hospital emergency department visits	75, 77, 82, 83
Hospital outpatient department visits	82
Physician office visits	82, 84
American Indian or Alaska Native population	
Access to care	70, 73, 74, 75, 76, 77
AIDS cases	53
Alcohol consumption	62, 65
Ambulatory care	70, 75, 77
Birth rates	3, 9
Births, number	5
Birthweight, low and very low	12, 13, 14, 15
Cancer incidence rates	54
Cigarette smoking	11, 61, 62
Death rates, all causes	28, 29, 35
Death rates, geographic division and State	28
Death rates, selected causes	29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Deaths, leading causes	31
Dental visits	78
Education of mother	10, 13, 20
Health insurance	127, 128, 129, 130
Health maintenance organization	131
Health status, respondent-assessed	57
Hospital utilization, emergency department	75, 77
Hospital utilization, inpatient	89
Illicit drug use	62
Infant mortality	19, 20, 23, 24
Limitation of activity	56
Mammography	80

## A—Con.

	<i>Table</i>
American Indian or Alaska Native population—Con.	
Maternal mortality	43
Occupational injury deaths	49
Pap smear	81
Population, resident	1
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	104, 105
Teenage childbearing	3, 8
Unmarried mothers	9
Vaccinations	71
Years of potential life lost	30
Angiocardiology	94
Arthroscopy (knee)	94
Asian or Pacific Islander population	
Access to care	73, 74, 76
AIDS cases	53
Alcohol consumption	62, 65
Ambulatory care	70, 75, 77
Birth rates	3, 9
Births, number	5
Birthweight, low and very low	12, 13, 14, 15
Cancer incidence rates	54
Cigarette smoking	11, 61, 62
Death rates, all causes	28, 29, 35
Death rates, geographic division and State	28
Death rates, selected causes	29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Deaths, leading causes	31
Dental visits	78
Education of mother	10, 13, 20
Health insurance	127, 128, 129, 130
Health maintenance organization (HMO)	131
Health status, respondent-assessed	57
Hospital utilization, emergency department	75, 77
Hospital utilization, inpatient	89
Illicit drug use	62
Infant mortality	19, 20, 23, 24
Limitation of activity	56
Mammography	80
Maternal mortality	43
Occupational injury deaths	49
Pap smear	81
Population, resident	1
Poverty level, persons and families below	2
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	104, 105
Teenage childbearing	3, 8

**A—Con.**

Table

Asian or Pacific Islander population—Con.

- Unmarried mothers . . . . . 9
- Vaccinations . . . . . 71
- Years of potential life lost . . . . . 30

Asian subgroups (Chinese; Filipino; Hawaiian; Japanese)

- Birth rates . . . . . 9
- Births, number . . . . . 5
- Birthweight, low . . . . . 12, 13
- Education of mother . . . . . 10, 13, 20
- Infant mortality . . . . . 19, 20
- Prenatal care . . . . . 6
- Smoking status of mother . . . . . 11
- Teenage childbearing . . . . . 8
- Unmarried mothers . . . . . 9

Asthma . . . . . 92, 93

Atherosclerosis . . . . . 31, 32

**B**

Birth control, see Contraception.

Births (see also Childless women) . . . . . 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 51, 92, 93

- Age of mother . . . . . 3, 9, 11
- Birth rates . . . . . 3, 9
- Births, number . . . . . 5, 9
- Birthweight, low and very low . . . . . 12, 13, 14, 15
- Education of mother . . . . . 10, 11, 13
- Fertility rates . . . . . 3
- Geographic division and State . . . . . 14, 15
- Hospital utilization, delivery . . . . . 92, 93
- Prenatal care . . . . . 6, 7, 51
- Smoking status of mother . . . . . 11, 12
- Teenage childbearing . . . . . 8
- Unmarried mothers . . . . . 9

Black or African American population

- Abortion . . . . . 16
- Access to care . . . . . 73, 74, 76
- AIDS cases . . . . . 53
- Alcohol consumption . . . . . 62, 63, 65
- Ambulatory care . . . . . 70, 75, 77, 82, 84
- Birth rates . . . . . 3, 9
- Births, number . . . . . 5
- Birthweight, low and very low . . . . . 12, 13, 14, 15
- Breastfeeding . . . . . 18
- Cancer incidence rates . . . . . 54
- Cancer survival, 5-year relative . . . . . 55
- Cholecystectomy . . . . . 94
- Cholesterol, serum . . . . . 67
- Cigarette smoking . . . . . 59, 60, 61, 62, 63
- Cocaine use . . . . . 63, 64
- Contraception . . . . . 17

**B—Con.**

Table

Black or African American population—Con.

- Coronary artery bypass graft . . . . . 94
- Death rates, all causes . . . . . 28, 29, 33, 35
- Death rates, geographic division and State . . . . . 28
- Death rates, selected causes . . . . . 29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
- Death rates, urbanization, . . . . . 33
- Deaths, leading causes . . . . . 31
- Dental caries (cavities), untreated . . . . . 79
- Dental visits . . . . . 78, 136
- Education of mother . . . . . 10, 13, 20
- Expenditures, health care . . . . . 117
- Fetal mortality . . . . . 22
- Functional limitation . . . . . 136
- Health insurance . . . . . 127, 129, 130
- Health maintenance organization (HMO) . . . . . 131
- Health status, respondent-assessed . . . . . 57
- Hospital utilization, emergency department . . . . . 75, 77, 82, 83
- Hospital utilization, inpatient . . . . . 89, 136
- Hospital utilization, outpatient department . . . . . 82, 136
- Hypertension . . . . . 66
- Illicit drug use . . . . . 62, 63
- Infant mortality . . . . . 19, 20, 22, 23, 24
- Inhalants . . . . . 63
- Life expectancy . . . . . 27
- Limitation of activity . . . . . 56, 97
- Mammography . . . . . 80
- Marijuana use . . . . . 62, 63
- Maternal mortality . . . . . 43
- Medicaid . . . . . 118, 128, 130, 137
- Medicare . . . . . 118, 130, 136
- Nursing home utilization . . . . . 96, 97
- Occupational injury deaths . . . . . 49
- Out-of-pocket health care expenditures . . . . . 117
- Overweight and obesity . . . . . 68, 69
- Pap smear . . . . . 81
- Population, resident . . . . . 1
- Poverty level, persons and families below . . . . . 2
- Prenatal care . . . . . 6, 7
- Smoking status of mother . . . . . 11
- Students, health occupations . . . . . 104, 105
- Teenage childbearing . . . . . 3, 8
- Unmarried mothers . . . . . 9
- Vaccinations . . . . . 71
- Years of potential life lost . . . . . 30

Breastfeeding . . . . . 18

## C

	<i>Table</i>
Cancer (Malignant neoplasms) . . . . .	29, 30, 31, 32, 38, 39, 40, 54, 55, 87, 88, 92, 93
Breast . . . . .	29, 30, 40, 54, 55, 92, 93
Deaths and death rates . . . . .	29, 31, 32, 38, 39, 40
Home health care patients . . . . .	87
Hospice patients . . . . .	88
Hospital utilization . . . . .	92, 93
Incidence rates . . . . .	54
Site-specific data . . . . .	29, 30, 39, 40, 54, 55, 92, 93
Survival, 5-year relative . . . . .	55
Trachea, bronchus, lung . . . . .	29, 39, 54, 55, 92, 93
Years of potential life lost . . . . .	30
Cardiac catheterization . . . . .	94
Carotid endarterectomy . . . . .	94
Cataract surgery . . . . .	94
Central and South American population, see Hispanic subgroups.	
Cerebrovascular disease (stroke) . . . . .	29, 30, 31, 32, 37, 92, 93
Deaths and death rates . . . . .	29, 31, 32, 37
Hospital utilization . . . . .	92, 93
Years of potential life lost . . . . .	30
Cesarean section . . . . .	94
Chancroid, see Diseases, notifiable.	
Child and adolescent health	
Abortion . . . . .	16
Access to care . . . . .	73, 74
AIDS cases . . . . .	53
Alcohol consumption . . . . .	51, 62, 63
Ambulatory care . . . . .	70, 75, 82, 83, 84
Birth rates . . . . .	3, 9
Birthweight . . . . .	12, 13, 14, 15
Breastfeeding . . . . .	18
Cigarette smoking . . . . .	51, 62, 63
Cocaine use . . . . .	63, 64
Contraception . . . . .	17, 51
Death rates, all causes . . . . .	35
Death rates, selected causes . . . . .	41, 42, 44, 45, 46, 47
Deaths, leading causes . . . . .	32
Dental caries (cavities), untreated . . . . .	79
Dental visits . . . . .	78
Early screening, Medicaid . . . . .	138
Expenditures, health care . . . . .	117, 119
Health insurance . . . . .	127, 128, 129
Health status, respondent-assessed . . . . .	57
Hospital utilization, emergency department . . . . .	75, 82, 83
Hospital utilization, inpatient . . . . .	89, 90, 92, 93, 94
Hospital utilization, outpatient department . . . . .	82
Illicit drug use . . . . .	62, 63
Infant mortality . . . . .	19, 20, 21, 22, 23, 24, 25
Inhalants . . . . .	63

## C—Con.

	<i>Table</i>
Child and adolescent health—Con.	
Injury . . . . .	83
Limitation of activity . . . . .	56
Marijuana use . . . . .	62, 63
Medicaid . . . . .	118, 128, 137
Out-of-pocket health care expenditures . . . . .	117, 119
Overweight . . . . .	51, 69
Physical activity . . . . .	51
Population, resident . . . . .	1
Poverty level, persons and families below . . . . .	2
Residential treatment centers for emotionally disturbed children . . . . .	86, 107
Suicidal ideation, suicide attempts . . . . .	58
Teenage childbearing . . . . .	3, 8
Vaccinations . . . . .	51, 71, 72
Childless women . . . . .	4
Chinese population, see Asian subgroups.	
Chiropractors . . . . .	98, 102, 103
Chlamydia, see Diseases, notifiable.	
Cholecystectomy . . . . .	94
Cholesterol, serum . . . . .	67
Chronic liver disease and cirrhosis . . . . .	29, 30, 31, 32
Chronic lower respiratory diseases . . . . .	29, 30, 31, 32, 41
Cigarette smoking (see also Births, smoking status of mother) . . . . .	51, 59, 60, 61, 62, 63
Cirrhosis, see Chronic liver disease and cirrhosis.	
Cocaine use . . . . .	63, 64
Communicable diseases, see also Diseases, notifiable . . . . .	34
Congenital anomalies . . . . .	31, 32
Consumer Price Index (CPI) . . . . .	113
Contraception (see also Fallopian tube procedures) . . . . .	17, 51
Coronary angioplasty . . . . .	94
Coronary artery bypass graft . . . . .	94
Cost, see Employee costs; Employer costs.	
Cuban population, see Hispanic subgroups.	

## D

Deaths, death rates (see also Cancer (malignant neoplasms); Cerebrovascular disease (stroke); Chronic lower respiratory diseases; Diabetes; Firearm-related injuries; Heart disease; HIV/AIDS; Homicide; Infant mortality; Life expectancy; Maternal mortality; Motor vehicle-related injuries; Occupational diseases; Occupational injuries; Suicide; Years of potential life lost) . . . . .	28, 29, 31, 32, 33, 34, 35
All causes . . . . .	35
Educational attainment . . . . .	34
Leading causes . . . . .	31, 32
Selected causes . . . . .	29
State . . . . .	28
Urbanization . . . . .	33

**D—Con.**

	<i>Table</i>
Dental caries (cavities), untreated . . . . .	79
Dental visits . . . . .	78, 136
Dentists . . . . .	98, 102, 103, 104, 105
Diabetes mellitus . . . . .	29, 30, 31, 32, 87, 92, 93
Deaths and death rates . . . . .	29, 31, 32
Home health care patients . . . . .	87
Hospital utilization . . . . .	92, 93
Years of potential life lost . . . . .	30
Diphtheria, see Diseases, notifiable; Vaccinations.	
Disability	
Blind and disabled Medicaid expenditures . . . . .	137
Functional status of nursing home residents . . . . .	97
Limitation of activity . . . . .	56, 97
Medicare beneficiaries . . . . .	136
Veterans with service-connected disabilities . . . . .	139
Diseases, notifiable . . . . .	52
Drug and alcohol hospitalizations . . . . .	92, 93
Drug abuse treatment clients . . . . .	85
Drug use, see Alcohol consumption; Cigarette smoking; Cocaine use; Illicit drug use; Inhalants; Marijuana use.	
DTP (Diphtheria, Tetanus, Pertussis), see Vaccinations.	

**E**

Education	
Alcohol consumption . . . . .	63
Births . . . . .	10, 11, 13
Breastfeeding . . . . .	18
Cigarette smoking . . . . .	60, 61, 63
Cocaine use . . . . .	63
Death rates . . . . .	34
Infant mortality . . . . .	20
Inhalants . . . . .	63
Mammography . . . . .	80
Marijuana use . . . . .	63
Pap smear . . . . .	81
Suicide ideation . . . . .	58
Elderly population age 65 years and over	
AIDS cases . . . . .	53
Alcohol consumption . . . . .	65
Ambulatory care . . . . .	70, 77, 82, 83, 84
Cholesterol, serum . . . . .	67
Cigarette smoking . . . . .	59, 61
Death rates, all causes . . . . .	35
Death rates, selected causes . . . . .	36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 47, 48
Deaths, leading causes . . . . .	32
Dental caries (cavities), untreated . . . . .	79
Dental visits . . . . .	78, 136
Expenditures, health care . . . . .	117, 119

**E—Con.**

	<i>Table</i>
Elderly population age 65 years and over—Con.	
Functional limitation . . . . .	136
Health insurance . . . . .	130
Health maintenance organization (HMO) . . . . .	130, 148, 149
Health status, respondent-assessed . . . . .	57
Home health care patients . . . . .	87
Hospice patients . . . . .	88
Hospital utilization, emergency department . . . . .	77, 82, 83
Hospital utilization, inpatient . . . . .	89, 90, 92, 93, 94, 136, 148
Hospital utilization, outpatient department . . . . .	82, 136
Hypertension . . . . .	66
Injury . . . . .	83
Life expectancy at age 65, 75 . . . . .	26, 27
Limitation of activity . . . . .	56, 97
Mammography . . . . .	80
Medicaid . . . . .	118, 130, 137
Medicare . . . . .	118, 130, 132, 134, 135, 136, 148
Nursing home expenditures . . . . .	123, 124, 136, 143
Nursing home utilization . . . . .	96, 97, 110, 123, 124, 136
Nursing homes . . . . .	110
Occupational injury deaths . . . . .	49
Out-of-pocket health care expenditures . . . . .	117, 119
Overweight and Obesity . . . . .	68
Pap smear . . . . .	81
Population, resident . . . . .	1
Vaccination . . . . .	51
Emergency department, see Ambulatory care	
Employee costs for health insurance . . . . .	133
Employer costs for health insurance . . . . .	121
Endoscopy . . . . .	94
Environmental air quality . . . . .	51
Expenditures, national health (see also Consumer Price Index; HIV/AIDS, expenditures by Federal agency; Hospital care expenditures; Medicaid; Medicare; Mental health expenditures; Nursing home expenditures; Physician expenditures; Prescription drug expenditures; Veterans' medical care) . . . . .	111, 112, 114, 115, 116, 120, 140
Amount in billions . . . . .	112, 115, 116, 120
Amount per capita . . . . .	111, 112, 116, 140
Factors affecting growth . . . . .	114
Government . . . . .	112, 116
International . . . . .	111
Percent of Gross Domestic Product . . . . .	111, 112
Personal health care . . . . .	114, 116, 140
Source of funds . . . . .	112, 116
Type of expenditure . . . . .	115, 116
Type of payer . . . . .	120

## F

	<i>Table</i>
Fallopian tube procedures (see also Contraception) . . . . .	94
Fertility rates, see Births.	
Fetal mortality . . . . .	22
Filipino population, see Asian subgroups.	
Firearm-related injuries . . . . .	47
Fractures . . . . .	87, 92, 93, 94

## G

Gonorrhea, see Diseases, notifiable.	
Gross Domestic Product (GDP) . . . . .	111, 112

## H

Haemophilus influenzae, invasive, see Diseases, notifiable.	
Hawaiian population, see Asian subgroups.	
Health care contacts, see Ambulatory care.	
Health expenditures, national, see Expenditures, national health.	
Health insurance (see also Health maintenance organization (HMO); Medicaid; Medicare) . . . . .	51, 70, 73, 74, 75, 76, 77, 89, 121, 127, 128, 129, 130, 133, 151
Access to care . . . . .	51, 73, 74, 76
Ambulatory care . . . . .	70, 75, 77
Employment related . . . . .	127, 130, 133
Employer costs . . . . .	121
Hospital utilization, emergency department . . . . .	75, 77
Hospital utilization, inpatient . . . . .	89
Race and Hispanic origin . . . . .	127, 128, 129, 130
65 years of age and over . . . . .	130
Under 65 years of age . . . . .	51, 127, 128, 129
Uninsured . . . . .	129, 151
Health maintenance organization (HMO) (see also Health insurance) . . . . .	131, 132, 148, 149, 150
Age, sex, race, Hispanic origin . . . . .	131
Geographic region and State . . . . .	150
Medicaid and State . . . . .	149
Medicare and State . . . . .	148
Plans and enrollment . . . . .	132
Poverty level . . . . .	131
Health status, respondent-assessed . . . . .	57
Heart disease . . . . .	29, 30, 31, 32, 36, 87, 88, 92, 93, 94
Deaths and death rates . . . . .	29, 31, 32, 36
Home health care patients . . . . .	87
Hospice patients . . . . .	88
Hospital utilization . . . . .	92, 93
Ischemic heart disease . . . . .	29, 30
Procedures (angiocardiography; cardiac catheterization; coronary angioplasty; coronary artery bypass graft; pacemaker) . . . . .	94
Years of potential life lost . . . . .	30

## H—Con.

	<i>Table</i>
Hepatitis, see Diseases, notifiable; Vaccinations.	
Hib (Haemophilus influenzae type b), see Vaccinations.	
Hispanic or Latino population	
Abortion . . . . .	16
Access to care . . . . .	73, 74, 76
AIDS cases . . . . .	53
Alcohol consumption . . . . .	62, 65
Ambulatory care . . . . .	70, 75, 77
Birth rates . . . . .	3, 9
Births, number . . . . .	5
Birthweight, low and very low . . . . .	12, 13, 14, 15
Breastfeeding . . . . .	18
Cancer incidence rates . . . . .	54
Cigarette smoking . . . . .	61, 62
Cocaine use . . . . .	62, 64
Contraception . . . . .	17
Death rates, all causes . . . . .	28, 29, 35
Death rates, geographic division and State . . . . .	28
Death rates, selected causes . . . . .	29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Deaths, leading causes . . . . .	31
Dental caries (cavities), untreated . . . . .	79
Dental visits . . . . .	78, 136
Education of mother . . . . .	10, 13, 20
Expenditures, health care . . . . .	117
Functional limitation . . . . .	136
Health insurance . . . . .	127, 129, 130
Health maintenance organization (HMO) . . . . .	130, 131
Health status, respondent-assessed . . . . .	57
Hospital utilization, emergency department . . . . .	75, 77
Hospital utilization, inpatient . . . . .	89
Illicit drug use . . . . .	62
Infant mortality . . . . .	19, 20, 23, 24
Limitation of activity . . . . .	56
Marijuana use . . . . .	62
Maternal mortality . . . . .	43
Medicaid . . . . .	118, 128, 130, 137
Medicare . . . . .	118, 130, 136
Occupational injury deaths . . . . .	49
Out-of-pocket health care expenditures . . . . .	117
Pap smear . . . . .	81
Population, resident . . . . .	1
Poverty level, persons and families below . . . . .	2
Prenatal care . . . . .	6, 7
Smoking status of mother . . . . .	11
Students, health occupations . . . . .	104, 105
Teenage childbearing . . . . .	3, 8
Unmarried mothers . . . . .	9
Vaccinations . . . . .	71
Years of potential life lost . . . . .	30

## H—Con.

	<i>Table</i>
Hispanic subgroups (Central and South American; Cuban; Mexican; Puerto Rican) (see also Mexican; Puerto Rican)	
Birth rates	9
Births, number	5
Birthweight, low and very low	12, 13
Education of mother	10, 13, 20
Health insurance	127, 128, 129, 130
Health maintenance organization (HMO)	131
Infant mortality	19, 20
Prenatal care	6
Smoking status of mother	11
Teenage childbearing	8
Unmarried mothers	9
HIV/AIDS	29, 30, 31, 32, 34, 42, 53, 91, 126
AIDS cases	31, 32, 53
Deaths and death rates	29, 42
Educational attainment, death rates	34
Expenditures by Federal agency and activity	126
Hospital utilization	91
Years of potential life lost	30
Home health care patients	87
Homicide	29, 30, 31, 32, 45, 51
Hospice patients	88
Hospital employees	98
Hospital care expenditures (see also Consumer Price Index; Medicaid; Medicare)	116, 122, 141
Hospital utilization (see also Access to care; Ambulatory care; Medicaid; Medicare; Veterans' medical care)	89, 90, 91, 92, 93, 94, 95, 136, 148
Admissions	95
Average length of stay	89, 90, 91, 93, 95, 148
Days of care	89, 90, 91, 92
Diagnoses, selected	91, 92, 93
Discharges for inpatients	89, 90, 91, 92, 93
Outpatient department	95, 136
Procedures	94
Race and Hispanic origin	89, 136
Surgery	94, 95
Hospitals (see also Hospital employees; Mental health; Nursing homes)	106, 108, 109
Beds	106, 109
Geographic division and State	108, 109
Occupancy rate	106, 109
Hypertension	66
Hysterectomy	94

## I

	<i>Table</i>
Illicit drug use	51, 62, 63
Immunizations, see Vaccinations.	
Income, family, see Poverty status.	
Infant mortality (see also Fetal mortality)	19, 20, 21, 22, 23, 24, 25, 32
Age at death	19, 22, 24
Birth cohort data	19, 20, 21
Birthweight	21
Cause of death	32
Education of mother	20
Geographic division and State	23, 24
International	25
Race and Hispanic origin	19, 20, 22, 23, 24
Influenza and pneumonia	29, 30, 31, 32
Inhalants	63
Injuries, see Ambulatory care; Firearm-related injuries; Homicide; Hospital utilization, diagnoses; Motor vehicle-related injuries; Occupational injuries; Suicide; Unintentional injuries.	
Inpatient care, see Hospital utilization; Mental health, additions; Nursing home utilization.	
Instrumental activities of daily living (IADL), see Limitation of activity.	
International health, see Expenditures, international; Infant mortality; Life expectancy.	
Intervertebral disc disorders	92, 93, 94
Ischemic heart disease, see Heart disease.	

## J

Japanese population, see Asian subgroups.

## L

Leading causes of death	31, 32
Leading Health Indicators	51
Life expectancy	26, 27
Limitation of activity	56, 97, 136
Liver disease, see Chronic liver disease and cirrhosis.	
Low birthweight, see Births; Infant mortality.	
Lumpectomy	94
Lyme disease, see Diseases, notifiable.	

## M

Table

Malignant neoplasms, see Cancer.	
Mammography	80
Managed care, see Health maintenance organization (HMO); Preferred provider organization (PPO).	
Marijuana use	62, 63
Mastectomy	94
Maternal health, see Women's health.	
Maternal mortality	43
Measles (Rubeola), see Diseases, notifiable; Vaccinations.	
Medicaid (see also Health insurance)	116, 118, 120, 128, 130, 131, 137, 138, 146, 149
Basis of eligibility	137
Coverage	128, 130
Expenditures	116, 120, 146
Geographic region and State	146, 149
Health maintenance organization (HMO)	131, 149
Race and Hispanic origin	128, 137
Recipients and payments	118, 137, 138, 149
Type of service	138
Medical doctors, see Physicians.	
Medicare (see also Health insurance)	116, 130, 134, 135, 136, 145, 148
Age and sex	130, 135
Coverage	130
Enrollment	134, 135, 136, 148
Expenditures	116, 134, 136, 145
Geographic region and State	145, 148
Health maintenance organization (HMO)	130, 148
Hospital utilization	148
Payments	118, 135, 145, 148
Race and Hispanic origin	130, 136
Type of service	130, 134
Meningococcal disease	32, 52
Mental health (see also Suicide)	51, 86, 92, 93, 107, 125, 147
Additions, mental health organizations	86
Beds and organizations	107
Depression	51
Expenditures	125, 147
Hospital utilization	92, 93
Mental illness, serious	92, 93
Metropolitan/nonmetropolitan data	
Access to care	73, 74, 76
Alcohol	63
Ambulatory care	70, 75, 77
Death rates	33
Dental visits	78
Health insurance	127, 128, 129, 130, 131
Health status, respondent-assessed	57
Hospital utilization	89
Limitation of activity	56
Vaccinations	71, 72

## M—Con.

Table

Mexican population (see also Hispanic subgroups)	
Cholesterol, serum	67
Cigarette smoking	61
Dental caries (cavities), untreated	79
Health insurance	127, 128, 129, 130, 131
Health status, respondent-assessed	57
Hospital utilization, emergency department	77
Hypertension	66
Limitation of activity	56
Medical students	104, 105
No usual source of care	76
Overweight and Obesity	68, 69
Poverty level, persons and families below	2
MMR (Measles, Mumps, Rubella), see Vaccinations.	
Motor vehicle-related injuries	29, 30, 44, 51, 83
Mumps, see Diseases, notifiable; Vaccinations.	
Myringotomy	94

## N

National health expenditures, see Expenditures, national health.	
Neonatal mortality, see Infant mortality, age at death.	
Nephritis, nephrotic syndrome, and nephrosis	31, 32
Nulliparous women	4
Nurses	102, 103, 104, 105
Nursing home employees	98
Nursing home expenditures	116, 123, 124, 136, 143
Nursing home utilization	96, 97, 110, 136, 139
Nursing homes, beds, occupancy	110
Nutrition-related data	
Alcohol consumption	51, 62, 63, 65
Birthweight, low and very low	12, 13, 14, 15
Breastfeeding	18
Cancer death rates	29, 30, 31, 32, 38
Cancer incidence	54
Cerebrovascular disease (stroke), death rates	29, 30, 31, 32, 37
Cholesterol, serum	67
Diabetes mellitus	29, 30, 31, 32, 87, 92, 93
Hypertension	66
Infant mortality	19, 20, 21, 22, 23, 24, 25, 32
Ischemic heart disease	29, 30
Nutritionists/dieticians	102
Overweight and Obesity	51, 68, 69
Nutritionists/dieticians	102

## O

	<i>Table</i>
Obesity	51, 68
Obstetrical laceration	94
Occupational disease deaths	48
Occupational injuries	49, 50
Occupational therapists	102, 103
Optometrists	102, 103, 104, 105
Osteoarthritis	87, 92, 93
Osteopaths, see Physicians.	
Out-of-pocket health care expenditures	117, 119, 120
Outpatient department, see Ambulatory care; Hospital utilization, outpatient department.	
Overweight	51, 68, 69
Ozone	51

## P

Pacemakers	94
Pap smear	81
Parity, see Childless women.	
Perinatal mortality, see Infant mortality, age at death	
Personal health care expenditures, see Expenditures, national health.	
Pertussis (whooping cough), see Diseases, notifiable; Vaccinations.	
Pharmacists	102, 103, 104, 105
Physical activity	51
Physical therapists	102, 103
Physician services expenditures (see also Consumer Price Index; Medicaid; Medicare)	116, 142
Physician utilization, see Access to care; Ambulatory care.	
Physicians	84, 98, 99, 100, 101, 102, 103, 104, 105
Active personnel	102
Doctors of osteopathy	102, 103, 104, 105
Employees, in offices of	98
Geographic division and State	99
International medical school graduates	100
Primary care	84, 101
Primary specialty	84, 100, 101
Schools and students	103, 104, 105
Pneumonia (see also Influenza and pneumonia)	92, 93
Podiatrists	102, 103, 104, 105
Poliomyelitis (Polio), see Diseases, notifiable; Vaccinations.	
Population, resident	1
Postneonatal mortality, see Infant mortality, age at death.	
Poverty status	2, 56, 57, 70, 71, 73, 74, 75, 76, 77, 78, 79, 80, 81, 89, 127, 128, 129, 130, 131
Access to care	73, 74, 76
Ambulatory care	70, 75, 77
Dental caries (cavities), untreated	79
Dental visits	78
Health insurance	127, 128, 129, 130

## P—Con.

	<i>Table</i>
Poverty status—Con.	
Health maintenance organization (HMO)	131
Health status, respondent-assessed	57
Hospital utilization, inpatient	89
Limitation of activity	56
Mammography	80
Medicaid	128, 130
Pap smear	81
Persons and families below poverty level	2
Vaccinations	71
Preferred provider organization (PPO)	133
Prenatal care, see Births.	
Prescription drug expenditures (see also Consumer Price Index; Medicaid; Medicare)	116, 117, 144
Primary care physicians, see Physicians.	
Private health insurance, see Health insurance.	
Prostatectomy	94
Public Health, schools of; students	103
Puerto Rican population (see also Hispanic subgroups)	
Health insurance	127, 128, 129, 130, 131
Medical students	104, 105
Poverty level, persons and families below	2

## R

Rocky Mountain spotted fever, see Diseases, notifiable.	
Rubella (German measles), see Diseases, notifiable; Vaccinations.	
Rural data, see Metropolitan/nonmetropolitan data.	

## S

Salmonellosis, see Diseases, notifiable.	
Self-assessment of health, see Health status, respondent-assessed.	
Septicemia	31, 32
Shigellosis, see Diseases, notifiable.	
Smoking, see Cigarette smoking.	
Socioeconomic status, see Education; Poverty status.	
Source of funds or payments (see also Expenditures, national health; Health insurance; Medicaid; Medicare)	116, 118, 120, 124, 126
Speech therapists	102, 103
State data	
Alcohol abuse treatment clients	85
Birthweight, low and very low	14, 15
Death rates	28
Drug abuse treatment clients	85
Expenditures, drug	144
Expenditures, hospital care	141
Expenditures, nursing home and home health care	143



## S—Con.

	<i>Table</i>
State data—Con.	
Expenditures, personal health care . . . . .	140
Expenditures, physician . . . . .	142
Expenditures, State mental health agency . . . . .	147
Health maintenance organization (HMO) . . . . .	148, 149, 150
Hospital beds . . . . .	108
Hospital occupancy rates . . . . .	109
Infant mortality . . . . .	23, 24
Medicaid . . . . .	146, 149
Medicare . . . . .	145, 148
Nursing homes, beds, occupancy, residents . . . . .	110
Physicians . . . . .	99
Prenatal care . . . . .	7
Substance abuse treatment clients . . . . .	85
Uninsured, health . . . . .	151
Vaccinations . . . . .	72
Sterilization, see Contraception; Fallopian tube procedures.	
Stroke, see Cerebrovascular disease.	
Substance abuse treatment clients . . . . .	85
Sudden infant death syndrome, see Infant mortality, cause of death.	
Suicidal ideation, suicide attempts . . . . .	58
Suicide . . . . .	29, 30, 31, 32, 46
Surgery, see Hospital utilization.	
Syphilis, see Diseases, notifiable.	

## T

Tetanus, see Diseases, notifiable; Vaccinations.	
Tobacco use, see Cigarette smoking.	
Tonsillectomy . . . . .	94
Total hip replacement . . . . .	94
Tubal ligation, see Fallopian tube procedures.	
Tuberculosis, see Diseases, notifiable.	

## U

Uninsured, health, see Health insurance, uninsured.	
Unintentional injuries . . . . .	29, 30, 31, 32
Urban and rural data, see Metropolitan/nonmetropolitan data.	
Usual source of care, see Access to care.	

## V

Vaccinations . . . . .	51, 71, 72
Varicella, see Vaccinations.	
Veterans' medical care . . . . .	139

## W

	<i>Table</i>
Wages and salaries . . . . .	121
Women's health	
Abortion . . . . .	16
Access to care . . . . .	76
AIDS cases . . . . .	53
Alcohol consumption . . . . .	62, 63, 65
Ambulatory care . . . . .	70, 77, 82, 83, 84
Birth rates, fertility rates . . . . .	3, 9
Births, number . . . . .	5, 9
Breast cancer . . . . .	40, 54, 55, 92, 93
Breastfeeding . . . . .	18
Cancer incidence rates . . . . .	54
Cancer survival, 5-year relative . . . . .	55
Cesarean section . . . . .	94
Childless women . . . . .	4
Cholesterol, serum . . . . .	67
Cigarette smoking . . . . .	11, 12, 59, 60, 61, 62, 63
Cocaine use . . . . .	63, 64
Contraception . . . . .	17, 51
Death rates, all causes . . . . .	29, 35
Death rates, educational attainment . . . . .	34
Death rates, selected causes . . . . .	29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Death rates, urbanization . . . . .	33
Deaths, leading causes . . . . .	31
Dental caries (cavities), untreated . . . . .	79
Dental visits . . . . .	78
Education of mother . . . . .	10, 11, 13, 20
Expenditures, health care . . . . .	117
Health insurance . . . . .	127, 128, 129, 130
Health maintenance organization (HMO) . . . . .	131
Health status, respondent-assessed . . . . .	57
Home health care patients . . . . .	87
Hospice patients . . . . .	88
Hospital utilization, emergency department . . . . .	82, 83
Hospital utilization, inpatient . . . . .	89, 90, 91, 92, 93
Hospital utilization, outpatient department . . . . .	82
Hypertension . . . . .	66
Hysterectomy . . . . .	94
Illicit drug use . . . . .	62
Inhalants . . . . .	63
Life expectancy . . . . .	26, 27
Limitation of activity . . . . .	56, 97
Lumpectomy . . . . .	94
Mammography . . . . .	80
Marijuana use . . . . .	62, 63
Mastectomy . . . . .	94
Maternal mortality . . . . .	43
Medicare . . . . .	118, 130, 135, 136
Nursing home utilization . . . . .	96, 97

**W**

*Table*

Women's health—Con.

Occupational injury deaths . . . . .	49
Out-of-pocket health care expenditures . . . . .	117
Overweight and Obesity . . . . .	68, 69
Pap smear . . . . .	81
Population, resident . . . . .	1
Poverty, families with female householder . . . . .	2
Prenatal care . . . . .	6, 7
Students, health occupations . . . . .	105
Teenage childbearing . . . . .	3, 8
Unmarried mothers . . . . .	9
Years of potential life lost . . . . .	30

**Y**

Years of potential life lost (YPLL) . . . . .	30
---	----