

**Results from the 2001  
National Household Survey on Drug Abuse:  
Volume III. Detailed Tables**

**Volume III-ABN  
Prevalence Estimates and Sample Sizes  
and  
Volume III-CDP  
Standard Errors and P-Values**

- Section 1: Illicit Drug Use Tables - 1.1 to 1.110**
- Section 2: Tobacco and Alcohol Use Tables - 2.1 to 2.111**
- Section 3: Risk and Protective Factor Tables - 3.1 to 3.67**
- Section 4: Incidence Tables - 4.1 to 4.19**
- Section 5: Dependence, Abuse, and Treatment Tables - 5.1 to 5.67**
- Section 6: Miscellaneous Tables - 6.1 to 6.83**
- Section 7: Sample Size and Population Tables - 7.1 to 7.16**
- Section 8: Mental Health Tables - 8.1 to 8.56**

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies

## **Acknowledgments**

This report was prepared by the Division of Population Surveys, Office of Applied Studies, SAMHSA, and RTI, Research Triangle Park, North Carolina. Work by RTI was performed under Contract No. 283-98-9008. Contributors and reviewers at RTI listed alphabetically include Kortnee Barnett, Katherine R. Bowman, Janice M. Brown, James R. Chromy, Andrew Clarke, Teresa R. Davis, Steven L. Emrich, Eric A. Grau, Ralph E. Folsom, Jr., Jennie L. Harris, David C. Heller, Larry A. Kroutil, Amy Licata, Mary Ellen Marsden, Christine Murtha, Dawn Odom, Lisa E. Packer, Michael R. Pemberton, Michael A. Penne, Kristine L. Rae, Avinash C. Singh, Tom Virag (Project Director), Michael Vorburger, Matt Westlake, and Li-Tzy Wu. Contributors at SAMHSA listed alphabetically include Peggy Barker, Dicy Butler, Joan Epstein, Joseph Gfroerer, Arthur Hughes, Joel Kennet, Lucilla Tan, and Doug Wright. Richard S. Straw of RTI prepared the graphics and edited the report. Brenda K. Porter and Keri V. Kennedy, also from RTI, formatted the tables. Final report production was provided by Beatrice Rouse, Coleen Sanderson, and Jane Feldmann at SAMHSA.

## **Electronic Access to Publication**

This publication can be accessed electronically through the Internet connections listed below:

<http://www.samhsa.gov/oas/nhsda.htm>  
<http://www.DrugAbuseStatistics.SAMHSA.gov>

## **Originating Office**

SAMHSA, Office of Applied Studies  
5600 Fishers Lane, Room 16-105  
Rockville, MD 20857

September 2002

# Table of Contents

## Volume III: Detailed Tables

Volume III-ABN: Prevalence Estimates and Sample Sizes - Table Types A, B, and N

### Part 1: Illicit Drug Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-CDP

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

### Part 2: Tobacco and Alcohol Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-CDP

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

## Table of Contents (continued)

### Part 3: Risk and Protective Factor Tables; Incidence Tables; Dependence, Abuse, and Treatment Tables; and Sample Size and Population Tables

#### Introduction

- Table Numbering
- Table Organization
- Locating a Table
- Accessing a Table Electronically
- Indexes of Parts 1 through 4
- Key to Selected Variables
- Indexes of Tables
  - Section 3 - Risk and Protective Factor Tables
  - Section 4 - Incidence Tables
  - Section 5 - Dependence, Abuse, and Treatment Tables
  - Section 7 - Sample Size and Population Tables

#### List of Tables

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

#### Detailed Tables

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

#### List of Tables - Volume III-CDP

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

### Part 4: Miscellaneous Tables, Mental Health Tables, and Sample Size and Population Tables

#### Introduction

- Table Numbering
- Table Organization
- Locating a Table
- Accessing a Table Electronically
- Indexes of Parts 1 through 4
- Key to Selected Variables
- Indexes of Tables
  - Section 6 - Miscellaneous Tables
  - Section 8 - Mental Health Tables
  - Section 7 - Sample Size and Population Tables

#### List of Tables

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

#### Detailed Tables

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

#### List of Tables - Volume III-CDP

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

## Table of Contents (continued)

Volume III-CDP: Standard Errors and P-Values - Table Types C, D, and P

### Part 1: Illicit Drug Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-ABN

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

### Part 2: Tobacco and Alcohol Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-ABN

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

## Table of Contents (continued)

### Part 3: Risk and Protective Factor Tables; Incidence Tables; Dependence, Abuse, and Treatment Tables; and Sample Size and Population Tables

#### Introduction

- Table Numbering
- Table Organization
- Locating a Table
- Accessing a Table Electronically
- Indexes of Parts 1 through 4
- Key to Selected Variables
- Indexes of Tables
  - Section 3 - Risk and Protective Factor Tables
  - Section 4 - Incidence Tables
  - Section 5 - Dependence, Abuse, and Treatment Tables
  - Section 7 - Sample Size and Population Tables

#### List of Tables

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

#### Detailed Tables

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

#### List of Tables - Volume III-ABN

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

### Part 4: Miscellaneous Tables, Mental Health Tables, and Sample Size and Population Tables

#### Introduction

- Table Numbering
- Table Organization
- Locating a Table
- Accessing a Table Electronically
- Indexes of Parts 1 through 4
- Key to Selected Variables
- Indexes of Tables
  - Section 6 - Miscellaneous Tables
  - Section 8 - Mental Health Tables
  - Section 7 - Sample Size and Population Tables

#### List of Tables

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

#### Detailed Tables

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

#### List of Tables - Volume III-ABN

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

## Table of Contents (continued)

### Volume I: Summary of National Findings<sup>1</sup> (under separate cover)

1. Introduction
2. Illicit Drug Use
3. Alcohol Use
4. Tobacco Use
5. Trends in Initiation of Substance Use
6. Prevention-Related Measures
7. Substance Dependence, Abuse, and Treatment
8. Prevalence and Treatment of Mental Health Problems
9. Discussion

### Volume II: Technical Appendices and Selected Data Tables<sup>2</sup> (under separate cover)

- A. Description of the Survey
- B. Statistical Methods and Limitations of the Data
- C. Effects of Changes in Survey Protocol on Trend Measurement
- D. Key Definitions, 1999-2001 Survey Years
- E. Other Sources of Data
- F. References
- G. Sample Size and Population Tables
- H. Selected Prevalence Tables

---

<sup>1</sup>Office of Applied Studies. (2002). *Results from the 2001 National Household Survey on Drug Abuse: Volume I. Summary of national findings* (DHHS Publication No. SMA 02-3758, NHSDA Series H-17). Rockville, MD: Substance Abuse and Mental Health Services Administration.

<sup>2</sup>Office of Applied Studies. (2002). *Results from the 2001 National Household Survey on Drug Abuse: Volume II. Technical appendices and selected data tables* (DHHS Publication No. SMA 02-3759, NHSDA Series H-18). Rockville, MD: Substance Abuse and Mental Health Services Administration.

## Introduction

*Results from the 2001 National Household Survey on Drug Abuse: Volume III, Detailed Tables* is a collection of tables generated using data collected in the 2000 and 2001 National Household Surveys on Drug Abuse (NHSDAs). The majority of these tables are trend tables presenting estimates from the 2000 and 2001 NHSDAs. Select tables present only estimates from the 2001 NHSDA (if the same or comparable data are not available from the 2000 NHSDA). In addition, a select number of tables contain annual averages, which are generated by combining the 2000 and 2001 data (if there are not sufficient data within a single year to produce reliable estimates).

A subset of the Volume III tables is included in Volume II of this same report. Tables included in Volume II can be mapped back to these Volume III tables by using the table number reference included in parentheses in the upper left-hand corner of each table in Volume II (e.g., Table G.1 in Volume II is the equivalent of Table 7.1N in Volume III). A brief description of the sample design and estimation procedures used in the 2001 NHSDA can also be found in Volume II.

### Table Numbering

The tables within this volume are numbered using a three-part numbering scheme (e.g., 1.15A). The first part of the table number (1.15A) is the subject matter section to which a particular table belongs. The second part (1.15A) is the actual number of a table within a particular section. The third part (1.15A) is a table type indicator, an alphabetic letter appended to the table number. There are multiple table types for each table number.

The eight subject matter sections and the number of tables per section are as follows:

- Section 1: Illicit Drug Use Tables - 1.1 to 1.110
- Section 2: Tobacco and Alcohol Use Tables - 2.1 to 2.111
- Section 3: Risk and Protective Factor Tables - 3.1 to 3.67
- Section 4: Incidence Tables - 4.1 to 4.19
- Section 5: Dependence, Abuse, and Treatment Tables - 5.1 to 5.67
- Section 6: Miscellaneous Tables - 6.1 to 6.83
- Section 7: Sample Size and Population Tables - 7.1 to 7.16
- Section 8: Mental Health Tables - 8.1 to 8.56

The table type indicators are defined as follows:



## **Table Type    Purpose of the Table**

- A:           Presents estimates of the numbers of persons who have used the drug(s) in the populations described by the column and row headings.
- B:           Presents estimates of the percentages of persons who have used the drug(s) in the populations described by the column and row headings.
- C:           Presents the standard error associated with each of the estimates in the "A" tables.
- D:           Presents the standard error associated with each of the estimates in the "B" tables.
- N:           Presents the number of cases in the specified NHSDA sample with the characteristics defined by the column and row headings.
- P:           Presents the p-values from test of the statistical significance of differences between columns in "B" tables.

The majority of tables within the *Detailed Tables* contain five table types (A, B, C, D, and P) as defined above. Note that table type N is used exclusively within Section 7 to display the sample size counts. Exceptions to this organization are noted below:

- Section 4 (Incidence Tables) contains only table types A and C. Table type A contains numbers of initiates, mean age, and age specific rates. Table type C contains the associated standard errors for each of these estimates.
- Section 7 (Sample Size Tables) contains only table types A, C, and N. Population counts, standard errors, and sample sizes are displayed in table types A, C, and N, respectively. Percentages of the population and associated standard error tables are not provided in this section.
- Selected table sets within Section 1 (Illicit Drug Use Tables), Section 2 (Tobacco and Alcohol Use Tables), Section 3 (Risk and Protective Factor Tables), Section 6 (Miscellaneous Tables), and Section 8 (Mental Health Tables) include only table types A, B, C, and D. Selected tables within these sections either present estimates for the 2001 NHSDA only, or contain annual average estimates for 2000 and 2001 NHSDA data combined. In both cases, these select tables are not trend tables; thus, significance tests between 2000 and 2001 estimates are not relevant, and table type P is not applicable.

## **Table Organization**

The *Volume III Detailed Tables* is organized by table type into two subvolumes as follows:

**Volume III-ABN: Prevalence Estimates and Sample Sizes - Table Types A, B, and N**  
**Volume III-CDP: Standard Errors and P-Values - Table Types C, D, and P**

Both subvolumes are organized into four parts based on subject matter sections. (Note that for easy reference, the sample size tables are included in each part.) The sections included in each part are provided in the indexes for the part, which are presented on the following pages.

## Locating a Table

For each of the four parts of tables within the two subvolumes (Volume III-ABN and Volume III-CDP) of the *Detailed Tables*, the following have been provided to assist users in locating a specific table of interest:

- a list of tables,
- a key to selected variables, and
- a table index for each subject matter section.

The list of tables can be used to identify a specific table for one of the subject matter sections. The key to selected variables defines selected demographic variables used in the table indexes. This may be helpful when used in conjunction with the table indexes in identifying tables that contain information for these selected demographic characteristics. The table indexes summarize the information contained in each table in tabular form and can be used to determine tables categorized by content area, age groupings, racial/ethnic characteristics, demographic characteristics, and geographic characteristics. (Note: Due to space restrictions, neither the section indicator nor the table type indicator component of the table numbers is used in the index.)

The examples below illustrate the various methods available to the user interested in locating a table containing specific information.

*Using the List of Tables.* A user interested in information about the prevalence of past month illicit drug use among youths aged 12 to 17 would review the list of tables in Section 1: Illicit Drug Use Tables and identify Table 1.2B as the table of interest.

*Using the Key to Selected Variables and Table Indexes.* Another method for locating this table (which shows the prevalence of past month illicit drug use among youths aged 12 to 17) would be to use the key to selected variables in conjunction with the table indexes. By first becoming familiar with the terms in the key to selected variables, the user can identify that youths aged 12 to 17 is the first age group under the heading "Standard Age Groups." Thus, when the table indexes are referenced, it will be clear to the user that age groups, such as youths 12 to 17, as well as other demographic information defined in this key to selected variables, will not be explicitly listed.

Next, a user can determine, by looking at the titles of the sections, that tables pertaining to illicit drug use can be found in the Section 1: Illicit Drug Use Tables. Once the user has identified the index for the Section 1 tables, he or she can scan the column headings to learn that the first two columns, "Use of Specific Illicit Drugs" and "Any Illicit Drug Use," are the most appropriate.

By referencing the first footnote on the Index of Section 1 Tables, the user can determine that the first column includes tables that represent separate estimates and percentages for each illicit drug, while the latter includes tables that represent use of any illicit drug crossed with some other characteristic (thus, the first column is the column of interest for the example). The user must next find the row for "Standard Age Groups" and identify the tables within the cell at the intersection of this desired row and the first column. Note, there are multiple tables in this cell, including (2-4) and (14-17). As indicated by the note on each table index, the parentheses around these numbers are used to indicate that the specified tables contain estimates for some subset of the information listed in the row heading. Thus, Table 1.2 contains estimates only for youths aged 12 to 17, Table 1.3 contains estimates only for persons aged 18 to 25, and Table 1.4 contains estimates only for persons aged 26 or older.

Finally, using either of the previously described methods for locating a table or by perusing the tables themselves, the user can identify that Table 1.2B contains the desired prevalence information.

### **Accessing a Table Electronically**

Once a desired table is identified (see **Locating a Table**), an electronic version of that table may be accessed on the SAMHSA website.

*Using Links Within the Indexes of Parts.* Each subvolume (Volume III-ABN and Volume III-CDP) of the *Detailed Tables* has been divided into four parts (see the following pages). Within each part, the tables have been placed in groups based on content. The indexes of parts can be used to identify the group of tables in which the desired table is likely to be located. Clicking on the appropriate ABN or CDP link will take the user directly to the first table in the specified group where the user can then scroll through the tables to locate the table of interest.

*Using Links Within the List of Tables.* Once a user has identified a table of interest, the list of tables can be used to directly access each desired table. Simply clicking on the desired title will take the user directly to that table.

Please note that regardless of which link is used to access a table (index of parts or list of tables), only the tables within the same group as the one accessed will appear in the user window. In addition, once a group of ABN tables is accessed, there is no direct link to the corresponding CDP tables (and vice versa). If the user wishes to see a table NOT included in the current group, or to see the corresponding ABN or CDP tables, it will be necessary to (a) click on the new group that contains the new table of interest, or (b) click on the appropriate table in the list of tables.

## Index of Part 1 Tables

|   | Table Number                        | Table Type                            |                              |
|---|-------------------------------------|---------------------------------------|------------------------------|
|   |                                     | Prevalence Estimates and Sample Sizes | Standard Errors and P-Values |
| <b>PART 1:<br/>Illicit Drug Use Tables<br/>Sample Size and Population Tables</b>  | <b>1.1 to 1.110<br/>7.1 to 7.16</b> |                                       |                              |
| <b>Illicit Drug Use Tables</b>  | <b>1.1 to 1.110</b>                 |                                       |                              |
| Lifetime, past year, and past month illicit drug use by selected age groups and gender                                  | 1.1 to 1.18                         | ABN                                   | CDP                          |
| Selected illicit drugs by detailed age  | 1.19 to 1.25                        | ABN                                   | CDP                          |
| <b>Selected illicit drugs by demographic characteristics</b>  | <b>1.26 to 1.60</b>                 |                                       |                              |
| Any illicit drug  | 1.26 to 1.30                        | ABN                                   | CDP                          |
| Marijuana   | 1.31 to 1.35                        | ABN                                   | CDP                          |
| Cocaine   | 1.36 to 1.40                        | ABN                                   | CDP                          |
| Hallucinogens   | 1.41 to 1.45                        | ABN                                   | CDP                          |
| Inhalants   | 1.46 to 1.50                        | ABN                                   | CDP                          |
| Nonmedical use of any psychotherapeutic   | 1.51 to 1.55                        | ABN                                   | CDP                          |
| Any illicit drug other than marijuana   | 1.56 to 1.60                        | ABN                                   | CDP                          |
| Selected illicit drugs by racial/ethnic subgroups   | 1.61 to 1.70                        | ABN                                   | CDP                          |
| <b>Selected illicit drugs by geographic characteristics</b>   | <b>1.71 to 1.105</b>                |                                       |                              |
| Any illicit drug  | 1.71 to 1.75                        | ABN                                   | CDP                          |
| Marijuana   | 1.76 to 1.80                        | ABN                                   | CDP                          |
| Cocaine   | 1.81 to 1.85                        | ABN                                   | CDP                          |
| Hallucinogens   | 1.86 to 1.90                        | ABN                                   | CDP                          |
| Inhalants   | 1.91 to 1.95                        | ABN                                   | CDP                          |
| Nonmedical use of any psychotherapeutic   | 1.96 to 1.100                       | ABN                                   | CDP                          |
| Any illicit drug other than marijuana   | 1.101 to 1.105                      | ABN                                   | CDP                          |
| Specific hallucinogen, inhalant, needle, heroin, pain reliever, tranquilizer, stimulant, and sedative use by age groups | 1.106 to 1.110                      | ABN                                   | CDP                          |
| <b>Sample Size and Population Tables</b>  | <b>7.1 to 7.16</b>                  | <b>ABN</b>                            | <b>CDP</b>                   |

## Index of Part 2 Tables

|   | Table Number                        | Table Type                            |                              |
|---|-------------------------------------|---------------------------------------|------------------------------|
|   |                                     | Prevalence Estimates and Sample Sizes | Standard Errors and P-Values |
| <b>PART 2:<br/>Tobacco and Alcohol Use Tables<br/>Sample Size and Population Tables</b>       | <b>2.1 to 2.111<br/>7.1 to 7.16</b> |                                       |                              |
| <b>Tobacco and Alcohol Use Tables</b>   | <b>2.1 to 2.111</b>                 |                                       |                              |
| Lifetime, past year, and past month tobacco and alcohol use by selected age groups and gender | 2.1 to 2.18                         | ABN                                   | CDP                          |
| Selected tobacco and alcohol use by detailed age  | 2.19 to 2.24                        | ABN                                   | CDP                          |
| <b>Selected tobacco and alcohol use by demographic characteristics</b>                        | <b>2.25 to 2.54</b>                 |                                       |                              |
| Any tobacco   | 2.25 to 2.29                        | ABN                                   | CDP                          |
| Cigarettes  | 2.30 to 2.34                        | ABN                                   | CDP                          |
| Smokeless tobacco   | 2.35 to 2.39                        | ABN                                   | CDP                          |
| Cigars  | 2.40 to 2.44                        | ABN                                   | CDP                          |
| Alcohol use   | 2.45 to 2.54                        | ABN                                   | CDP                          |
| Selected tobacco and alcohol use by racial/ethnic subgroups                                   | 2.55 to 2.69                        | ABN                                   | CDP                          |
| <b>Selected tobacco and alcohol use by geographic characteristics</b>                         | <b>2.70 to 2.99</b>                 |                                       |                              |
| Any tobacco   | 2.70 to 2.74                        | ABN                                   | CDP                          |
| Cigarettes  | 2.75 to 2.79                        | ABN                                   | CDP                          |
| Smokeless tobacco   | 2.80 to 2.84                        | ABN                                   | CDP                          |
| Cigars  | 2.85 to 2.89                        | ABN                                   | CDP                          |
| Alcohol use   | 2.90 to 2.99                        | ABN                                   | CDP                          |
| Alcohol use by underage and legal drinkers  | 2.100 to 2.111                      | ABN                                   | CDP                          |
| <b>Sample Size and Population Tables</b>  | <b>7.1 to 7.16</b>                  | <b>ABN</b>                            | <b>CDP</b>                   |

## Index of Part 3 Tables

| <b>PART 3:</b><br><b>Risk and Protective Factor Tables</b><br><b>Incidence Tables</b><br><b>Dependence, Abuse, and Treatment Tables</b><br><b>Sample Size and Population Tables</b> | Table Number   | Table Type   |   |
|---|--|--|---|
|   | <b>3.1 to 3.67</b><br><b>4.1 to 4.19</b><br><b>5.1 to 5.67</b><br><b>7.1 to 7.16</b> | <b>Prevalence</b><br><b>Estimates</b><br><b>and Sample</b><br><b>Sizes</b> | <b>Standard</b><br><b>Errors</b><br><b>and</b><br><b>P-Values</b> |
| <b>Risk and Protective Factor Tables</b>  | <b>3.1 to 3.67</b>   |  |   |
| <b>Perceived risk and availability of drugs</b>   | <b>3.1 to 3.17</b>   |  |   |
| Perceived risk of drugs   | 3.1 to 3.12  | ABN  | CDP   |
| Perceived availability of drugs   | 3.13 to 3.17   | ABN  | CDP   |
| Neighborhood characteristics  | 3.18 to 3.19   | ABN  | CDP   |
| Parental disapproval  | 3.20 to 3.22, 3.62   | ABN  | CDP   |
| Fighting and criminal activity  | 3.23 to 3.28   | ABN  | CDP   |
| Peer disapproval  | 3.29 to 3.31, 3.63   | ABN  | CDP   |
| Prevention programs/drug messages/youth activities  | 3.32 to 3.40   | ABN  | CDP   |
| Religious involvement   | 3.41 to 3.44   | ABN  | CDP   |
| Youth's feelings about school   | 3.45 to 3.49   | ABN  | CDP   |
| Peer substance use  | 3.50 to 3.53   | ABN  | CDP   |
| Parental involvement  | 3.54 to 3.61   | ABN  | CDP   |
| Close friend's disapproval  | 3.64 to 3.67   | ABN  | CDP   |
| <b>Incidence Tables</b>   | <b>4.1 to 4.19</b>   | <b>ABN</b>   | <b>CDP</b>  |
| <b>Dependence, Abuse, and Treatment Tables</b>  | <b>5.1 to 5.67</b>   |  |   |
| Dependence  | 5.1 to 5.12  | ABN  | CDP   |
| Abuse   | 5.13 to 5.24   | ABN  | CDP   |
| Dependence or abuse   | 5.25 to 5.36   | ABN  | CDP   |
| Dependence and abuse  | 5.66   | ABN  | CDP   |
| Receipt of substance abuse treatment  | 5.37 to 5.47   | ABN  | CDP   |
| Needed and received treatment for illicit drug problem  | 5.48 to 5.58   | ABN  | CDP   |
| Needed but did not receive treatment for illicit drug problem   | 5.67   | ABN  | CDP   |
| Specific substance for last or current treatment  | 5.59   | ABN  | CDP   |
| Source of payment   | 5.60 to 5.62   | ABN  | CDP   |
| Location of treatment   | 5.63 to 5.65   | ABN  | CDP   |
| <b>Sample Size and Population Tables</b>  | <b>7.1 to 7.16</b>   | <b>ABN</b>   | <b>CDP</b>  |

## Index of Part 4 Tables

| <b>PART 4:</b><br><b>Miscellaneous Tables</b><br><b>Mental Health Tables</b><br><b>Sample Size and Population Tables</b> | Table Number   | Table Type   |   |
|--|--|--|---|
|  | <b>6.1 to 6.83</b><br><b>8.1 to 8.56</b><br><b>7.1 to 7.16</b> | <b>Prevalence<br/>Estimates<br/>and Sample<br/>Sizes</b> | <b>Standard<br/>Errors<br/>and<br/>P-Values</b> |
| <b>Miscellaneous Tables</b>  | <b>6.1 to 6.83</b>   |  |   |
| Frequency of use   | 6.1 to 6.6   | ABN  | CDP   |
| Illicit drugs by cigarette use   | 6.7 to 6.10  | ABN  | CDP   |
| Illicit drugs by alcohol use   | 6.11 to 6.14   | ABN  | CDP   |
| Tobacco or alcohol by cigarette use  | 6.15 to 6.18   | ABN  | CDP   |
| Tobacco by alcohol use   | 6.19 to 6.22   | ABN  | CDP   |
| Pregnancy  | 6.23 to 6.30   | ABN  | CDP   |
| College enrollment   | 6.31 to 6.42   | ABN  | CDP   |
| Substance dependence by age of first use and<br>demographic characteristics  | 6.43 to 6.48   | ABN  | CDP   |
| Tobacco brands   | 6.49 to 6.58   | ABN  | CDP   |
| Source of cigarettes   | 6.59   | ABN  | CDP   |
| Driving under the influence  | 6.60 to 6.63   | ABN  | CDP   |
| Probation  | 6.64 to 6.66   | ABN  | CDP   |
| Parole/supervised release  | 6.67 to 6.69   | ABN  | CDP   |
| Government assistance programs   | 6.70 to 6.79   | ABN  | CDP   |
| Specialty cigarettes   | 6.80 to 6.83   | ABN  | CDP   |
| <b>Mental Health Tables</b>  | <b>8.1 to 8.56</b>   |  |   |
| Serious Mental Illness   | 8.1 to 8.34  | ABN  | CDP   |
| Adult Mental Health Treatment/Counseling   | 8.35 to 8.40   | ABN  | CDP   |
| Substance Use by Adult Mental Health<br>Treatment/Counseling   | 8.41 to 8.50   | ABN  | CDP   |
| Adolescent Mental Health Treatment/Counseling  | 8.51 to 8.56   | ABN  | CDP   |
| <b>Sample Size and Population Tables</b>   | <b>7.1 to 7.16</b>   | ABN  | CDP   |

## Key to Selected Variables

### Age Categories (in Years):

*Standard Age Groups:* 12-17, 18-25, 26 or Older.

*7 Detailed Age Categories:* 12-13, 14-15, 16-17, 18-20, 21-25, 26-34, 35 or Older.

*23 Detailed Age Categories:* 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65 or Older.

### Racial/Ethnic Characteristics:

*Hispanic Origin and Race:* Not Hispanic White, Not Hispanic Black, Not Hispanic American Indian or Alaska Native, Not Hispanic Native Hawaiian or Other Pacific Islander, Not Hispanic Asian, Not Hispanic More Than One Race, or Hispanic.

*Racial/Ethnic Subgroups:* Not Hispanic - White, Black, American Indian or Alaska Native, Native Hawaiian, Other Pacific Islander, Chinese, Filipino, Japanese, Asian Indian, Korean, Vietnamese.

Hispanic - Mexican, Puerto Rican, Central or South American, or Cuban.

*Gender/Race/Hispanic Origin:* White Male, White Female, Black Male, Black Female, Hispanic Male, Hispanic Female.

### Other Demographic Characteristics:

*Adult Education:* Less Than High School, High School Graduate, Some College, College Graduate.

*Current Employment:* Full-Time, Part-Time, Unemployed, Other.

### Geographic Characteristics:

*Region:* Northeast, Midwest, South, West.

*Division:* New England, Middle Atlantic, East North Central, West North Central, South Atlantic, East South Central, West South Central, Mountain, Pacific.

*County Type:* Large Metro counties; Small Metro counties, including counties with population of 250,000 up to 1 million, and counties with population of less than 250,000; Nonmetro, including urbanized counties, less urbanized counties, or completely rural counties.



**Index of Section 1 Tables: Illicit Drug Use**

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

| Characteristic                        | Use of Specific Illicit Drugs <sup>1</sup> |                     |                     | Any Illicit Drug Use                   |  |  | Marijuana Use                          |  |  | Cocaine Use                |                            |                            |
|---------------------------------------|--|---------------------|---------------------|--|--|--|--|--|--|----------------------------|----------------------------|----------------------------|
|                                       | Lifetime                                   | Past Year           | Past Month          | Lifetime                               | Past Year                              | Past Month                             | Lifetime                               | Past Year                              | Past Month                             | Lifetime                   | Past Year                  | Past Month                 |
| <b>All Persons Aged 12 or Older</b>   | 1  | 1                   | 1                   | 19, 26,<br>61, 71                      | 19, 26,<br>61, 71                      | 19, 26,<br>61, 71                      | 20, 31,<br>66, 76                      | 20, 31,<br>66, 76                      | 20, 31,<br>66, 76                      | 21, 36, 81                 | 21, 36, 81                 | 21, 36, 81                 |
| <b>All Persons Aged 18 or Older</b>   | 18   | 18                  | 18                  | 30, 65, 75                             | 30, 65, 75                             | 30, 65, 75                             | 35, 70, 80                             | 35, 70, 80                             | 35, 70, 80                             | 40, 85                     | 40, 85                     | 40, 85                     |
| <b>Standard Age Groups (in Years)</b> | (2-4),<br>(14-17)                          | (2-4),<br>(14-17)   | (2-4),<br>(14-17)   | 26,<br>(27-29),<br>(62-64),<br>(72-74) | 26,<br>(27-29),<br>(62-64),<br>(72-74) | 26,<br>(27-29),<br>(62-64),<br>(72-74) | 31,<br>(32-34),<br>(67-69),<br>(77-79) | 31,<br>(32-34),<br>(67-69),<br>(77-79) | 31,<br>(32-34),<br>(67-69),<br>(77-79) | 36,<br>(37-39),<br>(82-84) | 36,<br>(37-39),<br>(82-84) | 36,<br>(37-39),<br>(82-84) |
| <b>7 Detailed Age Categories</b>      | (5-11)                                     | (5-11)              | (5-11)              |  |  |  |  |  |  |                            |                            |                            |
| <b>23 Detailed Age Categories</b>     |  |                     |                     | 19                                     | 19                                     | 19                                     | 20                                     | 20                                     | 20                                     | 21                         | 21                         | 21                         |
| <b>Gender</b>                         | (12-13),<br>(14-17)                        | (12-13),<br>(14-17) | (12-13),<br>(14-17) | 26-30                                  | 26-30                                  | 26-30                                  | 31-35                                  | 31-35                                  | 31-35                                  | 36-40                      | 36-40                      | 36-40                      |
| <b>Hispanic Origin and Race</b>       |  |                     |                     | 26-30                                  | 26-30                                  | 26-30                                  | 31-35                                  | 31-35                                  | 31-35                                  | 36-40                      | 36-40                      | 36-40                      |
| <b>Gender/Race/Hispanic Origin</b>    |  |                     |                     | 27                                     | 27                                     | 27                                     | 32                                     | 32                                     | 32                                     | 37                         | 37                         | 37                         |
| <b>Racial/Ethnic Subgroups</b>        |  |                     |                     | 61-65                                  | 61-65                                  | 61-65                                  | 66-70                                  | 66-70                                  | 66-70                                  |                            |                            |                            |
| <b>Adult Education</b>                |  |                     |                     | 28-30                                  | 28-30                                  | 28-30                                  | 33-35                                  | 33-35                                  | 33-35                                  | 38-40                      | 38-40                      | 38-40                      |
| <b>Current Employment</b>             |  |                     |                     | 28-30                                  | 28-30                                  | 28-30                                  | 33-35                                  | 33-35                                  | 33-35                                  | 38-40                      | 38-40                      | 38-40                      |
| <b>Geographic Characteristics</b>     |  |                     |                     | 71-75                                  | 71-75                                  | 71-75                                  | 76-80                                  | 76-80                                  | 76-80                                  | 81-85                      | 81-85                      | 81-85                      |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 1.1 for a complete listing of the specific drugs and classes of drugs.

**Index of Section 1 Tables: Illicit Drug Use (continued)**

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

| Characteristic                        | Hallucinogen Use          |                      |                      | Inhalant Use              |                      |                      | Nonmedical Use of Any Prescription-Type Psychotherapeutic |                      |                      | Use of Any Illicit Drug Other Than Marijuana |                        |                        |
|---------------------------------------|---------------------------|----------------------|----------------------|---------------------------|----------------------|----------------------|---|----------------------|----------------------|--|------------------------|------------------------|
|                                       | Lifetime                  | Past Year            | Past Month           | Lifetime                  | Past Year            | Past Month           | Lifetime  | Past Year            | Past Month           | Lifetime                                     | Past Year              | Past Month             |
| <b>All Persons Aged 12 or Older</b>   | 22, 41, 86, 106           | 22, 41, 86           | 22, 41, 86           | 23, 46, 91, 106           | 23, 46, 91           | 23, 46, 91           | 24, 51, 96  | 24, 51, 96           | 24, 51, 96           | 25, 56, 101                                  | 25, 56, 101            | 25, 56, 101            |
| <b>All Persons Aged 18 or Older</b>   | 45, 90                    | 45, 90               | 45, 90               | 50, 95                    | 50, 95               | 50, 95               | 55, 100   | 55, 100              | 55, 100              | 60, 105                                      | 60, 105                | 60, 105                |
| <b>Standard Age Groups (in Years)</b> | 41, (42-44), (87-89), 106 | 41, (42-44), (87-89) | 41, (42-44), (87-89) | 46, (47-49), (92-94), 106 | 46, (47-49), (92-94) | 46, (47-49), (92-94) | 51, (52-54), (97-99)                                      | 51, (52-54), (97-99) | 51, (52-54), (97-99) | 56, (57-59), (102-104)                       | 56, (57-59), (102-104) | 56, (57-59), (102-104) |
| <b>7 Detailed Age Categories</b>      |                           |                      |                      |                           |                      |                      |   |                      |                      |  |                        |                        |
| <b>23 Detailed Age Categories</b>     | 22                        | 22                   | 22                   | 23                        | 23                   | 23                   | 24  | 24                   | 24                   | 25   | 25                     | 25                     |
| <b>Gender</b>                         | 41-45                     | 41-45                | 41-45                | 46-50                     | 46-50                | 46-50                | 51-55   | 51-55                | 51-55                | 56-60  | 56-60                  | 56-60                  |
| <b>Hispanic Origin and Race</b>       | 41-45                     | 41-45                | 41-45                | 46-50                     | 46-50                | 46-50                | 51-55   | 51-55                | 51-55                | 56-60  | 56-60                  | 56-60                  |
| <b>Gender/Race/Hispanic Origin</b>    | 42                        | 42                   | 42                   | 47                        | 47                   | 47                   | 52  | 52                   | 52                   | 57   | 57                     | 57                     |
| <b>Racial/Ethnic Subgroups</b>        |                           |                      |                      |                           |                      |                      |   |                      |                      |  |                        |                        |
| <b>Adult Education</b>                | 43-45                     | 43-45                | 43-45                | 48-50                     | 48-50                | 48-50                | 53-55   | 53-55                | 53-55                | 58-60  | 58-60                  | 58-60                  |
| <b>Current Employment</b>             | 43-45                     | 43-45                | 43-45                | 48-50                     | 48-50                | 48-50                | 53-55   | 53-55                | 53-55                | 58-60  | 58-60                  | 58-60                  |
| <b>Geographic Characteristics</b>     | 86-90                     | 86-90                | 86-90                | 91-95                     | 91-95                | 91-95                | 96-100  | 96-100               | 96-100               | 101-105                                      | 101-105                | 101-105                |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 1 Tables: Illicit Drug Use (continued)**

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

| Characteristic                 | Use of Specific<br>Hallucinogens and<br>Inhalants | Use of Specific<br>Pain Relievers | Use of Specific<br>Tranquilizers | Use of Specific<br>Stimulants | Use of Specific<br>Sedatives | Methods of<br>Administration <sup>2</sup> |
|--------------------------------|---|-----------------------------------|----------------------------------|-------------------------------|------------------------------|---|
|                                | Lifetime  | Lifetime                          | Lifetime                         | Lifetime                      | Lifetime                     |   |
| All Persons Aged 12 or Older   | 106   | 107                               | 108                              | 109                           | 110                          | 106                                       |
| All Persons Aged 18 or Older   |   |                                   |                                  |                               |                              |   |
| Standard Age Groups (in Years) | 106   | 107                               | 108                              | 109                           | 110                          | 106                                       |
| 7 Detailed Age Categories      |   |                                   |                                  |                               |                              |   |
| 23 Detailed Age Categories     |   |                                   |                                  |                               |                              |   |
| Gender                         |   |                                   |                                  |                               |                              |   |
| Hispanic Origin and Race       |   |                                   |                                  |                               |                              |   |
| Gender/Race/Hispanic Origin    |   |                                   |                                  |                               |                              |   |
| Racial/Ethnic Subgroups        |   |                                   |                                  |                               |                              |   |
| Adult Education                |   |                                   |                                  |                               |                              |   |
| Current Employment             |   |                                   |                                  |                               |                              |   |
| Geographic Characteristics     |   |                                   |                                  |                               |                              |   |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>2</sup> The methods of administration include needle use, and smoking or sniffing heroin.

**Index of Section 2 Tables: Tobacco and Alcohol Use**

Cell entries in this index refer to the tables in Section 2 numbered 2.1 to 2.111.

| Characteristic                 | Use of Specific Tobacco and Alcohol <sup>1</sup> |                  |                  | Use of Any Tobacco Product |                      |                      | Cigarette Use                 |                               |                               | Smokeless Tobacco Use |                      |                      |
|--------------------------------|--|------------------|------------------|----------------------------|----------------------|----------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------|----------------------|----------------------|
|                                | Lifetime   | Past Year        | Past Month       | Lifetime                   | Past Year            | Past Month           | Lifetime                      | Past Year                     | Past Month                    | Lifetime              | Past Year            | Past Month           |
| All Persons Aged 12 or Older   | 1  | 1                | 1                | 19, 25, 70                 | 19, 25, 70           | 19, 25, 70           | 20, 30, 55, 75                | 20, 30, 55, 75                | 20, 30, 55, 75                | 21, 35, 80            | 21, 35, 80           | 21, 35, 80           |
| All Persons Aged 18 or Older   | 18   | 18               | 18               | 29, 74                     | 29, 74               | 29, 74               | 34, 59, 79                    | 34, 59, 79                    | 34, 59, 79                    | 39, 84                | 39, 84               | 39, 84               |
| All Persons Aged 12 to 20      |  |                  |                  |                            |                      |                      |                               |                               |                               |                       |                      |                      |
| All Persons Aged 21 or Older   |  |                  |                  |                            |                      |                      |                               |                               |                               |                       |                      |                      |
| Standard Age Groups (in Years) | (2-4), (14-17)                                   | (2-4), (14-17)   | (2-4), (14-17)   | 25, (26-28), (71-73)       | 25, (26-28), (71-73) | 25, (26-28), (71-73) | 30, (31-33), (56-58), (76-78) | 30, (31-33), (56-58), (76-78) | 30, (31-33), (56-58), (76-78) | 35, (36-38), (81-83)  | 35, (36-38), (81-83) | 35, (36-38), (81-83) |
| 7 Detailed Age Categories      | (5-11)   | (5-11)           | (5-11)           |                            |                      |                      |                               |                               |                               |                       |                      |                      |
| 23 Detailed Age Categories     |  |                  |                  | 19                         | 19                   | 19                   | 20                            | 20                            | 20                            | 21                    | 21                   | 21                   |
| Gender                         | (12-13), (14-17)                                 | (12-13), (14-17) | (12-13), (14-17) | 25-29                      | 25-29                | 25-29                | 30-34                         | 30-34                         | 30-34                         | 35-39                 | 35-39                | 35-39                |
| Hispanic Origin and Race       |  |                  |                  | 25-29                      | 25-29                | 25-29                | 30-34                         | 30-34                         | 30-34                         | 35-39                 | 35-39                | 35-39                |
| Gender/Race/Hispanic Origin    |  |                  |                  | 26                         | 26                   | 26                   | 31                            | 31                            | 31                            | 36                    | 36                   | 36                   |
| Racial/Ethnic Subgroups        |  |                  |                  |                            |                      |                      | 55-59                         | 55-59                         | 55-59                         |                       |                      |                      |
| Adult Education                |  |                  |                  | 27-29                      | 27-29                | 27-29                | 32-34                         | 32-34                         | 32-34                         | 37-39                 | 37-39                | 37-39                |
| Current Employment             |  |                  |                  | 27-29                      | 27-29                | 27-29                | 32-34                         | 32-34                         | 32-34                         | 37-39                 | 37-39                | 37-39                |
| Geographic Characteristics     |  |                  |                  | 70-74                      | 70-74                | 70-74                | 75-79                         | 75-79                         | 75-79                         | 80-84                 | 80-84                | 80-84                |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See Table 2.1 for a complete listing of all the tobacco and alcohol types.

**Index of Section 2 Tables: Tobacco and Alcohol Use (continued)**

Cell entries in this index refer to the tables in Section 2 numbered 2.1 to 2.111.

| Characteristic                 | Cigar Use            |                      |                      | Any Alcohol Use               |                               |  | "Binge" Alcohol Use           | Heavy Alcohol Use             |
|--------------------------------|----------------------|----------------------|----------------------|-------------------------------|-------------------------------|--|-------------------------------|-------------------------------|
|                                | Lifetime             | Past Year            | Past Month           | Lifetime                      | Past Year                     | Past Month   | Past Month Only               |                               |
| All Persons Aged 12 or Older   | 22, 40, 85           | 22, 40, 85           | 22, 40, 85           | 23, 45, 60, 90                | 23, 45, 60, 90                | 23, 24, 45, 50, 60, 65, 90, 95                               | 24, 50, 65, 95                | 24, 50, 65, 95                |
| All Persons Aged 18 or Older   | 44, 89               | 44, 89               | 44, 89               | 49, 64, 94                    | 49, 64, 94                    | 49, 54, 64, 69, 94, 99                                       | 54, 69, 99                    | 54, 69, 99                    |
| All Persons Aged 12 to 20      |                      |                      |                      | 100,104, 108                  | 100, 104, 108                 | 100, 102, 104, 106,108,110                                   | 102, 106,110                  | 102, 106,110                  |
| All Persons Aged 21 or Older   |                      |                      |                      | 101, 105,109                  | 101, 105,109                  | 101, 103, 105, 107,109,111                                   | 103, 107,111                  | 103, 107,111                  |
| Standard Age Groups (in Years) | 40, (41-43), (86-88) | 40, (41-43), (86-88) | 40, (41-43), (86-88) | 45, (46-48), (61-63), (91-93) | 45, (46-48), (61-63), (91-93) | 45, (46-48), 50, (51-53), (61-63), (66-68), (91-93), (96-98) | 50, (51-53), (66-68), (96-98) | 50, (51-53), (66-68), (96-98) |
| 7 Detailed Age Categories      |                      |                      |                      |                               |                               |  |                               |                               |
| 23 Detailed Age Categories     | 22                   | 22                   | 22                   | 23                            | 23                            | 23, 24   | 24                            | 24                            |
| Gender                         | 40-44                | 40-44                | 40-44                | 45-49<br>100-101              | 45-49<br>100-101              | 45-49, 50-54,<br>100-101, 102-103                            | 50-54,<br>102-103             | 50-54<br>102-103              |
| Hispanic Origin and Race       | 40-44                | 40-44                | 40-44                | 45-49<br>100-101              | 45-49<br>100-101              | 45-49, 50-54,<br>100-101, 102-103                            | 50-54,<br>102-103             | 50-54<br>102-103              |
| Gender/Race/Hispanic Origin    | 41                   | 41                   | 41                   | 46,<br>100-101                | 46,<br>100-101                | 46, 51,<br>100-101, 102-103                                  | 51,<br>102-103                | 51,<br>102-103                |
| Racial/Ethnic Subgroups        |                      |                      |                      | 60-64,<br>104-105             | 60-64,<br>104-105             | 60-64, 65-69,<br>104-105, 106-107                            | 65-69,<br>106-107             | 65-69,<br>106-107             |
| Adult Education                | 42-44                | 42-44                | 42-44                | 47-49                         | 47-49                         | 47-49, 52-54   | 52-54                         | 52-54                         |
| Current Employment             | 42-44                | 42-44                | 42-44                | 47-49                         | 47-49                         | 47-49, 52-54   | 52-54                         | 52-54                         |
| Geographic Characteristics     | 85-89                | 85-89                | 85-89                | 90-94,<br>108-109             | 90-94,<br>108-109             | 90-94, 95-99,<br>108-109, 110-111                            | 95-99,<br>110-111             | 95-99,<br>110-111             |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

### Index of Section 3 Tables: Risk and Protective Factors

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.67

| Risk and Protective Factors   | Persons Aged 12 or Older and Standard Age Groups | Demographic Characteristics and Drug Use for Persons Aged 12 to 17 <sup>1</sup> |
|---|--|---|
| <b>Perceptions of Risk</b>  |  |   |
| Smoking One or More Packs of Cigarettes Per Day                       | 1  | 2   |
| Smoking Marijuana Once a Month  | 1  | 3   |
| Smoking Marijuana Once or Twice a Week                                | 1  | 4   |
| Using Cocaine Once a Month  | 1  | 5   |
| Using Cocaine Once or Twice a Week                                    | 1  | 6   |
| Trying Heroin Once or Twice   | 1  | 7   |
| Using Heroin Once or Twice a Week                                     | 1  | 8   |
| Trying LSD Once or Twice  | 1  | 9   |
| Using LSD Once or Twice a Week  | 1  | 10  |
| Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day        | 1  | 11  |
| Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week | 1  | 12  |
| <b>Ease of Obtaining...</b>   |  |   |
| Marijuana   | 1  | 13  |
| Cocaine   | 1  | 14  |
| Crack   | 1  | 15  |
| Heroin  | 1  | 16  |
| LSD   | 1  | 17  |
| <b>Approached in Past Month by Someone Selling Drugs</b>              | 1  | 18  |

<sup>1</sup> Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

**Index of Section 3 Tables: Risk and Protective Factors (continued)**

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.67.

| <b>Risk and Protective Factors</b>   | <b>Demographic Characteristics and Drug Use for Persons Aged 12 to 17<sup>1</sup></b> |
|--|---|
| <b>Percentages of Persons Aged 12 to 17 Reporting...</b>   |   |
| The Number of Times They Have Moved in the Past 5 Years  | 19  |
| <b>Percentages of Persons Aged 12 to 17 Reporting How They Think Their Parents Would Feel About...</b>         |   |
| Their Smoking One or More Packs of Cigarettes per Day  | 20  |
| Their Trying Marijuana or Hashish Once or Twice  | 21  |
| Their Using Marijuana/Hashish Once a Month or More   | 62  |
| Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day                                       | 22  |
| <b>Percentages of Persons Aged 12 to 17 Reporting How Many Times in the Past Year...</b>                       |   |
| They Had Gotten into a Serious Fight at School or at Work  | 23  |
| They Had Taken Part in a Group-Against-Group Fight   | 24  |
| They Had Carried a Handgun   | 25  |
| They Had Sold Illegal Drugs  | 26  |
| They Had Stolen or Tried to Steal Something Worth More Than \$50   | 27  |
| They Had Attacked Someone with the Intent to Seriously Hurt Them   | 28  |
| <b>Percentages of Persons Aged 12 to 17 Reporting How They Would Feel About Someone Their Own Age...</b>       |   |
| Smoking One Or More Packs of Cigarettes per Day  | 29  |
| Trying Marijuana or Hashish Once or Twice  | 30  |
| Using Marijuana/Hashish Once a Month or Month  | 63  |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day   | 31  |
| <b>Percentages of Persons Aged 12 to 17 Reporting...</b>   |   |
| Participation in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year                | 32  |
| Participation in a Violence Protection Program in the Past Year  | 33  |
| Participation in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year            | 34  |
| Participation in a Program in the Past Year for Dealing with Alcohol or Drug Use                               | 35  |
| Participation in a Pregnancy or Sexually Transmitted Disease Prevention Program in the Past Year               | 36  |
| Talking with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use | 37  |
| Seeing or Hearing Drug or Alcohol Prevention Messages Outside School in the Past Year                          | 38  |
| Seeing or Hearing Drug or Alcohol Prevention Messages at School in the Past Year                               | 39  |
| Participation in Youth Activities in the Past Year   | 40  |

<sup>1</sup> Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

**Index of Section 3 Tables: Risk and Protective Factors (continued)**

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.67.

| <b>Risk and Protective Factors</b>   | <b>Demographic Characteristics and Drug Use for Persons Aged 12 to 17<sup>1</sup></b> |
|--|---|
| <b>Percentages of Persons Aged 12 to 17 Reporting...</b>                                     |   |
| The Number of Times They Attended Religious Services in the Past Year                        | 41  |
| Religious Beliefs Are a Very Important Part of Their Life                                    | 42  |
| Religious Beliefs Influence How They Make Decisions in Life                                  | 43  |
| How Important it is for Friends to Share Their Religious Beliefs                             | 44  |
| <b>Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting...</b> |   |
| Feelings About Going to School in the Past Year  | 45  |
| Assigned Schoolwork Was Meaningful and Important   | 46  |
| Level of Importance Later in Life of Things Learned in School                                | 47  |
| How Interesting Courses at School Have Been  | 48  |
| Teachers Let Them Know They Were Doing a Good Job With Schoolwork                            | 49  |
| How Many Students in Their Grade Smoke Cigarettes  | 50  |
| How Many Students in Their Grade Use Marijuana or Hashish                                    | 51  |
| How Many Students in Their Grade Drink Alcoholic Beverages                                   | 52  |
| How Many Students in Their Grade Get Drunk at Least Once a Week                              | 53  |
| Parents Checked Whether Homework was Done in the Past Year                                   | 54  |
| Parents Provided Help on Homework in the Past Year   | 55  |
| Parents Limited Amount of Time They Spent Out With Friends on School Nights                  | 56  |
| <b>Percentages of Persons Aged 12 to 17 Reporting....</b>                                    |   |
| Parents Made Them Do Chores Around the House   | 57  |
| Parents Limited Amount of Time they Watched TV   | 58  |
| Parents Let Them Know They Had Done a Good Job   | 59  |
| Parents Told Them They Were Proud of Something They Had Done                                 | 60  |
| The Number of Times They Argued or Had a Fight with at Least One Parent                      | 61  |
| Close Friends' Feelings About Their Smoking Cigarettes                                       | 64  |
| Close Friends' Feelings About Their Trying Marijuana/Hashish                                 | 65  |
| Close Friends' Feelings About Their Using Marijuana/Hashish                                  | 66  |
| Close Friends' Feelings About Their Drinking Alcoholic Beverages                             | 67  |

<sup>1</sup> Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.



### Index of Section 4 Tables: Incidence

Cell entries in this index refer to the tables in Section 4 numbered 4.1 to 4.19.

| Drug                | Incidence Table |
|---------------------|-----------------|
| Marijuana           | 1               |
| Cocaine             | 2               |
| Crack               | 3               |
| Heroin              | 4               |
| Hallucinogens       | 5               |
| LSD                 | 6               |
| PCP                 | 7               |
| Ecstasy             | 8               |
| Inhalants           | 9               |
| Pain Relievers      | 10              |
| Tranquilizers       | 11              |
| Stimulants          | 12              |
| Methamphetamines    | 13              |
| Sedatives           | 14              |
| Alcohol             | 15              |
| Any Cigarette Use   | 16              |
| Daily Cigarette Use | 17              |
| Smokeless Tobacco   | 18              |
| Cigars              | 19              |

NOTE: Incidence tables include estimates for each year from 1965 through 2000 of the number of initiates (in thousands) by age group, mean age of first use, and age-specific rates of first use.

## Index of Section 5 Tables: Dependence, Abuse, and Treatment

Cell entries in this index refer to the tables in Section 5 numbered 5.1 to 5.67.

| Characteristic                 | Past Year Dependence             |  | Past Year Abuse                  |  |
|--------------------------------|----------------------------------|--|----------------------------------|--|
|                                | Specific Substances <sup>1</sup> | Any Illicit Drug or Alcohol            | Specific Substances <sup>1</sup> | Any Illicit Drug or Alcohol                |
| All Persons Aged 12 or Older   | 1, 25                            | 2, 3, 8, 26, 27, 32, 66                | 13, 25                           | 14, 15, 20, 26, 27, 32, 66                 |
| All Persons Aged 18 or Older   |                                  | 7, 12, 31, 36                          |                                  | 19, 24, 31, 36                             |
| Standard Age Groups (in Years) | 1, 25                            | 3, (4-6), (9-11), 27, (28-30), (33-35) | 13, 25                           | 15, (16-18), (21-23), 27, (28-30), (33-35) |
| 23 Detailed Age Categories     |                                  | 2, 26                                  |                                  | 14, 26                                     |
| Gender                         |                                  | 3-7, 27-31                             |                                  | 15-19, 27-31                               |
| Hispanic Origin and Race       |                                  | 3-7, 27-31                             |                                  | 15-19, 27-31                               |
| Gender/Race/Hispanic Origin    |                                  | 4, 28                                  |                                  | 16, 28                                     |
| Adult Education                |                                  | 5-7, 29-31                             |                                  | 17-19, 29-31                               |
| Current Employment             |                                  | 5-7, 29-31                             |                                  | 17-19, 29-31                               |
| Geographic Characteristics     |                                  | 8-12, 32-36                            |                                  | 20-24, 32-36                               |

LXXV

| Characteristic                 | Past Year Treatment                                 |   |                   |                    |
|--------------------------------|---|---|-------------------|--------------------|
|                                | Received (Alcohol and/or Illicit Drug) <sup>2</sup> | Needed and Received (Illicit Drug) <sup>3</sup> | Source of Payment | Specific Locations |
| All Persons Aged 12 or Older   | 37, 38, 43, 59                                      | 48, 49, 54                                      | 60-62             | 63-65              |
| All Persons Aged 18 or Older   | 42, 47  | 53, 58  |                   |                    |
| Standard Age Groups (in Years) | 38, (39-41), (44-46), 59                            | 49, (50-52), (55-57), 67                        | 60-62             | 63-65              |
| 23 Detailed Age Categories     | 37  | 48  |                   |                    |
| Gender                         | 38-42   | 49-53, 67                                       |                   |                    |
| Hispanic Origin and Race       | 38-42   | 49-53   |                   |                    |
| Gender/Race/Hispanic Origin    | 39  | 50  |                   |                    |
| Adult Education                | 40-42   | 51-53   |                   |                    |
| Current Employment             | 40-42   | 51-53   |                   |                    |
| Geographic Characteristics     | 43-47   | 54-58   |                   |                    |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup> Tables indexed in this column present estimates of specific NHSDA drug and alcohol categories. See Table 5.1, 5.13, or 5.25 for a complete listing of all the drugs, alcohol, and drug/alcohol combinations.

<sup>2</sup> Tables indexed in this column present estimates for receiving treatment for any illicit drug use, alcohol use, both any illicit drug and alcohol use, as well as receiving treatment for any illicit drug or alcohol use.

<sup>3</sup> Tables indexed in this column present estimates for needing treatment for an illicit drug problem, receiving treatment at a specialty facility, and treatment gap.

### Index of Section 6 Tables: Miscellaneous

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

| Characteristic                       | Use of Specific Illicit Drugs <sup>1</sup> | Use of Specific Tobacco and Alcohol <sup>2</sup> | Any Illicit Drug Use |                  |            |            |                           | Any Illicit Drug Other Than Marijuana Use |
|--------------------------------------|--|--|----------------------|------------------|------------|------------|---------------------------|---|
|                                      | Past Month                                 | Past Month                                       | Past Year            | Past Month       | Dependence | Abuse      | Drove Under the Influence | Past Year                                 |
| All Persons Aged 12 or Older         | 7, 11                                      | 15, 19   | 70, 72, 74, 76, 78   |                  |            |            | 60, 61                    | 70, 72, 74, 76, 78                        |
| All Persons Aged 18 or Older         | 64, 67                                     |  |                      | 66, 69           | 43, 47     | 45, 47     | 62, 63                    |   |
| Standard Age Groups (in Years)       | (8-10), (12-14)                            | (16-18), (20-22)                                 | 70, 72, 74, 76, 78   | (66), (69)       | (43), (47) | (45), (47) | 61                        | 70, 72, 74, 76, 78                        |
| 23 Detailed Age Categories           |  |  |                      |                  |            |            | 60                        |   |
| Gender                               | (23), (32-33)                              | (26), (37-38)                                    |                      | (24), 34, 66, 69 | 43, 47     | 45, 47     | 61-62                     |   |
| Hispanic Origin and Race             |  |  |                      | 24, 34           | (43), (47) | (45), (47) | 62-63                     |   |
| Adult Education & Current Employment |  |  |                      |                  | (43), (47) | (45), (47) | 62                        |   |
| Geographic Characteristics           |  |  |                      |                  |            |            | 63                        |   |
| Level of Cigarette Use               | 7-10                                       | 15-18  |                      |                  |            |            |                           |   |
| Level of Alcohol Use                 | 11-14                                      | 19-22  |                      |                  |            |            |                           |   |
| Age First Used Marijuana             |  |  |                      |                  | 43, 47     | 45, 47     |                           |   |
| Age First Used Alcohol               |  |  |                      |                  |            |            |                           |   |
| Pregnancy                            | 23   | 26   |                      | 24               |            |            |                           |   |
| College Enrollment                   | 31-33                                      | 36-38  |                      | 34               |            |            |                           |   |
| Probation                            | 64-65                                      |  |                      | 66               |            |            |                           |   |
| Parole/Supervised Release            | 67-68                                      |  |                      | 69               |            |            |                           |   |
| Government Assistance Programs       |  |  | 70                   |                  |            |            |                           | 70  |
| Supplemental Security Income (SSI)   |  |  | 72                   |                  |            |            |                           | 72  |
| Food Stamps                          |  |  | 74                   |                  |            |            |                           | 74  |
| Cash Assistance                      |  |  | 76                   |                  |            |            |                           | 76  |
| Noncash Assistance                   |  |  | 78                   |                  |            |            |                           | 78  |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 6.7 for a complete listing of the specific drugs and classes of drugs.

<sup>2</sup>Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See table 6.15 for a complete listing of all the tobacco and alcohol types.

**Index of Section 6 Tables: Miscellaneous (continued)**

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

| Characteristic                       | Marijuana Use      |            |                  | Cocaine Use      | Hallucinogen Use | Inhalant Use     |
|--------------------------------------|--------------------|------------|------------------|------------------|------------------|------------------|
|                                      | Past Year          | Past Month | Frequency of Use | Frequency of Use | Frequency of Use | Frequency of Use |
| All Persons Aged 12 or Older         | 70, 72, 74, 76, 78 |            |                  |                  |                  |                  |
| All Persons Aged 18 or Older         |                    |            |                  |                  |                  |                  |
| Standard Age Groups (in Years)       | 70, 72, 74, 76, 78 |            | 1                | 2                | 3                | 4                |
| 23 Detailed Age Categories           |                    |            |                  |                  |                  |                  |
| Gender                               |                    | (25), 35   |                  |                  |                  |                  |
| Hispanic Origin and Race             |                    | 25, 35     |                  |                  |                  |                  |
| Adult Education & Current Employment |                    |            |                  |                  |                  |                  |
| Geographic Characteristics           |                    |            |                  |                  |                  |                  |
| Level of Cigarette Use               |                    |            |                  |                  |                  |                  |
| Level of Alcohol Use                 |                    |            |                  |                  |                  |                  |
| Age First Used Marijuana             |                    |            |                  |                  |                  |                  |
| Age First Used Alcohol               |                    |            |                  |                  |                  |                  |
| Pregnancy                            |                    | 25         |                  |                  |                  |                  |
| College Enrollment                   |                    | 35         |                  |                  |                  |                  |
| Probation                            |                    |            |                  |                  |                  |                  |
| Parole/Supervised Release            |                    |            |                  |                  |                  |                  |
| Government Assistance Program        | 70                 |            |                  |                  |                  |                  |
| Supplemental Security Income (SSI)   | 72                 |            |                  |                  |                  |                  |
| Food Stamps                          | 74                 |            |                  |                  |                  |                  |
| Cash Assistance                      | 76                 |            |                  |                  |                  |                  |
| Noncash Assistance                   | 78                 |            |                  |                  |                  |                  |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 6 Tables: Miscellaneous (continued)**

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

| Characteristic                       | Alcohol Use                          |                  |            |            |                           | "Binge" Alcohol Use                  | Heavy Alcohol Use |
|--------------------------------------|--------------------------------------|------------------|------------|------------|---------------------------|--------------------------------------|-------------------|
|                                      | Past Month                           | Frequency of Use | Dependence | Abuse      | Drove Under the Influence | Past Month Only                      |                   |
| All Persons Aged 12 or Older         | 11, 19, 71, 73, 75, 77, 79           |                  |            |            | 60, 61                    | 11, 19, 71, 73, 75, 77, 79           | 11, 19            |
| All Persons Aged 18 or Older         |                                      |                  | 44, 48     | 46, 48     | 62, 63                    |                                      |                   |
| Standard Age Groups (in Years)       | (12-14), (20-22), 71, 73, 75, 77, 79 | 6                | (44), (48) | (46), (48) | 61                        | (12-14), (20-22), 71, 73, 75, 77, 79 | (12-14), (20-22)  |
| 23 Detailed Age Categories           |                                      |                  |            |            | 60                        |                                      |                   |
| Gender                               | (28), 40                             |                  | 44, 48     | 46, 48     | 61-62                     | (29), 41                             | (30), 42          |
| Hispanic Origin and Race             | 28, 40                               |                  | (44), (48) | (46), (48) | 61-62                     | 29, 41                               | 30, 42            |
| Adult Education & Current Employment |                                      |                  | (44), (48) | (46), (48) | 62                        |                                      |                   |
| Geographic Characteristics           |                                      |                  |            |            | 63                        |                                      |                   |
| Level of Cigarette Use               |                                      |                  |            |            |                           |                                      |                   |
| Level of Alcohol Use                 | 11-14, 19-22                         |                  |            |            |                           | 11-14, 19-22                         | 11-14, 19-22      |
| Age First Used Marijuana             |                                      |                  |            |            |                           |                                      |                   |
| Age First Used Alcohol               |                                      |                  | 44, 48     | 46, 48     |                           |                                      |                   |
| Pregnancy                            | 28                                   |                  |            |            |                           | 29                                   | 30                |
| College Enrollment                   | 40                                   |                  |            |            |                           | 41                                   | 42                |
| Probation                            |                                      |                  |            |            |                           |                                      |                   |
| Parole/Supervised Release            |                                      |                  |            |            |                           |                                      |                   |
| Government Assistance Program        | 71                                   |                  |            |            |                           | 71                                   |                   |
| Supplemental Security Income (SSI)   | 73                                   |                  |            |            |                           | 73                                   |                   |
| Food Stamps                          | 75                                   |                  |            |            |                           | 75                                   |                   |
| Cash Assistance                      | 77                                   |                  |            |            |                           | 77                                   |                   |
| Noncash Assistance                   | 79                                   |                  |            |            |                           | 79                                   |                   |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 6 Tables: Miscellaneous (continued)**

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

| Characteristic                       | Cigarette Use                           |                  |                       |        |        | Cigarette Brand Used Most Often | Cigar Brand Used Most Often | Smokeless Tobacco | Source of Cigarettes |
|--------------------------------------|---|------------------|-----------------------|--------|--------|---------------------------------|-----------------------------|-------------------|----------------------|
|                                      | Past Month                              | Frequency of Use | Speciality Cigarettes | Bidis  | Cloves | Past Month                      | Past Month                  | Past Month        | Past Month           |
| All Persons Aged 12 or Older         | 7, 15, 71, 73, 75, 77, 79, 83           | 5                | 80, 83                | 81, 83 | 81, 83 |                                 |                             |                   |                      |
| All Persons Aged 18 or Older         |   |                  |                       |        |        |                                 |                             |                   |                      |
| Standard Age Groups (in Years)       | (8-10), (16-18), 71, 73, 75, 77, 79, 83 | 5                | 80, 83                | 81, 83 | 82, 83 | 49-54                           | 55-57                       | 58                | (59)                 |
| 23 Detailed Age Categories           |   |                  |                       |        |        |                                 |                             |                   |                      |
| Gender                               | (27), 39                                |                  | 80                    | 81     | 82     | 50, 52-54                       | 56                          |                   |                      |
| Hispanic Origin and Race             | 27, 39                                  |                  | 80                    | 81     | 82     | (51-54)                         | (57)                        |                   |                      |
| Adult Education & Current Employment |   |                  |                       |        |        |                                 |                             |                   |                      |
| Geographic Characteristics           |   |                  |                       |        |        |                                 |                             |                   |                      |
| Level of Cigarette Use               | 7-10, 15-18                             |                  |                       |        |        |                                 |                             |                   |                      |
| Level of Alcohol Use                 |   |                  |                       |        |        |                                 |                             |                   |                      |
| Age First Used Marijuana             |   |                  |                       |        |        |                                 |                             |                   |                      |
| Age First Used Alcohol               |   |                  |                       |        |        |                                 |                             |                   |                      |
| Pregnancy                            | 27                                      |                  |                       |        |        |                                 |                             |                   |                      |
| College Enrollment                   | 39                                      |                  |                       |        |        |                                 |                             |                   |                      |
| Probation                            |   |                  |                       |        |        |                                 |                             |                   |                      |
| Parole/Supervised Release            |   |                  |                       |        |        |                                 |                             |                   |                      |
| Government Assistance Program        | 71                                      |                  |                       |        |        |                                 |                             |                   |                      |
| Supplemental Security Income (SSI)   | 73                                      |                  |                       |        |        |                                 |                             |                   |                      |
| Food Stamps                          | 75                                      |                  |                       |        |        |                                 |                             |                   |                      |
| Cash Assistance                      | 77                                      |                  |                       |        |        |                                 |                             |                   |                      |
| Noncash Assistance                   | 79                                      |                  |                       |        |        |                                 |                             |                   |                      |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 7 Tables: Sample Sizes and Population Estimates**

Cell entries in the index refer to tables in Section 7 numbered 7.1 to 7.16.

| Characteristic   | 2000 and 2001 Separately | 2000 and 2001 Combined |
|--|--------------------------|------------------------|
| All Persons Aged 12 or Older                                   | 1-4, 8-10, 16            | 5-7                    |
| All Persons Aged 18 or Older                                   | 13, 14, 15               |                        |
| Youth and Adult Age Groups (12 to 17, 18 or Older)             | 3, 9                     | 6                      |
| Underage and Legal Drinking Age Groups (12 to 20, 21 or Older) | 4, 10                    | 7                      |
| Standard Age Groups (in Years)                                 | 2, 8, (13), 16           | 5                      |
| 23 Detailed Age Groups   | 1                        |                        |
| Gender   | 1-4, 12-13               | (11)                   |
| Gender/Age   | 14, 15                   |                        |
| Hispanic Origin and Race                                       | 2-4, 12, (13)            | 11                     |
| Gender/Race/Hispanic Origin                                    | 2-4                      |                        |
| Racial/Ethnic Subgroups  |                          | 5-7                    |
| Adult Education  | 2, 3, 13                 |                        |
| Current Employment   | 2, 3, 13                 |                        |
| Geographic Characteristics                                     | 8-10, (13)               |                        |
| Pregnancy  |                          | 11                     |
| College Enrollment   | 12                       |                        |
| Mental Health Treatment or Counseling                          | 13                       |                        |
| Probation  | 14                       |                        |
| Parole/Supervised Release                                      | 15                       |                        |
| Participation in Selected Government Assistance Programs       | 16                       |                        |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

## Index of Section 8 Tables: Mental Health

Cell entries in the index refer to tables in Section 8 numbered 8.1 to 8.56.

| Characteristic                       | Serious Mental Illness |  |                      |                     |  |            |                     |
|--------------------------------------|------------------------|--|----------------------|---------------------|--|------------|---------------------|
|                                      | Serious Mental Illness | Use of Specific Illicit Drugs <sup>1</sup> | Any Illicit Drug Use |                     | Use of Specific Tobacco and Alcohol <sup>2</sup> |            | Alcohol Use         |
|                                      |                        | Past Year                                  | Past Year            | Dependence or Abuse | Past Year  | Past Month | Dependence or Abuse |
| All Persons Aged 18 or Older         | 1-3                    | 4-5  | 8-13                 | 14-17               | 6-7  | 6-7        | 14-15, 18-19        |
| Standard Age Groups (in Years)       | (2-3)                  |  | (9, 12)              | (16-17)             |  |            | (18-19)             |
| 23 Detailed Age Categories           | (1)                    |  | (8, 11)              |                     |  |            |                     |
| Gender                               | 1-2                    |  | 9, 12                | 16-17               |  |            | 18-19               |
| Hispanic Origin and Race             | 2                      |  | 9, 12                |                     |  |            |                     |
| Adult Education & Current Employment | 2                      |  | 9, 12                |                     |  |            |                     |
| Geographic Characteristics           | 3                      |  | 10, 13               |                     |  |            |                     |
| Serious Mental Illness               |                        | 4-5  | 8-13                 | 14-17               | 6-7  | 6-7        | 14-15, 18-19        |

| Characteristic                       | Serious Mental Illness             |   |  |   |
|--------------------------------------|------------------------------------|---|--|---|
|                                      | Mental Health Treatment/Counseling | Unmet Need for Mental Health Treatment/Counseling | Unmet Need for Mental Health Treatment/Counseling  |   |
|                                      |                                    |   | Did Not Receive Mental Health Treatment/Counseling | Received Mental Health Treatment/Counseling |
| All Persons Aged 18 or Older         | 20-25                              | 26-28   | 29-31  | 32-34                                       |
| Standard Age Groups (in Years)       | (21, 24)                           | (27)  | (30)   | (33)  |
| 23 Detailed Age Categories           | (20, 23)                           | (26)  | (29)   | (32)  |
| Gender                               | 21, 24                             | 27  | 30   | 33  |
| Hispanic Origin and Race             | 21, 24                             | 27  | 30   | 33  |
| Adult Education & Current Employment | 21, 24                             | 27  | 30   | 33  |
| Geographic Characteristics           | 22, 25                             | 28  | 31   | 34  |
| Serious Mental Illness               | 20-25                              | 26-28   | 29-31  | 32-34                                       |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 8.4 for a complete listing of the specific drugs and classes of drugs.

<sup>2</sup>Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See table 8.6 for a complete listing of all the tobacco and alcohol types.



**Index of Section 8 Tables: Mental Health (continued)**

Cell entries in the index refer to tables in Section 8 numbered 8.1 to 8.56.

| Characteristic                       | Adult Mental Health                |                      |               |  |                |             |   |
|--------------------------------------|------------------------------------|----------------------|---------------|--|----------------|-------------|---|
|                                      | Mental Health Treatment/Counseling | Any Illicit Drug Use | Marijuana Use | Nonmedical Use of Prescription-Type Psychotherapeutics | Cigarettes Use | Alcohol Use | Unmet Need for Mental Health Treatment/Counseling |
|                                      |                                    | Past Year            | Past Year     | Past Year  | Past Year      | Past Year   |   |
| All Persons Aged 18 or Older         | 35-36                              | 39-42                | 43-44         | 45-46  | 47-48          | 49-50       | 37-38   |
| Standard Age Groups (in Years)       | (35)                               | (39, 41)             | (43)          | (45)   | (47)           | (49)        | (37)  |
| Gender                               | 35                                 | 39, 41               | 43            | 45   | 47             | 49          | 37  |
| Hispanic Origin and Race             | 35                                 | (39, 41)             | (43)          | (45)   | (47)           | (49)        | (37)  |
| Adult Education & Current Employment | 35                                 | 39, 41               | 43            | 45   | 47             | 49          | 37  |
| Geographic Characteristics           | (36)                               | (40, 42)             | (44)          | (46)   | (48)           | (50)        | (38)  |
| Family Income                        | 36                                 | 40, 42               | 44            | 46   | 48             | 50          | 38  |
| Government Assistance Programs       | 36                                 | 40, 42               | 44            | 46   | 48             | 50          | 38  |
| Unmet Need for Treatment             |                                    | 41-42                | 43-44         | 45-46  | 47-48          | 49-50       |   |
| Mental Health Treatment/Counseling   |                                    | 39-42                | 43-44         | 45-46  | 47-48          | 49-50       | 37-38   |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

IIIXXX  
::

**Index of Section 8 Tables: Mental Health (continued)**

Cell entries in the index refer to tables in Section 8 numbered 8.1 to 8.56.

| Characteristic                                | Adolescent Mental Health           |                      |
|---|------------------------------------|----------------------|
|   | Mental Health Treatment/Counseling | Any Illicit Drug Use |
|   |                                    | Past Year            |
| All Persons Aged 12 or Older                  | 51-52                              | 53-54                |
| 7 Detailed Age Categories                     | (51-52, 55-56)                     |                      |
| Gender  | 51                                 | 53                   |
| Hispanic Origin and Race                      | 51                                 | 53                   |
| Geographic Characteristics                    | (52)                               | (54)                 |
| Family Income                                 | 52                                 | 54                   |
| Government Assistance Programs                | 52                                 | 54                   |
| Mental Health Treatment/Counseling            |                                    | 53                   |
| Source of Mental Health Treatment/Counseling  | 55                                 |                      |
| Reason for Mental Health Treatment/Counseling | 56                                 |                      |

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.