

Kidney Failure EAT RIGHT TO FEEL RIGHT

on Hemodialysis















U.S. Department of Health and Human Services

(%) NIDDK

NATIONAL INSTITUTES OF HEALTH National Kidney and Urologic Diseases Information Clearinghouse

Kidney Failure EAT RIGHT TO FEEL RIGHT on Hemodialysis

Contents

How to use this booklet1
How does food affect my hemodialysis?
What do I need to know about fluids?
What do I need to know about potassium?
What do I need to know about phosphorus? 10
What do I need to know about protein?
What do I need to know about sodium?
What do I need to know about calories?
Should I take vitamins and minerals? 16
Resources
Acknowledgments



When you start hemodialysis, you must make many changes in your life. Watching the foods you eat will make you healthier. This book will help you choose the right foods.

Use this booklet with a dietitian to help you learn how to eat right to feel right on hemodialysis. Read one section at a time. Then go through the exercise with your dietitian.

Once you have completed every exercise, keep this book to remind yourself of foods you can eat and foods you need to avoid.

My dietitian's name is	
Phone	-
	-

How does food affect my hemodialysis?

Food gives you energy and helps your body repair itself. Food is broken down in your stomach and intestines. Your blood picks up nutrients from the digested food and carries them to all your body cells. These cells take nutrients from your blood and put waste products back into the bloodstream. When your kidneys were healthy, they worked around the clock to remove wastes from your blood. The wastes left your body when you urinated. Other wastes are removed in bowel movements.



Talk to a dietitian to learn how to eat right on hemodialysis.

Now your kidneys have stopped working. Hemodialysis removes wastes from your blood. But between sessions, wastes can build up in your blood and make you sick. You can reduce the amount of wastes by watching what you eat and drink. A good meal plan can improve your dialysis and your health.

Your clinic has a dietitian to help you plan meals. A dietitian specializes in food and nutrition. A dietitian with special training in care for kidney health is called a renal dietitian.

What do I need to know about fluids?

You already know you need to watch how much you drink. Any food that is liquid at room temperature also contains water. These foods include soup, Jell-O, and ice cream. Many fruits and vegetables contain lots of water, too. They include melons, grapes, apples, oranges, tomatoes, lettuce, and celery. All these foods add to your fluid intake.


Fluid can build up between dialysis sessions, causing swelling and weight gain. The extra fluid affects your blood pressure and can make your heart work harder. You could get serious heart trouble from overloading your system with fluid.

Control your thirst

You can keep your fluids down by drinking from smaller cups or glasses. Freeze juice in an ice cube tray and eat it like a popsicle. (Remember to count the popsicle in your fluid allowance!) The dietitian will be able to give you other tips for managing your thirst.

Your *dry weight* is your weight after a dialysis session when all of the extra fluid in your body has been removed. If you let too much fluid build up between sessions, it is harder to get down to your proper dry weight. Your dry weight may change over a period of 3 to 6 weeks. Talk to your doctor regularly about what your dry weight should be.

My dry weight should be . .



Many foods contain water.


T_{2}	II.	to	2	di	oti:	tin	n
14	IK.	1()	4	(11)		114	

Even though you are on hemodialysis, your kidneys may still be able to remove some fluid. Or your kidneys may not remove any fluid at all. That is why every patient has a different daily allowance for fluid. Talk to your dietitian about how much fluid you can have each day.


I can have	ounces of fluid each day.
Plan 1 day of fluid	servings:
I can have with breakfast.	ounce(s) of
I can havein the morning.	ounce(s) of
I can havewith lunch.	ounce(s) of
I can havein the afternoon.	ounce(s) of
I can have with supper.	ounce(s) of
I can havein the evening.	ounce(s) of
TOTAL written above)	ounces (should equal the allowance



Be careful to keep track of your fluids and other foods.



Potassium is a mineral found in many foods, especially milk, fruits, and vegetables. It affects how steadily your heart beats. Healthy kidneys keep the right amount of potassium in the blood to keep the heart beating at a steady pace. Potassium levels can rise between dialysis sessions and affect your heartbeat. Eating too much potassium can be very dangerous to your heart. It may even cause death.



You can remove some potassium from potatoes by soaking them in water.

To control potassium levels in your blood, avoid foods like avocados, bananas, kiwis, and dried fruit, which are very high in potassium. Also, eat smaller portions of other high-potassium foods. For example, eat half a pear instead of a whole pear. Eat only very small portions of oranges and melons.

Dialyzing potatoes and other vegetables

You can remove some of the potassium from potatoes and other vegetables by peeling them, then soaking them in a large amount of water for several hours. Drain and rinse before cooking. Your dietitian will give you more specific information about the potassium content of foods.

Talk to a dietitian

Make a food plan that reduces the potassium in your diet. Start by circling the high-potassium foods (below) that you now eat. A dietitian can help you add other foods to the list.


High-Potassium foods:

apricots	kiwi fruit	potatoes			
avocados	lima beans	prune juice			
bananas	melons	prunes			
beets	milk	raisins			
brussel sprouts	nectarines	sardines			
cantaloupe	orange juice	spinach			
clams	oranges	tomatoes			
dates	peanuts	winter squash			
figs	pears (fresh)	yogurt			
Others:					
Changes:					
Talk to a dietitian about foods you can eat instead of high-potassium foods.					
Instead of	, I will eat	·			
Instead of	, I will eat	·			
Instead of	, I will eat	·			
Instead of	, I will eat	·			


What do I need to know about phosphorus?

Phosphorus is a mineral found in many foods. If you have too much phosphorus in your blood, it pulls calcium from your bones. Losing calcium will make your bones weak and likely to break. Also, too much phosphorus may make your skin itch. Foods like milk and cheese, dried beans, peas, colas, nuts, and peanut butter are high in phosphorus. Usually, people on dialysis are limited to 1/2 cup of milk per day. The renal dietitian will give you more specific information regarding phosphorus.

You probably will need to take a phosphate binder like Renagel, PhosLo, Tums, or calcium carbonate to control the phosphorus in your blood between dialysis sessions. These medications act like sponges to soak up, or bind, phosphorus while it is in the stomach. Because it is bound, the phosphorus does not get into the blood. Instead, it is passed out of the body in the stool.




Taking a phosphate binder helps control phosphorus in your blood.



Before you were on dialysis, your doctor may have told you to follow a low-protein diet. Being on dialysis changes this. Most people on dialysis are encouraged to eat as much high-quality protein as they can. The better nourished you are, the healthier you will be. You will also have greater resistance to infection and recover from surgery more quickly.

Protein helps you keep muscle and repair tissue. In your body, protein breaks down into a waste product called urea. If urea builds up in your blood, you can become very sick. Some sources of protein produce less waste than others. These are called high-quality proteins. High-quality proteins come from meat, fish, poultry, and eggs (especially egg whites). Getting most of your protein from these sources can reduce the amount of urea in your blood.



Poultry and fish, like broiled flounder, are a good source of high-quality protein.

Talk to a dietitian
Meat, fish, and chicken are good sources of protein. Talk to a dietitian about the meats you eat.
I will eat servings of meat each day. A regular serving size is 3 ounces. This is about the size of the palm of your hand or a deck of cards.
Try to choose lean (low-fat) meats that are also low in phosphorus. If you are a vegetarian, ask about other ways to get your protein.
Low-fat milk is a good source of protein. But milk is high in phosphorus and potassium. And milk adds to your fluid intake. Talk to a dietitian to see if milk fits into your food plan.
I (will) (will not) drink milk. I will drink cup(s) of milk a day.

What do I need to know about sodium?

Sodium is found in salt and other foods. Most canned foods and frozen dinners contain large amounts of sodium. Too much sodium makes you thirsty. But, if you drink more fluid, your heart has to work harder to pump the fluid through your body. Over time, this can cause high blood pressure and congestive heart failure.

Try to eat fresh foods that are naturally low in sodium. Look for products labeled *low sodium*.

Do not use salt substitutes because they contain potassium. Talk to a dietitian about spices you can use to flavor your food. The dietitian can help you find spice blends without sodium or potassium.



Find new ways to spice up your food.

п		11	to		- 1		• •		
	2	IV.	tΛ	2	α	IPI	11	เวเ	n
	а	IN.	w	а	u	ıvı	ιL	ıaı	П

Talk to a dietitian about spices and other healthy foods you can use to flavor your diet. List them on the lines below.

Spice:	
Spice:	
Spice:	
Food:	
Food:	

What do I need to know about calories?

Calories provide energy for your body. If your doctor recommends it, you may need to cut down on the calories you eat. A dietitian can help you plan ways to cut calories in the best possible way.

But some people on dialysis need to gain weight. You may need to find ways to add calories to your diet. Vegetable oils—like olive oil, canola oil, and safflower oil—are good sources of calories. Use them generously on breads, rice, and noodles.

Butter and margarines are rich in calories. But these fatty foods can also clog your arteries. Use them less often. Soft margarine that comes in tubs is better than stick margarine. Vegetable oils are the healthiest way to add fat to your diet if you need to gain weight.

Hard candy, sugar, honey, jam, and jelly provide calories and energy without clogging arteries or adding other things that



If you need to get extra calories, vegetable oils like these are a good choice.

your body does not need. If you have diabetes, be very careful about eating sweets. A dietitian's guidance is very important for people with diabetes.

Should I take vitamins and minerals?

Vitamins and minerals may be missing from your diet because you have to avoid so many foods. Your doctor may prescribe a vitamin and mineral supplement like Nephrocaps.

Warning: Do not take vitamins that you can buy off the store shelf. They may contain vitamins or minerals that are harmful to you.



Take only the vitamins your doctor prescribes.

Resources

Books

Bowes and Church's Food Values of Portions Commonly Used. Seventeenth Edition. Jean A.T. Pennington. J.P. Lippincott Co. 1997. ISBN: 0–397–55435–4.

The Complete Book of Food Counts. Fourth Edition. Corinne T. Netzer. Dell Publishing Co. 1997. ISBN: 0–440–22110–2.

Brochures

Nutrition and Hemodialysis.

National Kidney Foundation
30 East 33rd Street

New York, NY 10016

Phone: 1–800–622–9010 or (212) 889–2210

How to Increase Calories in Your Renal Diet. National Kidney Foundation 30 East 33rd Street New York, NY 10016 Phone: 1–800–622–9010 or (212) 889–2210

Charts and posters

Kidney HELPER Phosphorus Guide. (Chart or poster). Kidney HELPER Potassium Guide. (Chart or poster). Available from Consumer MedHelp 94 New Salem Street, Suite 104 Wakefield, MA 01880–1906 Phone: 1–800–556–7117 or (781) 246–7700

Fax: (781) 246-3086

Email: info@consumermedhelp.com Internet: www.consumermedhelp.com Picture Renal Diet. (Poster)

Available from University Hospital, Food and Nutrition

Services

619 South 19th Street

Birmingham, AL 35233

Phone: (205) 934-8055

Cookbooks

These cookbooks provide recipes for people on dialysis:

The Renal Gourmet. Mardy Peters.

ISBN: 0-9641730-0-X

Emenar Inc.

320 Charmille Lane

Wood Dale, IL 60191

Phone: 1-800-445-5653

Southwest Cookbook for People on Dialysis.

Developed by the El Paso Chapter Council on Renal Nutrition

and the National Kidney Foundation of Texas, Inc.

Published by a grant from Amgen Inc. Available from the

National Kidney Foundation of Texas

13500 Midway Road, Suite 101

Dallas, TX 75244

Phone: (972) 934-8057

Creative Cooking for Renal Diets

Cleveland Clinic Foundation

ISBN: 0-941511-00-6

Senay Publishing

P.O. Box 397

Chesterland, OH 44026

Phone: (440) 256–4435

Creative Cooking for Renal Diabetic Diets

Cleveland Clinic Foundation

ISBN: 0-941511-01-4

Senay Publishing

P.O. Box 397

Chesterland, OH 44026 Phone: (440) 256–4435

Computer Information

The American Association of Kidney Patients provides an online sodium–potassium–phosphorus counter at aakp.org/na-k-pho.htm on the Internet.

The National Kidney Foundation offers many fact sheets for patients with kidney disease at www.kidney.org on the Internet.

The U.S. Government does not endorse or favor any specific commercial product or company. Trade, proprietary, or company names appearing in this document are used only because they are considered necessary in the context of the information provided. If a product is not mentioned, this does not mean or imply that the product is unsatisfactory.

Acknowledgments

The individuals listed here provided editorial guidance or facilitated field testing for this publication. The National Kidney and Urologic Diseases Information Clearinghouse (NKUDIC) would like to thank them for their contribution.

Lawrence Y. Agodoa, M.D. End-Stage Renal Disease Program

NIDDK, National Institutes of Health Bethesda, MD

Kim Bayer, M.A., R.D., L.D. BMA Dialysis

BMA Dialysis Bethesda, MD

Josephine P. Briggs, M.D. Director, Division of Kidney, Urologic, and Hematologic Diseases NIDDK, National Institutes of Health Bethesda, MD

Shirley Cox, R.D., L.D. Amarillo High Plains Dialysis Center Amarillo, TX

Sana Dicey, R.D.
Department of Chronic
Dialysis Programs
Shore Memorial
Hospital
Somers Point, NJ

Laura Byham Gray, M.S., R.D., C.N.S.D. Department of Nutrition

Services Shore Memorial

Hospital Somers Point, NJ

Linda Hager, M.S., R.D. Total Renal Care Minneapolis Dialysis Unit

Minneapolis, MN

Melissa Hildebrand, R.D., L.D. Total Renal Care Minneapolis Dialysis Unit Minneapolis, MN

Lisa Hill, R.D., C.D.E. Dialysis Clinic, Inc. Nashville, TN

Jean King, R.D., C.D.E. Pikes Peak Dialysis Center, Inc. Colorado Springs, CO

Wanda Knopik
Facility Administrator
Total Renal Care
Minneapolis Dialysis
Unit
Minneapolis, MN

Susan Lindsey-Goldman, R.D. Kessler Dialysis

Betty Murray, R.N. Dialysis Clinic, Inc. Nashville, TN

Hammonton, NJ

Jean Pennington,
Ph.D., R.D.
Research Nutritionist,
Division of Nutrition
Research
Coordination
NIDDK, National
Institutes of Health
Bethesda, MD

Gail Radosevich, R.D., L.D. Total Renal Care Minneapolis Dialysis Unit

Minneapolis, MN

Susan Schommer, R.D., L.D. Total Renal Care Minneapolis Dialysis Unit Minneapolis, MN

Charlotte Stall, M.A., R.D. The Children's Hospital Denver, CO

About the Kidney Failure Series

You and your doctor will work together to choose a treatment that's best for you. The booklets and fact sheets of the NIDDK Kidney Failure Series can help you learn about the specific issues you will face.

Booklets

- Kidney Failure: Choosing a Treatment That's Right for You
- Treatment Methods for Kidney Failure: Hemodialysis
- Treatment Methods for Kidney Failure: Peritoneal Dialysis
- Treatment Methods for Kidney Failure: Transplantation
- Eat Right To Feel Right on Hemodialysis
- Kidney Failure Glossary

Fact Sheets

- Vascular Access for Hemodialysis
- Hemodialysis Dose and Adequacy
- Peritoneal Dialysis Dose and Adequacy
- Amyloidosis and Kidney Disease
- Anemia in Kidney Disease and Dialysis
- Renal Osteodystrophy
- Financial Help for Treatment of Kidney Failure

Learning as much as you can about your treatment will help make you an important member of your health care team.

NIDDK will develop additional materials for this series as needed. Please address any comments about this series and requests for copies to the National Kidney and Urologic Diseases Information Clearinghouse. This series is also on the NIDDK website at www.kidney.niddk.nih.gov.

National Kidney and Urologic Diseases Information Clearinghouse

3 Information Way Bethesda, MD 20892–3580

Phone: 1-800-891-5390 or (301) 654-4415

Fax: (301) 907–8906

Email: nkudic@info.niddk.nih.gov Internet: www.kidney.niddk.nih.gov

The National Kidney and Urologic Diseases Information Clearinghouse (NKUDIC) is a service of the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK). The NIDDK is part of the National Institutes of Health under the U.S. Department of Health and Human Services. Established in 1987, the clearinghouse provides information about diseases of the kidneys and urologic system to people with kidney and urologic disorders and to their families, health care professionals, and the public. NKUDIC answers inquiries, develops and distributes publications, and works closely with professional and patient organizations and Government agencies to coordinate resources about kidney and urologic diseases.

Publications produced by the clearinghouse are carefully reviewed by both NIDDK scientists and outside experts.

This publication is not copyrighted. The clearinghouse encourages users of this booklet to duplicate and distribute as many copies as desired.

This booklet is also available at www.kidney.niddk.nih.gov.









U.S. Department of Health and Human Services National Institutes of Health



National Institute of Diabetes and Digestive and Kidney Diseases NIH Publication No. 03-4274 April 2003