APPROVED UNEDITED VERSION

ARMY, MARINE CORPS, NAVY, AIR FORCE



TMD IPB

MULTISERVICE PROCEDURES FOR THEATER MISSILE DEFENSE INTELLIGENCE PREPARATION OF THE BATTLESPACE

FM 3-01.16 MCRP 2-3C (formerly MCWP 2-12.1A) NTTP 2-01.2 AFTTP(I) 3-2.36

AIR LAND SEA APPLICATION CENTER **FEBRUARY 2001**

DISTRIBUTION RESTRICTION: Approved for public release; distribution is unlimited.

MULTISERVICE TACTICS, TECHNIQUES, AND PROCEDURES

APPROVED UNEDITED VERSION

ERRATUM

to

MCRP 2-3C

MULTISERVICE PROCEDURES FOR THEATER MISSILE DEFENSE INTELLIGENCE PREPARATION OF THE BATTLESPACE

1. Change the publication short title to read "MCRP 2-3C" (vice MCRP 2-12.1A).

PCN 144 000094 81

FOREWORD

This publication has been prepared under our direction for use by our respective commands and other commands as appropriate.

JOHN N. ABRAMS

General, USA Commander Training and Doctrine Command BRUCE B. KNUTSON, JR.

Lieutenant General, USMC Commanding General Marine Corps Combat Development Command

ROBERT G. SPRIGG

Rear Admiral, USN Commander Navy Warfare Development Command LANCE L. SMITH

Major General, USAF Commander Headquarters Air Force Doctrine Center

PREFACE

1. Scope

This multiservice document provides detailed tactics, techniques and procedures (TTPs) for conducting intelligence preparation of the battlespace (IPB) in support of theater missile defense (TMD) operations. TMD IPB reduces uncertainties with regard to terrain, weather, and adversary capabilities in order to develop potential adversary courses of action. The four step IPB methodology detailed in this publication is based on Joint Publication 2-01.3 *Joint Tactics, Techniques, and Procedures for Joint Intelligence Preparation of the Battlespace.*

2. Purpose

This publication provides the intelligence analyst the tools to support commander and staff planning and decision making at the joint, combined, multiservice, and service levels by providing a systematic, continuous, and common methodology for analyzing the adversary theater missile force.

3. Applicability

The target audience for this publication is the intelligence analyst responsible for IPB development. It will aid the joint force commander in planning and executing cohesive joint operations against theater missiles throughout the battlespace and be beneficial for sensor employment, collection management, target development and force application.

4. Implementation Plan

Participating Service command offices of primary responsibility (OPRs) will review this publication, validate the information, and, where appropriate, reference and incorporate it in Service manuals, regulations, and curricula as follows:

Army. The Army will incorporate the procedures in this publication in US Army training and doctrinal publications as directed by the Commander, US Army Training and Doctrine Command (TRADOC). Distribution is in accordance with DA Form 12-99-R.

Marine Corps. The Marine Corps will incorporate the procedures in this publication in US Marine Corps training and doctrinal publications as directed by the Commanding General, US Marine Corps Combat Development Command (MCCDC). Distribution is in accordance with MCPDS.

Navy. The Navy will incorporate these procedures in US Navy training and doctrinal publications as directed by the Commander, Navy Warfare Development Command (NWDC). Distribution is in accordance with MILSTRIP Desk Guide and NAV SOP Pub 409.

Air Force. Air Force units will validate and incorporate appropriate procedures in accordance with applicable governing directives. Distribution is in accordance with AFI 33-360.

5. User Information

- a. TRADOC, MCCDC, NWDC, Headquarters Air Force Doctrine Center (HQ AFDC) and the Air Land Sea Application (ALSA) Center developed this publication with the joint participation of the approving Service commands. ALSA will review and update this publication as necessary.
- b. This publication reflects current joint and Service doctrine, command and control organizations, facilities, personnel, responsibilities, and procedures. Changes in Service protocol, appropriately reflected in joint and Service publications, will likewise be incorporated in revisions to this document.
- c. We encourage recommended changes for improving this publication. Key your comments to the specific page and paragraph and provide a rationale for each recommendation. Send comments and recommendations directly to--

Army

Commander
US Army Training and Doctrine Command
ATTN: ATDO-A

Fort Monroe VA 23651-5000

DSN 680-3153 COMM (757) 727-3153

Marine Corps

Commanding General US Marine Corps Combat Development Command ATTN: C42 3300 Russell Road Quantico VA 22134-5021 DSN 278-6234 COMM (703) 784-6234

Navy

Navy Warfare Development Command Doctrine Development Division (Code N5) 686 Cushing Road Newport, RI 02841-1207 DSN 948-4201 COMM (401) 841-4201

Air Force

Headquarters Air Force Doctrine Center ATTN: DJ 216 Sweeney Boulevard, Suite 109

Langley AFB, VA 23665-2722

DSN 754-8091 COMM (757) 764-8091 E-mail Address: <u>afdc.dj@langley.af.mil</u>

ALSA

ALSA Center ATTN: Director 114 Andrews Street

Langley AFB, VA 23665-2785

DSN 575-0902 COMM (757) 225-0902 E-mail: <u>alsa.director@langley.af.mil</u>

FΜ	3-01	.1	6
----	------	----	---

MCWP 2-12.1A

NTTP 2-01.2

AFTTP(I) 3-2.36

FM 3-01.16

US Army Training and Doctrine Command Fort Monroe, Virginia

MCWP 2-12.1A

Marine Corps Combat Development Command Quantico, Virginia

NTTP 2-01.2

Navy Warfare Development Command Newport, Rhode Island

AFTTP(I) 3-2.36

Air Force Doctrine Center Maxwell Air Force Base, Alabama

February 2001

TMD IPB

MULTISERVICE PROCEDURES

FOR

THEATER MISSILE DEFENSE INTELLIGENCE PREPARATION OF THE BATTLESPACE

TABLE OF CONTENTS

		Page
EXECUTIVE	SUMMARY	ix
Chapter I	Introduction	
	Scope	I-1
	TMD Mission Areas	I-2
	TMD IDD Overview	1.6

T	M Threat Forces	I-9
P	Phases of TMD Operations	I-13
V	Vho Conducts IPB?	I-14
Chapter II STE	EP 1: DEFINE THE BATTLESPACE ENVIRONMENT	
V	Vhat Is It?	II-1
ŀ	How To Do It For TMD	II-1
Chapter III STE	EP 2: DEFINE THE BATTLESPACE'S EFFECTS	
V	Vhat Is It?	III-1
ŀ	How To Do It For TMD	III-1
Chapter IV STI	EP 3: EVALUATE THE TM FORCE	
V	Vhat Is It?	IV-1
F	How To Create TM Models	IV-1
Γ	Ooctrinal Templates	IV-2
Chapter V STI	EP 4: DETERMINE TM COURSES OF ACTION	
V	Vhat Is It?	V-1
ŀ	How To Do It	V-1
APPENDIX A	Common TMD IPB Processes	A-1
APPENDIX B	SUGGESTED AND SAMPLE TMD IPB Templates	B- 1
APPENDIX C	AUTOMATED TOOLS AND EXAMPLE ARCHITECTURES	C-1
APPENDIX D	TMD IPB CHECKLIST AND DEVELOPMENT PLAN	D- 1
APPENDIX E	TMD IPB INTERNET LINKS	E-1
FIGURES	I Continuous Four Step TMD IPB Process	ix
	I-I TMD IPB and TMD Operations	I-7
	I-2 Multiple Dimensions of the TM Threat II-1 Step 1 - Define the Battlespace Environment	I-1(II-2
	II-2 AO and AOI Assessment Process for TMD IPB	II-9
	II-3 Composite AOI Assessment Process	II-10
	II-4 Potential TM Force Coverage Template	-11 -11 -11
	II-5 Potential TM Force Deployment Area Assessment Temp II-6 AO and AOI Assessment for TMD Active Defense	iale II-17
	Operations Template	II_11

II-7	AO and AOI Assessment for TMD Passive Defense	
	Operations Template	II-14
II-8	AO and AOI Assessment for TMD Attack Operations	
	Template	II-15
II-9	Composite AO and AOI Assessment Template	II-16
II-10	TMD Battlespace Assessment Template	II-17
II-11	Geopolitical and Regional Threat Assessment Template	II-20
II-12	Adversary TM Force Capabilities Assessment Template	II-23
II-13	Major Terrain and LOC Overview Template	II-26
III-1	Step 2 - Define the Battlespace Effects	III-2
III-2	Adversary TM Force Infrastructure Assessment Process	III-26
III-3	Infrastructure Functional Decomposition Assessment	
	Template	III-29
IV-1	Step 3 - Evaluate the TM Force	IV-2
IV-2	TM National Level Organization and C2 Template	IV-5
IV-3	TM Unit Level Organization and C2 Template	IV-7
V-1	Step 4 - Determine TM COAs	V-2
V-2	Adversary TM COA Development Flow Process	V-3
V-3	Situation Template Concept	V-10
V-4	Event Template Concept	V-15
B-1	TMD IPB Cover Sheet Example	B-2
B-2	TMD IPB Cover Sheet Template	B-3
B-3	Command Mission(s) and Objective(s) Summary Template	B-5
B-4	Command Mission(s) and Objective(s) Worksheet Template	B-6
B-5	Command Mission(s) and Guidance Worksheet Template	B-7
B-6	AO/AOI/Battlespace Assessment Template	B-8
B-7	Geopolitical and Regional Threat Assessment Template	B-9
B-8	TM Force General Capabilities Assessment Template	B-10
B-9	Major Terrain and LOC Overview Template	B-12
B-10	TMD IPB Holdings, Database, Sources, and Links	
	Assessment Template	B-13
B-11	TMD IPB Information Sources Evaluation Template	B-16
B-12	TMD IPB POC Template	B-18
B-13	Recommended PIR/EEI/RFI/Other Requirement Request	
	Worksheet Template	B-19
B-14	TMD IPB Key Word Search Template	B-21
B-15	DIA Standardized Functional Category Code Information	
	Search Template	B-25
B-16	DIA Standardized Equipment Code Information Search	
	Template	B-27
B-17	Feature Class Data to Terrain Analysis Template Cross	
	Reference Template	B-36
B-18	Terrain Assessment Checklist and Status Template	B-41
B-19	TMD IPB Slope Categories Template	B-42
B-20	Transportation and LOC Legend Symbols	B-48
B-21	CCM Overlay(s) Worksheet Template	B-50
	Climatology Assessment Template	B-52
	Weather Effects on Adversary TM Force Operations	
	Template	B-53
B-24	Current/Forecasted Weather Effects on TM Force	
	Operations Template	B-54

	B-25 TM Force Required Infrastructure Assessment Template B	-55
	•	-56
	B-27 General Facility/Area Assessment Template B	-58
		-62
	· · · · · · · · · · · · · · · · · · ·	-63
	•	-65
		-66
		-67
		-68
		-69
	B-35 TM Unit Functional Doctrinal Template B	-70
	B-36 TM Force Employment Worksheet Template B	-71
	• •	-73
	· · · · · · · · · · · · · · · · · · ·	-74
	· · · · · · · · · · · · · · · · · · ·	-75
	•	-76
		-78
	• • • • • • • • • • • • • • • • • • •	-79
	•	-80
	•	-82
	•	-84
	B-46 Recommended Target Nominations and TAI Worksheet	
	Template B	-85
	C-1 32d AAMDC Brigade G-2 TOC	C-2
	C-2 32d AAMDC External Information Sources	C-3
	C-3 TMD Flight Simplified Organizational Relationships	C-4
	C-4 Physical Layout of the 7th Air Force TMD Intelligence Team	C-5
	D-1 TMD IPB Checklist	D-2
	D-2 TMD IPB Development Plan	D-5
TABLES	I-1 TMD Mission Areas, Objectives, and Associated TMD IPB Requ	irements I-5
		1-5
	I-2 Some Organizations and Intelligence Roles and	
	• • • • • • • • • • • • • • • • • • • •	I-16
	A-1 Matrix of General Sensor Types to Intelligence Advantages	
	•	A-7
	7 1 0 1	-11
	, , , , , , , , , , , , , , , , , , , ,	-17
	<u> </u>	-17
	1,7	-18
	•	-23
	B-1 Overlays, Doctrinal Templates and GGI&S Products	_22
	11 0	-32 -43
	5 71	-43
	B-3 Unified Soils Classification System and Associated Rating Cone Index Values B	-44
		-44 -45
	•	
	71	-49 -40
	B-6 Urban Area Building Type Codes and Descriptions B	-49

C-1	Selected Automated Tools	C-1
C-2	Specific 7th Air Force TMD Intelligence Team Functions	C-6

EXECUTIVE SUMMARY

TMD IPB

Multiservice Tactics, Techniques and Procedures for Theater Missile Defense Intelligence Preparation of the Battlespace

Overview

Theater missile defense (TMD) intelligence preparation of the battlespace (IPB) is a systematic, continuous process of analyzing the adversary theater missile (TM) force and environment in a specific geographic area and the battlespace around it. This TMD IPB process helps the commander and staff selectively apply and maximize combat power at critical points in time and space in the battlespace by determining the likely adversary TM force courses of action (COAs) and their associated branches and sequels, and describing the environment within which TM forces are operating. Applied properly, TMD IPB provides for the timely and effective suppression and/or destruction of a TM force while minimizing the use of friendly assets for the TMD mission. This provides the commander and staff with a cost-effective method for providing force protection from an adversary's TM force. A large number of adversary countries possess or are trying to acquire TMs for prestige and/or military purposes. TMs have the potential to give adversaries military advantages against the United States (US) and allied forces. The TM threat these adversaries present is a complex multi-dimensional intelligence problem. The TMD IPB tactics, techniques, and procedures (TTP) concept decomposes and correlates the "who and what (equipment and units); where (infrastructure); when, why, and how (operations)" to develop potential adversary TM COAs. Typically TM forces are equipped, organized, trained, and employed differently. Many of these differences are relatively minor, while some are more

dramatic. TMD IPB uses templating to standardize the process of analyzing adversary TM forces. Templates can be in the form of text, tables, forms, or graphics. Templates in this TTP are intended to provide a starting framework for analysis and development. They are not meant to be all encompassing and should be adapted for a particular geographic area or situation.

Theater Missile Defense Intelligence Preparation of the Battlespace

TMD IPB is a continuous process, see Figure 1, consisting of four major iterative and parallel steps:

STEP 1: Define the Battlespace Environment (Focus)

STEP 2: Define the Battlespace Effects (Influences)

STEP 3: Evaluate the TM Force (Operational Model)

STEP 4: Determine TM COAs (Integrate)




Figure-1. Continuous Four Step TMD IPB Process

STEP 1. This step focuses the initial intelligence collection efforts and the remaining steps of the TMD IPB process. It identifies battlespace characteristics requiring in-depth evaluation of their effects on adversary TM force operations, such as terrain, weather, logistical infrastructure, and demographics. The initial effort is oriented on defining the limits of the area of operations (the geographic region where TM forces operate and/or where TMD operations will be conducted) and area of interest (the area from which information and intelligence are required). Defining the significant characteristics of the battlespace environment aids in identifying and filling current intelligence data gaps.

STEP 2. This step evaluates the environment's effect on adversary TM force operations.

This assessment examines terrain, weather, and other battlespace characteristics (i.e. adversary TM force infrastructure) to determine how these characteristics may limit or provide opportunities for TM force operations. The objective is to integrate these effects into a terrain

analysis designating the most probable adversary TM force operations areas.

STEP 3. This step examines in detail how the adversary TM force normally organizes for combat and conducts operations under ideal conditions. The evaluation is portrayed in a threat model of the TM force that includes doctrinal templates depicting how the TM force operates when unconstrained by the effects of the battlespace environment. TM force threat models are depicted graphically (doctrinal templates) supplemented by high value target matrices and simple narratives.

STEP 4. This step integrates the results of the previous steps into a meaningful conclusion. Given what the adversary TM force normally prefers to do, and the effects of the environment it is currently operating in, this step attempts to define the likely objectives and COAs available to the TM force. This is accomplished by creating event templates and matrices focusing on intelligence collection aimed at identifying the COA the TM force will most likely execute.

TMD IPB is a complicated and time-consuming process. Automated intelligence and terrain analysis tools greatly assist this process. Currently, several core intelligence systems are being developed and fielded which will greatly enhance the TMD IPB process. Continued emphasis on these current and future automated TMD IPB techniques is essential to more efficiently solve the threat TM problem. However, equally important is the emphasis placed on development of the intelligence data needed for the TMD IPB. It is critical to begin the TMD IPB process during the prehostilities phase, with well-developed intelligence databases, in order to successfully impact US and allied TMD operations.

PROGRAM PARTICIPANTS

The following commands and agencies participated in the development of this publication:

Joint

Ballistic Missile Defense Organization, Pentagon, Washington, D.C.

Joint Theater Attack Analysis Center, Kirtland AFB, Albuquerque, New Mexico

Joint Theater Air & Missile Defense Office, Pentagon, Washington, D.C.

Unified

USSTRATCOM, Joint Intelligence Center, Offutt AFB, Nebraska

Army

32d Army Air & Missile Defense Command, Fort Bliss, Texas
United States Army Intelligence and Security Command, Fort Belvoir, Virginia
United States Army Intelligence Center and Fort Huachuca, Fort Huachuca, Arizona

Marine Corps

Marine Corps Combat Development Command, Quantico, Virginia

Navy

Naval Surface Warfare Center, Dahlgren, Virginia
Naval Strike and Air Warfare Center, Fallon, Nevada
Navy Warfare Development Command (Norfolk Detachment), Norfolk, Virginia
PEO-Surface Warfare Combatants, McLean, Virginia

Air Force

7th Air Force, Osan Air Base, Korea
612 Air Intelligence Squadron, Davis-Monthan AFB, Tucson, Arizona
Air Combat Command/XOIP, Langley AFB, Hampton, Virginia
Air Combat Command/XOFR, Langley AFB, Hampton, Virginia
Headquarters, Air Intelligence Agency/DOOQ, Kelly AFB, San Antonio, Texas

Other

Anteon Corporation, Arlington, Virginia Pacific-Sierra Research, Arlington, Virginia SPARTA Corporation, Huntsville, Alabama

Chapter I

BACKGROUND

1. Scope

This publication gives multiservice tactics, techniques, and procedures (MTTP) for conducting intelligence preparation of the battlespace (IPB) analysis in support of theater missile defense (TMD) operations. "Joint theater missile defense is an integral part of counterair operations...[which]...integrates both offensive and defensive operations from all components to counter the air and missile threat" JP 3-01 *Joint Doctrine for Countering Air and Missile Threats.* TMD IPB is a systematic and continuous process for analyzing adversary theater missile (TM) capabilities, weather, terrain, and related infrastructure in a specific geographic region to support friendly TMD operations. Although this MTTP focuses specifically on the manual method of performing IPB, Appendix C lists some supporting automated tools. This basic TMD IPB methodology is derived from the steps, functions, and the structure established by the United States Army (USA) Field Manual (FM) 2-01.3 (FM 34-130) *Intelligence Preparation Of The Battlefield,* Joint Publication (JP) 2-01.3 *Joint Intelligence Preparation Of The Battlespace,* and JP 3-01.5 *Doctrine for Joint Theater Missile Defense.* This document is derived from authoritative and field-tested concepts. It addresses unique aspects of the TM threat, some of which follow:

- a. Encompass the strategic, operational, and tactical levels of war.
- b. Operate theater-wide and significantly impact on a wide array of friendly operations.
- c. Operate non-continuous, non-linear, and asymmetric in time and space and over large non-linear geographic areas.

- d. Do not require direct contact with friendly forces.
- e. Are a highly diversified target system including infrastructure, movement, and highly mobile tactical target elements.
 - f. Move and launch using TM specific unit patterns.
 - g. Conceal and camouflage easily.
 - h. Are capable of employing weapons of mass destruction (WMD).
 - i. Have geopolitical implications.

2. TMD Mission Areas

Joint TMD is the integration of joint force capabilities to destroy enemy theater missiles in flight or prior to launch or otherwise disrupt the enemy's theater missile operations. This is accomplished through an appropriate mix of mutually supportive command, control, communications, computers, and intelligence activities; active attack operations; active missile defense operations; and passive missile defense operations. TMD incorporates several missions requiring IPB. Table I-1 shows the correlation between TMD missions and their required TMD IPB.

a. TMD command, control, communications, computers, and intelligence (C⁴I).

Command and control (C²) for joint TMD operations is a commander's exercise of authority and direction over forces assigned joint TMD missions. Use existing joint and Service C⁴I systems and resources to efficiently accomplish C⁴I for joint TMD missions. This integrates other operational functions and optimizes the use of scarce resources. The C⁴I system links passive defense, active defense, and attack operations to provide timely assessment of the threat (to include IPB); rapid dissemination of tactical warning; and mission assignment, targeting data, and poststrike assessment to the appropriate joint TMD element. For each

operational element, the C⁴I system must provide rapid communications among intelligence assets, the fusion and decision-making facilities, and the warning and weapon systems, to include a capability for rapid coordination with supporting combatant commanders. Space assets and information operations are critical to passive defense, active defense, and attack operations because they provide launch warning, launch point prediction, launch point detection, threat type determination, impact point prediction, weapon systems cueing, communications, and related intelligence. Joint TMD C⁴I capabilities must support the principles of centralized planning, decentralized execution, and coordinated efforts by forces assigned joint TMD tasks.

b. Attack Operations. Attack operations are characterized by offensive actions intended to destroy and disrupt adversary TM capabilities before, during, and after launch. Attack operations prevent TM launch or additional TM launches by attacking critical elements (i.e. launch platforms, reconnaissance, surveillance and target acquisition [RSTA] platforms, C² nodes, missile stocks and infrastructure) of the overall system. The preferred method of countering adversary TM operations is to attack and destroy or disrupt TMs prior to their launch. Attack operations can be preemptive or reactive as part of counterair, strategic attack, interdiction, fire support, maneuver, antisubmarine warfare, antisurface warfare, strike warfare, amphibious or special operations. Attack operations are challenging because TM systems are generally hard to detect and are normally dispersed, mobile, electronically quiet, and redundant. Thus, the detection, acquisition, identification, tracking, and attack tasks are highly dependent on a near-real-time C4I process and rapid targeting capability.

c. Active Defense. The role of active defense operations is to protect selected assets and forces from attack by destroying TM airborne launch platforms and/or TMs in flight. Active

defense must consist of defense in depth against all classes of TMs. When destruction of the TM launch platform prior to launch is not possible or successful, TMs should be engaged by all means available throughout their entire flight profile. Defense in depth provides multiple opportunities to negate the TMs with differing capabilities, increases probability of kill, and prohibits the enemy from being able to counter the defensive system with a single technique. Active defense also includes those actions which mitigate the effectiveness of targeting and delivery systems through electronic warfare (EW) against remote or onboard guidance systems.

- d. Passive Defense. Passive defense is necessary to provide essential individual and collective protection for friendly forces, population centers, and critical assets. Passive defense measures should be planned whenever United States (US) forces might face a TM threat. By examining various combinations of TM warhead accuracy and effects, numbers of available missiles, and the adversary targeting process, the likelihood and timing of an attack may be predicted and passive measures selected for employment before, during, and after a TM attack.
- e. Mission Focus. The different mission areas of TMD require different types of IPB products. For instance, the C⁴I mission requires a focus that addresses the adversary's use of ISR assets and how to counter them. Attack operations need IPB products that highlight vulnerable nodes in the adversary's TM infrastructure and launch complexes. Active Defense missions require IPB products that highlight the adversary's targeting process and probable targets. Passive Defense missions require IPB data on the accuracy of adversary TMs and probable warhead selection. The intelligence analyst should focus the friendly IPB process to best support the commander's specific TMD mission.

Table I-1. TMD Mission Areas, Objectives, and Associated TMD IPB Requirements

Mission	Includes	Accepted TMD IDD Descrit	.1.
TMD C ⁴ I	Timely and accurate data and systems to plan, monitor, direct, control, and report TMD operations Integrated systems of doctrine, organizational structures, facilities, communications, computers, supporting intelligence, and missile warning and cueing by sensors and ground stations OPSEC	TM probable operating areas TM countermeasures TM WMD capabilities TM warhead types Threat employment COAs TM order of battle TM system signatures	Adversary TM targeting process TM probable targets and target areas TM attack timing and numbers TM TTPs Meteorological effects on TM operations Adversary knowledge of TMD deployment Defense suppression threat capabilities
Attack Operations	Destruction, disruption, or neutralization of TM launch platforms; supporting C3; logistics; and RSTA platforms	TM RDT&E infrastructure TM field operating areas Probable hide sites/launch sites TM equipment Threat employment COAs TM system signatures Air defenses supporting TMs TM system C2 nodes	TM production infrastructure TM Fixed operational infrastructure TM TTPs Meteorological effects on TM operations TM order of battle TM WMD infrastructure
Active Defense	Multi-tiered defense in-depth via multiple engagements using land, sea, air, space, and special operations forces Active EW to disrupt remote or onboard guidance systems Information Operations	TM probable operating areas Probable TM targets TM flight characteristics TM WMD capabilities Threat employment COAs TM order of battle Defense suppression threat capabil	Adversary TM targeting process TM attack timing and numbers TM countermeasures TM warhead types Meteorological effects on TM operations Adversary knowledge of TMD deployment lities
Passive Defense	 Deception NBC protection TM early warning EW OPSEC Countersurveillance Recovery and reconstitution Camouflage and concealment Mobility, dispersal, and hardening 	TM time of flight TM accuracy TM order of battle TM WMD capabilities TM warhead types and effects Meteorological effects	Adversary TM targeting process TM probable targets and target areas TM attack timing and numbers Threat employment COAs

"If I always appear prepared, it is because before entering on an undertaking, I have meditated for long and foreseen what may occur."

- Napoleon Bonaparte, 1821

3. TMD IPB Overview

a. What is TMD IPB? TMD IPB is a systematic, continuous process of analyzing the adversary TM force and environment in a specific geographic area. The process is designed to support planning and decision-making by commanders and staffs. It allows them to selectively apply and maximize combat power at critical points in the battlespace.

b. What are the Objectives of TMD IPB? TMD IPB identifies facts and assumptions about the battlespace environment and the TM threat. TMD IPB determines likely TM courses of action (COAs), their associated branches and sequels, and describes the operating environment for TM operations. This supports commander and staff planning, and the development of friendly COAs. TMD IPB provides the basis for intelligence collection, synchronization, and target development to support the commander's chosen COA. (Figure I-1).

"A good IPB is essential if the operators are to understand how the threat is likely to operate, to get sensors in the most effective configuration and to react to subtle TM activity indicators. The IPB information helps sort out real TM information from the distracting background traffic."

Joint Theater Missile Defense - Attack Operations Test Force, 1997




Figure I-1. TMD IPB and TMD Operations

- c. TMD IPB contains four major iterative and parallel steps:
 - *Step 1* Define the battlespace environment.
 - *Step 2* Define the battlespace effects.
 - Step 3 Evaluate the TM force.
 - *Step 4* Determine TM COAs.
- (1) Step 1 Define the Battlespace Environment. Step 1 focuses the command's initial intelligence collection efforts and the remaining TMD IPB steps. To focus the remaining steps, the analyst should identify the battlespace characteristics affecting TM force operations. Generally, these characteristics include terrain, weather, lines of communications (LOCs), infrastructure, and demographics. To limit the analytical and intelligence collection efforts to the geographic areas significant to the command's mission, the Joint Force Commander (JFC) will establish the limits of the area of operations (AO) and the area of interest (AOI) for the TMD IPB process. The AO and AOI limits are dynamic and based on the location and characteristics of the battlespace influencing the operation. Defining the significant characteristics of the battlespace environment aids in identifying gaps in current intelligence holdings and the specific intelligence required to fill them. Similarly, the TMD IPB identifies gaps in the analyst's knowledge of the TM force and its current situation. Once approved by the commander, the specific intelligence required to fill gaps in information regarding the battlespace environment and adversary TM force disposition becomes the commander's TMD priority intelligence requirements.

- (2) Step 2 Define the Battlespace's Effects. Step 2 evaluates environmental effects impacting adversary TM forces. The analysis performed in this step examines terrain, weather, and other battlespace characteristics (i.e. the adversary's use of the electromagnetic spectrum and their TM force infrastructure) to determine how these characteristics may limit or provide opportunities for TM force operations. The objective is to integrate these effects into an analysis that designates the most probable adversary TM force operating areas. This integrated analysis provides key pieces of information for evaluating COAs by focusing on how the environment impacts on TM capabilities.
- (3) Step 3 Evaluate the TM Force. In Step 3, TMD IPB focuses in detail on how the TM force normally organizes for combat and conducts operations under ideal conditions. When facing a well-known adversary, the TMD IPB process can rely on historical databases and well developed threat models. When operating against a new, changing, or less well-known adversary, the analyst may need to develop intelligence databases and threat models concurrently. The TM force evaluation is portrayed in a threat model that includes doctrinal templates depicting how the TM force operates when unconstrained by battlespace environmental effects. Threat models are depicted graphically (doctrinal templates) supplemented by high value target matrices and simple narratives.
- (4) Step 4 Determine TM COAs. Step 4 integrates the results of the previous steps into a meaningful conclusion. Given what the TM force normally prefers to do, and the effects of the specific environment in which it is now operating, this step assesses adversary objectives and available TM COAs. In addition, step 4 includes preparation of event templates and matrices that focus intelligence collection on identifying which COA the TM force will execute for each phase of operations. The TM COA models developed in Step 4 are the products that the command staff will use to portray the TM force in their decision

making and force management processes. These models can only be produced effectively if a good foundation has been established during the first three steps of the TMD IPB process.

4. TM Threat Forces

a. The TM Threat. The TM threat is a complex multi-dimensional intelligence problem, as illustrated in Figure I-2. TMD IPB aims to decompose and correlate the "who, what (equipment and units), where (infrastructure), when, why, and how (operations)" in order to develop potential TM COAs for the operational planning process. Each TM force is equipped, organized, trained, and employed with various degrees of difference. Many of these differences are relatively minor, while some are more dramatic. TMD IPB encompasses all dimensions of the threat. Due to the gravity of the TM threat, TMD IPB focuses on developing this information to allow for the best possible choice of friendly COAs.




Figure I-2. Multiple Dimensions of the TM Threat

- b. TM Systems. There are a wide range of TMs currently deployed and available to adversary countries. JP 3-01 *Joint Doctrine for Countering Air and Missile Threats* defines the following major categories as:
- (1) Theater ballistic missiles (TBMs) with range capabilities of less than or equal to 3,500 kilometers (km).
- (a) Short range ballistic missiles (SRBMs) with range capabilities of less than or equal to 1,000 km.

- (b) Medium range ballistic missiles (MRBMs) with range capabilities between 1.000 and 3.000 km.
- % (c) Intermediate range ballistic missiles with range capabilities between 3,000 and 3,500 km.
- (d) Sea-launched ballistic missiles with range capabilities of less than or equal to $3,500\ \mathrm{km}$.
 - (2) Cruise Missiles (CM).
- (a) Land attack cruise missiles including sea, underwater, air, and land launched types.
 - (b) Antiship cruise missiles (ASCMs) including sea, underwater, air, and land launched types.
- (3) Air-to-surface missiles (ASMs) or tactical air-to-surface missiles (TASM). ASM as defined in JP 3-01 excludes short-range, non-nuclear, direct fire missiles, bombs, rockets such as Maverick or wire-guided missiles. This definition does not adequately define the boundaries of what should be or should not be considered when addressing ASMs. To provide boundaries, this MTTP will exclude ASMs with less than a 30-km range capability.
- c. TMD IPB Focus. The examples used in this MTTP focus on the TBM threat. This focus is based on the inherent complexities involved in TBM operations. In short, there are more steps involved in launching a TBM vice launching a CM or ASM. By using the TBM threat as an example, this MTTP attempts to provide a more complete TMD IPB methodology. This focus does not imply a lesser importance to the CM or ASM threat. These systems are, and will continue to be, a credible threat to friendly operations. However, the methodology for conducting IPB against a ground-launched CM threat is

sufficiently similar to the IPB against a TBM threat that the procedures described are applicable for either system. The IPB against a sea-launched cruise missile, an air-launched cruise missile, or an ASM is sufficiently different in that it is much more platform-centric. In these cases, the focus of the IPB is more on the launch platform and the different environments in which they operate. With these systems, the IPB process must focus on the physical maritime and air battlespace environments. These system specific differences are discussed further in Chapter III.

- d. Deployed TM Systems. Technologically, TM systems span a spectrum of sophistication which has direct implications for the IPB process.
- (1) The most widely deployed TMs today are systems with technologies (guidance and control (G&C), liquid-propellant propulsion, and airframe) dating from the 1940s through the 1960s. Operationally, the surface-to-surface missile system (SCUD) TBMs and SILKWORM ASCMs representative of this class are the most widely deployed and continue to be improved and proliferated. They are manpower and equipment intensive when compared to modern systems.
- (2) Advanced TM systems are currently deployed in fewer numbers and include solid-propellant propulsion, improved G&C with digital flight computers and global positioning systems, improved airframe, and modern ground support equipment (GSE) technologies. These more modern technologies result in improved quick reaction times, accuracy, lethality, and a need for less support vehicles and operational support. Operationally these systems require significantly less manpower and integrate automation in erector-launchers and other GSE. Although limited in number, these systems pose a growing threat to TMD operations.

5. Phases of TMD Operations

US military operations can be broken into five major phases: prehostilities, lodgment, decisive combat and stabilization, follow-through, and posthostilities and redeployment.

- a. Prehostilities Phase. The prehostilities phase encompasses normal day-to-day peacetime operations and offers the highest leverage for TMD IPB preparation. During this phase, TMD IPB development can draw upon the distributed production assets of the intelligence community (national, theater and service organizations), which have the responsibility for providing the key data needed for TMD IPB development. To optimize the value of these sources, the analyst should begin TMD IPB development as early as possible and continually refine to provide as much depth as possible given available intelligence data.
- b. Lodgment Phase. The lodgment phase involves the movement and buildup of a decisive combat force in the operational area. It may include initial strikes from outside the theater as well as holding or defensive actions from units already in-theater. During this phase, TMD IPB plays an important role in TMD deployments, initial planning for TMD attack operations, options for passive defense, and overall command COA development to mitigate the effects of an adversary's TMs. Joint or component level units assigned TMD IPB responsibilities should acquire as much TMD IPB data as possible prior to deployment. Links should be established with appropriate national intelligence organizations to provide support to TMD intelligence operations as required.
- c. Decisive Combat and Stabilization Phase. This phase initially focuses on the continuing rapid buildup of joint force capabilities. The goal is to deter hostilities, but if deterrence fails, to conduct decisive combat operations. In this phase the TMD IPB should

be updated and refined based on observed and anticipated adversary combat operations and used to plan and execute active defense operations, attack operations, and passive defense measures.

- d. Follow-Through Phase. The follow-through phase aims to bring the conflict to a successful conclusion. In this phase, TMD IPB will be updated based on observed adversary combat operations. TMD IPB will be used to optimize active defense deployments, attack operations, passive defense, and the command's COAs.
- e. Posthostilities and Redeployment Phase. This phase includes closing the campaign with a coordinated withdrawal while maintaining theater integrity. TMD IPB will again be updated based on observed adversary combat operations and used to establish posthostility defensive COAs.

6. Who Conducts IPB?

a. Organizational Roles and Responsibilities. Many organizations have the role and responsibility to support the integrated TMD IPB effort; Table I-2 lists some of these from the National Command Authorities (NCA) through the execution level. One important aspect not depicted in the table is the essential relationship between the intelligence and operations staffs. That relationship must be two-way for the TMD IPB process to work properly. It is essential that the intelligence staff understand the current operations situation and plan in order to facilitate a smooth and efficient TMD IPB. It is also essential that the intelligence staff performing the TMD IPB function adequately conveys the TMD IPB information to the operations staff in a timely manner. In essence neither operations nor intelligence can function properly without each other. Team work is essential for TMD IPB and TMD to succeed.

Table I-2. Some Organizations and Intelligence Roles and Responsibilities in Support of TMD

Some Organizations and Intelligence Roles and Responsibilities in Support of TMD			
Organization	Subordinated To	Roles and Responsibilities in Support of TMD	
	National Level		
DIA	NCA	General military intelligence	
NSA	NCA	SIGINT and ELINT	
CIA	NCA	General military intelligence	
Central MASINT Office	DIA	MASINT	
USAF Director ISR	USAF/Deputy Chief of Staff Air and Space Operations	General military intelligence on threat TM forces	
USA Deputy Chief of Staff for Intelligence	Chief of Staff USA	General military intelligence	
USN Chief of Naval Intelligence	Chief of Naval Operations	General military intelligence	
USMC Assistant Chief of Staff C ⁴ I	Commandant of the USMC	General military intelligence	
Joint Information Operations Center	US Space Command	Information operations	
US Strategic Command JIC	CINC Strategic Command	General military intelligence on ballistic missiles	
US Space Command CINC NORAD J2	US Space Command CINC NORAD	TBM indications and warnings	
MSIC	DIA	DIA executive agent for TMD IPB, S&TI on SRBMs and air defense systems	
NAIC	USAF	S&TI on M/IRBMs, aircraft, and cruise missiles	
NGIC	USA Deputy Chief of Staff for Intelligence	S&TI on ground systems, ELs, and GSE	
Armed Forces Medical Intelligence Center	DIA	S&TI on CBW	
Office of Naval Intelligence	Chief of Naval Operations	S&TI on SLBMs, ships, and ASCMs	
NIMA	NCA	Overhead intelligence collection & MC&G support	
Defense Special Missile and Astronautics Center	DIA	Foreign Missile/Space Activity Indications & Warning	
Department of State Intelligence	Secretary of State	Arms control and political considerations	
	Theater Level		
National Military JIC	NCA	National level intelligence point of entry for JTF	
J-2 & JISE	Combatant Command CINC	The CINC's immediate intelligence staff	
JTF J-2 and JISE	JFC	The JFC's immediate intelligence staff	
NIST	JFC and NMJIC	National level augmentation to JTF J-2 & JISE	
USAF Theater Intelligence Elements	JFC and Air Force Forces	USAF theater intelligence elements	
USA Theater Intelligence Elements	JFC and army Forces	USA theater intelligence elements	
USN Theater Intelligence Elements	JFC and Navy Forces	USN theater intelligence elements	
USMC Theater Intelligence Elements	JFC and Marine Forces	USMC theater intelligence elements	

Chapter II

STEP 1: DEFINE THE BATTLESPACE ENVIRONMENT

1. What Is It?

a. Definition. Step 1 of the TMD IPB process identifies for further analysis specific features of the environment or activities within it that affect the battlespace for both adversary and friendly operations.

b. Desired End Effect.

- (1) Focus the IPB effort on the battlespace areas and characteristics that influence the command's mission.
- (2) Acquire the intelligence needed to complete the TMD IPB process to the degree of detail required to support the decision-making process.
- (3) Save time and effort by focusing only on those areas and features that influence TMD operations. Information must be to a level of detail required to support the command's decision making process.

2. How To Do It For TMD

The primary sub-steps are shown in Figure II-I. The products are a series of templates used to direct, focus, and feed the analytical efforts of Steps 2, 3, and 4 with intelligence data/information.




Figure II-1. Step 1 – Define the Battlespace Environment

- a. Step 1.1 Analyze the Command's Mission in Relation to TMD. The TM mission is determined by understanding provided objectives and guidance. Objectives and guidance identify what is to be achieved and under what conditions and parameters. This is an important stage in the TMD IPB process. Without a clear understanding of what is to be achieved, it is impossible to achieve efficient TMD IPB development. Objectives and guidance begin at the national level as broad concepts and should end as short-term, well-defined mission objectives at the appropriate command level.
- (1) Objectives. An objective must be understandable, attainable, measurable, and allow room for a solution. It defines the specific TMD IPB problems to be solved. When possible, identify the specific starting and ending times for the objective as knowledge of the timing is critical to providing TMD IPB support. If possible, estimate a latest time

information is of value (LTIOV). This is the time by which information about the objective must be delivered in order to provide decision makers with timely intelligence. Another significant part of an objective is identifying the area in which to affect the adversary activity. This information narrows the geographical scope and simplifies the TMD IPB analysts job.

- (a) Relationship of Objectives. The three broad levels of objectives are national, theater, and component. The objective levels are intertwined and each successive level down becomes more detailed and specific. The component commander's objectives are based on the objectives set by the theater commander, the assigned mission(s), the resources available, adversary characteristics, and the military characteristics of the AO. Components normally supplement operation and contingency plans. The theater commander sets objectives for the theater of operations, which are contingent upon the national objectives. Operation/contingency plans normally specify the command objectives, commander's concept of operations, the threat, and forces available. The NCA is responsible for setting the very broad national objectives, which generally outline the overall desired outcome of the campaign. There should be no conflicting objectives among the levels and the TMD IPB developers must be cognizant of all objectives.
- (b) Objectives Template. A simple questionnaire worksheet can provide a template for evaluating and recording mission objectives. Once a complete set of objectives is defined, summarize them in a list form. First develop the objectives for the command's overall mission if not already obtained from higher headquarters. Next evaluate TMD specific mission objectives. See Figure B-3 for suggested template examples of an

objectives summary template and Figure B-4 for an objectives worksheet template. The objectives worksheet template should be completed for each identified objective.

- (2) Guidance. Guidance provides the framework to achieve the objectives and establishes the force employment scope and restrictions.
- (a) Types. The law of armed conflict (LOAC) (also referred to as "law of armed war") is that portion of international law that regulates the conduct of armed hostilities. The LOAC includes treaties, conventions, international agreements and customary international law. The US is legally bound by those treaties, conventions and international agreements which it has ratified, as well as applicable customary international law. Rules of engagement (ROE) are directives issued by competent military authority which delineate the circumstances and limitations under which US forces will initiate and/or continue combat engagement with other forces encountered. The ROE can change within each conflict, based on directives issued by competent military authority.
- (b) Command Guidance. Command guidance comes in many forms and can entail a broad range of subjects, from approved tactics for active TMD to proper behavior in local establishments. A template for recording the command's mission and TMD mission guidance is at Figure B-5. List each of the identified command guidance, ROE, and applicable LOAC on the worksheet and describe each in as much detail as needed.

Objectives and guidance are the cornerstones of the TMD IPB process. They guide the four major steps of the TMD IPB process and should be clear and well defined. Once developed, theater and command objectives need to be constantly reviewed to assure they accurately reflect the current command TMD mission. Everyone involved in the TMD IPB process should fully understand the commander's objectives and guidance or request

further clarification. A starting point for receiving and assessing the commander's objectives and guidance are the following:

- Operations Plan (OPLAN).
- Operations Order (OPORD).
- Warning Order.
- Alert Order/Deploy Order.
- Planning Order.
- Air Tasking Order/Integrated Tasking Order.
- Fragmentary Order.
- Operation Plan in Concept Format (CONPLAN).
- Concept of Operations (CONOPS).
- Time-Phased Force and Deployment List.
- Defended Asset List (DAL).
- Standing ROEs.

b. Step 1.2 –Identify the Limits of the AO, AOI and Battlespace for the TMD IPB Process. To assist in the coordination and deconfliction of joint action, JFC's may define operational or joint areas. For operations limited in scope (such as TMD) geographic combatant commanders can designate operational areas such as joint operation areas, joint special operations areas (JSOAs), joint rear areas (JRAs), amphibious objective areas, or areas of operations (AOs). An AO is the geographical area where a commander is assigned the responsibility and authority to conduct military operations. An AOI is based on

operational factors and the command's concept of operations, as defined by higher headquarters. The intelligence cell recommends the AOI to the commander based on IPB.

(1) AO for TMD IPB. To save time and focus the IPB effort on the areas and characteristics of the battlespace that most directly affect the command's mission, the intelligence analyst will limit his analysis to the geographical areas supporting troops and capabilities that can influence TMD operations. This publication refers to that geographical area as the AO. AOs for TMD IPB are those geographical regions analysts use to define missile threat envelopes, the locations where TM forces operate and/or where TMD operations will be conducted. **Note:** The Army and Marine Corps use the term *area of* operations (AO) in their IPB manual [FM 2-01.3/MCRP 2-12A] whereas the Air Force uses operational area (OA) in their IPB pamphlet. For the purpose of TMD IPB, these terms are analogous. Both references define these terms as "that portion of an area of conflict necessary for military operations". This MTTP uses the term AO; however, the definition differs from that in JP 1-02. The use of AO in this MTTP does not infer that a specified AO commander, as defined in JP 1-02, has responsibility and authority for TMD operations, nor does it limit the size of the geographical area or limit it to only naval or land commanders. This term only defines a geographical area necessary to focus the IPB process for the intelligence analyst. The AO for TMD IPB is usually limited by the maximum attack depth of the commander's available TMD attack operations assets. The evaluation of the battlespace's effects in the AO is generally more thorough and detailed than it is within the AOI. The AO for TMD IPB is derived from the DAL, OPLAN, OPORD, CONPLAN, and/or CONOPS. Remember that the DAL requires an analysis, which includes several IPB products, of the adversary's targeting strategy. Generally, the DAL is established based upon what the friendly commander wants to protect; which may leave possible targets

unprotected.

- (2) AOI for TMD IPB. The TM operations battlespace defines the AOI for TMD IPB. To plan and successfully conduct the TMD mission, AOI information and intelligence are required. The limits of the TMD composite AOI are based on the ability of the adversary to project power or move TM forces into the AO . Geographical locations of other activities (for example terrorists) or characteristics of the environment which might influence COAs or the commander's decisions are also considered. Since the limits of the TMD composite AOI are based on threats to mission accomplishment rather than strictly terrain considerations, they might cross into other countries. For example, if political developments in a neutral country might influence the accomplishment of the command's mission, that country should be included in the TMD composite AOI. Likewise, if another country provides a base of support for the adversary country's TM force, it should be included within the TMD composite AOI. The following templates should be created for defining the AOs and AOIs for TMD IPB:
 - Potential TM Force Coverage.
 - Potential TM Force Deployment Area(s).
 - TMD Active Defense AO and AOI Template.
 - TMD Passive Defense AO and AOI Template.
 - TMD Attack Operations AO and AOI Template.
 - Composite AO and AOI Template.

Two basic considerations the TMD IPB analyst should keep in mind are:

• Division of AO and AOI templates into multiple sets.

Knowledge of TM force infrastructure data.

Depending upon the situation it may be beneficial to divide the AO templates into multiple areas based upon TM force weapon system category. For example, there are significant differences between TBMs and ASCMs. In most cases, it is better to build a set of AO templates for TBMs and another set of AO templates for ASCMs. Some countries have many more SRBMs than MRBMs. This is a case when due to the differences between missiles, separate AO templates may again be better. Each situation is different and the TMD IPB analyst will have to use his or her best judgement in determining how to divide the AO templates. One final consideration is the extent of knowledge of the adversary TM force infrastructure data. If the TM force operating areas are unknown then assume that the TM force (air, land, or sea-based) can operate from any part of the adversary's battlespace. This can include occupied portions of neighboring countries such as Kuwait for Iraq during the Gulf War of 1991.

(3) TMD Battlespace. The AO and AOI are geographic areas that can be defined not only in three dimensions (height, width, and depth), but in other dimensions as well. In determining other dimensions of the TMD battlespace, the TMD intelligence function must move beyond addressing only the concrete, physical aspects of the geographic environment. The TMD battlespace includes all elements of the environment that are relevant to the command's TMD mission. The TMD force's use of the electromagnetic spectrum (e.g. – radios and radars); the capabilities of the TMD force to use satellites for communications and intelligence gathering; and TMD force information systems capabilities and vulnerabilities, both inside and outside the TMD IPB AO, are examples of other

environment elements that must be considered when determining the dimensions of the command's TMD battlespace. Figure II-2 and Figure II-3 provide the basic processes for assessing the AO/AOI for TMD IPB. Using these processes, Figures II-4 through Figure II-10 provide illustrative examples of assessing the AO, AOI, and battlespace for TMD IPB (See Figures B-6 through B-9 for correlating blank templates).




Figure II-2. TMD AO and AOI Assessment Process




Figure II-3. TMD Composite AOI Assessment Process




Figure II-4. Potential TM Force Coverage Template




Figure II-5. Potential TM Force Deployment Area Assessment Template




Figure II-6. AO and AOI Assessment for TMD Active Defense Operations Template




Figure II-7. AO and AOI Assessment for TMD Passive Defense Operations Template




Figure II-8. AO and AOI Assessment for TMD Attack Operations Template




Figure II-9. Composite AO and AOI Assessment Template




Figure II-10. TMD Battlespace Assessment Template (1 of 2)




Figure II-10. (Continued) (2 of 2)

- c. Step 1.3 Determine the Significant Environmental Characteristics of the AO.

 Battlespace characteristics that affect the commander's decisions or the available command or adversary COAs are of special significance in the TMD IPB process. For TM operations these include:
 - Geopolitical and regional threat assessment.
 - General TM force capabilities.
 - Adversary active defense suppression threat assessment.
 - Major terrain and environment.
 - Major LOCs.
- (1) Geopolitical and Regional Threat Assessment. An assessment of the geopolitical and regional situation (See Figure II-11) is useful in developing a framework in which TMs will likely be employed. This definition should address national security goals, regional factors, and relations with the US and allies and be condensed into short bulletized statements. Use the theater level IPB, military capabilities study (MCS), and Defense Intelligence Agency (DIA) as sources and supplement as appropriate where gaps exist.
- (2) TM Force General Capabilities. A general understanding of the TM force's capabilities helps orient the TMD IPB process. To develop an understanding, determine, at a minimum, the following TM force parameters:
 - TM role/missions/targeting.
 - Historical use.





Figure II-11. Geopolitical and Regional Threat Assessment Template

- Order of battle (OB) data.
 - Missile and launcher types and numbers.
 - WMD capabilities and numbers.
- Known or potential mobile (i.e. field operating areas) and fixed TM infrastructures, (i.e. research, development, test and evaluation [RDT&E], production and operational garrisons/storage).
- Performance data (i.e. basic flight trajectory and accuracy and lethality data)

 Examine each characteristic in general terms to identify those of significance to the command and mission. Further evaluation of characteristic effects occurs later in the process. Figure II-12 provides an example template.
- (3) TM Force Active Defense Suppression Capabilities Assessment. Assessing the adversary's intent and capability to suppress active TMD operations provides valuable inputs to active TMD operations and security planning. Consider the following information when doing this assessment (See template at Figure II-12):
 - Historical use of suppression against theater air and missile defenses.
 - Distinction between theater air defense and TMD.
 - Motivation and intent to suppress active TMD operations.
 - Capability to suppress TMD operations.
 - TMs to suppress TMD operations.
 - TM tactics to penetrate active TMD operations.

- TMs configured with penetration aids (signature reduction, decoys, jammers, etc.).
 - Aircraft to suppress active TMD operations.
 - ASCMs to suppress ship-based TMD elements.
- Antiradiation missiles and/or electronic combat to suppress TMD radar and C⁴I elements.
- WMD, special operations forces, terrorist and insurgent forces, combined arms tactics, and/or conventional ground and naval forces (artillery, armor, infantry, naval surface warfare, underwater warfare, etc.) to suppress TMD operations.
 - Capabilities to locate TMD assets for suppression.
- (4) Major Terrain and Environment. An understanding of the general terrain environment is gained by completing TMD IPB step 1. For TMD IPB steps 1 and 2, review and update the current hard copy, digital global geospatial information and services (GGI&S) data bases, and imagery. The National Imagery and Mapping Agency (NIMA), a primary source for this data, can provide terrain maps depicting surface configuration (plains, hills, mountains) and vegetation (forested area, scrub, swamps, desert and open grassland). Figure II-13 is an example of a Central Intelligence Agency (CIA)-produced map showing an analysis of terrain. Digital chart of the world (DCW) II can provide an alternative view. TMD IPB step 2 addresses terrain and environmental effects on TM operations in detail.



TM Characteristics and Performance				
Parameters	AS-17a	SSY-N-4 ASCM	SSY-N-2 SLCM	SSY-6 TBM
Propulsion Type	Turbojet	Turbojet	Turbojet	Single Stage Liquid
Length (m)	5	5	4.5	12
Diameter (m)	0.35	1	0.75	1
Wing Span (m)	1.2	2	1.75	1.8 (tail-fin span)
Maximum Range (km)	100	50	500	300
Minimum Range (km)	5	2	50	30
Accuracy (circular error probable) (m)	2	5	200	500
Maximum Range Apogee (m)	120,000 (lofted profile)	NA	NA	100
Nominal Launch Altitude (m)	500 - 25,000	Sea-level	Sea-level to -90	Ground-level
Nominal Cruise Altitude (m)	Loft-dive or direct descent	25	100	32,000 (burnout altitude)
Nominal Cruise Speed (mach)	2.5 - 3.2	0.75	0.80	1,700 m/s (burnout velocity)
Maximum Time of Flight (minutes)	5.5	25	270	16
Payload Mass	100	500	500	1,000
Warhead Mass	90	400	425	850
Payload Options	Semi-Armor Piercing	Semi-Armor Piercing	Unitary HE, CW, & Nuclear	Unitary HE, CW, & Nuclear HE & CW Submunitions

UNCLASSIFIED Figure II-12. Adversary TM Force Capabilities Assessment Template (1 of 2)

Local Reproduction Authorized

TMD IPB Template -- 18 March 2000

Adversary TM Force Capabilities Assessment

Active Defense Suppression Capabilities

Motivation and Intent

Motivation - US and allied TMD and TAD forces can destroy or at a minimum neutralize RED theater air and missile forces; effectively rendering them useless.

Intent - Given RED priority for TM forces and historical use of SEAD, RED is assessed to be highly motivated to conduct active defense suppression of US and allied TMD forces. Therefore, it is assessed that RED intent is to suppress active defenses with available military forces when operationally feasible.

Historical Use of Suppression of Active Air or TMD

During the 1992 RED-GRAY war, RED conducted 3 separate SEAD attacks against GRAY SA-2 radars. In each attack, RED used 2 Su-24 FENCER Ds, with each launching 2 AS-17a ARMs.

TMD IPB Template -- 18 March 2000

TAD versus TMD

RED places a higher strategic value on its TBM and SLCM force and is therefore assessed to place at least the same priority on countering US and allied TMD as on countering US and allied TAD forces. However, defense against air attack by the US and allied air forces is first priority for the RED Air Force

Capability to Locate TMD Assets for Suppression

The primary intelligence asset available to RED will be indigenous personnel sympathetic to RED and inserted intelligence covert operations. These in-place agents will likely blend in with the local populace to avoid detection. They may carry still or video cameras, as well as small hand-held GPS receivers for recce in support of targeting US and allied TMD assets by other RED forces. They are not expected to carry laser ranging equipment, laser designators for PGMs, or weapons.

The use of SOF teams is possible, but will likely have difficultly in being inserted in a timely fashion. If inserted they are not expected to present a physical threat unless RED perceives that hostilities are a direct threat to the current political regime. The SOF teams will likely conduct recce to support targeting by other RED forces. SOF teams may include laser designators for directing PGMs onto US and allied TMD assets.

RED has 6-8 French built Mirage III fighters configured for recce and could use them against US and allied TMD assets. However, their survival against US and allied TAD is questionable. See doctrinal templates for these recce configured Mirage III's and details on deployment, performance, characteristics, and tactics.

RED operates a handful of mobile ELINT vehicles, however, their range is limited to less than 50 km, placing them out of range of the current deployment for US and allied TMD assets.

Suppression (Capabilities	
Suppression Capability	Applicable To:	
TMs in Suppression Role - Probable against land-based TMD assets and very probable against sea-based TMD assets using ASCMs	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs	
TM Penetration Tactics - Only salvo launch is expected with 6-12 TBMs or SLCMs against a single target within a 1 minute time span	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs	
TM TMD Countermeasures - Only simple RCS reduction expected	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs radars	
Aircraft - Very probable if aircraft can survive to weapon release points	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs	
ASCMs to Suppress TMD Capable Ships - Very probable	TMD equipped AEGIS CGs and DDGs	
ARMs - Very probable if aircraft can survive to weapon release points	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs radars	
Information Warfare (Including EC) - Very unlikely, no known capability	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs radars	
WMD - Not expected in a active defense suppression role	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs	
SOF - Medium probability in an intelligence collection role and very low probability for physical attack role	PATRIOT and THAAD	
Terrorist and Insurgent Forces - Very probable for intelligence collection role and very low probability for physical attack role	PATRIOT and THAAD	
Conventional Ground Forces - Very unlikely	PATRIOT and THAAD	
Conventional Naval Forces - Unlikely	.TMD equipped AEGIS CGs and DDGs	
Combined Arms Tactics - Unlikely	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs	

UNCLASSIFIED

Figure II-12. (Continued) (2 of 2)

Local Reproduction Authorized

- (5) Major LOCs. Defining the LOCs (road, rail, and telecommunication networks) is important for the detailed area limitation analysis in TMD IPB step 2. TMD IPB step 1 defines and uses the primary road/rail network as an overlay when determining the AO and AOI. Rail networks will typically be less significant for TM operations in most countries. An overlay is not needed if a particular adversary country's rail network is not used by its TM force. An overlay for telecommunication networks should also be developed. The military telecommunications network is more important than the civilian network, though in many countries the military uses the civilian network. Landlines are of particular importance to TM operations. Use MCS, country studies, or digital intelligence data bases to obtain information. Available data within DCW II and commercial GGI&S systems generated the example (Figure II-13) of a kind of graphic needed for this step.
- d. Step 1.4 Identify the Amount of Detail Required and Feasible Within the Time Available. Understanding the TMD IPB development process is essential in order to collect the required information and to deliver that information in a timely manner. Failing to get the right information to the right place at the right time can result from trying to do too much. Yet, doing too little results in getting the wrong information to the right place at the right time. To avoid this, develop a TMD IPB checklist to gauge the amount and detail of work that needs be accomplished and then build a TMD IPB development plan to schedule the work identified in the TMD IPB checklist (See Appendix D). This helps in focusing the development effort to get the right information to the right place at the right time.




Figure II-13. Major Terrain and LOC Overview Template

- e. Step 1.5 Evaluate Existing Databases and Identify Gaps. The TMD IPB database will not have all the intelligence and information required to evaluate the effects of each battlespace characteristic and each TM force. Databases only contain a fraction of the information required to support TMD IPB development. Hardcopy reports are still very valuable sources of information. Maps are essential and digital maps are required.

 Valuable on-line sources include intelligence link (INTELINK) and near real time links (i.e. tactical related applications [TRAP] data dissemination service [TDDS], tactical information broadcast service [TIBS], Joint Tactical Information Distribution System, and moving target indicator feeds). Open source resources include books, periodicals, academia and industry. Identifying intelligence gaps early allows for data collection operations prior to the start of combat operations. In many cases, support from other intelligence organizations is needed to obtain and analyze data to fill gaps. Identifying gaps which cannot be filled within the time allowed is equally important in developing the TMD IPB. Maintain communication with the command staff regarding the gaps not expected to be filled and formulate reasonable assumptions. Identify gaps by:
 - Identifying organizational sources and points of contact (POCs).
- Identifying current, on-order, and desired information holdings and connectivity to sources (see Figure B-10).
- Evaluating the identified sources and assess the critical gaps in the information relative to the TMD IPB steps (see Figure B-11).
- (1) IPB Holdings and Database Assessment. It is good practice to maintain a log of the information holdings. Each organization handles this function differently. Some organizations use a library function to keep a log of information holdings and others find it

more efficient to develop and maintain ones own log. Figure B-10 shows one way to catalog the information holdings. Ideally, maintain the catalog within a computerized database accessible over a network.

- (2) POCs. No single organization can accomplish the TMD IPB process alone and support is needed from outside organizations. To develop a complete and accurate TMD IPB, it is important to identify and establish national through theater level POCs early. Establish a POC for each of the organizations identified in the organizational sources template (see Figure B-10). A general purpose computerized personal information manager or contact manager is very useful in managing POCs. See Figure B-12 to build a list of POCs manually.
- f. Step 1.6 Collect the Material and Intelligence Required to Support Further TMD IPB Analysis. Collecting intelligence and incorporating it into the TMD IPB process is a continuous effort. The TMD intelligence team fills intelligence gaps by initiating collection operations through priority intelligence requirements (PIRs), essential elements of information (EEIs), and requests for information (RFIs). Additional intelligence data is applied to the appropriate steps to allow updating of all TMD IPB products.
- (1) PIRs, EEIs, and RFIs. PIRs represent the commander's most important intelligence requirements that are prioritized according to relative value. PIRs are single requirements, typically in the form of a single question and oriented towards identifying the COA an adversary is executing. Recommended PIRs are typically submitted to the command's intelligence collection manager who submits them and other command PIRs to the commander for approval. The collection manager is then responsible for submitting the PIRs to the appropriate intelligence functions for collection. EEIs identify information

needed to support a wide variety of standing information requirements and may duplicate PIRs. The TMD IPB team typically submits EEIs to the command's intelligence collection management which then racks and stacks them with other command EEIs to form the command's collection requirements. RFIs are used to request any needed information that does not fall into the PIR or EEI categories and range from simple to very complex requests. See Figure B-13 for a PIR, EEI, and RFI worksheet.

(2) Information Searches. Figures B-14 – B-16 assist in developing initial information search profiles for documents, text message retrieval, digital databases (INTELINK, modernized integrated data base [MIDB], National Exploitation System), and other digital information sources. Conduct information searches early as they are useful for performing parts of TMD IPB step 1. After the initial search is complete, review the data for relevancy and accuracy. This review refines the search profiles which is critical to retrieving the appropriate information. A narrow search profile results in missed information, while a wide search profile results in information overload. The search profile is relatively static during peacetime. During crisis, it needs to be dynamic to keep up with changing adversary and friendly situations. The information retrieval specialists are essential to getting the search criteria correct for the current situation because each search system is different and requires different filtering criteria to achieve the desired results. The key is to interact frequently with the information retrieval specialists.

Chapter III

STEP 2: DEFINE THE BATTLESPACE'S EFFECTS

1. What Is It?

- a. Definition. Step 2 determines how the battlespace environment affects adversary TM and friendly TMD operations.
- b. Desired End Effect. The desired end effect is the identification of how the battlespace environment influences adversary TM and friendly TMD operations. Terrain plays an important role because TM systems are so mobile. The terrain assessment process analyzes the military aspects of the terrain by focusing on terrain suitability for TM and TMD operations based on geography, weather, and the technical characteristics of the TM equipment and forces. Two primary objectives of the TMD IPB terrain assessment are:
 - Identification of potential mobility areas within TM force operating areas.
 - Identification of exploited terrain for countering mobile TM operations.

Terrain analysis is not the end product of the TMD IPB process. It is the means to determine which friendly COAs best exploit the terrain and how the terrain affects the adversary's available TM COAs and friendly forces ability to defend against them.

2. How To Do It For TMD

Step 2 is concerned with the evaluation and integration of the various environmental and infrastructure factors affecting adversary TM force operations. The primary steps in Step 2 are shown in Figure III-1.




Figure III-1. Step 2 - Define the Batllespace Effects

Generally, the AO is evaluated in more detail than the AOI. The focus also varies for different TMD mission areas. For example, an active defense only IPB analysis would reduce the urgency for a detailed missile infrastructure analysis. The battlespace is not homogeneous because certain areas or sub-sectors will affect various types of operations in varying degrees. During the evaluation, identify those areas that favor each type of operation and consider traditional operations (defense and offense) as well as operations associated with any specific operational factors (launch, transload, etc.) . The following discussion focuses on adversary capabilities and effects, but the processes are also required for analysis of friendly TMD operations..

a. Step 2.1-Analyze the TM Battlespace Environment. The detail in which the battlespace environment is analyzed varies depending on the command's mission, the

general TM forces' capabilities, and each battlespace dimension's relative significance or importance to the specific command operation being planned. Military planning requirements generally require a more detailed evaluation of the AO than the AOI. Since the battlespace is not homogeneous, various air, land, and maritime areas may require greater or lesser analysis depending on the relative geographical complexity of the region. Each battlespace dimension's environment is analyzed for its military aspects and evaluated for its effects on military operations. In the case of sea-launched cruise missiles (SLCM), air-launched cruise missiles (ALCMs) and ASMs, give special consideration to analyzing the maritime and air dimensions and their effects on TM operations. Weather is considered in terms of its ability to modify each dimension's environment, and as a separate factor capable of directly affecting military operations. For example, heavy rainfall modifies the land environment by swelling streams and degrading/reducing soil trafficability, but can also directly impact military operations across the spectrum of all battlespace dimensions by reducing visibility.

- (1) It is important to focus the analysis because performing a detailed terrain analysis is generally unrealistic for very large areas. TMs normally operate over much more constrained geographic areas. An assessment is made to define an TM force's field operating areas and to focus terrain and weather analysis to only those areas from which the TM force is likely to operate. If time allows, expand the analysis areas to where TM operations could take place.
- (2) Maritime Dimension Considerations. The maritime dimension of the battlespace is the environment in which all naval operations take place to include SLCM operations. The maritime dimension is influenced both by the sea and the littorals. When conducting IPB against SLCMs, examine the effects of maritime geography on the

battlespace for both the AO and AOI. Key military aspects of the maritime dimension include maneuver space and chokepoints, natural harbors, anchorages, ports, naval bases, sea lines of communication and the hydrographic and topographic characteristics of the ocean floor and littoral land mass. Base the evaluation of these key aspects on the degree to which they control or dominate SLCM operations. Evaluate the location of adversary naval bases in relation to how well they support SLCM operations. Identify adversary axes and avenues of approach, high-risk areas, low-risk areas, and potential naval engagement areas. The end result is an evaluation of how the maritime environment helps or hinders SLCM operations. Identifying potential SLCM launch locations is the ultimate goal. Identifying these areas is problematic and depends largely on factors such as friendly target locations, SLCM ranges, and the specific launch platform (i.e. surface combatant vice submarine). For example, analyze bottom composition and fathom curves to determine the possible locations of subsurface threats (particularly quieted diesel submarines) within SCLM range of potential targets.

(3) Air Dimension Considerations. The air dimension of the battlespace is the environment in which ALCM and ASM operations are conducted. IPB against these threats is also focused on the launch platforms more so than the missile itself. Give special consideration during the IPB process in analyzing how the air dimension affects these platforms. When conducting TMD IPB against ALCMs and ASMs, analyze air avenues of approach. Likely approaches are those that protect the launch platforms from detection and engagement (masking terrain) while still allowing maneuver and providing adequate line-of-sight (LOS) to the target. Other factors that affect ALCM/ASM platforms include attack profiles, ordnance, point of origin, and ground control radar positions. Ordnance or payload may affect range and altitude and will probably influence the avenues of approach.

Adverse weather may also affect the enemy's ability to employ these air-breathing launch platforms. The air dimension is analyzed in a two-step process that analyzes the various military aspects of the environment and then evaluates how the environment affects military operations. The first step is to identify and locate friendly assets that are potential adversary targets. This is followed by identifying adversary airfields from which air attacks might be launched and that are within range of the previously identified target areas. The surface and air environment located between these adversary airfields and friendly targets are then analyzed to determine likely air avenues of approach and to determine any other characteristics of the air dimension that may influence ALCM/ASM launch operations. The ultimate purpose of this type of analysis is to determine the optimal air attack heading and profile—in effect, the ALCM/ASM forward operating locations.

b. Step 2.1.1-Terrain Assessment. The best TMD IPB terrain analysis technique is a combined approach using automated terrain analysis tools supplemented by reconnaissance and manual techniques using high-resolution maps and imagery. A comprehensive TMD IPB terrain analysis integrates data developed during TMD IPB steps 1, 2 and 3 and is iterative throughout the effort.

- (1) Analysis of Military Terrain Aspects. To conduct this analysis, break down the elements of the battlespace terrain and analyze each aspect. Key aspects are:
 - (a) Surface configuration (includes land, sea and littoral).
 - (b) Vegetation.
 - (c) Surface Materials.
 - (d) Obstacles.

- (e) Transportation and LOC infrastructures.
- (f) Urban areas.
- (g) Cover.
- (h) Concealment.
- (i) Cross-country movement (CCM).
- (j) Observation/line-of-sight (LOS).
- (k) Key terrain.
- (l) Electromagnetic (EM) spectrum.

Consider all of these factors when analyzing terrain, but focus on the ones most relevant to the specific situation and the commander's needs. Evaluate the factors in the order that best supports the analysis. Each terrain analysis template has its own requirements for either digital data and/or hard copy maps/charts (See Table B-1). In most cases only limited types of digital data and hard copy maps/charts will be available.

- (2) Terrain Feature Data. Terrain feature data is used throughout the terrain analysis process. NIMA's foundation feature data (FFD) classifies terrain features data across multiple GGI&S products. Figure B-17 provides a suggested template for identifying terrain FFD codes, attributes, and values.
- (3) Terrain Reconnaissance. Identify the terrain knowledge gaps that analysis cannot satisfy. Use these gaps as a guide for reconnaissance planning and focus the reconnaissance on the areas most important to the mission. When feasible, supplement the pre-deployment terrain analyses with actual reconnaissance.

- (4) Terrain Analysis and Weather. Terrain analysis must always consider weather effects. The terrain analysts should work closely with the weather detachment or staff weather officer to ensure that the analysis incorporates the effects of current and projected weather. Terrain analysis is a continuous process and changes in the battlespace environment may alter the evaluations of its terrain-derived effects. For example, if built-up areas are reduced to rubble or LOCs are destroyed in battle, reevaluate the mobility characteristics of the AO. Similarly, if weather conditions change, reevaluate the terrain's impact on military operations. Finally, TM unit operations use organic engineering capabilities to develop hide and launch locations in areas previously judged unsuitable.
- (5) Terrain Analysis and TM Force COAs. Evaluating terrain effects identifies the battlespace areas that affect each TM force's COA. For example, terrain effect evaluation helps identify areas best suited for launch sites/areas, airfields, ports, fire control sites, hide sites, transloading areas, forward operating locations (FOLs), and forward storage areas.
- (6) Terrain Analysis Templates. There are 12 basic types of terrain analysis templates applicable to TMD IPB development. See Figure B-18 for a suggested checklist to determine which ones apply to a particular TMD IPB development. Templates provide a good method for tracking the status of the terrain analysis. Use USA FM 3-34.33 (FM 5-33), *Terrain Analysis* as the primary source for terrain analysis techniques and analytical procedures. The following sections provide the primary terrain analysis steps and resultant templates. Step 1 is identical for each section and is:
- Step 1. Retrieve available data. Depending on the type of FFD available (see Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.

- (a) Surface Configuration. A surface configuration template depicts the terrain's slope by using degrees or percent of slope. Terrain slope affects area suitability for TM force operations (launch, missile handling, field storage, and radar siting). The surface configuration template helps determine cross-country mobility. Use the following terrain analysis steps to produce the land surface configuration and bathymetric surface configuration templates.
- Step 2 (optional for land surface configuration). Plot elevation/depth contours. Select an appropriate contour interval for the current TMD IPB development. Five, ten, and twenty meters (m) are typical values for contour intervals.
- Step 3 (optional). Plot identified (see Figure B-17) surface drainage features. Label the outlined areas with a W.
- Step 4 (optional). Plot dissected terrain (pits, quarries, dumps, piles, landfills, ravines, gorges, etc.). Most of these features are easily recognized on topographic maps.
- Step 5. Define, plot and code label the desired slope categories (see Figure B-19).
- (b) Vegetation. A vegetation overlay shows the natural and cultivated vegetated areas. It helps determine LOS, cover, concealment, and the capability of the TM force's equipment to move cross-country. Use the following terrain analysis steps and USA FM 3-34.33 (FM 5-33) to produce the vegetation template.
 - Step 2 (optional). Plot identified surface drainage features (see Figure B-

- 17). Label the outlined areas with a W.
- Step 3 (optional). Use available imagery or human intelligence (HUMINT) resources to identify vegetation areas by type which are not in the vegetation FFD. Use the dominant (60% or greater) vegetation in the area to type an area with mixed vegetation. Digitize previously unavailable data and add it to the available local vegetation FFD.
- Step 4. Plot the boundaries and areas of all identified vegetation types using the vegetation FFD and overhead or HUMINT from Step 3. Label and code each type of vegetation (See Table B-2). Use additional user defined codes as required.

Note: After completing each of the following steps through step 7, apply step results to Step 8. Digitize the previously unavailable data and add it to the available local vegetation FFD.

- Step 5 (optional). Determine the canopy closure and mean height to the canopy top for each forested area using the coding standard in Table B-2. Add the canopy closure and height results to Step 4.
- Step 6 (optional). Determine the tree crown diameter for each forested area. Tree crown diameter is the distance across the spread of a tree crown and is measured in meters.
- Step 7 (optional). Determine the mean stem diameter and the stem spacing for each forested area. Tree stem diameter is the diameter of a tree at 1.4 m above the ground. Stem spacing is the distance from the center of one tree to the center

of the nearest adjacent tree.

- Step 8 (optional). Estimate the vegetation roughness factor (VRF) for each vegetation area. The VRF is a numerical estimation of vehicular speed degradation when moving over flat terrain and through a particular type of vegetation. The factor decreases from 1.0 (no speed degradation) to 0.00 (vegetation roughness does not permit off-road mobility). For example, grassland with little slow-down effect has a VRF of 1.0 to 0.9, but virtually impassable swamp with dense ground vegetation, fallen branches and trees, and exposed stumps has a VRF of 0.1. The VRF designated to a vegetation category is subjective and designated by the terrain analyst.
- (c) Surface Materials. A surface materials template shows the natural and cultivated vegetated areas. It helps determine LOS, cover, concealment, and the capability of the TM force's equipment to move cross-country. Use the following terrain analysis steps and USA FM 3-34.33 (FM 5-33) to produce the surface materials template.
- Step 2 (optional). Plot identified surface drainage features (use Figure B-17). Label the outlined areas with a W.
- Step 3 (optional). Plot built-up area features using completed Figure B17. Label the outlined areas with an X.
 - Step 4 (optional). Plot permanent snowfield features using completed Figure B-17. Label the outlined areas with a PS.
- Step 5 (optional). Plot salt evaporators and salt encrustation features using completed Figure B-17. Label the outlined areas with a EV.

- Step 6 (optional). Use available imagery or HUMINT resources to identify any surface material areas by type which are not contained in the available surface material FFD. Use the dominant (60% or greater) surface material in the area to type an area with mixed types Digitize previously unavailable data and add it to the available local surface materials FFD.
- Step 7 (optional). Plot exposed bedrock features or those void of surface materials using completed Figure B-17. Label the outlined areas with a RK.
- Step 8. Plot the boundaries and areas of all identified surface material types using surface materials FFD and overhead or HUMINT from Step 6. Label each surface material type using the codes in Figure B-17. A third digit is used with the Unified Soils Classification System (USCS) (see Table B-3). The third through sixth digit indicates the surface roughness factor from the next step. Do not assign a surface roughness factor to the USCS codes RK, PS, EV, X, and W. Use additional user defined codes as required. See Table B-4 for landforms and commonly associated soils to assist in identifying surface materials.
- Step 9. Estimate surface roughness factors and compute the degree to which a vehicle's speed is degraded by surface characteristics (boulder fields, gullies, and rugged bedrock). Factors can be any number from 0.00 to 1.00 in 0.05 increments. The surface roughness factor of 1.00 indicates no vehicle speed degradation while a 0.80 factor indicates a degradation by 20 percent. In estimating the factor, consider all physical characteristics of the feature as well as vehicle characteristics (ground clearance, wheel size, etc.). Estimate surface roughness factors for the primary TM force vehicle or create a surface materials template for each important TM vehicle type.

- (d) Obstacles. An obstacle template depicts the location and type of man-made or natural movement obstacles. It is used with the other terrain analysis templates to produce cross-country movement overlays. Use the following terrain analysis steps to produce the land obstacles and nautical obstacles templates.
- Step 2 (optional). Use available imagery or HUMINT resources to identify any obstacles by type which are not contained in available surface material FFD. Start with the LOC infrastructure and search along its infrastructure. Digitize previously unavailable data and add it to the available local obstacle FFD.
- Step 3. Plot existing obstacle features (see Figure B-17) using the appropriate military symbology.
- (e) Transportation and LOC Infrastructures. Transportation and LOC infrastructure templates show the two infrastructures. Transportation is all the routes (land, sea, and air) within the operating area of a TM force. Air transportation includes all of the routes for air delivered TMs from the operating base to the targets. LOCs are all the supply and equipment routes (land, sea, and air) that connect an operating military force with a base of operations. Use the following terrain analysis steps to produce the:
 - Road transportation and LOC template
 - Railroad transportation and LOC template
 - Air lanes and LOC template
 - Port transportation, inland waterways and LOC template

Note: . To perform the labeling and coding in the following steps, use the symbology and coding in USA FM 3-25.31 (FM 21-31) *Topographic Symbols*, USA FM 3-34.33 (FM 5-33) and Figure B-20. After completing each of the steps, digitize the previously unavailable data and add it to the available local transportation and LOC FFD.

• Step 2. Use available imagery or HUMINT resources to perform an analysis of the terrain to locate all appropriate transportation and LOC features.

Restrict the transportation and LOC analysis to the transportation infrastructure operating areas and the LOC infrastructure routes connecting the field operating areas and fixed locations. This step is necessary since most NIMA GGI&S products are either incomplete, out-of-date, or lack the resolution to support TMD IPB transportation and LOC analysis.

Note: For each unique segment of the transportation and LOC infrastructures, do the following steps:

- Step 3 (optional). Identify and label the surface material of the roads.
- Step 4 (optional). Determine the minimum road width and number of lanes. Each segment is assigned a minimum width value (see Table B-5 for military map lane widths). Always use a decimal point to record the segment width (5 m = 5.0 m) and place that number parallel to the segment. Note and label every point at which a change in width occurs and place a segment symbol at each.
- Step 5 (optional). Determine the gradient, degree, or percent of slope when it exceeds a predefined value (less than or equal to 17 or 25 degrees) based on the equipment templates from TMD IPB step 3. Place an arrowhead symbol at each end of

the gradient with the flat end of the arrowhead at the bottom of the grade and the point of the arrowhead at the top.

- Step 6 (optional). Depict constrictions when the segment narrows to less than a predefined value (default of 3 m) based on the TMD IPB step 3 equipment templates. Indicate the width measurement adjacent to the arrowhead symbol.
- Step 7 (optional). Depict all sharp curves with a radius in meters of a predefined value (default of 30 m) based on TMD IPB step 3 equipment templates.

 Indicate the width measurement adjacent to the arrowhead symbol.
- Step 8 (optional). Depict all features that are currently under construction with the circled symbol "*UC.*"
- Step 9 (optional). Determine and label each bridge segment's length, and width and height clearances in meters and its military load classification in tons.
- Step 10. Determine each bridge segment's bypass potential within a 2 km distance from the bridge. Rate and label the bypass potential as either easy, difficult, or impossible.
- Step 11. Determine and label each segment's under-bridge width and height clearance in meters.
- Step 12. Determine and label each tunnel segment's length, width and height clearances, and overburden depth in meters.
- Step 13. Determine each tunnel segment's bypass potential within a 2 km

distance from the tunnel. Rate and label the bypass potential as either easy, difficult, or impossible

- Step 14 (optional). Estimate and label each fording location's length and width and each ferry location's length and capacity.
- Step 15. Plot each runway outline to show which way it is oriented.
 Determine its length, width, and surface material. Label the facility as either airfield, heliport, or both.
- Step 16 (optional). Determine and label all railroad segment track gages and any point a change occurs.
- (f) Urban Areas. An urban areas template depicts built-up areas which could conceal TM equipment and forces. Use the following terrain analysis steps to produce the urban areas template.

Note: To perform the labeling and coding in the following steps, use the symbology and coding in USA FM 3-25.31 (FM 21-31), USA FM 3-34.33 (FM 5-33) and Table B-6. After completing each of the steps, digitize the previously unavailable data and add it to the local obstacle or transportation FFD.

- Step 2 (optional). Use available imagery to identify any built-up areas which are not contained in available surface material FFD. Start with the LOC infrastructure and search along it.
 - Step 3. Plot and label all built-up area boundaries.

- Step 4 (optional). Divide and label the urban areas by dominant (60% or greater) building type into smaller areas.
- (g) Cover. A cover template depicts locations and terrain features which can provide the TM force cover from friendly attack operations. Use the following terrain analysis steps to produce the land cover and nautical cover templates.
- Step 2. Determine the potential friendly attack assets and their capabilities from the commander's guidance and command OPLANs. Information on the general types of weapon systems and capabilities which penetrate and destroy hardened targets is needed. Information from higher should suffice for this step.
- Step 3. Using step 2 information, examine each terrain feature found in all previous templates and determine which terrain features provide potential cover from the command's TMD attack assets. Plot and label features. If the command has a fully deployed air capability with significant assets allocated to TMD attack operations, very few terrain features may provide cover. For example, current precision-guided munitions can penetrate significantly hardened targets and only deep tunnels may be capable of providing cover. Consider all factors when determining a terrain feature's potential for providing cover.
- (h) Concealment. A concealment template depicts potential TM force hide locations. Concealment is protection from friendly observation. Use the following terrain analysis steps to produce the:
 - Friendly air defense and TMD radar masking template.

- Friendly airborne radar masking template.
- Friendly surface radar masking template.
- Step 2. Determine the potential friendly intelligence, surveillance, reconnaissance (ISR) assets and their capabilities from the commander's guidance and command OPLANs. Information on the general types of ISR systems and capabilities used to observe TM forces is needed.
- Step 3. Using information from step 2, examine each terrain feature found in all previous templates and determine which terrain features provide potential concealment from the command's TMD ISR assets. Plot and label using USA FM 3-25.31 (FM 21-31) and FM 3-34.33 (FM 5-33). Consider all relevant factors when determining a terrain feature's potential for providing concealment.
- (i) CCM. A CCM template depicts the mobility of a TM force. Also referred to as an avenue of approach overlay, the CCM template depicts the mobility corridors and best off-road routes TM vehicles can use to get to an objective. It also shows the terrain that these vehicles cannot cross. It relies on many of the previously produced templates, such as surface configuration and obstacle templates and vegetation and surface materials templates. CCM analysis is a very manually intensive process; when possible use automated terrain analysis tools. Use the following terrain analysis steps to produce the CCM template:
- Step 2. Determine the types of vehicles and conditions (dry, wet or both) for which CCM templates will be developed. Several templates may be required to support a TMD IPB development. The following is typical for a TBM case in an

environment with both a dry and wet season:

- TBM transporter erector launcher (TEL) dry season CCM template.
- TBM TEL wet season CCM template.
- TBM GSE vehicles dry season CCM template.
- TBM GSE vehicles wet season CCM template.
- Step 3. Retrieve and consider the below factors for each overlay.

 Estimate the ones that can not be calculated (see USA FM 3-34.33 [FM 5-33] to calculate) and ignore those with insufficient data. Most of the factors are on the previously constructed templates (surface configuration and vegetation). If required, consider and use additional factors. Use Figure B-21 to gather all the factors and start the CCM template production. The standard terrain analysis factors are:
- Road slope versus maximum vehicle speed. Express in kilometers per hour (kph).
 - Off-road slope versus maximum vehicle speed. Express in kph.
- Slope-intercept-frequency. This is the number of times the ground surface changes between positive and negative slopes over a 1 km distance. Express as a factor between 0.00 and 1.00.
 - Dry soils. Express as a factor between 0.00 and 1.00 for each soil type.
 - Wet soils. Express as a factor between 0.00 and 1.00 for each soil type.
 - Surface roughness. Express as a factor between 0.00 and 1.00.
 - VRF. Express as a factor between 0.00 and 1.00 for each vegetation type.

- Vegetation. This is the combination of VRF, vehicle factor, vehicle clearance factor, and vehicle override. Express as a factor between 0.00 and 1.00.
- Step 4. Establish vehicle speed categories (go, no go, restricted, severely restricted, and not evaluated) using Figure B-21.

NOTE: After completing Steps 5 and 6, digitize previously unavailable data and add it to the available local transportation FFD.

- Step 5. Determine each unique area's slope. Multiply all of the factors together and then remultiply using the road or off-road slope speed.
- Step 6. Assign a speed category to each unique area's terrain as established in step 4 and Figure B-21.
- Step 7. Plot all unique areas, mark their speed categorization, and code each area with shading, color, or alphanumerically.
- (j) Observation/LOS. An observation/LOS template depicts the ability to see the adversary or for the adversary to see friendly TMD operations visually or with surveillance devices. Factors that limit or deny observation include concealment and cover. Use the following terrain analysis steps to produce the:
 - Friendly overhead ISR and TMD radar template.
 - Friendly standoff ISR and TMD radar template.
- Friendly surface ISR and TMD radar template (includes special forces [SF]).

- Adversary air defense and TMD radar coverage template.
- Adversary overhead ISR template.
- Adversary standoff ISR template.
- Adversary surface ISR template (includes SF).
- Step 2. Retrieve and plot the locations and sensor coverage capabilities for all friendly ISR and TMD radar assets assigned to the command. Take into account the effects of terrain masking. If an ISR or radar asset is mobile (i.e. Airborne Warning and Control System or Joint Surveillance Target Attack Radar System), plot the areas of coverage for which 100 percent coverage will be available. Mark other visible areas as less than 100 percent coverage. If feasible, develop a variable scale areas with 100, 75-100, 50-75, 25-50, and 0-25 percent coverage.
- Step 3. Retrieve and plot the known locations and sensor coverage capabilities for all adversary ISR, air defense radar, and TMD radar assets. Take into account the effects of terrain masking. If an ISR or radar asset is mobile (i.e. overhead imagery satellite and aerial surveillance radar), plot the areas of coverage for which 100 percent coverage will be available. Mark other visible areas as less than 100 percent coverage. If feasible, develop a variable scale for areas with 100, 75-100, 50-75, 25-50, and 0-25 percent coverage.
- (k) Key Terrain. A key terrain overlay depicts terrain features which afford a marked advantage to either combatant if seized, retained, or controlled. Use the following terrain analysis steps to produce the key terrain template.

- Step 2. Examine each terrain feature found in all previous templates and determine which terrain features are key terrain to either the adversary TM force or friendly TMD operations.
- Step 3. Plot and outline each key terrain feature's location. Label each as key terrain for the adversary TM force and/or friendly TMD operations.
- (l) EM spectrum. A TM force EM spectrum template depicts the potential EM emissions from a TM force. It keys friendly signals intelligence (SIGINT) operations to locate and/or directly target TM force assets. New measurement and signature intelligence (MASINT) technologies may permit the detection of generator (and other similar equipment) EM energy and therefore, the generator becomes the transmitter. The TMD analyst needs to carefully check the sensor technologies available and adjust the intelligence targets accordingly. Use the following analysis steps to produce the EM spectrum template.
- Step 2. List all of the TM force types of equipment which transmit in the EM spectrum (retain this information for further analysis in TMD IPB step 3). Include the equipment's basic transmitter type, frequency limits, antenna pattern characteristics, and antenna pointing capabilities.
- Step 3. Plot the frequency limits of each transmitter type using a logarithmic scale.
 - Step 4. Plot and code label all the known transmitter locations.
 - Step 5. Plot the coverage of each transmitter not included in an

observation/LOS overlay template.

- c. Step 2.1.2 Assess Weather Effects on TM Operations. Weather analysis evaluates the weather's direct effects on TM force operations. Terrain and weather analyses are inseparable. The weather assessments needed to support TMD IPB are climatology, current weather and forecast weather.
- (1) Climatology Assessment. Climatology assessment is statistical weather data collected or calculated for an area. It focuses on mean weather conditions likely to affect peacetime readiness planning phases and/or future TM force operations. Favorable TM climatology factors obscure observation of TM force operations (i.e. cloud cover) and detrimental factors impede TM force operations (i.e. precipitation, thunderstorms, temperature extremes, high winds [surface and at flight altitudes], inversion, and humidity). Climate/weather can have the following effects on TM force operations:
 - (a) Impacts the tempo of operations by reducing missile crew efficiency.
- (b) Adversely affects technical performance of the missile system and associated support equipment, particularly if the adversary is denied access to current meteorological data.
 - (c) Enables the adversary to tactically exploit its effects on friendly TMD.
- (d) Impacts the effectiveness and likely use of chemical and biological weapons both negatively and positively. Climatology data is assessed for each TM operating area. Figure B-22 depicts sample climatology data for a given TM operating area. The first source for this data is the local weather unit and if unavailable, the Air Force Combat Climatology Center at 151 Patton Avenue, Room 120, Asheville, North Carolina.

- (2) Current and Forecast Weather. Current and forecast weather are used during combat operations. Current assessment is used to support active missions and operations. Forecast assessment is used for mission planning and TMD IPB development out to five to seven days. To focus weather analysis, begin with available weather trend information or climatology-based overlays for specific TM operational locations within the AO and analyze each military weather aspect. Evaluate the aspects that have the most bearing on TM missile operations (i.e. visibility, precipitation and winds). Weather has both direct and indirect effects on missile operations. Integrate the effects of the different weather aspects into a single template to provide current and forecast effects on missile operations (see Figures B-23 and B-24). Use it in conjunction with other terrain analysis products to further refine estimates of CCM and when operations may occur. Use local climatology data and then fine-tune with more current information. Military weather aspects significantly impacting TM operations are:
- (a) Visibility. Low visibility benefits TM operations because it conceals TM unit movement and field deployed activities and enhances the possibility of surprise. Consider all aspects when evaluating visibility. Precipitation and other obscurants have varying effects. For example, cloud cover can negate friendly overhead reconnaissance of TM. A major factor in evaluating visibility is the amount of available light. Consider phases of the moon, times associated with sunrise, sunset, moonrise, and moonset. Night or low visibility operations can screen launches and limit TEL and GSE visual signatures (during Desert Storm, the majority of Iraqi missile launches occurred at night). In future conflicts, TM forces are likely to conduct missile launch operations at night or during periods of reduced visibility and cloud cover. Missile operations during periods of poor flying weather degrade the ability of TMD attack operations to visually search for missile equipment. Extreme

darkness can cause crew disorientation and slow TM unit movement. Movement would probably be in closed column formation, transit speeds reduced, and vehicle spacing less than 100 m.

- (b) Winds. Winds can affect TM operations by reducing crew efficiency in performing transloading operations, reducing crew efficiency in performing prelaunch missile operations (i.e. launch site setup and missile erection and alignment), and degrading missile accuracy if the wind's effects are not accounted for during the prelaunch operations (particularly for certain types of warheads). Wind-generated blowing sand, dust, rain, or snow reduces the effectiveness of friendly TMD systems (i.e. radar and communication systems). Strong winds hamper the efficiency of directional antenna systems by inducing antenna wobble and can detrimentally impact friendly attack operations.
- (c) Precipitation. Precipitation affects visibility and soil trafficability and can hamper TM crew performance at the launch, transloading and fueling sites. Combined with lightning, it would likely stop launch activity. It can degrade the functioning of electro-optical systems. Heavy snow cover can reduce mobility, affect communication systems, and degrade the effects of many munitions and air operations.
- (d) Temperature and Humidity. Temperature and humidity extremes reduce personnel and equipment capabilities and may require the use of special personnel shelters or equipment. Missile range performance is slightly sensitive to temperature conditions. Temperature extremes can reduce the maximum range performance of liquid propellant systems by 5% under severe conditions (<-30° Celsius (C) and >50° C). Nominal operational conditions (0°-30° C) generally do not impact the performance. Solid propellant missiles are

more sensitive to temperature and humidity constraints. The missiles are stored at nominal temperature ranges of 5-25° C. Environmental covers on the TEL or heating cloths placed on the missile maintain missile temperature. Maintaining solid propellant motors within nominal temperature bounds decreases the variation in propellant burn rate and corresponding variation in delivered thrust. High temperatures will increase burn rate (and delivered thrust), while cold temperatures will significantly degrade missile delivered thrust. Unexpected thermal variations may adversely impact accuracy.

- d. Step 2.1.3 Assess Other Characteristics of the Battlespace. This includes other TMD related terrain aspects. Normally, fixed TM force facilities have a specific assessment area while mobile TM force operations have a wider geographical area assessment. An important limitation in countering mobile TM force operations is the lack of TM infrastructure information. This can be partially overcome by:
- Using broad area imagery of National Imagery Interpretability Rating Scale
 quality or better to classify a TM force infrastructure and related terrain features,
- (2) Prioritizing the manpower and time intensive identification and cataloging of a confirmed or potential TM force infrastructure and related terrain features, and
- (3) Using the detailed imagery-based cataloging technique to enhance TMD IPB.

 To analyze a TM force's infrastructure, see Figure III-2 for the general process and Figures

 B-25 & B-26 for example templates used during the process. Known TM force

 infrastructure typically consists of RDT&E and production facilities, fixed operational
 facilities, and assessed field operating areas.




Figure III-2. Adversary TM Force Infrastructure Assessment Process

(1) RDT&E and Production. A country's TM RDT&E and production infrastructure represents a long-term investment in specialized manufacturing, test equipment, and facilities. TMD IPB analysis against this infrastructure provides specialized support to potential strike missions intended to disrupt, degrade or destroy a country's capability to produce ballistic missile systems. To support this objective, elements of the infrastructure which are unique and difficult to reconstitute are identified and a detailed IPB of the infrastructure during the readiness phase is performed. This analysis is a primary function of DIA, Missile and Space Intelligence Center (MSIC) and National Air Intelligence Center (NAIC) and requires specialized engineering expertise and databases.

- (a) When developing a detailed IPB of missile-associated RDT&E and production infrastructure:
- Use all available intelligence resources to determine system component stockage, associated manufacturing processes and subsystems which impact on missile operations.
- Identify the critical nodes within the RDT&E and production complexes such as difficult to replace manufacturing facilities requiring long lead development time, controlled manufacturing equipment and technology, one-of-a-kind or high value production or test equipment, and component and system integration/test points.
- Correlate specific RDT&E and production functions with specific buildings in a complex. Use MSIC and NAIC assessments of system components, production flow, manufacturing techniques/processes to develop candidate facility signatures to support correlations.
- Identify potential RDT&E and production elements which would most directly impact the conduct of the war. For example, identify facilities which might support a production surge to increase operational inventories or high priority weapons modification/development efforts in response to the TMD battle. See Figure III-3 for a sample infrastructure and production decomposition assessment template.

- (b) The level of RDT&E and production infrastructure within a country depends upon the degree to which indigenous production of TMs is underway. The five levels of missile production capability are:
- Complete dependence on import of assembled ballistic missile systems; the RDT&E and production infrastructure is minimal with few facilities. Focus on missile logistics and off-the-shelve modifications (i.e. extended range Al Hussein).
- Assembly of missile systems from semi-knock down kits (major components pre-assembled); the RDT&E and production infrastructure is minimal with few final integration and flight test range facilities.
- Assembly of missile systems from complete-knock down kits (missile shipped in parts with all major components disassembled); the RDT&E and production infrastructure is significant with multiple component assembly and test facilities for specialized and critical assembly and test equipment.
- Indigenous production (missile entirely manufactured in-country from country's raw materials and general products); the RDT&E and production infrastructure is extensive with multiple component assembly and test facilities for specialized and critical manufacturing equipment.




Figure III-3. Infrastructure Functional Decomposition Assessment Template (1 of 2)




Figure III-3. (Continued) (2 of 2)

- Indigenous development (missile designed and manufactured in-country from country's raw materials and general products); the RDT&E and production infrastructure is comprehensive with complete design and test capability and multiple component assembly and test facilities for specialized and critical manufacturing equipment.
- (c) Production is characterized by manufacturing functions and processes. A facility's specific usage varies from country to country. The following factors will influence a country's actual facility layout and organization:
 - Missile system hardware decomposition.
- Production functions such as metal forming and working (rolling, extruding, stamping/pressing, casting, cutting, milling, machining, etc.), metal treating and finishing (heat treating, chemical treating, painting, coating/preparation for storage, etc.), and electronics fabrication (board manufacture, soldering, component manufacture, cable/harness manufacture, etc.).
- Production labor craft skills (i.e. technicians and engineers of various types, administration and support personnel, etc.).
- Production environments and fit-to-process including but not limited to general industrial (rolling, welding, etc.), toxic (chemical treatment, etc.), explosive hazard (explosive loading, etc.), clean (precision fabrication, manufacturing, etc.).
 - Overall production flow (time and motion efficiency and common sense).
 - Test areas.

The desired production rate dictates the degree of parallelism in facilities. For example, a single machine shop could manufacture all the machined parts in the TM system, however,

actual production is likely grouped by manufacturing function (part type, size, materials) system component or assembly, etc.

(2) Fixed Operational Infrastructure. During the employment/sustainment phase, TMD IPB operational infrastructure analysis confirms operational status, identifies structures, equipment, and functions, tracks and analyzes deployment patterns, and tracks unit and equipment movements. A complete analysis of the operational infrastructure involves TMD IPB steps 2 & 3. Operational infrastructures of interest to the TMD IPB process at all levels (national, strategic, operational, tactical) are C4I, TM garrisons and ports, storage areas/maintenance/logistics/depots, training garrisons, and training areas. At the national/strategic level, flight test areas/sites are of interest. At the operational/tactical levels, field operating areas or deployment areas, field launch areas/sites, field support areas/sites (functions such as – warhead mating, fueling, and transloading) and field hide areas/sites are of interest.

Infrastructure analysis develops a functional evaluation of facilities and/or areas (see Figure B-27 for a suggested template). This functional evaluation and the mapping of its results for the entire operational infrastructure helps to develop the critical node analysis of the fixed operational infrastructure.

(3) Assessed Field Operating Areas. The operational deployment of units and missile equipment begins from missile garrison and storage areas/depots. The missile garrison houses the missile force (typically a brigade level unit) with its associated GSE. It may also have missile and warhead storage areas which primarily maintain the original missile condition and reliability by controlling the missile's environment and performing scheduled maintenance and operational checks. Peacetime deployment areas maintain

alert force operations, and hence reveal characteristic terrain and doctrinal practices, which probably apply to wartime models. Training areas are good readiness phase TMD IPB targets to understand enemy practices regarding the use of terrain and overall threat capabilities. See Figure B-28 for a suggested field operating area assessment template.

- (a) WMD Infrastructure Analysis. In the context of TMD IPB, WMD infrastructure analysis is limited to those facilities that support production, test and storage of chemical, biological and nuclear warheads for TMs. This infrastructure is a subset of the overall WMD infrastructure and may include basic resource and development (R&D), agent production, weapons development, testing, storage and disposal for delivery systems other than ballistic missiles. TMD IPB must draw information from the national level agencies (DIA, CIA, Armed Forces Medical Intelligence Center, etc.) which have the primary responsibility for this area. Analyze the WMD infrastructure to:
- Locate and monitor operational status of potential warhead storage facilities and correlate with TMD IPB.
 - Locate missile assembly and fueling facilities.
 - Determine primary LOCs and establish named areas of interest (NAIs).
- Determine specific chemical and biological warfare agents available for TMs and specific warhead types (unitary or sublimation).
 - Identify unique TMD indicators (e.g. unique canisters) associated with WMD.
- (b) TM Command, Control and Communications (C³) Infrastructure. A primary function of joint and service (National Security Agency, Joint Warfare Analysis Center, Air Force Information Warfare Center ["Links and Nodes" analysis under the CONSTANT WEB program], DIA [MIDB], published intelligence studies, and TIBS/TRAP broadcasts)

information warfare analysis efforts is detailed analysis of the C³ infrastructure. TMD IPB must use these intelligence sources and focus on identifying the communications infrastructure supporting TM operations and correlating the C³ infrastructure location with other battlespace factors (e.g., terrain, fixed infrastructure). C³ data vital to the TMD IPB are:

- National command centers.
- Locations where the adversary TM target list is developed and maintained.
- Brigade command posts.
- Landline communications and radio or microwave relay networks.
- Satellite communications (SATCOM) nodes.
- Intercepted mobile high frequency/very high frequency (VHF) radio communications.

These targets are normally high priority information warfare targets and it is vital to receive updates about their status throughout a conflict. A C³ overlay needs to be built for use in Step 2.2's area limitation analysis.

- (4) Conclusion. As with terrain and weather, express other battlespace characteristics in terms of their effects on adversary missile and friendly TMD COAs. The graphic depictions of the other battlespace characteristics developed during TMD IPB step 2 provide a template to annotate broad COA text assessments. Some examples are:
 - On the operational TM infrastructure graphic, show COA indications such as:
- The adversary missile force requires pre-positioned equipment or depends on long logistics LOCs to maintain deployed operations.

- The adversary has three primary deployment routes from this missile garrison.
- On the probable adversary target set graphic, show implied missile operations areas to highlight the closest target sets.
- e. Step 2.2. Assess Battlespace Effects on TM Force Capabilities and Broad COAs.

 Once the effects of terrain, weather and the other battlespace characteristics have been evaluated and defined, combine them into an integrated product. For TMD IPB this critical integration step is referred to as area limitation analysis.
- (1) Area Limitation Analysis. The area limitation analysis produces a detailed area limitation product providing a graphic overlay of likely missile operations areas delineating C4I, TM garrisons and ports, storage areas/logistics/ maintenance/depots, operating areas or deployment areas, field launch areas/sites, field support areas/sites (functions such as warhead mating, fueling, and transloading; and terms such as FOL, forward support element, forward operating base, and transload site), and field hide areas/sites. Also desirable are graphical overlays which correlate key infrastructures (fixed missile infrastructure, probable TM target sets, communication networks (landlines, SATCOM, etc.), road networks, and air defense coverage areas. Automated terrain analysis tools assist in performing area limitation. See Figure B-29 for example area limitation assessment inputs.
- (2) Automated Terrain Analysis Tools. Automated terrain analysis tools assist in rapidly evaluating terrain for TMD IPB by integrating features and general military information which facilitate movement modeling and locational assessment of mobile targets (See Appendix C). This process combines analytic assumptions regarding the movement of a target (i.e. speed, direction, destination, and hold times) with the inherent

terrain suitability analysis (i.e. road accessibility, elevation, slope, distance from support sites, etc.). Automated TM terrain analysis is affected by three primary factors:

- Limited potential TM related operational infrastructure (hide sites, potential launch sites, etc.) databases.
- Limited available digital terrain materials (i.e. terrain elevation data, digital mapping products, digital road network, and features data, etc.).
- Difficulty in correlating operational restrictions with existing terrain databases and determining COAs since TM operations favor use of diverse terrain.

Even with automated terrain analysis, some factors may have to be evaluated through map analysis supplemented by reconnaissance and imagery. NIMA and DIA produce specialized maps, overlays, and data bases to aid in map based evaluations.

Chapter IV

STEP 3: EVALUATE THE TM FORCE

1. What Is It?

- a. Definition. Step 3 determines TM force capabilities and the doctrinal principles and tactics, techniques, and procedures (TTP) TM forces prefer to employ.
- b. Desired End Effect. The desired end effect of Step 3 is to know the TM force capability given the current situation. This is achieved by developing models which accurately portray how TM forces normally execute operations and how they have previously reacted in similar situations.

2. How To Create TM Models

Evaluating an adversary involves creating models, identifying capabilities and uses the common understanding of the battlespace established in TMD IPB step 2. TM models depict how TM forces prefer to conduct operations under ideal conditions and are based on the TM force's normal or "doctrinal" organization, equipment, doctrine, and TTP. They result from a detailed study of the TM force and address both its temporal and spatial factors. The model construction can involve in-depth analysis requiring data and expertise from national and theater intelligence organizations. Construct models prior to deployment and include both graphical depictions and text descriptions of the TM tactics and employment options. Continue to evaluate the TM force after deployment and update the TM models as required. TM models consist of doctrinal templates, description of preferred TTP and options, and high value target (HVT) identification (see Figure IV-1).




Figure IV-1. Step 3 - Evaluate the TM Force

3. Doctrinal Templates

Doctrinal templates illustrate the TM force's deployment pattern and disposition when not constrained by battlespace environmental effects. They are scaled graphic depictions of TM force dispositions for a particular type of standard operation and are constructed through an analysis of the intelligence database and an evaluation of the TM force's past operations. To develop doctrinal templates, determine how the TM force organizes for combat and how it deploys and employs its units and various TM assets. Observe patterns in task force organization, timing, distances, relative locations, groupings and use of the terrain or weather. Focus on major elements as well as individual HVTs. Conduct a comprehensive analysis/OB of TM force capabilities (organization, equipment, TTP, and the temporal and spatial factors) by breaking the capabilities down into the following components:

- Composition identification and organization of TM units
- Disposition physical location of TM units
- Strength unit description in terms of personnel, weapons and equipment
- Tactics force and unit level tactical doctrine
- Training individual and unit level
- Logistics supplies and LOCs
- Combat effectiveness abilities and fighting quality of a unit
- C4I OB unit network, equipment and personnel make-up and array
- Miscellaneous data additional intelligence needed to "know your enemy."

Use the MIDB to begin the analysis, but thoroughly evaluate all available databases and published defense intelligence reference documents (DIRDs), and directly interface with national intelligence organizations throughout the process. Doctrinal templates integrate a mixture of graphic adversary representations for both the force and unit level combined with descriptive text (i.e. a force level coordinated attack plan is expanded by a template subset of individual TEL units deployed throughout the battlespace). Tailor doctrinal templates to the type of friendly TMD mission being pursued. Templates for an active defense mission focus on potential and likely TM launch areas, likely TM targets, raid size, maximum and minimum number of missiles per target, types of warheads, and so forth. Templates for an attack operation mission focus on an adversary's TM marshalling areas, likely launch areas, TELs, and command and control facilities supporting TM operations.

To develop the set of TMD IPB templates, start at the TM force level and work down to the individual TM firing battery. Modify generic template sets to fit the particular TM force and the available intelligence data by adding new unique templates and omitting or adding data fields as required. If a crisis occurs and templates are not available prior to deployment, develop a minimum subset of the most critical templates for the deploying or deployed TMD unit. See Figure B-30 to determine which templates are the most critical for each specific TMD mission.

Once deployed, continually update templates with the latest intelligence. The following describes example doctrinal templates, including attributes, contents, and instructions. These templates provide a graphic overview of the TM organizational structure and force level OB. This helps visualize both the organizational structure and the national through lowest TM unit C2 structure. There are no prescribed steps for doing these templates. Use intelligence databases and expertise from responsible organizations (DIA, MSIC, NAIC and National Ground Intelligence Center {NGIC}).

- a. TM Organizational/C4I Templates. These templates define the composition and strength of the TM force and define the C4I system used to control those units.
- (1) The first template in this series is a national level TM organizational structure, see Figure IV-2. The organizational structure delineates the flow of control for peacetime and crisis/wartime. Since most countries control TMs as strategic assets, the line of control begins at the highest level of execution authority in the country, and extends to the lowest TM unit level. If known, write key individuals' names, unit designators, skip echelon communication, unit composition, etc. on the graphic.




Figure IV-2. TM National Level Organization and C2 Template

- (2) The second organizational template graphically depicts the brigade level table of organization and equipment (TO&E) by providing a functional representation of the TM force, annotating strength in terms of personnel and equipment, and providing detail on specific units assigned at the brigade, battalion and battery levels (See Figure IV-3 for a battalion level example). Include known specific unit designators and locational data, if available. TM units worldwide use a high level of operations security (OPSEC) and communications security (COMSEC), which limits available intelligence and hinders construction of this template. Initiate and maintain the database for this template using the "Facilities, Units and Equipment Views" in the MIDB and supplement with all-source analysis. One of the most important techniques in constructing the template is a detailed imagery review of the TM unit's home garrisons and supporting depots. The garrison worksheet (TMD IPB step 2) provides a guide for confirming the functional and equipment status of TM units. Identify the status of those functions and equipment as confirmed, probable, likely, possible, or doubtful as defined in section 3 of Appendix A. In addition, consider potential modifications, such as a special weapons storage function being accomplished by a TM force. Compile results into a new template representing the current assessment of the particular TM force under analysis.
- (3) The final template provides a graphical C⁴I breakout of the operational communications structure from the national level down to the battery execution level. It is important to graphically depict the communications connectivity throughout the brigade equivalent structure. As with the other two templates, write as much detail as possible on the template.




Figure IV-3. TM Unit Level Organization and C2 Template

- b. TM Equipment Templates. In terms of equipment, a TM force has a missile system, a launcher, fire control, and GSE. Equipment template detail varies significantly depending on mission requirements and the time and depth of the TMD IPB analysis. They address composition, strength, logistics and force effectiveness factors from the OB analysis. To meet this requirement, develop a set of quick reference templates for the most critical data. More detailed templates may be developed later for all other equipment areas.
- (1) Missile Data System. This template provides a quick reference format for key TMD mission parameters and addresses critical information requirements for the TMD IPB. Required missile system data varies between TMD mission areas (see Figure B-31). Typical data is photograph, external line drawing with dimensions, internal line drawing annotated with propellant type and number of stages, key performance, parameters/ characteristics, warhead data including mass and type, flight trajectories (maximum, 2/3 maximum, and minimum ranges), nominal reaction times, and median in-flight signature data. Tailor the data template to the specific country of interest (e.g. available warhead types), and augment with textual data such as missile descriptions and operational status. MSIC, NAIC, and Office of Naval Intelligence (ONI) are responsible for developing detailed missile engineering data. This data is distributed in missile handbooks, detailed systems reports, engineering reference documents and spot reports. Data and missile expertise is also accessible through on-line sources such as INTELINK. Published DIRDs or direct interface with the appropriate intelligence center provide the highly detailed missile design information (see missile R&D infrastructure discussion in TMD IPB step 2) needed for detailed peacetime IPB.

There are two TMD IPB critical analysis areas which go beyond the general information requirements covered by the quick-reference missile equipment template. The first area is evidence of modified or improved missile system capabilities discovered during the TMD IPB. It is unlikely that an adversary could develop and deploy a new missile system for which there is no intelligence data. However, it is possible that an adversary may be able to integrate modifications or improvements to an operational missile for use during a crisis or conflict that have gone undetected by intelligence systems. The primary modification concerns are performance (changes to an existing missile's range/payload capability), lethality (change or development of new warhead options), and defense penetration (changes to the missile's nominal operation, signature or tactical employment). Defense penetration operations are likely to include TM tactics and missile equipment changes and thus will become critical TMD IPB issues. Integrate MSIC, NAIC, and ONI technical expertise into the TMD IPB process to address missile technical issues.

The second important missile consideration for TMD IPB, particularly for the active and passive defense missions, is the specific warhead options available to a country. Specific warhead options are defined within the intelligence databases and reference sources supporting the TMD IPB. However, due to the particular importance of this area for the TMD IPB, consider the following questions:

- (a) Has the adversary weaponized nuclear, biological or chemical (NBC) warheads for TMs?
- (b) Does the adversary have multiple warhead options? Which ones are better suited for specific targets?

- (c) Does the adversary have advanced warhead options (i.e. terminal or antiradiation homing)?
- (d) Do a specific country's warhead systems have any unique employment constraints?
- (2) Launchers and GSE. It is vital to analyze certain TM vehicles for function, value, mobility characteristics, signatures, imagery keys, and other purposes. This aids in determining HVTs and identifying TM force activity in imagery searches. In some cases such characteristics provide visual, infrared, and radar recognition guides for attack operations assets. Begin template development (time and resources dictate scope) by identifying the TM force vehicle complement (See Figure B-32). Vehicle types to consider in the analysis are missile launcher, missile handling equipment, missile checkout equipment, missile support equipment, missile fueling equipment, and site survey equipment. Collect data from applicable DIA reference documents, the MIDB "equipment view" and the responsible analysts at DIA, NGIC, MSIC, NAIC, and ONI. A suggested vehicle template is provided at Figure B-33. Insert data and applicable graphics as needed.

The most important vehicle for TM operations is the missile launcher. There are three primary types of TM launchers:

- (a) TEL Self-powered vehicle with integrated launcher erector mechanism and on-board equipment compartments and possible internal launch control capability
- (b) Mobile Erector Launchers Separate towing vehicle required; typical configuration is missile erector-launcher on flat-bed trailer; mobility is generally more restrictive than a TEL.

(c) Launch Platforms – Aircraft (cruise missiles and TASMs) and naval vessels (cruise missiles) are the primary launch platforms available for launching TMs.

A critical missile launcher issue is the possibility of the adversary employing launcher systems not previously included in intelligence estimates. This employment could take the form of a country having a larger number of launchers of a known type--either indigenously developed or purchased--than previously estimated or indigenously developing a previously unidentified launcher system. Such systems could span the spectrum from a simple fixed launcher or a simple TEL system to more sophisticated TELs. Analysts should also consider the potential use of vehicles modified to support missile operations such as one which integrates missile checkout equipment into a single vehicle specifically to reduce the number of support vehicles used in missile operations. Communications between these support vehicles and TM launchers is usually via tactical wire. TM forces may also use radio frequency communications which increases the possibility of detection by intelligence sources. Some TM missiles (ASCMs and TASMs) use radar systems and require at least a search/surveillance radar; others require a tracking and fire control radar. Radars are detectable when they emit, which allows them to be geographically located for attack operations assets. Their locations also imply operating areas for the launchers and other supporting functions. The destruction or disruption of these radars will severely impede a TM unit's operations.

Some TM units employ organic or local air defense equipment in support of TM operations. Depending on the situation, the inclusion of air defense equipment templates is important to identify these assets for attack operations. Use standard air defense equipment data (available in the MIDB or within standard references) as a data source.

c. TM TTP. TM TTP templates show the deployment pattern, disposition, tactics, training and logistics OB factors in graphic, matrix and text form. They describe the major operations, associated timelines, and options should an operation fail (branches), or subsequent operations should it succeed (sequels). Doctrinal TTP template development for TM operations is vital in the IPB process. Depict a TM force's preferred TTP graphically and include text descriptions. This aids in mentally wargaming the operation's duration during TM COA and situation template development. Displaying the functions of an operation in time-event charts to show how the TM force normally conducts an operation is another technique. For example, while it is difficult to depict a large scale TMD operation graphically, the time relationships between the various elements and their normal composition can easily be described in a time-event chart, narrative, or matrix format. The description addresses characteristic signatures, timelines and phases of the operation (operations, movement, and support), points where units transition from one formation to another, and how the different types of TM equipment contribute to the operation's success. Describe equipment in enough detail to allow later identification of HVTs and high priority targets (HPTs). Since the target's value usually varies with its role in each phase of the operation, ensure that each phase is separately examined.

The description of the TM force's TTP is developed from an evaluation of its doctrine and past or current operations. Include a description of the branches and sequels normally available to or preferred by the TM force should the depicted operation succeed or fail. Examine the basic scheme of operations and for each, check how each type of equipment 'fits in' or provides support. Tag key events or positions on the template (i.e. describe the TM force's normal reaction to a friendly attack operation).

- (1) TM Attack Objectives. Consider political and military factors, TM weapons system and warhead capabilities, and intelligence available to the TM force to guide target selection when analyzing TM attack objectives. TMD IPB step 2 summarized the important factors impacting the analysis of TM attack objectives. The suggested attack objective worksheet (Figure B-34) assists in systematically addressing the important issues impacting TBM employment. Available intelligence rarely supports stating TM objectives as facts, so qualify assumptions with standard confidence levels (confirmed, probable, etc.).
- (2) TM Tactics. Developing a detailed assessment of the TM force's tactical operations concept is a critical factor in separating the individual activities within the battlespace. The aspects of the TM tactics model are:
- (a) Functions Doctrinal Template. It provides a graphic representation of TM operations (see Figure B-35) and begins with the missile garrison and the missile/warhead storage depot (fixed infrastructure). It illustrates the multi-axes movement to the deployment area where operations are geographically dispersed. Dispersing versus centralizing operations enhances TM survivability at the force, brigade and battalion level. The generic operation template implies the following functions:
 - C2
 - Storage
 - Missiles, warheads, propellants,
 - Missile transporter loading and fueling at the FOL,
 - TEL loading, TEL hide, launch site setup, launch operations, fire control
 - Support and services, security/defense

• Movement and transportation, and engineering support (optional).

Breaking down TM operations helps in understanding TM dispositions. A deployed TM force is typically brigade-sized and spread out into battalion-sized deployment areas. Functions are normally redundant within the battalion-sized deployment areas in order to minimize concentration of units, scatter the vehicle movement pattern and increase the effectiveness of camouflage, cover and concealment measures.

The functions template is based on the TM force, in line with operational doctrine, dispersing throughout the battlespace to enhance survivability and effectiveness. The variation in the model shows functions centralized in one location. For example, some countries will centralize some missile support functions (storage, transloading, refueling, etc.) in large underground facilities (UGFs). This tactic significantly reduces the number of vehicles deployed in the battlespace, but gives attack forces a greater opportunity to significantly disrupt operations if the centralized location is successfully identified and attacked. Examine existing historical exercise data and focus on the employment of support assets as well as the launcher. Support asset exercise and training indicate a TM force's preference toward either field-dispersed or centralized operations. Terrain and infrastructure analysis (TMD IPB step 2) also indicate battlespace suitability for one model or the other. The basic model can serve as a starting point for other missile systems, such as solid propellant systems, which eliminates the need for propellant storage and fueling functions.

(b) Dispersed Deployment Estimate. Develop this estimate for the operational brigade level. Determining the distances between units/functions requires all source analysis, terrain delimitation and tactical judgement. Focus all-source analysis on doctrinal information, typically contained in human or communications intelligence data,

combined with exercise/training pattern analysis. Draw terrain factors supporting dispersed deployment doctrine from the integrated terrain analysis (TMD IPB step 2).

- (c) Time-phased Factors. Analyze the time-phased factors of the TM operation. Develop timelines for all TM operational phases in order to correlate the time and distance factors for TM functions being executed on the battlespace. The TM force's objectives impact the TM time-phased factors. The worksheet at Figure B-36 includes time-phased factors and target/weapon/warhead correlation. Important TM time-phased factors are:
 - Time-of-day considerations,
 - · Missile launch and arrival timelines, and
 - Execution timelines for specific operations.

Definition of these three elements requires detailed analysis of the adversary's doctrinal and technical capabilities. To examine time-phased execution, time-event charts and time-pattern analysis charts are useful techniques. Time-event charts depict the sequential flow of the steps needed to execute a specific operation and are constructed for any level of execution. For instance, a time-event chart shows the broad sequential steps a TM force takes to deploy from garrison. For a much more specific operation, such as a missile set-up and launch, the sequential steps would be much more detailed. The purpose of defining steps to this level of detail is to have a technical understanding of the operational requirements, which drive the timelines. This understanding will support estimating minimum timelines, pacing events and potential areas where changes to or omission of specific steps could impact timelines and/or performance. Examples of detailed time-event charts are provided at Figures B-37 and B-38. The second technique, a time-pattern analysis chart, supports specific operation scheduling and timing analysis, such as the

pattern associated with missile launch history. It is an analysis tool to estimate when specific operations need to occur in order to meet the pattern of observed launch activity.

(3) Operation Doctrinal Templates. These templates show the relationships between the TM types of operations. Begin template development with a comprehensive operation branches and sequels diagram (see Figure B-39). This diagram forms the basis for doctrinal template development of specific operations. An alternative to the branches and sequels technique is to detail the conditions for possible variations to the basic operation doctrinal template. Use the TM functions doctrinal template, and identify a series of possible TM operations. Next, graphically and in text form depict the specific operations required to perform the function onto doctrinal templates.

These templates represent the entire TM deployment sequence. Develop operation templates at the lowest individual unit level required to perform the particular function. Breakdown to this level is required in order to identify specific signatures associated with the TM operations and the HVTs required for the operations. Integration of these operation templates into a TM battlespace situation template is done in TMD IPB step 4 for specific COAs. Use all-source intelligence analysis to develop operation doctrinal templates and accurately depict times and relative distances. Notations describe the activity and associated characteristic signature patterns and help to identify HVTs and their locations in time and space. Several combat operations TTP templates may be needed. Begin development of TM operation doctrinal templates with a specific missile system and perform detailed analysis of the required operations and characterize each basic operation. Integrate terrain and equipment information particular to the specific operation. Missile specific manuals (foreign material exploitation information), the intelligence center

responsible for the missile system, and country exercise data (missile system operation and employment requirements-based assessments) are good sources of information.

Tailor generic missile system templates to the country of interest. Integrate terrain factors (TMD IPB step 2) that dictate changes to the generic template. Overlay country-specific TO&E data to identify specific variations in support equipment and consider different technical capabilities of the equipment. The basic components are a graphical depiction of the operation, a functional description, and characteristic signatures addressing site configuration, surrounding environment, accessibility, equipment, and movement patterns. To illustrate, a series of generic TBM templates follow:

- (a) TBM Garrison and Missile/Warhead Storage Depot. Operational employment begins at the TM garrison and storage depot. The TM garrison is normally the peacetime location of the personnel, the brigade's launchers and GSE and can vary significantly in composition. Most TM garrisons include hardened storage bunkers or tunnels to house critical equipment, particularly launchers, and vehicle maintenance and small unit training areas. Normally, missile systems and warheads are not stored at the garrison (except for some training and emergency alert supplies), but maintained in storage depots. A typical storage depot includes hardened bunkers for separate airframe and warhead storage and assembly/ checkout areas for routine and major maintenance.
- (b) TBM Field Deployed Storage Sites. TM units usually use dispersed storage locations for field operations. Missile systems are normally stored unfueled (liquid propellant only), but in a ready condition with only limited additional checkout required. Missiles are normally stored on missile transporters or triple carry frameworks. Warheads, especially NBC types, are usually stored separately. Propellant is stored in prepositioned

storage containers, or storage containers carried on cargo trucks. Liquid-propellant is stored in standard-sized containers or oversized storage tanks.

- (c) TBM FOL. Missile preparation in the field is done at the FOL, which is typically a deployed area of operations. The FOL site is normally dispersed for increased security and vehicles use cover, concealment, and camouflage. It can encompass several square km, though consolidating the FOL functions into a single location (a UGF or an above ground building or cleared area), is an alternate possibility. The primary field preparation activities are missile and warhead mating, limited missile checkout/maintenance, missile transporter loading (direct TEL loading at FOL is also possible), and missile fueling operations (liquid-propellant systems only).
- (d) TBM Transloading Area. This is the location where fueled, ready missiles are loaded onto the TEL. TEL loading can be done at the FOL, but for OPSEC reasons the doctrinal template depicts this function performed at a separate field location or UGF.

 Develop a separate timeline template for the transloading operation detailing specific steps.
- (e) TBM Hide Site. The TM hide site refers to TEL cover and concealment positions with the most important locations being those which support hiding pre- and post-TEL launches. Based on general operational practices, these sites are located within a few km and several minutes travel time of a launch site. This pattern analysis helps to establish the current position of the TEL after a launch. Use analysis of wartime launch activity to revalidate or modify patterns and distance/time estimate. TM forces also employ long-term hide sites which are at greater distances from the launch areas but usually within tens of km from support areas. Routine TEL maintenance is probably performed at long-term hide sites.

- (f) TBM Launch Site. The TM fire position is referred to as the launch site.

 TMD IPB uses terrain analysis to determine potential launch sites. Characteristic signature guidelines provide constraints for the area limitation analysis of potential launch areas. However, the combination of broad TM flexibility and limited fidelity terrain data make classification of launch sites a difficult and tenuous process.
- (g) TBM Launch Operations. An actual missile launch operation takes less than a minute once all pre-launch set activity is complete, though terrain, weather and TTP constraints can impact the launch procedure. Cable and hoses connecting the launcher to the missile are normally replaced after each launch, so it takes minimally several minutes before the launcher can begin travel. Preparing the launcher for travel can be an automated sequence.
- (h) TM Support and Services. Combat service support is the total logistical and administrative effort required to maintain the TM capability to fight. Its functions include missile, warhead and propellant (if applicable) storage, vehicle maintenance support, medical, mess, supply, etc. Very little missile maintenance occurs in the field.
- (i) TM Security/Defense. Security/defense measures that deployed missile units primarily use are passive defense measures (against visual and electronic detection), physical site security, and air defense (either through organic or non-organic assets). Protection of TM assets against sensors and air and ground attack assets, including SF, is a high priority because of their strategic value. A TM unit's inherent small unit mobility, dispersed operational modes, and passive and active defense measures (camouflage, concealment, and deception (CCD) techniques) help provide missile force survivability. Analysis of terrain cover and concealment factors (TMD IPB step 2) impact missile

operating area selection. Visual detection is complicated by planned movement under conditions of low visibility, equipment siting and light and noise discipline. A wide range of camouflage techniques (paints, nets, covers, and obscurants) are integrated into missile operations. The use of decoy launchers, radar corner reflectors, and other techniques vary in fidelity and scale. Integrate analysis of OPSEC CCD practices throughout the doctrinal template development process. TM units, lightly armed, perform physical security against US and allied SF operations with security patrols, defensive perimeters and possibly listening/observation posts.

COMSEC is a demonstrated strength of TM forces worldwide because they use landlines and couriers and avoid radio communications in wartime. When they do use electronic communications equipment, they employ directional antennas, low power VHF radios, unscheduled transmission patterns of short duration and coded messages.

d. HVT Identification. HVTs are assets that the adversary commander requires for successful completion of the mission. Identify HVTs from database evaluation, doctrinal and TTP templates, supporting narrative, and the use of tactical judgement. Develop the initial list of HVTs by mentally wargaming and thinking through the operation. Consider how the TM force will use each type of equipment to accomplish specific operational functions. Use target relative value matrices to evaluate HVTs. Target value matrices measure a target's relative worth, gives the rationale for attacking each type of target, and the resulting effects on the operation.

First rank order the operational functions the TM force is performing (Figure B-40).

This identifies assets which are key to executing the primary operation or are needed to satisfy decision criteria or initial adoption of branches and sequels. Next, determine how

the TM force might react to the loss of each identified HVT and consider its ability to substitute other assets or adopt alternate branches and sequels to the operation. To develop target sets, group important assets into the following categories:

- (1) C^3
- (2) Fire support (includes missiles, TELs, and support)
- (3) Air defense
- (4) Engineer
- (5) RSTA
- (6) NBC (includes support elements and weapons)
- (7) Radio electronic combat or EW assets
- (8) Bulk fuels (storage and refueling assets)
- (9) Missile and warhead storage/distribution points
- (10) Maintenance and repair units
- (11) Transportation
- (12) LOCs (roads, bridges, railheads, transloading facilities, airfields, choke points)

Finally, rank order the identified HVT set with regard to each HVT's relative worth to the TM force's operation. Record as part of the adversary model. The value of HVTs usually vary over the course of an operation. Identify the changes in value by operational phase and make annotations.

Chapter V

STEP 4: DETERMINE TM COURSES OF ACTION

1. What Is It?

- a. Definition. Step 4 identifies and develops likely TM COAs that will influence accomplishment of the TMD mission.
- b. Desired End Effect. The desired end effect of Step 4 is to replicate the set of specific COAs that the TM commander and staff are executing and considering. All specific COAs that will influence the friendly TMD mission need to be identified including NAIs, HVTs, and TM COA branches and sequels.

2. How To Do It

The primary steps in Step 4 are shown in Figure V-1. Step 4 is a general process for developing and determining TM force COAs (See Figure V-2). One example of a TM COA is for an adversary's TM forces to deploy from their peacetime garrison locations to their wartime forward operating locations to target airfields and port facilities to prevent allied forces from completing their lodgment phase operations. Another TM COA - used unsuccessfully by the Iraqis in the Gulf War - is to target a third party non-belligerent with the goal of forcing that country to enter into the conflict with resultant political consequences.

a. Identify Objectives and Desired End States. State these in simple, one-line bullet statements and ensure that confidence levels are clearly identified. Rarely is sufficient intelligence available to state the objectives and desired end state as facts. Even during

non-combat operations the TM force has objectives, such as maintaining combat readiness while remaining in cover.

- b. Identify the Full Set of Available COAs. Consider the following when developing:
- (1) The probable doctrinal COAs given the current situation and the likely objectives. This requires understanding the adversary's decision-making process and perception of the current situation.




Figure V-1. Step 4 – Determine TM COAs

(2) The TM COAs which could significantly influence the command's mission, even if doctrine considers them infeasible or "sub-optimum" under current conditions. Consider any indirect or "wildcard" COAs that the TM force is capable of executing.




Figure V-2. Adversary TM COA Development Flow Process

(3) The TM COAs indicated by recent activities and events. To avoid surprise from an unanticipated COA, consider all possible explanations for the TM activity in terms of possible COAs.

(4) Asymmetric and asynchronous threats which could impact TMD operations.

Consider each COA subset independently to avoid forming biases that restrict the analysis and evaluation. Once subsets have been evaluated separately, combine them to eliminate redundancy and minor variations. Compare the consolidated list to TM capabilities (TMD IPB step 3) to eliminate any non-executable COAs. Based on the capabilities evaluation, select TM models that will accomplish the likely TM objectives. The effects of the battlespace (TMD IPB step 2) influence their application as COAs. Typically terrain, weather, and other characteristics of the battlespace environment "offer" a limited set of COAs, encouraging some while discouraging others. Start with general COAs open to the adversary, such as "deploy to field," "maintain combat readiness in the field," and "multiple missile combat operations." Define each general COA further as a set of specific COAs by integrating the TM models from Step 3 with the description of the battlespace's effects from Step 2. For example, a general COA such as "single missile combat operations" might be further defined as a set of specific COAs such as "with SCUD Bs from a specific geographic area using chemical warfare warheads ... against the enemy command center." TM factors to consider are:

- (1) Intent or desired end state and likely attack objectives.
- (2) Effects of the battlespace environment on operations and broad COAs.
- (3) Vulnerabilities or shortages in equipment or personnel and current dispositions.
- (4) Location of main and supporting efforts and perception of friendly forces and efforts to present an ambiguous situation or achieve surprise.

Each identified COA should meet the following criteria:

- (1) Suitability. A COA must have the potential for accomplishing the TM force's likely objective or desired end state. If the COA is successfully executed, will it accomplish the objective?
- (2) Feasibility. To determine the feasibility of a COA, consider the time and space, resources, and physical means required to successfully execute the COA. Force compositions or other factors might indicate the lack of means to accomplish likely TM objectives. Consider all actions that could create the conditions needed for success before discounting the COA completely. For example, the adversary might conduct economy of force operations in some sectors in order to generate sufficient combat power for offensive operations in others. A lack of resources might force the TM force to violate its own doctrine in order to accomplish its objective. Avoid surprise, consider any seemingly radical measure that may be taken to create the conditions for success.
- (3) Acceptability. Consider the amount of risk a TM force will accept in adopting the COA. Can it afford the resource expenditure for an uncertain chance at success? This is a subjective judgement based on knowledge of the TM force and its doctrine. Sometimes the TM force might undertake otherwise unfavorable COAs, if they are the only means to accomplishing its objective.
- (4) Uniqueness. Each COA must be significantly different from the others or else consider it a variation rather than a distinct COA. Consider the following factors to determine if a COA is "significantly" different:
 - (a) Its effect on the friendly mission.
 - (b) Exposure of force assets and location.

- (c) Employment concept and task organization.
- (5) Consistency with Doctrine. Each COA must be consistent with TM doctrine. The evaluation of consistency is based on written doctrine and observations of the TM force's past application of that doctrine. Check the intelligence database and templates from TMD IPB step 3 for this information. Do not overlook TM efforts to achieve surprise by deviating from known doctrine or using "wildcard" COAs.
- (6) Additional Considerations. Consider the following guidelines to identify the full set of available COAs:
- (a) Account for the effect of or the TM force's perception of friendly dispositions, when determining the available TM COAs. Conduct a "reverse IPB" by replicating the process that the TM force is using to discern friendly COAs.
- (b) Focus on those COAs that will affect accomplishment of the friendly command's mission. Include indications that the TM force might adopt a COA that favors accomplishment of the command's mission. This prepares the commander to take advantage of opportunities that might arise.
- (c) Identify the *full* set of COAs available to the TM force. History repeatedly demonstrates that those who predict only one COA are often surprised by the adversary.
- c. Evaluate and Prioritize Specific COA. The resulting set of COAs depicts the full set of options available to the TM force. It is not possible to predict with complete accuracy which of the COAs the TM force will employ because the identified TM force COAs are *predictive*, *not exclusively facts*. The templates at Figures B-41 and B-42 assist in listing COAs and prioritizing them. The commander and staff need to develop a plan targeted at

one of the COAs, while still allowing for contingency options if the TM force chooses another COA. Therefore, evaluate and prioritize each COA according to its likely adoption by the TM force. An initial priority list allows the staff to plan for friendly COAs. Even after the commander selects a friendly COA, continue to reorder the TM COAs according to the situation and any change in the adversary's perception of friendly forces.

In developing TM COAs for TMD, focus on the types of COAs the TMD command may execute based on the adversary's predicted targeting strategy and his terrain and weapon limitations. For instance, the TMD unit wants to use TMD systems to their best advantage over adversary missile launches. Specific details on TM launch areas, targets, attack structure, flight azimuths, etc. allow adjustment of TMD radar systems. Similarly, the attack operations unit wants to quickly react to TM activity when on SCUD hunting missions. Focus COA development on those data elements, which provide the highest leverage for TMD commanders. To prioritize each TM COA:

- (1) Analyze each to identify its strengths and weaknesses, centers of gravity, decisive points and risk factor.
- (2) Evaluate how well each meets the criteria of suitability, feasibility, acceptability, uniqueness and consistency with doctrine.
 - (3) Evaluate how well each takes advantage of the battlespace environment.
- (4) Consider that the TM force may choose the second or third "best" COA while attempting a deception operation portraying acceptance of the "best" COA.
- (5) Analyze recent TM activity to determine if there are indications that a specific COA is being adopted. Do current dispositions favor one COA over others?

- d. Expand Each COA in the Amount of Detail Time Allows. Once the complete set of TM COAs has been identified, evaluated, and prioritized, develop each COA with as much detail as the situation requires and time allows. Develop each in the order of its priority and the commander's guidance. Each COA should answer the following five questions:
 - (1) WHAT the type of operation (i.e. deploy, attack, or maintain).
- (2) WHEN the time the action will begin (state this in terms of the earliest time that the TM force can adopt the COA under consideration).
 - (3) WHERE the COA sectors, zones, direction of attack, and objectives.
- (4) HOW the method (i.e. dispositions, location of main effort, the scheme of maneuver, and how it will be supported) the TM force uses to employ its assets.
 - (5) WHY the TM objective or end state.

Time permitting, the final product should consist of a comprehensive, detailed set of TM COAs. Each developed TM COA has the following four parts:

(1) Situation Template. Situation templates are graphic depictions of the expected TM dispositions should a particular COA be adopted. Several templates represent different "snapshots in time" and start with the TM force's initial array of forces. They depict points where the TM force might adopt branches or sequels to its main COA, places where the TM force is especially vulnerable, or other key points in the battlespace (i.e. initial contact or TM operations against friendly forces). Use situation templates to support staff wargaming and to develop event templates and event matrices.

Begin construction of a situation template with the TM model from TMD IPB step 3, representing the operation under consideration. Overlay the doctrinal template on the products that depict the battlespace environment's effects on operations from TMD IPB step 2. Use the integrated area limitations product to build the situation template (Figure V-3). This approach combines the TM force's doctrine for fighting (TMD IPB step 3) with the environment (integrated area limitation product) from TMD IPB step 2, and the current intelligence situation. Using judgment and knowledge of TM tactics and doctrine (see TM model), account for battlespace environmental effects and adjust the dispositions portrayed on the doctrinal template. There will be many options, so consider the situation from the TM commander's point of view when selecting from among them.

The situation template is a checkpoint to ensure that all the major assets have been accounted for, and that none have been inadvertently duplicated. This ensures that the template reflects the main effort identified for this COA. Compare the depicted dispositions to the known TM doctrine, checking for consistency. Always consider the TM force's desire to present an ambiguous situation and achieve surprise. Include as much detail as the time and situation warrant in the template. For example, if the TM force is conducting multiple missile combat operations, identify the operations' likely launch and hide sites, FOLs, and transloading areas. Depict the locations and activities of the HVTs listed in the TM model. Next, using preferred TM TTP (accompanies the doctrinal template), evaluate the COA's scheme of maneuver. Visualize how the TM force transitions from its current positions to those depicted on the template and consider its scheme of maneuver through the COA's success or failure. Identify points where forces will transition from one formation to another, potential hide sites, and etc. After working though the scheme of maneuver, determine how each of the TM systems "fits in" and supports the operation.




Figure V-3. Situation Template Concept

The command level and type of operation have a direct bearing on the detail that goes into each situation template. At *strategic* levels, situation templates might focus on the shift of TM forces from garrison to field deployment as well as political and economic developments that may indicate an adversary's intent to use TMs. NAIs highlighting these actions can sometimes encompass large regions. At *operational* levels, the situation

template might focus on groups of TM vehicles, operating areas, and LOCs. Operational NAIs may be large operating areas or logistical support areas. At *tactical* levels, the focus may be on individual vehicles in TM dispositions. These NAIs are often "pinpoint" locations such as road junctions or small unit battle positions. Tailor the situation templates to the factors that are important to the commander or mission area. For example, if the important factor is TM launchers, focus on them when determining and developing TM COAs and produce a situation template that shows only the location and movement routes TM launchers, their likely employment areas and NAIs.

Depicting TM movement by evaluating time and space factors develops time phase lines (TPLs). TPLs are drawn on the template to depict the expected progress of the operation and are based on the doctrinal TM rates of movement, with some modification. Evaluate and compare actual database movement rates with written doctrine. Consider battlespace environmental effects on mobility by using terrain analysis systems, such as generic area limitation environment (GALE). Some situation templates can be presented in a matrix format. For example, a situation template in matrix form could show one COA for a TM strike against friendly targets. The timeline could indicate spacing between the various elements as well as the time each element is expected within each NAI.

(2) Description of the COA and Options. Describe TM activities and systems depicted on the situation template either in text form or with a detailed "synchronization matrix". Address timelines to include the earliest time the TM force COA can be executed, phases associated with the COA, and probable TM command decisions made during and after COA execution. Use the TM COA depiction and timeline to support staff wargaming and to develop event template and supporting indicators. As the TM force approaches friendly decision points (DP), record each decision and its timeline into the TM COA

depiction. DPs are points in space and time where the commander anticipates making a decision concerning his specific friendly COA. These decisions are usually triggered by specific threat force activity and are normally associated with one or more NAIs. This is the basis for developing TM branches or sequels, if they are needed to support friendly planning. Record any decision criteria that is associated with a DP.

- (3) HVTs. As the situation template is prepared and mentally wargamed, note how and where each TM force activity and asset provides critical support to the COA. This leads to HVT identification. The list of HVTs in the TM model serves as a guide and may not be all-encompassing. Determine the COA effect of losing each HVT and identify likely TM responses. Each HVT's relative worth varies depending on the specific situation and COA execution. Identify times or phases in the COA when the target is most valuable to the TM commander and make appropriate notations on the HVT list. Transfer the refined and updated HVT list to the situation template. The list supports staff wargaming and the targeting process. Note on the situation template where HVTs must appear or be employed to make the operation successful. Highlight these locations at or just before the times they are most valuable.
- (4) HPTs. HPTs are those targets whose loss to the enemy will significantly contribute to the success of the friendly COA. Identify HPTs by correlating the HVT list with the selected friendly COA. In accordance with the commander's intent, the operations and targeting staff may also select HPTs that are not on the TMD IPB HVT list. The end result is a list of HPTs which must be successfully attacked in order to successfully accomplish the friendly commander's mission.

- e. Identify Initial Collection Requirements. After identifying the set of potential TM COAs, determine which one will be adopted. Initial collection requirements aid in this identification. To identify these requirements, predict specific areas and activities, which when observed, will confirm which COA the TM force has chosen. NAIs are the areas, routes, and points where key events are expected to occur. NAIs can be:
- Large areas, such as brigade or battalion field operating areas; often referred to as "SCUD Boxes" or "TM Operating Areas."
- Normal or focused areas, such as terrain, over which TM units are expected to move and suitable field operating areas (i.e. launch and hide sites).
 - Linear routes, such as roads or waterways.
 - Point locations, such as road intersections and fixed facilities.

NAIs are typically hierarchical in nature. A large area NAI may include many area, linear and point NAIs. Linear NAIs, such as roads, may contain point NAIs, such as road intersections. Indicators are the activities which identify the selected COA (see Figure B-43 for an aid in documenting NAIs).

(1) The Event Template. The differences between the NAIs, indicators, and COA phases of operations form the basis of the event template (See Figure V-4). The event template (see Figure B-44) is a guide for collection, reconnaissance, and surveillance planning. It aids in determining which COA the TM force has adopted by showing where to collect the information. Since single TMD event templates may not be practical, considerable cooperation amongst all the friendly TMD intelligence elements within a multiservice TMD environment is needed. One method is to produce multiple event templates at the strategic, operational, and tactical levels and for the TMD operation they

are supporting (i.e. active defense, passive defense, and attack operations). Evaluate each COA to identify its associated NAIs. It is important to mentally wargame execution of the COA and note places where activity must occur if that COA is adopted. Pay particular attention to times and places TM HVTs enter or use areas, so that they can be easily acquired and engaged. These areas evolve into NAIs and together with the correct use of DPs and timelines can support targeting. Allow enough time from the verification of an NAI activity and the decision to target to asset identification and strike mission. Consider those places the TM force expects to take certain actions or make certain decisions. An NAI can be a specific point, a route, or an area and can match obvious natural terrain features or arbitrary features, such as engagement areas. Make NAIs large enough to encompass the activity, which indicates the TM COA. Compare and contrast COA associated NAIs and indicators with each other and identify any differences. Place emphasis on the differences that most reliably confirm or deny the adoption of a COA. Mark the selected NAIs on the event template. The initial event template focuses only on identifying which of the predicted COAs the TM force has adopted. Later, it will be updated and refined to support friendly decisions identified during staff wargaming.

(2) The Event Matrix. The event matrix supports the event template by providing details on the type of activity expected in each NAI, the times the NAI is expected to be active, and its relationship to other events in the battlespace. It plans intelligence collection and serves as an aid to situation development (see Figure B-45). Examine the events associated with each NAI on the event template and restate in the form of indicators. Enter the indicators into the event matrix along with the times they are likely to occur. By using the situation template's phases of operations or the COA description, establish the expected times in the event matrix. If there is a latest-time-information-of-




Figure V-4. Event Template Concept

value timeline, based on the expected flow of events, record it into the event matrix as a guide for the collection manager.

(3) Additional Considerations. To identify initial collection requirements consider the following:

- (a) Differences between COAs can consist of different TPLs or indicators associated with a particular NAI, but are usually reflected in different NAIs.
 - (b) TM deception can affect the reliability of each event as an indicator.
- (c) During staff wargaming, a decision support template (DST) can incorporate NAIs to support decisions by the commander and track HPTs. Develop additional NAIs from potential NAIs identified on the situation templates and the results of decisions made during friendly COA wargaming. TM COA models drive friendly COA wargaming and aid in the construction of the command's DST and other staff synchronization tools used during mission execution. Disseminate these TM COA models as widely as possible.

The event template and event matrix, once completed, form the basis for planning collection strategies, synchronizing intelligence with friendly operations, and preparing the collection plan. In some cases, the event template might be disseminated in the form of a collection graphic to support intelligence planning and collection by other units. The collection plan, based on the event template and matrix, determines the types, quantity, and quality of future intelligence fed into the TMD IPB process. The ability to improve the TMD IPB process and output depends on the quality of the event template and matrix.

f. Identify Target Nominations. After identifying potential TM COAs and establishing initial collection requirements, identify as many targets as possible for attack operations. To identify HVTs, predict specific points, areas, equipment, and activities which, when observed from established collection requirements, reveal TM targets for attack operations. The result is an HVT nomination list, an event template and an event matrix. Develop the event template and matrix using the same guidelines as those for identification of initial collection requirements, but focus on HVTs. The completed event template and matrix aid

in target planning for attack operations. Certain HVTs are nominated during the command staff wargaming process to become HPTs and make their engagement an integral part of the friendly COA under consideration. HVT graphic and targeting materials may also be required (see Figure B-46). The TMD IPB process produced a number of graphics, textual descriptions, and imagery products, some of which are used within target folders. Package and give these and any updated products to the target planners as some targets may not have target folders built or may have only partial target folders.

Appendix A

COMMON TMD IPB PROCESSES

1. Introduction

There are several common processes used throughout the TMD IPB process. It requires a great deal of discipline, but it is essential that the basics are followed in order to complete and maintain an adequate TMD IPB for the command.

2. Graphics and Templates

- a. Graphics are basic to TMD IPB analysis and best communicate the intelligence picture. They assist but do not replace battlespace analysis and the intelligence estimate and are the basis for intelligence and operational planning. Currency is maintained through graphic renewal or update. Currently, the majority of IPB analysis is done manually; a time and manpower intensive process. Exploit automated graphical analysis and display of IPB; it is worth the investment of time and resources. Automated tools are particularly useful when dealing with time critical targets (TCT)/time sensitive targets. Use available automation, time, resources, and personnel to produce the graphics which are most beneficial to the command and distribute TMD IPB products to subordinate units when feasible. This maximizes unit efficiency and permits subordinate units to expand on higher level TMD IPB products or produce others unique to their unit mission.
- b. Adversary evaluation and integration. This is achieved by templating. Templates are normally graphical illustrations, but can be in a matrix, tabular, textual, or other format. Templates provide a visualization of the intelligence databases and have numerous purposes and functions. Terrain and weather factor overlays, for example, depict the

effects of terrain and weather on potential TM COAs. Templates graphically depict TM force capabilities, TM force characteristics (i.e. force dispositions, weapons and equipment), predict probable TM force COAs, and confirm or refute predictions. Templates need to be dynamic and continuously updated to maintain a current assessment of the TM force status. The TMD IPB process normally produces four types of templates:

- (1) General Provides general information (terrain, weather, and etc.) not fitting into the next three types of templates and not related to specific TM force operations.
- (2) Doctrinal Provides unconstrained weather and terrain TM force TTP. Depicted information includes depths, composition, formations, TO&E, and HVTs.
- (3) Situation Depicts how the TM force might deploy and operate when constrained by weather and terrain. These templates normally depict TM force COAs.
- (4) Event Depicts where critical events and activities are expected to occur and critical targets expected to appear. Depicted information includes NAIs and HPTs.

Establish a consistent format for all templates. The particular format is not as important as consistency. The format depends greatly on whether the templates will be distributed electronically, hardcopy, or both. Electronic templates look and feel very different than hardcopy templates. They also vary depending on the type of software and computer. For example, commercial off the shelf (COTS) software may impose limitations on a consistent format, but have benefits generally not available in non-COTS software.

This TTP illustrates only hardcopy template formats using a two-part concept. The first part/page is the template cover page and provides valuable overview and classification information (see Figures B-1 & B-2). The second part/follow-on page(s) is the body/

analytical content of the template (see Figures B-3 – B-46). The templates and formats are illustrative and can be freely used for actual TMD IPB development, but are not the only suitable formats. Tailor formats to the needed product, customer, and unique situation(s). The rest of this TTP shows only the second part/follow-on page(s) of the illustrative and blank example template(s).

3. Knowns versus Assumptions

TMD IPB development distinguishes between what is known with confidence (based on the situational facts and adversary) and what are untested assumptions. Intelligence can be an observed fact or a conclusion based on facts of such certainty that it is considered to be knowledge. It can also be conclusions and estimates deduced from incomplete sets of facts or deduced from potentially related facts. Make and maintain these distinctions when using intelligence for operations. The commander may decide objectives and operations based on whether the intelligence is "fact" or assumption, its confidence level, and the particular logic used to develop the intelligence estimate.

"Tell me what you know ... tell me what you don't know ... tell me what you think ... always distinguish which is which."

General Colin Powell, USA Chairman of the Joint Chiefs of Staff

Adapt an internal methodology for tracking the reliability and credibility of TMD IPB intelligence analysis and conclusions and for presenting consistent and uniform information to decision makers. The intelligence community uses three methodologies, which can be used independently or in conjunction with each other, to assess information validity. The three methodology scales are confidence level, source reliability, and information credibility. The latter two are typically used with HUMINT information, but are equally

applicable to many other types of information.

- a. Confidence-level scale:
 - (1) HIGH PROBABILITY (CONFIRMED) ≥95 percent
 - (2) PROBABLE 75-94 percent
 - (3) LIKELY 50-74 percent
 - (4) LOW PROBABILITY (UNLIKELY) 5-49 percent
 - (5) VERY LOW PROBABILITY (VERY UNLIKELY or DOUBTFUL) ≤4 percent
- b. Source reliability scale:
 - (1) A COMPLETELY RELIABLE
 - (2) B USUALLY RELIABLE
 - (3) C FAIRLY RELIABLE
 - (4) D NOT USUALLY RELIABLE
 - (5) E UNRELIABLE
 - (6) F CANNOT BE JUDGED
- c. Information credibility scale:
 - (1) 1 SEVERAL CONFIRMATIONS
 - (2) 2 PROBABLY TRUE
 - (3) 3 POSSIBLY TRUE
 - (4) 4 DOUBTFUL
 - (5) 5 IMPROBABLE

(6) 6 – CANNOT BE JUDGED

4. All Source Approach

Evaluate, correlate, and integrate information and intelligence from all sources into TMD IPB products to present the most complete, accurate, and objective views possible. Joint operations in particular require complete and composite views of the situation and TM forces. Using and having access to all information and intelligence sources is essential to understanding the actual situation, because single-source intelligence analysis may lead to incomplete assessments. Use of the all-source concept and methodology reduces the risks of deception and all-source collection and analysis help to identify and frustrate an adversary's deception and denial attempts. All-source intelligence fusion begins with collection and production planning. Each source can provide useful information and cues for other source collection and exploitation.

a. Sources. The intelligence community divides sources into several distinct categories, each with a unique contribution to the TMD IPB process. They are imagery intelligence (IMINT), SIGINT, HUMINT, MASINT, open source intelligence, scientific and technical (S&T) intelligence or technical intelligence, and counterintelligence.

A multitude of sensors are available to perform the many intelligence collection missions. They vary in their technical performance (weather plays a limiting role) and capabilities. The same sensor can vary in performance when used in different ways. For example, the range and angle that a sensor is employed greatly affects the resolution of its product. To understand basic advantages, disadvantages, products, and timeliness of different sensor types, see Tables A-1 and A-2. for a basic matrix of general sensor type characteristics.

- b. Classification of Sources. The all-source approach stresses using all available intelligence to include sources classified up to and including top secret (TS) sensitive compartmented information (SCI). Overall, most source reports are classified TS/SCI, but a lot of the information is classified at the collateral level. Valuable information that is not collateral can usually be sanitized to the collateral level. When information has to remain at the TS/SCI classification level, distribute separate TS/SCI TMD IPB products to those with the proper clearances and need to know.
- c. Typical Types of Intelligence Reports. Reports are verbal or written explanations of intelligence information and are generally prepared by reconnaissance aircrews or by imagery analysts who glean information from reconnaissance imagery. Each of the various intelligence reports possesses unique characteristics of timeliness and precision and the intelligence requester needs to know them to tailor requests to actual information needs. See Table A-2, JP 2-01, and the following paragraphs for descriptions of typical intelligence reports.
- (1) In-flight Report (INFLTREP). Aircrews and unmanned aerial vehicle (UAV) operators use the INFLTREP to report mission results or other sighted tactical information of such importance and urgency that the delay (if reported by normal debriefing) would negate the usefulness of the information. The INFLTREP is a voice-only message.
- (2) Reconnaissance Exploitation Report. This provides an abbreviated imagery interpretation report for tactical reporting. It is normally transmitted within 45 minutes

Table A-1. Matrix of General Sensor Types to Intelligence Advantages and Disadvantages

Sensor/Intelligence Matrix						
SENSOR TYPE	ADVANTAGES	DISADVANTAGES	PRODUCTS	TIMELINESS*		
IMINT Other than Visible Spectrum						
Forward looking infrared	Both day and night	Stand off range Weather obscuration Field of view Resolution Dusk/dawn crossover Rain washout	Video report INFLTREP	>1 hour Near real time		
Infrared linescanner	Both day and night High resolution	Stand off range Weather obscuration Field of view Resolution Dusk/dawn crossover Rain washout	Hard copy Video report INFLTREP	>4 hours >4 hours Near real time		
Ultraviolet linescanner	High resoultion May "see thru" camouflage	Day only Weather obscuration View time Field of view	Hard copy Video report INFLTREP	>4 hours >4 hours Near real time		
Multi-spectral fusion sensors	Both day and night Medium resolution	Weather obscuration Field of view	Video report INFLTREP	>4 hours Near real time		
IMINT Visible Spectrum						
Image-intensified video	Night Medium resolution	No day capability Standoff	Video report IINFLTREP	>4 hours Near real time		
Framing camera – wet film	Resolution Standoff range	Timeliness View time Weather obscuration Information dissemination Day only	Textual report Photos Oblique Vertical Panoramic	1-2 hours 12-24 hours		
Framing camera – digital	Standoff Timeliness	Resolution Viewtime Weather obscuration	Textual report Photos Oblique Vertical Panoramic	>1 hour >1 hour		
Framing camera – electro- optical	Standoff Timeliness Resolution	View time Weather obscuration	Textual report Photos Oblique Vertical Panoramic	>1 hour >1 hour		
Video	Timeliness	Resolution Weather obscuration Day only Information dissemination	Videotape Textual report INFLTREP	>1 hour >1 hour Near real time		

Table A-1. (Continued)

Sensor/Intelligence Matrix							
SENSOR TYPE	ADVANTAGES	DISADVANTAGES	PRODUCTS	TIMELINESS			
IMINT – Radar							
Side-looking airborne radar	Area coverage All-weather Day and night	Requires interpretation	Video Textual report Dry film INFLTREP	<1 hour <1 hour <1 hour Near real time			
Inverse synthetic aperture radar	High resolution Range independent Standoff range Best for maritime targets	Requires interpretation	Video Textual report INFLTRPT	<1 hour <1 hour Near real time			
Synthetic aperture radar	Moving target indicator Best for land targets Range independent Standoff range	Requires interpretation	Video Textual report Dry film INFLTRPT	<1 hour <1 hour <1 hour Near real time			
Forward looking airborne radar	Standoff range Small target detection	Resolution Target classification	Video Textual report INFLTRPT	<1 hour <1 hour Near real time			
Ground surveillance radar	Timeliness Resolution	Range	Report	Near real time			
Visual Intelligence							
Surface-aggressive (cavalry)	Direct observation	Possible loss of reconnaissance asset Limited range Field of view	Report	Near real time			
Surface-stealth (cavalry/ reconnaissance)	Direct observation	Limited range Field of view	Report	Near real time			
SOF	Direct observation	Limited range Field of view Need for clandestine insertion/extraction	Report	Ranges from near real time to considerable delays			
Aircrew	Direct observation	Limited view Time Standoff Reference for information	Report	Near real time			
SIGINT							
ELINT	Passive detection of non- communications radiation	Target must emit in order to collect intelligence	Report	Near real time			
Communications intelligence	Passive detection of communications	Target must emit in order to collect intelligence	Report	Near real time			
Foreign instrumentation signals intelligence	Passive detection of telemetry and other data	Target must emit in order to collect intelligence	Report	<1 hour			
MASINT							
MASINT	Passive detection Measures specific emitter data	Requires interpretation	Report	<1 hour			
Acoustic							
Active acoustic	Timeliness Able to work subsurface	Thermal layer blockage Standoff Possible loss of sensor platform	Report	Near real time			
Passive acoustic	Timeliness	Thermal layer blockage Range	Report	Near real time			

of reconnaissance platform recovery, but may take several hours depending on the sensor, film type, processing, and quality of image sensor reading.

- (3) Mission Report. This reports mission results and items of intelligence interest in all tactical roles.
- (4) Imagery Interpretation Report. This is a single message format for sending either the Initial Phase Interpretation Report (IPIR) or the Supplemental Photographic Interpretation Report (SUPIR). The IPIR provides the results of first-phase exploitation of imagery. IPIRs are normally transmitted within 15 minutes of imagery receipt. All IPIRs for a mission are normally completed within 24 hours of reconnaissance platform recovery. The SUPIR provides results of second-phase exploitation of imagery and may take hours or days to complete based on the detail of the requested information.
- (5) Response to Request for Information. This is the message format used to reply to RFI/production requirement. It is used to advise requesters that a previously transmitted message (reference the message) contained the requested information.
- (6) Tactical Reports. Tactical reports are of immediate interest to commanders and operators of tactical units at all levels. The intent of tactical reports is to get perishable, concise information to units in time for it to be acted upon. Tactical reports include the Tactical Report, the Tactical ELINT Report, and the Operations Report.
- (a) Tactical Report. This provides the most urgent, perishable information of tactical significance to tactical unit commanders. It alerts them to immediate threats and provides enhanced situational awareness. Though the report can be either a free-flow voice report or a hard copy computer-formatted message, send it via message precedence

commensurate with its content. Examples of the voice format and the hard copy report are in JP 6-04.

- (b) Tactical ELINT Report. This reports time-critical operational ELINT and parametric information and may be used for indications and warning, data base maintenance, orders of battle, and strike planning.
- (c) Operations Report. Any unit can use the Operations Report-3 to provide the joint force commander and other appropriate commanders with immediate notification of an incident or event where national interest is not indicated or has not been determined.
- (7) TIBS. This is a satellite broadcast of intelligence and combat information. It is used during contingency and exercise operations and provides near-real-time data on adversary force disposition and array, and friendly elements. This transportable system can be placed with battle managers or other C2 nodes. It links intelligence producers with consumers and allows selected users to query collectors for data during operations. Data is filtered by software and displayed either graphically or as text.
- (8) Special Information System/Voice Product Net. This is a secure ultra high frequency KY-58 voice link between intelligence producer and consumer. It is used to pass the tactical report and situational awareness information based on pre-mission tasking or on-scene dynamic tasking.

Table A-2. Typical Intelligence Reports

Intelligence Category	Intelligence Products		
Visual	Textual	Verbal	
	– Written report	 INFLTREP over the radio 	
Imagery	Visual	Verbal/Textual	
	- Imagery prints	 Accompanying reports 	
	– Video		
	– Digital imagery		
Signal	On-line On-line	Textual	Verbal
	– TIBS display	ELINT reports	 Tactical reports
	-Special information systems/voice product net	 Tactical reports 	
Weather	Visual	Verbal	
	- Charts	 INFLTREP reports 	
	- Imagery	 Weather briefings 	

5. Establishing Collection Requirements

- a. Collection Management. Collection management is the process of converting intelligence requirements into collection requirements, establishing, tasking or coordinating with appropriate collection sources or agencies, monitoring results and retasking, as required. It is a staff activity that focuses on decisions and choices that concern collection requests and RFI. There are many ways to task the intelligence community to get needed information for operational use. A variety of collectors, ranging from humans to airborne collectors (controlled manually or software-driven), are tasked to fulfill intelligence requirements. Intelligence support personnel at the unit level need to determine the direction and flow of intelligence information. Intelligence needs, referred to as requirements, are registered based on time sensitivity. Requirements satisfied by airborne platforms are defined as follows:
- (1) Time Critical Requirements Requester needs the intelligence either in near-real time or based upon the requester's LTIOV, but no later than 24 hours. Typically the timeliness required is "upon recognition." Example: A location request for a SCUD TEL that recently launched a missile is a time critical requirement).

- (2) Routine Requirements Requester needs in 24 hours or more. It supports routine combat operations and is addressed through the collections process (e.g. creation of collection targets to search for specific adversary units not yet located in the AO).
- (3) Standing Requirements Established before a contingency arises and provides a baseline for the intelligence problem set (i.e. request to monitor TM operating areas for operational activity).
- b. Collection Requirements. Always state intelligence requests clearly and include precise parameters (desired and minimum required) and a written justification statement. Parameters include suspense dates, frequency of coverage, resolution/level of information, and specific viewing angles/direction (IMINT).
- (1) Requirement Identification. Ensure collection managers are aware of TMD IPB objectives, information needs (quality, quantity, frequency, etc.), and the constraints and limitations imposed on the TMD IPB process. Inform the collection manager as soon as possible of tasked targets.
- (2) Collection Priorities. A target's value changes. Keep the collection manager informed so collection priorities can be adjusted, if needed. Establish requirements and their associated priorities for peacetime target surveillance, crisis monitoring, and combat support. Prioritize and monitor all targets on a routine basis. Higher priority targets are normally collected with greater expediency and frequency than lower priority targets. Mobile targets present a specific collection problem because their data is extremely perishable and current data is essential to target analysis.

- (3) Frequency. Establish collection requirements through the collection management process and for any frequency (daily, twice weekly, weekly, every two weeks, monthly, every two months, quarterly, semiannually, annually, or until satisfactorily acquired). The specific time of collection may also be requested.
- (4) Exploitation Requirements. Targeting must also identify the EEI needed from imagery and all-source analysts. The two types of EEI are generic and specific. If generic EEIs are requested, the imagery and all-source analysts reports all activity and identifies all structures on or in the target area. Generic EEIs are listed as part of the overall command objectives and may vary in different commands. If information on specific activity/observations is needed, provide specific EEIs with the RFI.
- c. Collection Operations (Systems). The collection manager is responsible for managing the assets and choosing the most efficient methods and sensors to satisfy requirements. Overall theater sensors are more flexible and can react faster to collection requirements. National collection platforms are not as flexible and have set times and locations where they collect on a target area. National assets collect on targets within their specific collection ground tracks. Dissemination of national system products relies on primary and secondary dissemination methods and equipment in theater. If communication lines cannot handle intelligence dissemination, the product will not be responsive to theater needs.

6. Target System Development

a. The target system concept. The target system concept is important because almost all targeting is based on targeting systems. A target is composed of components, and components are composed of elements. A single target may be significant because of its own characteristics, but often its importance lies in its relationship to other targets.

Usually the effect of a strike or attack mission upon an adversary can be determined only by analyzing the target in the overall adversary's target system. JP 1-02 *DOD Dictionary of Military and Associated Terms* states that a "target system" includes "all the targets situated in a particular geographic area and functionally related; or a group of targets which are so related that their destruction will produce some particular effect desired by the attacker". Targeteers normally focus on functionality. "Functionally related" means that all targets in the system have the same activity, or that each makes one or more parts of a particular product or type of product. Usually the effect of an attack upon an adversary can be determined only by analyzing the adversary's target systems combined with their relationship(s) with the adversary's warmaking or warfighting capability.

b. Target System Characteristics. All target systems are goal, objective, or purpose oriented, and composed of individual parts called components, through which they perform activities to achieve their goals. Survival is fundamental for all systems and they adapt to survive. Systems are complex. System components are interdependent and a change in one component causes change in or to other components. Each system is a component of a larger, more inclusive system.

c. Target System Activity. Do not focus the targeting process on the system or its components, but on the activity of the system or its components. Identify and nominate important target systems and target system components for strike by determining which activity is to be modified or affected by friendly forces. On a lesser scale, perform this same analysis for individual targets. Identify key and vulnerable elements of each target for attack. A comprehensive analysis of the system and its component parts is essential to understand the activities of the entire system.

d. Target System Analysis. This is a systematic approach to determine adversary target system vulnerabilities and exploitable weaknesses. It determines what effects will likely be achieved against target systems and their associated activities. Review the functions and interactions between components and elements of a target system to determine how the target system works. The analysis helps to determine what effects are likely to be achieved by attacking the system, where the system must be attacked, and how long the attack will disrupt adversary plans or operations. By reviewing probabilities of damage and arrival for a weapon system, targeteers can evaluate the effects of attacks on different components and isolate relevant elements to plan the disruption or neutralization of an entire target system.

7. Recording Information

Recording information makes evaluation and analysis easier and more accurate. It provides a useful source for historical data during and after operations are concluded and is essential for supporting the lessons learned process. Recording means and techniques must permit timely information and intelligence dissemination and the means must adequately handle the volume of information and intelligence received and serve the needs of those who must have access to it. Some common recording techniques are TMD IPB templates, intelligence journals, intelligence community databases, and local TMD IPB databases.

Intelligence community and local TMD IPB databases are typically fully automated and require trained personnel to operate them. The TMD IPB process generates the templates. An intelligence journal is an official, permanent, and chronological record of received and transmitted reports and messages, important events that have occurred, and actions taken in response. Since the journal will be referenced during the TMD IPB process, accuracy

and completeness are essential. The journal covers a specified time period, usually 24 hours and entries should accurately and concisely state the message, report, or event (meeting purposes, subjects, and conclusions, TMD IPD organizational or personnel changes, TM force incidents or movements, etc.); note the sender or individual making the report (include unit and unit duty position); note the receipt or dispatch time and method of transmission; and any actions taken as a result (disseminating reports, other internal TMD IPB recording, actions taken based on TM force activities).

8. Lessons Learned

During development of the TMD IPB, systematically identify, evaluate, and apply intelligence lessons learned. It is important to benefit from significant operations, training, and intelligence experiences. Use the Joint Universal Lessons Learned System to document intelligence lessons learned.

9. Geospatial Information and Products

- a. Geospatial Information. Geospatial information is found on maps and charts, and spatial imagery (mapping, charting, and geodesy, imagery, and IMINT). It gives physical and cultural phenomenon characteristics, properties, and locations associated with the earth's natural and man-made environment. NIMA's global geospatial information & services (GGI&S) provides geospatial information in four information classes; hard copy (traditional GGI&S products produced as paper products), digital raster data, digital vector, and digital composite. Definitions can be found on the NIMA home page.
- b. GGI&S and TMD IPB Development. For TMD development, GGI&S is divided into commonly used digital/hardcopy GGI&S (Figure A-3), other vector-based/digital GGI&S (Figure A-4), and other raster-based/hard copy GGI&S (Figure A-5).

Table A-3. Commonly Used Digital/Hardcopy GGI&S Products

Arc Second Raster Chart Digitized Raster Graphic Bathymetric Navigation Chart

Compressed Arc Second Raster Chart Digitized Raster Graphic Controlled Image Base

Digital Bathymetric Data Base Digital Chart of the World

Digital Feature Analysis Data Digital Terrain Elevation Data

Joint Operations Graphic Nautical Chart or Hydrographic Chart

Operational Navigation Chart Tactical Pilotage Chart

Topographic Line Map Vector Map Level 0

Vector Map Level 1 Vector Map Level 2

 $Vector\ Map\ Coverages\ (boundaries,\ data\ quality,\ elevation,\ hydrography,\ industry,\ physiography,$

population, transportation, utilities, vegetation, political entities, place names)

World Vector Shoreline

Table A-4. Other Vector-Based/Digital GGI&S Products

Anaglyph Arc Second Raster Chart Digital Raster Imagery

Compressed Aeronautical Chart Compressed Raster Graphic

Digital Cities Data Base Digital Aeronautical Flight Information File

Digital Elevation Model Digital Line Graph

Digital Line Graph-Enhanced Digital Topographic Data

High Speed Digital Chart Digitized/Digital Point Positioning Data Base

Interim Terrain Data Planning Terrain Analysis Data Base
Relocatable Target Assessment Data Probabilistic Vertical Obstruction Data
Tactical Terrain Data Tactical Terrain Analysis Data Base

Vertical Obstruction Data Video Point Positioning Data Base

World Mean Elevation Data

Table A-5. Other Raster-Based/Hard Copy GGI&S Products

Approach Chart Antisubmarine Warfare Prediction Area Chart

Bathymetric Navigation Planning Chart Bathymetric Recovery Area Chart

Bottom Contour Chart City Graphic
Coastal Chart Current Chart

Gazetteer Harbor and Approach Chart

Harbor Chart Hydrographic Chart or Nautical Chart

 $Hypsographic \ or \ Hypsometric \ Map \ (or \ chart) \\ \hspace{2.5cm} Ice \ Chart$

Instrument Approach Chart Magnetic Anomaly Detection Planning Chart

Magnetic Anomaly Detection Operational Effectiveness Chart

Military Installation Map Modified Cacsimile Chart

Naval Operating Area Chart Non-Submarine Contact List

Pilot Chart Precise Bathymetric Navigation Zone Chart

Point Positioning Data Base Provisional Map

10. Target Materials

Target materials are graphic, textual, tabular, digital, video or other physical and quantitative presentations of target intelligence. These products locate, identify, and describe potential targets with enough accuracy to attack designated targets by one or more weapon systems. Current target materials suitable for TMD IPB production are basic target graphics, automated tactical target graphics, operational target graphics, quick response graphics, and operational support plans graphics.

11. Locational Information

a. TMD IPB and Locational Information. TMD IPB relies on and generates a large amount of locational information. Locational information is defined by coordinates, which are linear or angular quantities which designate the position that a point occupies in a given reference frame or system. The use of cartographic techniques to derive coordinates is suitable for cueing, but cannot provide the precise coordinates needed for many of the

newer weapon systems. It is important to have a basic working knowledge of coordinate systems, datums, and other accuracy measures because it is easy to make locational errors.

- b. Errors and Mismatches. Data errors or mismatches can occur when mixing locational data from multiple sources. For example, database locations taken and placed on a map can lead to severe errors unless the locations' coordinates use the same scale and datum as the map. However, if the locations' coordinates use different scales and/or datums, large errors can result ranging from several meters to several kilometers. Another example, two objects, such as roads, taken from different databases and placed on a map can result in mismatches (do not intersect on the map where they are suppose to join) if different scales and/or datums are used. In some cases, the intersection can be off as much as several kilometers. When the same road exists in two databases and both are plotted on a map, a set of nearly parallel roads may result from the differences in the scale and/or datums. It is important to use identical scales and datums, but when this is not possible, understand and account for the resulting errors in the locational information. It is easy to make errors when using digital terrain data and since most of the data uses the same datum, it is usually a scale error. Remember, if locational data information is incorrect and not accounted for, the terrain analysis results are confusing and useless.
- c. Coordinate Reference System. Coordinate reference systems are a shorthand means of communicating earth surface locations. The most familiar coordinate reference system uses latitude, longitude, and elevation, while the Universal Transverse Mercator (UTM) and Universal Polar Stereographic (UPS) grid systems are two-dimensional. They identify a location without the lengthy description of latitude and longitude degrees, minutes, and seconds by placing grids on maps. The Military Grid Reference System is an alphanumeric

shorthand for expressing UTM and UPS coordinates with fewer numbers. A coordinate reference system always connects to a datum that defines its reference frame and point of origin; when the datum changes, so do the position coordinates.

- d. Datums. A critical consideration often overlooked in using coordinates is the geodetic datum upon which the coordinates and stated accuracy are based. A datum is a regional or global coordinate reference system. It includes a reference ellipsoid (a mathematical representation of the earth's size and shape) and a specific origin point.

 Coordinates within the same geodetic datum are directly related to the same origin point.

 Coordinates within different datums must be converted to a common reference before they can be used. The World Geodetic System (WGS) provides the basic reference frame and geometric figure for the earth, models the earth gravimetrically, and provides the means for relating positions on various local geodetic systems to an earth-centered, earth-fixed (ECEF) coordinate system. WGS 84 is the ECEF system officially authorized for use by the Department of Defense. WGS represents NIMA's modeling of the earth from a geometric, geodetic, and gravitational standpoint. It was developed using new and more extensive data sets and improved computer software and is constantly upgraded.
- e. Coordinate Conversion/Transformation. NIMA has a computer-based program to convert and transform coordinates. This program is called GEOTRANS and is very useful for accurately converting coordinates from one datum or coordinate system to another.

 NIMA maintains a INTELINK page for converting datums and coordinates online.
- f. Measures of Accuracy. Geospatial data cannot be more accurate than its original source, and sources vary in accuracy. Furthermore, each step in the production process can introduce position or elevation errors due to production hardware and software limitations,

human factors, and inherent product characteristics (i.e., chart size and scale or the digital data specification accuracy). If not accounted for, significant accuracy errors will occur from mixing products and data of different scale. Error distribution assumes that systematic errors and blunders have been removed and only random errors are left. Systematic errors need to be detected before they can be removed from positional information and one method is to compare the positional information against given control. If systematic errors are not removed, they will affect, for example, geodetic and photogrammetric measurements and the resulting positional information. Statistical techniques are used to measure and identify errors. The measures express an accuracy confidence level of the NIMA data to the user. Depending on the data's intended use, geospatial accuracy is normally expressed in absolute and/or relative accuracy terms. Absolute accuracy is how close each feature or data point is to the specified higher standard and includes all random and systematic errors. Relative accuracy is how close the measured distance or elevation is between two features or data points over a specified distance within standard and includes only random errors. Geospatial position accuracy is traditionally measured in feet or meters of linear error for heights, and feet or meters of circular error for horizontal position; both at 90% probability. Spherical error is the threedimensional combination of horizontal and vertical errors at 90% probability and is increasingly used as the geospatial fidelity measure. Target location error is the difference between the target's actual and expected location.

g. Precision and Accuracy. There is an important difference between the terms precision and accuracy. Precision is the closeness with which repeated measurements made under similar conditions are grouped together, and accuracy is the closeness of the best-estimated measured value to the measured quantity's true value. Precision is affected

only by random measuring process errors, while accuracy is affected by precision as well as the existence of unknown or systematic errors. Measurements may be both precise and inaccurate, but they cannot be accurate unless they are precise. Developed, transmitted and used coordinates should support measurements down to a precision equal to DDD MM SS.SSS. At the equator, these coordinates would be precise within 3 centimeters. State the associated coordinates' accuracy so that the user can determine the usefulness of the coordinate data. Not all coordinates must be to that level of precision or positions to that level of accuracy. For example, an object's measurements may determine the precise location within 6 inches, while the object's positional accuracy may only be within 100 feet. If the objective is to measure the object, this precision may suffice, but if the objective is to verify and bomb the object, this precision is unneeded and the accuracy may or may not be adequate based on the bombing scenario. Table A-6 compares precision with scale and coordinate resolution and lists some products used during the TMD IPB process.

h. Precise Geopositioning Capability. Coordinate derivation is the process of generating geodetic coordinates, which precisely identify the position of a point or target. Accuracy in describing position or desired mean point of impact within a common reference system is an important element in the TMD IPB function. Point positioning data base (PPDB) are sets of geodetically controlled photographic materials, accompanying data, and computer programs which enable trained personnel to derive accurate coordinates for any identifiable ground feature within the database area. PPDB accuracy is estimated for the entire coverage. To derive PPDB target or point coordinates, use the manual Analytical Photogrammetric Positioning System (APPS) or automated RAINDROP software for mensuration and geopositioning. The operator selects the appropriate stereo pair, locates the target optically, and determines the point's geoposition. NIMA began phasing out

Table A-6. Geospatial Precision and Accuracy Comparisons

Starting Unit, Scale, and/or Precision		Resulting Precision/Resolution				
Coordinate	Scale	Precision	DDD MM SS.SSS	meters	m/inch	Example Product
DDD				111,120		
DDD MM				1,852		
DDD MM SS				30.87		
DDD MM SS.S				3.087		
DDD MM SS.SS				0.3087		
DDD MM SS.SSS				0.03087		
	1:25,000				635	City Graphic
	1:50,000				1,270	Topographic Line Map Vector Smart Map Level 2
	1:100,000				2,540	Topographic Line Map
	1:250,000				6,350	Joint Operations Graphic
	1.500.000				F 000	Vector Map Level 1
	1:500,000				5,080	Tactical Pilotage Chart
	1:1,000,000				10,160	Operational Navigation Chart Vector Map Level 0
	1.1,000,000				10,100	Digital Chart of the World
	1:2,000,000				20,320	Jet Navigation Chart
	1:5,000,000				127,000	Global Navigation Chart
	1.070007000	100 m	000 03 14.384		127,000	DTED Level 1
		30 m	000 00 58.315			DTED Level 2
						DTED Level 3
		10	000 00 10 420			Controlled Image Base
		10 m	000 00 19.438			Space Imaging's Ikonos Satellite
						Land satellite and SPOT
						DTED Level 4
		5 m	000 00 09.719			Controlled Image Base
						Space Imaging's Ikonos Satellite
						DTED Level 5
		1 m	000 00 01.944			Controlled Image Base
						Space Imaging's Ikonos Satellite
Scale			Horizontal Circular Error 90%	Vertical Li 90%	near Error	Example Product
1:25,000			50 m	± 20 m		City Graphic
1:50,000			50 m	± 20 m		Topographic Line Map Vector Map Level 2
1:100,000			50 m	± 20 m		Topographic Line Map
1:250,000			250 m	± 100 m		Joint Operations Graphic Vector Map Level 1
1:500,000			1,000 m	± 150 m		Tactical Pilotage Chart
1:1,000,000			2,000 m	± 650 m		Operational Navigation Chart Vector Map Level 0 Digital Chart of the World
Note: 1 Approximate	for longitude at	the equator				

hardcopy PPDB production in FY96, so APPS and PPDB use is decreasing. Digital point positioning data base (DPPDB) is a classified image product consisting of high-resolution digital stereo image pairs and replaces the hardcopy PPDB. The DPPDB provides

warfighters with a deployable product. Digital exploitation workstations with stereo capability quickly and accurately derive latitude, longitude, and elevation. The DPPDB consists of three main components: imagery support data, a digital map graphic for reference, and stereo imagery. The nominal DPPDB area coverage is a rectangle, called the product rectangle, measuring 60 nautical miles on each side. At the equator, a product rectangle is a 1-degree x 1-degree geocell and is bounded by 1 degree parallels on the north and south and by 1-degree meridians on the east and west. Smaller DPPDBs unconstrained by geocell boundaries can also be produced. Ground coordinates derived using the DPPDB rational function model are referenced to the WGS ellipsoid. The DPPDB absolute and relative accuracy is consistent with the rigorous triangulation performed by NIMA's Digital Production System. The computed absolute and relative accuracy values, which vary from product to product, are provided as part of the imagery support data. Basic DPPDB imagery viewing and point mensuration can be performed on a suitably equipped work-station using NIMA's RAINDROP software.

12. Required Intelligence Databases for TMD IPB Production

- a. Modernized Integrated Database. The MIDB is a standardized intelligence data system providing data exchange between national to tactical level intelligence and operational consumers. The database contains a baseline source of intelligence on installations, military forces, population concentrations, C2 structures, significant events, and equipment.
- b. Basic Encyclopedia (BE). This manual of MIDB installation intelligence is the most inclusive of all installation lists. It describes every identified installation with an active function or of valid interest to intelligence agencies, particularly to the unified command

operational and planning staffs. The BE contains basic data on the identification, location, and function of each installation. It can be used to select potential fixed targets for ground, sea, or air attack, or to identify installations (such as public utilities and hospitals) to be spared from attack. The BE lists installations in Eurasia, Western Europe, Latin America and the Atlantic, Middle East and Africa, and Southeast Asia and the Western Pacific.

- c. Military Equipment and Parameters Engineering Database. This is a standardized intelligence data system providing data exchange between national to tactical level intelligence and operational consumers. The database contains a more baseline source of intelligence on military equipment than the MIDB to include engineering level parameters.
- d. NIMA Exploitation System (NES). NES is a standardized intelligence data system designed to provide for data exchange between national to tactical level intelligence and operational consumers. The database contains a baseline source of intelligence on overhead imagery and information on available overhead imagery. Imagery reports within NES are textual and contain a brief imagery analysis by NIMA.
- e. Standard Coding System Functional Classification Handbook. This handbook contains guidance and procedures for using functional category codes. The classification system uses a five-digit numeric character code to classify installations by function and indicate the products, capability, or activity associated with the installation.

13. How TMD IPB Relates to Everything Else

IPB and its products are essential elements of the intelligence cycle. The intelligence cycle and its functions (procedures, organizations, and equipment that collect, process, store, and disseminate intelligence) respond to the commander's intelligence needs. IPB

products aid the intelligence staff in processing volumes of information and exploiting modern technology. They focus collection systems, so that sufficiently accurate near-real-time information can be used to directly target TCTs. IPB enables a staff to put steel on target and also helps to prioritize and maximize targeting effects; it plays a critical role in the decision-making process. The commander leads the IPB effort and the entire staff executes the IPB process.

Appendix B

SUGGESTED TMD IPB TEMPLATES

The TMD IPB templates and tables in this appendix are initial starting points for building a TMD IPB. They are not meant to represent the entire spectrum of TMD IPB products. Use them as the situation requires (reproduce as is, modified, and/or discarded). Many can be used with current or future intelligence and operational automated systems. Figures B-1 and B-2 are suggested cover pages for completed or in development TMD IPB templates. Figures B-3 through B-46 are suggested templates for developing the TMD IPB and are organized in the TMD IPB four step process order.

DTG: 180600Z MAR 00 Class	sification:	JNCLASSIFIED		Page: of:		
	TMD IF	PB Template (U)				
Title:						
TMD IPB Dummy Template (U)						
TMD IPB Associated Step(s)	1.2, 1.3, and 3.2					
Date / Date Time Group (DTG)	180600Z MAR 00		Number of Pages	Cover + 2		
	0900 Local		Copy Number	5		
Date of Information (DOI)	011200Z APR 99		Number of Copies	25		
Originator Control Number			Work Station	#12		
Holder Control Number		Net	work or Hard Disk	Delta Drive		
	D:\TMD\IPB\Templates\Step1\TMD_	 _IPB_Dummy_Template.doc				
	Complete as of: 180600Z MAR 00					
Template Description and/or U						
This TMD IPB template is intended as a		purposes only.				
Originator						
Agency // Organization // Unit // Office	e Symbol					
1st TMD IPB Unit, Terrain Analysis Division						
Address: □ Unclassified & Classified ■ L Attention: Sgt John Doe	Unclassified Only ☐ Classified Only	Name, Last	Name, First John	Name, Middle		
Camp Smith, Alabama 35777-5555		Rank	Service	Country		
		Sergeant Title / Position	Army	United States of America		
		Chief, TMD IPB Terrain Analysis Division				
		Non-Secure Phone (DSN) DSN 555-5555 x55	Secure Phone DSN 555-5555			
Address: Unclassified & Classified UL Attention: Document Control	Unclassified Unity Classified Unity	Non-Secure Phone (Commercia	l) Secure Phone	e (Commercial)		
Camp Smith, Alabama 35777-5555		(555) 333-5555 x55 E-Mail: ■ Unclassified Only □ 0	(555) 333-5555			
		John.doe@campsmith.army.mil				
		E-Mail: Unclassified Only 0	Collateral ■TS/SCI □ Othe	r:		
		Jaoe@campsmitn.army.mii				
Overall U.S. Cla	assification UNCLASSIFIED					
Overall Non-U.S. Cla						
SCI Control Systems and Foreign Government I	Codewards Not Applicable Not Applicable					
· ·	on Controls Not Applicable					
Non-Intelligence Communit						
Declassification Da Composite Classification and Conti	nte Marking Not Applicable rol Marking Not Applicable					
Classification Authority / Classified By (If	Applicable) Not Applicable					
`	Applicable) Not Applicable					
Downgrade Instruction(s) (If a Downgrade Event / Declassify On (If a						
Security Control	rol Number DEF-67890					
 □ See Attachment for Warning(s), Destruct ■ Regrade this Cover Sheet to UNCLASS 			ng			
Regiate this cover sheet to UNCLASS	ILIED MITCH SCHALAGER ILOUI (UG DO	cumefit				
TMD IPB Template 18 March 2000 Clas	sification:	JNCLASSIFIED	Lo	cal Reproduction Authorized		

Figure B-1. TMD IPB Template Cover Sheet – Example

DTG: Classification					Page:	of:
Title:						
TMD IPB Associated Step(s)						
Date / Date Time Group (DTG)			Numbei	of Pages		
Time				y Number		
Date of Information (DOI)			Number	of Copies		
Originator Control Number			Wo	rk Station		
Holder Control Number			Network or	Hard Disk [
File and Location						
Status						
Template Description and/or Usage N	ote(s)					
Originator Agency // Organization // Unit // Office Symbo	<u> </u>					
Tigeney'' organization'' onto oyinbo	•					
Address: □ Unclassified & Classified □ Unclassifie	d Only □ Classified Only	Name, Last	Name, First		Name, Middle	
		Rank	Service		Country	
		Title / Position				
		Non-Secure Phone (DS	SN)	Secure Phone ((DSN)	
Address: □ Unclassified & Classified □ Unclassifie	d Only □ Classified Only	Non-Secure Phone (Co	ommercial)	Secure Phone ((Commercial)	
		E-Mail: □ Unclassified		TS/SCI □ Other:		
				_		
		E-Mail: □ Unclassified	i Only 🗆 Collateral 🗆	15/SCI Utiner:_		
Overall U.S. Classificatio	 n [·	·	·		
Overall Non-U.S. Classificatio	n					
SCI Control Systems and Codeward Foreign Government Informatio						
Dissemination Control Non-Intelligence Community Marking						
Declassification Date Marking						
Composite Classification and Control Markin Classification Authority / Classified By (If Applicable						
Derived From (If Applicable	e)					
Downgrade Instruction(s) (If Applicable Downgrade Event / Declassify On (If Applicable						
Security Control Number	er					
☐ See Attachment for Warning(s), Destruction Notic ☐ Regrade this Cover Sheet to UNCLASSIFIED Whe			d Warning			
TMD IPB Template 18 March 2000 Classification			·	Loca	al Reproduction Autho	rized

Figure B-2. TMD IPB Template Cover Sheet

Suggested Templates for Step One of the TMD IPB Process "DEFINE THE BATTLESPACE ENVIRONMENT"

DTG: Class	ssification:	Page:	of:
	Command Mission(s) Objective(s) Summary (U)		
	Overall Command Mission(s) Objective(s) (U)		
Objective:			
01:			
02:			
03:			
04:			
05:			
	Overall Component Mission(s) Objective(s) (U)		
Objective:			
01:			
02:			
03:			
04:			
05:			
	Overall TMD Mission(s) Objective(s) (U)		
Objective:			
01:			
02:			
03:			
04:			
05:			
Notes:			
TMD IPB Template 18 March 2000 Clas	ssification: Local Repro	duction Authori	ized

Figure B-3. Command Mission(s) Objective(s) Summary Template

DTG: Classification:	Page:	_ of:
Command Mission(s) Objective(s) Worksheet (U)		
Objective:		
objective.		
WHAT do we want to make the adversary do?		
Against WHOM?		
HOW do we want to reach the objective?		
How do we want to reach the objective:		
WHY do we want to reach the objective?		
How much (TO WHAT DEGREE) do we want to affect adversary activity?		
WHEN and for HOW LONG do we want to reach the objective?		
WHERE do we want to affect the adversary activity?		
Where do we want to ancest the adversary activity.		
HOW MUCH will it cost to achieve the objective and is it WORTH the cost?		
How do we know when we have REACHED the objective?		
No. 1.		
Notes:		
TMD IPB Template 18 March 2000 Classification: Local Reproc	luction Author	rized

Figure B-4. Command Mission(s) Objective(s) Worksheet Template

DTG:	Classification:	Page:	_ of:
	Command's Mission(s) Guidance Worksheet Template (U)		
	TMD and TMD Related Command Guidance		
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Command Guidance:			
Details:			
	TMD and TMD Related Rules of Engagement (ROE)		
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Stansi			
Command Guidance:			
Details:			
	TMD and TMD Deleted Applicable Laws of Armed Conflict (LOAC)		
	TMD and TMD Related Applicable Laws of Armed Conflict (LOAC)		
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Command Guidance:			
Details:			
Notes:			
TMD IPB Template 18 March 2000	Classification: Lo	cal Reproduction Author	rized

Figure B-5. Command Mission(s) Guidance Worksheet Template

DTG:	Clas	sification:				Pag	e: o	f:
		AO / AOI /	Battlespace As	sessment Tem	plate (U)			
			•					
							w d	
							w ∢]	→ E
							s	(
Map Sheet Name	Map Sheet Series	Map Sheet Number	Map Sheet Edition	Map Sheet Scale	Horizontal/Vertical Datum	0 5 10 15 20		
			•			0 5 10) nm	Scale
			Legend / Key / Sy	mbols / Scale	1			
Notes:								
		-16:4:						
TMD IPB Template 18 N	larch 2000 Clas	sification:				Local Reproduction A	uthorized	

Figure B-6. AO/AOI/and Battlespace Assessment Template

DTG:	_ Classification:	Page:	of:
	Geopolitical and Regional Threat Assessment Template (U)		
	Adversary National Security Goals and Desired End State		
Regional Overview Map:			
	Adversary Regional Strategic Vulnerabilities		
	, , ,		
	Adversary Strategic and Operational Objectives		
	Alama Islanda Islanda i Osanda Comitan		
	Adversary Intent and Strategic Concept of Operations		
Notes:			
TMD IPB Template 18 March 2000	Classification: Loca	Reproduction Authori	zed

Figure B-7. Geopolitical and Regional Threat Assessment Template

TM Force General Capabilities Assessment Template (U) Types and Order of Battle of TMs Role / Mission / Targeting of TMs Role / Mission / Targeting of TMs Historical Use TM Characteristics and Performance Forceders Propulsion Type Lumph (Pro) Diametic (n) Wing Span (n) Maximum Roapy (nn) Accusey (CEP) (n) Maximum Roapy (nn) Accusey (CEP) (n) Menical Cause Specid (note) Menical Cause Specid (note) Resemand Cause	DTG:	Classification:				Page: of:
TM Characteristics and Performance Furameters Proposition Type Longth rin Disnove (rin) Wing Span pin Maximum Range Apoge (rin) Maximum Range Apoge (rin) Monimula Louse Allulae (rin) Monimula Louse Allulae (rin) Monimula Louse (rin) Monim		TM Force General	Capabiliti	es Assessm	ent Template (U)	·
Rate / Mission / Targeting of TMs Historical Use Employment Concepts TM Characteristics and Performance Parameters Proposition Type Length righ Daracter right Wing Span for Ministrum Range Angle Ministrum Range Angle Ministrum Range One Accuse) (CET) no Accuse) (CET) no Morient Laurch Allitude (n) Morient Laurch Allitude (n) Nominal Cuize Allitude (n) Nominal Cuize Allitude (n) Nominal Cuize Minister (n) Nominal Cuize Speed (morth) Nominal Cuize Speed (morth) Nominal Cuize Speed (morth) Nominal Cuize Speed (morth) Madinum Time of Tilget (minister) Profest Mass Warbeast Mass						le of TMs
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass					- Jp	
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
Historical Use Employment Concepts TM Characteristics and Performance Parameters Propulsion Type Length (re) Length (re) Diameter (no) Wing Span (nn) Maximum Range (re) Minimum Range (re) Minimum Range (re) Accuracy (CEP) (nn) Accuracy (CEP) (nn) Maximum Range (re) Mominal Custes Altitude (re) Nominal Crustes Speed (meth) Mominal Crustes Speed (meth) Modernum Time of Hight (minutes) Payload Mass Warhead Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass					Role / Mission / Targetir	ng of TMs
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
TM Characteristics and Performance Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass	His	storical Use			Employment Conc	epts
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Parameters Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Propulsion Type Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass		TM CI	naracteristic	s and Performa	nce	
Length (m) Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Diameter (m) Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Wing Span (m) Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Maximum Range (km) Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Minimum Range (km) Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Accuracy (CEP) (m) Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Maximum Range Apogee (m) Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Nominal Launch Altitude (m) Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Nominal Cruise Altitude (m) Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Nominal Cruise Speed (mach) Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Maximum Time of Flight (minutes) Payload Mass Warhead Mass						
Warhead Mass						
Warhead Mass						
Payload Options						
	Payload Options					
TMD IPB Template 18 March 2000 Classification: Local Reproduction Authorized					1	I

Figure B-8. TM Force General Capabilities Assessment (1 of 2) Template

DTG: Classification:	Page: of:
TM Force General Capabilition	es Assessment Template (U)
Motivation	and Intent
Motivation -	
Intent -	
Historical Use of Suppression of Active Air or TMD	Theater Air Defense versus TMD
	·
Capability to Locate TMF	D Assets for Suppression
	. т. в в в в в в в в в в в в в в в в в в
Suppression Capability	Capabilities Applicable To:
Tms in Suppression Role -	. Аррисаше го.
TM Penetration Tactics -	
TM TMD Countermeasures -	
Aircraft	
All Craft	•
ASCMs to Suppress TMD Capable Ships	
ARMs	
Information Warfare (Including EC)	
WMD	
SOF	-
Terrorist and Insurgent Forces	
Conventional Ground Forces	
Conventional Ground Forces	-
Conventional Naval Forces	
Combined Arms Tactics	
OUIIMING AITHS TRUITS -	
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Authorized

Figure B-8. (Continued) (2 of 2)

DTG:		_ Classification:				Page:	_ of:
		Major Terrain and Line o	of Commu	nications Ove			
		rrain Features Map	or Commu	TICATIONS OVE	Major LOC Features I	Мар	
			Physic	cal Map			
Area:	Total: Land Only: Water Only:			Terrain: Elevation Extremes:	Lowest Point:		
Area-Comparitive:				Elevation Extremes: Land Use:	Highest Point:		
Land Boundaries: Maritime Claims:	Total: Coastline: Territorial Sea: Continental Shelf:			Irrigated Land:	Permanent Crops: Permanent Pastures: Forests and Woodland: Other:		
TMD IPB Template 1	18 March 2000	Classification:				ocal Reproduction Authori	ized

Figure B-9. Major Terrain and LOC Overview Template

DTG: Classification: Page: of:					
TMD IPB Holdings, Database, Sources, and Links Assessment (U)					
Organizational Sources					
Organization	POC Established	MOU or Equivalent	Status	Type of	Support
Command Intelligence Staff					
Command Operations Staff Command Plans Staff					
JIC					
US Army Component					
US Air Force Component					
US Navy Componeht					
US Marine Corps Component					
NMJIC					
NMCC					
DIA					
NIMA - Imagery Services NIMA - GGI&S					
CIA					
NSA					
USSPACECOM	1				
MSIC					
NAIC					
ONI					
NGIC					
AFMIC					
DTRA			0.11		
	1		Others		
Notes:					
TMD IPB Template 18 March 2000	Classificatio	n:			Local Reproduction Authorized

Figure B-10. TMD IPB Holdings, Database, Sources, and Links Assessment (1 of 3) Template

DTG:	Classification:			Page: of:
TMD IPB Holdings, Database, Sources, and Links Assessment (U)				
		Connectivity		
Connection	Speed		Reliability of Connection	Status (G, Y, R)
Voice - Unclassified				
Voice - Collateral				
Voice - High				
INTELINK				
SIPRNET				
e-Mail - Unclassified				
e-Mail - Collateral				
e-Mail - High				
MIDB - National				
MIDB - Theater				
MIDB - Local				
MEPED				
SAFE				
NES				
Message Traffic				
5D				
IPL				
IPA				
TDDS (TRAP)				
TIBS				
JTIDS				
GCCS				
		Others		
Notes:				
TMD IPB Template 18 March 200	00 Classification:		Lo	cal Reproduction Authorized

Figure B-10. (Continued) (2 of 3)

	lassification:MD IPB Holdings, Database, S	Sources and Links Asses	Page: of: _			
	Current, On-Order, and Desi	red TMD IPB Information I	1			
Title:	Originator Control #: Copies:					
	Date or DTG:	DOI:	Received:			
	Ordered: Expected Delivery Date:					
	Type F					
	Report:	Targeting Material:	Hardcopy:			
	Imagery: EO, Radar, MSI, Othe		Digital:			
Classification of Title:	GGI&S: Software: On-line:					
Classification:	Message Traffic:	Other:	Other:			
Source:						
Assessment (Green/Yellow/Red [G/Y/R]):	Applicable To:					
Checked Out To:						
Notes:						
Title:	Originator Control #:		Copies:			
	Date or DTG:	DOI:	Received:			
	Ordered:	Expected Delivery Date:				
		Туре	Format			
	Report:	Targeting Material:	Hardcopy:			
	Imagery: EO, Radar, MSI, Othe	r SA Data:	Digital:			
Classification of Title:	GGI&S:	Software:	On-line:			
Classification:	Message Traffic:	Other:	Other:			
Source:			<u> </u>			
Assessment (G, Y, R):	Applicable To:					
Checked Out To:						
Notes:						
Title:	Originator Control #:		Copies:			
Title.	Date or DTG: DOI: Received:					
	Ordered: Expected Delivery Date:					
	Type Format					
	Report: Targeting Material: Hardcopy:					
	Imagery: EO, Radar, MSI, Othe		Digital:			
Classification of Title:	GGI&S:	Software:	On-line:			
Classification:						
	Message Traffic:	Other:	Other:			
Source:	A U. a bla Ta					
Assessment (G, Y, R):	Applicable To:					
Checked Out To: Notes:						
Notes.						
Title: Originator Control #: Copies:						
	Received:					
	Date or DTG: Ordered: Expected Delivery Date:					
Type Format						
	Report:	Targeting Material:	Hardcopy:			
	Imagery: EO, Radar, MSI, Other		Digital:			
Classification of Title:	GGI&S:	Software:	On-line:			
	Message Traffic:	Other:	Other:			
Classification:	1 130		1 1			
Source:	Applicable To:					
Source: Assessment (G, Y, R):	Applicable To:					
Source: Assessment (G, Y, R): Checked Out To:	Applicable To:					
Source: Assessment (G, Y, R):	Applicable To:					

Figure B-10. (Continued) (3 of 3)

DTG: Classification: Page: of:					
TMD IPB Information Sources Evaluation Template (U)					
THE II E INCIDENCE CONTROL		piace (5)			
# Checklist item	Status (G,Y,R)	Critical Gaps			
01 Step 1 - Define the Battlespace Environment	(G,1,K)	Gridour Gups			
02 1.1 - Analyze the Command's Mission in Relation to TMD					
03 1.1.1 - Summarize the Command's Mission and Objectives					
04 1.1.2 - Summarize the Commander's Guidance					
05 1.2 - Identify the Limits of the AO, AOI, and Battlespace					
06 1.2.1 - Assess TM Force Coverage					
07 1.2.2 - Assess Potential TM Force Deployment Area					
08 1.2.3 - Assess Passive Defense AO and AOI					
09 1.2.4 - Assess Active Defense AO and AOI					
10 1.2.5 - Assess Attack Operations AO and AOI					
11 1.2.6 - Assess Composite AO and AOI					
12 1.2.7 - Assess TMD Battlespace					
13 1.3 - Determine the Significant Environment Characteristics of the AO					
14 1.3.1 - Assess Geopolitical and Regional Threat					
15 1.3.2 - Assess TM Force General Capabilities					
16 1.3.3 - Assess TM Force Active Defense Suppression Capabilities					
17 1.3.4 - Assess Major Terrain Features					
18 1.3.5 - Assess Major Lines of Communication					
19 1.4 - Identify the Amount of Detail Required & Feasible Within the Time Available					
20 1.4.1 - Create or Update IPB Checklist and Development Plan					
21 1.5 - Evaluate Existing Databases and Identify Gaps					
22 1.5.1 - Assess TMD IPB Holdings, Databases, Sources, and Links					
23 1.5.2 - Evaluate TMD IPB Information Sources					
24 1.5.3 - Establish TMD IPB POCs					
25 1.6 - Collect Material & Intelligence Required for Further TMD IPB Analysis					
26 1.6.1 - Collect Recommended PIRs/EEIs/RFIs					
27 1.6.2 - Search for Information by Key Word and Equipment & Category Codes					
28 Step 2 - Define the Battlespace Effects					
29 2.1 - Analyze the TM Battlespace Environment					
30 2.1.1 - Assess Terrain					
31 2.1.1.1 - Assess Surface Configuration					
32 2.1.1.2 - Assess Vegetation					
33 2.1.1.3 - Assess Surface Materials					
34 2.1.1.4 - Assess Obstacles					
35 2.1.1.5 - Assess Transportation and LOC Infrastructure					
36 2.1.1.6 - Assess Urban Areas					
37 2.1.1.7 - Assess Cover					
38 2.1.1.8 - Assess Concealment					
39 2.1.1.9 - Assess CCM					
40 2.1.1.10 - Assess Observation/LOS					
41 2.1.1.11 - Assess Key Terrain					
42 2.1.1.12 - Assess Electromagnetic Spectrum					
43 2.1.2 - Assess Weather Effects on TM Operations					
44 2.1.2.1 - Assess TM Force Climatology					
45 2.1.2.2 - Assess Current and Forecast Weather					
46 2.1.3 - Assess Other Characteristics of the Battlespace					
47 2.1.3.1 - Assess TM Infrastructure	47 2.1.3.1 - Assess TM Infrastructure				
48 2.1.3.2 - Assess TM Facility/Area					
49 2.1.3.3 - Assess TM Infrastructure HVTs					
50 2.2 - Assess Battlespace Effects on TM Force Capabilities and Broad COAs					
TMD IPB Template 18 March 2000 Classification: Local Reproduction Authorized					

Figure B-11. TMD IPB Information Sources Evaluation (1 of 2) Template

TMD IPB Information Sources Evaluation Template (U) Checklist item Checklist item (G,Y,R) Critical Gaps 2.2.1 - Assess Area Limitation Step 3 - Evaluate the TM Force 3.1 - Create TM Models 3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM Equipment 3.1.4 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results	of:				
Checklist item (G,Y,R) Critical Gaps 2.2.1 - Assess Area Limitation Step 3 - Evaluate the TM Force 3.1 - Create TM Models 3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.5 - Identify Initial Collection Requirements 4.5 - Identify Initial Collection Requirements 4.6 - Identify Target Nominations 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results	•				
Checklist item (G,Y,R) Critical Gaps 2.2.1 - Assess Area Limitation Step 3 - Evaluate the TM Force 3.1 - Create TM Models 3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5 - Identify Iarget Nominations 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
2.2.1 - Assess Area Limitation Step 3 - Evaluate the TM Force 3.1 - Create TM Models 3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.2 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
Step 3 - Evaluate the TM Force 3.1 - Create TM Models 3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
3.1 Create TM Models 3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
3.1.1 - Assess TM Organizational/C4I Structure 3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
3.1.2 - Assess TM Equipment 3.1.3 - Assess TM TTPs 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
3.1.3 - Assess TM TTPS 3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
3.1.4 - Assess HVTs Step 4 - Determine TM COAs 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
Step 4 - Determine TM COAS 4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAS 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.1 - Identify Likely TM Objectives and Desired End State 4.2 - Identify the Full Set of TM COAs 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.2 - Identify the Full Set of TM COAS 4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.3 - Evaluate and Prioritize Each Specific TM COA 4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.4 - Expand Each COA in the Amount of Detail Time Allows 4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.4.1 - Develop Situation Template and Assess HVTs 4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.5 - Identify Initial Collection Requirements 4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.5.1 - Develop Event Template and Matrix 4.6 - Identify Target Nominations 4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.6.1 - Assess Current Situation and Weather Data 4.6.2 - Assess NAI Intelligence Collection Results					
4.6.2 - Assess NAI Intelligence Collection Results					
4.6.3 - Assess Most Likely TM Force COA					
4.6.4 - Assess PIRs					
4.0.4 - ASSESS PIRS					
UPB Template 18 March 2000 Classification: Local Reproduction Authoriz					

Figure B-11. (Continued) (2 of 2)

DTG:							
TMD IPB Points-of-Contact (POC) Template (U)							
Name, Last	Name, First	Name, Middle	Rank	Service		Country	
	1						
Organization / Office Symbol	JI		Title / Position				
Address: Unclassified Only □ Classifi	ied Only □ Both □	Collateral □ TS/SCI □ Other □	Non-Secure Pho	one	Secure Phone		
-	•		()	- x	()		Х
			Cellular Phone		Pager		
			()	- x	()		Х
			Home Phone		Other:		
			()	- x	()		х
Address Unclassified Only □ Classifi	ied Only □ Both □	Collateral □ TS/SCI □ Other □	e-Mail Uncla	ssified Only Classified Only	□ Both □ C	ollateral □ TS/	SCI 🗆 Other 🗆
			e-Mail Unclas	ssified Only 🗆 Classified Only 🛚	□ Both □ C	ollateral 🗆 TS/	SCI Other
			e-Mail Unclas	ssified Only 🗆 Classified Only 🛭	□ Both □ C	ollateral 🗆 TS/	SCI 🗆 Other 🗆
Notes:							
Name, Last	Name, First	Name, Middle	Rank	Service		Country	
Organization / Office Symbol			Title / Position				
Address: Unclassified Only □ Classifi	ied Only □ Both □	Collateral □ TS/SCI □ Other □	Non-Secure Pho	one	Secure Phone		
			()	- x	()	-	x
			Cellular Phone		Pager		
			()	- x	()		x
			Home Phone		Other:		
			()	- x	()	-	x
Address Unclassified Only □ Classif	ied Only □ Both □	Collateral 🗆 TS/SCI 🗆 Other 🗆	e-Mail Uncla	ssified Only 🗆 Classified Only 🛚	□ Both □ C	ollateral 🗆 TS/	SCI 🗆 Other 🗆
			e-Mail Uncla	ssified Only 🗆 Classified Only 🛚	□ Both □ C	ollateral 🗆 TS/	SCI 🗆 Other 🗆
			e-Mail Uncla	ssified Only 🗆 Classified Only 🛚	□ Both □ C	ollateral 🗆 TS/	SCI 🗆 Other 🗆
Notes:							
Name, Last	Name, First	Name, Middle	Rank	Service		Country	
Organization / Office Symbol			Title / Position				
Address: Unclassified Only □ Classifi	ied Only □ Both □	Collateral TS/SCI Other	Non-Secure Pho		Secure Phone		
			()	- X	()	•	Х
			Cellular Phone		Pager		
			()	- X	()	•	X
			Home Phone		Other:		
Address Unclassified Only □ Classifi	ind Only 🗆 Path 🗆	Collateral □ TS/SCI □ Other □	e-Mail Uncla	- x ssified Only □ Classified Only □	U)	ollatoral C TC"	X SCI □ Other □
Audress Uniclassified Unity L. Classifi		Conateral in 19/801 in Other in	e-Ivian Uncla	samed Only L. Classified Only L	C	onateral □ 15/	JOI LI OTHER LI
			e-Mail Uncla	ssified Only Classified Only	I Both □ C	ollatoral 🗆 Te	SCI Other
			e-man Uncla	samed Only in Glassilled Offly L	- 50th C	onateral □ 13/	JOI LI JUILEI LI
			e-Mail Uncla	ssified Only Classified Only	Roth □ C	ollateral □ T©#	SCI Other
			- man Oncia	Jones July L. Jiasamed Jilly L		a.o.u/ 🗀 10/	oo Julei -
Notes:							
TMD IPB Template 18 March 2000	Classification:				Local I	Reproduction A	uthorized

Figure B-12. TMD IPB POC Template

DTG:					
Recommended PIR / EEI / RFI / Other Requirement Request Worksheet (U)					
Requesting Organization / Point-of-Contact (POC) for PIR / EEI RFI / Other Name, Last Name, First Name, Middle	Rank Service Country				
Organization / Office Symbol	Title / Position				
Address: Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □	Non-Secure Phone Secure Phone				
	() - X () - X Cellular Phone Pager				
	() - x () - x				
	Non-Secure FAX Secure FAX				
	() - x () - x				
Address Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □	e-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other				
	e-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □				
	e-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □				
Recommended / Suggested Supporting Organization / Point-of-Contact (POC) for PIF Name, Last Name, First Name, Middle					
rame, First Name, Middle	Rank Service Country				
Organization / Office Symbol	Title / Position				
Address: Unclassified Only Classified Only Both Collateral TS/SCI Other	Non-Secure Phone Secure Phone				
	() - x () - x Cellular Phone Pager				
	() - x () - x				
	Non-Secure FAX Secure FAX				
	() - x () - x				
Address Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □	e-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □				
	e-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other				
	e-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other				
Potential Intelligence Sources	a E a E				
Yes Unknown NA NA Yes Yes Unknown NA	Yes Possible Unknown NA Yes Possible Unknown NA				
	HUMINT MASINT - NUCINT				
IMINT - Visible	MASINT - ACINT OSINT OSINT OSINT OSINT - OSINT				
IMINT - IR	MASINT - Electro-Optical				
SIGINT - C - C - C - C - C - C - C - C - C -	MASINT - IKINT				
Period of Relevance / Frequency of Response					
Date (DD / MMM / YY) / DTG Time of Day (HH:MM:SS) / DTG Date (DD / MMM	M / YY) / DTG Time of Day (HH:MM:SS) / DTG Duration (YY / MM / DD / HH:MM:SS)				
Start End End By Date (DD / MMM / YY) / DTG By Time of Day (HH:MM:SS) / DTG	Date (DD / MMM / YY) / DTG Time of Day (HH:MM:SS) / DTG				
	Time Information of Value (LTIOV)				
Desired Within:	Desired Within:				
8 Hours □ 16 Hours □ 24 Hours □ 2 Days □ 3 Days □ 1 Week □ 2 Weeks □ 3 Weeks □ 1 Month □ 2 Months □	8 Hours □ 16 Hours □ 24 Hours □ 2 Days □ 3 Days □ 1 Week □ 2 Weeks □ 3 Weeks □ 1 Month □ 2 Months □				
3 Months □ 6 Months □ 1 Years □ 3 Years □ See Notes □	3 Months □ 6 Months □ 1 Years □ 3 Years □ See Notes □				
Desired Frequency of Response: Readiness Phase Crisis / Deployment Phase	Time Standard: Local □ Zulu □ Year: Calendar □ Fiscal □ Combat Phase □ Other Phase:				
Real Time □ Every Monday □ Real Time □ Every Monday □	Real Time Every Monday Real Time Every Monday Real Time Every Monday				
Near Real Time □ Every Tuesday □ Near Real Time □ Every Tuesday □ Hourly □ Every Wednesday □	Near Real Time □ Every Tuesday □ Near Real Time □ Every Tuesday □ Hourly □ Every Wednesday □				
Dailey □ Every Thursday □ Dailey □ Every Thursday □	Dailey □ Every Thursday □ □ Dailey □ Every Thursday □ □				
Weekly □ Every Friday □ Weekly □ Every Friday □ Monthly □ Every Saturday □ Monthly □ Every Saturday □	Weekly				
Quarterly □ Every Sunday □ Quarterly □ Every Sunday □	Quarterly □ Every Sunday □ Quarterly □ Every Sunday □				
Yearly □ See Notes □ Yearly □ See Notes □ See Notes □ At: (HH:MM) See Notes □ At: (HH:MM)	Yearly □ See Notes □ See Notes □ Yearly □ See Notes □ At: (HH:MM) □				
	333.333.33.43.43.43.43.43.43.43.43.43.43				
TMD IBB Templete 49 Merch 2000 Classification:	Local Population Authorized				

Figure B-13. Recommended PIR/EEI/RFI Other Requirement Request Worksheet (1 of 2) Template

טוט:			Classificati	ion:										Page: of:	·
					R / EEI /	RFI / Othe	r Reguire	mer	ıt Req	uest Wo	rkshee	t (U)			
Desired Forma	at of Response											- (- /			
All	at of Response														
	Il Response □	ln.	Formal Respons	sa Π		Hardcony -	1		oftcopy [1	-	manen	, ,	GGI&S	<u>с</u> п
Real Time / Nea		1111	Voi			FAX =] Mes	sage (USMTF)]		e-Mai	/ □ I □ Video	GGI&S Teleconference (VTC r:	;;
	resentation		Briefin		Meeting	J / Conference □	Other:	9- (Other:			□ Othe	r:	<u> </u>
Maximum Lev	el of Classificati	on Des	sired												
	Jnclassified □For			0) 🗆	Collatoral	- Confidential	ı Coll	latoral	- Socrat [7 Col	latoral - Ton	Sacra	+ n	Top Secret SC	1 [
Spe	cial Access	Official	No ORCC	ON 🗆	Conaccial	lo Proprietary]	No	LIMDIS]	No N	OFORN		Contractor Releasable	le 🗆
Releasable To:_				🗆 0	ther:		Other:			Other:			□ Othe	Contractor Releasable	_ 🗆
Hardcopy															
	Report □		Presentation	on □ Whi	ite / Talking	/ Ftc Paner 🗆	1 Other:		Г	1 Other			□ Othe	r:	
Coffcony	перен 🗆		Tresentation	011 🗀 🕶	nte / runting	/ Lto Tuper L	ouici			other					
Softcopy	Туре		Data	a / Data Ba	ISP	9	Soft Format			Physical	Format			Hosted On	\neg
	Report		Dutt	a / Data Da	MIDB 🗆	Windows (OS: OS:	□		Prysical igh Density F 100 MBy 250 MBy	CDROM			5D Serve	er 🗆
	Presentation				al MIDB 🗆			_ □	Н	igh Density F	loppy Disk			IPL Serve	er 🗆 🛭
	Imagery				MEPED		pe:			100 MBy	rte Zip Disk	<u> </u>		IPA Serve	er 🗆
II	VIL (i.e. INTELINK) Software		Local Intell		ta Base □	File Type	(s):	- :		250 MBy	rte Zip Disk 9 mm Tano	μ.		LAN	\square
	Video				elimited	File Type	(s): (s):	- :			4 mm Tape			INTELINK Serve	er 🗆
	Audio				Length		NIT	TF 🗆			Tape			INTELINK Serve INTELINK-S Serve	er 🗆
	Message (USMTF)		Other:			Other:							Other:		_ 🗆 🛭
Other:			Other:			Other:			Other:_				Other:		_ 🗆
Softcopy															
	Print Size		Target Area				oe of Imagery		Drocd A	Resol				Other	[
	3" x 5" Print 5" x 7" Print				18.5 km □ 9.3 km □	Optica	I / Electro-Optic			ea Coverage ea Coverage			Re	gistered / Georectified Annotations	
	8" x 10" Print			. ,	5.6 km			ar 🗆		rea Coverage				No Annotations	
" x	c " Print		km (_	nmi) x _	km 🗆	Multi-Spect	tral Imagery (MS	SI) 🗆		Resolution -				Duplicate Positive	
"x	c " Print			ttack Para		MS	SI - Panchromat	ic 🗆		Resolution -			VPF C	ompatible (i.e CADRG	
	(" Print				1.8 km 🗆			or 🗆		ea Coverage			7	Best Available	
	Vide Area (Orientati 10 nmi) x 185.2 km				0.9 km □		MSI - TERCA Change Detection			n Resolution h Resolution				extual Imagery Repor Cal / Near-Vertical Sho	
	60 nmi) x 111.1 km		Close-Up				Seasonal Image			h Resolution			VCITI	High Oblique Sho	
	(32 nmi) x 59.3 km		MSI Mosaic of A	rea of Ope	erations 🗆	Other:								Low Oblique Sho	
km (_	nmi) x km		Other:		П	Other:			Other:		motors	П	Other:		_ 🗆 🛭
III———									Other		nictors		0111011		
Global Geospa	atial Information	and S	ervices						ouici						
	General Type		ervices	DFAD	Level 2 🗆		DTO	OP 🗆	ouici	Map ⁻	Гуре			Scale	
Hard	General Type copy (Paper) Map		ervices	DFAD DFAD Le	Level 2 □ evel 1C □		DTO DDPD	OP 🗆 OB 🗆	outer	Map GNC (1	Гуре :5,000,000)			1:25,000	0 🗆
Hard Softcopy (Digit	General Type copy (Paper) Map tal or Raster Map)		ervices	DFAD DFAD Le	Level 2 evel 1C evel 3C	Interim 1	DTO DDPD Terrain Data (ITI	OP	outer	Map ⁻ GNC (1 JNC (1	Type :5,000,000) :2,000,000)			1:25,000 1:50,000	0 0
Hard Softcopy (Digit	General Type lcopy (Paper) Map tal or Raster Map) On-Line Map		ervices	DFAD DFAD Le DFAD Le VMAP	Level 2 evel 1C evel 3C Level 0	Interim 1	DTO DDPD	DP	outer	Map GNC (1 JNC (1 ONC (1	Type :5,000,000) :2,000,000) :1,000,000)			1:25,000 1:50,000 1:100,000	0 0
Hard Softcopy (Digit	General Type copy (Paper) Map tal or Raster Map)		ervices	DFAD DFAD Le DFAD Le VMAP VMAP VMAP	Level 2 = evel 1C = evel 3C = Level 0 = Level 1 = Level 2 =	Interim 1 Vector P	DTO DDPD Terrain Data (ITI roduct ITD (VITI	DP		Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air)	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000)			1:25,000 1:50,000	0 0 0
Hard Softcopy (Digit Other: DTED Leve	General Type lcopy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters)		ervices	DFAD DFAD Le DFAD Le VMAP VMAP VMAP (U	Level 2	Interim 1 Vector Pi	DTO DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu	DP DB DD DD DD DD DD DD	JOG	Map - GNC (1 JNC (1 ONC (1 TPC JOG-A (Air)	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000)			1:25,00 1:50,00 1:100,00 1:250,00 1:500,00 1:1,000,00	10
Hard Softcopy (Digit Other: DTED Leve DTED Leve	General Type lcopy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters)		ervices	DFAD DFAD Le DFAD Le VMAP VMAP VMAP UMAP (U CIB 10	Level 2 evel 1C evel 3C Level 0 Level 1 Level 2 JVMAP) 0 meter	Interim T Vector Pi Digital Chart of th	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu he World (DCW)	DP	JOG	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) i-G (Ground) JG-R (Radar)	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000)			1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000	00
Hard Softcopy (Digit Other: DTED Leve DTED Le	General Type lcopy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) evel 2 (30 meters)		ervices	DFAD DFAD Le DFAD Le VMAP VMAP VMAP (U CIB 10	Level 2 evel 1C evel 3C Level 0 Level 1 Level 2 JVMAP) 0 meter 5 meter	Interim 7 Vector Pi Digital Chart of th World Vector	DTO DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu he World (DCW) r Shoreline (WV)	OP DB DB DD	JOG	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) G-G (Ground) OG-R (Radar)	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000)			1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L	General Type lcopy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters)		ervices	DFAD DFAD Le DFAD Le VMAP VMAP VMAP (U CIB 10 CIB 5	Level 2 evel 1C evel 3C Level 0 Level 1 Level 2 JVMAP) 0 meter	Interim 7 Vector Pi Digital Chart of th World Vector	DTO DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu he World (DCW) r Shoreline (WV)	OP DB DB DD	700 700	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) G-G (Ground) OG-R (Radar)	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000)		Other:	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:2,000,000 1:5,000,000	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L	General Type (copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 1 (100 meters) evel 3 (10 meters)		ervices	DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP CIB 10 CIB 10	Level 2	Interim Vector Po Digital Chart of th World Vector Other: Other:	DTC DDPD Terrain Data (IT) roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB (DCW) r Shoreline (WV:	OP	JOC JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) G-R (Radar) TLM TLM City Graphic	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:100,000) M (1:50,000) s (1:25,000)		Other: Other: Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L	General Type (copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) evel 2 (30 meters) evel 3 (10 meters) Level 4 (5 meters)		ervices	DFAD LE DFAD LE DFAD LE VMAP VMAP VMAP (U CIB 10 CIB 1	Level 2	Interim Vector Po Digital Chart of th World Vector Other: Other:	DTO DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu he World (DCW) r Shoreline (WV)	OP	JOC JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) GGR (Radar) TLM TLM TLM City Graphic:	Type :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:100,000) M (1:50,000) s (1:25,000)		Other: Other: Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:2,000,000 1:5,000,000	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Hard Softcopy (Digit Other:	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) evel 2 (30 meters) evel 3 (10 meters) evel 3 (10 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1		Gervices Urba	DFAD LE DFAD LE DFAD LE VMAP VMAP VMAP (U CIB 10 CIB 1	Level 2	Interim Vector Pi Vector Pi Digital Chart of it World Vector Other: Other:	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.5 minu	DP	JOC JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) OG-R (Radar) TLM TLM City Graphic	Fype :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000) M (1:50,000) s (1:25,000)		Other: Other: Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L DTED L DTED L DTED L DTED L DTED	General Type (copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) evel 2 (30 meters) evel 3 (10 meters) Level 4 (5 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK		Gervices Urba	DFAD LO DFAD LO DFAD LO VMAP VMAP (U CIB 10 CIB 5 CIB	Level 2	Interim Vector Pi Vector Pi Digital Chart of it World Vector Other: Other:	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.5 minu	DP	JOC JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype 15,000,000) 12,000,000) 1,000,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000)		Other: Other: Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:2,000,000 1:5,000,000	10
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L DTED L DTED L Real Time / Ne	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS		Urba INTEL	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP (U CIB 10 C	Level 2	Interim Vector Pi Vector Pi Digital Chart of it World Vector Other: Other:	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.5 minu	DP	JOC JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype 15,000,000) 12,000,000) 1,000,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000)		Other: Other:_ Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	000000000000000000000000000000000000000
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L DTED L DTED L DTED L DTED L DTED L OTED L	General Type (copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) evel 2 (30 meters) evel 3 (10 meters) Level 4 (5 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK		Urba INTEL	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP (U CIB 10 C	Level 2	Interim Vector Pi Vector Pi Digital Chart of it World Vector Other: Other:	DTC DDPD Terrain Data (IT) roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB (DCW) r Shoreline (WV:	DP	JOC JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype :5,000,000) :2,000,000) :1,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:150,000) (1:25,000) (1:25,000)		Other: Other: Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	000000000000000000000000000000000000000
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L DTED L OTED L	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) vel 3 (10 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS		Urba INTEL Other:	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP (U CIB 10 C	Level 2 evel 1C evel 1C Level 2 Level 2 Level 1 Level 2 JWMAP) 0 meter 1 meter CADRG TTADB Gazetter JTIDS JTIDS	Interim T Vector Pi Digital Chart of th World Vector Other: Other:	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.5 minu	DP	JOO JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype 15,000,000) 12,000,000) 1,000,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000)		Other: Other:_ Other:_ Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00 00 00 00 00 00 00 00
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L DTED L OTED L O	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) evel 4 (5 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS		Urba INTEL Other:	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP (U CIB 10 C	Level 2 evel 1C evel 1C Level 2 Level 3 Level 1 Level 2 Level 2 Level 3 Level 4 Level 5 meter Canal 1 Level 5 Level 6 Level 7 Level 7	Interim Vector Provided Provided Provided Vector Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:Other:	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.5 minu	DP	Joc John John John John John John John John	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype 15,000,000) 12,000,000) 1,000,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000)		Other: Other:_ Other:_ Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L DTED L OTED L	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS		Urba INTEL Other:	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP (U CIB 10 C	Level 2 evel 1C evel 1C Level 2 Level 2 Level 1 Level 2 JWMAP) 0 meter 1 meter CADRG TTADB Gazetter JTIDS JTIDS	Interim T Vector Pi Digital Chart of th World Vector Other: Other:	DTC DDPD Terrain Data (ITI roduct ITD (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.1 minu DBDB 0.5 minu	DP	JOO JC Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype 15,000,000) 12,000,000) 1,000,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000)		Other: Other:_ Other:_ Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED DTED DTED OTHER Other: Other: Other: Other: Area(s) of Inte	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS		Urba INTEL Other: Other:	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP CIB 1 CIB 2 CIB 3 CIB 3 CIB 3 CIB 5 C	Level 2 evel 1C evel 1C Level 2 Level 3 Level 1 Level 1 Level 2 JVMAP) 0 meter 5 meter 1 meter CADRG TADB Gazetter JTIDS CADRS Level 2 JTIDS CADRS Level 3 JTIDS CADRS Level 4 L	Interim TVector Provided Provi	DTC DDPD Terrain Data (ITI roduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP	Other:_ Other:_ Other:_ Other:_	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLN City Graphics	Fype 15,000,000) 12,000,000) 1,000,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000) (1:250,000)		Other: Other:_ Other:_ Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED DTED DTED OTHER Other:	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS		Urba INTEL Other: Other: Other:	DFAD LO DFAD LO DFAD LO DFAD LO VMAP VMAP CIB 1	Level 2 evel 1C evel 1C Level 2 Level 3 Level 1 Level 2 Level 1 Level 2 Level 3 Level 2 Level 4 Level 5 meter Capraga Level 5 Level 5 Level 5 Level 5 Level 5 Level 5 Level 6 Level 7 Level 7	Interim Vector Pr Vector Pr Digital Chart of th World Vector Other: Other: Other: Other:	DTC DDPD Terrain Data (ITI roduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP	Joc Joher:Other:_Othe	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) GG-R (Radar) TLM TLM City Graphic	Fype :5,000,000) :2,000,000) :2,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000) f (1:50,000) s (1:25,000) DDS (TRAP) TADIL-J		Other: Other:_ Other:_ Other:_ Other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED DTED OTHER OTHER Other: Other:_	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS	G G G G G G G G G G G G G G G G G G G	Urba INTEL Other: Other: Other: Point R	DFAD LOTAD L	Level 2 evel 1C evel 1C evel 1C evel 2 Level 2 Level 3 evel 3C evel 3C evel 3C evel 4C evel 5C evel 5C evel 6C evel 6C	Interim Vector Pr Digital Chart of th World Vector Other:	DTC DDPD Terrain Data (ITI roduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP	Joc Joher:Other:_Othe	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) GG-R (Radar) TLM TLM City Graphic	Fype :5,000,000) :2,000,000) :2,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000) f (1:50,000) s (1:25,000) DDS (TRAP) TADIL-J		Other: Other:_ Other:_ Other:_ Other:_ other:_ other:_ other:_	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000 1:5,000,000	00 00
Hard Softcopy (Digit Other: DTED Leve DTE	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) vel 2 (30 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS	Facility	Urba INTEL Other: Other: Other: Point R	DFAD LOTAD L	Level 2	Interim Toler Vector Provided From Vector Provided From Vector Other: Other: Other: Other: Other: Other: ATM Other:	DTC DDPD Terrain Data (ITI roduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP DB DB DD DD DB DB DB DB DB DB DB DB DB	JOC JC Other:_ Other:_ Other:_ Other:_ tte / Polyli	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) GG-R (Radar) TLM TLM City Graphic	Fype :5,000,000) :2,000,000) :2,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000) f (1:50,000) s (1:25,000) DDS (TRAP) TADIL-J		Other: Other: Other: Other: ee Attachee	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000	00 00
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L DTED L DTED L DTED L DTED L OTHER OTHER OTHER OTHER Area(s) of Inte NAI	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) Level 3 (10 meters) Level 4 (5 meters) Level 5 (1 meters) DFAD Level 1 car Real Time INTELINK JWICS	Facility	Urba INTEL Other: Other: Other: Point □ R dmmss □ dd.n	DFAD LOTAD L	Level 2 evel 1C evel 1C evel 1C evel 2 Level 2 Level 3 evel 3C evel 3C evel 3C evel 4C evel 5C evel 5C evel 6C evel 6C	Interim Toler Vector Provided From Vector Provided From Vector Other: Other: Other: Other: Other: Other: ATM Other:	DTC DDPD Terrain Data (ITI roduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP DB DB DD DD DB DB DB DB DB DB DB DB DB	Joc Joher:Other:_Othe	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) GG-R (Radar) TLM TLM City Graphic	Fype :5,000,000) :2,000,000) :2,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000) f (1:50,000) s (1:25,000) DDS (TRAP) TADIL-J		Other: Other: Other: Other: ee Attachee	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000 1:5,000,000	00 00
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L DTED L DTED L DTED L DTED L OTHER OTHER OTHER OTHER Area(s) of Inte NAI	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) vel 1 (100 meters) vel 2 (30 meters) vel 2 (30 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS	Facility	Urba INTEL Other: Other: Other: Other: dmmss dd.n	DFAD LOTAD L	Level 2	Interim Vector Pr Vector Pr Digital Chart of th World Vector Other: Other: Other: Other: Other: A TM Other: ude	DTC DDPD Terrain Data (ITI Troduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP	Other: Other: Other: Other: Other: Other: Other:_ Other: Other: Other: Other: Other:	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) G-R (Radar) TLM TLM City Graphic	Fype :5,000,000) :2,000,000) :2,000,000) (1:500,000) (1:250,000) (1:250,000) (1:250,000) (1:100,000) M (1:50,000) S (1:25,000) TADIL-J	Oth	Other: Other: Other: Other: ee Attachee	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000 1:5,000,000	
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L DTED L DTED L DTED L DTED L OTHER OTHER OTHER OTHER Area(s) of Inte NAI	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility	Urba Urba INTEL Other: Other: Other: dher: Don: Longitude	DFAD LOTAD L	Level 2	Interim Toler Vector Provided From Vector Provided From Vector Other: Other: Other: Other: Other: Other: ATM Other:	DTC DDPD Terrain Data (ITI Troduct ITI (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP DB DB DD DD DB DB DB DB DB DB DB DB DB	JOC JC Other: Other: Other:_ Other:_ other:_ ute / Polyli GRS deE	Map GNC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) GG-R (Radar) TLM TLM City Graphic	Fype 15,000,000) 15,000,000) 11,000,000) 11,000,000) 11,250,000	Oth	Other: Other:_ Other:_ Other:_ Other:_ Other:_ Other:_ Other:_ M	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:2,000,000 1:2,000,000 1:5,000,000	00 00
Hard Softcopy (Digit Other: DTED Leve DTE	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility de le	Urba Urba Urba Urba Other: Other: Other: Other: Other: Longitude	DFAD LO DFAD LO DFAD LO VMAP VMAP VMAP OFAD LO CIB 1 CIB 2 CIB 3 CIB 3 CIB 3 CIB 3 CIB 3 CIB 4 CIB 4 CIB 5 CIB 3 CIB 6 CIB 6 CIB 6 CIB 7 C	Level 2	Interim Toler Vector Provided From Vector Provided From Vector Other: Other: Other: Other: Other: I - Not Moving A A TM Other: ude Latitude / MGRS / I	DTC DDPD Terrain Data (ITI roduct ITI) (VITI DBDB 5 minu DBDB 0.5 minu DBD 0.5 mi	DP	JOC JC Other:Other:Other:tte / Polylii GRSdeC	Map GNC (1 JNC (1 JNC (1 ONC (1 FC JOG-A (Air) -G (Ground) G-R (Radar) TLM TLL City Graphic	Fype -:5,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,025,000) -:1,250,000)	Oth	Other: Other:_ other	1:25,000 1:50,000 1:100,000 1:250,000 1:550,000 1:1,000,000 1:2,000,000 1:5,000,000	00 00 00 00 00 00 00 00
Hard Softcopy (Digit Other: DTED Leve DTE	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility de la constitute de la constitu	Urba Urba Urba Other: Other: Other: Other: Congitude	DFAD LO DFAD L	Level 2	Interim To Vector Provided From the Vector Provided From the Vector Other: Other: Other: Other: Other: I - Not Moving A TM Other: ude Latitude / MGRS / I	DTC DDPD Terrain Data (ITI Poble 1) DBDB 5 minu DBDB 0.5 m	DP	Other: Other: Other: Other:_ tte / Polyli GRS de	Map GNC (1 JNC (1 JNC (1 ONC (1 FC JOG-A (Air) -G (Ground) G-R (Radar) TLM	Fype -:5,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,025,000)	Oth	Other: Other:_ Other	1:25,000 1:50,000 1:100,000 1:250,000 1:550,000 1:1,000,000 1:2,000,000 1:5,000,000 1:5,000,000	00 00 00 00 00 00 00 00
Hard Softcopy (Digit Other: DTED Leve DTED Le DTED L DTED L DTED L DTED L DTED L OTHER Other: Other: Other: Area(s) of Inte NAI BE Number Geocoordinate Point or Centro Area / Polygon Starting Point Next Point	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility Facility Facility Facility Facility	Urba INTEL Other: Other: Other: Amount of Admiss of Ad	DFAD LO DFAD L	Level 2	Interim To Vector Provided From the Vector Provided From the Vector Other: Other: Other: Other: Other: I - Not Moving A TM Other: ude Latitude / MGRS / I	DTC DDPD Terrain Data (ITI roduct ITI) (VITI DBDB 5 minu DBDB 0.5 minu DBDB 0.5 minu DBDB 0.5 minu he World (DCW) Shoreline (WV: DN GCC TADIL-	DP	Other: Other: Other: other:_ oth	Map GNC (1 JNC (1 JNC (1 ONC (1 JNC (1 ONC (1 FC JOG-A (Air) I-G (Ground) IG-R (Radar) TLM TLM City Graphic:	Fype -:5,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,000,000) -:1,025,000)	Oth	Other: Other:_ Other	1:25,000 1:50,000 1:100,000 1:250,000 1:550,000 1:1,000,000 1:2,000,000 1:5,000,000 1:5,000,000	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Hard Softcopy (Digit Other:	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility Facili	Urba INTEL Other: Other: Other: Amount of the description of the desc	DFAD LO DFAD L	Level 2 evel 1C evel 1C evel 2 Level 2 Level 3 Level 5 Evel 5	Interim To Vector Provided From the Vector Provided From the Vector Other: Other: Other: Other: Other: I - Not Moving A TM Other: ude Latitude / MGRS / I	DTC DDPD Terrain Data (ITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu NEWorld (DCW) Shoreline (WV: DN TADIL- Terrain Analys	DP	Other: Other: Other: other:_ oth	Map GNC (1 JNC (1 ONC (1 JNC (1 ONC (1 TPC JOG-A (Air) I-G (Ground) G-R (Radar) TLM TLM City Graphic: TE Datu W Next Pc Next Pc	Fype -5,000,000) -2,000,000,000) -2,000,00	Oth	Other: Other: Other:_ Othe	1:25,000 1:50,000 1:100,000 1:250,000 1:550,000 1:550,000 1:1,000,000 1:2,000,000 1:5,000,000 1:5,000,000 TIBS Voice	
Hard Softcopy (Digit Other: DTED Leve DTED Le DTED L DTED	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility Graph of the control of th	Urba INTEL Other: Other: Point R dmmss dd.n Dn: Longitude	DFAD LO DFAD L	Level 2 evel 1C evel 1C evel 1C evel 2 Level 2 Level 3 Evel 2 Evel 4 Evel 5 Evel 5	Interim Vector Pr Vector Pr Digital Chart of the World Vector Other: Other: Other: Other: I - Not Moving A TM Other: ude Latitude / MGRS / I	DTC DDPD Terrain Data (ITI DBDB 5 minu DBDB 0.5 minu DBDB 0.5 minu DBDB 0.1 minu he World (DCW) Shoreline (WV: DN Terrain Analys rea / Polygon [DP	Other: Other: Other: other:_ oth	Map GNC (1 JNC (1 JNC (1 ONC (1 TPC ONC (1 TPC JOG-A (Air) I-G (Ground) G-R (Radar) ILM ILM City Graphic: TE TE W Next Pc Next Pc	Fype -5,000,000) -2,000,000,000) -2,000,00	Oth	Other: Other: Other: Other: Other: Other: Other:_ Other:	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000 1:5,000,000 1:5,000,000 1:5,000,000 1:5,000,000	
Hard Softcopy (Digit Other: DTED Leve DTED LE DTED L DTED	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility Facili	Urba INTEL Other: Other: Other: Doint R dmmss dd.n on: Longitude	DFAD LOTAD L	Level 2 cevel 1C cevel 1C cevel 3C c	Interim Toler Vector Provided From Vector Provided From Vector Provided From Vector Other: Other: Other: Other: Other: I - Not Moving ATM Other: ude Latitude / MGRS / it	DTC DDPD Terrain Data (ITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu MORE TADIL- Terrain Analys	DP	Other: Other: Other: Other:_ oth	Map GNC (1 JNC (1 JNC (1 ONC (1 ONC (1 FC JOG-A (Air) -G (Ground) G-R (Radar) TLM TLL City Graphic TTE Delta Datu W Next PC Next PC Next PC Next PC Next PC	Fype 15,000,000) 15,000,000) 11,000,000) 11,000,000) 11,250,000) 1	Oth	Other: Other:_ Other	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000 1:5,000,000 1:5,000,000 1:5,000,000 1:5,000,000 1:5,000,000	
Hard Softcopy (Digit Other: DTED Leve DTED L DTED L DTED L DTED L DTED DTED Control Control Area(s) of Inte NAI	General Type copy (Paper) Map tal or Raster Map) On-Line Map Text el 0 (1,000 meters) evel 2 (30 meters) evel 2 (30 meters) Level 4 (5 meters) Level 5 (1 meters) Level 5 (1 meters) DFAD Level 1 ear Real Time INTELINK JWICS erest Units: dd.decimal old Coordinates: La / Route / Polyline I	Facility Facility Graph of the control of the con	Urba INTEL Other: Other: Other: Doint R dmmss dd.n on: Longitude	DFAD LOTAD L	Level 2 cevel 1C cevel 1C cevel 2 cevel 3C ce	Interim Toler Vector Provided From Vector Provided From Vector Provided From Vector Other: Other: Other: Other: Other: I - Not Moving ATM Other: ude Latitude / MGRS / it	DTO DDPD Terrain Data (ITI DBDB 5 minu DBDB 0.5 minu DBDB 0.1 minu ne World (DcW) Shoreline (WV: DN GCC TADIL-	DP	Other: Other: Other: Other:_ oth	Map GNC (1 JNC (1 JNC (1 JNC (1 TPC ONC (1 TPC JOG-A (Air) TLM TLM TLM City Graphic: TL ine □ Datu w	Fype 15,000,000) 15,000,000) 11,000,000) 11,000,000) 11,250,000) 1	Oth	Other: Other:_ Other	1:25,000 1:50,000 1:100,000 1:250,000 1:500,000 1:1,000,000 1:2,000,000 1:5,000,000 1:5,000,000 1:5,000,000 1:5,000,000 1:5,000,000	

Figure B-13. (Continued) (2 of 2)

DTG: Classification: _		Page: of:
	TMD IPB Key Word Search Template (L	
	· ·	•
A Country 1 Names	Adversary / Country Focus Key Words	A Country 2 Names
θ Country 1 Name: θ Country 4 Name:	θ Country 2 Name: θ Country 5 Name: θ Country 8 Name:	θ Country 3 Name: θ Country 6 Name:
θ Country 7 Name:	9 Country 8 Name:	θ Country 9 Name:
θ Country 1 3-Letter Designator:	θ Country 2 3-Letter Designator:	θ Country 3 3-Letter Designator:
Country 4 3-Letter Designator:	Country 5 3-Letter Designator:	
θ Country 7 3-Letter Designator:	θ Country 8 3-Letter Designator:	θ Country 9 3-Letter Designator:
θ Country 1 2-Letter Designator:	θ Country 2 2-Letter Designator:	θ Country 3 2-Letter Designator:
θ Country 4 2-Letter Designator:	θ Country 5 2-Letter Designator:	θ Country 6 2-Letter Designator:
θ Country 7 2-Letter Designator:	θ Country 8 2-Letter Designator:	θ Country 9 2-Letter Designator:
0 Country 1 Nick Name:	θ Country 2 Nick Name:	0 Country 3 Nick Name:
θ Country 4 Nick Name:	θ Country 5 Nick Name:	Country 6 Nick Name:
θ Country 7 Nick Name: θ Russia	θ Country 8 Nick Name: θ China	θ Country 9 Nick Name: θ North Korea
θ Iran	θ Iraq	θ Syria
θ Libya	θ India	θ Pakistan
θ Area 1 Name:	θ Area 2 Name:	θ Area 3 Name:
θ Area 4 Name:	θ Area 5 Name:	θ Area 6 Name:
θ Area 7 Name:	θ Area 8 Name:	
θ Other:	θ Other:	θ Other:
θ Other:	θ Other:	θ Other:
0 Micello	General Key Words	
θ Missile	θ Rocket θ Development	0 Theater Missile
θ Research	θ Evaluation	θ R&D θ T&E
θ Testing θ RDT&E	θ Production	θ Flight Test
θ RDT&E θ Theater Missile Defense	θ Production θ TMD	θ Order of battle
θ OB	θ OOB	θ Missile Order of Battle
⊕ МОВ	θ Defensive Missile Order of Battle	θ DMOB
θ Air Route Closure	θ Area Closure	θ Operational Test
θ Exercise	θ Field Exercise	θ Command
θ Control	θ C2	θ Communications
	θ Computers	θ C4
θ Intelligence	θ C3I	0 C4I
Suppression of Enemy Air Defense SEAD	θ SEAD	Suppression of Enemy Missile Defense Defense Suppression Throat
θ SEMD	θ Defense Suppression	Defense Suppression Threat
θ DST	θ Air Defense	θ AD
θ Surface-to-Air Missile θ EW	θ SAM θ Electronic Combat	θ Electronic Warfare θ EC
θ EW θ Information Warfare	θ Electronic Compat θ IW	θ EC θ Information Operations
O IIIIOIIIIdliOII Waliaic	θ Electronic Countermeasures	θ ECM
θ Electronic Attack	θ EA	θ Fire Control System
θ Fire Control	θ Radar	θ Search
θ Early Warning	θ Acquisition	θ Track
θ Target	θ Point Target	θ Area Target
θ Engine Test Stand	θ Inertial Navigation System	θ INS
θ Satellite Navigation	θ SATNAV	θ Global Positioning System
θ GPS	θ GLONASS	θ Seeker
0 Terminal Guidance	Midcourse Guidance	Midcourse Update Guidance
θ Guidance and Control	θ G&C	θ Guidance, Navigation, and Control
θ GNC	9 Booster	θ Airframe
θ Rocket Motor θ Ramjet	θ Rocket Engine θ Turbofan	θ Turbojet θ Turboprop
θ Other:	θ Other:	θ Other:
θ Other:		θ Other:
	Weapon System Nomenclature	
	θ Primary Designator System 2:	θ Primary Designator System 3:
		θ Primary Designator System 6:
θ Primary Designator System 4: θ Primary Designator System 7:	θ Primary Designator System 5: θ Primary Designator System 7:	θ Primary Designator System 9:
θ Indigenous Designator System 1:	θ Indigenous Designator System 2:	
θ Indigenous Designator System 4:	θ Indigenous Designator System 5:	θ Indigenous Designator System 6:
θ Indigenous Designator System 7:	θ Indigenous Designator System 8:	θ Indigenous Designator System 9:
θ Nick Name System 1: θ Nick Name System 4:	θ Nick Name System 2: θ Nick Name System 5:	θ Nick Name System 3: θ Nick Name System 6:
0 Nick Name System 4:	θ Nick Name System 5:	0 Nick Name System 6:
0 NICK Name System 7:	θ Nick Name System 8:	NICK Name System 9:
θ NATO Designator System 1:	θ NATO Designator System 2:	NATO Designator System 3:
NATO Designator System 4: NATO Designator System 7:	NATO Designator System 5: NATO Designator System 9:	NATO Designator System 6: NATO Designator System 9:
θ NATO Designator System 7: θ NATO Code Name System 1:	NATO Designator System 8: NATO Code Name System 2:	θ NATO Designator System 9: θ NATO Code Name System 3:
	θ NATO Code Name System 2:	θ NATO Code Name System 6:
θ NATO Code Name System 7:	θ NATO Code Name System 8:	θ NATO Code Name System 9:
θ WSSIC Designator System 1:	θ WSSIC Designator System 2:	
θ WSSIC Designator System 4:	θ WSSIC Designator System 5:	θ WSSIC Designator System 6:
θ WSSIC Designator System 7:	θ WSSIC Designator System 8:	θ WSSIC Designator System 9:
	θ ASSC Designator System 2:	
θ ASSC Designator System 4:	θ ASSC Designator System 5:	
θ ASSC Designator System 7:	θ ASSC Designator System 8:	A ASSC Designator System 9
θ Other:	θ Other:	θ Other:
θ Other:	θ Other: θ Other:	θ Other:
TMD IPB Template 18 March 2000 Classification: _		

Figure B-14. TMD IPB Key Word Search (1 of 4) Template

DTG:	Classification:			Page:	of:
	•	TMD IPB Key Word Search Template (U)			
	Ballistic Mis	sile (not including: launcher, delivery vehicle, or suppor			
☐ Theater Ballistic Missile		□ Tactical Ballistic Missile	□ TBM		
☐ Ballistic Missile ☐ Madium range Pollistic Missile		□ Short Range Ballistic Missile □ MRBM	SRBM		
☐ Medium range Ballistic Missile ☐ IRBM		☐ Sea Launched Ballistic Missile	☐ Intermediate Range Ballistic Missile ☐ Submarine Launched Ballistic Missile		
☐ Ship Launched Ballistic Missile		□ SLBM	☐ Surface-to-Surface Missile		
☐ System		☐ Theater Missile	□ TM		
☐ Other:		☐ Other:	☐ Other:		
□ Other:	Oi Mi	Other:	Other:		
☐ Cruise Missile	Cruise Miss	sile (not including: launcher, delivery vehicle, or support □ CM	equipment ☐ Antiship Cruise Missile		
ASCM		□ Antiship	☐ Land Attack Cruise Missile		
LACM		☐ Unmanned Aerial Vehicle	□ UAV		
☐ Attack Unmanned Aerial Vehicle		□ AUAV	☐ Remotely Piloted Vehicle		
□ RPV		☐ Air-to-Surface Missile	□ ASM		
☐ Other:		☐ Other:	Other:		
Other:	Non Pollistic and Non	 Other: Cruise Missile (not including: launcher, delivery vehicle, 	Other:		
☐ Antiradiation Missile	NOII-DailiStic and Noii-	□ ARM	☐ Antiradiation		
☐ AR		☐ Antiradiation Homing	□ ARH		
☐ Air-to-Surface Missile		□ ASM	☐ Tactical Air-to-Surface Missile		
☐ TASM		☐ Artillery Rocket	☐ Field Artillery Rocket		
		Weapons of Mass Destruction (WMD)			
☐ Chemical Warfare		☐ Chemical Weapon	☐ Chemical Warhead		
□ CW		☐ Biological Warfare ☐ BW	☐ Biological Weapon		
☐ Biological Warhead ☐ Nuclear Weapon		□ Nuclear Warhead	☐ Nuclear Warfare☐ Nuke		
☐ Nuclear Weapon		□ Protective Measures	☐ Chemical Agent		
☐ Biological Agent		□ Bio	□ Chem		
☐ Chemical Weapons Program		☐ Biological Weapons Program	☐ Nuclear Weapons Program		
☐ Weaponization		☐ Weaponize	□ Persistent		
☐ Non-Persistent		☐ Decontamination	☐ Binary Weapon		
□ VX		□ GF	□ Soman		
☐ GD ☐ Tabun		□ Sarin □ GA	☐ GB ☐ Mustard		
□ Anthrax		□ Q-Fever	□ Toxin		
☐ Other:		□ Other:	Other:		
☐ Other:		□ Other:	□ Other:		
		Warhead / Payload			
☐ Ramjet		□ Turbofan	☐ Warhead		
□ Payload		□ Unitary	□ Submunition		
☐ Blast ☐ Fragmentation		☐ High Explosive☐ Blast Fragmentation	☐ HE ☐ Semi-Armor Piercing		
		☐ Armor Piercing	☐ Mine		
☐ Terminally Guided Submunition		☐ TGSM	□ Chemical		
☐ Biological		□ Nuclear	☐ Conventional		
☐ Cluster		□ Bulk Fill	☐ Fuel Air Explosive		
□ FAE		□ Bomblet	☐ Electro-Magnetic Pulse		
□ EMP		Antiradiation Missile	□ ARM		
□ Electronic Attack		□ EA	☐ Electronic Warfare		
☐ EW ☐ GPS Guided		□ Laser Guided □ Circular Error Probable	☐ Laser Designated ☐ CEP		
Other:		Other:	Other:		
Other:		□ Other:	Other:		
		Countermeasures			
☐ Electronic Warfare		□ EW	☐ Electronic Countermeasures		
□ ECM		☐ Electronic Counter-Countermeasures	□ ECCM		
☐ Penetration Aid☐ Chaff		□ Penaid	□ Decoy		
□ Cnarr □ Replica		☐ Flare ☐ Shroud	☐ Jammer ☐ Signature		
☐ Replica ☐ Signature Reduction		☐ Radar Cross Section	□ RCS		
☐ Radar Cross Section Reduction		□ RCS Reduction	□ Coating		
☐ IR Coating		☐ Camouflage, Concealment, and Deception	□ CCD		
☐ Denial and Deception		□ D&D	□ DD		
☐ Camouflage		□ Concealment	□ Deception		
☐ Denial ☐ Simultaneous Arrival		☐ Salvo Launch	☐ Time-on-Target Control ☐ Operations Security		
☐ Simultaneous Arrival		☐ Simultaneous Impact ☐ Communications Security	☐ Operations Security ☐ COMSEC		
☐ Maneuvering		☐ Maneuvering Reentry Vehicle	□ MaRV		
☐ Multiple Reentry Vehicles		☐ MRV	□ Stealth		
□ Balloon		☐ Light replica	☐ Heavy Replica		
☐ Terrain Bounce Jammer		☐ Towed Decoy	☐ Escort Jammer		
☐ Barrage Jammer		☐ Countermeasures Dispenser	☐ Early Release of Submunitions		
□ ERS		☐ Defense Suppression	☐ Suppression of Enemy Air Defense		
SEAD		☐ Air Defense Suppression	☐ Simultaneous Launch		
☐ Standoff Jammer ☐ Other:		☐ Terrain Following ☐ Other:	☐ Terrain Masking ☐ Other:		
Other:		□ Other:	Other:		
TMD IPB Template 18 March 2000	Classification		Local Reproduc	tion Authori	zed
TIMD IPB Template 18 March 2000	GIASSIIICALIUII:		Local Reproduc	uon Autnori	zea

Figure B-14. (Continued) (2 of 4)

	TMD IPB Key Word Search Temp	Page: c blate (U)
	·	· \-/-/
Air Base	Operations 0 AB	θ Airfield
AFLD	θ Naval Base	θ Port
Garrison	θ National Level Garrison	θ National Garrison
Depot	θ National Level Depot	θ National Level Storage
Forward Operating Area	θ FOA	θ Field Storage Location
Field Storage Site	θ Field Storage Area	θ Field Operating Base
FOB	θ Field Operating Location	θ FOL
Fueling Site	θ Fueling Area	θ Warhead Mating
Transload Site	θ Transload Area	θ Launch Site
Launch Area	θ Hide Site	θ Hide Area
Operating Area	θ Field Operating Area	θ Flight Test Activity
Operational Test Activity	θ Field Training	θ Field Exercise
Doctrine	θ Strategy	θ Tactics
Tactics, Techniques, and Procedures	θ ΠΤΡ	θ Operating Procedures
Course of Action	θ COA	θ Procedure
Other:		
Other:		
	Launchers and Delivery vehicles	
Erector Launcher	θEL	θ Transporter Erector Launcher
TEL	0 TEL Chassis Manufacturer	
Mobile Erector Launcher	θ MEL	θ Fixed Launcher
Launcher	θ Launch Aircraft Origin:	θ Launch Aircraft Manufacture:
Launch Aircraft Model:	θ Launch Ship Origin:	θ Launch Ship Manufacture:
Launch Ship Model:	θ Launch Name: θ Launch Ship Type Abbreviation:	θ Transportable launcher
Vehicle Designator:	θ Launch Ship Type Abbreviation:	
Truck Mounted Launcher	θ Transporter Erector Launcher and Radar	θ TELAR
Other:	θ Other: θ Other:	θ Other:
Other:	θ Other:	θ Other:
	Ground Support Equipment (not including: launchers a	nd delivery vehicles)
Ground Support Equipment	θ GSE	θ Ground Support
Ground Support Vehicle	θ Fuel Vehicle	θ Fuel Truck
Oxidizer Vehicle	θ Oxidizer Truck	θ Checkout vehicle
Checkout Truck	θ Checkout Van	θ Box-Bodied Van
Crane	θ Resupply Vehicle	θ RSV
Resupply Trailer	θ RST	θ Vehicle Chassis manufacture:
Vehicle Chassis Model:		θ Transporter
Missile Transporter	θ Triple Carry Framework	θ Warhead Vehicle
Warhead Truck	θ Warhead Cannister	θ Warhead Container
Warhead Crate	θ Fire Control Vehicle	θ Fire Control Truck
Fire Control Van	θ FCV	θ Warhead Van
Command and Control Vehicle	θ C2 Vehicle	θ Command and Control Truck
C2 Truck	θ Horizontal Test Vehicle	θ Horizontal Test Truck
Horizontal Checkout Vehicle	θ Autonomous Test Vehicle	θ Autonomous Test Truck
	θ HCV	
Autonomous Checkout Vehicle Mobile Power vehicle	θ Mobile Power Truck	θ Comprehensive Test Equipment θ Aiming Vehicle
	θ Missile Cannister	θ Missile Container
Aiming Truck Missile Crate		
Airframe Crate	Airframe Cannister Micelle Cannister Transporter	Airframe Container Missile Container Transporter
	Missile Cannister Transporter Aliference Countries Transporter	Missile Container Transporter Aliference Container Transporter
Missile Crate Transporter	Airframe Cannister Transporter	Airframe Container Transporter
Airframe Crate Transporter	Heavy Equipment Transporter Outlifier Container	θ HET
Oxidizer Cannister	θ Oxidizer Container	θ Fuel Cannister
Fuel Container	Starter Fuel Cannister IDENIA	Starter Fuel Container INFAIA Completes
Inhibited Red Fuming Nitric Acid	θ IRFNA	IRFNA Cannister Weeking and Newton lines Translation
IRFNA Container	Washing and Neutralizing Vehicle Als Commencer Translate	Washing and Neutralizing Truck Organization Ale Waldeland
Air Compressor Vehicle	θ Air Compressor Truck	θ Compressed Air Vehicle
Compressed Air Truck	θ Tanker Vehicle	θ Tanker Truck
Water Vehicle	θ Water Truck	θ Wash Down Vehicle
Wash Down Truck	θ Truck Mounted Crane	θ Warhead Dolly
Warhead Trolley	θ Warhead/Fin Dolly	θ Warhead/Fin Trolley
Fin Dolly	θ Fin Trolley	θ Sustained Handling Skid
Missile Dolly	θ Missile Trolley	θ Missile Airframe Dolly
Missile Air frame Trolley	θ Meteorological Vehicle	θ Meteorological Truck
Meteorological Radar	θ Survey equipment	θ Survey Vehicle
Survey truck	θ Spare Parts Vehicle	θ Spare Parts Truck
Engineer Vehicle	θ Generator Trailer	θ Ambulance
Ambulance Van	θ POL Vehicle	θ POL Truck
Computer Vehicle	θ Computer Truck	θ Computer Van
Topographical Vehicle	θ Topographical Truck	θ Topographical Van
Radio Vehicle	θ Radio Truck	θ Radio Van
Other:		
Other:	θ Other:	θ Other:
	Other	
Other:	θ Other:	θ Other:
Other:	θ Other:	θ Other:
Other:	θ Other:	θ Other:
Other:	θ Other:	θ Other:
	θ Other:	

Figure B-14. (Continued) (3 of 4)

DTG	: Classification:
	TMD IPB Key Word Search Template (U)
Inst	ructions:
1 -	Check each keyword required to search for the desired information.
2 -	Provide the data search operator with the logic for relating the key words to each other key word for filtering the data sources, this is usually in the form of boolean logic. Boolean logic uses simple
	operators to relate key words:
	AND - "key word 1" AND "key word 2" filters such that any returned hit has both "key word 1" and "key word 2" in the returned hit. OR - "key word 1" OR "key word 2" filters such that any returned hit has either "key word 1" or "key word 2" in the returned hit, not necessarily both. NOT - "key word 1" NOT "key word 2" filters such that any returned hit has "key word 1" and does not have "key word 2" in the returned hit.
	For example:
	In most cases, the country name or country 2- or 3-letter designator of the adversary is always associated with any desired information search return to ensure that the search returns only information focused on the AO and AOI, for example:
	[RD OR RED] AND ["Theater Ballistic Missile" OR TBM] will return hits that are focused on the country RED that relate to theater ballistic missiles.
	There is no effective way to provide a template for building the filtering logic for an information search, because of the wide variety of search engines used by the intelligence community. This template provides a way of identifying the key words and then the analyst must work with the data search operator to define the filtering logic based on the search tools available to the data search operator.
3-	After receiving the results of the data information search evaluate the results. If the search returned a much larger number of hits that are not relevant then tighten the filtering logic to reduce the number of to a manageable level. If the search returned a much smaller number of hits then expected and there appears to be missing information then expand the filtering logic to increase the number of returns. In any case it will likely take several iterations to get to an efficient and effective set of key words and filtering logic. In some cases the key words and filtering logic will have to be dynamic to keep up with changing situations.
4 -	When choosing key words and setting up filtering logic take caution with the use of plurals, abbreviations, compound words, and others. The particular cautions and their fixes will be dependent on the specific search system being used. Work closely with the data search operator to ensure the best possible choices of key words and filtering logic have been chosen. As an example, the use of the key word "Denial & Deception" may yield little or no results on some search systems while "Denial and Deception" retrieves the results that are of interest.
Note	es:
	DP Townlote 19 March 2000 Classification:

DTG: Classification: Page: of: DIA Standardized Functional Category Code Information Search Template (U) TM Research, Development, Testing, and Evaluation (RDT&E) o Radar Systems - All Types [40340, 40341, 40343, 40344, 40346, 40347] TM - All Types [408?? (except 40801, 408?2, 4086?)] RDT&E and Operational Training Theater Missile Impact Areas

o Short Range Ballistic Missiles (SRBM) [7070?, 707?5 (except 7074?), 70710] Medium Range Ballistic Missiles (MRBMs [7070?, 707?3 (except 7074?), 70710] o Sea-Launched Ballistic Missiles (SLBM) [7070?, 70740, 70742, 70743, 70745, 70730, 70740] o Intermediate Range Ballistic Missiles (IRBM) [7070?, 707?2 (except 7074?), 70710] Ground-Launched Cruise Missiles (GLCM) [7070?, 707?4] o Cruise Missiles (CM) [7070?, 707?0] Air-to-Surface Missiles (ASM) [7070?, 707?6 70720] TM Production SRBMs [6820?, 6821?, 6871?] MRBMs [6813?, 6871?, 6872?] SLBMs [6815?, 6824?, 6831?, 6832?, 6871?, 6872?] IRBMs [6812?, 6871?, 6872?] Ground-Launched Cruise Missiles (GLCM) [6814?, 6823?] Naval Cruise Missiles [6833?] Tactical Air-to-Surface Missiles (TASM) [6850?, 6852?] ASMs [6850?, 6851?] UAVs [616??, 688??] Radar Systems [5214?, 524??] TM - All Types [408?? (except 408?2 and 4086?), 5253?, 5261?, 5263?, 680??, 6810?] Warheads - All Types [62213, 6233?, 6235?, 627??, 6294?, 6930?, 6934?, 6935?] Rocket Motors - All Types [6234?] Solid Propellants - All Types [68006, 692??] Ground Support Equipment (GSE) Chassis [641?? (64131, 6414?, and 6415?), 6442?, 68005, 68125, 68135, 68145, 68215, 68235, 68315, 68325, 68315, 68325, 68515, 68525, 68715, 68725, 68805] Deception and Denial (D&D) Equipment [524??, 652??] Weapons of Mass Destruction (WMD) Chemical Weapons RDT&E [405??] Biological Weapons RDT&E [405??] Nuclear Weapons RDT&E [401??] Chemical Weapons Production [6600?, 6610?, 66120, 66121, 66129, 6615?, 668??, 6690?, 6695?, 6699?] Biological Weapons Production [6650?, 6651?, 6652?, 6690?, 6695?, 6699?] Nuclear Weapons Production [603??] Chemical Weapons Storage [662??, 6690?, 6691?, 6692?, 6693?, 6694?, 6699?] Biological Weapons Storage [666??, 6690?, 6691?, 6692?, 6693?, 6694?, 6699?] Nuclear Weapons Storage [604??, 605??] Chemical Operational Facilities [6630?, 66310. 66311, 66350, 66351] Biological Operational Facilities [6630?, 66310. 66311, 66350, 66352] Line of Communications (LOC) o Roads [441??, 442??, 443??, 444??, 447??] Railroads [451??, 452??, 453??, 454??, 45500, 457??, 4592?, 4593?, 4595?, 4596?] Naval [473??, 477??] Key Terrain Roads [441??, 442??, 443??, 444??, 445?? (except 44591)] Railroads [451??, 452??, 454??, 455??] o Naval [479??] Operational Storage, Maintenance, Repair, Overhaul, Refit, and Depots SRBMs [8760?, 87645, 88250, 88251] MRBMs [8760?, 87635, 88250, 88251] IRBMs [8760?, 87625, 88250, 88251] GLCMs [8760?, 87655, 88250, 88251] Multiple Missile Types [8760?, 87665] Missile Liquid Propellant Storage [219??] Aviation and Aviation Delivered Missiles [8600?, 8610?, 8611?, 8612?, 8613?, 862??, 863?? (except 8632?), 864??, 867??, 869?? (except 8693?), 88253] Naval TMs [9700?, 972??, 88252] National or Main Operating Garrisons/Bases/Ports/Facilities/Posts Missile Complex Centers - Geographic Position Points [70310] SRBMs [8760?, 87644, 87647, 87648, 88280, 88281] MRBMs [8760?, 87634, 87637, 87638, 88280, 88281] IRBMs [8760?, 87624, 87627, 87628, 88280, 88281] GLCMs [8760?, 87654, 87657, 87658, 88280, 88281] Aviation and Aviation Delivered Missiles [88283] Naval TMs [88282] Multiple Missile Types [8760?, 87664, 87667, 87668] Aviation Airfields (including temporary airfields, such as highway strips) Aircraft [8000?, 8001?, 8002?, 8003?, 8004?, 8005?, 8006?, 80071, 80072, 80073, 80074, 80075, 8010?, 8011?, 8016?] Helicopter [80060, 80150, 80151, 80153] Naval TMs Major Surface Ships [9500?, 9511?] o Other Surface Ships [9500?, 9512?, 9513?, 9514?] o Submarines [9520?, 95211?, 95212?] All DIA Standardized Functional Category Codes are 5 numerical characters in length. There are a potential 90,000 category codes. In order to provide an efficient method for information searching most information systems use wild card characters. Only one wild card character is used within this template. That wild card character is ?. The ? represents 0 through 9 in any combination. For example, the category code 2191? represents the category codes 21910 through 21919; category code 219?? represents the category codes 21900 through 21999; and category code 21?10 represents the category codes 21010, 21110, 21210, 21310, 21410, 21510, 21610, 21710, 21810, & 21910.

Figure B-15. DIA Standardized Functional Category Code Information Search (1 of 2)
Template

TMD IPB Template -- 18 March 2000

Classification:

Local Reproduction Authorized

DTG: Classification:	Page: of:
DIA Standardized Functional Category Code Information Search Template (U)	<u> </u>
• • • • • • • • • • • • • • • • • • • •	
Operational Support Garrisons/Bases/Ports/Facilities/Posts o SLBMs [8760?, 8762?, 882?0. 882?2]	
o MRBMs [8760?, 8762?, 882?0. 882?1]	
o GLCMs[8760?, 8765?, 882?0. 882?1] Aviation [882?0. 882?3]	
o Aviation Delivered Missiles [88270, 88273]	
o Naval TMs [8790?, 8791?, 8792?, 8793?, 8794?, 882?0. 882?2] o Coastal Defense Missiles [8790?, 8795?, 882?0. 882?1]	
Multiple Missile Types [87607, 87667] Multiple Missile Types [87607, 87667]	
Operational Field Garrisons/Bases/Facilities/Posts/Areas	
o SRBMs [87609, 87649]	
o MRBMs [87609, 87639] o IRBMs [87609, 87629]	
GLUMS (07:00%, 07:027) GLUMS (87:00%, 87:659)	
o Multiple Missile Types [87609, 87669]	
Operational Missile Sites/Āreas	
Fixed o SRBMs [8700?, 8706?, 8714?]	
o MRBMs [8700?, 8703?, 8714?, 8800?, 88100, 88101, 88130, 88131, 88134, 88135, 88136, 88140, 88141, 88144, 88145, 88146]	
o IRBMs [8700?, 8702?, 8714?, 8800?, 88100, 88101, 88120, 88121, 88124, 88125, 88126, 88140, 88141, 88144, 88145, 88146]	
o GLCMs [8700?, 8705?, 8714?, 8800?, 88103, 88123, 88133, 88143, 88153, 88150, 88151, 88154, 88155, 88156, 88161]	
o Naval Surface-to-Surface Missiles (SSM) [8700?, 8800?, 88102, 88122, 88132, 88142, 88152, 88162] Mobile Launch Positions	
o Road [8718?]	
o Railroad [8717?]	
o Troops in the Field, Tactical Missile Troop Field Position [9024?]	
o Naval Relocation Areas (953?? (except 953?4 and 9534?)]	
o Coastal Defenses [9800?, 981?? (except 9823?)] Operational Training Garrisons/Bases/Facilities/Posts/Areas	
o SRBMs [87606, 87646, 88260, 88261]	
o MRBMs [87606, 87636, 87646, 88260, 88261]	
o IRBNs [87606, 87626, 87646, 88260, 88261]	
o GLCMs [87606, 88293, 87646, 87656, 88260, 88261] o Naval TMs [88262]	
o Aviation and Aviation Delivered Missiles [88263]	
o Multiple Missile Types (87666)	
Potential Mobile Ground-Launched TM Hide Sites	
o Road Bridges and Viaducts [441??] o Railroad Bridges and Viaducts [451??]	
o Railroad Bridges and Viaducts [451??] o Road Tunnels and Bunkers [442??]	
o Railroad Tunnels and Bunkers [452??]	
o Other Manmade Tunnels and Bunkers [9820?, 9821?, 9828?, 9829?]	
o Natural and Constructed Caves [9826?]	
o Covered Storage Areas [481?? (except 4814? and 4815?)] o Artillery Positions [9823?]	
O Other [44377]	
Command and Control	
o National and National Command Authority (NCA)[8900? (except 89002), 8901?, 8910?, 893?? (except 8932?), 894?? (except 8942?), 895?? (except 8952?)]	
o National Level TM [8740?, 8741?, (except 874?1)] o SRBMs [8740?, 874?6, 874?8, 874?0, (except 874?1), 88300, 88311]	
O MRBMS [87407, 87473, 87494, 87490, (except 87471), 87807, 87837, 88300, 88311]	
o IRBMs [8740?, 874?2, 874?4, 874?0, (except 874?1), 8780?, 8782?, 88300, 88311]	
o GLCMs [8740?, 874?5, 874?0, (except 874?1), 8780?, 8784?, 88300, 88311]	
o Aviation and Aviation Delivered Munitions [8100?, 813?? (except 81300), 814??, 88313]	
o Naval TMs [88302, 956??, 96000, 96001, 96002, 96100, 96101, 96102, 962?? (except 96213, 96223, 9623?, 9624?, 96253, 9626?), 96300, 96301, 96302] o Multiple Missile Types [8740?, 874?7, 874?7, (except 874?1)]	
Communications	
Landlines	
o Coaxial Cable [41300, 41327, 41337]	
o Submarine Cable [41300, 4131?] o Multiconductor [41300, 4133?]	
o Fiber Optic [41307, 4134?]	
o Switching and Control Centers [414??]	
o Radio Frequency (RF) [411?? except 41113]	
o Satellite Communications (SATCOM [41147]	
o Fixed Base Mobile Signal Units [8960?, 8966?, 8968?, 8969?] Air Defense	
o Early Warning, Surveillance, Detection, Tracking, and Acquisition Radars [851??]	
o Ground Controlled Intercept (GCI) Radar Facilities [852??]	
o Missile Control Radars [853??]	
o Surveillance Radar [854??] o Anti-aircraft artillery (AAA) Gunfire Control Radar [8550?, 8552?]	
O Anni-ancia at unety (what) cutinut reduce (16502), 60217, 87321, 87324, 87325, 87376, 87329, 87407,] Complexes [87207, 87222, 87275, 87277 (except 87247), 87307, 87371, 87374, 87375, 87376, 87329, 87407,]	
All DIA Standardized Functional Category Codes are 5 numerical characters in length. There are a potential 90,000 category codes. In order to provide an efficient method	
most information systems use wild card characters. Only one wild card character is used within this template. That wild card character is ?. The ? represents 0 through example, the category code 2191? represents the category codes 21910 through 21919; category code 219?? represents the category codes 21900 through 21999; and cate	
example, the category code x1010, 21110, 21210, 21310, 21410, 21510, 21610, 21710, 21810, & 21910.	gory coue z 1: 10 represents

TMD IPB Template -- 18 March 2000

Classification:

TG:			Classific			Page: of:
			DIA Sta	ndardized	l Equipme	ent Code Information Search Template (U)
		er Position		411	5.1	
	1st	2nd	3rd	4th	5th	Description
	Α					Aircraft, Fixed Wing
		A				Bomber, Long Range
		В				Bomber, Intermediate Range
		C D				Bomber, Short Range Fighter, All-Weather
		E				Fighter, Day
		F				Attack
		G				Fighter-Bomber
		1				Antisubmarine Warfare
		P				Unmanned Aerial Vehicles (UAV), Drones, and Remotely Piloted Vehicles (RPV)
		Q				Multi-Role Combat Aircraft
		U	_	_		Mixed / Unknown Types and 'Total' Entries
			?	?	•	Unique Aircraft Type Identifier
					A B	Antiship Capability Attack
					C	Antisubmarine Warfare (ASW)
					Ď	Antiradar
					P	No Modification to Basic Type
					S	UAV / Drone / RPV Conversion Control
					U	Other Special Modifications
					٧	Multiple Capability
					X	Fighter-Bomber
	ь				Z	All Weather Fighter
	В	Α				Aircraft, Rotary Wing
		G				Attack Helicopter ASW Helicopter
		Н				UAVs / Drones / Remotely Piloted Helicopters (RPH)
		Ü				Mixed/Unknown Types and 'Total' Entries
		V				Autogyro
			?	?		Unique Aircraft Type Identifier
					Α	ASW
					В	Attack
					J	No Modification to Basic Type
					U	Other Special Modifications
	С				V	Antiship
	C	Α				Vessels, Combatant Ship Category Submarine Type
		В				Aircraft Carrier Type
		Č				Surface Combatant Type, Battleship
		D				Surface Combatant Type, Cruiser
		Ε				Surface Combatant Type, Destroyer
		F				Surface Combatant Type, Frigate
		G				Patrol Combatant Type
		W	•			Coast Guard Cutter
			?		0	Unique Vessel / Ship Type Identifier
				A A	0 1	Ship Type Entry (without Ship Class Name Indication) Not Further Identified
				A	2	Single Ship Entry
				A	3	New Ship Class Entry
				A	4	Hulls Under Construction
				Α	5	Miscellaneous Groupings
				Α	7	Projected
	_			Α	9	Total Count Entry for the Given Ship Type
	D					Vessels, Combatant Craft Category
		I,				Patrol Craft Type
		J	?			Patrol Craft Type Unique Vessel / Ship Type Identifier
			:	Α	0	Ship Type Entry (without Ship Class Name Indication)
				A	1	Not Further Identified
				Ä	2	Single Ship Entry
				A	3	New Ship Class Entry
				Α	4	Hulls Under Construction
				Α	5	Miscellaneous Groupings
				A	7	Projected The Control of the Control
				Α	9	Total Count Entry for the Given Ship Type
DIA Ct t	andina d 5 ····	ant Codes and 5	hammada daka	done in lay -th. I	dauta mandida a	
אנע Standa s template. uipment co	ardized Equipm . That wild card odes AA00A, AA	en Codes are 5 alp character is ?. The 00B, AA00C, AA001	nanumerical charac ? represents 0 thr D, AA00E, AA00F, A	ciers in length. In or ough 9 in any com A00G, AA00H, AA0	uer to provide an eff bination. For exam 01, AA00J, AA00K, <i>P</i>	ficient method for information searching most information systems use wild card characters. Only one wild card character is used ple, the equipment code AA??P represents the equipment codes AA00P through AAZZP, and equipment code AA00? represer AA00L, AA00M, AA00M, AA00M, AA00P, AA00R, AA00S, AA00T, AA00U, AA00W, AA00W, AA0X, AA0Y, AA0CW.

Figure B-16. DIA Standardized Equipment Code Information Search (1 of 4) Template

TG:			Classific			Page: of:
			DIA Star	ndardized	l Equipme	ent Code Information Search Template (U)
	Characte	r Position				
	1st	2nd	3rd	4th	5th	Description
	J					Engines and Propulsion Systems
		Α				Aircraft Engines (for Fixed Wing Aircraft)
		В				Aircraft Engines (for Rotary Wing Aircraft)
		C K				NavalMarine Engines Space Launch Vehicle/Spacecraft Engines and Propulsion Systems
		N				Armored Vehicle/Tank Engines
		Q				Vehicular Engines
		R				Rail Locomotive Engines
		Z				Missile/Rocket Propulsion Systems
		L	?	?	?	Miscellaneous Engines/Propulsion Systems
	L		f	f	f	Unique Equipment Identifier Associated / Miscellaneous Equipment
	-	Α				Aircraft, Fixed Wing Related
		В				Aircraft, Rotary Wing Related
		С				Vessels, Combatant Ship Category Related
		D				Vessels, Combatant Craft Category Related
		N N				Engines and Propulsion Systems Related Armored Vehicle Related
		Q				General Purpose Vehicles Related
		R				Special Purpose Vehicles Related
		S				Engineering Equipment Related
		T				Air Defense Weapons Related
		U				Field Artillery/Surface Bombardment/Torpedo Systems Related
		V X				Surface-to-Surface Missile (SSM) Launchers/Rocket Launchers Related Radar/Electronic Equipment Related
		Ŷ				Communications/Automated Data Processing (ADP) Related
		Z				Ammunition Reload Related
		L				Not Otherwise Categorized Related
			?	?	?	Unique Equipment Identifier
	N					Armored Vehicles
		C D				Armored Command Vehicle (ACV) Armored Combat Support Vehicles
		E				Armored Service Support Vehicles
			Α			Amphibious / Tracked
			В			Amphibious / Wheeled
			D			Non-Amphibious / Tracked
			C H			Non-Amphibious / Wheeled Half-Tracked Vehicles
			V			Mixed or Variant Types
			Ů			Mixed or Variant Types
				?	?	Unique Equipment Identifier
	Q					General Purpose Vehicles
		R				Tractor (Prime Mover)
		S T				Trailer / Semitrailer Truck
		Ü				Combination / Variant / Unknown
		· ·	Α			Less Than or Equal to 1/4 Ton / 5 Personnel
			В			Less Than or Equal to 1/2 Ton / 10 Personnel
			С			Less Than or Equal to 3/4 Ton / 15 Personnel
			D			Less Than or Equal to 1 Ton / 20 Personnel
			E F			Less Than or Equal to 1.5 Ton / 25 Personnel Less Than or Equal to 2 Tons / 30 Personnel
			G			Less Than of Equal to 2 Tons / 30 Personnel
			Н			Less Than or Equal to 3 Tons / 40 Personnel
			1			Less Than or Equal to 4 Tons / 45 Personnel
			J			Less Than or Equal to 5 Tons / 50 Personnel
			K			More Than 5 Tons / 50 Personnel
			V U			Mixed or Multiple Weight / Personnel Categories Unknown
			U	?	?	Unique Equipment Identifier
	R					Special Purpose Vehicles
		С				Communications (Exclusive of Specific Communications Grear)
		H				Chemical / Biological / Radiological (CBR) Defense and Decontamination
		l v				POL / Water / Liquid Carriers and Tankers
		K L				Tank / Heavy Equipment Transporters Other Special Purpose
		P				Missile Transporter-Erector-Launcher (TEL) & Associated Missile Support Vehicles
		•	Α			Tracked, Self-Propelled
			В			Tracked, Towed
			С			Wheeled, Self-Propelled
			D			Wheeled, Towed
DIA Standa	ardized Fauinm	ent Codes are 5 alni	nanumerical charac	ters in length In or	der to provide an of	ficient method for information searching most information systems use wild card characters. Only one wild card character is used
s template.	That wild card	character is ?. The	? represents 0 thr	ough 9 in any com	bination. For exam	The internation of minimaturi searching most minimaturi systems use wind can detail actes only the wind can detail access some ple, the equipment code AA7?P represents the equipment codes AA00P through AAZZP; and equipment code AA00? represent AA00L, AA00M, AA00N, AA00O, AA00P, AA00P, AA00S, AA00T, AA00T, AA00U, AA00V, AA00W, AA00W, AA00V, AA00Z.
		100A A 400C A 400I	ι ΔΔΠΠΕ ΔΔΠΠΕ Δ	αυσι: ΔΔΟΟΗ ΔΔΟ	οι ΔΔΟΛΙΔΔΟΟΚ Δ	ΑΔΙΙΙΙ ΑΔΙΙΙΙΝ ΑΔΙΙΙΙΝ ΑΔΙΙΙΝ ΔΔΙΙΙΝ ΔΔΙΙΙΝ ΔΔΙΙΝ ΔΔΙΙΝ ΔΔΙΙΝΙ ΔΔΙΙΝΙ ΔΔΙΙΝΙ ΔΔΙΙΝΙ ΔΔΙΙΝΙ ΔΔΙΙΝΙ ΔΔΙΙΝΙ ΔΔΙΙΝΙ

Figure B-16. (Continued) (2 of 4)

TG:			Classific		Fauinma	ent Code Information Search Template (U)
			DIA Stat	iuai uizeu	Equipme	ent code information Search Template (0)
	Character 1st	r Position 2nd	3rd	4th	5th	Description
	S	B C F M	A B			Engineering Equipment Earth-Moving Equipment (Bulldozers, Excavators, etc.) Construction (Cranes, Jackhammers, etc.) Material Lifting and Handling Equipment Mixed or Multi-Purpose Equipment Tracked Self-Propelled, Amphibious Tracked Self-Propelled, Non-Amphibious
			C D E F G H U			Wheeled, Self-Propelled, Amphibious Wheeled, Self-Propelled, Non-Amphibious Wheeled, Towed, Amphibious Wheeled, Towed, Non-Amphibious Floating Only Foxed Unknown or Not Applicable
	T	G H I J K	Ü	?	?	Unique Equipment Identifier Air Defense Weapons Missile Launcher, Fixed Site Missile Launcher, Man-Portable Missile Launcher, Man-Portable Missile Launcher, Towed Missile Launcher, Towed Missile Launcher, Shipboard Mounted
		Ü	1 2 3 4 5 6 U			Missed/Multiple Categories/Unknown Optical Tracking/Unguided Radar Tracking, Unguided Optical Tracking, Homing Radar Tracking, Homing Command Guided/Wire Guided Homing Unknown
	U	O R P	V M N O P	?	?	Mixed/Variant Unique Equipment Identifier Field Artillery / Surface Bombardment Weapons / Torpedo Tubes Multiple Rocket Launcher, Towed Rocket Launcher, Single Rail (not mounted) Multiple Rocket Launcher, Self-Propelled Equal To 122 mm Greater Than 122 mm But Less Than 152 mm Greater Than 0r Equal To 152 mm But Less Than 155 mm Equal To 155 mm
	V		Q R S T U V	?	?	Greater Than 152 mm But Less Than Or Equal To 175 mm Greater Than 175 mm But Less Than Or Equal To 210 mm Greater Than 210 mm But Less Than 240 mm Equal To Or Greater Than 240 mm Unknown Mixed/Variant Unique Equipment Identifier SSM Launchers / Rocket Launchers
		B C D E G U	A B C D E			Ballistic Missiles With Ranges Greater Than 600 km Ballistic Missiles With Ranges Less Than 600 km Free Rockets Guided Cruise Missiles Antiship Surface Missile Unknown / Mixed Fixed Site Ship or Submarine Launcher Self-Propelled Launcher Towed Launcher Semi-Mobile Launcher Semi-Mobile Launcher
		B C S	U	?	?	Unknown / Mixed Unique Equipment Identifier Alternative 2nd Character For Intermediate Range Ballistic Missiles (IRBM) Alternative 2nd Character For Medium Range Ballistic Missiles (MRBM) Alternative 2nd Character For Short Range Ballistic Missiles (SRBM)
IA Standa template.	ordized Equipme That wild card	ent Codes are 5 alpl character is ?. The	hanumerical charac ? represents 0 thr	eters in length. In or ough 9 in any com	der to provide an el bination. For exam	fficient method for information searching most information systems use wild card characters. Only one wild card character is use pple, the equipment code AA??P represents the equipment codes AA00P through AAZZP; and equipment code AA00? repres AA001_AA00M, AA00M, AA000, AA00P, AA00R, AA00S, AA00T, AA00U, AA00W, AA00W, AA00Y, AA00Z.

Figure B-16. (Continued) (3 of 4)

		Classific	ndardized	Fauinm	ent Code Information Search Template (U)
		DIA Sta	iluai uizce	Lquipini	cit code information scarch rempiate (o)
	Character Position 1st 2nd	3rd	4th	5th	Description
	Х				Radars, Electronic Warfare (EW) Equipment, And Other Remote Detection Devices
	Α				Early Warning / Acquisition Radars, Component Parts, And Overall Systems
	В				Height Finding Radars, Component Parts, And Overall Systems
	C				Missile Guidance Radars, Component Parts, And Overall Systems
	D F				Fire Control Radars, Component Parts, And Overall Systems
	F I				Combat Surveillance Radars, Component Parts, And Overall Systems Meteorological Radars, Component Parts, And Overall Systems
	i i				Mixed Or Unidentified Radars, Component Parts, And Overall Systems
	K				Radiosondes And Ionosondes
	0				EW Equipment (Active)
	R				Waterway / Seaway Traffic Control And Ship Navigational Radars
		Α			Land Based Or Radiosondes
		В			Land Based Or Radiosonde Sounders
		C			Land Based
		E			Experimental And Developmental Radars
		F H			Radar Entries By Megahertz And Frequency Band Harbor Surveillance Radars
		ï			lonosondes
		j			Countermeasures / Jammer
		Ň			Naval
		Q			U.S. Produced
		R			Airborne
		S			Airborne Intercept Or 3-Dimensional Or Coastal Surveillance Radar
		T W			Tracking Or Direction Finder
		W X			Weather Wind Finder
		Ž			General / Mixed / Totals
		U			Unidentified Electronic Equipment
		· ·	?	?	Unique Equipment Identifier
	Υ				Communications and ADP Equipment
	Α				Communication Antennas
	С				ADP Equipment
	E				Communications Equipment
	F				Communications Associated Equipment
		D E			Radio Sets and Stations Radio Transmitters
		F			Radio Receivers
		G			Radio Transceivers
		Н			Radio Relay Systems
		I			Communications Equipment, Mixed, or Unspecified
		J			ADP Equipment, General Purpose
		K			ADP Equipment, Fire Control
		L			ADP Associated Equipment
		Q R			Communications Antennas, Naval (Shipboard) Communications Antennas, Airborne
		K	?	?	Unique Equipment Identifier
	Z		•	·	Ammunition Reload
	В				Ballistic Missiles with Ranges from 600 km to 5,500 km
	С				Ballistic Missiles with Ranges Less Than 600 km
	D				Free Rockets
	E G				Guided Cruise Missiles Anti Air Missiles Ground or Air Launched
	G H				Anti-Air Missiles, Ground or Air Launched Air-to-Surface Missiles (ASM)
	w				Nuclear Devices
		N			Naval Missile
		Н			Nuclear Warheads (W 2nd Character Only)
		R			Nuclear Rockets (W 2nd Character Only)
		W			Nuclear Weapons (W 2nd Character Only)
tes:					
es.					
14.01	rdizad Equipment Codes are	5 alphanumorical chara	cters in length In o	rder to provide an e	fficient method for information searching most information systems use wild card characters. Only one wild card character is

Figure B-16. (Continued) (4 of 4)

SUGGESTED TEMPLATES FOR STEP TWO OF THE TMD IPB PROCESS "DEFINE THE BATTLESPACE'S EFFECTS"

Table B-1. Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

						-	-						
Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed Boxes Indicate Overlays, Doctrinal Templates, and GGIS products which Typically can Contribute to the Production of these Basic Terrain Analysis Products on the Left	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
Terrain Analy	/sis C)verla	ys										
Surface Configuration Overlay(s)													
Vegetation Overlay(s)													
Surface Materials Overlay(s)													
Obstacles Overlay(s)													
Transportation Infrastructure Overlay(s)													
Urban Areas Overlay(s)													
Cover Overlay(s)													
Concealment Overlay(s)													
Cross-Country Movement Overlay(s)													
Observation / Line-of-Sight Overlay(s)													
Key Terrain Overlay(s)													
Electromagnetic Spectrum Overlay(s)													
Doctrinal Templ	ates f	rom S	Step :	3									
TM Equipment Doctinal Template(s)													
TM TTP Doctrinal Template(s)													
Weather Effects on TM	Opera	tions	S Ass	essm	ent								
Climatology Assessment(s)													
Weather Forecast(s)													
Current Weather Observation(s)													
Commonlly Availa	ble G	GIS F	rodu	cts	=	_		-					
Global Navigation Chart(s)													
Jet Navigation Chart(s)													
Operational Navigation Chart(s)													
Tactical Pilotage Chart(s)													
Joint Operations Graphic / Ground (Series 1501) Chart(s)													
Joint Operations Graphic / Air (Series 1501 Air) Chart(s)													
Joint Operations Graphic / Radar (Series 1501 Radar) Chart(s)													
Topographic Line Map(s) (1:25,000)													
Topographic Line Map(s) (1:50,000)													
Topographic Line Map(s) (1:100,000)													
Nautical Chart(s) or Hydrographic Chart(s)													
Digital Chart of the World II													
Digital Terrain Elevation Data Level 1													
Digital Terrain Elevation Data Level 2													
ARC Digitized Raster Graphic(s)													
Compressed ARC Digitized Raster Graphic(s)													

Table B-1. Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed Boxes Indicate Overlays, Doctrinal Templates, and GGIS products which Typically can Contribute to the Production of these Basic Terrain Analysis Products on the Left	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
Vector Map Level 0													
Vector Map Level 1													
Vector Map Level 1													
Terrain Categorzation Data													
Digital Features Analysis Data Level 1													
Digital Features Analysis Data Level 2													
Controlled Image Base 10 meter													
Controlled Image Base 5 meter													
World Vector Shoreline Plus													
Digital Bathymetric Data Base (DBDB)													
DBDB - Variable Resolution													
DBDB 5'													
DBDB 0.5'													
DBDB 0.1'													
Other Vector, Raster, Data, a	nd Ha	rd Co	ony G	CIS I	Drodu	icts							
Aim Point Graphic(s)	IU I I	iu c	Јру С	013 1	loud	013							
Airr Target Chart(s) – Series 200													
Anaglyph(s)													
Approach Chart(s)													
ARC Digitized Raster Image(s)													
ASW Prediction Area Chart(s)													
Automated Tactical Target Graphic(s)													
Basic Target Graphic(s)													
Bathymetric Navigation Planning Chart(s)													
Bathymetric Recovery Area Chart(s)													
Bottom Contour Chart(s)													
City Graphic(s)													
Coastal Chart(s)													
Combat Chart(s)													
Compressed Aeronautical Chart(s)													
Compressed Digital Terrain Elevation Data													
Compressed Raster Graphic(s)													
1 1,													
■ Current Chart(S)			1		-	—							
Current Chart(s) DBDB - Variable Resolution													
DBDB - Variable Resolution													
DBDB - Variable Resolution Digital Aeronautical Flight Information File													
DBDB - Variable Resolution Digital Aeronautical Flight Information File Digital Cities Data Base													
DBDB - Variable Resolution Digital Aeronautical Flight Information File													

Table B-1. Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed Boxes Indicate Overlays, Doctrinal Templates, and GGIS products which Typically can Contribute to the Production of these Basic Terrain Analysis Products on the Left	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
Digital Landmass Blanking System													
Digital Line Graph													
Digital Line Graph-Enhanced													
Digital Nautical Chart(s)													
Digital Point Positioning Data Base													
Digital Terrain Elevation Data Level 0													
Digital Terrain Elevation Data Level 3													
Digital Terrain Elevation Data Level 4													
Digital Terrain Elevation Data Level 5													
Digital Topographic Data													
Digital World Port Index													
Foundation Features Data													
Gazetteer													
Gridded Airfield Photograph(s)													
Gridded Installation Photograph(s)													
Harbor Chart(s)													
Harbor, Approach and Coastal Chart(s)													
Harbor, Approach and Coastal 1 Chart(s)													
Harbor, Approach and Coastal 2 Chart(s)													
Harbor, Approach and Coastal 3 Chart(s)													
Harbor, Approach and Coastal 4 Chart(s)													
Harbor, Approach and Coastal 5 Chart(s)													
Harbor, Approach and Coastal 6 Chart(s)													
Harbor, Approach and Coastal 7 Chart(s)													
Harbor, Approach and Coastal 8 Chart(s)													
Harbor, Approach and Coastal 9 Chart(s)													
Harbor, Approach, Coastal & General Nautical Chart(s)													
High Speed Digital Chart(s)													
Ice Chart(s)													
Instrument Approach Chart(s)													
Interim Terrain Data													
Joint Digital Target Material													
Littoral Warfare Data													
Magnetic Anomaly Detection Planning Chart(s)													
Magnetic Anomaly Detection Operational Effectiveness Chart(s)													
Military Installation Map(s)													
Modified Facsimile Chart(s)													
Naval Operating Area Chart(s)													
Non-Submarine Contact List(s)													
` '													

Table B-1. Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

							•						
Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed Boxes Indicate Overlays, Doctrinal Templates, and GGIS products which Typically can Contribute to the Production of these Basic Terrain Analysis Products on the Left	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
Operational Support Plan Graphic(s)													
Operational Target Graphic(s)													
Pilot Chart(s)													
Planning Interim Terrain Data													
Planning Terrain Analysis Data Base													
Point Positioning Data Base													
Precise Bathymetric Navigation Zone Chart(s)													
Probabilitic Vertical Obstruction Data													
Provisional Map(s)													
Quick Response Graphic(s)													
Regridded Terrain Elevation Data													
Relocatable Targets Data Base													
Sound Surveillance Systems Chart(s)													
Standard Image Map													
Tactical Oceanographic Data - Level 0													
Tactical Oceanographic Data - Level 1													
Tactical Oceanographic Data - Level 2													
Tactical Terrain Analysis Data Base													
Tactical terrain Data													
Urban Vector Map(s)													
Vector Product Interim Terrain Data													
Vector Relocatable Targets Analysis Data													
Vector Vertical Obstruction Data													
Vertical Obstruction Data													
Video Point Positioning Data Base													
World Data Bank II													
World Magnetic Model													
World Mean Elevation Data													
G = Good Applicability, Y = Marginal Applicability, R = Poor Applicabil	ity, an	d BLA	ANK =	No A	Applica	ability							

 $G = Good\ Applicability,\ Y = Marginal\ Applicability,\ R = Poor\ Applicability,\ and\ BLANK = No\ Applicability Some products are available on a limited basis or are planned for future production (in$ *italics*) by NIMA

DTG:	_ Classification:																_	Pa	ge:	_	of: _	_
	Feature Class Data to Terrain Analysi	is Ten	npla	te C	ros	ss I	Ref	ere	nc	e 1	Ten	npl	ate) (l	J)							
	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy																					
the Feature I	ith terrain features used in USA FM 5-33 <i>" Terrain Analysis".</i> For each Terrain Analysis Templa Foundation Data is required or optional for a particular Terrain Analysis Template. If required	l place an	R in eac	h Terra	ain An	nalysi	s Tem	plate	bloc	k req	quirin	g the	Feat	ture l	Found	datio	n Dat	ta. If	optio	onal pl	lace ar	n C
in each Terra	in Analysis Template block requiring the Feature Foundation Data. As an initial starting point		late has	graye	d cells	s for ty	pical	ly req	uire	d Fea	ature	Foun	datio	on Da	ata fo	reac	h Ten	rain A	_₽΄	_	emplat	e.
		Data Type [L=line A=Area P=Point N=node T=Text								Terr	ain A			Tem	olate	pla		late	Adversary Ab dind Implication Coverage remigrate Adversary Overhead ISR and FC Coverage Templa	Adversary Standoff ISR and FC Coverage Template	2	
		<u>#</u> 8			ate								Friendly AD and TMD Radar Masking Template Friendly Airborne Radar Maskina Template			Closs Country Movernerii Terripidie Friendiy Overhead ISR and Fire Control (FC)Templa	Friendly Standoff ISR and Fire Control Template	Friendly Surface ISR and Fire Control Template Adversary AD and TMD Radar Coverage Template	- Te	Adversary Standoff ISR and FC Coverage Template	<u>.</u>	Φ
		J OC			ğ E								emp State	ate		J.	Jem.	emp ine I	erag	age Tab_1) <u>i</u>	ğ
		l z		olate	e L				ate .	ф			[[]		(;	ontro	pt .	trol I	200	OVE	į į	₫
		<u> </u>		[em]	Į d			5		oldr.	ate		Mask in	5 E	ф <u>х</u>	10	Ö,	ος Έ	, G	0 6) <u>}</u>	Ē
		0 0 0		Hion	nfig	ate (olate	Ī	E E	e <u>Te</u>	d E e	Ф	Idar Mas	Mask	npk	5 E	i Fire	4 Fire	g	and E	;	Sper
Ī		\=Ar	pta	gurc	o ₽	due	le m	ate	Tack to the	lotur,	are are	pla	2 2	gg	g Ter	SRO	2 and	g 5	d IS	SR of	, 5 Φ [Ξ
Φ		ine /	Available Terrain Data	Land Surface Configuration Template	Bathymetric Surtace Configuration Template Vegetation Template	Surface Materials Template	Land Obstacle Template Nautical Obstacle Template	Urban Areas Template	Railroad LOC Infrastructure Template	Airfield LOC Infrastructure Template	Port LOC Infrastructure Template Land Cover Template	Nautical Cover Template	Friendly AD and TMD Radar Masking Terr Friendly Airborne Radar Masking Terrolat	Friendly Surface Radar Masking Template	Friendly ABL Masking Template	g 6	off ISI	e ISR	. Ped	dof	Key Terrain Template	Adversary IM Force EM Spectrum Iempiate
ode fribu		1	Terra	ge	ic St Ter	ateri	dele Obste	as Te		CIP	or Te	OVe	ğ	lf g	3L Mc	¥er,γ	andc	AD o	Š	Stan	Ter	Ξ
5 5 5 O A A		I ⁷	gpe	Surfo	metr tatio	90	gg	Ā	g g	0 0		g	₹ ₹	ਨ ਵੇਵੇ	₹ (3 ≥	JA St	JA SL	sary	Sary	erair .	Sary
Feature Code Feature Attribute Feature Value	Feature Name	ata	Wailo	and	athy (ege)	urfa	and fauti	Irbar		irfie	ort L	Sauti	ien d	ien	rienc	rien	rienc	rienc	dve (dye) A	QVE
	Foundation Feature				_	0) _				4 1			ш и		ш (<u> </u>			_	4 4	<u> </u>	=
X	Coastline / Shoreline Vertical Datum Category	L	H	H	Ŧ	H	\blacksquare	Ŧ	Ŧ	H	Ŧ	H	Ŧ	Ŧ	H	Ŧ	H	7	Ŧ	Ŧ	$ \Pi $	_
X	Mean Sea Level Mean High Water	L	Ħ	H	ļ	Ħ	Ħ	Ħ	1	Ħ	#	Ħ	1	T	Ħ	t	Ħ	#	Ŧ	Ħ	#	_
X	Mean Low Water	L				Н					\pm			\pm			丗	\pm	\pm	廿	\pm	_
X	Administrative Boundary Administrative Area	L A	H	Н	╬	H	+	\vdash		H	+	H	+	+	H	+	H	+	+	₩	+	_
X	Armistice Line Maritime Limit Boundary	Ł	Ħ	П		П				П		H		ļ	П		Ħ	#	Ŧ	I	#	_
X	Cease-Fire Line	L		\Box	t	Н					\pm	Ш	1	\pm	Ш	†	廿	士	\pm	士	廿	_
XI I	Foundation Feature Depth Contour	Data Ele	vation C	overag	je	П	Т	П		П	Т	П	Т	Т	П	Т	П	\top	_	П	П	_
X	Depth Curve or Contour Value (meters) Contour Line (Land)	L	Ħ	П		П				П		H		ļ	П		Ħ	#	Ŧ	I	#	_
^ X	Hydrography Portrayal Category	L			t	П								t			Ħ	#	T	Ħ	廿	_
X	Index Intermediate	L	H	H		H		H		H	+	+		+	H		H	+	+	H	+	-
X	Depression Index Depression Intermediate	L	F	Н		H	\blacksquare			H	-	H		\perp	Н		H	7	Ŧ	Ŧ	${\mathbb H}$	_
X	Highest Z-value (meters)	L				П			1		1	Ħ		ļ			Ħ	#	T	П	\Box	_
X	Spot Elevation Highest Z-value (meters)	P P		\forall		H				H	+	+		+	H		\forall	\pm	H	H	$\pm \pm$	-
\mathbf{x}	Foundation Feature Settling Basin / Sludge Pond	Data Hy	drograph	y Cov	erage	П		П	1	П		П	-	_	П	_	П	\neg	_	П	\top	_
X	Island Water (Except Inland)	Α		\Box	#	П		Ħ	1	Ħ	#	\Box	1	Ŧ		ļ	Ħ	#	Ŧ	I	\mp	_
X	Aqueduct	A L				Н					\downarrow				Ħ		廿	\pm	t	廿	廿	_
X X	Hydrological Category Dry	L	Н	H	+	H	+	+	+	H	+	\forall	+	+	H	+	\forall	+	+	\vdash	$+\!\!+$	_
X	Non-Perennial / Intermittent / Fluctuating Perennial / Permanent	L		\Box	1	H		H	1	H	1	H	-	Ŧ	H	H	Ħ	7	Ŧ	\Box	\mp	_
X	Width (meters)	L	Ħ	\parallel	ļ	Ħ		Ħ	t		#	\parallel	1	t	Ħ	t	Ħ	#	Ħ	Ħ	井	_
X	Canal Hydrological Category	LA	Н	\mathbb{H}	t	H		Н	t	Н	\pm	\pm	1	\pm	Н	t	\forall	\pm	\pm	H	\pm	_
X	Dry Non-Perennial / Intermittent / Fluctuating	LA	H	H	F	H	+	H	+	H	+	H	\mp	F	H	+	H	4	+	H	$+\!$	_
X	Perennial / Permanent Width (meters)	LA	Ħ	H	ļ	Ħ		Ħ	ļ	Ħ	#	Ħ	1	ļ	Ħ	l	Ħ	#	Ŧ	Ħ	#	_
X	Ditch	LA	Н	\exists	\pm	Ħ		\parallel	t			Ħ	1	†	\parallel	t	$ \pm $	\pm	世	Ħ	廿	_
X	Hydrological Category Dry	LA	Н	H	+	${\it H}$	+	${+}$	+	\forall	+	\forall	+	+	\dashv	+	\forall	+	+	${\mathbb H}$	$+\!\!+$	-
X	Non-Perennial / Intermittent / Fluctuating Perennial / Permanent	LA	Н	H	ŀ	H	H	H	ŀ	H	-	H	-	ŀ	H		Ħ	#	Ŧ	Ħ	\mp	_
X ^	Width (meters)	LA	Ħ	\parallel	#	Ħ		\parallel	t	\parallel	#	\sharp	1	t	\Box	t	\sharp	#	T	Ħ	#	_
X	Filtration Beds / Aeration Beds Fish Hatchery / Fish Farm / Marine Farm	A	Н	Н	┢	H	\pm	H	ŀ	H	\pm	${\mathbb H}$	╁	\pm	H	\pm	${\mathbb H}$	+	\pm	H	$\pm \!\!\!\!+$	_
X	Lake / Pond Hydrological Category	A	H	H	Ŧ	П		Ħ		H	7	П	1	F	П		\sqcap	\mp	Ŧ	F	otan	_
Х	Dry	Α	H	\parallel	#	Ħ	\downarrow	Ħ	#	$\parallel \parallel$	#	\sharp	#	#	Ħ	1	Ħ	#	#	Ħ	#	_
X	Perennial / Permanent Land Subject to Inundation	A	Н	Н	Ⅎ	H	\pm	H	ŀ	H	╁	H	╁	\pm	\vdash	\pm	${\mathbb H}$	+	\pm	H	$\pm \!\!\!\!+$	_
X	Reservoir Hydrological Category	A	H	H	\blacksquare	H		H		H	7	H	1	F	Ħ	1	Ħ	7	Ŧ	Ŧ	otan	4
	,				_									_			<u> </u>	<u> </u>	_	\equiv	<u></u>	Ξ
TMD IPB Ter	nplate 18 March 2000 Classification:													Lo	cal R	epro	oduc	tion	Auth	norize	ed	

Figure B-17. Feature Class Data to Terrain Analysis Template Cross Reference (1 of 5) Template

DTG:	Classification:			Page: of:
	Feature Class Data to Terrain Analysis	s Ten	nplat	
Feature Fou	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy	and digita	al GGIS	S products. The Feature Foundation Data is divided into codes, attributes, and values and is
consistent wi	ith terrain features used in USA FM 5-33 " <i>Terrain Analysis".</i> For each Terrain Analysis Templat Foundation Data is required or optional for a particular Terrain Analysis Template. If required i	te check to blace an l	he avail R in eac	ilability of the Feature Foundation Data within your available GGIS products. Next check whethe ch Terrain Analysis Template block requiring the Feature Foundation Data. If optional place an C
in each Terra	in Analysis Template block requiring the Feature Foundation Data. As an initial starting point t	his templ	ate has	s grayed cells for typically required Feature Foundation Data for each Terrain Analysis Template.
		- Text		Terrain Analysis Template a graph of the plant of the pla
		<u>=</u> ₽		mpla slate empla e Territ
		DOL =		empke slate
		ž		plate pl
		- B		Tem uraff, who was with the property of the pr
		rea F		onfigure on figure of the configuration on figure of the configuration o
		A=A	ata	figures of the control of the contro
ete		<u>ii</u>	Ë	Con mple fidis 1 a Termina a Struction of 18 con 18
Code Affribi Allue		=] e	Terro	face on the face of the face o
Feature Code Feature Attribute Feature Value		Oata Type [L=line A=Area P=Point N=node T=Tex	Available Terrain Data	Land Surface Configuration Template Bethymetric Surface Configuration Template Vegetation Template Vegetation Template Surface Materials Template Land Cobstacle Template Undon Areas Template Undon Areas Template Nautical Cobstacle Template Nautical Coor Infrastructure Template Realingout LOC Infrastructure Template Airfield LOC Infrastructure Template Airfield LOC Infrastructure Template Realingout Cor Infrastructure Template Airfield LOC Infrastructure Template Realingout Cor Infrastructure Template Airfield LOC Infrastructure Template Realingout Cor Infrastructure Template Airfield LOC Infrastructure Template Friendly Alborate Template Friendly Alborate Radar Masking Template Friendly Surface Radar Masking Template Adversary Ab and TIMD Radar Coverage Template Adversary Ab surface Risk and Frie Control Template Adversary Aurface Risk and Fr Coverage Template Adversary Varface Risk and Fr Coverage Template
7 Fed	Feature Name	Date	Avai	Lank Wegy Surfa Surfa Mount Mo
	Foundation Feature D	ata Hyd	rography	y Coverage
X X	Perennial / Permanent Salt Evaporator	A	Ħ	
X	Dam / Weir	PNLA		
x	Lock Foundation Feature	P N Data Po	pulation	
X	Built-Up Area World Port Index Code	A		
X	Settlement World Port Index Code	A		
x ^	Native Settlement	Α	Ħ	
	World Port Index Code Foundation Feature Da	ta Trans	spo <u>rtat</u> io	on Coverage
X	Railroad Existence Category	N N	Н	
X	Under Construction Abandoned / Disused	N N	Ħ	
X	Destroyed	N		
X	Dismantled Operational	N N	Н	
X X	Location Category On Ground Surface	N N		
X	Suspended / Elevated Above Ground or Water Track / Lane Number	N N	П	
X	Railroad Gauge Category	N	Н	
X X	Broad Narrow	N N	H	
X X	Normal Railroad Siding / Railroad Spur	N N		
X	Existence Category Under Construction	N N	П	
X	Abandoned / Disused	N		
X	Destroyed Dismantled	N N	Н	
X X	Operational Railroad Gauge Category	N N	Н	
X	Broad Narrow	N N	П	
x	Normal	N		
X X	Rail Siding / Spur Attribute Spur	N N	Н	
X	Siding Passing Track	N N	H	
Х	Railroad Yard / Marshalling Yard Existence Category	N	Ħ	
X	Under Construction	N N	Н	
X X	Abandoned / Disused Operational	N N	Н	
X	Cart Track Weather Type Category	N N	H	
X	Fair / Dry Weather	N	Н	
x X	Winter Only Road	N N	Н	
TMD IPB Ter	nplate 18 March 2000 Classification:			Local Reproduction Authorized

Figure B-17. (Continued) (2 of 5)

DTG:	Classification:															Pag			of:
	Feature Class Data to Terrain Analys	is Ten	nplat	e C	ros	s F	Refe	ren	се	Ten	npla	te	(U)		_				
Footure Fou	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy													odoo	ottrik	outoo	and i	volue	o and in
consistent w	th terrain features used in USA FM 5-33 "Terrain Analysis". For each Terrain Analysis Temple	ate check t	the avail	ability	of the	Featu	ıre Fou	ndatio	n Dat	a with	in your	avai	lable (GIS	produ	icts. N	ext ch	neck v	whether
	Foundation Data is required or optional for a particular Terrain Analysis Template. If requirec in Analysis Template block requiring the Feature Foundation Data. As an initial starting point																		
		T \$	1						_			_				Φ.	b .	₽ Ф	
		Data Type [L=line A=Area P=Point N=node T=Tex							Ter	rain /	Analys a		mplat	e	<u>₽</u> ₽	Friendly Surface ISR and Fire Control Template Adversary AD and TMD Radar Coverage Template	Adversary Overhead ISR and FC Coverage Templa	Adversary Standott 1913 and F.C. Coverage Template Adversary Surface 1812 and F.C. Coverage Template	
		9			ate						Nautical Cover Template Friendly AD and TMD Radar Masking Template	Φ	Δ.		riendly Overnedd 1912 and Fire Control lemplate Friendly Standoff 187 and Fire Control Template	Friendly Surface ISR and Fire Control Template Adversary AD and TMD Radar Coverage Temp	Je Te	ē Ē	ate
		1 2		o)	E D						Ten	plat	olate		2 F	Temage	/era	rage age	ğ
		Z <u>E</u>		plat	n Te			Ф.	olate ate		Ē	Ten.	le Li	ate	2 to	off of	Ó	ove	n Je
		8		Tem	₽		_	pla	할	ate	Mas	ķ	je je	du !	1 0 E	ÖÖ	J. C.) ()) ()	ru#:
		D D		ţou	nfig	ate (Safe	Ter,		g E	e 2	Mas	Aask ng k	t Te	2 1	Fire	g 3	ع ۾	Spec
		= Are	₽	gura	Ů 0	E to	em f	ture.	of Life	5 t	plat	dar	dar N	E d	ž E	and	A ISR	5 5 C	ΔE
ω		φ	n Data	onfiç	face	als Te	ole T	struc .	rrast astru	uctu	Ter I	2	sking Sking	Nove	25 E	SISI &	Deac	- Q	olate
de Ibute		_ <u>=</u>	grair	Ď.	Sur	teric	sta Fer	ulta.	2 =	rastr	yer	Ď	Ma	1	# <u> </u>	ace	Verl	rg d	M Fe
Vall Vall		90	e Te	Jufac	figure 1	Ma	ğ	8	2 0	C Inf	A G	Ā	Suff	un (Ş Ē	Surf Sury	JI S	S Z	air)
Feature Code Feature Attribute Feature Value		₽	Available Terrain	Land Surface Configuration Template	Bathymetric Surface Configuration Template Vegetation Template	Surface Materials Template	Nautical Obstacle Template Urban Areas Template	Road LOC Infrastructure Template	Railroad LOC Intrastructure Iemplate Airfield LOC Infrastructure Template	Port LOC Infrastructure Template Land Cover Template	Nautical Cover Template	Friendly Airborne Radar Masking Template	Friendly Surface Radar Masking Template Friendly ABL Masking Template	Cross Country Movement Template	<u> </u>	endly Vers	Verso	/ers	Key Terrain Template Adversary TM Force EM Spectrum Template
¥ Ř Ř	Feature Name					SC.	2 5	ě	Ž ₹	<u>Š</u>	S F	Fi	Frie Frie	ŏ	F F	불성	À À	ξĘ	A A
ПхП	Foundation Feature I Existence Category	Data Tran N	sportation	n Cov	erage		П	П	_		П		\neg	П	$\overline{}$		П	\neg	
Х	Under Construction Operational	N	П												口		Ħ	却	П
X	Location Category	N N		Н		+	+	H			$\dagger \dagger$	H		H	\pm	\perp	tt	+	H
X	On Ground Surface Suspended / Elevated above Ground or Water	N N		Н	\blacksquare	4	H	H	-	Н	\Box		\perp	Н	\blacksquare	H	Π	\Box	H
X	Median Category	N		Ш				Ħ				Н		H	\pm		廿	世	Ш
X	With Median Without Median	N N	Н	Н	-	H	+	H	-	\vdash	++	H	+	H	+	\vdash	₩	+	H
X	Road / Runway Surface Type	N						П							\pm	止	廿	\pm	Ш
X	Hard / Paved Loose / Paved	N N	Н	Н		H	+	H		Н	++	H	+	H	+	+	₩	+	H
X	Minimum Traveled Way Width (meters)	N	П					П				Ħ		П	口	I	П	却	П
X X	Weather Type Category All Weather	N N	Н	Н	+	+	+	H		\vdash	+	H	+	H	+	\vdash	${\dagger}{\dagger}$	+	H
X	Fair / Dry Weather Trail	N N		Н	-	H	\mathbf{H}	H		Н	\blacksquare	H	-	H	\blacksquare	H	H	\blacksquare	H
X	Bridge / Overpass / Viaduct	LN					Ħ	Ħ				Ħ		П	\pm	丰	Ħ	\Box	Ш
X X	Existence Category Under Construction	LN	Н	Н		\vdash	+	H		H	++	Н	+	H	+	+	++	+	H
X	Destroyed Operational	LN		П			П	П		П				Ш	\Box	T.	П	口	\blacksquare
	Length / Diameter (meters)	L N L N	Н	Н		H	H	H		H	+	H	+	H	+	H	H	+	H
X	Transportation Use Category Both Road and Railroad	L N L N		П	\perp		H	Н	4		Н	H	4	Н	\blacksquare	H	П	卫	\square
X	Railroad	LN		Ш				Ħ			tt			Ħ	\pm	土	廿	世	Ш
X	Road Minimum Traveled Way Width (decimeters)	L N L N	Н	Н	-	H	Н	\mathbb{H}		H	+	H	+	H	+	\vdash	₩	+	H
x ^	Ferry Crossing	LN									Ш	П		口	\pm	士	廿	\pm	Ш
X	Ferry Crossing Length (meters) Transportation Use Category	LN	Н	Н	-	+	₩	H	-	\vdash	++	Н	+	H	+	+	₩	+	H
Х	Both Road and Railroad	LN	Г	П		Ħ	Ħ	Ħ	İ	口	\Box	Ħ	1	П	口	丰	Ħ	世	口
X X	Railroad Road	L N L N	Н	Н	+	${}$	+	H	+	H	++	Н	+	H	+	+	+	+	H
X	Tunnel	LN	П	H		H	\Box	П	1		\Box	Ħ	\mp	П	\mp	丰	Ħ	刀	口
X X	Existence Category Under Construction	L N L N	Н	Н		H	+	H	-	H	++	H	+	H	+	+	H	+	H
X	Operational Length / Diameter (meters)	LN	П	П			Н	П			П	H		П	\blacksquare		П	耳	\Box
X	Transportation Use Category	LN	Н	Н	\pm	廿	\pm	Ħ	\pm	世	廿	Ħ	\pm	丗	\pm	士	∄	\pm	Ш
X	Both Road and Railroad Railroad	L N L N	H	Я	Ŧ	H	H	H	F		H	H	\perp	H	Д	H	H	卭	H
l x	Road	LN	Ш	Н		Ħ	†	П	\perp	世	\Box	Ħ		Ц	\pm	士	廿	$\pm l$	Ш
X	Pier / Wharf / Quay Length / Diameter (meters)	LN	Н	Н	+	${+}$	+	${+}$	+	\vdash	++	H	+	${\mathbb H}$	+	+	${+}$	\dashv	H
X	Width	LN	ΙД	Ц			\parallel	Ħ			\Box	Ħ	\pm	Ц	\pm	士	Ħ	世	口
X	Ford Airport / Airfield	L N P L A	Н	Н	+	\vdash	+	H	+	\vdash	+	Н	+	H	+	+	${\color{blue}+}$	+	H
X	Existence Category	PLA	ΙД	Ц	上	I	\parallel	Ħ	#		\Box	Ħ	\perp	П	口	丰	Ħ	坩	丗
X X	Under Construction Abandoned / Disused	PLA	Н	Н	+	\vdash	+	H	+	${}$	+	Н	+	H	+	+	${\color{black} +}$	+	H
X	Destroyed	PLA	ΙД	Ц		Ħ	$\!$	Ц	t		\Box	Ħ	$^{\pm}$	П	\mp	二	Ħ	\pm	口
Шх	Operational	PLA	Ш	Ш				Ш		Ш		Ш	Ш	11	<u>Ш</u>	ட	Щ	<u>Ш</u>	<u>Ш</u>

TMD IPB Template -- 18 March 2000

Classification:

DTG:	Classification:			Page: of:
	Feature Class Data to Terrain Analys	is Ten	ıplat	te Cross Reference Template (U)
				S products. The Feature Foundation Data is divided into codes, attributes, and values and is
the Feature F	oundation Data is required or optional for a particular Terrain Analysis Template. If required	l place an l	R in eac	lability of the Feature Foundation Data within your available GGIS products. Next check $$ whether ch Terrain Analysis Template block requiring the Feature Foundation Data. If optional place an O
in each Terrai	n Analysis Template block requiring the Feature Foundation Data. As an initial starting poin	this templ	ate has	grayed cells for typically required Feature Foundation Data for each Terrain Analysis Template.
		<u> </u>		Terrain Analysis Template e e e e e e e e e e e e e e e e e e
		<u>"</u> ⊕		ate plate on the plate of the p
		ŏ		iempiempiempiempiempiempiempiempiempiemp
		ž		e e late de la late de la late e e la late e late e la
		<u>B</u>		Tem raffer and the second and the se
		ea P		thion onlight of the control of the color of
		A=Ar	Data	iguro fe o Co fe o
₽		i e	Ë	Confusion of the confus
ode Hribu		=	Terra	axoe (See Fee Fee Fee Fee Fee Fee Fee Fee Fee
		Type	Available Terrain	Surface that the transfer of t
Feature Code Feature Attribute Feature Value	Feature Name	Data Type [L= line A=Area P=Point N=node T= Text	Availc	land Surface Configuration Template Bathymetric Surface Configuration Template Vegetation Template Vegetation Template Lond Obstacle Template Lond Obstacle Template Lond Obstacle Template Noutica Obstacle Template Noutica Obstacle Template Road LOC Infrastructure Template Arifeld LOC Infrastructure Template Template Road LOC Infrastructure Template Arifeld LOC Infrastructure Template Template Template Road LOC Infrastructure Template Arifeld LOC Infrastructure Template Template Template Template Aversary Ab and TMD Roader Masking Template Template Stand Fire Control Template Template Stand Fire Stand Fire Stand Fire Control Template Template Stand Fire St
	Foundation Feature	Data Trans	_	
X	Damaged Usage	P L A	Н	
X	Military Joint Military / Civilian	PIA		
X	Civilian / Public	PLA PLA PLA PLA	Н	
X	Heliport Existence Category	PLA	Н	
X	Under Construction Abandoned / Disused	PLA	П	
X	Destroyed (v/a)	PLA		
X	Operational Damaged	PLA PLA PLA PLA	Н	
X	Usage Military	PLA	П	
X	Joint Military / Civilian	P L A P L A	Н	
x X	Civilian / Public Runway	PLA	Н	
X	Existence Category Under Construction	A	П	
X	Abandoned / Disused	Α		
X	Destroyed Operational	A		
X	Damaged Length / Diameter (meters)	A		
Х	Road / Runway Surface Type	Α	П	
X	Hard / Paved Loose / Unpaved	A		
X X	Width (meters) Highest Z-value (meters)	A	Н	
X	Seaplane Base Existence Category	PLA PLA	H	
X	Under Construction	PLA	Ш	
X	Abandoned / Disused Destroyed	P L A	Н	
X	Operational Damaged	P L A	Н	
X	Usage	PLA	Н	
X	Military Joint Military / Civilian	P L A	Н	
Тх	Civilian / Public Foundation Featur	PLA	etation	Coverage
X	Marsh / Swamp	Α	П	
X	Surface Material Category Herbaceous / Scrub Vegetation (no trees)	A	Н	
X	Trees [swamp] Tree Type Category	A	H	
X	Deciduous	Α	Н	
X	Evergreen Mixed	A	Н	
X	Vegetation Characteristic Mangrove	A	H	
X	Rice Field	Α	Н	
X	Orchard / Plantation	Α	Ш	

Figure B-17. (Continued) (4 of 5)

Classification: _

TMD IPB Template -- 18 March 2000

DTG:	Classification:																I	age	:_	_ of	f: _
	Feature Class Data to Terrain Analysi	s Ten	nplat	te (Cro	ss l	Ref	ere	nc	e T	em	pla	ite	(U)						_
	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy ith terrain features used in USA FM 5-33 " <i>Terrain Analysis"</i> . For each Terrain Analysis Templa																				
the Feature I	Toundation Data is required or optional for a particular Terrain Analysis Template. If required in Analysis Template block requiring the Feature Foundation Data. As an initial starting point in Analysis Template block requiring the Feature Foundation Data. As an initial starting point	place an I	R in eac	h Ter	rain A	nalysi	s Tem	plate	bloc	k requ	uiring	the F	eatu	re Fo	ounda	ation	Data	. If opt	ional	l plac	e an
iii eacii iei ia	in Analysis Template block requiring the realthe Foundation Data. As an initial starting point		alerias	yray	eu ce	115 101 1	ypicai	iy req	luirec	ıreal	uler	Ouriu	alioi	IDau	a 101 t	acii	Iella		D.		piate
		Data Type [L=line A=Area P=Point N=node T=Tex								Terra	in A			mpl	ate	olate	<u>o</u> <u>e</u>	Adversary AD and TMD Radar Coverage Template	Adversary Standoff ISR and FC Coverage Template	Adversary Surface ISR and FC Coverage Template	
		pode			plate							200	a to	p		Jemp	a par	e Ter	Je Te	e Ter	olate
		Z.		ate	Tem				₽	Φ		Ī	a du	mpla	Ф	off .	o c	erag	/erag	erag	Jue
		Poin		dwe	ation			5	and w	iplate	2	Oskir	ng Te	og Je	a nplat	00		9 (0 0	Š.	Ę
		_ 		lion I	nligui	ate .	alate	Temp	10) Terr	<u> </u>	2	Maski	1askir	Ter	β	Fie (gada	2 B	Б	pect
		=Are	₽	gurat	O S		jemp Jemp	ate 4	rict.	ire Te	€ ₽	plate	dar	dar	g len	SR ar	g g	MDF	SR a	SRar	EM @
te		ine A	Available Terrain Data	Land Surface Configuration Template	Bathymetric Surface Configuration Template	Surface Materials Template	Land Obstacle Template Nautical Obstacle Template	Urban Areas Template	Railroad LOC Infrastructure Template	Airfield LOC Infrastructure Template Port IOC Infrastructure Template	and Cover Template	Nautical Cover Template Friendly AD and TMD Radar Maskina Template	Friendly Airborne Radar Masking Template	Friendly Surface Radar Masking Template	riendy AbL ividsking lemplate Cross Country Movement Template	Friendly Overhead ISR and Fire Control Template	Friendly Surface ISR and Fire Control Template	T but	gott	ace !	Key Terrain Template Adversary TM Force EM Spectrum Template
Feature Code Feature Attribute Feature Value			Terra	ace	ric Su	/ateri	Obste	as Te		C Inf	9 P	Cove	ipodi	urfac	unt v	verh		A S	Star	Surfe	ĪĀ.
Feature Code Feature Attribu Feature Value		I lype	aple	Surf	ymet	S S S S S S S S S S S S S S S S S S S	rical c	⊒ Are	ad I	D C		Fical A	. ∀ . ≥	olly S	S Co	<u>0</u>	o io oliv	ersar,	ersar)	ersar)	Ferrai Prsary
Feat Feat Feat	Feature Name	Date	Avail	ranc	Bath	Surfo.	Nag.	Orbo		Airfie	g	Nau	F F	Frier	Cre	Frie	F F	Adve	å å	Adve	¥ €
ПхП	Foundation Feature Tree Type Category	Data Ve	egetation	Cov	erage				T		T				1		T		T		$\overline{\top}$
X	Deciduous Evergreen	A	H	F	H	Ħ	\blacksquare		ŀ	H	F	H	H	H	H	H	Ŧ	H	Ŧ	H	Ŧ
X	Mixed Trees	A	Ħ	F	H	\Box		1			F	Ħ	Ŧ	H		H	ļ	H	+	H	#
X	Tree Type Category Deciduous	A	Ħ	F	Ħ	Ħ					F	Ħ	Ħ	П	1	H	ļ	Ħ		H	#
X	Evergreen Mixed	Α	Ħ	F	Ħ	Ħ			t		t		İ	П	ļ		ļ	Ħ	ļ	П	#
	Foundation Feat	A ure Data	Other C	overa	ige									ш	<u> </u>		_				_
	User Defined: User Defined:		Н	L	Ħ	Ш					t			Н				Н		Н	士
	User Defined: User Defined:			E	Н	\pm					\pm		\pm				\pm	Н	\pm	Н	\pm
\mathbf{H}	User Defined: User Defined:		H	F	H	+	+		+	+	+	+	+	H	+	H	+	H	+	H	\mp
	User Defined: User Defined:		H	F	H	+	\blacksquare		-	+	\vdash	\vdash	\blacksquare	Н	+	H	+	H	-	H	Ŧ
	User Defined: User Defined:		H	F	H	+		_			F	H	F	H	H	H	Ŧ	H	Ŧ	H	#
	User Defined: User Defined:		Ħ	F	Ħ	Ħ					F	Ħ	Ħ	П	1	H	ļ	Ħ	1	H	#
	User Defined: User Defined:		Ħ		Ħ	\Box					t						ļ	Ħ			丰
	User Defined:				Ħ	\pm		1	1		t		İ		1	П	‡	Ħ		П	士
	User Defined: User Defined:			E	Ħ	Ħ												H		П	\pm
	User Defined: User Defined:		Н		\parallel	\pm	\pm		\dagger			茸	\pm	Н	†	Ш	$^{\pm}$	\coprod	†	\Box	\pm
	User Defined: User Defined:		Н	E	\coprod	\pm						H		Н	\perp	Н	\pm	\coprod		Н	\pm
	User Defined: User Defined:	\mathbb{H}	Н	E	Н	Н	H		Ł	Н	Ł	Н	Ł	Н	Ł	Н	\pm	Н	L	Н	士
HH	User Defined: User Defined:	H	H		H	H		H	F	H	F	H	H	H	Ŧ	H	F	H	F	H	Ŧ
	User Defined: User Defined:	\Box	H	F	H	${\mathbb H}$	H	H	+	\vdash		H	H	H	ŀ	H	ŀ	H		H	7
	User Defined: User Defined:	H	H	F	H	\dashv	Ħ		\downarrow	H	F	Ħ	H	H	Ŧ	H	Ŧ	Ħ	\downarrow	H	#
	User Defined: User Defined:		Ħ	F	Ħ	\parallel	\downarrow		#	Ħ	F	Ħ	Ħ	H	‡	Ħ	‡	Ħ	+	Ħ	#
	User Defined:	$\mid \mid \mid$	H	F	\parallel	\dagger			t			Ħ	İ	\parallel	#	Ħ	1	Ħ		Ħ	#
	User Defined: User Defined:		Н		\parallel	\sharp			t			Ħ	\pm		†	Ħ	#	\coprod	†	\parallel	\pm
	User Defined: User Defined:	\vdash	Н	L	\coprod	\pm	\pm		+	\parallel	t	Н	L	Н	+	H	\downarrow	\coprod	$oldsymbol{\dagger}$	Н	士
	User Defined: User Defined:	\mathbb{H}	Н	F	Н	\coprod	\pm		\pm	\mathbb{H}	\pm	Н	\pm	Н	\pm	Н	\pm	\coprod	\pm	Н	\pm
	User Defined: User Defined:	\Box	H		H	H		\blacksquare			\vdash	H	H	H	\perp	H	Ŧ	H	+	H	Ŧ
	User Defined: User Defined:	H	H	F	Ħ	${\dagger}$	Ħ	1	ŧ	Ħ	F	Ħ	Ħ	H	Ŧ	Ħ	Ŧ	Ħ	Ŧ	Ħ	#
	User Defined:		Ш	L							Ţ				<u> </u>	Ш					土
		_	_		_	_	_	_	_		_										

Figure B-17. (Continued) (5 of 5)

	fication:	Page: of:
	Terrain Assessment Checklist and Status Ten	nplate (U)
Field Operating Area ID #		Required / Commonly Available Terrain Products
Field Operating Area Name and Description		(Grayed Cell = Available Blank Cell = Not Required)
		ONCs [H=Hardcopy C=CADRG B=Both] ONCs [H=Hardcopy C=CADRG B=Both] ONCs [H=Hardcopy C=CADRG B=Both] OOCs [H=Hardcopy C=CADRG B=Both] OOCs [H=Hardcopy C=CADRG B=Both] OOCs [H=Hardcopy C=CADRG B=Both] TLM 1:25,000 [H=Hardcopy C=CADRG B=Both] TLM 1:30,000 [H=Hardcopy C=CADRG B=Both] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required] NMap-1 [X=Required]
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Both Both Both Both Both Both Both Both
☐ Use Field Operating Area Assessment Templates A		3 B=1
☐ Use Field Operating Area Centroid and a Radius of		DRG DRG DRG ADR ADR ADR OPY C PPY C PPY C
☐ Use Field Operating Area Centroid and a Rectangu	North-South Km	GNCs [H=Hardcopy C=CADRG B=Bebth] JNCs [H=Hardcopy C=CADRG B=Bebth] ONCs [H=Hardcopy C=CADRG B=Bebth] JOGS [H=Hardcopy C=CADRG B=Bethh] JOGS [H=Hardcopy C=CADRG B=Bethh] JOGN [H=Hardcopy C=CADRG B=Bethh] JOGN [H=Hardcopy C=CADRG B=Bethh] TLM 1:25,000 [H=Hardcopy C=CADRG B=Bethh] TLM 1:300,000 [H=Hardcopy C=CADRG B=Bethh] JNMap-1 [X=Required] VMap-1 [X=Required] JNMap-1 [X=Required] JNMap-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required] Numb-1 [X=Required]
	atitude or MGRS or UTM N S Longitude E W	ONCS (H=Hardcopy C- ONCS (H=Hardcopy C- ONCS (H=Hardcopy C- OCS (H=Hardcopy C- OCS (H=Hardcopy C- OCS (H=Hardcopy C- OCS (H=Hardcopy C- OCS (H=Hardcopy C- TLM 515,000 (H=Hard- TLM 1:50,000 (H=Hard-
		GNCS [H=Hardcopy C ONCs [H=Hardcopy C ONCs [H=Hardcopy C OCS [H=Hardcopy C OCS [H=Hardcopy I DOGAR [H=Hardcopy I LAM 1:25,000 [H=Hardcopy I LAM 1:30,000 [H=Hardcopy I ONC [H=Hardcopy I ONC [H=Hardcopy I LAM 1:30,000 [H=Hardcopy I ONC [H=Hardcopy I ONC [H=Hardcopy I I DOGAR [H=Hardcopy
		= H = H = H = H = H = H = H = H = H = H
P P P P P P P P P P P P P P P P P P P		38 日
Start Date Finish Date	Terrain Analysis Product	GNC ONC ONC ONC ONC ONC ONC ONC ONC ONC O
	Surface Configuration Templates	
	Land Surface Configuration Template	
	Bathymetric Surface Configuration Template	
	Vegetation Template Vegetation Template	
	Surface Materials Template	
	Surface Materials Template	
	Obstacle Templates Land Obstacle Template	
	Nautical Obstacle Template	<u> </u>
	Transportation / Line of Communications Infrastructure Template	s
$II \vdash I \vdash I \vdash I \vdash I \vdash I \vdash I \vdash I \vdash I \vdash I $	Road LOC Infrastructure Template Railroad LOC Infrastructure Template	
	Airfield LOC Infrastructure Template	1
	Port LOC Infrastructure Template	
	Urban Areas Template Urban Areas Template	
	Cover Templates	
	Land Cover Template	
	Nautical Cover Template]
lloooc	Concealment Templates Friendly AD and TMD Radar Masking Template	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Friendly Airborne Radar Masking Template	
	Friendly Surface Radar Masking Template Friendly ABL Masking Template	- - - - - - - - - - - - - - - - - - -
	Cross Country Movement Template	
	Cross Country Movement Template	
	Observation / Line of Sight Templates Friendly Overhead ISR and Radar Template	, , , , , , , , , , , , , , , , , , ,
	Friendly Standoff ISR and Radar Template	
	Friendly Surface ISR and Radar Template	
	TM Force AD and TMD Radar Coverage Template TM Force Overhead ISR Template	
	TM Force Standoff ISR Template	
	TM Force Surface ISR Template]
	Key Terrain Template Key Terrain Template	
	Electromagnetic Spectrum Template	
	TM Force Electromagnetic Spectrum Template	
	User Defined Templates	
	1	
Notes:		
TMD IPB Template 18 March 2000 Classif	fication:	Local Reproduction Authorized

Figure B-18. Terrain Assessment Checklist and Status Template

DTG:		Classification:							Page:	of:	
		T	MD IPI	B Slope Ca	ategor	ies	Template (U)				
	Cat	Associated Vehicle(s) /		•			•				
Slope Category Unrestricted On-Road	Codes	Equipment	- 9	6 Slope Definitio % ≤ SLOPE ≤	n	%,	Degree Slope Definition Deg ≤ SLOPE ≤	Slope Deg,	Associated Speed Kph ≤ SPEED ≤	Definition	ր Kph
CCM Unrestricted / Go	0			%≤SLOPE≤	\vdash	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤		Kpii Kph
CCM Restricted				%≤SLOPE≤	\vdash	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
CCM No Go	0			% ≤ SLOPE ≤	\vdash	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
TM Launch Operations	Ō			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
TM Fire Control Operations	0			$\% \le SLOPE \le$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
TM Field Missile Handling Ops	0			$\% \leq \text{SLOPE} \leq$		%,	Deg ≤ SLOPE ≤	Deg,	SPEED ≤] Kph
TM Field Storage Operations	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,] Kph ≤ SPEED ≤		Kph
				User Define	ed Slope C	_	ories Deg ≤ SLOPE ≤	l Dom	7 Kmb < CDEED <		1 1/26
	0		\vdash	% ≤ SLOPE ≤ % ≤ SLOPE ≤	$\vdash\vdash\vdash$	%, %,	Deg SLOPE S	Deg, Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤		Kph Kph
	0		$\vdash \vdash \vdash$	%≤SLOPE≤	\vdash	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤		Kph
	0			%≤SLOPE≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		\vdash	% ≤ SLOPE ≤	$\vdash \vdash$	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% \le SLOPE \le$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% {\leq} \text{SLOPE} {\leq}$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% \leq SLOPE \leq$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	_ Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤	\sqsubseteq	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		\vdash	% ≤ SLOPE ≤	\vdash	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		$\vdash \vdash$	% ≤ SLOPE ≤ % ≤ SLOPE ≤	$\vdash\vdash\vdash$	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤		Kph Kph
	0		$\vdash \vdash$	%≤SLOPE≤	\vdash	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤		Kph
			$\vdash \vdash$	% ≤ SLOPE ≤	\vdash	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
			\vdash	% ≤ SLOPE ≤	\vdash	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% {\leq} SLOPE {\leq}$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% {\leq} \text{SLOPE} {\leq}$		%,	Deg ≤ SLOPE ≤	Deg,] Kph ≤ SPEED ≤		Kph
	0			$\% \leq SLOPE \leq$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	_ Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤	\sqsubseteq	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		\vdash	% ≤ SLOPE ≤ % ≤ SLOPE ≤	\vdash	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤		Kph Kph
	0			%≤SLOPE≤	\vdash	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤		Kpii Kph
			$\vdash \vdash$	% ≤ SLOPE ≤	$\vdash \vdash$	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			%≤SLOPE≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% {\leq} SLOPE {\leq}$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0			$\% {\leq} SLOPE {\leq}$		%,	Deg ≤ SLOPE ≤	Deg,] Kph ≤ SPEED ≤		Kph
	0			$\% \leq SLOPE \leq$		%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		\Box	% ≤ SLOPE ≤	\square	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		\sqsubseteq	% ≤ SLOPE ≤	\sqsubseteq	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤		Kph
	0		$\vdash \vdash$	% ≤ SLOPE ≤ % ≤ SLOPE ≤	$\vdash\vdash$	%, %	Deg ≤ SLOPE ≤ Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤		Kph
	0			% ≤ SLOPE ≤ % ≤ SLOPE ≤	\vdash	%, %,	Deg SLOPE S	Deg,	Kph ≤ SPEED ≤		Kph Kph
Notes:				% ≤ SLOPE ≤		70,	Deg S SLOPE S	Deg,	Kbu ≥ 255EED ≥		Крп
TMD IPB Template 18 March 2	000	Classification:						Loos	al Reproduction Aut	h o si so d	

Figure B-19. TMD IPB Slope Categories Template

Table B-2. Vegetation Type Codes

Vegetation Code	Vegetation Type	Typical Vegetation Roughness Factor (VRF)
A1	Agriculture (dry crops)	0.80
A2	Agriculture (wet crops, rice)	
A3	Agriculture (terraced crops, both wet and dry)	
A4	Agriculture (shifting cultivation)	
B1	Brushland (<5 meters high, open to medium spacing)	
B2	Brushland (<5 meters high, medium to dense spacing)	0.95
C*	Coniferous/Evergreen Forest	
D*	Decidous Forest	
E*	Mixed Forest (Coniferous/Decidous)	
EV	Salt Evaporators/Salt Encrustation	
F*	Orchard/Plantation (rubber, palm, fruit, etc.)	
G1	Grassland, Pasture, Meadow	0.90
G2	Grassland with Scattered Trees, some Scrub Growth	0.60
Н	Forest Clearing (cutover areas, burns, etc.)	0.50
 **	Swamp (mangrove, cypress, etc.)	0.10
J	Marsh / Bog (treeless bogs, maskegs, etc.)	0.10
K	Wetlands (low-lying wet areas)	
L	Vineyard/Hops	
М	Bamboo	
N	Bare Ground	
PS	Permanent Snowfield	
RK	Exposed Bedrock/Features Void of Surface Materials	
T	Trees Unidentified Types	
W	Open Water	0.00
Х	Built-up Area	

^{*} These vegetation types are given a three digit code. In addition to the letter for the type code, a second digit (number) is added as the canopy closure code [1 – 0-25% canopy closure, 2 – 25-50% canopy closure, 3 - 50-75% canopy closure, and 4 – 75-100% canopy closure], and a third digit (number) and possibly fourth digit is added as the height code [Mean or average height to top of canopy for a specific tree type or category rounded to nearest meter or tenth of a meter if less than 10 meters in height].

^{**} A second digit, representing canopy closure, is added to the swamp code [1 – 0-25% canopy closure, 2 – 25-50% canopy closure, 3 - 50-75% canopy closure, and 4 – 75-100% canopy closure].

Table B-3. Unified Soils Classification System and Associated
Rating Cone Index Values

Soils Category	_	R	ating Cone Index Valu	ies
USCS Symbol ¹	Туре	Dry	Moist	Wet
GW	Gravel or sandy gravel, well graded	163	123	83
GP	Gravel or sandy gravel, poorly graded	160	120	81
GM	Gravel, silty	120	76	32
GC	Gravel or sand gravel, clayed	130	91	52
SW	Sand, well graded	155	116	78
SP	Sand, poorly graded	145	109	73
SM	Sand, Silty	119	72	25
SC	Sand, clayey	126	86	46
ML	Silts	118	69	20
CL	Clays	123	81	40
OL	Organic silts	111	57	3
MH	Inorganic elastic silts	114	61	8
CH	Fat clays	136	99	62
OH	Fat organic clays	107	54	1
PT	High organic soils or peat	106	52	0
R ²	Rock outcrops	165	165	165
NE ²	Not evaluated			
W ²	Open water	0	0	0

¹ Unified Soils Classification System

For a particular soil type, compare the Rating Cone Index value to the Vehicle Cone Index value found in TMD IPB Step 3 equipment templates to determine cross-country movement impacts. For example, one adversary TM launcher may have a Vehicle Cone Index₁ of 30 and can therefore traverse wet clay (Rating Cone Index=40), but not sandy silt (Rating Cone Index=25). If the Vehicle Cone Index is known for multiple vehicle convoys, the same launcher in a convoy of 5 launchers with a Vehicle Cone Index₅ of 48 could not traverse the same wet clay (Rating Cone Index=40).

² Not part of the Unified Soils Classification System codes.

Table B-4. Landforms and Commonly Associated Soils

			Commonly As	sociated Soils
Landforn	n / Bedrock	Climate	Horizon ¹	USCS Symbol ²
Sandstone		unspecified	surface (A)	SM, SM-SC, ML, SP, SW
Garractorio		a	parent material (C)	SM, SM-SC, GM, SC, GC, ML
		humid	Ä	SM
			В	SM, GM
			С	SM-GM
Shale		unspecified	surface (A)	CH, CL, CL-CH
			parent material (C)	ML, CL, MH, CH, CL-CH, SC, CL-
		semi arid or humid	Λ	SC, GC CL, CH
		semi and or numid	A B	CL, CH CL, SC, CL-SC
			C	CL, SC
Limestone		unspecified	surface (A)	ML-CL, ML, CL, GM
Limestone		unspecificu	parent material (C)	CL, CH, MH, ML, CH-MH, ML-CL
		tropical	lower horizons (B & C)	CH, MH, GC, GM
		humid	A	ML-CL
			В	СН
			С	СН
Interbedded,	Flat-lying	unspecified	unspecified	CL, ML, CH, MH, ML-CL, SC, GM,
sandstone, shale,		10. 1	10.1	SM
limestone	Tilted	unspecified	unspecified	ML, MH, ML-CL
Instrusive	Granitic rock ³	unspecified	surface (A)	SM, ML, SC, ML-CL
	Granite	humid	subsurface (B)	SC, CH, CL, CL-CH SM, ML, CL
	Granite	humid	A B	SC SC
			C	SC, CL
Extrusive, Basaltic,	and Volcanic	humid tropical or	A	ML, CL
,		subtropical	В	CH, MH
		·	С	ML-MH, MH, CH
		arid	А	ML-CL, ML, GM
			В	CH, CL, MH, ML-CL, GC
Slate		unspecified	unspecified	GM, GC, GM-GC
		humid	A	SM
			В	SM, ML-CL
Schist		humid	C	SM, GM SM, SC
SCHIST		Hulliu	A B	MH-CH
			C	SM, ML-CL, ML
Gneiss		humid	A	SM, SM-SC, ML-CL, ML
			В	MH, CH, SC
			С	SM, ML CL, MH-CH, ML-CL, MH,
				CH
Glacial Tilt / Ground	I Moraine⁴	humid / derived	A	ML, CL, ML-CL, OL
		from soft sedimentary rock	В	CL, CH, CL-CH
			C	CL, CH, ML
		humid / derived from igneous-	A B	SM, ML, SC SM, ML
		metamorphic rock	С	SM, ML, GM
		(crystalline)		JIVI, IVIL, JIVI
Glacial / Moraines		humid / derived	A	CL, ML, CL-CH, CH, GM, GC
		from soft	В	GW, GC-GP, SC-SP
		sedimentary rock	С	SM-SC, SW, SP, GM, GC, SM, SC

Table B-4. Landforms and Commonly Associated Soils

			Commonly As	sociated Soils
Landforr	m / Bedrock	Climate	Horizon ¹	USCS Symbol ²
		humid / derived	А	SM-SP
		from igneous-	В	GW, GC-GP, SC-SP
		metamorphic rock (crystalline)	С	SM-SC, SW, SP, GM, GC, SM, SC
Drumlins		humid / derived	surface or surface (A or B)	ML, ML-CL, GM, GC
		from soft sedimentary rock	С	CL, GM, GC
		humid / derived	А	GM-GC, SM
		from igneous-	В	GM-GC, SM
		metamorphic rock (crystalline)	С	GM, SM-SC, ML
Eskers		unspecified	unspecified	GM, GM-GC, GP, SP, GW, SW, SW-SM
Kames		unspecified	unspecified	GP, SP, GP-GM, GM, GM-GC, SM-SC, SP-SM, SM
Glacial Outwash		unspecified	unspecified	GW, SW, GP, SP, GM, SM, CL, GM-GC
Silt / Clay Lakebed	S	unspecified	А	ML-CL, CH
			В	CL-CH
			С	CL-CH, ML-CL, MH-CH
Sandy lakebeds		unspecified	unspecified	SM, ML, ML-MH, ML-CL
Sand Dunes	unstabilized	unspecified	no horizons	SP
	stablized	unspecified	surface (A)	SM, SP
			parent material (C)	SP
Loess deposits		unspecified	unspecified	ML, ML-CL, CL
		semi arid	A	ML-CL
			В	ML-CL
Fland Dialina	harden de la consta		C	ML-CL
Flood Plains	braided channels	unspecified	unspecified	GW, SP
	point bars	unspecified	unspecified	SW, SP, GW
	natural levees	unspecified	unspecified	SM, ML
	slack water	unspecified unspecified	unspecified	ML, CL, MH, CH, MH-CH OL, OH, PT, ML, CL, CH
	swamps depressions	,	unspecified	
	terrace	unspecified	surface	ML
			subsurface	SC, GW, GP
Deltas	Arc delta	unspecified	surface (A)	ML, CL, MH, CH
			subsurface (B)	GP, SP, GM, GC, SM, SC, GM-GC
		humid	A	ML
			В	ABSENT
	Direks foot delte	unonosified	C	GM-GC
	Bird's-foot delta	unspecified	A	OH CH-OH
			B C	CH-OH CH
Alluvial fans	1	unspecified	unspecified	GP, SP, SW, GW, GM, GC, SM,
Alluvial Ialis		·	· ·	SC, ML, CL
		semi arid	A	GM-SM
			В	SM, ML
) / II		10.	C	GM, SM, ML
Valley fills		unspecified	unspecified	GP, SP, GW, SW, GM, GC, SM, SC, CL, ML, CL-CH, CH
<u> </u>		1		JUJ JEJ WIE, JE JII, JII

Table B-4. Landforms and Commonly Associated Soils

		Commonly As	sociated Soils		
Landform / Bedrock	Climate	Horizon ¹	USCS Symbol ²		
	semi arid	Α	SM		
		В	SM		
		С	ML-SM, SM, GM, SM, ML		
Continental alluvium	unspecified	unspecified	CL, SC, CL-CH, CH		
	semi arid	A	CL		
		В	CL		
		С	CL		
Playas	unspecified	unspecified	ML. CL, SM, SC, MH, CH		
Swamps, Bogs, and Marshes	unspecified	unspecified	PT, OH, CH, MH, OL		
Coastal Plain Uplands	unspecified	subsurface (A)	SM, SP-SM		
		subsurface (B)	SM, SC, SP-SM		
	humid	A	SM		
		В	SC, SM		
		С	SC, SM		
Coastal Plain Depressions	unspecified	unspecified	OL, ML, CL, ML-CL, MH, CH, OH,		
			PT		
Beach Ridges	unspecified	surface (A)	SM, GM		
		subsurface (B)	SP, GP, GP-GM, SP-SM, SW		
	humid	A	SM		
		В	absent		
		С	SP, SM		
Tidal Marsh	unspecified	surface (A)	PT		
		subsurface (B)	OL, OH, MH		
Mud Flat	unspecified	unspecified	СН, СН-МН, СН-ОН		
Sand Flat	unspecified	unspecified	SP		

¹ Horizons are the distinct layers distinguished by differing types of soil materials. ² Unified Soils Classification System.

 ³ Granitic rock includes rhyolite porphyry, trachyte porphyry, dacite porphyry, basalt porphyry, augitite porphyry, granite, syenite porphyry, syenite, diorite porphyry, diorite, gabbro porphyry, gabbro, pyroxenite porphyry, pyroxenite periodotite.
 ⁴ A much wider range of texture is possible as in the North Central United States.




Figure B-20. Transportation and LOC Legend Symbols

Table B-5. Lane Widths Typical of Current Military Maps

Road Type / Category / Number of Lanes	Width in Meters	Width in Feet
Trail	less then 1.5	less then 5
Track	at least 1.5 but less than 2.5	at least 5 but less than 8
One Lane	at least 2.5 but less than 5.5	at least 8 but less than 18
Two Lanes	at least 5.5 but less than 8.2	at least 18 but less than 28
More than Two Lanes	at least 8.2	at least 28

Table B-6. Urban Area Building Type Codes and Descriptions

Description	Туре
Wood and timber frame construction	1
Masonry construction	2
One or two family dwellings	3
Prefabricated one familty dwellings	4
Low rise office buildings	5
High rise office buildings	6
Low rise apartment buildings	7
High rise apartment buildings	8
Buildings common to newer industrial and warehouse complexes	9

Add a second digit to the type to designate the cover and concealment potential for each uban built-up area. Use the following codes for the second digit: a – building type interior and entrances large enough for TM equipment, b – exterior sufficient for some concealment of TM equipment, and c – unsuitable as cover or concealment for TM equipment. Example, 1a is a wood and timberframe construction building with an interior and entrances large enough to house TM equipment.

DTG: Classification:	/-> \M/ - - - - - - - - - - - -			Page: of:
CCM Overlay	(s) Worksheet Ter	nplate (U)		
Vehicle Characteristics θ Single Vehicle CCM Overlay (Listed Below) θ Multiple Vehicle CCM Overlay (Listed Below)		Maximum Or Maximum Of	cle Characteristics to be Use In-Road Speed F-Road Speed	Kph Kph
		Maximum On-Roa Maximum Off-Roa Vehicle Cone Index	ad Gradability Vehicle Width	Degrees of slop Degrees of slop Meters #
		V	ehicle Length ry Class Load	Meters Meters Tons
Cross-Country Movement Category Definition Speed Category Default Category Descriptor kph Kph Go / Unrestricted	User Speed	Category Kph	User Defined Cate	egory Descriptor
Kph Kph Restricted Kph Kph Severely Restricted Kph Kph No Go	Kph Kph Kph	Kph Kph Kph		
Notes:	Kph Kph Kph	Kph Kph Kph Kph		
Vehicle Speed versus Slope and Slope-Intercept-Frequency (SIF) Factor	Kph Kph	Kph Kph		
0 Dry Terrain 0 Wet Terrain 0 Other:		Deg of slope Deg of slope		Kph SIF Factor
Deg of slope Deg of slope Kph Si	IF Factor [Deg of slope Deg of slope Deg of slope	Deg of slope Deg of slope	Kph SIF Factor Kph SIF Factor Kph SIF Factor Kph SIF Factor
		Deg of slope		Kph SIF Factor
Deg of slope	IF Factor	Deg of slope Deg of slope Deg of slope	Deg of slope	Kph SIF Factor Kph SIF Factor Kph SIF Factor
Deg of slope Deg of slope Kph Sl	IF Factor [Deg of slope Deg of slope Deg of slope	Deg of slope Deg of slope	Kph SIF Factor Kph SIF Factor Kph SIF Factor
Vehicle Speed versus Slope, Slope-Intercept-Frequency (SIF) Factor, and Surface Roug Surface Materials Code and Description Dry RCI Moist Ri GW Gravel or Sandy Gravel, Well Graded	hness Factor	Dry Soil Factor		Surface Roughness Factor
GP Gravel or Sandy Gravel, Poorly Graded GM Gravel, Silty GC Gravel or Sandy Gravel, Clayed				
SW Sand, Well Graded SP Sand, Poorly Graded SM Sand, Silty				
SC Sand, Clayey ML Silts CL Clays				
OL Organic Silts				
OH Fat Organic Clays PT High Organic Soils or Peat R Rock Outcrops				
W Open Water Notes:				
TMD IPR Template 18 March 2000 Classification:				duction Authorized

Figure B-21. CCM Overlay(s) Worksheet (1 of 2) Template

DTG	: Classification:			Page: of:
		CCM Overlay(s) Worksheet Template (U)		
Veget	ation Factor	1 37		
A1 A2 A3	urface Materials Code and Description Agriculture (Dry Crops) Agriculture (Wet Crops, Rice) Agriculture (Terraced Crops, both Wet and Dry)	Vegetation Factor	Vegetation Roughness Factor	
A4 B1 B2 C	Agriculture (Shifting Cultivation) Brushland (<5-meters High, Open to Medium Spacing) Brushland (<5-meters High, Medium to Dense Spacing Coniferous / Evergreen Forest			
D E F G1	Deciduous Forest Mixed Forest (Coniferous / Deciduous) Orchard / Plantation (Rubber, Palm, Fruit, etc.) Grassland, Pasture, Meadow			
G2 H I J	Grassland with Scattered Trees, some Scrub Growth Forest Clearing (Cutover Areas, Burns, etc.) Swamp (Mangrove, Cypress, etc.) Marsh / Bog (Treeless Bogs, Muskegs, etc.) Wetlands (Low-Lying Wet Areas)			
L M	Vineyards Bamboo			
Not	es:			
Not	es:			
TMD	PB Template 18 March 2000 Classification:		Local Reprodu	action Authorized

Figure B-21. (Continued) (2 of 2)

DTG: Classification												Page: _	of:
	Cli	matolo	gy As	sessm	ent Te	mplate	e (U)						
Name of Area	140												
Description of Area	130												
	120												
BE Number													
Centroid of Area													
MGRS	100												
Latitude Longitude	90												
Radius Climatology Valid For	~~												
Kilometers Climatic Region	80												
omnuto region	70												
General Climate Descriptions	/\(0\)												
	60												
	-												
	50												
Natural Climate Hazards Descriptions	40											-	
	30												
	20												
Surface	10												
Air	0												
Temperature													
Degrees (F)	-10												
	-20												
	-30												
	-40												
Extreme High Ten		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
— — — — — — — — — Average High Tem Mean Temperature	perature												
— · · — · · — · · — · · — Average Low Tem	perature												
Extreme LowTemp		l	F-1-	Man	A	Merri	Lun	Lut	A	C	0-4	New	
Mean Precipitation	Units Inches	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average Low Precipitation Average High Snow Accumulation for a 1 Hour Period	Inches Inches												
Mean Snow Accumulation for a 1 Hour Period	Inches												
Average Maximum Snow Accumulation for a 24 Hour Period Mean Relative Humidity @ 0600 Local Standard Time	Inches %												
Mean Relative Humidity @ 1300 Local Standard Time Prevailing Surface Wind Direction	% Direction												
Mean Prevailing Direction Surface Wind Speed	Knots												
Mean Surface Wind Speed All Observations Average maximum Peak Surface Wind Gust Speed	Knots Knots												
Mean Cloud Cover % Frequency of Ceiling / Visibility < 3,000 ft / 3 Statute Miles	%												
% Frequency of Ceiling / Visibility < 300 ft / 1 Statute Miles	%												
% Frequency of Ceiling / Visibility < 200 ft / 0.5 Statute Miles Mean Cloud Top Altitude	% Feet												
Minimum Cloud Top Altitude % Frequency of Thunderstorm	Feet												
Mid Month Sunset ¹	% HHMM												
Mid Month End of Evening Nautical Twilight (EENT) ¹ Mid Month Beginning of Morning Nautical Twilight (BMNT) ¹	HHMM												
Mid Month Sunrise ¹	ННММ												
# = less than 0.5 day, or 0.05 inch, or 0.5%, as applicable * = Data not available N = North, NE = Northeast, E = East, SE = Southeast, S = South, SW, = \$	outhwest. W	= West, NW :	= Northwest										
1 = Light data calculated using the year and the mid month b	eing the 15th	of each mont	h with all tim	es adjusted	to local stan	dard time for	:						
TMD IPB Template 18 March 2000 Classification	:									Local	Reproduc	tion Autho	rized

Figure B-22. Climatology Assessment Template

DTG: Classification	on:								Page: _	of:
We	ather Eff	ects on	TM Force	e Operat	ions Ten	nplate (U)		<u> </u>	
								May Be		Strongly
	Strongly Disfavorable Precludes Operations	Unfavorable to	May Be Favorable or Unfavorable	Favorable to	Strongly Favorable to	Strongly Disfavorable Precludes Operations	Unfavorable to	May Be Favorable or Unfavorable	Favorable to	Strongly Favorable to
Effected Missile Operation	Operations	Operations	to Operations Sound Temper		Operations	Operations	to Operations	to Operations nd Surface Wi	Operations	Operations
Effected Missile Operation		Upper E	sound remper	ature (F)			оррег вои	nd Surface Wi	nas (knots)	
		Lower E	Bound Temper	ature (F)			Lower Bou	nd Surface Wi	inds (knots)	
										-
										
										
		Visit	pility (statute r	niles)			(Cloud Cover (%	6)	
										
										-
										-
		CI	oud Ceiling (fe	et)			Cloud	Tops Altitude	(feet)	
		· ·	oud coming (i				0.000	Торотина	(1000)	
										-
										-
										-
		Pre	cipitation (inc	hes)			Snow A	Accumulation	(inches)	
										-
										
										
		Thunderstori	ms (Heavy, Mo	derate, Light)			Lightening	(Heavy, Mode	erate, Light)	
	-									
										-
										
Notes:										
TMD IPB Template 18 March 2000 Classification	on:							Local Repr	oduction Auth	orized

Figure B-23. Weather Effects on Adversary TM Force Operations Template

DTG:	Classificat	ecasted Weather Effects on T	M Force Operations Tomple	Page: of: ate (11)
Name of Area	Current / For			
Name of Area		Current Weather Valid for Date / DTG	Thro	ough
Description of A	Area			
BE Number Centroid of Are	ea	Forecast Weather Valid for Date / DTG	Thro	ough
MGRS				
Latitude Longitude				
Radius Climato	logy Valid For			
Kilometers Light Data				
BMNT	EECT	Sunrise		nrise
BMCT	EENT	Sunset		onset
	Effected Missile Operation	Temperature (F) Current Condition	Surface Winds (knots) Current Condition	Visibility (statute miles) Current Condition
		Cloud Cover (%)	Cloud Ceiling (feet)	Cloud Tops Altitude (feet)
	Effected Missile Operation	Current Condition	Current Condition	Current Condition
		Dresinitation (inches)	Charles (molecular)	Thursdaystowns 0 Lightoning
	Effected Missile Operation	Precipitation (inches) Current Condition	Snow Accumulation (inches) Current Condition	Thunderstorms & Lightening Current Condition
Key 1 (Blue) = Str	ongly Disfavorable / Precludes Operations	4 (Yellow) = Favoral	ble to Operations LIA (White	re) = Currently Unavailable
2 (Green) = U	nfavorable to Operations	5 (Red) = Strongly F	Favorable to Operations	, , , , , , , , , , , , , , , , , , , ,
3 (Gray) = Ma	y Be Favorable or Unfavorable Depending	on the Circumstances NF (Black) = Not a F	actor	
Notes:				

Figure B-24. Current/Forecasted Weather Effects on TM Force Operations Template

G: _	S: Classification: of: TM Force Required Infrastructure Assessment Template (U)									
							•		Description and Notes	
		RDT&E	Suc		n(s)	n(s)		11 0.00 010.11011	occomption and notes	
			ratic	ons	cţio	cţio				
	u		obe	erati	Ē	Ε̈́				
	nctic	щ	nal	ö	ired	nal				
	rod	DI	atio	ield	nbe:	ptio	Delevery Franchise (c) on December	Secondary Function(s), Processes, or Components	Feeds or Interfaces with Function(s)	N-4 / O
	_	~			~	$\stackrel{\circ}{\neg}$	Primary Function(s) or Process	or Components	or Processes	Notes / Comments
					_	_				
\dashv	_		-	-	\dashv					
_										
-			=		_	-				
-			-	_	_	-				
					Ī					
\exists		П		_		\dashv				
\dashv		\vdash	\vdash	\dashv	\dashv	\dashv				
4		Ш	Ш	_	_	_				
						\neg				
\dashv		\vdash	Н	\dashv	\dashv	\dashv				
4				_	_	_				
\neg										
-				-	_	-				
4										
\dashv					\dashv	=				
4				_	_					
\neg										
\dashv	_		-	\dashv	\dashv	$\overline{}$				
4										
\exists			=		_	_				
\dashv	_		-	-	\dashv	\rightarrow				
Ц		Ш				\Box				
\exists		П				\dashv				
\dashv	_	Н	\vdash	\dashv	\dashv	\dashv				
4	\vdash	Н	Ш	_	_	_				
	L	L								
7						\neg				
\dashv		Н	H	-	\dashv	\dashv				
\dashv		\vdash	\vdash	-	-	\dashv				
	[I					
\exists		П				\dashv				
\dashv		\vdash	Н	\dashv	\dashv	\dashv				
4		Ш	Ш	_	_	_				
	L	L								
7				П	\neg	\neg				
\dashv		Н	H	\dashv	\dashv	\dashv				
\dashv		H	Н	-		_				
					I					
\exists		П	П		\neg	\dashv				
\dashv	\vdash	\vdash	H	\dashv	-	\dashv				
_		Ш	Ш		_	_				
						- 1	i .	1.1		

Figure B-25. TM Force Required Infrastructure Assessment Template

Integrated TM Force Infrastructure List Template (U) TM Force Overview Description and Notes TM Force Overview Description and Notes MIDB Facility Name BE Number Latitude or MGRS N/S Longitude E/W Primary Function	of:
nctional Code	
BE Number Latitude or MGRS N/S Longitude E/W Primary Function	
ID WIDB Facility Name BE Number Latitude or MGRS N/S Longitude E/W Primary Function	
ID MIDB Facility Name BE Number Latitude or MGRS N/S Longitude E/W Primary Function	
ID S E MIDB Facility Name BE Number Latitude or MIGRS N/S Longitude EAW Primary Function	
	(s)
•	
TMD IPB Template 18 March 2000 Classification: Local Reproduction Authori	

Figure B-26. Integrated TM Force Infrastructure List (1 of 2) Template

DTG:	Classificatio	n:			Pa	ge: of:					
	Int	egrated TM Force Infra	astructure List Tem	plate (U)							
		Functio	onal Codes			Fifth					
Located Codes	First Character Operations Level	Second Character Function	Third Character Subfunction	Fourth Character Sub-subfunction	Fifth Character Type	Character WMD Relationship					
C - Confirmed P - Probable / Possible A - Assessed U - Unknown	N - National Operations O - Operational Operations T - Tactical / Field Operations Z - Other U - Unknown None	A - Administration 2 - Command and Control (C2) C - Communications E - Port of Entry X - Research and Development P - Production Y - Testing T - Training G - Garrison D - Depot S - Storage F - Field Operations M - Air Defense Z - Other U - Unknown None	H - Headquarters Ops C - C2 Operations G - General Operations M - Missile Operations F - Fire Control Operations W - Meteorological Ops S - Storage V - Vehicle Parking P - Personnel S - Security E - Power Generation Z - Other U - Unknown None	M - Missile A - Airframe W - Warhead E - Warhead Mating C - Checkout T - Transload F - Fueling L - Launcher R - Fire Control 2 - C2 G - GSE P - Missile Fuel O - Missile Oxidizer D - POL B - Access Control H - Housing S - Support Z - Other U - Unknown - None	C - Fixed Complex B - Bunker Complex T - Tunnel Complex T - Tield / Unprepared G - Field / Prepared A - Airfield P - Port R - Road I - Railroad W - Waterway Z - Other U - Unknown - None	C - Chemical B - Biological N - Nuclear Z - Other U - Unknown None					
Use / Instructions: 1 Using the "Adversary TM Force Required Infrastructure Assessment" Template and the TO&E assessment fill the Ids, Functional Category Codes, and Primary Function(s) fields in this template with the required and optional infrastructure in the appropriate quantities. This forms the "Initial Integrated TM Force Infrastructure List"											
·											
,	•	ary TM force infrastructure. This forms the		•							
4 Repeat process as	often as required.										

DTG: Classification: Page: of:											
		General Fa	acility / Area As	sessment Ten	nplate	(U)					
Facility / Area MIDB Nam	ie				•	,					
BE Number		Latitude	UTM MGRS	ı		NS Long	itude				
Elevation (m)	Datum: WGS	-84 Other									
Elevation (m) Datum: 4 Other Geographic Coordinates for Reference Only Do Not Use for Precise Targeting Integrated Infrastructure List ID Functional Code from Integrated Adversary TM Force Infrastructure List											
-											
MIDB Category Code(s)											
-	Target Materials Available: Basic Target Graphic (BTG) Target Folder Operational Support Plan Other										
Target: Soft Hard PV Character Code:											
Hard Targets Consist of:											
Data Bases Searched ICOD: From To Related Message Traffic											
ALE	COD. FIGHT		DTG	Originato	r		Subject				
IESS							•				
SAFE											
☐ See Attached for More Data	Bases Searched		☐ See Attached for Mo	ore Related Message Ti	raffic						
Facility /Area Event Chro				Ū							
Eve	nt / Activity / Ite	m of Interest		Date	Time	(zulu)	Start	Finish			
			<u>_</u>								
				——————————————————————————————————————							
											
TMD IPB Template 18 March 200	n Classific	ration:					Local Poprodu	ction Authorized			

Figure B-27. General Facility/Area Assessment (1 of 4) Template

DTG:	Classification:							Page: of: _	
	Ge	neral	Facility / Are	ea Assess	ment Templa	ate (U)			
Facility / Area - Significance	e / Function					. ,			
Tubinty / / ubu biginiibunib	071411041011								\neg
Facility / Area - Physical De	scription								
Facility / Area Status: Acti	ive 🗆 Inactive 🗆 Ui	nder C	onstruction \square	Under Mod	lification 🗆 Ot	:her:			
Organization Name(s) and/o	or Unit(s) Designato	r(s) N	/lilitary □ Civili	ian □ Other					
	, ,		Subordinate To			Su	bordinate Unit(s)		
Laurada a Utala Adeada									
Launcher Hide Criteria	Dimensions (m)	N:44L		V Ualabe		Vlandi		Ventilation Demilier	_
Launcher Type	Dimensions (m) V			X Height		X Length		Ventilation Required	
je	Dimensions (m) V			X Height		X Length		Ventilation Required	
	Dimensions (m) V	Vidth		X Height		X Length		Ventilation Required	
Lau Lau	Dimensions (m) V	Vidth		X Height		X Length		Ventilation Required	
Communication Link(s)	# Observed		Transportation	Interface(s)	# Observ	ed		# Observe	d
Above Ground Landline			Roads CAT 1/2			Air (F	Runways, HWY Strips	, etc.) 🗆	
Buried Landline			Roads CAT 3			Sea	(Ports, Docks, etc.)	□	
HF Radio			Roads CAT 4						
Microwave			Roads CAT 5			-			Ц
Other Radio			Roads CAT 6		₽ ├──	-			4
Satellite Communications	, <u> </u>		Roads CAT 7			-			\dashv
None Observed			Railroads		1 :: 	None	e Observed		\dashv
Electrical Power Interface(s	s)								
Uses Local Power Grid	□ Above Ground					□ Ot			
On-Site Power Generation	n □ Below Ground	Trans	mission Lines	☐ Back-Up	o Power Capabi	lity 🗆 No	one Observed		
Associated Security									
Terrain □ Single Fen		ced 🗆	Manned Secu	rity 🗆 On-S	Site SAMs 🗆 O	ther			
Vegetation ☐ Double Fe	nced Walled		Guard Posts	□ On-9	Site AAA 🛛 N	one Obser	rved		
TMD IPB Template 18 March 2000	Classification:						Local	Reproduction Authorized	

Figure B-27. (Continued) (2 of 4)

DTG: Classification:	Page: of:
General Facility / Area Assessment Template (U)
Critical Elements (CE) / Critical Nodes (CN) / High Value Targets (HVT) Within	,
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS	
Datum: WGS84 Other PV Char Code Posic Physical Share	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
	Cristianal Florence Destinants
CE / CN / HVT Mensurated Point (MP) Element or MP ID # Elevation M Ft Latitude UTM MGRS	Critical Element Rationale
Latitude	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS . Lement of MI D L	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude Longitude	
Datum: WGS84 ☐ Other PV Char Code JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
Sincin odde Lengur (iii) Wadir (iii) Teight (iii) Dasic i nystear onape	
CELONUINE C Managed A Brist (MD) C Firment or MD ID # C Firment or MD ID #	Critical Element Rationale
CE / CN / HVT Mensurated Point (MP) Element or MP ID # Elevation M Ft Latitude UTM MGRS	C. I. C. C. C. C. C. C. C. C. C. C. C. C. C.
Latitude UTM MGRS Longitude Longitude Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude	
Datum: WGS84 Other PV Char Code JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
TMD IPB Template 18 March 2000 Classification:	Local Department on Authorized
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Authorized

Figure B-27. (Continued) (3 of 4)

DTG:	Classificat	ion:				Page:of:				
		GeneralFacility/Ar	reaAssessmentTe	emplate(U)						
	RecommendedImageryViewsandCodes									
3nm/5.56kmx3nm/5.56 1nm/1.85kmx1nm/1.85 0.67nm/1.24kmx0.67nn CriticalElement/MP[Targ Blueprints/Sketches/Dra Equipment	Arca(Orientation)] km[TargetArea/Overview(Miss km[TargetArea/Overview(Miss km[Target(AttackParameters)] n/1.24km[Target(AttackParame jet(AttackParameters)] wings	ionPlanning)] ionPlanning)] ters)]	nendedImageryViews EOResolution 3 NIIRS3 3 NIIRS3 3 NIIRS4 3 NIIRS4 3 NIIRS5 3 NIIRS5	0.61m/2ft 0.61m/2ft 0.61m/2ft 0.61m/2ft	RadarResolution 2.44m/8ft 2.44m/8ft 2.44m/8ft 2.44m/8ft 2.44m/8ft 2.44m/8ft	Angle Vertical NearVertical 1 NearVertical 1 NearVertical 1 NearVertical 1 NearVertical 1 NearVertical 1 Verticaland/orCutaway HandHeld				
'AlsoIncludeObliqueSh	ot-LineofApproach/LookAngleW		0.101	## Q!	511.01					
FunctionCodes	1stCharacter N-NationalOperations O-OperationalOperations T-Tactical/FieldOperations Z-Other U-UnknownNone	2ndCharacter A-Administration 2-CommandandControl(C2) C-Communications E-PortofEntry X-ResearchandDevelopment P-Production Y-Testing T-Training G-Garrison D-Depot S-Storage F-FieldOperations M-AirDefense Z-Other U-UnknownNone	3rdCharacter H-HeadquartersOps C-C2Operations G-GeneralOperations M-MissileOperations F-FireControlOperatio W-MeteorologicalOps S-Storage V-VehicleParking P-Personnel S-Security E-PowerGeneration Z-Other U-UnknownNone	HhCharact M-Missile A-Airframe W-Warhead E-WarheadMains Ins I-Transload F-Fueling L-Launcher R-FireControl 2-C2 G-GSE P-MissileFuel O-MissileOxidi D-POL B-AccessContr H-Housing S-Support Z-Other U-UnknownNone	C-FixedCom B-BunkerCor T-TunnelCor F-Field/Unpr G-Field/Prep A-Airfield P-Port R-Road I-Railroad W-Waterway Z-Other U-UnknownNone	plex mplex nplex nplex epared vared				
CAT2 SiteEntra CAT3 SiteEntra CAT4 SiteEntra	ancelsLargerThanTMLauncherA ancelsLargerThanTMLauncherA	.TheSiteEntranceIsLargeEnoug ndSubstantialReportingOrImager ndHasFairTogoodAccessibility ButHasPoorAccessibilityOrIsKno	ryIndicatorsExistImplyingTheS	iteCou ldBeTMRelated	OrTMActivityHasBeenC	Dbserved				
AG-AboveGround PUG-PartiallyUnderGro B-Bridge	OA-OpenArea und C-Culvert CP-ChokePoint	Struc HB-HighBay BN-Bunker	ctureTypeCodes RV-Revetted T-Tunnel	FS-FenceSecured BA-BunkerAdit	UG-Unde TA-Tunne					
			PVCodes							
1stand2ndCharactersI SS MS	NumberofStoriesintheStructure SingleStory MultipleStory		Exceptions Single-Sto Multistoryl	: ryLoad-BearingWall-Loq Load-BearingWall-Logar Iimpliesstructureissingle	ndTimberWalls	LOG1 LOG2				
FollowingCharacters AD WB WF VLWF RC	AdobeWalls MasonryLoad-BearingWal WoodFramed VeryLightWoodFramed ReinforcedConcrete	LCF SF	MonumentalMasonryLoad- HeavyCompositeFramed LightCompositeFramed SteelFramed		F HeavyStee F LightSteel					
CraneCapacityForBuildin HCF[10- ASpacePlusAfterPVCod UseMultipleStoryCodeF	LF LightFran VLF VeryLight ngswithCranes 50tons] LCF,SSLS le: BR Blast-Resi	e.RCLF=ReinforcedConcreteFrat ned(spans<22.86m/75ft)Columi FramedorColumns&TrussesorC SF,&RCLF[<10tons] stantDesign ER utreCanBePositivelyIdentifiedAs	ns&RoofSlaborArch(rigid) olumns&Beams ASpacePlusAfterPVCode Earthquake-ResistantDesig							
C Concrete M Metal S Shingled W Wood U Unknown		Codes	CAT3 Pa CAT4 Un CAT5 Un CAT6 Un	LOCandLC ved,AllWeather,Highwa ved,AllWeather,Undivid paved,Improved,Dry- paved,Unimproved,Dry- paved,Unimproved,Dry- paved,Unimproved,Dry-	edHighway,LessThanT ther,TwoLanesWide Weather,Earthen,1-2La Weather,Earthen,1Lane	woLanes nesWide e(Track)				
TMDIPBTemplate18Ma	arch2000 Classificat	ion			LocalDo	productionAuthorized				

DTG: Classification: Page: of:									
		Field Oper	ating A	rea Assessment	Template ((U)			
Assigned Field Oper	rating Area ID # Assi	gned Name for the Field (perating Are	ea					
•	Fixed Facility (MIDB Name)								
-	ted Fixed Facility (MIDB Name)								
-	ted Fixed Facility (MIDB Name) ted Fixed Facility (MIDB Name)								
-	ted Fixed Facility (MIDB Name)								
-	Distance of Associated TM Activ	vity From the Primary Ass	ociated Fixe	d facility					
Associated Launch	Activity	Km Associated Suppor	t Operations	Activity	Km Associ	ated Field Storage	Operations Activity	k	
Expected Associate	d TM Unit(s)								
Unit TM Type		Unit Designator(s)			Unit c		ring Batter	
						l'	3	ring Batter ring Batter	
Field Operating Area	a Location								
BE Number		nt 🗆 Radius (km)		Area / Polygon □ I	Route / Polyline [□ Datum: WGS8	4 🗆 Other:		
	nits: Dd.decimal Ddmmss Coordinates: Latitude		□ UTM □ C ongitude	Other:	MGRS		See Attached for Further De UTM ☐	finition [
			origitude		IVIORS		OTWI		
	a / Polygon / Route / Polyline De atitude / MGRS / UTM N S Lo	ngitude E W	Latitude	/MGRS/UTM N S Lon	gitude E W	Latitu	de / MGRS / UTM N S Longitude	e E V	
Starting Point	00	□□ Next F				Next Point			
Next Point		□□ Next F				Next Point			
Next Point		□ Next F				Next Point			
Next Point	00	□□ Next F				Next Point			
Next Point		□□ Next F				Next Point		=======================================	
Next Point		□□ Next F	oint			Next Point		<u> </u>	
Next Point	00	□□ Next F	oint			Next Point			
Next Point		□□ Next F	oint			Next Point			
Next Point		□□ Next F				Next Point			
Next Point		□□ Next F				Next Point			
Next Point Next Point		□ Next F				Next Point Next Point			
Next Point		□□ Next F				Next Point Next Point		=======================================	
Next Point		□□ Next F				Next Point		=====	
Next Point		□□ Next F	oint			Next Point			
Next Point	00	□□ Next F	oint			Next Point			
Next Point	00	□□ Next F				Next Point			
Next Point		□□ Next F				Next Point			
Next Point Next Point	00	□ Next F				Next Point			
Next Point		□□ Next F				Next Point		=======================================	
Next Point		□□ Next F				Next Point			
Next Point	00	□□ Next F	oint			Next Point			
Next Point	00	□□ Next F				Next Point			
Next Point		□□ Next F				Next Point			
Next Point		□□ Next F				Next Point Next Point			
Next Point		U Next F				Next Point Next Point	00		
Next Point		□□ Next F				Next Point			
Next Point		□□ Next F				Next Point			
Next Point	00	□□ Next F	oint			Next Point			
Next Point	00	□□ Next F				Next Point	00		
Next Point		□□ Next F				Next Point			
Next Point		□ Next F				Next Point			
Next Point _		□ Next F	oint			nding Point			
Notes:	JUU	JOS ROAT	ont	<u> </u>	Jour	Total Land	<u> </u>		
	- 18 March 2000 Clas	sification:					Local Reproduction Author		

Figure B-28. Field Operating Area Assessment Template

DTG: Classification: Page: of: Area Limitation Worksheet Template (U)														
		area Li	iiiitati	OII WU	IKSHE		ipiate	(0)						
	Slope Less Than or Equal to xx Degrees	Within xx Kilometers of Roads	Identified Potential Hide Site Radius in Meters	Within xx Kilometers of a Potential Hide Site	Within xx Kilometers of a Potential Launch Site	Within xx Kilometers of a Communications Link or Node	All Roads +/- xx Meters	Xxxx Meters Into Tree Cover	Within xxx Meters of the Tree Line	Exclude Dry Season Obstacles	Exclude Wet Season Obstacles	Other:	Other:	Other:
Field Launch Operations Capable Areas	i													
Field Hide Site Capable Areas	i [
Field Transload Operations Capable Areas	s [
Field Warhead Mating Operations Capable Area	s [
Field Fueling Operations Capable Areas	s [
Field Storage Site Capable Areas	i													
Field TM Related Communications Capable Areas	s													
Other:														
Other:														
Other:														
Other:														
Other:														
Other:														
Other:														
Other:														
Other:														
Other:														
Notes:														

Figure B-29. Area Limitation Worksheet Template

SUGGESTED TEMPLATES FOR STEP THREE OF THE TMD IPB PROCESS "EVALUATE THE TM FORCE"

DTG:								
	Do	ctrir	nal T	em	olat	e(s) Requirements Template (U)		
	Required	Optional	Not Required		Status (G, Y, R)			
Organizational / C ⁴ I Templates National Level Organization and Command & Control	Ö	\Box		ı 🗀	<i>"</i>	Doctrinal Template Purpose Provide a adversary TM force level breakent of major assigned units, equipment, command, and control		
l	Н	Н		-		Provide a adversary TM force level breakout of major assigned units, equipment, command, and control		
Adversary TM Communications Structure	H	Н		-		Provide the adversary TM force organizational structure and assigned equipment by brigade Provide the adversary TM force unit level command and control structure		
Adversary TM Communications Structure	Н	Н		┞		Provide the adversary I in force unit level command and control structure		
Other:	Н	Н		-				
Other:	Н	Н		-				
Other: Equipment Templates	Ш	Ш		L				
Missile						Provide detailed equipment information and graphics for adversary theater missiles		
Launcher	H	Н				Provide detailed equipment information and graphics for adversary TM launchers		
Radar	Н	Н				Provide detailed equipment information and graphics for adversary TM radars		
Ground Support Equipment	Н	Н				Provide detailed equipment information and graphics for adversary TM ground support equipment		
Other:	Н	Н						
Other:	П	П						
Other:	Н	Н	Н	一	\exists			
TTP Templates	ш	ш		· -				
Adversary TM Force Attack Objectives						Provide the adversary TM force attack objectives		
Adversary TM Force Potential Target List	H			┢		Provide assessment of potential adversary TM force target list		
Adversary TM Unit Functional Breakout	H	H		-		Provide a functional breakout of the adversary TM force units		
Adversary TM Unit Spatial Deployment TTP	H	H		┢		Provide the spatial deployment patterns for adversary TM force units		
Adversary TM Employment TTP	Н	Н		-		Provide the employment TTP for adversary TM force units		
Other:	Н	Н		┟┢				
Other:	H	Н		┢				
Other:	Н	Н		-				
Operational State Templates	ш	ш		I L				
National Level Garrison - Peacetime						Provide the operational state diagrams and timelines for the day-to-day peacetime adversary TM force garrison		
National Level Training						Provide the operational state diagrams and timelines for national level adversary TM force level training		
National Level Operational Testing						Provide the operational state diagrams and timelines for national level adversary TM force operational testing		
National Level RDT&E Testing						Provide the operational state diagrams and timelines for national level adversary TM force RDT&E testing		
National Level Depot and Storage						Provide the operational state diagrams and timelines for national level adversary TM force depot and storage		
Peacetime National Level to Field Garrison Deployment						Provide the operational state diagrams and timelines for peacetime national to field garrison deployments		
Crisis National Level to Field Garrison Deployment						Provide the operational state diagrams and timelines for crisis national to field garrison deployments		
Field Level Garrison - Peacetime						Provide the operational state diagrams and timelines for the day-to-day peacetime adversary TM force garrison		
Field Level Training						Provide the operational state diagrams and timelines for field level adversary TM force level training		
Field Level Depot and Storage	Ш	Ш		L		Provide the operational state diagrams and timelines for field level adversary TM force depot and storage		
Peacetime Field Level to Field Operating Area Deploymen	t			L		Provide the operational state diagrams and timelines for peacetime garrison to field op area deployments		
Crisis Field Level to Field Operating Area Deployment	Ш	Ш		L		Provide the operational state diagrams and timelines for crisis garrison to field op area deployments		
Field Storage	Ш	Ш		ΙL		Provide the operational state diagrams and timelines for field op area field storage		
Field Warhead Mating Operations	Ш	Ш		ΙL		Provide the operational state diagrams and timelines for field op area warhead-to-missile mating operations		
Field Fueling Operations	Ц	Ш				Provide the operational state diagrams and timelines for field op area missile fueling operations		
Field Checkout Operations	Ц	Ш		ΙL		Provide the operational state diagrams and timelines for field op area missile checkout operations		
Field Transload Operations	Ш	Ш		L		Provide the operational state diagrams and timelines for field op area missile transload operations		
Field Hide Operations	Ш	Ш		L	_	Provide the operational state diagrams and timelines for field op area TM launcher hide operations		
Field Fire Control Operations	Ц	Ш		_	_	Provide the operational state diagrams and timelines for field op area TM fire control operations		
Field Launch Operations	Ц	Ш		_	_	Provide the operational state diagrams and timelines for field op area missile launch operations		
Field Targeting Operations	Ш	Ш		ΙL	_	Provide the operational state diagrams and timelines for field op area TM targeting operations		
Field Communications Operations	Ц	Ш		$ \perp$	_	Provide the operational state diagrams and timelines for field op area communications operations		
Other:	Щ	Ш	Ш	_	_			
Other:	Ц	Ш		_	_			
Other:	Ш	ackslash		L				
TMD IPB Template 18 March 2000 Classifica	tion:					Local Reproduction Authorized		

Figure B-30. Doctrinal Templates Requirements Template

DTG: Classification:			Page:	of:
	TM Equip	ment Template (U)		
System Image		System Altitude versus Ground Range Trajectory plot		
Control by and and an Estamal Decision		Torical Control Flight Profile with Malay Control Fronts		
System Internal and / or External Drawings		Typical System Flight Profile with Major System Events		
Constitute		Defense and Date		
General Data Primary TM System Name	\neg	Performance Data Maximum Range	Km	
TM System Designator		2/3 Range	Km	
Indigenous TM System Designator Number of Stages	#	Minimum Range Maximum Apogee or Altitude	Km M	
Stage Propulsion Types		Cruising Altitude	M	
Total Missile Length	M	Maximum Time of Flight	Second	
Payload Length Maximum Missile Diameter (less fins or wings)	M M	Maximum Operation Time for Propulsion System CEP or Accuracy	Second:	S
Missile Diameter / Wing Span (with fins or wings)	⊢ m	Total Missile Reliability	- W	
Payload Data		Typical Nose-On (+/- degrees) Signature Data	_	
Payload Options		10 GHz Median RCS (Circular)	DBsm	
		5.5 GHz Median RCS (Circular)	DBsm	
Type of Guidance, Navigation, and Control		3 GHz Median RCS (Circular)	DBsm	
Typical Payload Mass	Kg	10 GHz Median RCS (Horizontal) 5.5 GHz Median RCS (Horizontal)	DBsm DBsm	
Typical Warhead Mass	Kg Kg	3 GHz Median RCS (Horizontal)	DBsm	
Notes:				
Notes.				
TMD IPB Template 18 March 2000 Classification:		Local Reproduct	ion Authori	zed

Figure B-31. TM Equipment Template

DTG:	_ Classification:		Page: of:							
	TM Equipmer	nt List Template (U)								
No. Unit or Facility or Area Identification	ational Level Equipment List Unit Leve	Equipment List	ipment List							
,,,	Equipment Class									
TM System										
Missile Launcher										
Fire Control										
File Collifor										
Missile Handling										
Missile Checkout										
Missile Fueling										
Missile Support										
Site Survey Support										
Meteorological Support										
Engineer										
Security										
General Support										
Other										
TMD IPB Template 18 March 2000	Classification:		Local Reproduction Authorized							

Figure B-32. TM Equipment List Template

DTG:	Classification:				P	age: of:
	TM System Gro	und Vehicl	e Equipment Template	(U)		
Vehicle Designator / Name						
Vehicle Purpose / Class		1				
Associated Missile System		Matara	Maximum On-Road Speed			Kph
Length Width		Meters Meters	Maximum Off-Road Speed Restricted Speed Range			Kph Km
Height		Meters	Severely Restricted Speed Range			Km
Gross Vehicle Weight (GVW)] Kg	Ground Clearance			Meters
Military Load Class		Tons	Approach Angle			Degrees
Maximum Payload Capacity		Kg	Departure Angle			Degrees
Drive Configuration		_	Trench Crossing Ability			Meters
Engine Power		KW	Ford Depth			Meters
Maximum On-Road Range Maximum Off-Road Range		∫ Km │ Km	Maximum On-Road Gradability Maximum Off-Road Gradability			Deg of slope
Fuel Consumption-to-Payload		L/100 km x 1,00				Deg of slope Meters
Vehicle Cone Index 1 Pass (VCI,)] #	Crew Size			#
Left Side View/Image			Right Side View / Image			
Top View/Image			Front View/Image		Rear View/Image	
3D Perspective View/Image			Image			
Notes:						
TMD IPB Template 18 March 2000	Classification:				Local Reproductio	n Authorized

Figure B-33. TM System Ground Vehicle Equipment Template

DTG:			Clas	ssificatio									Page: of:
				TM	/I Force	Attack	(Obje	ectiv	es Worksh	eet T	emplate (U)	
Specific Missile Ever	nt and/or	Broad TM F	orce CO	4									
□ None □ St	trategic	☐ Tac	tical	□ Gro	und Forces		Attack C		ited with Other Fo ☐ Naval Forces		Other:		
							TM A	ttack D	ecision Factors				
Is the attack to be co		d with other	operatio	ns?					Explain Explain				
Is collateral damage		n?							Explain				
Is the attack likely to Are U.S. / Allied activ				1					Explain: Explain:				
						The	eater Mis	sile We	apon System Fac	tors			
Missile System C	CEP (m)	Accuracy	y Class		Unitary HE	Varhead Ty ☐ Uni	ypes Ava tary Frag		☐ Cluster HE		Cluster Frag	☐ Unitary CW	☐ Cluster CW
		□ Point	☐ Area		ary Nuclear		tary BW	•	☐ Cluster BW		ARM	□ FAE ´	□ EMP
Missile System C	CEP (m)	Accuracy	y Class	□ Uni		Varhead Ty			Chietes Franc	l IImitanı	· CIMITA Cluster CI		
		□ Point	□ Area		ary Nuclear		g⊔ Clus tary BW	iter nc	☐ Cluster Frag☐		/ CW□ Cluster C\ I ARM	W □ FAE	□ EMP
Missile System C	CEP (m)	Accuracy	y Class		V	Varhead Ty	ypes Ava	ilable					
		□ Point	□ Area		Jnitary HE□ ary Nuclear		rag□ C tary BW	luster l	IE□ Cluster Frag □ Cluster BW		ary CW□ Cluster IARM	CW FAE	□ EMP
Missile System C	CEP (m)	Accuracy	v Class		•	Varhead Ty	vnes Ava	ilable					
	. (,	□ Point				Unitary F			IE□ Cluster Frag □ Cluster BW		ary CW□ Cluster I ARM	·CW □ FAE	□ EMP
					ary Nuclear		tary DVV		Cluster DW		ANII	LITAL	LIMIT
		able gent	Major Selected	ified Targe	s s	ary ent							
		TM Suitable Priority Time Urgent	22	All Unspecified Do Not Target	Destroy Degrade Suppress	Temporary Permanent							
Targeting Objec Military (Counterforc	ctive(s) ce)			858					Ta	arget C	ategory Code(s)) or Selected Targe	t(s)
Hardened Targets Airfields	,												
Naval Vessels													
Commercial Ships Troop Concentration													
Armored Vehicles Ports and Naval Ba	ases												
LOCs Bridges / Dams / W													
Logistics Areas													
Radar / Air Defense Economic (Counterv													
Industry Power													
POL Transportation													
Political (Terror) Population Centers	•												
Government Contro													
Other:													
Other:													
Notes:													
TMD IPB Template	18 March	2000	Clas	ssification	on:							Loc	al Reproduction Authorized

Figure B-34. TM Force Attack Objectives Worksheet Template

DTG:	Classification:	Page: of:
	TM Unit Functional Doctrinal Template (U)	
TM Unit		
TM Unit Function		
TM Unit Functional Relationships		
Notes:		
TMD IPB Template 18 March 2000	Classification: Local F	Reproduction Authorized

Figure B-35. TM Unit Functional Doctrinal Template

DTG:	Classification				Page: of:
	T	M Force Employ	ment Worksheet Ter	mplate (U)	
		Specific Missile	Event and/or Broad TM Force CC	DA .	
				•	
TM System Type 1					
TM System Type 2					
TM System Type 3					
TM System Type 1		Minimum / Start	nployment Conditions Nominal	Maximum / Stop	Condition
Time of Day for TM Employment					
Visibility Conditions for TM Employment					
Weather Conditions for TM Employment					
TM System Type 2		Minimum / Start	Nominal	Maximum / Stop	Condition
Time of Day for Theater Missile Employmer	nt 🗆 🗀				
Visibility Conditions for TM Employment					
Weather Conditions for TM Employment					
TM System Type 3		Minimum / Start	Nominal	Maximum / Stop	Condition
Time of Day for TM Employment			- Hommun		- Condition
Visibility Conditions for TM Employment					
Weather Conditions for TM Employment					
TM System Type 1			loyment Characteristics	Mandania 104-	0
Salvo Size		Minimum / Start	Nominal	Maximum / Stop	Condition
Salvo Launch Time Span					
Salvo Arrival Time Span					
Salvo Interval					
Other:					
Other:	□				
TM System Type 2		Minimum / Start	Nominal	Maximum / Stop	Condition
Salvo Size					
Salvo Launch Time Span					
Salvo Arrival Time Span	□∟				
Salvo Interval					
Other:					
TM System Type 3					
		Minimum / Start	Nominal	Maximum / Stop	Condition
Salvo Size	므늗				
Salvo Launch Time Span					
Salvo Arrival Time Span Salvo Interval					
Other:					
Other:					
Notes:					
	Classif!4!				
TMD IPB Template 18 March 2000	Classification	·			Local Reproduction Authorized

Figure B-36. TM Force Employment Worksheet (1 of 2) Template

DTG:		Classification:				_	Page: of:
		TN	I Force Employment Wo	rksheet Temp	late (U)		
	TARGET CL	ASS versus TM 1	TYPE versus TARGET SIZE CLASS	versus APPI ICARI	F WARHFAD TYPES	:	
Target Class	TM	Target Size Class	THE VOISUS THROET SIZE SENSO		le Warhead Types	,	
, ,	o System Type 1	Turget Size Glass	o Unitary HE o Unitary Frag	o Cluster HE	o Cluster Frag	o Unitary CW	o Cluster CW
Hardened Targets	o System Type 3	o Point o Area	o Unitary Nuclear o Unitary BW	o Cluster BW	o ARM	o FAE	o EMP
Airfields	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Naval Vessels	o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Commercial Ships	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Troop Concentrations	o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	O Cluster Frag O ARM	O Unitary CW O FAE	o Cluster CW o EMP
Armored Vehicles	o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Ports & Naval Bases	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
LOCs	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Bridges / Dams / Waterways	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Logistics Areas	o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Radar / Air Defense / TMD	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Industry	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Power	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
POL	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Transportation	o System Type 1 o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Population Centers	o System Type 1 o System Type 2 o System Type 3 o System Type 1	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag	o Unitary CW o FAE	o Cluster CW o EMP
Government Control	o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Cultural Centers	o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Other:	o System Type 1 o System Type 2 o System Type 3 o System Type 1	o Point o Area	,	o Cluster HE o Cluster BW	o Cluster Frag	o Unitary CW o FAE	o Cluster CW o EMP
Other:	o System Type 2 o System Type 3	o Point o Area	o Unitary HE o Unitary Frag o Unitary Nuclear o Unitary BW	o Cluster HE o Cluster BW	o Cluster Frag o ARM	o Unitary CW o FAE	o Cluster CW o EMP
Notes:							
	March 2000	Classification:				Local Repro	

Figure B-36. (Continued) (2 of 2)

DTG:	Classification:					Page: of:
	Ti	me-Pattern Analys	sis Template	(U)		
Analysis Focus:						
Day 1 Reference: Day of Month	Week of Month	Day of Week	Day	Month	Yes	DTG
Day 21 Reference: Day of Month	Week of Month	Day of Week	Day Day	Month	Yes	DTG
Analytical Legend:						
				7		
					\times	
				\times		1774411
						111111111111111111111111111111111111
	H/////X//		#XX		//// //// ////	
 		21001	# XX	X/////	XX	.//////////////////////////////////////
 		2300 2400 / 0000	0100 0200	(1) [] [[[] [] [] [] [] [] [] []	///////////////////////////////////////	
 	HIIIIII	2100	0300	XXXIIII.		711111111111
		7 2000	0400	())([]]	MHHHH	
		1900 Each Ring Represent	s a Single Day 05	·	1111111111111111	$\Pi\Pi\Pi\Pi\Pi\Pi\Pi\Pi\Pi$
		1800 Time Refer		600 01 02 03 04 05 06 07 08 09 10 1	1 12 13 14 15 16 17 18 19 20 21 2	2 23 24 25 26 27 28 29 30 31 32 33 34 35
		o Zul 1700 o Loca		00		
		1600	0800	///////////////////////////////////////	<u> </u>	
	HTIIIIIII	1500	0900	}}!!!!!!!	///////////////////////////////////////	
	//////////////////////////////////////	1400	1000		///////////////////////////////////////	///////////////////////////////////////
		1200	7//	<i>>>/////</i>	H//////	////////////
	4111111X		*		///////////////////////////////////////	//////////
						4//////
						7/4///
[[[[]]]] [[] [] [] [] [] [X//////	
	X					
		1				
	X					
TMD IPB Template 18 March 2000	Classification:				Local Rep	oduction Authorized

Figure B-37. Time-Pattern Analysis Template

DTG:	Classific	cation:				Page: of:
		Date-Pat	tern Analysis Ten	nplate (U)		
Analysis Focus:						
Starting Reference: Mor	nth	Year	DTG			
Analytical Legend:						
Monday	Tueşday	Wednesday	Thursday	Friḍay	Saturday	Sunday
Notes:						
						Day Week
	01 10					
TMD IPB Template 18 M	arch 2000 Classific	cation:			Local Repr	oduction Authorized

Figure B-38. Date-Pattern Analysis Template

DTG:	_ Classification:	Page:	of:
	TM Operational State Doctrinal Template (U)		
Analytical Focus:			
Operational State Characteristics:			
Operational State Spatial Relationship:			
TMD IPB Template 18 March 2000	Classification: Local Reprodu	ction Authoriz	zed

Figure B-39. TM Operational State Doctrinal Template

DTG:	Classification:		Page: of:
	TM HVT Relative Value Matrix Template (U)		
TM Force Broa	d COA		
Applicable Tim	eframe / Phase		
HVT Relative V	alue Matrix		
Destroy Destroy Destroy Destroy Destroy		Applicable	Relative Worth (Higher Number = Higher Relative Worth)
Suppes	HVT Set	Note(s)	
Notes:			
TMD IPB Temp	late 18 March 2000 Classification:		

Figure B-40. TM HVT Relative Value Matrix Template

SUGGESTED TEMPLATES FOR STEP FOUR OF THE TMD IPB PROCESS "DETERMINE TM COURSE OF ACTION"

DTG:		Page:	of:
	TM COA Template (U)		
COA Title / Name			
Unique COA ID	Rank Order Likelihood: Very High Probability Medium Probability Low Probability Very High Probability Likelihood: Very High Probability Likelihood: Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability New York Very	erv Low P	robabilit
COA Objective(s)		.,	
COA Desired End State(s)			
COA Mission(s)			
COA Seguel(e)			
COA Sequel(s)			
COA Branch(es)			
Notes:			
Notes.			
COA Title / Name			
Unique COA ID	Rank Order Likelihood: Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Low Probability Very High Probability Medium Probability Very High Probability Medium Probability New Probability Very High Probability Medium Probability New Probability Very High Probability New Probability	ry Low P	robabilit
COA Objective(s)			
COA Desired End State(s)			
COA Mission(s)			
COA Sequel(s)			
COA Branch(es)			
Notes:			
004 Til. (1):			
COA Title / Name Unique COA ID	Rank Order Likelihood: Uery High Probability Medium Probability Low Probability V	ary I aw B	rohahilit
COA Objective(s)	Railk Order Liverinious. Livery right robability Limedium riobability Liver robability Liver	ny LOW I	TODADIIII
COA Desired End State(s)			
COA Mission(s)			
COA Sequel(s)			
COA Branch(es)			
Notes:			
TMD IDD Tomplete 19 March 20	000 Classification:		

Figure B-41. TM COA Assessment Template

DTG:	Classific	ation:					Page: of: _
		TM COA	A Situation	Matrix To	emplate (U)		
COA Unique ID #	COA Title						
Period of Relevance							
Exclusive Period			DTG / Date	Throu	ıgh		DTG / Da
No Earlier Than			DTG / Date	No Later T	han		DTG / Da
Duration							
All Times Relative To:						Units	Hours Day
Potential		Activity / Event Time				Activity / Event Ti	
NAI(s) or NAI	Start	Duration	Sto	p	Start	Duration	Stop
Type	Minimum Nominal Maximum	Minimum Nominal Maxin	num Minimum Nomi	nal Maximum	Minimum Nominal N	Maximum Minimum Nominal M	aximum Minimum Nominal Maxim
D#:	Activity / Event Indicator:				Activity / Event Indi	icator:	
Potential		Activity / Event Time	!			Activity / Event Ti	ime
NAI(s) or NAI	Start	Duration	Sto		Start	Duration	Stop
Type	Minimum Nominal Maximum	Minimum Nominal Maxin	num Minimum Nomi	nal Maximum	Minimum Nominal N	Maximum Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum Nominal Nomina	aximum Minimum Nominal Maxim
	Activity / Event Indicator:				Activity / Event Indi	icator:	
Potential		Activity / Event Time	!			Activity / Event Ti	ime
NAI(s) or NAI	Start	Duration	Sto		Start	Duration	Stop
Type	Minimum Nominal Maximum	Minimum Nominal Maxin	num Minimum Nomi	nal Maximum	Minimum Nominal N	Maximum Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum Nominal Nomina	aximum Minimum Nominal Maxim
	Activity / Event Indicator:				Activity / Event Indi	icator:	
Potential		Activity / Event Time				Activity / Event Ti	ime
NAI(s) or NAI Type	Start Minimum Nominal Maximum	Duration Minimum Nominal Maxin	Sto		Start Minimum Nominal N	Duration Maximum Minimum Nominal Maximum	Stop aximum Minimum Nominal Maxim
ID#:	Minimum Nominai Maximum	Minimum Nominai Maxin	num Minimum Nomi	nai waximum	Minimum Nominai N	naximum winimum wominai wa	aximum winimum wominai waxim
	Activity / Event Indicator:				Activity / Event Indi	icator:	
Potential		Activity / Event Time				Activity / Event Ti	ime
NAI(s) or NAI	Start	Duration	Sto		Start	Duration	Stop
Type	Minimum Nominal Maximum	Minimum Nominal Maxin	num Minimum Nomi	nal Maximum	Minimum Nominal N	laximum Minimum Nominal Mi	aximum Minimum Nominal Maxim
	Activity / Event Indicator:				Activity / Event Indi	icator:	
Legend:				Notes:			
	oroh 2000 Classific					Los	

Figure B-42. TM COA Situation Matrix Template

DTG: Classification:						Page: of:
NAI	and HVT	Template ((U)			
NAI and H\	/T Unique ID	#				
See Attached Geogr	aphical Area Defini	tion Template for Ma	p View of NAI or HV			
Associated COA(s) Description:						
NAI or HVT TM Force Activity / Event Indicators						☐ Indicators Observed☐ Observations Confirmed
						DTG(s) of Observation(s):
Period of Interest	Probable Sig	nature Source	!S] [
No Earlier Than DTG: No Later Than DTG: Activity / Event Time: □ Hours □ Days □ Weeks □ Months □ Years		IMINT □				
Start Duration Stop		INT - Visible 🗆 . IINT - Radar 🗀				
Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum		IMINT - IR □ IMINT - MSI □				
Associated NAIs and HVTs	SIG	SIGINT □ NT - SIGINT □				
Unique ID Distance (km) Estimated Time Between Next & Previous Possible Previous NAIs and HVTs		IT - COMINT □ SINT - ELINT □				
		INT - FISINT □ NT - TELINT □				
		NT - RADINT □				
	MAG	MASINT □				
Describle Newt NAIs and UNITS	MASINT - Ele	ctro-Optical 🗆				
Possible Next NAIs and HVTs	MAS	SINT - IRINT 🗆 INT -LASINT 🗆				
		NT - NUCINT □ SINT - RINT □				
		OSINT 🗆				
	Counter Inte Other:	lligence (CI)				
Desired Reporting						
By Date (DD / MMM / YY) / DTG By Time of Day (HH:MM:SS) . Desired Timeliness		Time Information	of Value (LTIOV)	Date (DD / M	MM / YY) / DTG	Time of Day (HH:MM:SS) / DTG
Desired Frequency of Response:	Lutost		Time Stand	ard: Local		Year: Calendar ☐ Fiscal ☐
	Monday □	Combat Phas Real Tin	ne □ Every ľ	Monday □	Other Phas Real	Se: Time
Hourly □ Every Wednesday □ Hourly □ Every Wednesday			ly □ Every Wed			ourly □ Every Wednesday □
Daily	hursday □ y Friday □	Dai Week	ily □ Every Th dy □ Every	ursday □ Friday □	We	Daily □ Every Thursday □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
	Saturday □ Sunday □	Month Quarter	lly □ Every Sarly □ Every S	aturday □ Sunday □		nthly □ Every Saturday □ rterly □ Every Sunday □
	ee Notes 🗆			e Notes 🗆		early See Notes I
				<u></u>		
Notes:						
TMD IPR Template 18 March 2000 Classification:						al Reproduction Authorized

Figure B-43. NAI and HVT Assessment (1 of 2) Template

TG:	Classif	ICALIOII	<u></u> ΝΔΙ	and HVT Temp	late (LI)			Page: of: _
/pe			IVAI	and five reinp	iate (U)			
NAI 🗆 HVT 🗆 TCT 🗆	Fixed - Facility Non-F	ixed - Moving	□ Non-Fixed	- Not Moving 🗆 Terrain Ar	nalysis Other:			
operties BE Number	Point	☐ Radius (km)) [Area / Polygo	on Route / Polyline	□ Datum:	WGS84 □ Other:	
	d.decimal Ddmmss D							r Further Definition
Point or Centroid Coordi			Longitu	de	MGRS		UTM	
ea / Polygon / Route / Po	lyline Definition: MGRS/UTM N S Longi	tude E W		Latitude / MGRS / UTM N S	O See Attached Page 1 Longitude E W	or Map View	of This Area / Polygon / Rou Latitude / MGRS / UTM N S	ute / Polyline Definit Longitude
Starting Point			Next Point [Next Point		
Next Point	000		Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point Next Point			Next Point Next Point			Next Point Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point	00		Next Point		00	Next Point		
Next Point			Next Point [Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point Next Point			Next Point Next Point			Next Point Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point	0_		Next Point		
Next Point Next Point			Next Point Next Point			Next Point Next Point		
Next Point			Next Point			Next Point		
Next Point		——————————————————————————————————————	Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point [Next Point		
Next Point			Next Point [Next Point		
Next Point			Next Point			Next Point		
Next Point Next Point			Next Point Next Point			Next Point Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point	00		Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point Next Point			Next Point Next Point			Next Point Next Point		
Next Point Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point	00		Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point Next Point			Next Point [Next Point Next Point		
Next Point Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point	00		Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point			Next Point			Next Point		
Next Point Next Point			Next Point Next Point			Next Point Next Point		
Next Point Next Point			Next Point			Next Point		
Next Point			Next Point			nding Point		

Figure B-43. (Continued) (2 of 2)




Figure B-44. TM COA Situational/Event (1 of 2) Template

DTG:	Classification:	Page: of:
	TM COA Situation / Event Template (U)	
Expanded Description:		
Notes:		
TMD IPB Template 18 March 2000	Classification: Local Reprod	luction Authorized

Figure B-44. (Continued) (2 of 2)

DTG: Classification: Page: of:					
TM Event Matrix Template (U)					
COA Unique ID #	COA Title				
COA Description					
Period of Relevance					
Exclusive Period		DTG / Date Throu	gh DTG / Date		
No Earlier Than		DTG / Date No Later Th	nan DTG / Date		
Duration					
All Times Relative To:			Units Minutes Hours Days		
			of Time Weeks Months Years		
Potential	Activity / Event Time		Activity / Event Time		
NAI(s) or NAI	Start Duration	Stop	Start Duration Stop		
Type	Minimum Nominal Maximum Minimum Nominal Maximum	n Minimum Nominal Maximum	Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximu		
	Activity / Event Indicator:	' ' '	Activity / Event Indicator:		
Potential	Activity / Event Time		Activity / Event Time		
NAI(s) or NAI	Start Duration	Stop	Start Duration Stop		
Type	Minimum Nominal Maximum Minimum Nominal Maximum	n Minimum Nominal Maximum	Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum		
	Activity / Event Indicator:		Activity / Event Indicator:		
Potential	Activity / Event Time		Activity / Event Time		
NAI(s) or NAI Type	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop Navigal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum M		
ID#:	Minimum Nominal Maximum Minimum Nominal Maximum	n Minimum Nominal Maximum	Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum		
	Activity / Event Indicator:		Activity / Event Indicator:		
Potential	Activity / Event Time		Activity / Event Time		
NAI(s) or NAI Type	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum		
ID#:					
	Activity / Event Indicator:		Activity / Event Indicator:		
Potential	Activity / Event Time		Activity / Event Time		
NAI(s) or NAI Type	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop n Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum		
ID#:	Activity / Event Indicator:		Activity / Event Indicator:		
	Activity / Event indicator:		Activity / Event indicator:		
Legend:		Notes:			
TMD IPB Template 18 M	arch 2000 Classification:		Local Reproduction Authorized		

Figure B-45. TM Event Matrix Template

DTG: Classification:		Page: of:
Recommended Target Nom	inations and TAIs Template (U	<u> </u>
Facility / Area MIDB Name		
Recommended Target Priority: o Time Critical / Sensitive o Immediate o Routine o Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type □ HVT □ TCT □ Fixed - Facility □ Non-Fixed - Moving □ Non-Fixed - Not Moving □ OI	ther:	
Point □ Radius (km) ☐ Area / Polygon □ Route / Polyline □ Dat		
Geocoordinate Units: Dd.decimal	MGRS	□ See Attached for Further Definition □
Point or Centroid Coordinates: Latitude Longitude	INGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: o Time Critical / Sensitive o Immediate o Routine o Other [Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type		
□ HVT □ TCT □ Fixed - Facility □ Non-Fixed - Moving □ Non-Fixed - Not Moving □ Of		
Point □ Radius (km) □ Area / Polygon □ Route / Polyline □ Dat Geocoordinate Units: Dd.decimal □ Ddmmss □ Dd.mmss □ MGRS □ UTM □ Other:_	um: wGS84 🗆 Other: 🔼	☐ See Attached for Further Definition ☐
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: o Time Critical / Sensitive o Immediate o Routine o Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type 	ther·	
Point □ Radius (km)		
Geocoordinate Units: Dd.decimal Ddmmss Dd.mmss MGRS UTM Other:_		□ See Attached for Further Definition □
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: o Time Critical / Sensitive o Immediate o Routine o Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID# Type	BE Number	
☐ HVT ☐ TCT ☐ Fixed - Facility ☐ Non-Fixed - Moving ☐ Non-Fixed - Not Moving ☐ Of		
Point ☐ Radius (km) ☐ Area / Polygon ☐ Route / Polyline ☐ Dat	rum: WGS84 Other:	Coo Attached for Further Definition
Geocoordinate Units: Dd.decimal Ddmmss Dd.mmss MGRS UTM Other:_ Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM UTM
FW- / A MIDD N		
Facility / Area MIDB Name Recommended Target Priority: 0 Time Critical / Sensitive 0 Immediate 0 Routine 0 Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type □ HVT □ TCT □ Fixed - Facility □ Non-Fixed - Moving □ Non-Fixed - Not Moving □ O	ther	
Point □ Radius (km) Area / Polygon □ Route / Polyline □ Dat		
Geocoordinate Units: Dd.decimal Ddmmss Dd.mmss MGRS UTM Other:_		□ See Attached for Further Definition □
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Notes:		
TMD IPR Template 18 March 2000 Classification:		Local Reproduction Authorized

Figure B-46. Recommended Target Nominations and TAIs Worksheet Template

Appendix C

AUTOMATED TOOLS AND EXAMPLE ARCHITECTURES

1. Selected Automated Tools

Table C-1 lists selected automated tools, which assist in TMD IPB development. At a minimum, use the joint deployable intelligence support system (JDISS), GALE, and joint services work station (JSWS).

Table C-1. Selected Automated Tools

ASAS-RWS:				
	gence processing capabilities to Army, corps, and division J/G2s; disseminates a collateral picture of			
the all-source database to tactical commanders for battlespace situational awareness; produces ground battle situation analysis through				
	s intelligence information; provides target identification and nominations; and intelligence collection			
management.				
Current Capability	POC: United States Army			
ASAS-Light:				
DESCRIPTION: Same as for the ASAS.				
Current Capability	POC: United States Army			
JDISS:				
DESCRIPTION: Receives, processes, and displays tactical, theater, and national level intelligence and imagery to support TMD IPB; provides				
rapid data exchange, primarily IPB products and databases at the joint level for time-sensitive targeting, TMD nodal analysis and collaborative				
	combat information and intelligence to coordinate courses of action and develop common TTPs.			
Current Capability	POC: Defense Intelligence Agency			
GALE:				
DESCRIPTION: Performs suitability modeling and location assessments against the TMD adversary and projects probable adversary mobile				
and stationary missile launcher operating locations. Assists in terrain analysis by using digital mapping data; provides terrain delimitation				
features to conduct detailed slope, road/rail, line of sight, and terrain analysis.				
Current Capability	POC: Defense Intelligence Agency			
JSWS:				
	nation and initiates RSR. Depth of tracking in AOR limited by adversary SAM threat to sensor.			
Current Capability	POC:			
MCS:				
DESCRIPTION:				
Current Capability	POC:			
ABIS (MSTS):				
DESCRIPTION: Provides real-time high re	esolution 3-D imagery, flight following, and adversary displays (TIBS and TRAP broadcast feeds).			
Allows the commander to "stand on" or "fly over" the terrain in his AO.				
Current Capability	POC:			

2. Current TMD IPB Automated Tool Architecture Examples

Each organization tasked with conducting TMD IPB is uniquely configured to accomplish that mission. Because of this diversity, there is no one way to construct a doctrinal TMD IPB architecture. Instead, the following examples serve to illustrate how two real-world organizations are configured to perform the TMD IPB mission.

a. 32d Army Air and Missile Defense (AAMDC) Brigade. The 32d AAMDC is the Army Forces and Joint Forces Land Component Commander's organization that performs critical theater air and missile defense planning, integration, coordination, and execution functions. The 32d AAMDC coordinates and integrates the four operational elements of the TMD mission. Its G2 section is responsible for all current and future TMD IPB operations. Figure C-1 depicts the internal architecture that supports the G2 section in the TOC.




Figure C-1. 32^d AAMDC Brigade G-2 TOC

Although an Army organization, the AAMDC plays a critical role in the joint TMD mission arena. The AAMDC commanding general is usually assigned as the Deputy, Area Air Defense Commander and is responsible for facilitating the overall air and missile defense mission. Supporting this task is a robust ISR coordination function residing in the AAMDC TOC. Figure C-2 depicts some of the external agencies that feed information to the TOC.




Figure C-2. 32^d AAMDC External Information Sources

b. 7th Air Force TMD Intelligence Team. Another real-world organization performing TMD IPB is the 7th Air Force TMD Intelligence Team. This team is responsible for US Forces Korea's TMD IPB. It supports the execution of attack operations, active defense (PATRIOT), and passive defense. The team directly inputs into the integrated tasking order; dynamically retasks ISR assets; plans active defense, and cues the retasking of attack assets. The 607th Air Intelligence Squadron mans and the 32^d AAMDC augments the TMD intelligence team. A simplified relationship diagram is shown in Figure C-3.

The TMD intelligence team is located in a small office space with about 14 workstations and a large plexiglas map display area. Networks available to the team are TDDS, Pacific Command automated data processing server site – Korea (PASS-K) high, joint worldwide intelligence communication system (JWICS), PASS-K low, SECRET internet protocol router network (SIPRNET), and 7th Air Force SCI wide area network/JWICS. Major available applications are applix e-mail, INTELINK, GALE, automated message handling system, JSWS, direct UAV video, contingency theater automated planning system, and other PASS-K applications (virtually identical to JDISS applications). The team also has secure telephone unit-III connectivity. Figure C-4 shows the team's physical layout. Minimal manning for the TMD intelligence team is nine operators/analysts and each has a specific function as shown in Table C-2.




Figure C-3. TMD Flight Simplified Organizational Relationships




Figure C-4. Physical Layout of the 7th Air Force TMD Intelligence Team

Table C-2. Specific 7th Air Force TMD Intelligence Team Functions

IPB Analyst

Fuses all-source intelligence.

Predicts adversary courses of action.

Recommends potential targets and collection to team chief.

Primary ADP system: JSWS (SIPRNET)

Research Analyst

Operates message handling system.

Builds queries to retrieve information on TBM and NBC activities.

Passes collection summaries and battle damage assessment (BDA) reports to team members.

Maintains message files.

Primary ADP system: PASS-K high

Target Analyst

Receives target nominations from IPB analyst. Builds target submission worksheet for team chief's approval.

Submits coordinated targets to TMD execution cell.

Tracks mission status and BDA reporting. Primary ADP system: PASS-K high

Weapons of Mass Destruction Analyst/Reporter

Monitors reporting on TBM activities.

Tracks activity at nuclear, biological, and chemical facilities.

Drafts TMD intelligence team input to 607th
AIS INTSUM

Builds slides for TMD execution cell briefing. Primary ADP system: PASS-K high

JSWS Analyst

Analyzes moving target indicator data; exploits "replay" function to track activity.

Coordinates with GALE operator/analyst.

Provides interpretation to IPB analyst.

Primary ADP system: PASS-K high

Collection Analyst

Receives and evaluates IPB collection requests.
Submits requirements to collection management.
Tracks requests and reports results to IPB analyst.
Primary ADP system: PASS-K low and SIPRNET

Combined Unconventional Warfare Task Force (CUWTF) Liaison Officer (LNO)

Coordinates tasking and reporting of CUWTF operations.

Focal point for training on CUWTF assets and their tactics.

Point of contact for CUWTF TMD named areas of interest.

Primary ADP system: laptop computer at the SECRET level with no connectivity

Team Chief and Non-commissioned Officer in Charge (NCOIC)

Directs and coordinates activities of team members.

Ensures TMD execution cell intelligence requirements.

Approves target nominations, collection requests, intelligence summaries (INTSUM), and pit briefings.

Primary ADP system: PASS-K high

GALE Operator

Receives missile launch data via TDDS.

Performs terrain analysis to determine ground movement limitations.

Provides interpretations to IPB analyst.

Primary ADP system: PASS-K high (GALE)

Appendix D

TMD IPB CHECKLIST AND DEVELOPMENT PLAN

1. TMD IPB Checklist. Figure D-1 is a template for a suggested TMD IPB checklist. Use it to quickly organize the TMD IPB process and determine the detail required. This checklist aids in identifying the depth of coverage needed to support current TMD IPB data requirements and analysis. Break each sub-step out further as required for the situation. Prioritize them using a simple 1-2-3 priority scheme or a more complex one if desired. Use the checklist for recurring requirement, assigned level of detail, and current status and to define the TMD IPB process required for the current command mission. By initially skimming the checklist and then reevaluating the requirements based on available time and resources, the entire TMD IPB process is more effectively balanced. Use the checklist as a guideline for all the steps and as intelligence requirements are filled, use it to monitor and maintain their status. The checklist is not meant to be comprehensive. It is a basis for starting, guiding, and tracking the TMD IPB process, and starting the collection process.

DTG: Classification:					Page:	of: _
TMD IPB Checklist All Si	eps Tem	plate (U)				
	Priority	Time	Detail	Status		
# Checklist item	(1,2,3)	Criticality	(1,2,3)	(G,Y,R)	Consumer	Notes
O1 Step 1 - Define the Battlespace Environment						
1.1 - Analyze the Command's Mission in Relation to TMD						
1.1.1 - Summarize the Command's Mission and Objectives						
1.1.2 - Summarize the Commander's Guidance						
05 1.2 - Identify the Limits of the AO, AOI, and Battlespace						
06 1.2.1 - Assess TM Force Coverage						
07 1.2.2 - Assess Potential TM Force Deployment Area						
08 1.2.3 - Assess Passive Defense AO and AOI						
09 1.2.4 - Assess Active Defense AO and AOI						
10 1.2.5 - Assess Attack Operations AO and AOI						
11 1.2.6 - Assess Composite AO and AOI						
12 1.2.7 - Assess TMD Battlespace						
1.3 - Determine the Significant Environment Characteristics of the AO						
14 1.3.1 - Assess Geopolitical and Regional Threat						
1.3.2 - Assess TM Force General Capabilities 1.3.3 - Assess TM Force Active Defense Suppression Capabilities						
 1.5. 1.5. 1.5. 1.5. 1.5. 1.5. 1.5. 1.5.						
1.3.4 - Assess Major Lines of Communication						
 1.3.5 - Assess Major Lines of Communication 1.4 - Identify the Amount of Detail Required & Feasible within the Time Available 						
1.4 - Identify the Amount of Detail Required & Feasible within the Time Available 1.4.1 - Create or Update IPB Checklist and Development Plan						
21 1.5 - Evaluate Existing Databases and Identify Gaps						
1.5 - Evaluate Existing Databases and Identity Gaps 22 1.5.1 - Assess TMD IPB Holdings, Databases, Sources and Links						
1.5.2 - Evaluate TMD IPB Information Sources						
1.5.2 - Establish TMD IPB POCs						
25 1.6 - Collect Material & Intelligence Required For Further TMD IPB Analysis						
26 1.6.1 - Collect Recommended PIRs/EEIs/RFIs						
27 1.6.2 - Search For Information by Key Word and Equipment & Category Codes						
28 Step 2 - Define the Battlespace Effects						
29 2.1 - Analyze the TM Battlespace Environment						
30 2.1.1 - Assess Terrain						
2.1.1.1 - Assess Surface Configuration						
32 2.1.1.2 - Assess Vegetation						
33 2.1.1.3 - Assess Surface Materials						
34 2.1.1.4 - Assess Obstacles						
35 2.1.1.5 - Assess Transportation and LOC Infrastructure						
36 2.1.1.6 - Assess Urban Areas						
37 2.1.1.7 - Assess Cover						
38 2.1.1.8 - Assess Concealment						
89 2.1.1.9 - Assess CCM						
2.1.1.10 - Assess Observation/LOS						
2.1.1.11 - Assess Key Terrain						
2.1.1.12 - Assess Electromagnetic Spectrum						
2.1.2 - Assess Weather Effects on TM Operations						
44 2.1.2.1 - Assess TM Force Climatology						
2.1.2.2 - Assess Current and Forecast Weather						
2.1.3 - Assess Other Characteristics of the Battlespace	1					
2.1.3.1 - Assess TM Infrastructure	1					
18 2.1.3.2 - Assess TM Facility/Area	1					
49 2.1.3.3 - Assess TM Infrastructure HVTs	1			1		
2.2 - Assess Battlespace Effects on TM Force Capabilities and Broad COAs						

Figure D-1. TMD IPB Checklist (1 of 2)

DT					_	Page:	of:	
	TMD IPB Checklist All S	teps Tem	plate (U)					
#	Checklist item	Priority (1,2,3)	Time Criticality	Detail (1,2,3)	Status (G,Y,R)	Consumer	Notes	
51	2.2.1- Assess Area Limitation	(1,2,3)	Criticality	(1,2,3)	(0,1,10)	Concamor		
52	Step 3 - Evaluate the TM Force							
53								
54								
55								
56								
57	3.1.4 - Assess HVTs							
_	Step 4 - Determine TM COAs							
59	4.1 - Identify Likely TM Objectives and Desired End State							
60	4.2 - Identify the Full Set of TM COAs							
61 62	4.3 - Evaluate and Prioritize Each Specific TM COA							
63	The Experie Each Continue Time and Continue Time Time Time Time Time Time Time Tim							
64	The state of the s							
65	110 120111 J 11111 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
66	The state of the s							
67	4.6.1 - Assess Current Situation and Weather Data							
68								
69	4.6.3 - Assess Most Likely TM Force COA							
70	4.6.4 - Assess PIRs							
Τ.	tes:							
	Abbreviations and	d Codes						
Pr Tiil	All NA-Not Applicable UNK-Unknown or Unassessed TBD-To Be Determined Priority 1- High (Required, Can Not Do Without) 2- Medium (Required, but Can Accept Some or Loss of Detail) 3- Low (Destable, but Not Required) Time Criticality First Digit - Recurrance 1- One Time S- Semi-Annually D- Daily A- Annually W- Weekly C- Bianually B- Bimonthly G- Q- Quarterly Second Digit - Timeliness (from Receipt of Sufficient Data) 1- Critical, Less Than 16 Hours (2 Shifts) 3- High, Less Than 24 Hours (3 Shifts) 1- High, Must Have High Level of Detail to Meet TMD IPB Requirements 2- Medium, A Medium Level of Detail is Acceptable to Meet TMD IPB Requirements 3- Low, A Low Level of Detail is Acceptable to Meet TMD IPB Requirements Y- or YELLOW for Partiality Complete or Unacceptable for Meeting TMD IPB Requirements R- or RED for Incomplete or Unacceptable for Meeting TMD IPB Requirements R- or RED for Incomplete or Unacceptable for Meeting TMD IPB Requirements R- or RED for Incomplete or Unacceptable for Meeting TMD IPB Requirements R- or RED for Incomplete or Unacceptable for Meeting TMD IPB Requirements Consumers All - All T-TMD IPB Function Leadership G-General Analysis L- TMD astructure Analysis L- Infrastructure Analysis C-COA Analysis Situation Leadership G-General Analysis L- Infrastructure Analysis L- Infrastructure Analysis C-COA Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situational Analysis Situationa							
ТМГ	DIPB Template 18 March 2000 Classification:				l ocal F	eproduction Au	horized	
IVIL	To Tompiaco To March 2000 Sia Sanoation.				_ LUCAL P	oproduction Au	HOHECU	

Figure D-1. (Continued) (2 of 2)

2. IPB Development Plan. Develop a plan to help organize, guide, and track the TMD IPB development. A checklist is a good starting point for developing the plan. Give start and expected completion times to checklist items and make links between checklist items to show dependencies and information and product flow. As the checklist items progress, track them on the development plan. The development plan acts as a management tool to show the TMD IPB development's progress and status. Tailor the development plan to a particular situation's requirements. A plan for creating a new TMD IPB looks significantly different than one for a completed, but monitored TMD IPB. In a wartime situation the TMD IPB development plan will be highly dynamic to keep it synchronized with combat operations. Figure D-2 is a TMD IPB development plan example for a completed TMD IPB that is being maintained. There are many computerized tools to help develop these plans; Microsoft Project is one such program.

	TMD IPB Development Plan A	II Ste	eps T	emp	late	(U)						
		Jan	Eob	Mar	Λnr	May	lun	lul	Aug	Son	Oct	No
#	Checklist item Year:	Jan	ren	IVIAI	Aþi	iviay	Juli	Jui	Aug	Sep	OCI	NU
-	Step 1 - Define the Battlespace Environment											
02	1.1 - Analyze the Command's Mission in Relation to TMD	-										
03	1.1.1 - Summarize the Command's Mission and Objectives											
04	1.1.2 - Summarize the Commander's Guidance											
05	1.2 - Identify the Limits of the Aos, AOIs, and Battlespace											
06	1.2.1 Assess TM Force Coverage											
\vdash	1.2.2 - Assess Potential TM Force Deployment Area	-										
08	1.2.3 - Assess Passive Defense AO and AOI	-										
09	1.2.4 - Assess Active Defense AO and AOI											
10	1.2.5 - Assess Attack Operation AO and AOI											
11 12	1.2.6 - Assess Composite AO and AOI	-										
-	1.2.7 - Assess TMD Battlespace	-										
13	1.3 - Determine the Significant Environment Characteristics of the AO											
14 15	The state of the s	-										
16	1.3.2 - Assess TM Force general Capabilities											
17	Tiele Tieles Tim Foresticine Defende Gubblecolomed Gubblice											
18	1.3.4 - Assess Major Terrain Features 1.3.5 - Assess Major Lines of Communication											
19												
20	1.4.1 - Create or Update IPB Checklist and Development Plan	-										
21	1.5 - Evaluate Existing Databases and Identify Gaps											
22	1.5.1 - Assess TMD IPB Holdings, Databases, Sources and Links											
23	1.5.2 - Evaluate TMD IPB Information Sources											
24	1.5.3 - Establish TMD IPB POCs											
25	1.6 - Collect Material & Intelligence Required For Further Analysis											
26	1.6.1 - Collect Recommended PIRs/EEIs/RFIs											
27	1.6.2 - Search for Information by Key Word and Equipment and Category Codes											
28	Step 2 - Define the TM Battlespace Environment	1										
29	2.1 - Analyze the TM Battlespace Environment											
30	2.1.1 - Assess Terrain											
31	2.1.1.1 - Assess Surface Configuration											
32	2.1.1.2 - Assess Vegetation	1										
33	2.1.1.3 - Assess Surface Materials											
34	2.1.1.4 - Assess Obstacles											
35	2.1.1.5 - Assess Transportation and LOC Infrastructure											
36	2.1.1.6 - Assess Urban Areas											
37	2.1.1.7 - Assess Cover											
38	2.1.1.8 - Assess Concealment											
39												
40	2.1.1.10 - Assess Observation/LOS											
41	2.1.1.11 - Assess Key Terrain											
42	2.1.1.12 - Assess Electromagnetic Spectrum											
43	2.1.2 - Assess Weather Effects on TM Operations											
44	2.1.2.1 - Assess TM Force Climatology											
45	2.1.2.2 - Assess Current and Forecast Weather											
46	Zivio Necoco Civici Citaracteriolice di una Battico Cato											
47	2.1.3.1 - Assess TM Infrastructure	_										
48		_										
49	2.1.33 - Assess TM Infrastructure HVTs											
50	2.2 - Assess Battlespace Effects on TM Force Capabilities and Broad COAs		1	1		1	l		1	1	1	

Figure D-2. TMD IPB Development Plan (1 of 2)




Figure D-2. (Continued) (2 of 2)

Appendix E

TMD IPB INTERNET LINKS

1. Intelligence Organizations

Central Intelligence Agency http://www.cia.gov

Defense Intelligence Agency http://www.dia.mil

Missile and Space Intelligence Center http://www.msic.dia.mil

National Ground Intelligence Center http://mi203.apg.army.mil

National Imagery and Mapping Agency http://www.nima.mil

National Security Agency http://www.nsa.gov

Office of Naval Intelligence http://www.odci.gov/ic/ni.html

2. Joint Military Organizations

Air Land Sea Application (ALSA) Center http://www.dtic.mil/alsa

Ballistic Missile Defense Organization www.acq.osd.mil/bmdo

Department of Defense http://www.defenselink.mil/

 $Department\ of\ Defense\ Directives\ and\ Instructions\ \ \underline{http://web7.whs.osd.mil/corres.htm}$

http://web7.whs.osd.mil

Joint Doctrine http://www.dtic.mil/doctrine

Joint Electronic Library http://www.dtic.mil/doctrine/jel/index.html

US Space Command www.spacecom.af.mil/usspace

3. Air Force

Air Force Space Command www.peterson.af.mil/hqafspc/index.htm

Air Intelligence Agency http://www.aia.af.mil

USAF/XOI http://aiaweb.aia.af.mil/usaf/

4. Army

Homepage http://www.army.mil/

Doctrine and Training Digital Library http://www.adtdl.army.mil

Space and Missile Defense Command www.smdc.army.mil/default.html

US Army Space Command www.armyspace.army.mil

5. Marines

Marine Link http://www.hqmc.usmc.mil

6. Navy

NavyOnLine http://www.ncts.navy.mil

Naval Space Command <u>www.navspace.navy.mil</u>

7. US Government Agencies

Congress

http://www.senate.gov/

http://www.house.gov/

Congressional Record http://www.access.gpo.gov/su docs

Defense Information Systems Agency http://www.disa.mil/disahomejs.html

Department of Justice http://www.usdoj.gov

Department of State http://www.state.gov

Department of Treasury http://www.ustreas.gov

Embassies http://www.embassy.org

Federal Bureau of Investigations http://www.fbi.gov

Federal Communications Commission http://www.fcc.gov

Federal Emergency Management Agency http://www.fema.gov

Library of Congress http://www.loc.gov

National Archives and Records Administration http://www.nara.gov

US Agency for International Development http://www.info.usaid.gov

US Arms Control and Disarmament Agency http://www.acda.gov/

US Information Agency http://www.usia.gov

White House http://www.whitehouse.gov/

8. International Organizations/Databases

European Line http://www.europeonline.com

France Defense http://www.ensmp.fr/~scherer/adminet/min/def/

International Laws and Treaties http://www.jura.uni-sb.de (contains German & European codes)

Ministry of Defense (United Kingdom) http://www.mod.uk/

North Atlantic Treaty Organization http://www.nato.int/

United Nations http://www.un.org

Office of the High Representative http://www.ohr.int/

9. Think Tanks

Center for Defense Information http://www.cdi.org/

Center for Nonproliferation Studies http://cns.miis.edu/

Center for Strategic and International Studies http://www.csis.org/

Centre for Strategic Studies http://www.vuw.ac.nz/css/

Institute for the Advanced Study of Information Warfare http://www.psycom.net/iwar.1.html

Jaffe Center for Strategic Studies http://www.tau.ac.il/jcss/

RAND Corporation http://www.rand.org/

Stockholm International Peace Research Institute http://www.sipri.se/

Strategic Studies Institute http://carlisle-www.army.mil/usassi/

10. News Organizations

Cable News Network http://www.cnn.com/

China News Digest http://www.cnd.org

CNET http://www.cnet.com (a news and information service)

Early Bird http://iiacsun1.army.mil/earlybrd/

New York Times http://www.nytimes.com

News http://www.leadstory.com (summary of lead stories in major newspapers)

U.S. News & World Report http://www.usnews.com

USA Today http://www.usatoday.com/

11. Miscellaneous Links

IntelWeb http://intelweb.janes.org

Jane's Information Store http://www.janes.com/janes.html

Weather Information http://cirrus.sprl.umich.edu/wxnet

12. Search Tools

http://www.lycos.com

http://www2.infoseek.com

http://www.excite.com

http://www.altavista.com

http://dogpile.com

http://www.yahoo.com

http://webcrawler.com

REFERENCES

Joint

- DIA NAIC-1061-0789-97, Theater Missile Defense Intelligence Preparation of the Battlespace Methodology (U), Aug 97, SECRET.
- JP 1-02, DOD Dictionary for Military and Associated Terms, Jan 00.
- JP 2-0, Doctrine for Intelligence Support to Joint Military Operations, Mar 00.
- JP 2-01, Joint Intelligence Support to Military Operations, Nov 96.
- JP 2-01.3, Tactics, Techniques, and Procedures for Joint Intelligence Preparation of the Battlespace, May 00.
- JP 3-01, Joint Doctrine for Countering Air and Missile Threats, Oct 99.
- JP 3-01.5, Doctrine for Joint Theater Missile Defense, Feb 96.
- JP 6-04, US Message Text Formatting Program (U), Oct 92, SECRET.
- DDB-2600-312-88, Target Intelligence Handbook Annex A, Category Assignment Responsibility List (U), Sep 88, DIA, Confidential/NOFORN.

Multiservice

- FM 2-01.3 (FM 34-130)/MCRP 2-12A, Intelligence Preparation of the Battlefield, Jul 94.
- FM 90-43/MCRP 3-42.1A/NWP 3-01.13/AFTTP(I) 3-2.24, *JTMTD, Multiservice Procedures for Joint Theater Missile Target Development,* Oct 99, ALSA..
- FM 90-36 (FM 3-60.1)/ MCRP 3-16.1F/ NWP 2-01.11/AFJPAM 10-225, TARGETING The Joint Targeting Process and Procedures for Targeting Time-Critical Targets, Jul 97.
- FM 6-99.1 (FM 101-5-1)/MCRP 5-2A, Operational Terms and Graphics, May 97.

Army

- FM 2-33.201 (FM 34-81-1), Battlefield Weather Effects, Dec 92.
- FM 3-0 (FM 100-5), Operations, Jun 93.
- FM 3-09.24 (FM 6-20-10) *Tactics, Techniques, and Procedures for the Targeting Process*, May 96.
- FM 3-25.31 (FM 21-31), Topographic Symbols, Jun 61.
- FM 3-34.33 (FM 5-33), Terrain Analysis, Jul 90.
- FM 6-99 (FM 101-5), Staff Organization and Operations, May 97.

Air Force

AFPAMP 14-XXX, US Air Force Intelligence Preparation of the Battlespace Pamphlet, 31 Jan 00, DRAFT.

Acronyms

AAA antiaircraft artillery

AAMDC Army Air Missile Defense Command

AB airbase

ABL airborne laser

ACINT acoustical intelligence ACP army country profile

AD air defense

ADA air defense artillery

AEGIS Airborne Early Warning Ground Environment Integration

Segment

AFGC Armed Forces General Command

afld airfield

AFMIC Armed Forces Medical Intelligence Center

AIS air intelligence squadron

Al aluminum

ALE area limitation environment

AMEWS Automatic Mobile Electronic Warfare System

AO area of operations
AOI area of interest

AP ammonium percholate

AR artillery rocket

ARH anti-radiation homing ARM antiradiation missile

ASCII American Standard Code for Information Interchange

ASCM antiship cruise missile air-to surface missile

ASSC Air Standardization Coordinating Committee

AUAV attack unmanned aerial vehicle

BDE brigade

BE basic encyclopedia

BMCTbeginning morning civil twilightBMNTbeginning morning nautical twilightBMDOBallistic Missile Defense Organization

BTG basic targeting graphic

BN battalion

BW biological warfare

C Celsius

C² command and control

C³ command, control, and communications

C³I command, control, communications, and intelligence command, control, communications, and computers

C⁴I command, control, communications, computers, and

intelligence

C4ISR command, control, communications, computers, intelligence,

surveillance, and reconnaissance

CADRG compressed ARC digitized raster graphics

CAT category

CBW chemical and biological warfare

CCD camouflage, concealment, and deception

CCM cross-country movement CEP circular error probable

CENTCOM United States Central Command

CG cruiser

CIA Central Intelligence Agency
CIB controlled image base
CINC commander-in-chief
CM cruise missile

CM cruise missile course of action

COMINT communications intelligence communications security concept of operations

CONPLAN operation plan in concept format

COTS commercial off the shelf

CW chemical warfare

D&D deception and denialDAL defended asset list

DBDBdigital bathymetric data base**dBsm**decibels per square meter**DCW**Digital Chart of the World

DD destroyer

DDG guided missile destroyer

DF direction finding

DFADDigital Features Analysis Data
DIA
Defense Intelligence Agency

DIRD defense intelligence reference document

DMOB defensive missile order of battle

DP decision point

DPPDB digital point positioning data base

DSNDefense Switched NetworkDSTdecision support templatedigital terrain elevation data

DTG date time group

DTM digital target materials **DTOP** digital topographic data

DTRA Defense Threat Reduction Agency

EA electronic attack
EC electronic combat

ECM electronic countermeasures
EECT end of evening civil twilight
EEI essential elements of information
EENT end of evening nautical twilight

EL erector launcher
ELINT electronic intelligence
EM electromagnetic
EMP electromagnetic pulse

EO electro-optical EP electronic protection

ERS early release of submunitions electronic warfare support

EW electronic warfare

EWCO Electronic Warfare Company

5D demand driven direct digital dissemination

FAE fuel air explosive **FCV** fire control vehicle

FEBA forward edge of the battle area

FFD foundation feature data

FISINT foreign instrumentation signals intelligence

FM field manual

FOA forward operating location FOB forward operations base FOL forward operating location

Frag fragmentation

FSU Former Soviet Union

G2 army or marine corps component intelligence staff officer

G&C guidance and control **GA** Tabun, a nerve agent

GALEGeneric Area Limitation Environment group buffer, Sarin, a nerve agent

GCC Gulf Cooperation Council

GCCS Global Command and Control System

GCI ground control intercept
GD Soman, a nerve agent

GF a nerve agent

GGI&S global geospatial information and services

GHz gigahertz

GLONASS Global Navigation Satellite System

GNC global navigation chart
GPS global positioning system
GSE ground support equipment

HCV horizontal checkout vehicle

HE high explosive

HET heavy equipment transporter

Acronyms-4

HF high frequency

HOIS hostile intelligence service

HPT high payoff target

HTML Hypertext Markup Language

HTPB Hydroxyl-Terminated PolyButadiene

HUMINT human intelligence **HVT** high value target

IBIS Integrated Battlefield Intelligence System

ICOD intelligence cutoff data

ICWM International Committee on Weights and Measures

ID identity

IESS Imagery Exploitation Systems

IG intelligence group
IMINT imagery intelligence
INFLTREP in-flight report

INS inertial navigation system

INTELINK intelligence link

IPA intelligence production agency

IPB intelligence preparation of the battlespaceIPIR Initial Phase Interpretation Report

IPL integrated priority list

IR infrared

IRBM intermediate range ballistic missile IRFNA inhibited red fuming nitric acid

IRINT infrared intelligence

ISMD integrated suppression of missile defense **ISR** intelligence, surveillance and reconnaissance

IW information warfare

JAADC joint area air defense commander
JCSP Joint Chiefs of Staff Publication

JDISS joint deployable intelligence support system JFACC joint force air component commander

JFC joint force commander
JIC joint intelligence center

JISE joint intelligence support element
JMEM Joint Munitions Effectiveness Manual

JNC joint navigational chart
JOG joint operations graphics
JOG-A joint operations graphics-air
JOG-G joint operations graphics-ground
JOG-R joint operations graphics-radar

JSTARS Joint Surveillance Target Attack Radar System

JSWS joint services work station

JTF joint task force

JTIDS Joint Tactical Information Distribution System

JWICS joint worldwide intelligence communication system

kg kilogramkm kilometer

kph kilometers per hour

LACM land attack cruise missile

LAN local area network
LASINT laser intelligence
LIMDIS limited distribution
LOAC law of armed conflict
LOC line of communications

LOS line-of-sight LR long range

LTIOV latest time information is of value

m meter **Mar** March

MaRV maneuvering reentry vehicle

MASINT measurement and signature intelligence

MC&G mapping, charting, and geodesyMCOO modified combined obstacle overlay

MCSmilitary capabilities studyMELmobile erector launcher

MEPED Military Equipment and Parametrics Engineering Database **METT-T** mission, enemy, terrain and weather, troops and support

available, time available

MGRS Military Grid Reference System

MHz megahertz mi statute mile

MIDB modernized integrated data base

MIIDS/IDB Military Intelligence Integrated Data System/Integrated Data

Base

MOB missile order of battle

MOU memorandum of understanding

MP mission planning

MRBM medium range ballistic missile
MRL multiple rocket launcher
MRV multiple reentry vehicles
m/s meter(s) per second
MSI multi-spectral imagery

MSIC Missile and Space Intelligence Center
MTCR Missile Technology Control Regime

MTTP multiservice tactics, techniques and procedures

na not applicable

NAI named area of interest

NAIC National Air Intelligence Center

Acronyms-6

NATO
North Atlantic Treaty Organization
NBC
nuclear, biological and chemical
NCA
National Command Authorities
NES
NIMA Exploitation System

NGIC National Ground Intelligence Center

NIIRs National Imagery Interpretability Rating Scale

NIMA National Imagery and Mapping Agency
NIST National Intelligence Support Team

nm nautical mile

NMJIC National Military Joint Intelligence Center

NOFORN not releasable to foreign nationals

NSA National Security Agency NUCINT nuclear intelligence

OB order of battle

ONC operational navigation chart
ONI Office of Naval Intelligence

OOB order of battle
OPLAN operations plan
OPORD operation order
OPSEC operations security

ORCON dissemination and extraction controlled by originator

OSINT open-source intelligence

OTE operational threat environment

PGM patrol boat, guided missile **PHOTINT** photographic intelligence

PIR primary intelligence requirements

POC point of contact

POL petroleum, oils, and lubrication

PV POL vehicle

PSYOP psychological operations

R&D research and development

RADINT radar intelligence radar cross section

RDA research, development and acquisition **RDT&E** research, development, test and evaluation

REC radioelectronic combat
RFI request for information
RHAW radar homing and warning

RINT unintentional radiation intelligence

ROE rules of engagement remotely piloted vehicle

RST resupply trailer

RSTA reconnaissance, surveillance and target acquisition

RSV resupply vehicle

S&O systems and operations **S&T** scientific and technical

S&TI scientific and technical intelligence

SA selective availability (GPS)
SAFE secure analyst file environment

SAM surface-to-air missile
SAP semi-armor piercing
SATCOM satellite communications
SATNAV satellite navigation

SCIsensitive compartmented informationSCUDsurface-to-surface missile systemSEADsuppression of enemy air defensesSEMDsuppression of enemy missile defenses

SF special forces
SIGINT signals intelligence

SIPRNET Secret Internet Protocol Router Network

SLARside looking airborne radarSLBMsea-launched ballistic missileSLCMsea-launched cruise missileSOFspecial operations forces

SOJ stand-off jammer

SPOT satellite pour l'observation de la terre

SRBM short-range ballistic missile **SSM** surface-to-surface missile

STAR Systems Threat Assessment Report

SUPIR Supplemental Photographic Interpretation Report

T&E test and evaluation theater air defense

TADIL-A tactical digital information link-A **TADIL-J** tactical digital information link-Joint

TAI target area of interest

TASM tactical air-to-surface missile

TBD to be determined

TBM theater ballistic missile TCT time critical target

TDDS TRAP data dissemination service

TECHINT technical intelligence

TEL transporter erector launcher

TELAR transporter erector launcher and radar

TELINT telemetry intelligence terrain categorization

TGSM terminally guided submunition
THAAD theater high altitude area defense
TIBS tactical information broadcast system

TLM topographic line map
TM theater missile

TMD theater missile defense

TO&E table of organization and equipment

TPC tactical pilotage chart

TPL time phase line TS top secret

TS/SCI top secret/sensitive compartmented information

TRAP tactical related applications

TTADB Tactical Terrain Analysis Database **TTP** tactics, techniques, and procedures

U unclassified

UAV unmanned aerial vehicle
UGF underground facility
UHF ultra high frequency

Unk unknown
US United States
USA United States Army
USAF United States Air Force

USCS unified soils classification system
USMC United States Marine Corps

USN United States Navy

USSPACECOM United States Space Command UTM universal transverse mercator UW unconventional warfare

VHF very high frequency

VMAP vector map

VPF vector product format
VRF vegetation roughness factor

VX a nerve agent

WAN wide area network

WGS-84 World Geodetic System 1984 WMD weapons of mass destruction

WSSIC Weapon and Space Systems Intelligence Committee

WVS Wold Vector Shoreline

Z zulu

GLOSSARY

Areas of Interest – The geographical area from which information and intelligence are required to permit planning or successful conduct of the command's operation. The AOI is usually larger than the command's AO and battle space; it includes any threat forces or characteristics of the battlespace environment that will significantly influence accomplishment of the command's mission.

Area of Operations - As used in this publication, an AO is that portion of an area of conflict necessary for military operations. AOs for TMD IPB are those geographical regions analysts use to define missile threat envelopes, the locations where TM forces operate and/or where TMD operations will be conducted.

(An operational area defined by the joint force commander for land and naval forces. Areas of operations do not typically encompass the entire operational area of the joint force commander, but should be large enough for component commanders to accomplish their missions and protect their forces. [JP 1-02])

(operational area: that portion of an area of conflict necessary for military operations. OAs are geographical areas assigned to commanders for which they have responsibility and in which they have the authority to conduct military operations. [Air Force IPB pamphlet]).

Assumptions – Information used to replace missing facts necessary for command and staff planning, estimating, and decision making. Assumptions may also be required for facts that change due to the time difference between receipt of the mission and the time of

execution, such as threat dispositions. Assumptions should be confirmed or denied b intelligence collection whenever practical.

Battle Damage Assessment – The timely and accurate estimate of damage resulting from the application of military force, either lethal or non-lethal, against an objective or target.

Battle Space – Components determined by the maximum capabilities of an unit to acquire and dominate the enemy; includes areas beyond the AO; it varies over time according to how the commander positions assets. It depends on the command's ability to both acquire and engage targets using its own assets or those of other commands on its behalf.

Beginning Morning Nautical Twilight – Morning nautical twilight begins when the sun is 12 degrees below the eastern horizon. It is the start of that period where, in good conditions and in the absence of other illumination, enough light is available to identify the general outlines of ground objects, conduct limited military operations, and engage in most types of ground movement without difficulty. See end evening nautical twilight.

Branch – A contingency plan (an option built into the basic plan) for changing the disposition, orientation, or direction of movement of the force.

Capability – The ability to successfully perform an operation or accomplish an objective. the evaluation of capabilities includes an assessment of a force's current situation as well as its organization, doctrine, and normal TTPs. Capabilities are stated in terms of broad COAs and supporting operations. Generally, only capabilities that will influence accomplishment of the friendly command's mission are addressed.

Glossary-2

Common Understanding of the Battlespace – How the commander and staff perceive the battlespace environment. It includes the sum of all that is known or perceived of friendly and threat forces and the effects of the battlespace environment.

Confirmed Intelligence – Information or intelligence reported by three independent sources. The test for independence is certainty that the information report of one source was not derived from either of the two other sources, usually resulting in reliance on original reporting. analytical judgement counts as one source. Ensure that no more than one source is based solely on analytical judgement.

Course of Action — A possible plan open to an individual or commander that would accomplish or is related to accomplishment of the mission. A COA is initially stated in broad terms with the details determined during staff wargaming. To develop COAs, the staff must focus on key information and intelligence necessary to make decisions. COAs include five elements: WHAT (the type of operation), WHEN (the time the action will begin), WHERE (boundaries, axis, etc.), HOW (the use of assets), WHY (the purpose or desired end state).

Decision Point – The point in space and time where the commander or staff anticipates making a decision concerning a specific friendly COA. DPs are usually associated with threat force activity or the battlespace environment and are therefore associated with one or more NAIs. DPs also may be associated with the friendly force and the status of ongoing operations.

Decision Support Template – A graphic record of wargaming. The DST depicts

DPs, timelines associated with movement of forces and the flow of the operation, and other

key items of information required to execute a specific friendly COA.

Doctrinal Template — A model based on postulated threat doctrine. Doctrinal templates illustrate the disposition and activity of threat forces and assets (HVTs) conducting a particular operation unconstrained by the effects of the battlespace environment. They represent the application of threat doctrine under ideal conditions. Ideally, doctrinal templates depict the threat's normal organization for combat, frontages, depths, boundaries and other control measures, assets available from other commands, objective depths, engagement areas, battle positions, and so forth. Doctrinal templates are usually scaled to allow ready use on a map background. They are one part of a threat model.

End Evening Nautical Twilight – Occurs when the sun has dropped 12 degrees below the western horizon, and is the instant of last available daylight for the visual control of limited ground operations. At EENT there is no further sunlight available. See beginning morning nautical twilight.

Event Matrix – A description of the indicators and activity expected to occur in each NAI. It normally cross-references each NAI and indicator with the ties they are expected to occur and the COAs they will confirm or deny. There is no prescribed format.

Event Template – A guide for collection planning. The event template depicts the NAIs where activity (or its lack) will indicate which COA the threat has adopted.

Facts – Information known to be true. In terms of intelligence, facts include confirmed intelligence. See Assumptions.

High-Payoff Target – Target whose loss to the threat will contribute to the success of the friendly COA.

High-Value Target – Assets that the threat commander requires for the successful completion of a specific COA.

Indicators – Positive or negative evidence of threat activity or any characteristic of the AO which points toward threat vulnerabilities or the adoption or rejection by the threat of a particular capability, or which may influence the commander's selection of a COA. Indicators may result from previous actions or from threat failure to take action.

Information Requirement – An intelligence requirement of lower priority than the PIR of lowest priority.

Intelligence Preparation of the Battlespace – The systematic, continuous process of analyzing the threat and environment in a specific geographic area. IPB is designed to support the staff estimate and military decision making process. Most intelligence requirements are generated as a result of the IPB process and its interrelation with the decision making process.

Intelligence Requirement — A requirement for intelligence to fill a gap in the command's knowledge and understanding of the battlespace or threat forces. Intelligence requirements are designed to reduce the uncertainties associated with successful completion of a specific friendly COA; a change in the COA usually leads to a change in intelligence requirements. Intelligence requirements that support decisions which affect the overall mission accomplishment (such as choice of a COA, branch, or sequel) are designated by the commander as PIR. Less important intelligence requirements are designated as IR.

Latest Time Information of Value — The time by which information must be delivered to the requestor in order to provide decision makers with timely intelligence. Sometimes the LTIOV is the expected time of a decision anticipated during staff wargaming and planning. If someone other than the decision maker must first process the information, the LTIOV is earlier than the time associated with the decision point. The time difference accounts for delays in processing and communicating the final intelligence to the decision maker.

Line of Contact – A general trace delineating the location where two opposing forces are engaged.

Lines of Communication — All the routes (land, water, and air) that connect an operating military force with one or more bases of operations and along which supplies and military forces move. Note that not all roads and rails are LOCs; some are unsuited, others may be suitable but not used. note also that in this context, a communications center is an area where LOCs converge, such as transshipment points or hub-pattern cities.

Mission, Enemy, Terrain, Troops, and Time Available – Used to describe the factors that must be considered during the planning or execution of a tactical operation. Since these factors vary in any given situation, the term "METT-T dependent" is a common way of denoting that the proper approach to a problem in any situation depends on these factors and their interrelationship in that specific situation.

Modified Combined Obstacle Overlay – A product used to depict the battlespace's effects on military operations. it is normally based on a product depicting all obstacles to mobility, modified to also depict the following, which are not prescriptive nor inclusive.

- Cross-country mobility classifications (such as RESTRICTED),
- Objectives,
- AAs and mobility corridors,
- Likely locations of counter-mobility obstacle systems,
- Defensible terrain.
- Likely engagement areas, and
- Key terrain.

Named Area of Interest – The geographical area where information that will satisfy a specific information requirement can be collected. NAIs are usually selected to capture indications of threat COAs but also may be related to conditions of the battlespace.

Not Later Than – The time by which something must be accomplished.

OCOKA — A commonly used acronym and mnemonic for the military aspects of terrain. The acronym does not dictate the order in which the factors are evaluated; use the order in which the factors are evaluated; use the order best suited to the situation at hand. The military aspects of terrain are observation and fields of fire, concealment and cover, obstacles, key terrain, and avenues of approach.

Operational Area – That portion of an area of conflict necessary for military operations. OAs are geographical areas **assigned** to commanders for which they have responsibility and in which they have the authority to conduct military operations.

Order of Battle - Intelligence pertaining to identification, strength, command struc-

ture, and disposition of personnel, units, and equipment of any military force. The OB factors form the any military force. The OB factors form the framework for analyzing military forces and their capabilities, building threat models, and hence developing COA models.

Pattern Analysis – Deducing the doctrine and TTP of a force by careful observation and evaluation of patterns in its activities. pattern analysis leads to the development of threat models and hence to COA models. Identified patterns of threat activity can be use d as indicators of threat COAs.

Possible – Information or intelligence reported by only one independent source is classified as possibly true. The test for independence is certainty that the information report of a source was not derived from some other source, usually resulting in reliance on original reporting. A classification of possibly true cannot be based on analytical judgement alone.

Priority Intelligence Requirement – An intelligence requirement associated with a decision that will affect the overall success of the command's mission. PIR are a subset of intelligence requirements of a higher priority than information requirements. PIR are prioritized among themselves and may change in priority over the course of the operation's conduct. Only the commander designates PIR.

Probable – Information or intelligence reported by two independent sources is classified as probably true. The test for independence is certainty that the information report of one source was not derived from the other source, usually resulting in reliance on original reporting. Analytical judgement counts as one source. Ensure that no more than one source

is based solely on analytical judgement.

Reconnaissance – A mission undertaken to obtain information by visual observation, or other detection methods, about the activities and resources of an enemy or potential enemy, or about the meteorologic, hydrographic, or geographic characteristics of a particular area. Reconnaissance differs from surveillance primarily in duration of the mission.

Restricted – A classification indicating terrain that hinders movement. Little effort is needed to enhance mobility through restricted terrain but units may have difficulty maintaining preferred speeds, moving in combat formations, or transitioning from one formation to another. A force can generally use administrative or march formations through restricted terrain with only minimal delay.

Sequel – Major operations that follow an initial major operation. Plans for sequels are based on the possible outcome–**victory**, **stalemate**, or **defeat**–of the current operation.

Severely Restricted – A classification indicating terrain that severely hinders or slows movement in combat formations unless some effort is made to enhance mobility. Severely restricted terrain includes man-made obstacles, such as minefields and cities, as well as natural barriers. Severely restricted terrain generally slows or impedes administrative and march formations.

Situation Template – Depictions of assumed threat dispositions, based on threat doctrine and the effects of the battlespace, if the threat should adopt a particular COA. In effect, they are the doctrinal templates depicting a particular operation modified to account for the effects of the battlespace environment and the threat's current situation (training

and experience levels, logistic status, losses, dispositions). Normally, the situation template depicts threat units two levels of command below the friendly force as well as the expected locations of HVTs. Situation templates use TPLs to indicate movement of forces and the expected flow of the operation. Usually, the situation template depicts a critical point in the COA. Situation templates are one part of a threat COA model. Models may contain more than one situation template.

Specific Information Requirement – Specific information requirements describe the information required to answer all or part of an intelligence requirement. A complete SIR describes the information required, the location where the required information can be collected, and the time during which it can be collected. Generally, each intelligence requirement generates sets of SIRs.

Specific Order or Request – The order or request that generates planning and execution of a collection mission or analysis of data base information. **SORs sent to subordinate commands are** *orders*. SORs sent to other commands are *requests*. SORs often use system-specific message formats but also induce standard military OPORDs and FRAGOs.

Surveillance – The systematic observation of airspace or surface areas by visual, aura, photographic, or other means. Surveillance differs from reconnaissance primarily in duration of the mission.

Target Area of Interest – The geographical area where HVTs can be acquired and engaged by friendly forces. Not all TAIs will form part of the friendly COA; only TAIs associated with HPTs are of interest to the staff. These are identified during staff planning

and wargaming. TAIs differ from engagement areas in degree. Engagement areas plan for the use of all available weapons; TAIs might be engaged by a single weapon.

Threat Course of Action Model — A model of one COA available to the threat. It consists of a graphic depiction (situation template); a description (narrative or matrix); and a listing of assets important to the success of the COA (HVTs). The degree of detail in the model depends on available time. Ideally, threat COA models address all target sets. At a minimum, threat COA models address the five standard elements of a COA: WHAT (the type of operation, WHEN (in this case, the earliest time the action can begin), WHERE (boundaries, axis), HOW (the use of assets), and WHY (the purpose or desired end-state). Threat COA models should also meet the tests of suitability, feasibility, acceptability, uniqueness, and consistency with doctrine. Threat COAs are derived from capabilities.

Threat Model – A model of the threat force's doctrine and TTPs for the conduct of a particular operation. Threat models are based on a study of all available information, structured by the OB factors, of the particular threat force under consideration. Ideally, threat models consider all target sets in detail. Threat models are normally prepared prior to deployment.

TM Force – All of the personnel and equipment that directly impact the employment of TMs. This ranges from the field commanders who direct TM operations to the troops who actually deploy, fuel/load, and launch TMs to the vehicles, launchers, transporters, and support equipment that enable TM operations.

Unrestricted – A classification indicating terrain that is free of general restrictions to movement. In fair weather conditions movement off-road can be conducted with minimal

 $reductions\ in\ speed.$

CONVERSIONS

Parameters and measurements standards used within a joint, service, and/or combined TMD IPB function may vary significantly. The following table lists the more common parameters and measurements conversions, which a TMD IPB function may encounter.

Use of the International System of Units requires that a distinction be made between force and mass, which customarily have been expressed in pound-force and pound-mass, respectively.

Quantity	To Get – Divide By Conversion Factor	Conversion Factor	To Get – Multiply By Conversion Factor
Velocity	km/hr	0.539 956 8	knot
Velocity	km/hr	0.621 371 2	mph
Velocity	m/s	196.850 4	ft/min
Velocity	m/s	3.280 840	ft/sec
Velocity	m/s	1.943 844	knot
Acceleration	m/s ²	3.280 840	ft/sec ²
Acceleration	m/s ²	0.101 971 6	"g"
Dimension	km	0.539 956 8	NM
Dimension	km	0.621 371 2	mile (statute)
Dimension	m	3.280 840	foot
Dimension	m	1.093 613	vard
Dimension	cm	0.393 700 8	inch
Dimension	mm	0.039 370 08	inch
Dimension	mm	0.00039 370 08	caliber
Area	m ²	10.763 91	ft ²
Area	cm ²	0.155 000 3	in ²
Area	km ²	0.291 553 3	nm²
Volume	m ³	35.314 66	ft ³
Volume	cm ³	0.061 023 74	in ³
Volume	liter	0.264 172 0	gallon
Mass	kg	2.204 623	pound-mass
Mass	g	0.035 273 96	ounce
Mass	tonne	1.102 311	ton
Force	N	0.224 808 9	pound-force
Force	kN	224.808 9	pound-force
Total Impulse	N•s	0.224 808 9	lbf-second
Specific Impulse	N • s/kg	0.101 971 6	"second"
Thrust-to-Weight	N/kg	0.101 971 6	lbf/lbm, "g"
Power	kW	1.341 022	HP (550 ft ∘ lbf/s)
Temperature		T _c ∘ 1.8 + 32 = °F	(
		(T _f – 32)/1.8 = °C	
Pressure	kPa	20.885 43	psf
Pressure	kPa	0.145 037 7	psi
Loading	kg/m²	0.204 816 1	Ibm/ft ²
Density	kg/m³	0.062 427 97	Ibm/ft ³
Density	kg/liter	8.345 406	lbm/gal

INDEX

To Be Constructed