According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control numbers for this information are 0938-0760 and 0938-0761. The time required to complete this information collection is estimated to average 0.7 minute per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Baltimore, Maryland 21244-1850.

Outcome and Assessment Information Set (OASIS-B1)

Items to be Used at Specific Time Points

Start of Care	Home Health Patient Tracking Sheet, M0080-M0825			
Start of care—further visits planned				
Resumption of Care	· M0080-M0825			
Resumption of care (after inpatient stay)				
Follow-Up				
Recertification (follow-up) assessment Other follow-up assessment	M0440, M0450, M0460, M0476, M0488, M0490, M0530- M0550, M0610, M0650-M0700, M0825			
Transfer to an Inpatient Facility	M0080-M0100, M0830-M0855, M0890-M0906			
Transferred to an inpatient facility—patient not dischar Transferred to an inpatient facility—patient discharged				
Discharge from Agency — Not to an Inpatient Facility				
Death at home				
Discharge from agency	M0080-M0100, M0200-M0220, M0250, M0280-M0380, M0410-M0820, M0830-M0880, M0903-M0906			
Note: For items M0640-M0800, please note spec	cial instructions at the beginning of the section.			

CLINICAL RECORD ITEMS

(M0080) Discipline of Person Completing Assessment:

□ 1-RN □ 2-PT □ 3-SLP/ST □ 4-OT

(M0090) Date Assessment Completed:

(M0100) This Assessment is Currently Being Completed for the Following Reason:

Start/Resumption of Care

- □ 1 Start of care—further visits planned
- □ 3 Resumption of care (after inpatient stay)

Follow-Up

- 4 Recertification (follow-up) reassessment [Go to M0175]
- 5 Other follow-up [Go to M0175]

Transfer to an Inpatient Facility

- 6 Transferred to an inpatient facility—patient not discharged from agency [Go to M0830]
- 7 Transferred to an inpatient facility—patient discharged from agency [Go to M0830]

Discharge from Agency — Not to an Inpatient Facility

- □ 8 Death at home [Go to M0906]
- 9 Discharge from agency [Go to M0200]

DEMOGRAPHICS AND PATIENT HISTORY

(M0175)	From which of the following Inpatient Facilities was the patient discharged during the past 14 days?
	(Mark all that apply.)

- □ 1 Hospital
- 2 Rehabilitation facility
- □ 3 Skilled nursing facility
- 4 Other nursing home
- 5 Other (specify)
- □ NA Patient was not discharged from an inpatient facility [If NA at SOC/ROC, go to *M0200;* If NA at Follow-Up, go to *M0230*]

(M0180) Inpatient Discharge Date (most recent):

UK - Unknown

(M0190) Inpatient Diagnoses and ICD-9-CM code categories (three digits required; five digits optional) for only those conditions treated during an inpatient facility stay within the last 14 days (no surgical or V-codes):

	Inpatient Facility Diagnosis	ICD-9-CM
а.		()
b		()

	Effective 10/1/2003
	M code at the level of highest specificity for only those conditions ast 14 days (no surgical, E-codes, or V-codes):
Inpatient Facility Diagnosis	ICD-9-CM
a	()
b	()

- (M0200) Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?
 - □ 0 No [If No, go to M0220]

🛛 1 - Yes

(M0210) List the patient's Medical Diagnoses and ICD-9-CM code categories (three digits required; five digits optional) for those conditions requiring changed medical or treatment regimen (no surgical or V-codes):

 Changed Medical Regimen Diagnosis
 ICD-9-CM

 a.
 (______)

 b.
 (______)

 c.
 (______)

 d.
 (______)

Effective 10/1/2003

requiring changed medical or treatment r	ICD-9-CM codes at the level of highest specificity for those conditions regimen (no surgical, E-codes, or V-codes):
Changed Medical Regimen Diagnosis	ICD-9-CM
a	()
b	()
C	()
Changed Medical Regimen Diagnosis ab cd	()

© 2002, Center for Health Services Research, UCHSC, Denver, CO OASIS-B1 (12/2002)

- (M0220) Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days: If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within the past 14 days, indicate any conditions which existed <u>prior to</u> the inpatient stay or change in medical or treatment regimen. (Mark all that apply.)
 - □ 1 Urinary incontinence
 - 2 Indwelling/suprapubic catheter
 - □ 3 Intractable pain
 - 4 Impaired decision-making
 - 5 Disruptive or socially inappropriate behavior
 - 6 Memory loss to the extent that supervision required
 - □ 7 None of the above
 - NA No inpatient facility discharge and no change in medical or treatment regimen in past 14 days
 - UK Unknown
- (M0230/M0240) Diagnoses and Severity Index: List each medical diagnosis or problem for which the patient is receiving home care and ICD-9-CM code category (three digits required; five digits optional – no surgical or V-codes) and rate them using the following severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses.

Effective 10/1/2003

List each diagnosis and ICD-9-CM code at the level of highest specificity (no surgical codes) for which the patient is receiving home care. Rate each condition using the following severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) E-codes (for M0240 only) or V-codes (for M0230 or M0240) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V-code is reported in place of a case mix diagnosis, then M0245 Payment Diagnosis should be completed. Case mix diagnosis is a primary or first secondary diagnosis that determines the Medicare PPS case mix group.

Severity Rating

- 0 Asymptomatic, no treatment needed at this time
- 1 Symptoms well controlled with current therapy
- 2 Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring

3 - Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring

4 - Symptoms poorly controlled, history of rehospitalizations

	(M0230) Primary Diagnosis	<u>ICD-9-CM</u>	Severity Rating
а		()	
	(M0240) Other Diagnoses	ICD-9-CM	Severity Rating
b		(•)	
C		(•)	
d		(•)	
e		()	
f		(•)	

Effective 10/1/2003
(M0245) Payment Diagnosis (optional): If a V-code was reported in M0230 in place of a case mix diagnosis, list the primary diagnosis and ICD-9-CM code, determined in accordance with OASIS requirements in effect before October 1, 2003no V-codes, E-codes, or surgical codes allowed. ICD-9-CM sequencing requirements must be followed. Complete both lines (a) and (b) if the case mix diagnosis is a manifestation code or in other situations where multiple coding is indicated for the primary diagnosis; otherwise, complete line (a) only.
(M0245) Primary Diagnosis ICD-9-CM
a ()
(M0245) First Secondary Diagnosis ICD-9-CM
b (,)
(M0250) Therapies the patient receives at home: (Mark all that apply.)
1 - Intravenous or infusion therapy (excludes TPN)
 2 - Parenteral nutrition (TPN or lipids) 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
\Box 4 - None of the above
(M0260) Overall Prognosis: BEST description of patient's overall prognosis for recovery from this episode of illness.
 0 - Poor: little or no recovery is expected and/or further decline is imminent 1 - Good/Fair: partial to full recovery is expected UK - Unknown
(M0270) Rehabilitative Prognosis: BEST description of patient's prognosis for functional status.
 0 - Guarded: minimal improvement in functional status is expected; decline is possible 1 - Good: marked improvement in functional status is expected UK - Unknown
(M0280) Life Expectancy: (Physician documentation is not required.)
 0 - Life expectancy is greater than 6 months 1 - Life expectancy is 6 months or fewer
(M0290) High Risk Factors characterizing this patient: (Mark all that apply.)
 Heavy smoking 2 - Obesity 3 - Alcohol dependency 4 - Drug dependency 5 - None of the above UK - Unknown
LIVING ARRANGEMENTS (M0300) Current Residence:

- 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
- 2 - Family member's residence
- 3 - Boarding home or rented room
- 4 Board and care or assisted living facility
- 5 Other (specify)

(M0340) Patient Lives With: (Mark all that apply.)

- □ 1 Lives alone
- 2 With spouse or significant other
- 3 With other family member
- 4 With a friend
- 5 With paid help (other than home care agency staff)
- □ 6 With other than above

SUPPORTIVE ASSISTANCE

(M0350) Assisting Person(s) Other than Home Care Agency Staff: (Mark all that apply.)

- 1 Relatives, friends, or neighbors living outside the home
- 2 Person residing in the home (EXCLUDING paid help)
- □ 3 Paid help
- 4 None of the above [If None of the above, go to M0390]
- UK Unknown [If Unknown, go to M0390]
- (M0360) **Primary Caregiver** taking <u>lead</u> responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

0 - No one person [If No one person, go to M0390]

- □ 1 Spouse or significant other
- 2 Daughter or son
- □ 3 Other family member
- 4 Friend or neighbor or community or church member
- 5 Paid help
- UK Unknown [If Unknown, go to M0390]
- (M0370) How Often does the patient receive assistance from the primary caregiver?
 - □ 1 Several times during day and night
 - □ 2 Several times during day
 - □ 3 Once daily
 - 4 Three or more times per week
 - 5 One to two times per week
 - □ 6 Less often than weekly
 - UK Unknown

(M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- 1 ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- 2 IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- 3 Environmental support (housing, home maintenance)
- 4 Psychosocial support (socialization, companionship, recreation)
- 5 Advocates or facilitates patient's participation in appropriate medical care
- 6 Financial agent, power of attorney, or conservator of finance
- 7 Health care agent, conservator of person, or medical power of attorney
- UK Unknown

SENSORY STATUS

(M0390) Vision with corrective lenses if the patient usually wears them:

- 0 Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- 1 Partially impaired: cannot see medication labels or newsprint, but <u>can</u> see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- □ 2 Severely impaired: cannot locate objects without hearing or touching them <u>or</u> patient nonresponsive.

(M0400) Hearing and Ability to Understand Spoken Language in patient's own language (with hearing aids if the patient usually uses them):

- 0 - No observable impairment. Able to hear and understand complex or detailed instructions and extended or abstract conversation.
- With minimal difficulty, able to hear and understand most multi-step instructions and ordinary 1 conversation. May need occasional repetition, extra time, or louder voice.
- 2 -Has moderate difficulty hearing and understanding simple, one-step instructions and brief conversation; needs frequent prompting or assistance.
- 3 -Has severe difficulty hearing and understanding simple greetings and short comments. Requires multiple repetitions, restatements, demonstrations, additional time.
- Unable to hear and understand familiar words or common expressions consistently, or patient 4 nonresponsive.

(M0410) Speech and Oral (Verbal) Expression of Language (in patient's own language):

- 0 -Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- Minimal difficulty in expressing ideas and needs (may take extra time: makes occasional errors in 1 word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- 2 -Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- 3 -Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- 4 -Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- 5 -Patient nonresponsive or unable to speak.

(M0420) Frequency of Pain interfering with patient's activity or movement:

- П 0 - Patient has no pain or pain does not interfere with activity or movement
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 -All of the time
- (M0430) Intractable Pain: Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?
 - 0 No
 - 1 - Yes

INTEGUMENTARY STATUS

(M0440) Does this patient have a Skin Lesion or an Open Wound? This excludes "OSTOMIES."

- 0 - No [If No, go to M0490]
- 1 - Yes

(M0445) Does this patient have a Pressure Ulcer?

- 0 - No [If No, go to M0468]
- 1 - Yes

(M0450) Current Number of Pressure Ulcers at Each Stage: (Circle one response for each stage.)

	Pressure Ulcer Stages	Nun	nber o	f Pres	sure l	Jlcers
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
C)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that ca presence of eschar or a nonremovable dressing, including casts? 0 - No 1 - Yes	innot l	be obs	served	l due 1	to the

- (M0460) [At follow-up, skip this item if patient has no pressure ulcers] Stage of Most Problematic (Observable) Pressure Ulcer:
 - 1 - Stage 1
 - □ 2 Stage 2
 - □ 3 -Stage 3
 - □ 4 Stage 4
 - □ NA No observable pressure ulcer

(M0464) Status of Most Problematic (Observable) Pressure Ulcer:

- 1 - Fully granulating
- 2 Early/partial granulation
- □ 3 Not healing
- □ NA No observable pressure ulcer

(M0468) Does this patient have a Stasis Ulcer?

- 0 - No [If No, go to M0482]
- 1 - Yes

(M0470) Current Number of Observable Stasis Ulcer(s):

- \Box 0 - Zero
- 1 - One
- 2 - Two
- □ 3 Three
- 4 Four or more
- (M0474) Does this patient have at least one Stasis Ulcer that Cannot be Observed due to the presence of a nonremovable dressing?
 - 🛛 0 No □ 1 - Yes

- (M0476) [At follow-up, skip this item if patient has no stasis ulcers] Status of Most Problematic (Observable) Stasis Ulcer:
 - \Box 1 - Fully granulating
 - □ 2 Early/partial granulation
 - □ 3 Not healing
 - □ NA No observable stasis ulcer

© 2002, Center for Health Services Research, UCHSC, Denver, CO OASIS-B1 (12/2002)

- (M0482) Does this patient have a Surgical Wound?
 - 0 No [If No, go to *M0490*]
 - 🛛 1 Yes
 - (M0484) Current Number of (Observable) Surgical Wounds: (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)
 - 🛛 0 Zero
 - □ 1 One
 - 🛛 2 Two
 - □ 3 Three
 - 4 Four or more
 - (M0486) Does this patient have at least one Surgical Wound that Cannot be Observed due to the presence of a nonremovable dressing?
 - 🗆 0 No
 - 🛛 1 Yes
 - (M0488) [At follow-up, skip this item if patient has no surgical wounds] Status of Most Problematic (Observable) Surgical Wound:
 - □ 1 Fully granulating
 - 2 Early/partial granulation
 - □ 3 Not healing
 - □ NA No observable surgical wound

RESPIRATORY STATUS

(M0490) When is the patient dyspneic or noticeably Short of Breath?

- 0 Never, patient is not short of breath
- □ 1 When walking more than 20 feet, climbing stairs
- 2 With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- 3 With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- 4 At rest (during day or night)

(M0500) Respiratory Treatments utilized at home: (Mark all that apply.)

- □ 1 Oxygen (intermittent or continuous)
- 2 Ventilator (continually or at night)
- 3 Continuous positive airway pressure
- 4 None of the above

ELIMINATION STATUS

(M0510) Has this patient been treated for a Urinary Tract Infection in the past 14 days?

- 🛛 0 No
- □ 1 Yes
- □ NA Patient on prophylactic treatment
- UK Unknown

(M0520) Urinary Incontinence or Urinary Catheter Presence:

- 0 No incontinence or catheter (includes anuria or ostomy for urinary drainage) [If No, go to M0540]
- □ 1 Patient is incontinent
- 2 Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [Go to *M0540*]

- (M0530) [At follow-up, skip this item if patient has no urinary incontinence or does have a urinary catheter] When does Urinary Incontinence occur?
 - □ 0 Timed-voiding defers incontinence
 - □ 1 During the night only
 - 2 During the day and night

(M0540) Bowel Incontinence Frequency:

- 0 Very rarely or never has bowel incontinence
- □ 1 Less than once weekly
- 2 One to three times weekly
- \Box 3 Four to six times weekly
- 4 On a daily basis
- 5 More often than once daily
- □ NA Patient has ostomy for bowel elimination
- UK Unknown
- (M0550) Ostomy for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay, <u>or</u> b) necessitated a change in medical or treatment regimen?
 - \Box 0 Patient does <u>not</u> have an ostomy for bowel elimination.
 - 1 Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regimen.
 - 2 The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen.

NEURO/EMOTIONAL/BEHAVIORAL STATUS

- (M0560) Cognitive Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)
 - 0 Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
 - 1 Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
 - 2 Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
 - 3 Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
 - 4 Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

(M0570) When Confused (Reported or Observed):

- □ 0 Never
- □ 1 In new or complex situations only
- 2 On awakening or at night only
- 3 During the day and evening, but not constantly
- 4 Constantly
- □ NA Patient nonresponsive

(M0580) When Anxious (Reported or Observed):

- 0 None of the time
- □ 1 Less often than daily
- 2 Daily, but not constantly
- □ 3 All of the time
- □ NA Patient nonresponsive

(M0590) Depressive Feelings Reported or Observed in Patient: (Mark all that apply.)

- 1 Depressed mood (e.g., feeling sad, tearful)
- □ 2 Sense of failure or self reproach
- □ 3 Hopelessness
- 4 Recurrent thoughts of death
- 5 Thoughts of suicide
- 6 None of the above feelings observed or reported

(M0610) Behaviors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)

- 1 Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
- 2 Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
- 3 Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
- 4 Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
- 5 Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
- 6 Delusional, hallucinatory, or paranoid behavior
- 7 None of the above behaviors demonstrated
- (M0620) Frequency of Behavior Problems (Reported or Observed) (e.g., wandering episodes, self abuse, verbal disruption, physical aggression, etc.):
 - 0 Never
 - □ 1 Less than once a month
 - 2 Once a month
 - □ 3 Several times each month
 - 4 Several times a week
 - 5 At least daily

(M0630) Is this patient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?

- 🛛 0 No
- □ 1 Yes

ADL/IADLs

For M0640-M0800, complete the "Current" column for all patients. For these same items, complete the "Prior" column only at start of care and at resumption of care; mark the level that corresponds to the patient's condition 14 days prior to start of care date (M0030) or resumption of care date (M0032). In all cases, record what the patient is *able to do*.

(M0640) Grooming: Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

Prior	<u>Current</u>			
)		

П

- 0 Able to groom self unaided, with or without the use of assistive devices or adapted methods.
- 1 Grooming utensils must be placed within reach before able to complete grooming activities.
- 2 Someone must assist the patient to groom self.
 - 3 Patient depends entirely upon someone else for grooming needs.
 - UK Unknown

(M06	5 50)			to Dress <u>Upper</u> Body (with or without dressing aids) including undergarments, pullovers, front- I shirts and blouses, managing zippers, buttons, and snaps:
		0 1 2	- - -	Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. Able to dress upper body without assistance if clothing is laid out or handed to the patient. Someone must help the patient put on upper body clothing. Patient depends entirely upon another person to dress the upper body. Unknown
(M06	60)			to Dress <u>Lower</u> Body (with or without dressing aids) including undergarments, slacks, socks or shoes:
Prior		0 1	-	Able to obtain, put on, and remove clothing and shoes without assistance. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient. Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
			-	Patient depends entirely upon another person to dress lower body.
(M06	670)	Bat	hing	g: Ability to wash entire body. Excludes grooming (washing face and hands only).
		0 1		Able to bathe self in <u>shower or tub</u> independently. With the use of devices, is able to bathe self in shower or tub independently. Able to bathe in shower or tub with the assistance of another person: (a) for intermittent supervision or encouragement or reminders, <u>OR</u> (b) to get in and out of the shower or tub, <u>OR</u>
		4 5	- - -	 (c) for washing difficult to reach areas. Participates in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision. <u>Unable</u> to use the shower or tub and is bathed in <u>bed or bedside chair</u>. Unable to effectively participate in bathing and is totally bathed by another person. Unknown
(M06	680)	Toil	etin	g: Ability to get to and from the toilet or bedside commode.
Prior		0 1	-	Able to get to and from the toilet independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet. <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).
		3	-	Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
		4 UK	-	Is totally dependent in toileting. Unknown
(M06	90)			rring: Ability to move from bed to chair, on and off toilet or commode, into and out of tub or and ability to turn and position self in bed if patient is bedfast.
Prior (0 1 2	- - -	Able to independently transfer. Transfers with minimal human assistance or with use of an assistive device. <u>Unable</u> to transfer self but is able to bear weight and pivot during the transfer process. Unable to transfer self and is <u>unable</u> to bear weight or pivot when transferred by another person.

- 3 Unable to transfer self and is <u>unable</u> to bear weight or pivot when transferred by another person.
- Bedfast, unable to transfer but is able to turn and position self in bed. 4 -
- 5 Bedfast, unable to transfer and is <u>unable</u> to turn and position self.
- UK - Unknown

(M0700) Ambulation/Locomotion: Ability to <u>SAFELY</u> walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Prior	Curren	1 <u>t</u> 0	-	Able to independently walk on even and uneven surfaces and climb stairs with or without railings
		1	-	(i.e., needs no human assistance or assistive device). Requires use of a device (e.g., cane, walker) to walk alone <u>or</u> requires human supervision or
		2	-	assistance to negotiate stairs or steps or uneven surfaces. Able to walk only with the supervision or assistance of another person at all times.
		3 4		Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. Chairfast, unable to ambulate and is <u>unable</u> to wheel self.
		5	-	Bedfast, unable to ambulate or be up in a chair.
		UK		Unknown
(M0				g or Eating: Ability to feed self meals and snacks. Note: This refers only to the process of chewing, and swallowing, not preparing the food to be eaten.
<u>Prior</u>	Curren	<u>it</u>		
			-	Able to independently feed self. Able to feed self independently but requires:
				 (a) meal set-up; <u>OR</u> (b) intermittent assistance or supervision from another person; <u>OR</u> (c) a liquid, pureed or ground meat diet.
		2	-	<u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack.
		3		Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.
		4		<u>Unable</u> to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
		5 UK		Unable to take in nutrients orally or by tube feeding. Unknown
(M0	720)	Plan	nin	g and Preparing Light Meals (e.g., cereal, sandwich) or reheat delivered meals:
Prior	Curren	<u>it</u>		
		0	-	 (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; <u>OR</u> (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
			-	<u>Unable</u> to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
		2 UK		Unable to prepare any light meals or reheat any delivered meals. Unknown
(M0				ortation: Physical and mental ability to <u>safely</u> use a car, taxi, or public transportation (bus, train,
(1110	-	subv	-	
<u>Prior</u>	Curren	<u>it</u>		
		0	-	Able to independently drive a regular or adapted car; <u>OR</u> uses a regular or handicap-accessible public bus.
		1	-	Able to ride in a car only when driven by another person; <u>OR</u> able to use a bus or handicap van only when assisted or accompanied by another person.
		2 UK		<u>Unable</u> to ride in a car, taxi, bus, or van, and requires transportation by ambulance. Unknown
		υN	-	Unknown

(M0740) Laundry: Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.

Drior	Curron	+		·
	Curren		-	 (a) Able to independently take care of all laundry tasks; <u>OR</u> (b) Physically, cognitively, and mentally able to do laundry and access facilities, <u>but</u> has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
		1	-	Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
		2		<u>Unable</u> to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
		UK		Unknown
•			sek	eeping: Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.
	Curren		-	 (a) Able to independently perform all housekeeping tasks; <u>OR</u> (b) Physically, cognitively, and mentally able to perform <u>all</u> housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admination)
		1	-	admission). Able to perform only <u>light</u> housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
		2	-	Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
		3	-	<u>Unable</u> to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
		4 UK		Unable to effectively participate in any housekeeping tasks. Unknown
(M0)		Sho deliv		ng: Ability to plan for, select, and purchase items in a store and to carry them home or arrange
Prior	Curren	t		
		0	-	(a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR
_	_			(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
		1	-	 Able to go shopping, but needs some assistance: (a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; <u>OR</u>
		2	-	(b) <u>Unable</u> to go shopping alone, but can go with someone to assist. <u>Unable</u> to go shopping, but is able to identify items needed, place orders, and arrange home
		3	-	delivery. Needs someone to do all shopping and errands.
		UK	-	Unknown
(M0)				to Use Telephone: Ability to answer the phone, dial numbers, and <u>effectively</u> use the telephone to nicate.
Prior	Curren	<u>t</u>		
		0	-	Able to dial numbers and answer calls appropriately and as desired.
		1	-	Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
		2	-	Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
		3	-	Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
		4		Unable to answer the telephone at all but can listen if assisted with equipment.
			-	Totally unable to use the telephone.
		NA UK		Patient does not have a telephone. Unknown

MEDICATIONS

(M0780)	Management of Oral Medications: Patient's ability to prepare and take all prescribed oral medications
	reliably and safely, including administration of the correct dosage at the appropriate times/intervals.
	Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or
	willingness.)

Prior	Curre	nt			
			-	Able to independently take the correct oral medication(s) and proper dosage(s) at the correct	
		1	-	times. Able to take medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; <u>OR</u> (b) given daily reminders; <u>OR</u> (c) someone develops a drug diary or chart. <u>Unable</u> to take medication unless administered by someone else. No oral medications prescribed. Unknown	
		2 NA UK			
(M0	790)	inha the o	lant corr	ement of Inhalant/Mist Medications: <u>Patient's ability</u> to prepare and take <u>all</u> prescribed /mist medications (nebulizers, metered dose devices) reliably and safely, including administration of ect dosage at the appropriate times/intervals. <u>Excludes</u> all other forms of medication (oral injectable and IV medications).	
Prior	Curre	nt			
		0	-	Able to independently take the correct medication and proper dosage at the correct times. Able to take medication at the correct times if: (a) individual dosages are prepared in advance by another person, <u>OR</u>	
		2 NA UK		 (b) given daily reminders. <u>Unable</u> to take medication unless administered by someone else. No inhalant/mist medications prescribed. Unknown 	
(M0800) Management of Injectable Medications: <u>Patient's ability</u> to prepare and take <u>all</u> prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. <u>Excludes</u> IV medications.					
<u>Prior</u>	Curre	<u>nt</u>			
			-	Able to independently take the correct medication and proper dosage at the correct times. Able to take injectable medication at correct times if:	
				 (a) individual syringes are prepared in advance by another person, <u>OR</u> (b) given daily reminders. 	
		2 NA UK		<u>Unable</u> to take injectable medications unless administered by someone else. No injectable medications prescribed. Unknown	
EQUIPMENT MANAGEMENT					
(M0	810)	nutr safe	r <mark>itio</mark> ly, a	Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion therapy, enteral/parenteral n equipment or supplies): <u>Patient's ability</u> to set up, monitor and change equipment reliably and add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper ue. (NOTE: This refers to ability, not compliance or willingness.)	
		0	-	Patient manages all tasks related to equipment completely independently.	

- 1 If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
- 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
- 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
- 4 - Patient is completely dependent on someone else to manage all equipment.
- □ NA No equipment of this type used in care [If NA, go to M0825]

(M0820) Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment,

enteral/parenteral nutrition, ventilator therapy equipment or supplies): <u>Caregiver's ability</u> to set up, monitor, and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not compliance or willingness.)

- 0 Caregiver manages all tasks related to equipment completely independently.
- 1 If someone else sets up equipment, caregiver is able to manage all other aspects.
- 2 Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
- 3 Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
- 4 Caregiver is completely dependent on someone else to manage all equipment.
- □ NA No caregiver
- UK Unknown

THERAPY NEED

- (M0825) Therapy Need: Does the care plan of the Medicare payment period for which this assessment will define a case mix group indicate a need for therapy (physical, occupational, or speech therapy) that meets the threshold for a Medicare high-therapy case mix group?
 - 🛛 0 No
 - □ 1 Yes
 - □ NA Not applicable

EMERGENT CARE

- (M0830) Emergent Care: Since the last time OASIS data were collected, has the patient utilized any of the following services for emergent care (other than home care agency services)? (Mark all that apply.)
 - 0 No emergent care services [If no emergent care, go to M0855]
 - □ 1 Hospital emergency room (includes 23-hour holding)
 - 2 Doctor's office emergency visit/house call
 - 3 Outpatient department/clinic emergency (includes urgicenter sites)
 - UK Unknown [If UK, go to M0855]
- (M0840) Emergent Care Reason: For what reason(s) did the patient/family seek emergent care? (Mark all that apply.)
 - 1 Improper medication administration, medication side effects, toxicity, anaphylaxis
 - 2 Nausea, dehydration, malnutrition, constipation, impaction
 - 3 Injury caused by fall or accident at home
 - 4 Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial obstruction)
 - 5 Wound infection, deteriorating wound status, new lesion/ulcer
 - 6 Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain)
 - 7 Hypo/Hyperglycemia, diabetes out of control
 - □ 8 GI bleeding, obstruction
 - 9 Other than above reasons
 - UK Reason unknown

DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY

(M0855) To which Inpatient Facility has the patient been admitted?

- □ 1 Hospital [Go to M0890]
- 2 Rehabilitation facility [Go to M0903]
- □ 3 Nursing home **[Go to** *M0900* **]**
- □ 4 Hospice [Go to M0903]
- □ NA No inpatient facility admission

(M0870) Discharge Disposition: Where is the patient after discharge from your agency? (Choose only one answer.)

- 1 Patient remained in the community (not in hospital, nursing home, or rehab facility)
- 2 Patient transferred to a noninstitutional hospice [Go to M0903]
- □ 3 Unknown because patient moved to a geographic location not served by this agency [Go to *M0903*]
- UK Other unknown [Go to M0903]
- (M0880) After discharge, does the patient receive health, personal, or support Services or Assistance? (Mark all that apply.)
 - 1 No assistance or services received
 - 2 Yes, assistance or services provided by family or friends
 - 3 Yes, assistance or services provided by other community resources (e.g., meals-on-wheels, home health services, homemaker assistance, transportation assistance, assisted living, board and care)

Go to *M0903*

- (M0890) If the patient was admitted to an acute care Hospital, for what Reason was he/she admitted?
 - 1 Hospitalization for <u>emergent</u> (unscheduled) care
 - 2 Hospitalization for <u>urgent</u> (scheduled within 24 hours of admission) care
 - 3 Hospitalization for elective (scheduled more than 24 hours before admission) care
 - UK Unknown

(M0895) Reason for Hospitalization: (Mark all that apply.)

- 1 Improper medication administration, medication side effects, toxicity, anaphylaxis
- 2 Injury caused by fall or accident at home
- 3 Respiratory problems (SOB, infection, obstruction)
- 4 Wound or tube site infection, deteriorating wound status, new lesion/ulcer
- 5 Hypo/Hyperglycemia, diabetes out of control
- G GI bleeding, obstruction
- 7 Exacerbation of CHF, fluid overload, heart failure
- 8 Myocardial infarction, stroke
- 9 Chemotherapy
- □ 10 Scheduled surgical procedure
- □ 11 Urinary tract infection
- □ 12 IV catheter-related infection
- □ 13 Deep vein thrombosis, pulmonary embolus
- □ 14 Uncontrolled pain
- □ 15 Psychotic episode
- □ 16 Other than above reasons
 - Go to *M0903*

(M0900) For what Reason(s) was the patient Admitted to a Nursing Home? (Mark all that apply.)

- □ 1 Therapy services
- □ 2 Respite care
- □ 3 Hospice care
- □ 4 Permanent placement
- 5 Unsafe for care at home
- 🛛 6 Other
- UK Unknown

(M0903) Date of Last (Most Recent) Home Visit:

____/___/____ear

(M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

____/___/____ month day year