According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control numbers for this information are 0938-0760 and 0938-0761. The time required to complete this information collection is estimated to average 0.9 minute per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Baltimore, Maryland 21244-1850.

### **Outcome and Assessment Information Set (OASIS-B1)**

#### START OF CARE VERSION

(also used for Resumption of Care Following Inpatient Stay)

| Items to be Used at this Time Point  | M0080-M0825     |
|--|-----------------|
| CLINICAL RECORD ITEMS  |                 |
| (M0080) Discipline of Person Completing Assessment:  |                 |
| ☐ 1-RN ☐ 2-PT ☐ 3-SLP/ST ☐ 4-OT  |                 |
| (M0090) Date Assessment Completed:/  |                 |
| (M0100) This Assessment is Currently Being Completed for the Following Reason:   |                 |
| Start/Resumption of Care  ☐ 1 - Start of care—further visits planned ☐ 3 - Resumption of care (after inpatient stay)   |                 |
| DEMOGRAPHICS AND PATIENT HISTORY   |                 |
| (M0175) From which of the following Inpatient Facilities was the patient discharged during the patient during the pat | oast 14 days?   |
| <ul> <li>□ 1 - Hospital</li> <li>□ 2 - Rehabilitation facility</li> <li>□ 3 - Skilled nursing facility</li> <li>□ 4 - Other nursing home</li> <li>□ 5 - Other (specify)</li> <li>□ NA - Patient was not discharged from an inpatient facility [ If NA, go to M0200 ]</li> </ul>  |                 |
| (M0180) Inpatient Discharge Date (most recent):  |                 |
| month day year   |                 |
| □ UK - Unknown   |                 |
| (M0190) Inpatient Diagnoses and ICD-9-CM code categories (three digits required; five digits o those conditions treated during an inpatient facility stay within the last 14 days (no surgion linear Facility Diagnosis   ICD-9-CM    a (  |                 |
| Effective 10/1/2003  |                 |
| List each Inpatient Diagnosis and ICD-9-CM code at the level of highest specificity for only t treated during an inpatient stay within the last 14 days (no surgical, E-codes, or V-codes):  | hose conditions |
| Inpatient Facility Diagnosis ICD-9-CM  |                 |
| a ()   |                 |
| b  |                 |

| (MO  | <b>Medical or Treatment Regimen Change Within Past 14 Days:</b> Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?  |
|------|---|
|      | □ 0 - No [If No, go to <i>M0220</i> ] □ 1 - Yes   |
| (M02 | 210) List the patient's Medical Diagnoses and ICD-9-CM code categories (three digits required; five digits optional) for those conditions requiring changed medical or treatment regimen (no surgical or V-codes):  |
|      | <u>Changed Medical Regimen Diagnosis</u> <u>ICD-9-CM</u>  |
|      | a   |
|      | b   |
|      | C   |
|      | d   |
|      |   |
|      | Effective 10/1/2003   |
|      | List the patient's Medical Diagnoses and ICD-9-CM codes at the level of highest specificity for those conditions  |
|      | requiring changed medical or treatment regimen (no surgical, E-codes, or V-codes):  |
|      | Changed Medical Regimen Diagnosis ICD-9-CM  |
|      | a ()  |
|      | b   |
|      |   |
|      | C   |
|      | d   |
| (MO2 | 220) Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days: If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the inpatient stay or change in medical or treatment regimen. (Mark all that apply.)  1 - Urinary incontinence 2 - Indwelling/suprapubic catheter 3 - Intractable pain 4 - Impaired decision-making 5 - Disruptive or socially inappropriate behavior 6 - Memory loss to the extent that supervision required 7 - None of the above NA - No inpatient facility discharge and no change in medical or treatment regimen in past 14 days UK - Unknown |
| (M02 | 230/M0240) Diagnoses and Severity Index: List each medical diagnosis or problem for which the patient is receiving home care and ICD-9-CM code category (three digits required; five digits optional – no surgical or V-codes) and rate them using the following severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses.   |
|      | Effective 10/1/2003   |
|      | List each diagnosis and ICD-9-CM code at the level of highest specificity (no surgical codes) for which the patient is receiving home care. Rate each condition using the following severity index. (Choose one value   |

that represents the most severe rating appropriate for each diagnosis.) E-codes (for M0240 only) or V-codes (for M0230 or M0240) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V-code is reported in place of a case mix diagnosis, then M0245 Payment Diagnosis should be completed. Case mix diagnosis is a primary or first secondary diagnosis that determines the Medicare PPS case mix group.

# Severity Rating

- 0 Asymptomatic, no treatment needed at this time
- 1 Symptoms well controlled with current therapy
- 2 Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
  3 Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
- 4 Symptoms poorly controlled, history of rehospitalizations

| •         | (M0230) Primary Diagnosis   | <u>ICD-9-CM</u>   | Severity Rating  |
|-----------|---|---|--|
| a.        |   | (,  | $\square$ 0 $\square$ 1 $\square$ 2 $\square$ 3 $\square$ 4  |
|           | (M0240) Other Diagnoses   | ICD-9-CM  | Severity Rating  |
| b.        |   | ()  |  |
| C.        |   |   | $\square$ 0 $\square$ 1 $\square$ 2 $\square$ 3 $\square$ 4  |
|           |   |   |  |
|           |   |   |  |
|           |   | ( · )   |  |
|           |   | · · /   |  |
|           |   |   |  |
| (1400.45) | Decree A Discount of Assets and Book  | Effective 10/1/2003   | and a second control of the second control o |
| (M0245)   | Payment Diagnosis (optional): If a the primary diagnosis and ICD-9-CM   |   |  |
|           | before October 1, 2003no V-codes  | , E-codes, or surgical codes allow  | ed. ICD-9-CM sequencing  |
|           | requirements must be followed. Cor manifestation code or in other situati   | nplete both lines (a) and (b) if the  | case mix diagnosis is a  |
|           | otherwise, complete line (a) only.  | ons where maniple coaing is male  | ated for the primary diagnosis,  |
|           | (M0245) Primary Diagnosis   | ICD-9-CM  |  |
| а         |   |   |  |
|           |   |   |  |
|           | (M0245) First Secondary Diagnosi  | <del>_</del>  |  |
| b         | ·   | _ ()  |  |
|           |   |   |  |
| (M0250)   | Theranies the nationt receives at ho  | me: (Mark all that annly )  |  |
| _         | Therapies the patient receives at ho  |   |  |
|           | 1 - Intravenous or infusion there   | apy (excludes TPN)  |  |
| _         | <ul><li>1 - Intravenous or infusion there</li><li>2 - Parenteral nutrition (TPN or</li></ul>  | apy (excludes TPN)  | ny other artificial entry into the   |
|           | <ul> <li>1 - Intravenous or infusion there</li> <li>2 - Parenteral nutrition (TPN or</li> <li>3 - Enteral nutrition (nasogastrialimentary canal)</li> </ul>   | apy (excludes TPN)  | ny other artificial entry into the   |
|           | <ul> <li>1 - Intravenous or infusion there</li> <li>2 - Parenteral nutrition (TPN or</li> <li>3 - Enteral nutrition (nasogastrialimentary canal)</li> </ul>   | apy (excludes TPN)  | ny other artificial entry into the   |
|           | <ul> <li>1 - Intravenous or infusion there</li> <li>2 - Parenteral nutrition (TPN or</li> <li>3 - Enteral nutrition (nasogastrialimentary canal)</li> </ul>   | apy (excludes TPN)<br>lipids)<br>c, gastrostomy, jejunostomy, or a  |  |
|           | <ol> <li>Intravenous or infusion there</li> <li>Parenteral nutrition (TPN or</li> <li>Enteral nutrition (nasogastrialimentary canal)</li> <li>None of the above</li> </ol> Overall Prognosis: BEST description illness. <ol> <li>Poor: little or no recovery is</li> </ol>  | apy (excludes TPN) lipids) c, gastrostomy, jejunostomy, or an on of patient's overall prognosis for s expected and/or further decline i   | or recovery from this episode of   |
| (M0260)   | <ol> <li>Intravenous or infusion there</li> <li>Parenteral nutrition (TPN or</li> <li>Enteral nutrition (nasogastrialimentary canal)</li> <li>None of the above</li> </ol> Overall Prognosis: BEST description illness. <ol> <li>Poor: little or no recovery is</li> <li>Good/Fair: partial to full recovery</li> </ol>   | apy (excludes TPN) lipids) c, gastrostomy, jejunostomy, or an on of patient's overall prognosis for s expected and/or further decline i   | or recovery from this episode of   |
| (M0260)   | <ol> <li>Intravenous or infusion there</li> <li>Parenteral nutrition (TPN or</li> <li>Enteral nutrition (nasogastrialimentary canal)</li> <li>None of the above</li> </ol> Overall Prognosis: BEST description illness. <ol> <li>Poor: little or no recovery is</li> </ol>  | apy (excludes TPN) lipids) c, gastrostomy, jejunostomy, or an on of patient's overall prognosis for s expected and/or further decline i   | or recovery from this episode of   |
| (M0260)   | <ol> <li>Intravenous or infusion there</li> <li>Parenteral nutrition (TPN or</li> <li>Enteral nutrition (nasogastrialimentary canal)</li> <li>None of the above</li> </ol> Overall Prognosis: BEST description illness. <ol> <li>Poor: little or no recovery is</li> <li>Good/Fair: partial to full recovery</li> </ol>   | apy (excludes TPN) i lipids) c, gastrostomy, jejunostomy, or an on of patient's overall prognosis for s expected and/or further decline is covery is expected   | or recovery from this episode of simminent   |
| (M0260)   | <ul> <li>1 - Intravenous or infusion there</li> <li>2 - Parenteral nutrition (TPN or</li> <li>3 - Enteral nutrition (nasogastrialimentary canal)</li> <li>4 - None of the above</li> <li>Overall Prognosis: BEST description</li> <li>illness</li> <li>0 - Poor: little or no recovery is</li> <li>1 - Good/Fair: partial to full recount</li> <li>UK - Unknown</li> <li>Rehabilitative Prognosis: BEST description</li> <li>0 - Guarded: minimal improver</li> </ul>   | apy (excludes TPN) Ipids) Ic, gastrostomy, jejunostomy, or an on of patient's overall prognosis for expected and/or further decline is exovery is expected escription of patient's prognosis for ment in functional status is expect  | or recovery from this episode of s imminent or functional status.  |
| (M0260)   | <ol> <li>Intravenous or infusion there</li> <li>Parenteral nutrition (TPN or</li> <li>Enteral nutrition (nasogastrialimentary canal)</li> <li>None of the above</li> <li>Prognosis: BEST description</li> <li>Good/Fair: partial to full recount</li> <li>UK - Unknown</li> <li>Guarded: minimal improver</li> <li>Good: marked improvement</li> </ol>  | apy (excludes TPN) ilipids) ic, gastrostomy, jejunostomy, or an on of patient's overall prognosis for expected and/or further decline is covery is expected escription of patient's prognosis for   | or recovery from this episode of s imminent or functional status.  |
| (M0260)   | <ul> <li>1 - Intravenous or infusion there</li> <li>2 - Parenteral nutrition (TPN or</li> <li>3 - Enteral nutrition (nasogastrialimentary canal)</li> <li>4 - None of the above</li> <li>Overall Prognosis: BEST description</li> <li>illness</li> <li>0 - Poor: little or no recovery is</li> <li>1 - Good/Fair: partial to full recount</li> <li>UK - Unknown</li> <li>Rehabilitative Prognosis: BEST description</li> <li>0 - Guarded: minimal improver</li> </ul>   | apy (excludes TPN) Ipids) Ic, gastrostomy, jejunostomy, or an on of patient's overall prognosis for expected and/or further decline is exovery is expected escription of patient's prognosis for ment in functional status is expect  | or recovery from this episode of s imminent or functional status.  |
| (M0260)   | <ol> <li>Intravenous or infusion there</li> <li>Parenteral nutrition (TPN or</li> <li>Enteral nutrition (nasogastrialimentary canal)</li> <li>None of the above</li> <li>Prognosis: BEST description</li> <li>Good/Fair: partial to full recount</li> <li>UK - Unknown</li> <li>Guarded: minimal improver</li> <li>Good: marked improvement</li> </ol>  | apy (excludes TPN) Ipids) Ic, gastrostomy, jejunostomy, or an on of patient's overall prognosis for expected and/or further decline is exovery is expected escription of patient's prognosis for ment in functional status is expected it in functional status is expected                            | or recovery from this episode of s imminent or functional status.  |
| (M0260)   | 1 - Intravenous or infusion there 2 - Parenteral nutrition (TPN or 3 - Enteral nutrition (nasogastrialimentary canal) 4 - None of the above  Overall Prognosis: BEST description illness.  0 - Poor: little or no recovery is 1 - Good/Fair: partial to full recount of the control | apy (excludes TPN) Ipids) Ic, gastrostomy, jejunostomy, or an on of patient's overall prognosis for expected and/or further decline is exovery is expected escription of patient's prognosis for ment in functional status is expected it in functional status is expected entation is not required.) | or recovery from this episode of s imminent or functional status.  |

| (M0290) | High Risk Factors characterizing this patient: (Mark all that apply.)   |
|---------|---|
|         | 2 - Obesity 3 - Alcohol dependency 4 - Drug dependency  |
|         | <u>S ARRANGEMENTS</u>   |
| `       | Current Residence:  |
|         | patient/couple/significant other)  2 - Family member's residence  3 - Boarding home or rented room  |
| (M0340) | Patient Lives With: (Mark all that apply.)  |
|         | <ul> <li>With spouse or significant other</li> <li>With other family member</li> <li>With a friend</li> <li>With paid help (other than home care agency staff)</li> </ul>   |
| SUPPO   | DRTIVE ASSISTANCE   |
| (M0350) | Assisting Person(s) Other than Home Care Agency Staff: (Mark all that apply.)   |
|         | <ul> <li>2 - Person residing in the home (EXCLUDING paid help)</li> <li>3 - Paid help</li> </ul>  |
| (M0360) | <b>Primary Caregiver</b> taking <u>lead</u> responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):  |
|         | <ul> <li>0 - No one person [ If No one person, go to M0390 ]</li> <li>1 - Spouse or significant other</li> <li>2 - Daughter or son</li> <li>3 - Other family member</li> <li>4 - Friend or neighbor or community or church member</li> <li>5 - Paid help</li> <li>UK - Unknown [ If Unknown, go to M0390 ]</li> </ul> |
| (M0370) | <b>How Often</b> does the patient receive assistance from the primary caregiver?  |
|         | <ul> <li>1 - Several times during day and night</li> <li>2 - Several times during day</li> <li>3 - Once daily</li> <li>4 - Three or more times per week</li> <li>5 - One to two times per week</li> <li>6 - Less often than weekly</li> <li>UK - Unknown</li> </ul>   |

| (M0380)      | Type of   | Primary Caregiver Assistance: (Mark all that apply.)   |
|--------------|---|--|
|              | 1 -<br>2 -<br>3 -<br>4 -<br>5 -<br>6 -<br>7 -<br>UK - | ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding) IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances) Environmental support (housing, home maintenance) Psychosocial support (socialization, companionship, recreation) Advocates or facilitates patient's participation in appropriate medical care Financial agent, power of attorney, or conservator of finance Health care agent, conservator of person, or medical power of attorney Unknown |
| <u>SENS(</u> | DRY S   | <u>TATUS</u>   |
| (M0390)      | Vision \  | with corrective lenses if the patient usually wears them:  |
|              | 0 -<br>1 -<br>2 -                                     | Normal vision: sees adequately in most situations; can see medication labels, newsprint. Partially impaired: cannot see medication labels or newsprint, but <u>can</u> see obstacles in path, and the surrounding layout; can count fingers at arm's length. Severely impaired: cannot locate objects without hearing or touching them <u>or</u> patient nonresponsive.  |
| (M0400)      | Hearing<br>patient t                                  | and Ability to Understand Spoken Language in patient's own language (with hearing aids if the usually uses them):  |
|              | 0 -   | No observable impairment. Able to hear and understand complex or detailed instructions and extended or abstract conversation.  |
|              | 1 -   | With minimal difficulty, able to hear and understand most multi-step instructions and ordinary conversation. May need occasional repetition, extra time, or louder voice.  |
|              | 2 -   | Has moderate difficulty hearing and understanding simple, one-step instructions and brief conversation; needs frequent prompting or assistance.  |
|              | 3 -   | Has severe difficulty hearing and understanding simple greetings and short comments. Requires multiple repetitions, restatements, demonstrations, additional time. <u>Unable</u> to hear and understand familiar words or common expressions consistently, <u>or</u> patient nonresponsive.  |
| (M0410)      | Speech  | and Oral (Verbal) Expression of Language (in patient's own language):  |
|              | 0 -   | Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.  |
|              | 1 -   | Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).  |
|              | 2 -   | Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences. Has severe difficulty expressing basic ideas or needs and requires maximal assistance or  |
|              | 4 -   | guessing by listener. Speech limited to single words or short phrases. <u>Unable</u> to express basic needs even with maximal prompting or assistance but is not comatose or   |
|              | 5 -   | unresponsive (e.g., speech is nonsensical or unintelligible).  Patient nonresponsive or unable to speak.   |
| (M0420)      | Freque  | ncy of Pain interfering with patient's activity or movement:   |
|              | 2 -   | Patient has no pain or pain does not interfere with activity or movement Less often than daily Daily, but not constantly All of the time   |
| (M0430)      | affects t   | <b>ble Pain:</b> Is the patient experiencing pain that is <u>not easily relieved</u> , occurs at least daily, and he patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, s, or ability or desire to perform physical activity?   |
|              | 0 -<br>1 -  | No<br>Yes  |

### **INTEGUMENTARY STATUS**

| (M04 | <b>40)</b> D | oes thi    | s patient have a <b>Skin Lesion</b> or an <b>Open Wound</b> ? This excludes "C   | STO   | MIES.  | "      |        |              |
|------|--------------|------------|--|-------|--------|--------|--------|--------------|
|      |              | 0 -<br>1 - | No [ If No, go to M0490 ]<br>Yes   |       |        |        |        |              |
| (M04 | <b>45)</b> D | oes thi    | s patient have a <b>Pressure Ulcer</b> ?   |       |        |        |        |              |
|      |              | 0 -<br>1 - | No [ If No, go to M0468 ]<br>Yes   |       |        |        |        |              |
|      | (M04         | 50) C      | urrent Number of Pressure Ulcers at Each Stage: (Circle one res  | ponse | for e  | ach st | age.)  |              |
|      |              |            | Pressure Ulcer Stages  | Nun   | nber o | f Pres | sure l | Jicers       |
|      |              | a)         | Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.   | 0     | 1      | 2      | 3      | 4 or<br>more |
|      |              | b)         | Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.   | 0     | 1      | 2      | 3      | 4 or<br>more |
|      |              | c)         | Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue. | 0     | 1      | 2      | 3      | 4 or<br>more |
|      |              | d)         | Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)   | 0     | 1      | 2      | 3      | 4 or<br>more |
|      |              | e)         | In addition to the above, is there at least one pressure ulcer that ca presence of eschar or a nonremovable dressing, including casts?  □ 0 - No □ 1 - Yes   |       |        |        |        |              |
|      | (M04         | 60) S      | tage of Most Problematic (Observable) Pressure Ulcer:  1 - Stage 1   |       |        |        |        |              |
|      |              |            | 2 - Stage 2  |       |        |        |        |              |
|      |              |            | 3 - Stage 3<br>4 - Stage 4   |       |        |        |        |              |
|      |              |            | IA - No observable pressure ulcer  |       |        |        |        |              |
|      | (M04         | 64) S      | tatus of Most Problematic (Observable) Pressure Ulcer:   |       |        |        |        |              |
|      |              |            | <ul> <li>1 - Fully granulating</li> <li>2 - Early/partial granulation</li> <li>3 - Not healing</li> <li>IA - No observable pressure ulcer</li> </ul>   |       |        |        |        |              |
| (M04 | <b>68)</b> D | oes thi    | s patient have a <b>Stasis Ulcer</b> ?   |       |        |        |        |              |
|      |              | 0 -<br>1 - | No [If No, go to M0482]<br>Yes   |       |        |        |        |              |
|      | (M04         | 70) C      | current Number of Observable Stasis Ulcer(s):  |       |        |        |        |              |
|      |              |            | 0 - Zero 1 - One 2 - Two 3 - Three 4 - Four or more  |       |        |        |        |              |

| (M0474               | Does this patient have at least one Stasis Ulcer that Cannot be Observed due to the presence of<br>a nonremovable dressing?   |
|----------------------|---|
|                      | □ 0 - No<br>□ 1 - Yes   |
| (M0476               | s) Status of Most Problematic (Observable) Stasis Ulcer:  |
| <u> </u><br>         | <ul> <li>□ 1 - Fully granulating</li> <li>□ 2 - Early/partial granulation</li> <li>□ 3 - Not healing</li> <li>□ NA - No observable stasis ulcer</li> </ul>  |
| ( <b>M0482</b> ) Doe | s this patient have a Surgical Wound?   |
|                      | - No [ If No, go to M0490 ] - Yes   |
| (M0484               | Current Number of (Observable) Surgical Wounds: (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)  |
|                      | □       0 - Zero         □       1 - One         □       2 - Two         □       3 - Three         □       4 - Four or more   |
| (M0486               | Does this patient have at least one Surgical Wound that Cannot be Observed due to the presence of a nonremovable dressing?  |
|                      | □ 0 - No<br>□ 1 - Yes   |
| (M0488               | S) Status of Most Problematic (Observable) Surgical Wound:  |
|                      | <ul> <li>□ 1 - Fully granulating</li> <li>□ 2 - Early/partial granulation</li> <li>□ 3 - Not healing</li> <li>□ NA - No observable surgical wound</li> </ul>  |
| RESPIRA <sup>*</sup> | TORY STATUS   |
| ( <b>M0490)</b> Whe  | en is the patient dyspneic or noticeably Short of Breath?   |
| □ 1                  | <ul> <li>Never, patient is not short of breath</li> <li>When walking more than 20 feet, climbing stairs</li> <li>With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)</li> </ul> |
|                      | <ul><li>With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation</li><li>At rest (during day or night)</li></ul>   |
| (M0500) Res          | piratory Treatments utilized at home: (Mark all that apply.)  |
| □ 2<br>□ 3           | <ul> <li>Oxygen (intermittent or continuous)</li> <li>Ventilator (continually or at night)</li> <li>Continuous positive airway pressure</li> <li>None of the above</li> </ul>   |

#### **ELIMINATION STATUS** (M0510) Has this patient been treated for a Urinary Tract Infection in the past 14 days? 0 - No □ 1 - Yes ☐ NA - Patient on prophylactic treatment ☐ UK - Unknown (M0520) Urinary Incontinence or Urinary Catheter Presence: 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [ If No, go to M0540 ] 1 - Patient is incontinent П 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [ Go to M05401 (M0530) When does Urinary Incontinence occur? Timed-voiding defers incontinence 1 - During the night only 2 - During the day and night (M0540) Bowel Incontinence Frequency: 0 - Very rarely or never has bowel incontinence 1 - Less than once weekly 2 - One to three times weekly 3 - Four to six times weekly ☐ 4 - On a daily basis ☐ 5 - More often than once daily ☐ NA - Patient has ostomy for bowel elimination ☐ UK - Unknown (M0550) Ostomy for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen? 0 - Patient does not have an ostomy for bowel elimination. 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen. The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen. **NEURO/EMOTIONAL/BEHAVIORAL STATUS**

| (M0560) | <b>Cognitive Functioning:</b> (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.) |   |  |  |  |  |  |
|---------|--|---|--|--|--|--|--|
|         | l 0  | - | Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.  |  |  |  |  |
|         | l 1  | - | Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.   |  |  |  |  |
|         | 2  | - | Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting o attention), or consistently requires low stimulus environment due to distractibility. |  |  |  |  |
|         | 3  | _ | Requires considerable assistance in routine situations. Is not alert and oriented or is unable to  |  |  |  |  |

shift attention and recall directions more than half the time.

4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

| (M0570) | When Confused (Report  | ed or Observed):   |
|---------|--|--|
|         | 0 - Never 1 - In new or comple 2 - On awakening or 3 - During the day a 4 - Constantly NA - Patient nonrespond   | at night only and evening, but not constantly  |
| (M0580) | When Anxious (Reporte  | d or Observed):  |
|         | 0 - None of the time 1 - Less often than of 2 - Daily, but not cor 3 - All of the time NA - Patient nonrespond   | stantly  |
| (M0590) | Depressive Feelings Re   | ported or Observed in Patient: (Mark all that apply.)  |
|         | <ul> <li>2 - Sense of failure of</li> <li>3 - Hopelessness</li> <li>4 - Recurrent thought</li> <li>5 - Thoughts of suice</li> </ul>  | ts of death  |
| (M0610) | Behaviors Demonstrate  | at Least Once a Week (Reported or Observed): (Mark all that apply.)  |
|         | hours, significant  2 - Impaired decisio activities, jeopard  3 - Verbal disruption  4 - Physical aggress punches, danger  5 - Disruptive, infant  6 - Delusional, hallu       | ailure to recognize familiar persons/places, inability to recall events of past 24 memory loss so that supervision is required n-making: failure to perform usual ADLs or IADLs, inability to appropriately stop izes safety through actions yelling, threatening, excessive profanity, sexual references, etc. ion: aggressive or combative to self and others (e.g., hits self, throws objects, ous maneuvers with wheelchair or other objects) le, or socially inappropriate behavior (excludes verbal actions) sinatory, or paranoid behavior e behaviors demonstrated |
| (M0620) | Frequency of Behavior I disruption, physical aggre   | <b>Problems (Reported or Observed)</b> (e.g., wandering episodes, self abuse, verbal ssion, etc.):   |
|         | <ul> <li>0 - Never</li> <li>1 - Less than once a</li> <li>2 - Once a month</li> <li>3 - Several times ea</li> <li>4 - Several times a v</li> <li>5 - At least daily</li> </ul> | ch month   |
| (M0630) | Is this patient receiving Ps   | ychiatric Nursing Services at home provided by a qualified psychiatric nurse?  |
|         | 0 - No<br>1 - Yes  |  |

## ADL/IADLs

For M0640-M0800, complete the "Current" column for all patients. For these same items, complete the "Prior" column only at start of care and at resumption of care; mark the level that corresponds to the patient's condition 14 days prior to start of care date (M0030) or resumption of care date (M0032). In all cases, record what the patient is *able to do*.

(M0640) Grooming: Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or

|          |      | make         | e up        | o, teeth or denture care, fingernail care).   |
|----------|------|--------------|-------------|---|
| Prior    | Curr | 0<br>1       | -<br>-<br>- | Able to groom self unaided, with or without the use of assistive devices or adapted methods. Grooming utensils must be placed within reach before able to complete grooming activities. Someone must assist the patient to groom self.  Patient depends entirely upon someone else for grooming needs.  Unknown   |
| (M0      | 650) |              |             | to <b>Dress <u>Upper</u> Body</b> (with or without dressing aids) including undergarments, pullovers, front-<br>shirts and blouses, managing zippers, buttons, and snaps:   |
| Prior    | Curr |              | -           | Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.   |
|          |      | 1<br>2<br>3  | -           | Able to dress upper body without assistance if clothing is laid out or handed to the patient. Someone must help the patient put on upper body clothing.  Patient depends entirely upon another person to dress the upper body.  |
| □<br>(M0 | 660) |              | ity 1       | Unknown  to Dress Lower Body (with or without dressing aids) including undergarments, slacks, socks or shoes:   |
| Drior    | Curr | -            | 15,         | 511065.   |
| Prior    | Curr | 0            | -<br>-      | Able to obtain, put on, and remove clothing and shoes without assistance.  Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.   |
|          |      | 2<br>3<br>UK | -           | Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.  Patient depends entirely upon another person to dress lower body.  Unknown   |
| (M0      | 670) | Bath         | ing         | : Ability to wash entire body. Excludes grooming (washing face and hands only).   |
| Prior    | Curr |              | -           | Able to bathe self in <u>shower or tub</u> independently.  With the use of devices, is able to bathe self in shower or tub independently.  Able to bathe in shower or tub with the assistance of another person:  |
|          |      | 3            | -           | <ul> <li>(a) for intermittent supervision or encouragement or reminders, <u>OR</u></li> <li>(b) to get in and out of the shower or tub, <u>OR</u></li> <li>(c) for washing difficult to reach areas.</li> <li>Participates in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision.</li> </ul> |
|          |      | 4<br>5<br>UK | -           | <u>Unable</u> to use the shower or tub and is bathed in <u>bed or bedside chair</u> .  Unable to effectively participate in bathing and is totally bathed by another person.  Unknown   |

| (MOE         | (08 <del>8</del> | Toile      | etin | g: Ability to get to and from the toilet or bedside commode.  |
|--------------|------------------|------------|------|---|
| <u>Prior</u> | Curre            | <u>ent</u> |      |   |
|              |                  | 0          | -    | Able to get to and from the toilet independently with or without a device.  |
|              |                  | 1          |      | When reminded, assisted, or supervised by another person, able to get to and from the toilet.   |
|              |                  | 2          | -    | <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).  |
|              |                  | 3          | -    | <u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.  |
|              |                  | 4          | -    | Is totally dependent in toileting.  |
|              |                  | UK         | -    | Unknown   |
| (M06         |                  |            |      | <b>rring:</b> Ability to move from bed to chair, on and off toilet or commode, into and out of tub or and ability to turn and position self in bed if patient is bedfast. |
| Prior (      | Currer           | <u>ıt</u>  |      |   |
|              |                  | 0          | -    | Able to independently transfer.   |
|              |                  | 1          | -    | Transfers with minimal human assistance or with use of an assistive device.   |
|              |                  | 2          | -    | <u>Unable</u> to transfer self but is able to bear weight and pivot during the transfer process.  |
|              |                  | 3          | -    | Unable to transfer self and is <u>unable</u> to bear weight or pivot when transferred by another person.  |
|              |                  | 4          | -    | Bedfast, unable to transfer but is able to turn and position self in bed.   |
|              |                  | 5          | -    | Bedfast, unable to transfer and is <u>unable</u> to turn and position self.   |
|              |                  | UK         | -    | Unknown   |
| (M07         |                  |            |      | <b>tion/Locomotion:</b> Ability to <u>SAFELY</u> walk, once in a standing position, or use a wheelchair, once ted position, on a variety of surfaces.                     |
| Prior (      | Currer           | <u>ıt</u>  |      |   |
|              |                  | 0          | -    | Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).                   |
|              |                  | 1          | -    | Requires use of a device (e.g., cane, walker) to walk alone <u>or</u> requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.           |
|              |                  | 2          | -    | Able to walk only with the supervision or assistance of another person at all times.  |
|              |                  | 3          | -    | Chairfast, <u>unable</u> to ambulate but is able to wheel self independently.   |
|              |                  | 4          | -    | Chairfast, unable to ambulate and is <u>unable</u> to wheel self.   |
|              |                  | 5          | -    | Bedfast, unable to ambulate or be up in a chair.  |
|              |                  | UK         | -    | Unknown   |
| (M07         |                  |            |      | or Eating: Ability to feed self meals and snacks. Note: This refers only to the process of chewing, and swallowing, not preparing the food to be eaten.                   |
| Prior (      | Currer           | nt         |      |   |
|              |                  | 0          | -    | Able to independently feed self.  |
|              |                  | 1          | -    | Able to feed self independently but requires:   |
|              |                  |            |      | (a) meal set-up; OR   |
|              |                  |            |      | <ul><li>(b) intermittent assistance or supervision from another person; OR</li><li>(c) a liquid, pureed or ground meat diet.</li></ul>                                    |
|              |                  |            |      | <u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack.  |
|              |                  | 3          | -    | Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.  |
|              |                  | 4          | -    | <u>Unable</u> to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.   |
|              |                  | -          | -    | Unable to take in nutrients orally or by tube feeding.  |
|              |                  | UK         | -    | Unknown   |

| (M072                  | (0)   | Plan         | nin | g and Preparing Light Meals (e.g., cereal, sandwich) or reheat delivered meals:   |
|------------------------|-------|--------------|-----|---|
| <u>Prior</u> <u>Cı</u> | urrer |              | -   | <ul> <li>(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; <u>OR</u></li> <li>(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care</li> </ul> |
|                        |       | 1<br>2<br>UK | -   | admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.   |
| (M073                  | -     | <b>Tra</b> r | _   | <b>prtation:</b> Physical and mental ability to <u>safely</u> use a car, taxi, or public transportation (bus, train, ).   |
| Prior Cu               | ırrer | nt           |     |   |
|                        |       | 0            | -   | Able to independently drive a regular or adapted car; <u>OR</u> uses a regular or handicap-accessible public bus.   |
|                        |       | 1            | -   | Able to ride in a car only when driven by another person; <u>OR</u> able to use a bus or handicap van only when assisted or accompanied by another person.  |
|                        |       | 2<br>UK      |     | <u>Unable</u> to ride in a car, taxi, bus, or van, and requires transportation by ambulance.<br>Unknown   |
| (M074                  |       |              |     | y: Ability to do own laundry to carry laundry to and from washing machine, to use washer and wash small items by hand.  |
| Prior Cu               | ırrer | nt           |     |   |
|                        |       | 0            | -   | <ul> <li>(a) Able to independently take care of all laundry tasks; <u>OR</u></li> <li>(b) Physically, cognitively, and mentally able to do laundry and access facilities, <u>but</u> has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).</li> </ul>                                    |
|                        |       | 1            | -   | Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.   |
|                        |       | 2            | -   | <u>Unable</u> to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.   |
|                        |       | UK           | -   | Unknown   |
| (M075                  | 0)    | Hou          | sek | eeping: Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.  |
| Prior Cu               | ırrer | <u>ıt</u>    |     |   |
|                        |       | 0            | -   | <ul> <li>(a) Able to independently perform all housekeeping tasks; <u>OR</u></li> <li>(b) Physically, cognitively, and mentally able to perform <u>all</u> housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).</li> </ul>                            |
|                        |       | 1            | -   | Able to perform only <u>light</u> housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.  |
|                        |       | 2            | -   | Able to perform housekeeping tasks with intermittent assistance or supervision from another person.   |
|                        |       | 3            | -   | <u>Unable</u> to consistently perform any housekeeping tasks unless assisted by another person throughout the process.  |
|                        |       | 4<br>UK      |     | Unable to effectively participate in any housekeeping tasks. Unknown  |

| (M0   | 760)  | <b>Sho</b><br>deliv |    | <b>ng:</b> Ability to plan for, select, and purchase items in a store and to carry them home or arrange .   |  |  |  |
|---|-------|---------------------|----|---|--|--|--|
| Prior   | Curre | nt                  |    |   |  |  |  |
|   |       | _                   | -  | <ul> <li>(a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; <u>OR</u></li> <li>(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).</li> </ul> |  |  |  |
|   |       | 1                   | -  | Able to go shopping, but needs some assistance:  (a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR  (b) Unable to go shopping alone, but can go with someone to assist.   |  |  |  |
|   |       | 2                   | -  | <u>Unable</u> to go shopping, but is able to identify items needed, place orders, and arrange home delivery.  |  |  |  |
|   |       | 3<br>UK             |    | Needs someone to do all shopping and errands. Unknown   |  |  |  |
| (M0770) Ability to Use Telephone: Ability to answer the phone, dial numbers, and <u>effectively</u> use the telephone to communicate.   |       |                     |    |   |  |  |  |
| <u>Prior</u>  | Curre | <u>nt</u>           |    |   |  |  |  |
|   |       |                     | -  | Able to dial numbers and answer calls appropriately and as desired.  Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.   |  |  |  |
|   |       | 2                   | -  | Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.  |  |  |  |
|   |       | 3                   | -  | Able to answer the telephone only some of the time or is able to carry on only a limited conversation.  |  |  |  |
|   |       | 4<br>5              |    | <u>Unable</u> to answer the telephone at all but can listen if assisted with equipment.  Totally unable to use the telephone.   |  |  |  |
|   |       | NA                  |    | Patient does not have a telephone.  |  |  |  |
|   |       | UK                  | -  | Unknown   |  |  |  |
| ME  | DIC   | <u>ATI</u>          | 10 | <u>IS</u>   |  |  |  |
| (M0780) Management of Oral Medications: Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals.  Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.) |       |                     |    |   |  |  |  |
| <u>Prior</u>  | Curre | <u>nt</u>           |    |   |  |  |  |
|   |       | 0                   | -  | Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.  |  |  |  |
|   |       | 1                   |    | Able to take medication(s) at the correct times if:  (a) individual dosages are prepared in advance by another person; OR  (b) given daily reminders; OR  (c) someone develops a drug diary or chart.   |  |  |  |
|   |       | NA<br>UK            |    | <u>Unable</u> to take medication unless administered by someone else.  No oral medications prescribed.  Unknown   |  |  |  |

| (M0790)     | inhalan<br>the cor            | ement of Inhalant/Mist Medications: Patient's ability to prepare and take all prescribed t/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of rect dosage at the appropriate times/intervals. Excludes all other forms of medication (oral s, injectable and IV medications).   |
|-------------|-------------------------------|---|
| Prior Curre | 0 -                           | Able to take medication at the correct times if:  (a) individual dosages are prepared in advance by another person, <u>OR</u>   |
|             | 2 -<br>NA -<br>UK -           | No inhalant/mist medications prescribed.  |
| (M0800)     | medica                        | ement of Injectable Medications: Patient's ability to prepare and take all prescribed injectable tions reliably and safely, including administration of correct dosage at the appropriate ntervals. Excludes IV medications.  |
| Prior Curre | 0 -<br>1 -                    | <ul> <li>(a) individual syringes are prepared in advance by another person, <u>OR</u></li> <li>(b) given daily reminders.</li> <li><u>Unable</u> to take injectable medications unless administered by someone else.</li> </ul>   |
|             | UK -                          | Unknown  MANAGEMENT   |
| (M0810)     | nutrition safely,             | t Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion therapy, enteral/parenteral on equipment or supplies): Patient's ability to set up, monitor and change equipment reliably and add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper use. (NOTE: This refers to ability, not compliance or willingness.)                               |
|             | 0 -<br>1 -<br>2 -             | solutions), patient is able to manage all other aspects of equipment.  Patient requires considerable assistance from another person to manage equipment, but  |
|             | 3 -<br>4 -<br>NA -            | to manage the equipment.  Patient is completely dependent on someone else to manage all equipment.  |
| (M0820)     | enteral<br>monitor<br>clean/s | ver Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion equipment, I/parenteral nutrition, ventilator therapy equipment or supplies): <u>Caregiver's ability</u> to set up, r, and change equipment reliably and safely, add appropriate fluids or medication, tore/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not ance or willingness.) |
|             |                               | If someone else sets up equipment, caregiver is able to manage all other aspects.  Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.  |
|             | 4 -<br>NA -<br>UK -           | clean/store/dispose of equipment or supplies).  Caregiver is completely dependent on someone else to manage all equipment.  No caregiver  |

### **THERAPY NEED**

| (M0825) | Therapy Need: Does the care plan of the Medicare payment period for which this assessment wi<br>case mix group indicate a need for therapy (physical, occupational, or speech therapy) that meets<br>threshold for a Medicare high-therapy case mix group? |  |  |  |  |  |
|---------|--|--|--|--|--|--|
|         | 0 -<br>1 -<br>NA -   |  |  |  |  |  |