

FEDERAL LOGISTICS INFORMATION SYSTEM



**FLIS PROCEDURES MANUAL
DATA ELEMENT DICTIONARY**

OCTOBER 2004

**DoD 4100.39-M
Volume 12**

VOLUME	TITLE
Glossary	Glossary
1	General and Administrative
2	Multiple Application Procedures
3	Development and Maintenance of ItemLogistics Data Tools
4	Item Identification
5	Data Bank Interrogations/Search
6	Supply Management
7	Establish/Maintenance of Organizational Entity and Provisioning Screening Master Address Table
8	Document Identifier Code Input/Output Formats (Fixed Length)
9	Document Identifier Code Input/Output Formats (Variable Length)
10	Multiple Application References/Instructions/Tables and Grids
11	Edit/Validation Criteria
12	Data Element Dictionary
13	Material Management Decision RuleTables
14	Reports and Statistics
15	Publications
16	Logistics On-Line Access (LOLA)

Above volumes are available as a complete set or on an individual basis



FOREWORD

This is one of the volumes (see backside of cover for listing) which comprise the FLIS Procedures Manual. It is published under the authority of Department of Defense Directive 4100.39-M. Federal Logistics System (FLIS).

1. Under the Defense Integrated Data System (DIDS, all data was input to the DLIS Total Item Record (TIR using coding defined by Data Record Numbers (DRN's) and stored in limited arrangements. Characteristic/user data was input to, stored and retrieved from 'tables' known as "DIDS Segments". Formal programs had to be developed for each data input or extract from this system. Only the programming staff knew where the information was stored and how to get to it.

The modernized system was eight years in development, today's physical relational data base was derived from the Logical Data Model provided to the contractor. Data in the modernized system continues to be stored using coding defined by DRN's, which can be viewed as groups of DB2 Elements. With minor exceptions, most data remains unchanged, but some DRN's have been expanded and split to allow greater flexibility in data storage and retrieval. i.e., for example, FSC 5865 for old DRN 3990 (ASGD-FSC) is now stored as DRN 3994 (ASGD-FSG)(58) and DRN 3996 (ASGD-FSC-WI-FSG) (65). Other changes include replacing the limited number of TIR segments by grouping DB2 data elements into approximately 1000 relational table groups. Each grouping of relational data has an assigned group table name and group table number. DB2 Elements are used to link to and extract other unique data stored under a different Group Table Name. The most major change is that responsibility for knowing where and how data is stored or extracted has been shifted from the programmer to the user AND informal user developed programs extract, process and format the data.

This document supersedes Volume 12, DoD 4100.39-M, July 1994.

2. There are 6 chapters to this manual.

Chapter 1; GROUP TABLE INDEX identifies basic Group Table information. The listing is provided in Group Table Name sequence and displays the following information:

Group Table Name
Assigned Group Table Number
Quantity of DB2 Elements assigned to that table grouping
Total length of the DB2 Element records

Chapter 2. GROUP TABLE NUMBER TO DB2 ELEMENT NAME CROSS REFERENCE identified all DB2 Element names associated with Group Table Number/Name. The listing, used in conjunction with Chapters 3 and 4 is provided in Table Group Number sequence (alpha, numeric, 06 follows 059), and displays the following information:

Group Table Number
Group Table Name
Key DB2 Elements
DB2 Element Name in Data Record Number (DRN) sequence within the group
DRN's

This volume supersedes volume 12, DoD 4100.39-M, April 1997.

Host/COBOL Name (which may vary from the DB2 Element Name)

Description of the data stored under that DRN, i.e., type, record length and number of decimals required/permited

Chapter 3. USAGE - HOST/COBOL NAME TO TABLE GROUP NUMBER cross references the Host/Cobol Name to the associated DB2 Element Name and identifies all Group Table Numbers where that data element is used as part of the Table Group. The listing, used in conjunction with Chapters 2 and 4, is provided in Host/COBOL Name sequence and displays the following information:

Host COBOL Name
DB2 Element Name
Group Table Number

Chapter 4: DRN DEFINITIONS, CUSTODIAN ID, OTHER RECORD DATA identifies the DRN record custodian and provides the DRN title and definition in clear text with other pertinent information on the DRN. The listing, use alone or with Chapters 2 and 3, is provided in DRN sequence and displays the following information:

Data Record Number
Host/COBOL Name
DB2 Element Name
Custodian Office Symbol
Data Format information
 FV -- Fixed or Variable length field
 TYPE
 CHAR -- Fixed length alphanumeric character data text string
 VARCHAR -- Variable length alphanumeric character data text string
 SMALLINT(eger) -- Numeric value only, range -32768 to +32767
 INTEGER -- Numeric data only, value range -2147383648 to +2147483647
 DECIMAL -- Numeric data requiring decimal value, decimal point is system supplied
 DATE -- Numeric 4 to 17 position field depending upon DRN
 LENGTH -- Maximum number of characters permitted in field
Un-abbreviated Host/Cobol Name
Clear text definition of the DRN

Chapter 5. CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE cross references the Clear Text Host COBOL name to its associated DRN. The listing, used alone or with Chapter 4 is provided in Clear Text Host/COBOL Name sequence, and displays the following information:

Clear Text Host/COBOL Name
Data Record Number

Chapter 6: DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE identifies each Table Group No. Where a specific DRN is used. The listing, used alone or in conjunction with Chapter 2, is provided in DRN sequence and displays the following information

DRN
DB2 Element Name
Group Table Number

BY ORDER OF THE DIRECTOR



JOSEPH D. CASSEL, JR.
Colonel, USMC
Commander
Defense Logistics Information Service

DISTRIBUTION: Defense Logistics Agency: 41,12

ARMY: To be distributed in accordance with Special Distribution List.

NAVY:

Commanding Officer
Naval Publications and Forms Center
15801 Tabor Avenue
Philadelphia, Pa 19120

Air Force: Distribution "X"

(BLANK PAGE)

TABLE OF CONTENTS

	<u>PAGE</u>
FOREWORD	i
TABLE OF CONTENTS.....	1
CHAPTER 1, GROUP TABLE INDEX.....	1-1
CHAPTER 2, GROUP TABLE NAME TO DB2 ELEMENT NAME CROSS REFERENCE.....	2-1
CHAPTER 3, USAGE -- HOST/COBOL NAME TO GROUP TABLE NO.....	3-1
CHAPTER 4, DRN DEFINITIONS, CUSTODIAN ID, AND OTHER RECORD DATA.....	4-1
CHAPTER 5, CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE.....	5-1
CHAPTER 6, DRN TO TABLE GROUP NO. CROSS REFERENCE.....	6-1

(BLANK PAGE)

CHAPTER 1

DATA DICTIONARY

GROUP TABLE

INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
ABV_MRC_DATA	020	5	25	AMMO_EDIT_CRITERIA	487	2	12
ACCESS_DEFINITION	359	12	1200	AMSC_AMC_COMBO	153	3	3
ACCESS_DESCR_TBL	333	15	2261	AMSC_DATA	022	7	20
ACCESS_RCRD_DSCR_T	334	16	38	AMSC_DATA_TOT	425	6	19
ACQUISITION_ADV_CD	156	3	1002	APPLIC_MESSAGE_DAT	132	2	70
ACQ_MTHD_CD	154	2	1001	APPL_OP_HOLD	408	7	1533
ACQ_MTHD_SUF_CD	155	2	1001	APPL_OUTPUT_DIC	476	5	32
ACTIVITY_CAT_CODE	159	2	121	ARCHIVE_LOG	840	7	68
ACTIVITY_FORMAT_ID	382	7	33	ARMY_ACCT_REQT_CD	168	2	401
ACTIVITY_MEDIA_ID	783	8	23	ARMY_MCC_SUBGROUP	171	2	81
ACTY_CD_AND_ADD	158	2	7	ARMY_MCC_SUBGROUP1	172	2	212
ACTY_DIC_EDIT	398	3	10	ARMY_RECOVERBTY_CD	173	2	251
ACTY_OP_HOLD	475	9	1542	AR_FSC_MGR_EDIT	719	1	6
ACTY_STORAGE_STATS	474	10	60	AR_MCC_APPRO_SUBGP	169	2	101
ADDRESS_LINE_NBR	160	2	142	AR_MCC_DESC_USE	170	2	601
ADPEC_FSC	338	2	4	ASSIGN_ISAC_RPLY	952	4	23
ADPE_IDENTIFICA_CD	161	2	1001	ASSIGN_MRC	919	4	23
ADP_CAO_DATA	077	5	24	ASSIGN_REPLY	920	4	23
ADP_CAO_TO_BATCH	710	6	99	AUTHZD_DIC_ACTYS	175	3	54
ADRS_SEQ_CDS	862	1	1	AUTHZD_SUB_ORIG_CD	157	22	597
AEB_ACCT_REQ_CD_D	908	2	4	AUTODIN_KWA_LOG	841	8	44
AEB_ACCT_REQ_CD_N	909	2	4	AUTODIN_MESSAGES	012	7	48
AEB_MC_MGT_CD1_FSC	898	2	4	AUTZD_ABBREVIATON	174	2	135
AEB_MC_MGT_CD1_FSG	897	1	2	BILLING_DATA	104	6	26
AEB_MC_MGT_CD2_FSC	900	2	4	BSM_ACTIVITY_CD	107	1	6
AEB_MC_MGT_CD2_FSG	899	1	2	BSM_DIST_CNTL	665	8	42
AEB_MC_MGT_CD3_FSC	902	2	4	BSM_DIST_HOLD	667	5	22096
AEB_MC_MGT_CD3_FSG	901	1	2	BSM_NIINS	633	5	15
AEB_MC_MGT_CD4_FSC	904	2	4	BSM_PACKET_TYPE	927	2	201
AEB_MC_MGT_CD4_FSG	903	1	2	BUSINESS_CAT_DATA	079	3	10
AEB_MC_MGT_CD5_FSG	905	1	2	CAGE_AFFL_CODES	700	2	51
AEB_MC_MGT_CD6_FSC	907	2	4	CAGE_AUDIT_DATA	081	6	99
AEB_MC_MGT_CD6_FSG	906	1	2	CAGE_CCR_NAICS	930	2	11
AF_BUDGET_CD	164	5	644	CAGE_CD_VALUES	725	3	14
AF_EXP_REC_REP_CD	165	6	105	CAGE_CLEAR_TEXT	069	2	1101
AF_FSC_MGR_EDIT	720	1	6	CAGE_DATA_1	082	18	57
AF_FUND_CD	166	2	242	CAGE_DATA_NSNREF	023	4	19
AF_SOS_LOAD	440	2	7	CAGE_DEL_HIST	502	3	10
AF_SUSPNS_FL	874	11	38	CAGE_EDI_AUDIT	281	9	1099
AIA_MSG_HEADER_LOG	844	2	90	CAGE_EDI_INPUT	070	4	1143
AIR_CMDTY_CD	162	2	351	CAGE_FSCNSN	494	5	19
AIR_DIMENSION_CD	163	2	1001	CAGE_INCNSN	495	4	20
AIR_SPECIAL_HDLG	167	2	501	CAGE_INFO_TABLE	931	2	205
AIR_S_HDLG_PART1	728	4	503	CAGE_KEYWORD_ADRS	504	3	31
AIR_S_HDLG_PART2	729	2	501	CAGE_KHN_BKUP	151	5	1521
AMC_CHANGE_DATA	329	8	22	CAGE_LI_NBR_DATA	083	3	11
AMC_DATA	021	11	37	CAGE_REF_NBR_FMT	176	4	231
AMMO_CD_DESC	001	8	1788	CAGE_TRADING_PART	222	6	137
AMMO_CODE_VALUES	723	2	5	CAGE_ZIP_RNG_EXCP	004	3	17

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
CALLABLE_ACCESS	477	14	374	CDNVY_SOS_CD	VYS	7	78
CALLABLE_DESCR_TBL	336	13	373	CDNVY_SPEC_MTL_ID_	VYS	5	583
CALL_ACCESS_LIST	337	3	17	CDPHRASE_CD_PKG_CO	HRA	6	24
CAO_ADPT_PT_PROC_CD	T78	2	131	CDPHRASE_CD_SVC	HRA	6	172
CARD_IDENTIFIC_CD	T79	3	721	CDPKG_UP_QTY	KGU	5	144
CAT_DEST_ACTY	T88	2	5	CDPMIC_RPLY	MIC	6	29
CDADP_CAO_DATA	DPC	8	45	CDPSEUDO_SOS_SPLY_	SEU	5	1024
CDAIR_CMDTY_CD	IRC	5	372	CDREF_NBR_JUSTIFN_	EFN	5	1022
CDAIR_SPECIAL_HDLG	IRS	5	522	CDREF_NBR_STATUS_C	EFN	5	1022
CDAIR_S_HDLG_PART1	IRS	7	524	CDREIMBURSEMENT_CD	EIM	5	147
CDAIR_S_HDLG_PART2	IRS	5	522	CDREPLACEMENT_AMMO	EPL	5	29
CDARMY_MCC_SUBGROU	RMY	5	102	CDREPLACEMENT_INCS	EPL	5	31
CDARMY_RECOVERBTY_	RMY	5	272	CDSPECIAL_PACK_REQ	PEC	5	122
CDAR_MCC_DESC_USE	RMC	5	622	CDSTOP_WORD_CDM	TOP	4	56
CAUTODIN_MESSAGES	R	10	69	CDTYPE_O_E_AGENCY_R	YPE	5	102
CDCAGE_AFFL_CODES	AGE	5	72	CDU_I_CONVERN_FACT	ICO	11	157
CDCAO_ADPT_PT_PROC_	AOA	5	152	CDZIP_ADRS_DATA	IPA	7	36
CDCG_REPARABILITY_	GRE	5	202	CG_INVTRY_ACCT_CD	229	2	271
CDCG_SERIAL_NBR_CT	GSE	5	102	CG_REPARABILITY_CD	T84	2	181
CDCIIC_CLASS_CD	IIC	6	366	CG_SERIAL_NBR_CTRL	T80	2	81
CDCLASS_RATING	LAS	5	42	CHAR_DATA	TI6	11	1015
CDCOMMON_NBR_SYS_I	OMM	5	172	CICS_TO_BATCH	T02	3	68
CDDEMIL_AUTOMATION	EMI	34	1120	CHC_CLASS_CD	T82	3	345
CDDEMIL_INTEGRITY	EMI	5	222	CIIM_RTRN_ACTN_DRN	746	3	7
CDDEMIL_NIIN_CONTR	EMI	6	31	CIMM_RTRN_ACTN_CD	T83	5	485
CDDEMIL_TSC_FIVES	EMI	7	35	CLASS_OF_SUPPLY	738	4	8
CDDETERMINE_MOE_RU	ETE	7	33	CLASS_RATING	235	2	21
CDD_FRT_DEST_DATA	090	8	54	CLEAN_AND_DRY_CD	314	2	101
CDEFF_AMMO_CD_DESC	FFA	13	1823	CMD_AUTHZN_CD	858	2	15
CDEST_ACTUAL_PRIC_	STA	5	112	CMD_BASIC	006	46	97
CDFC_COLLOQ_XREF	CCO	7	39	CMD_BASIC_DOC_DIC	972	7	31
CDFC_NM_CD_FSC_XRE	CNM	9	1800	CMD_BASIC_HIST	505	52	119
CDFED_COND_CD_DSPL	EDC	6	552	CMD_PHRASE_DOC_DIC	973	7	31
CDFED_COND_CD_SPLY	EDC	6	672	CMD_PHRASE_IS_HIST	506	21	111
CDGLOSSARY_ACRONYM	LOS	6	161	CMD_PHRASE_I_S	007	15	89
CDGLOSSARY_OF_TERM	LOS	6	1341	CMD_RCVRS_ACTY_CD	955	2	8
CDHMIC_FSC_TBL	MIC	6	26	CNTRL_INVTY_ITM_CD	270	3	1002
CDH_D_BRK_FSC_CAT_	DBR	7	1026	COCO_TABLE	TI7	5	1325
CDMC_ECHELON_CD	CEC	6	412	COLLABORATORS	008	6	29
CDMC_MATERIL_IDEN_	CMA	6	103	COLLABORATORS_HIST	507	12	51
CDMC_MGT_CD	CMG	6	502	COLLABOR_DOC_DIC	974	7	31
CDMC_PHYSICAL_CAT_	CPH	5	82	COLLOQ_XREF	091	4	18
CDMC_RECOVERABLT_	CRE	5	342	COLLOQ_XREF_HIST	513	9	45
CDMC_STORES_ACCT_C	CST	5	102	COMALTY_DDOD_DTL	792	34	143
CDMOBIL_RESERVE_RE	OBI	5	122	COMALTY_DDOD_TOT	790	33	131
CDNAME_CODE_VALUES	AME	7	36	COMALTY_MGD_TOT	763	26	103
CDNAVY_MATL_CNTRL_	AVY	5	182	COMALTY_MS_D_DTL	369	66	271
CDNIMSC_DSOR_XREF	IMS	6	26	COMALTY_MS_D_TOT	788	65	259
CDNVY_IRC_SOS_NSP_	VYI	6	28	COMALTY_MS_S_DTL	786	26	111

CHAPTER 1

DATA DICTIONARY

GROUP TABLE

INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
COMALTY_MS_S_TOT	784	25	99	DEMIL_JUSTIFIER	737	3	6
COMALTY_M_S_TOT	694	21	83	DEMIL_MGR_CODES	428	5	15
COMALTY_SDOD_DTL	024	22	95	DEMIL_MGR_ITEMS	427	4	14
COMALTY_SDOD_TOT	692	21	83	DEMIL_NIIN	028	4	12
COMMONALITY_FAA	367	6	26	DEMIL_NIIN_CONTROL	713	3	10
COMMONALITY_MGD	370	11	45	DEMIL_PICA_ACT_CD	991	1	2
COMMON_NBR_SYS_IND	186	2	151	DEMIL_TRAINEE	379	32	1102
COMMRI_ACTY_CD	409	7	20	DEMIL_TRAINEE_HIST	365	4	21
COMM_CATG	944	3	6	DEMIL_TSC_FIVES	731	4	14
COMM_DATA_BATCH	606	3	24	DEMIL_WORK_TABLE	714	10	34
COMPONENT_TABLE	388	17	246	DEPARTMENT_ACTY	029	4	14
COM_GOV_ENT_STA_CD	185	2	1001	DEPOT_SRC_OF_REP	009	7	31
CONFLICT_NOTIF_CD	187	3	1702	DEPOT_SRC_REP_HIST	508	13	53
CONTR_ID_CDS	863	2	43	DEPT_GOALS_TAB	030	5	20
CONVERSION_GD_DATA	119	9	48	DESC_TY_FSG_FSC	895	2	4
CONV_GD_SKLTN	118	5	17	DESC_TY_SUB_ACT	893	1	2
CORP_ADDRESS	002	11	185	DETERMINE_MOE_RULE	250	4	12
CORP_ADRS_NM_LINES	003	4	44	DIC_BATCH_T912	181	3	15
CORP_PHONE	005	3	26	DIC_DATA	196	11	382
COUNTRY_CODES	701	2	39	DIC_I_O_CORRELATON	197	8	59
CRITL_CD_FIIG_TBL	111	2	251	DIC_OTHER_OUTPUT	624	3	13
CRS_DIST_CNTL	632	8	42	DIC_RELATED_TO_FD	198	3	9
CRS_DIST_HOLD	610	5	22096	DIC_RTN_CD_ED_CRIT	770	11	1424
CTOC_SUSPNS_FL	875	11	38	DIC_RTN_CD_ED_NOTE	864	3	1206
DAAS_ACCESS	387	2	9	DIC_SEG_ODRC	499	5	30
DAAS_SOS	331	9	28	DIC_SPEC_NOTES	992	4	93
DAAS_SOS_HIST	519	11	42	DIC_TABLE	383	13	52
DAC_DATA	027	11	47	DIDS_SEG_CD	199	2	81
DATA_TRANM_CRTL_CD	190	2	251	DIIP_TRACKING	041	12	28
DCSC_AY_FSG_FSC	896	2	4	DIST_SEG_M_EDIT	721	1	6
DCSC_AY_SUB_ACT	894	1	2	DLA_REP_CHAR_IN_CD	200	2	1001
DD_PARM_CRITERIA	135	12	45	DOC_AVLB_CD_DATA	201	2	1001
DEBARRED_BDRS_DATA	092	8	61	DOD_CMDTY_MAT_MGMT	202	2	101
DECDE_COMP_DESCR_T	339	14	39	DRN_WITHIN_A_DIC	207	9	60
DECODE_ACCESS	461	8	202	DRN_WTHN_DIC_NOTES	208	3	1510
DECODE_COMPONENT	473	18	238	DROP_DICS_SEGMENT	209	4	7
DEGREE_OF_MATCH_CD	191	3	17	DRP_DICS	480	3	6
DELETION_REASON_CD	192	2	1001	DRP_SEGMENTS	210	2	3
DEMAND_INDICATR_CD	193	2	201	DSOR_ACTY_CD_XREF	833	3	165
DEMILITARIZATIO_CD	194	3	1002	DSOR_DOC_DIC	975	7	31
DEMIL_ACCESS_CNTRL	378	3	10	DSOR_MISMO_ADRS	834	9	289
DEMIL_AGENCY	426	5	14	DSS_WEIGHT_CUBE	419	7	41
DEMIL_AUTOMATION	712	31	1099	DWG_INC_XREF	324	6	21
DEMIL_CRIT_FSCS	297	2	4	DWG_MRC_XREF	323	6	20
DEMIL_FSC_HIST	726	3	8	DXRF_OVERNIGHT	579	3	16
DEMIL_FSC_PRIORITY	727	6	16	EDIT_GUIDE_1	120	12	29
DEMIL_HISTORY	812	37	1115	EDIT_GUIDE_2	121	10	20026
DEMIL_INTEGRITY	722	2	201	EDIT_GUIDE_3	122	5	15

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
EDIT_GUIDE_4	123	2	7	FED_COND_CD_SPLY	831	3	651
EDIT_GUIDE_TRAIL	078	7	38	FIIG_COUNT_DATA	033	5	25
EFF_AMMO_CD_DESC	073	10	1802	FIIG_DWG_XREF	321	9	146
EFF_DATD_CHAR_DATA	380	10	45	FIIG_POP_MGD	034	8	33
EFF_DATED_ITM_DATA	010	17	68	FIIG_POP_MGD_DTL	430	7	27
EFF_DATED_ITM_HIST	309	23	90	FIIG_POP_NONMGD	431	8	33
EFF_DTD_FSC	094	19	42	FIIG_RDG	326	3	168
EFF_DTD_FSC_HIST	515	21	54	FIIG_TITLES	322	5	138
EFF_DTD_M_RL_EXCPT	885	5	13	FILE_ACCESS_RECORD	418	10	53
EFF_DT_ITM_DOC_DIC	976	7	31	FILE_COMPONENT	447	18	217
EFF_MOE_COLBR_HIST	866	4	14	FILE_MAINT_ACTN_CD	213	2	251
EFF_MOE_RCVR_HIST	867	4	14	FIRST_OF_MONTH	956	2	5
EFF_MOE_RULE_COLBR	095	3	10	FIXD_FMT_EDIT_CRIT	228	4	1409
EFF_MOE_RULE_RCVR	096	3	10	FIXED_OR_VRBLE_DIC	214	5	2512
ELEC_STAT_DISCH	211	2	126	FOREIGN_ADDRESS	328	9	199
EMERGENCY_NIIN	960	3	10	FREIGHT_DATA	035	6	27
ENAC_CD	765	4	302	FREIGHT_DATA_TOTAL	503	5	22
ENAC_DATA	767	10	43	FREIGHT_LGN_DATA	149	7	34
ENAC_DATA_HIST	768	11	47	FREIGHT_SUBMITTERS	275	4	8
ERP_ACTY	588	2	12	FRT_STATS_ENTITY	097	14	56
ERP_CHANGE	585	2	259	FSC_FSCINC_DATA	432	6	23
ERP_DATA_ELEM_FLTR	582	2	10	FSC_GOALS_TAB	036	7	26
ERP_DIST_CNTL	587	8	42	FSC_INC_DATA	037	3	15
ERP_DIST_HOLD	586	4	22016	FSC_MOE_RULE_CHG	215	3	1010
ERP_NIIN_ACT_IND	580	2	256	FSC_NOTE_DATE_GP2	491	10	2017
ERP_OUTPUT_ACT_CD	581	5	19	FSC_NOTE_DAT_GROUP	076	8	7921
ERP_PHRD_CD_INTRST	583	6	11	FSC_POP_MGD	038	8	33
ERP_REF_NBR_OUTPUT	584	4	9	FSC_POP_MGD_DTL	434	7	27
EST_ACTUAL_PRIC_CD	212	2	91	FSC_POP_NONMGD	435	8	33
EXTD_FRT_DEST_DATA	732	5	262	FSC_REQ_ESD_CD	216	2	4
EXTRACT_DESCR	133	20	82	FSC_RI_TABLE	525	3	5
FCS_GOALS_DEPT_DTL	744	10	38	FSC_SEGM_FILE_MNT	148	5	10
FCS_GOALS_DEPT_TOT	429	9	36	FSC_SEGM_FM_HIST	530	7	21
FCS_GOAL_ACTY_DTL	794	10	38	FSG_FSC_NAIN_EDIT	986	3	23
FCS_GOAL_D_F_A_DTL	031	12	42	FSG_NOTE_DATE_GP2	492	9	2015
FCS_GOAL_D_F_A_TOT	804	18	68	FSG_NOTE_DAT_GROUP	316	5	3963
FCS_GOAL_FSC_A_DTL	800	13	44	FST_POS_MOE_EDIT	734	2	3
FCS_GOAL_FSC_A_TOT	802	12	42	FUTURE_R_OUTPUT	918	7	38
FCS_GOAL_FSC_D_DTL	796	12	42	FUT_SSR_MOE_RL_ST	218	2	101
FCS_GOAL_FSC_D_TOT	798	11	40	GATEKEEPER	876	6	60
FCS_Q_S_AIN	682	15	58	GD_REF_BACK	501	4	15
FCS_Q_S_REF	678	15	58	GIRDER	772	16	180
FCS_Q_S_TYPII	032	15	58	GIRDER_CAGE_CNTL	929	2	6
FC_COLLOQ_XREF	592	4	18	GIRDER_DAT_GROUP_1	317	3	1060
FC_FSC_NOTE_DAT_GP	591	8	7921	GIRDER_ERROR	780	6	347
FC_FSG_NOTE_DAT_GP	595	5	3963	GIRDER_EXCEPTION	781	10	161
FC_NAMES_BY_TYP	593	12	3556	GIRDER_INPUT	046	10	155
FC_NM_CD_FSC_XREF	594	6	1779	GIRDER_LTI	773	4	97
FED_COND_CD_DSPL	832	3	531	GIRDER_MFR_UPD	932	16	180

CHAPTER 1

DATA DICTIONARY

GROUP TABLE

INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
GIRDER_STATS	779	5	17	IT_VLD_IMCA_TBL	080	1	2
GIRDER_TRN_HLD	937	3	95	KEYWORD_INDEX	364	2	42
GLOSSARY_ACRONYM	219	3	140	KFU_COND_CD_DATA	217	3	802
GLOSSARY_OF_TERMS	220	3	1320	KFU_STATUS_CD	233	7	256
GROUPING_CRITERIA	130	19	44	KHN_ACTY_TBL	327	2	7
GROUPING_DESCR	138	11	26	KHN_EDITED	911	2	90
GUI_ACCESS_AUTH	332	3	13	KHN_ERROR	910	2	90
HCC_TABLE	711	3	102	KVI_STRAGLER_FL	949	3	10
HISTORY_CHAR_DATA	115	14	1033	KVI_SUSPNS_FL	948	15	46
HMIC_FSC_TBL	962	3	5	LAD_SEG_DRN	889	3	7
HMIC_TBL	110	2	251	LCD_SEG_DRN	890	3	7
HOLD_TRANS	845	2	9	LCG_SEG_DRN	892	3	7
HZRD_MATERIAL_CD	224	2	1002	LDD_SEG_DRN	891	3	7
H_D_BRK_FSC_CAT_XT	221	4	1005	LESS_THN_CRLD_CD	234	2	21
IDS_AUTO_QA	699	4	10	LFU_ARCHIVE_BUILD	605	4	48
IDS_JCL_GEN_INFO	134	5	83	LIMITED_DIST	782	14	72
ID_CAT_ITEM_SELECT	497	4	22	LMP_NIIN	590	3	15
ID_DECODE_CAT_CHAR	498	8	1128	LMTD_DISTIBTON_CD	236	5	1291
II_SCREEN_DECISION	230	4	54	LMT_DIS_ACT_CD_VAL	936	2	7
IMCA_FSC_EDIT	716	1	6	LMX_LMD_COMB	403	3	7
IMC_NEW_DATA	436	7	23	LOG_REASSIGN_ERROR	048	7	73
IMM_FSC_EDIT	735	1	6	LOG_REASSIGN_TRACK	047	30	113
IMPS_ERROR_LOG	086	8	303	LOLA_INQ_ALL_DEPT	621	15	61
IMPS_HEADERS_IN	084	15	256	LOLA_INQ_DEPT	620	16	63
IMPS_MESSAGES_IN	085	4	22094	LOLA_INQ_STATS	045	17	65
INACTIVE_PHRD_CD	884	1	1	LOLA_MGMT_STATS_DT	381	7	52
INCOMP_ADRS_EDIT_CD	226	2	101	LOLA_OVERNIGHT	341	8	82
INC_CAGE_COMBOS	225	2	10	LOLA_RESPONSE	957	8	45
INC_FIIG_CORL	830	8	190	LOLA_UPD_STATSDATA	368	11	73
INC_MRC_COUNT	356	3	15	LOLA_UPD_STATSHIST	374	8	28
INC_MRC_VAL_MODE_F	361	6	48	LOLA_UPD_TEMPLATE	384	6	1165
INC_MRC_VAL_MODE_H	362	12	66	LOLA_UPD_TRANSDATA	375	9	1515
INC_MRC_VAL_MODE_J	360	10	75	LSN_CMD_DATA	599	25	89
INC_MRC_VAL_MOD_AB	358	5	33	LSN_ITM_DATA	596	12	42
INC_MRC_VAL_MOD_DL	357	5	24	LSN_MOE_RULE_DATA	597	8	19
INTEGRITY_CD_FRGHT	227	2	1001	LSN_REF_NBR_DATA	598	8	50
ISAC_RPLY_AUD	950	7	406	LTI_LFN_FOLLOWUP	958	3	9
ISAC_RPLY_TAB	125	4	387	LVI_R_TABLE_EDIT	989	2	6
ISC_AUTH_SPEC_STD	917	2	6	MADS_DIST_CNTRL	666	8	42
ISC_DATA	042	8	27	MADS_DIST_HOLD	612	5	22096
ISC_DATA_TOT	741	7	24	MAINTENANCE_DIC	013	1	3
ITEM_DRAWING_DATA	136	5	34	MAJ_MAT_CAT_ARMY	237	2	201
ITEM_MANAGEMENT_CD	231	4	1102	MAP_BASIC	747	5	26
ITEM_NAME_DATA	438	3	29	MAP_EXTD	748	9	237
ITEM_NAME_DEPT_ACT	043	7	26	MARKUP_DESCR_TBL	335	11	182
ITEM_NAME_DEPT_TOT	690	6	24	MASS_KHN_EDITED	517	2	90
ITEM_STDZN_CD	232	2	1001	MASS_KHN_ERROR	516	2	90
ITM_EXC_CRI_REC_TP	342	6	24	MASTER_DRAW_FILE	816	3	24
ITM_NM_FUT_HIST	489	9	2019	MAT_MGMT_AG_AF	238	3	648

CHAPTER 1 DATA DICTIONARY GROUP TABLE INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
MC_CDG_DATA	880	6	1040	MQ_MANAGER	943	2	54
MC_CHARACTERISTICS	881	6	31	MRC_RPLY_TAB	126	4	12
MC_COMBAT_ESNTL_CD	239	2	321	MRD_DECODE	127	10	254
MC_ECHELON_CD	240	3	391	MRD_KEY_GRP_CD	391	2	22
MC_MAINT_DATA	878	7	4000	MRD_REPL_AUD_TABLE	923	7	409
MC_MATERIL_IDEN_CD	241	3	82	MRD_REQ_AUD_TABLE	921	14	773
MC_MGT_CD	242	3	481	MRD_REQ_AUD_T_SEQ	922	5	19
MC_OPERTNL_TEST_CD	266	2	701	MRD_REQ_STMT_DEF	347	2	504
MC_PHYSICAL_CAT_CD	269	2	61	MRSP_ALL_CL_ACTV	572	22	85
MC_RECOVERABLT_Y_CD	243	2	321	MRSP_ALL_CL_A_TL	577	22	85
MC_STORES_ACCT_CD	244	2	81	MRSP_ALL_CL_DEPT	571	12	44
MEDIA_MESSAGE_ID	397	6	177	MRSP_ALL_CL_D_TL	576	11	42
MEDIA_TYPE_TABLE	410	13	151	MRSP_ASGN_CL_MGR	570	13	51
MGT_INFO_TABLE	340	27	134	MRSP_ASGN_CL_TL	575	12	49
MGT_RSP_CHG_DATA	578	10	36	MRSP_ASGN_INT_MGR	569	12	44
MIOS_ACTIVE_SEG	071	5	1154	MRSP_ASGN_INT_TL	574	11	42
MJR_ORGN_ENTITY_CD	247	2	102	MRSP_INDV_CLASSES	371	14	48
MMCS_OF_INTEREST	204	1	1	MRSP_INDV_CL_TL	573	13	46
MNDTRY_CAGE_RNCC	245	2	6	MS_DEPT_MATRIX	959	3	6
MOBIL_RESERVE_REQT	246	2	101	MS_JOB_CNTL	993	10	34
MODE_A_B_REPLY	351	7	39	MS_JOB_CNTL_HIST	879	11	38
MODE_CD_EDIT	390	6	28	MULTIMEDIA_RR_FIXD	995	3	1152
MODE_D_L_REPLY	350	7	30	MULTIMEDIA_RR_VARI	996	3	1152
MODE_F_REPLY	353	8	54	MULTI_MEDIA_OUT	945	7	1545
MODE_H_REPLY	354	16	1064	M_RL_FSC_G_MGT_EX	733	4	9
MODE_J_REPLY	352	15	139	NAIN_CHAL_BY_ACTY	912	1	6
MODE_TEXT_INDEX	349	6	58	NAIN_FSG_FSC_EDIT	985	3	23
MODE_TEXT_REPLY	348	8	1016	NAIN_POP_DATA	053	6	37
MOE_CD_MOE_RL_RLTN	137	2	6	NAIN_POP_DATA_DTL	611	6	35
MOE_CD_RL_RLTN_HST	868	3	10	NAIN_POP_TOT	696	5	18
MOE_CHG_USRID_HIST	871	3	16	NAMES_BY_TYP	098	12	3556
MOE_FSC_G_EX_HIST	870	5	13	NAME_CODE_VALUES	724	4	15
MOE_FSGFSC_DATA	433	6	20	NATL_CDFN_BUREU_CD	251	3	23
MOE_RL_DLT_DOC_DIC	977	7	31	NATO_ACTIVITY_SEG	999	7	1528
MOE_RL_KU_OP_BKUP	872	5	1521	NATO_ACTY_SUR_OP	888	1	6
MOE_RPLM_DATA_HIST	869	3	12	NATO_AUDIT_DATA	025	8	40
MOE_RULE_CATT_CANC	861	2	5	NATO_CAGE	685	6	433
MOE_RULE_COLL_REC	439	5	18	NATO_CANC_COLLAB	264	2	30
MOE_RULE_DELT_HIST	510	12	50	NATO_CASE_DATA	044	8	1529
MOE_RULE_DELT_RSN	011	6	28	NATO_CHAR	688	5	1122
MOE_RULE_DEPT	051	5	22	NATO_IDENT	684	8	54
MOE_RULE_FSC	437	5	18	NATO_ISAC_EXTRACT	124	4	19
MOE_RULE_PS_EDITS	152	5	10	NATO_L07_DCSN_DATA	998	9	41
MOE_RULE_RPLM_DATA	730	2	8	NATO_MASS_CHG	103	7	55
MOE_RULE_STATS	088	8	32	NATO_MOE_RULE	687	3	13
MOE_RULE_TBL	093	19	537	NATO_NCC_COMMENT	422	6	525
MOE_RULE_TBL_HIST	865	20	541	NATO_NIIN_REF	686	10	53
MOE_RULE_XREF	669	2	8	NATO_PRIMARY_DATA	060	22	79
MOE_TO_IMC_ACTY	318	2	4	NATO_REF_NBR_DATA	059	7	62

CHAPTER 1

DATA DICTIONARY

GROUP TABLE

INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
NATO_RTN_CD_DATA	105	9	283	PAGE_TRAILERS	395	3	807
NATO_SEG_OUT	607	2	7	PASSTHRU_CHECK	206	3	16
NATO_SUSPENSE_DATA	997	7	1528	PASSTHRU_STATS	608	7	36
NATO_TRACKING_DATA	106	15	76	PASS_LINE_ACCESS	926	5	33
NAVY_COGNIZANCE_CD	252	4	453	PASS_TO_CICS	443	2	80
NAVY_MATL_CNTRL_CD	253	2	161	PHRASE_CD_DATA	268	3	1101
NCAGE_PFX_SFX_C_BR	689	6	36	PHRASE_CD_PKG_COMB	839	3	3
NEXT_NIIN	914	2	9	PHRASE_CD_SVC	836	3	151
NIIN_DRAWING_DATA	075	5	31	PHRS_CD_DRN_0217	882	1	1
NIIN_ID_NBR_DATA	842	5	142	PICA_LEVEL_OF_AUTH	271	2	1302
NIIN_MOE_RULE_DATA	345	14	46	PICA_SICA_CMD_CMPT	837	9	220
NIIN_MOE_RULE_HIST	521	20	68	PIC_ACTY_TOT	551	8	30
NIIN_MOE_R_DOC_DIC	980	7	31	PIC_DATA	372	9	33
NIIN_PKG_DAT_GROUP	346	33	184	PIC_DATA_TOT	441	7	28
NIIN_PKG_DAT_HIST	928	39	206	PKG_DATA_SOURCE	315	2	101
NIIN_PKG_DOC_DIC	981	6	28	PKG_UP_QTY	946	2	123
NIIN_REF_DOC_DIC	982	6	28	PLAN_TABLE	AIN	34	460
NIIN_REF_NBR_DATA	014	16	105	PMIC_MRC_TYPE	988	2	5
NIIN_REF_NBR_HIST	522	22	127	PMIC_RPLY	987	3	8
NIIN_STATUS_CD	255	2	1001	PREC_METL_IND_CODE	272	2	101
NIMSC_DSOR_XREF	248	3	5	PRICE_VALIDATON_CD	273	2	1201
NM_CD_FSC_XREF	099	6	1779	PRIM_BUS_CODES	704	2	51
NM_CD_FSC_XRF_HIST	518	11	1806	PRIORITY_IND_CODE	412	4	29
NONEFF_DTD_ITM_DAT	016	35	103	PRODUCT_CONSOL	478	6	25
NONEFF_ITM_DOC_DIC	983	6	28	PROD_NM_XREF	966	2	25
NONEF_DTD_ITM_HIST	523	40	123	PROPOSAL_INITIATOR	203	2	95
NONSMBL_ITM_MAT_CD	256	2	1201	PSEUDO_SOS_SPLY_CD	274	2	1003
NON_CMD_ACTY_ACC	015	6	28	PSMAT_ADDR	144	12	459
NON_CMD_ACTY_HIST	511	12	50	QUANT_UNIT_PACK_CD	277	2	201
NON_CMD_AC_DOC_DIC	978	7	31	RDG_SCTN	325	4	130
NORMAL_SOURCE_PROC	257	3	601	RECEIVERS	017	6	29
NOTES_DATA	394	6	1214	RECEIVERS_DOC_DIC	979	7	31
NSCM_PRFX_CDFN_BUR	258	5	35	RECEIVERS_HIST	512	12	51
NSCM_SUF_X_CDFN_BUR	259	5	30	REC_MENU3	968	25	619
NVY_IRC_SOS_NSP_CD	261	3	7	REC_PROF1	967	13	58
NVY_IS_RE_REQ_CD	262	2	402	REC_PROF3	925	2	14
NVY_SOS_CD	260	4	57	REC_TERM	970	2	12
NVY_SPEC_MTL_ID_CD	254	2	562	REF_NBR_CHANGES	775	28	210
ODRC_DIC_VAL_TBL	859	15	20	REF_NBR_COMBO	278	9	19
ORIGINAL_IMAGE	399	3	1152	REF_NBR_CTGY_CD	280	2	1601
ORIGINAL_IMAGE_KEY	385	7	119	REF_NBR_DUPL_DECSN	287	8	29
ORIG_IMAGE_EXTENTS	848	3	1153	REF_NBR_FORMAT_CD	282	2	201
ORIG_KRU_IMAGE	994	4	1146	REF_NBR_GATEKEEPER	953	6	88
OTPT_MODE_MEDIA_CD	267	11	528	REF_NBR_JUSTIFN_CD	283	2	1001
O_E_DESIGNATOR_CD	263	2	101	REF_NBR_PRFNC_ORDR	539	4	504
PACS_ADDRESS	674	11	205	REF_NBR_STATUS_CD	284	2	1001
PACS_ADRS_NM_LINES	671	3	43	REF_NBR_VARITON_CD	285	2	1001
PACS_PHONE	675	3	26	REF_PAR_DES_RSN_CD	286	2	1001
PAGE_HEADERS	393	5	93	REIMBURSEMENT_CD	288	2	126

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
REJ_REPLY_RECORD	924	9	32	SOURCE_OF_SPLY_CD	299	4	510
RELEASE_NOW	849	2	9	SPCL_APPL_OP_HOLD	961	7	1524
REORDER_CRITERIA	850	5	33	SPCL_MTL_CONT_CD	301	2	121
REPBL_ACTY_LOA	058	6	17	SPC_VALUES	396	2	257
REPBL_ACTY_TOT	056	5	15	SPECIAL_PACK_REQT	302	2	101
REPBL_DEPT_LOA	057	5	15	SPECL_HANDLING_CD	300	2	81
REPBL_DEPT_TOT	055	4	13	SP_PROJ_MM_OUT	715	8	1549
REPLACEMENT_AMMO	496	2	8	SSP_FSC_EDIT	717	1	6
REPLACEMENT_INCS	990	2	10	STATE_CODES	483	2	38
REPLY_TABLE	128	4	390	STATISTICAL_IND_CD	303	2	101
REROUTED_TRANS	402	3	1152	STAT_ARCHIVE_TBLS	913	9	61
REROUTED_TRAN_KEYS	389	7	119	STAT_DEPT_NME_CD	698	2	9
REROUTE_LOG	401	6	54	STAT_LOG_STATUS	141	6	41
RETURN_ACTION_CD	291	5	1405	STAT_MGR	857	5	21
RETURN_CD_RLTD_DRN	292	5	21	STAT_OF_STATS	062	4	28
RNAAC_BYPASS	490	1	2	STAT_RESTORE_STATUS	142	2	10
RNCC_DAC_COMBO	205	2	2	STDZN_SUB_FSC_EDIT	718	1	6
RNCC_RNVC_COMBO_MAY	289	5	14	STOP_WORD_CDM	485	1	35
RNCC_RNVC_COMBO_MST	290	4	4	STYL_RPLY_AUD	951	7	413
RPDMRC_FOLLOW_UP	877	4	14	STYL_RPLY_TAB	131	4	394
RPLD_NSN_DOC_DIC	984	6	28	SUR_OP_MEDIA	538	6	96
RPLD_NSN_STDZN	018	4	32	SUR_SUB_ACT_MOE_CD	887	2	8
RPLD_NSN_STDZ_HIST	524	10	54	SVC_PEC_DE	883	2	5
RPLM_CAGE_CD	101	2	10	TABLE_ALIAS	971	3	36
RTN_CD_CAT_TAB	061	4	13	TABLE_CONTENTS	392	9	1577
SCRN_OTHER	066	5	20	TBL_DIRECTR_CSTDN	150	4	40
SCRN_PRENIIN	757	5	20	TEL_TYP_CODES	702	2	21
SCRN_PREREF	755	5	20	TEXT_TABLES	736	5	89
SCRN_PRONIIN	761	5	20	TGCG_INVTRY_ACCT_C	GIN	2	271
SCRN_PROREF	759	5	20	TIIM_ALL_CL_ACTV	660	34	133
SEG_CD_SUPMTL	293	3	83	TIIM_ALL_CL_A_TL	662	34	133
SEG_FORMAT	249	7	28	TIIM_ALL_CL_DEPT	656	18	68
SEG_FORMAT_HEADERS	177	5	1392	TIIM_ALL_CL_D_TL	658	17	66
SEG_FORMAT_NOTES	305	4	1213	TIIM_ASGN_CL_MGR	652	19	75
SEG_RTN_CD_ED_CRIT	771	12	1424	TIIM_ASGN_CL_TL	654	18	73
SELECT_FMT_MODULE	407	2	13	TIIM_ASGN_INT_MGR	648	18	68
SERVICE_AGENCY_ACTY	063	4	17	TIIM_ASGN_INT_TL	650	17	66
SERVICE_CD_PSMAT	835	2	77	TIIM_INDV_CLASSES	050	20	72
SERV_AGCY_DESIG_CD	294	2	22	TIIM_INDV_CL_TL	646	19	70
SGL_MULT_OUTPUT_CD	873	2	501	TM_ACTIVITY_OP	615	4	21
SHELF_LIFE_CODE	295	2	201	TM_CRS_RETURN	537	4	17
SICA_LEVEL_OF_AUTH	296	2	1302	TM_MESSAGE_OUT	843	9	22121
SINGLE_SUB_BY_PASS	304	2	6	TM_MESSAGE_RECOVER	054	8	123
SIZE_OF_BUS_CODES	705	2	51	TM_RECOVERY	617	11	1079
SKO_COMPONENTS	942	9	66	TM_RELEASED_KEYS	616	8	130
SNF_NIINS	089	4	14	TM_SEGMENT_DROP	074	27	34
SORTING_TABLE	486	7	134	TM_SYSID_COMMRI	618	3	12
SOS_MODIFIER_CODES	298	2	203	TM_SYSID_MSG	619	5	22022
SOS_SUB_ACT_MOE_CD	886	2	8	TM_TAPE_LOG	603	13	1734

CHAPTER 1

DATA DICTIONARY

GROUP TABLE

INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
TM_TRACKING_LOG	604	17	130	TYP_FIN_MGMT_CTRL	308	2	101
TM_TRANS_COUNT	613	7	40	TYP_OF_ADDRESS_CD	307	2	101
TM_TRANS_HOLD	614	7	109	TYP_OF_BUS_CODES	703	2	51
TRANSACT_STATUS_CD	306	5	453	TYP_OF_ITM_IDNT_CD	309	3	103
TRANSITION_TABLE	386	1	3	TYP_SP_PRCSG_IN_CD	310	2	361
TRANS_ACTIVE_BATCH	851	4	87	UITD_LOOKUP	543	2	203
TRANS_ACTIVE_KEYS	602	8	74	UNAPPRV_ITEM_NM_DT	363	4	1001
TRANS_ACTIVE_MAST	600	7	65	UNDEFINABLE_TRANS	481	5	228
TRANS_ACTIVE_SEG	609	5	1154	UNIQUE_ITEM_TRACK	544	3	12
TRANS_ACTIVE_STATS	601	10	111	UNIT_OF_ISSUE_CD	312	4	823
TRANS_ACTIVE_TRACK	052	8	92	USER_ACCESS_AUTH	954	3	10
TRANS_HIST_MAST	852	16	155	USER_DATE_XREF	366	4	424
TRANS_PROC_ERROR	405	9	96	USER_INPUT_FORMAT	406	7	26
TRANS_SEG_EXTENTS	838	5	1155	USER_OUTPUT_FORMAT	404	7	26
TRANS_SUSP_EXTENTS	854	5	1155	USG_CAGE	189	1	5
TRANS_SUSP_KEYS	776	8	74	USING_SERVICE_CD	313	2	81
TRANS_SUSP_MAST	777	8	48	U_I_CONVERT_FACTOR	813	8	136
TRANS_SUSP_SEG	778	5	1154	U_OF_MEASURE_DESIG	276	2	22
TRAN_BLD_AGCY_PROJ	279	2	32	VALID_CONTINUATION	853	3	5
TRAN_BLD_SUSP_FILE	484	10	34	VALID_DIC_ODRC	855	4	9
TRN_DIC_IO_STATS	064	6	20	VALID_FSC_W_B_ISC	916	2	4
TRN_DIC_OAC_DTL	739	18	69	VALID_ISC_COMBO	915	2	2
TRN_DIC_OAC_TOT	818	17	66	VALID_SEGMENTS	411	4	9
TRN_DIC_SAC_DTL	065	18	69	VAL_DMIL_CIIC_COMB	941	2	2
TRN_DIC_SAC_TOT	820	17	66	VAR_FMT_R_ED_CRI	536	6	1412
TRN_QDIC_OAC_DPT	810	17	66	VAR_SEG_PARAM	479	7	15
TRN_QDIC_OAC_ST	808	11	41	WEAPON_NAME	846	4	79
TRN_QDIC_SAC_DPT	824	17	66	WEAPON_PARTS_CRIT	400	4	12
TRN_QDIC_SAC_ST	822	11	41	WEAPON_TO_NIIN	847	7	15
TRN_TIMING_DATA	376	6	19	WORKLOAD_DATA	109	5	8
TYPE_OF_CARGO_CD	311	2	1001	ZIP_ADRS_DATA	139	4	15
TYPE_O_E_AGENCY_RSP	265	2	81				

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----					
						TYPE	LENGTH	DECIMAL			
001	AMMO_CD_DESC	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)		
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)		
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)		
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)		
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)		
		0	INC_4080	4080	INC	CHAR	(5,	0)		
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	(4,	0)		
		0	CL_ASST_MODH3_9553	9553	CLAS-ASST-MOD-H3	VARCHAR	(1762,	0)		
		002	CORP_ADDRESS	0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	(2,	0)
				0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	(36,	0)
0	ST_ADRS_2_1083			1083	ST-ADRS-2	CHAR	(36,	0)		
0	CITY_1084			1084	CITY	CHAR	(36,	0)		
0	POBOX_1361			1361	POBOX	CHAR	(36,	0)		
2	ADRS_TYP_CD_2137			2137	ADRS-TYP-CD	CHAR	(1,	0)		
0	CNTY_NM_3409			3409	CNTY-NM	CHAR	(21,	0)		
0	CNGRSL_DSTRCT_3410			3410	CNGRSL-DSTRCT-CD	CHAR	(3,	0)		
0	ZIP_ADD_ON_4398			4398	ZIP-ADD-ON-CD	CHAR	(4,	0)		
0	ZIP_CD_4400			4400	ZIP-CD	CHAR	(5,	0)		
1	CAGE_CD_9250			9250	CAGE-CD	CHAR	(5,	0)		
003	CORP_ADRS_NM_LINES			0	ADRS_NM_C_TXT_1086	1086	ADRS-NM-CLR-TXT	CHAR	(36,	0)
				2	ADRS_NM_LN_NO_1087	1087	ADRS-NM-LN-NO	CHAR	(2,	0)
				3	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	(1,	0)
004	CAGE_ZIP_RNG_EXCP	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)		
		0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR	(6,	0)		
		0	CAO_CD_8870	8870	CAO-CD	CHAR	(6,	0)		
005	CORP_PHONE	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)		
		2	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	(1,	0)		
		0	TEL_NBR_1359	1359	TEL-NBR	CHAR	(20,	0)		
006	CMD_BASIC	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)		
		0	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	(1,	0)		
		0	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(2,	0)		
		0	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR	(1,	0)		
		0	OPRTL_TST_MC_0572	0572	OPRTL-TST-CD	CHAR	(1,	0)		
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	(1,	0)		
		0	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	(1,	0)		
		0	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	(1,	0)		
		5	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(1,	0)		
		0	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR	(1,	0)		
		0	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR	(1,	0)		
		4	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)		
		0	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR	(1,	0)		
		0	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR	(1,	0)		
		0	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR	(2,	0)		
		0	AAC_2507	2507	ACQ-AD-CD	CHAR	(1,	0)		
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(2,	0)		
		0	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	(1,	0)		
		0	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR	(1,	0)		
		0	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	(2,	0)		
0	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	(1,	0)				
3	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)				
0	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	(2,	0)				
0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(2,	0)				

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	CIIC_2863	2863	CIIC	CHAR	(1, 0)
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	(1, 0)
		0	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	(1, 0)
		0	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	(1, 0)
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR	(1, 0)
		0	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	(3, 0)
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	(1, 0)
		0	UI_3050	3050	UI	CHAR	(2, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR	(5, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	(1, 0)
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	(1, 0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)
		0	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR	(1, 0)
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	(1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(4, 0)
		0	REP_NET_PR_5235	5235	REP-NET-PR	INTEGER	(4, 0)
		0	QUP_6106	6106	QUP-CD	CHAR	(1, 0)
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL	(11, 2)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(1, 0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(1, 0)
007	CMD_PHRASE_I_S	9	QTY_PER_ASBL_0106	0106	QTY-PER-ASBLY	INTEGER	(4, 0)
		12	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR	(2, 0)
		4	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(1, 0)
		6	JTC_0792	0792	I-S-JTC	CHAR	(3, 0)
		7	OOU_0793	0793	I-S-OOU-CD	CHAR	(3, 0)
		13	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		3	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)
		5	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1, 0)
		11	TECH_DOC_NBR_2893	2893	TECH-DOC-NBR	CHAR	(20, 0)
		10	REL_NSN_2895	2895	REL-NSN	CHAR	(13, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(4, 0)
		8	QNTV_EXPRSN_8575	8575	QNTV-EXPRSN	CHAR	(13, 0)
008	COLLABORATORS	5	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		4	SUPPLM_COLLBR_2533	2533	SUPPLM-COLLBR	CHAR	(2, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
009	DEPOT_SRC_OF_REP	4	DSOR_0903	0903	DSOR	CHAR	(2, 0)
		0	FMR_DSOR_0904	0904	FMR-DSOR	CHAR	(2, 0)
		5	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
010	EFF_DATED_ITM_DATA	0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR	(1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR (1, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	LKD_LKU_RPLM_2499	2499	LKD-LKU-RPLM-IND	INTEGER (4, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	PINC_3084	3084	PINC	CHAR (7, 0)
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR (1, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	INC_4080	4080	INC	CHAR (5, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR (1, 0)
		0	RPDMRC_4765	4765	RPDMRC	CHAR (1, 0)
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR (1, 0)
		0	RPLM_NSN_CANC_8875	8875	RPLM-NSN-CANC	CHAR (13, 0)
011	MOE_RULE_DELT_RSN	4	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR (1, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
012	AUTODIN_MESSAGES	1	DOC_CTL_NBR_1015	1015	DOC-CTL-NBR	CHAR (16, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR (2, 0)
		3	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	AUTODIN_DT_TM_9486	9486	AUTODIN-MSG-DT-TM	CHAR (7, 0)
		4	JRNL_TMSTMP_9487	9487	JRNL-TMSTMP	TIMESTMP (10, 0)
		0	SSN_9765	9765	SSN	CHAR (4, 0)
013	MAINTENANCE_DIC	1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
014	NIIN_REF_NBR_DATA	0	HCC_2579	2579	HZRD-CHAR-CD	CHAR (2, 0)
		0	DAC_2640	2640	DAC	CHAR (1, 0)
		0	RNJC_2750	2750	RNJC	CHAR (1, 0)
		0	RNAAC_2900	2900	RNAAC	CHAR (2, 0)
		0	RNCC_2910	2910	RNCC	CHAR (1, 0)
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR (1, 0)
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR (1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		3	REF_NBR_3570	3570	REF-NBR-LOG	CHAR (32, 0)
		0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR (32, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR (2, 0)
		0	RNVC_4780	4780	RNVC	CHAR (1, 0)
		0	MSDS_ID_9076	9076	MSDS-ID	CHAR (5, 0)
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
015	NON_CMD_ACTY_ACC	0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
016	NONEFF_DTD_ITM_DAT	0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)		
		0	DLA_GSA_EXCPT_0511	0511	ACTY-DESI-CD-DLA-GSA	CHAR	(1, 0)		
		0	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1, 0)		
		0	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	(1, 0)		
		0	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	(1, 0)		
		0	SUR_PRC_ID_CD_0872	0872	SURCHG-PRCSG-IND-CD	CHAR	(1, 0)		
		0	LST_KWN_SOS_1071	1071	LST-KWN-SOS	CHAR	(3, 0)		
		0	FMSN_1515	1515	FILE-MAINT-SEQ-NBR	CHAR	(3, 0)		
		0	NATO_FMSN_1516	1516	NATO-FILE-MAINT-SEQ-NBR	CHAR	(3, 0)		
		0	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	(1, 0)		
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-ASGMT	INTEGER	(4, 0)		
		0	DT_LST_MRN_2260	2260	DT-LST-MOE-RULE-NBR-WTHD	INTEGER	(4, 0)		
		0	DT_STDZN_DEC_2300	2300	DT-STDZN-DEC	INTEGER	(4, 0)		
		0	HCC_2579	2579	HZRD-CHAR-CD	CHAR	(2, 0)		
		0	SUR_PRC_YR_2597	2597	SURCHG-PRCSG-YR	SMALLINT	(2, 0)		
		0	SUR_PRC_UN_PR_2599	2599	SURCHG-PRCSG-UNIT-PR	CHAR	(9, 0)		
		0	ISC_2650	2650	ITM-STDZN-CD	CHAR	(1, 0)		
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)		
		0	HMC_2720	2720	HMC	CHAR	(2, 0)		
		0	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	(1, 0)		
		0	NMFC_2850	2850	NMFC-CD	CHAR	(6, 0)		
		0	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(5, 0)		
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)		
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	(1, 0)		
		0	RAIL_VARI_CD_4760	4760	RAIL-VARI-CD	CHAR	(1, 0)		
		0	AIR_CMTY_HDLG_9215	9215	AIR-CMDTY-SP-HDLG-CD	CHAR	(2, 0)		
		0	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	(1, 0)		
		0	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	(1, 0)		
		0	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	(1, 0)		
		0	WTR_CMDTY_CD_9275	9275	WTR-CMDTY-CD	CHAR	(3, 0)		
		0	ORG_STDZN_DEC_9325	9325	ORIG-STDZN-DEC	CHAR	(2, 0)		
		0	RPLM_NSN_STDZ_9525	9525	RPLM-NSN-STDZN-RL	CHAR	(13, 0)		
		017	RECEIVERS	5	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
				4	SUPPLM_RCVR_2534	2534	SUPPLM-RCVR	CHAR	(2, 0)
				0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
				1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
				2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)				
018	RPLD_NSN_STDZN	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
3	RP_NSN_STD_RL_8977	8977	RPLD-NSN-STDZN-RL	CHAR	(13, 0)				
020	ABV_MRC_DATA	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)		
		4	MRC_3445	3445	MRC	CHAR	(4, 0)		
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)		
		3	INC_4080	4080	INC	CHAR	(5, 0)		
0	AMRC_STAT_CNT_8224	8224	ABV-MRC-FIIG-INC-NSN	INTEGER	(4, 0)				
021	AMC_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)		
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		5	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR	(2, 0)
		0	AMC_STAT_CNT_6355	6355	AMC-DP-CC-BBAL-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6357	6357	AMC-DP-CC-ADDS-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6359	6359	AMC-DP-CC-DLTS-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6371	6371	AMC-AT-CC-BBAL-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6373	6373	AMC-AT-CC-ADDS-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6377	6377	AMC-AT-CC-DLTS-NSN	INTEGER	(4, 0)
022	AMSC_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1, 0)
		5	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(1, 0)
		0	AMC_STAT_CNT_6387	6387	AMSC-DP-AT-AMC-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6400	6400	AMSC-DP-AMC-NSN	INTEGER	(4, 0)
023	CAGE_DATA_NSNREF	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	CAGE_STAT_CNT_6654	6654	CAGE-NSN	INTEGER	(4, 0)
		0	CAGE_STAT_CNT_6655	6655	CAGE-REF	INTEGER	(4, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
024	COMALTY_SDOD_DTL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR	(12, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	ICDS_STAT_CNT_5835	5835	ICDS-FSC-ALL-LC-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5837	5837	ICDS-FSC-ALL-LC-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5839	5839	ICDS-FSC-ALL-LC-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5841	5841	ICDS-FSC-ALL-LC-OD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5909	5909	ICDS-IM-ALL-LC-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5911	5911	ICDS-IM-ALL-LC-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5913	5913	ICDS-IM-ALL-LC-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5915	5915	ICDS-IM-ALL-LC-OD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5925	5925	ICDS-LA-ALL-LC-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5927	5927	ICDS-LA-ALL-LC-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5929	5929	ICDS-LA-ALL-LC-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5931	5931	ICDS-LA-ALL-LC-OD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5941	5941	ICDS-LA-FSC-LC-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5943	5943	ICDS-LA-FSC-LC-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5945	5945	ICDS-LA-FSC-LC-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5947	5947	ICDS-LA-FSC-LC-OD-MM	INTEGER	(4, 0)
025	NATO_AUDIT_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	MSG_CD_1105	1105	MSG-CD	CHAR	(4, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(8, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
027	DAC_DATA	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	DAC_STAT_CNT_5629	5629	DAC-TYPE-II-1-TOT	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	DAC_STAT_CNT_5630	5630	DAC-TYPE-II-1A-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5631	5631	DAC-TYPE-II-1B-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5632	5632	DAC-TYPE-II-4-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5633	5633	DAC-TYPE-II-4A-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5634	5634	DAC-TYPE-II-4B-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5635	5635	DAC-TYPE-II-2-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5637	5637	DAC-DEPT-REF-QTY	INTEGER (4, 0)
		3	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR (7, 0)
		2	STAT_LMD_RT_G_8159	8159	STAT-LIMITED-RIGHTS-GRP	CHAR (2, 0)
028	DEMIL_NIIN	2	DEMIL_CD_0167	0167	D-MIL-CD	CHAR (1, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR (1, 0)
		0	DS1_STAT_CNT_8215	8215	DS1-DEML-NSC-NSN	INTEGER (4, 0)
029	DEPARTMENT_ACTY	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		1	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		2	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE (4, 0)
030	DEPT_GOALS_TAB	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		0	PIC_STAT_CNT_5824	5824	PIC-DEPT-STD-PCT-ZER	INTEGER (4, 0)
		0	PIC_STAT_CNT_9697	9697	PIC-DEPT-STD-PCT-ONE	INTEGER (4, 0)
		0	PIC_STAT_CNT_9698	9698	PIC-DEPT-STD-PCT-TWO	INTEGER (4, 0)
031	FCS_GOAL_D_F_A_DTL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	M3D_STAT_CNT_6329	6329	M3D-D-FSC-AT-MG	INTEGER (4, 0)
		0	M3D_STAT_CNT_6330	6330	M3D-D-FSC-AT-DM	INTEGER (4, 0)
		0	M3D_STAT_CNT_6331	6331	M3D-D-FSC-AT-DM-G	INTEGER (4, 0)
		0	M3D_STAT_CNT_6334	6334	M3D-D-FSC-AT-AIN	INTEGER (4, 0)
		0	M3D_STAT_CNT_6335	6335	M3D-D-FSC-AT-AIN-G	INTEGER (4, 0)
		0	M3D_STAT_CNT_6338	6338	M3D-D-FSC-AT-RN	INTEGER (4, 0)
		0	M3D_STAT_CNT_6339	6339	M3D-D-FSC-AT-RN-G	INTEGER (4, 0)
032	FCS_Q_S_TYPII	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		0	FCS_STAT_CNT_6392	6392	FCS-SAC-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6393	6393	FCS-SAC-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6394	6394	FCS-SAC-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6402	6402	FCS-C-SAC-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6403	6403	FCS-C-SAC-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6404	6404	FCS-C-SAC-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6410	6410	FCS-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6411	6411	FCS-SDP-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6412	6412	FCS-SDP-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6419	6419	FCS-C-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6420	6420	FCS-C-SDP-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6423	6423	FCS-C-SDP-TII-4-NSN	INTEGER (4, 0)
033	FIIG_COUNT_DATA	0	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	INC_4080	4080	INC	CHAR (5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
034	FIIG_POP_MGD	0	POP_STAT_CNT_6611	6611	POP-FIIG-EFFDTD-INC-NSN	INTEGER	(4, 0)
		0	POP_STAT_CNT_6612	6612	POP-FIIG-INC-NSN	INTEGER	(4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		3	INC_4080	4080	INC	CHAR	(5, 0)
		0	POP_STAT_CNT_6724	6724	POP-FIIG-AIN-FSC-MG-FU	INTEGER	(4, 0)
		0	POP_STAT_CNT_6725	6725	POP-FIIG-AIN-FSC-MG-PA	INTEGER	(4, 0)
		0	POP_STAT_CNT_7172	7172	POP-FIIG-AIN-FSC-MG-RE	INTEGER	(4, 0)
035	FREIGHT_DATA	3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	NMFC_2850	2850	NMFC-CD	CHAR	(6, 0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(5, 0)
		5	INC_4080	4080	INC	CHAR	(5, 0)
		0	FRGT_STAT_CNT_6599	6599	FREIGHT-INC-NSN	INTEGER	(4, 0)
036	FSC_GOALS_TAB	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M3D_STAT_CNT_6318	6318	M3D-D-FSC-DM-G	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6322	6322	M3D-D-FSC-AIN-G	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6326	6326	M3D-D-FSC-RN-G	INTEGER	(4, 0)
		0	TRFR_STAT_CNT_6777	6777	TRFR-FSC-ODP-FYD-GOAL	INTEGER	(4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	INC_4080	4080	INC	CHAR	(5, 0)
		0	INC_STAT_CNT_5750	5750	INC-NSN	INTEGER	(4, 0)
038	FSC_POP_MGD	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		5	INC_4080	4080	INC	CHAR	(5, 0)
		0	POP_STAT_CNT_5601	5601	POP-FSC-FIIG-AIN-MG-FU	INTEGER	(4, 0)
		0	POP_STAT_CNT_5602	5602	POP-FSC-FIIG-AIN-MG-RE	INTEGER	(4, 0)
		0	POP_STAT_CNT_5617	5617	POP-FSC-FIIG-AIN-MG-PA	INTEGER	(4, 0)
		0	REVW_CYCL_IND_0567	0567	NSN-RET-REVW-CYCL-IND-CD	CHAR	(1, 0)
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-ASGMT	INTEGER	(4, 0)
041	DIIP_TRACKING	0	ISC_2650	2650	ITM-STDZN-CD	CHAR	(1, 0)
		3	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	SICA_2938	2938	SICA-CD	CHAR	(2, 0)
		0	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR	(2, 0)
		0	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR	(1, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
042	ISC_DATA	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	ISC_2650	2650	ITM-STDZN-CD	CHAR	(1, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	ISC_STAT_CNT_5746	5746	ISC-FSC-WMGR-NSN	INTEGER	(4, 0)
		0	ISC_STAT_CNT_5747	5747	ISC-FSC-USGOVT-NSN	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
043	ITEM_NAME_DEPT_ACT	0	ISC_STAT_CNT_5748	5748	ISC-FSC-DOD-NSN	INTEGER	(4, 0)
		0	ISC_STAT_CNT_5749	5749	ISC-FSC-WOMGR-NSN	INTEGER	(4, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	IN_STAT_CNT_6688	6688	IN-DP-AT-AIN-NSN	INTEGER	(4, 0)
		0	IN_STAT_CNT_6689	6689	IN-DP-AT-NAIN-NSN	INTEGER	(4, 0)
		0	IN_STAT_CNT_6695	6695	IN-DP-AT-AIN-NR-NSN	INTEGER	(4, 0)
		0	IN_STAT_CNT_6696	6696	IN-DP-AT-NAIN-NR-NSN	INTEGER	(4, 0)
		044	NATO_CASE_DATA	5	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR
4	DT_TRAN_2310			2310	DT-TRAN	INTEGER	(4, 0)
1	CASE_NBR_2544			2544	CASE-NBR	CHAR	(2, 0)
6	TMSTMP_3059			3059	TMSTMP	TIMESTAMP	(10, 0)
2	SUBMG_ACTY_CD_3720			3720	SUBMG-ACTY-CD	CHAR	(2, 0)
3	ORIG_ACTY_CD_4210			4210	ORIG-ACTY-CD	CHAR	(2, 0)
0	APPL_OP_REC_9136			9136	APPL-OP-REC	VARCHAR	(1500, 0)
7	SEG_SEQ_9414			9414	SEG-SEQ	SMALLINT	(2, 0)
045	LOLA_INQ_STATS	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		0	LRN_STAT_CNT_1132	1132	LRN-RNL-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1153	1153	LRN-P-RNL-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1173	1173	LRN-NM-NIIN-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1193	1193	LRN-CHS-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1233	1233	LRN-FSG-FSC-ITM-NM-ACT-D	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1667	1667	LRN-NIIN-INQ-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1729	1729	LRN-COMB-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_2410	2410	LRN-ACT-DLY-TOT	INTEGER	(4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(1, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_5975	5975	LRN-C-NIIN-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_6178	6178	LRN-C-RNL-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_6202	6202	LRN-C-P-RNL-ACTY-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_8232	8232	LRN-PROC-ACTY-DLY	INTEGER	(4, 0)
046	GIRDER_INPUT	0	MFR_NOTES_0809	0809	MFR-NOTES	CHAR	(58, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		4	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	(2, 0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	(2, 0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	(5, 0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	(32, 0)
		3	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
047	LOG_REASSIGN_TRACK	3	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR	(3, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	LR_TRK_IND_4081	4081	LOG-REASGMT-TRK-IND-CD	CHAR	(1, 0)
		0	PROJ_CD_4082	4082	LR-PROJ-CD	CHAR	(6, 0)
		0	LR_APRV_DT_4083	4083	LR-APRV-DT	INTEGER	(4, 0)
		0	EFF_TRFR_DT_4088	4088	EFF-MGMT-TRFR-APRV-DT	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	LMX_LMD_DT_4091	4091	MULT-NIIN-TRANS-LMX-LMD	INTEGER	(4, 0)
		0	LMX_LMD_ODIC_4092	4092	MULT-NIIN-LMX-LMD-OP-DIC	CHAR	(3, 0)
		0	LDZ_ODIC_4096	4096	LDZ-DELT-OP-DIC-TYP-ID	CHAR	(3, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER	(4, 0)
		0	LVA_RTN_CD_5081	5081	LVA-RTN-CD	CHAR	(2, 0)
		0	LVA_DRN_ID_5082	5082	LVA-CTL-DRN-VAL-ID	CHAR	(4, 0)
		0	LVA_DCSN_5083	5083	LVA-DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	LIM_ACTY_CD_5084	5084	LIM-SA-ACTY-CD	CHAR	(2, 0)
		0	LIM_SOS_CD_5085	5085	LIM-SA-SOS-CD	CHAR	(3, 0)
		0	GIM_ACTY_CD_5086	5086	GIM-SA-ACTY-CD	CHAR	(2, 0)
		0	GIM_SOS_CD_5087	5087	GIM-SA-SOS-CD	CHAR	(3, 0)
			LMXLMD_RT- N_CD_5088	5088	LMX-LMD-RTN-CD	CHAR	(2, 0)
		0	LMXLMD_DRN_ID_5089	5089	LMX-LMD-CTL-DRN-VAL-ID	CHAR	(4, 0)
		0	LMX_LMD_DCSN_5090	5090	LMX-LMD-DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	LDZ_RTN_CD_5091	5091	LDZ-RTN-CD	CHAR	(2, 0)
		0	LDZ_DRN_ID_5092	5092	LDZ-CTL-DRN-VAL-ID	CHAR	(4, 0)
		0	I_S_STAT_IND_5093	5093	I-S-STAT-IND-CD	CHAR	(1, 0)
		0	LDZ_DT_5095	5095	LDZ-TRANS-DT	INTEGER	(4, 0)
		0	LDZ_DCSN_5096	5096	LDZ-DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	LDZ_BO_APR_DT_5097	5097	LDZ-BACK-OUT-APRV-DT	INTEGER	(4, 0)
048	LOG_REASSIGN_ERROR	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(8, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		1	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP	(10, 0)
		0	RESOLUTION_9411	9411	RESOLUTION	CHAR	(40, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
050	TIIM_INDV_CLASSES	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M6B5_STAT_CNT_7952	7952	M6B5-FSC-DP-LOA-T1-NSN	INTEGER	(4, 0)
		0	M6B5_STAT_CNT_7953	7953	M6B5-FSC-DP-LOA-T1A-NSN	INTEGER	(4, 0)
		0	M6B5_STAT_CNT_7954	7954	M6B5-FSC-DP-LOA-T1B-NSN	INTEGER	(4, 0)
		0	M6B5_STAT_CNT_7955	7955	M6B5-FSC-DP-LOA-T4-NSN	INTEGER	(4, 0)
		0	M6B5_STAT_CNT_7956	7956	M6B5-FSC-DP-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6B5_STAT_CNT_7957	7957	M6B5-FSC-DP-LOA-T4B-NSN	INTEGER	(4, 0)
		0	M6B5_STAT_CNT_7958	7958	M6B5-FSC-DP-LOA-T2-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	(4, 0)
051	MOE_RULE_DEPT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	MOE_STAT_CNT_7812	7812	MOE-NSN	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	MOE_STAT_CNT_7813	7813	MOE-EFFDTD-DEL-NSN	INTEGER	(4,	0)
		0	MOE_STAT_CNT_7814	7814	MOE-EFFDTD-ADD-NSN	INTEGER	(4,	0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
052	TRANS_ACTIVE_TRACK	0	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(3,	0)
		0	MEDALS_FLG_9216	9216	TM-MEDALS-FLG	CHAR	(3,	0)
		0	ACTY_OP_9217	9217	TM-ACTY-OP	VARCHAR	(20,	0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	(15,	0)
		0	OP_TRK_9222	9222	TM-OP-TRK-ID	CHAR	(15,	0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	(12,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
053	NAIN_POP_DATA	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		4	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	(19,	0)
		0	POP_STAT_CNT_6729	6729	POP-NAIN-FSC-INAC	INTEGER	(4,	0)
		0	POP_STAT_CNT_6730	6730	POP-NAIN-FSC-MG	INTEGER	(4,	0)
054	TM_MESSAGE_RECOVER	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	(7,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	(4,	0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP	(10,	0)
		0	SSN_9765	9765	SSN	CHAR	(4,	0)
055	REPBL_DEPT_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	REP_STAT_CNT_1653	1653	REP-DEPT-NSN	INTEGER	(4,	0)
		3	REPBL_CD_2745	2745	REPBL-CD	CHAR	(1,	0)
056	REPBL_ACTY_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	REP_STAT_CNT_1651	1651	REP-ACTY-NSN	INTEGER	(4,	0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR	(1,	0)
057	REPBL_DEPT_LOA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	REP_STAT_CNT_1652	1652	REP-DEPT-LOA-NSN	INTEGER	(4,	0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR	(1,	0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2,	0)
058	REPBL_ACTY_LOA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	REP_STAT_CNT_1650	1650	REP-ACTY-LOA-NSN	INTEGER	(4,	0)
		5	REPBL_CD_2745	2745	REPBL-CD	CHAR	(1,	0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2,	0)
059	NATO_REF_NBR_DATA	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		6	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32,	0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)
		7	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----					
						TYPE	LENGTH	DECIMAL			
060	NATO_PRIMARY_DATA	0	SUSP_ENTR_DT_0870	0870	RCDED-SUSP-FILE-ENTR-DT	INTEGER	(4,	0)		
		0	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	(1,	0)		
		0	BTCH_CTL_NBR_0998	0998	BTCH-CTL-NBR	CHAR	(10,	0)		
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)		
		0	RTC_CD_1002	1002	RTC-CD	CHAR	(3,	0)		
		0	DT_PRIM_OP_1008	1008	DT-PRIM-OP	INTEGER	(4,	0)		
		0	DT_DSK_CD_CHG_1013	1013	DT-TRAN-DSK-CD-CHNG	INTEGER	(4,	0)		
		0	DT_RTC_1016	1016	DT-RTC	INTEGER	(4,	0)		
		0	DT_PRCSD_1031	1031	DT-PRCSD	INTEGER	(4,	0)		
		0	DT_FOR_BLNG_1036	1036	DT-FLGD-FOR-BLNG	INTEGER	(4,	0)		
		0	DT_BILD_1041	1041	DT-BILD	INTEGER	(4,	0)		
		0	DT_FOR_PRG_1042	1042	DT-FLGD-FOR-PURGE	INTEGER	(4,	0)		
		0	DT_FOR_RTC_1044	1044	DT-FLGD-FOR-RTC	INTEGER	(4,	0)		
		0	DT_PURGED_1051	1051	DT-PURGED	INTEGER	(4,	0)		
		0	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)		
		0	NATO_TRAN_PR_1973	1973	NATO-TRAN-PR-CD	CHAR	(2,	0)		
		0	TM_CD_1987	1987	TM-CD	CHAR	(1,	0)		
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)		
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)		
		0	DSK_CD_CATLG_3870	3870	DSK-CD-CATLG	CHAR	(1,	0)		
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)		
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)		
		061	RTN_CD_CAT_TAB	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
				2	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)
				4	STAT_RETN_CAT_5666	5666	STAT-RETURN-CATEGORY	CHAR	(2,	0)
		062	STAT_OF_STATS	3	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
				2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
				3	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(12,	0)
063	SERVICE_AGENCY_ACTY	0	MGR_STAT_CNT_6605	6605	MGR-ACCESS-COUNT	INTEGER	(4,	0)		
		1	STATS_ACCS_DT_9705	9705	STATS-ACCESS-DATE	CHAR	(10,	0)		
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
064	TRN_DIC_IO_STATS	0	STATS_SA_PREF_3844	3844	STATS-SVC-AGCY-PREF-CD	SMALLINT	(2,	0)		
		0	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR	(7,	0)		
		0	IO_STST_CNT_6546	6546		INTEGER	(4,	0)		
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)		
065	TRN_DIC_SAC_DTL	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
		3	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)		
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)		
		5	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)		
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)		
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)		
		0	DIC_STAT_CNT_5325	5325	DIC-SAC-DEPT-TOT-NIINST	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6779	6779	DIC-SAC-NIINST	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6780	6780	DIC-SAC-RULES	INTEGER	(4,	0)				
0	DIC_STAT_CNT_6781	6781	DIC-SAC-CLRCL	INTEGER	(4,	0)				
0	DIC_STAT_CNT_6782	6782	DIC-SAC-PDUPS	INTEGER	(4,	0)				
0	DIC_STAT_CNT_6783	6783	DIC-SAC-ADUPS	INTEGER	(4,	0)				
0	DIC_STAT_CNT_6786	6786	DIC-SAC-APRVD	INTEGER	(4,	0)				
0	DIC_STAT_CNT_6788	6788	DIC-SAC-RECVD	INTEGER	(4,	0)				

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	DIC_STAT_CNT_9587	9587	DIC-SAC-DEPT-TOT-RECVD	INTEGER	(4,	0)
		0	DIC_STAT_CNT_9589	9589	DIC-SAC-DEPT-TOT-APRVD	INTEGER	(4,	0)
		0	DIC_STAT_CNT_9591	9591	DIC-SAC-DEPT-TOT-ADUPS	INTEGER	(4,	0)
		0	DIC_STAT_CNT_9592	9592	DIC-SAC-DEPT-TOT-PDUPS	INTEGER	(4,	0)
		0	DIC_STAT_CNT_9593	9593	DIC-SAC-DEPT-TOT-CLRCL	INTEGER	(4,	0)
		0	DIC_STAT_CNT_9594	9594	DIC-SAC-DEPT-TOT-RULES	INTEGER	(4,	0)
066	SCRN_OTHER	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	LSND_STAT_CNT_5469	5469	SCN-LSN-NSN-DP-CUR-MTH	INTEGER	(4,	0)
		0	LSND_STAT_CNT_5470	5470	SCN-LSN-NSN-DP-CUR-NMTH	INTEGER	(4,	0)
		0	LSND_STAT_CNT_5471	5471	SCN-LSN-NSN-DP-CUR-REJ	INTEGER	(4,	0)
069	CAGE_CLEAR_TEXT	0	ORG_ID_TXT_SG_0010	0010	ORGN-IDEN-CLRTXT-LI-SEG	VARCHAR	(1096,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
070	CAGE_EDI_INPUT	0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1,	0)
		0	DUNS_3405	3405	DUNS	CHAR	(9,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(1128,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
071	MIOS_ACTIVE_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	(1127,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
073	EFF_AMMO_CD_DESC	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	INC_4080	4080	INC	CHAR	(5,	0)
		2	TMSTMP1_4564	4564	TMSTMP1	TIMESTMP	(10,	0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	(4,	0)
		0	CL_ASST_MODH3_9553	9553	CLAS-ASST-MOD-H3	VARCHAR	(1762,	0)
074	TM_SEGMENT_DROP	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	DRPD_SEG_1_9711	9711	DRPD-SEG-1-IND	CHAR	(1,	0)
		0	DRPD_SEG_6_9712	9712	DRPD-SEG-6-IND	CHAR	(1,	0)
		0	DRPD_SEG_7_9713	9713	DRPD-SEG-7-IND	CHAR	(1,	0)
		0	DRPD_SEG_9_9714	9714	DRPD-SEG-9-IND	CHAR	(1,	0)
		0	DRPD_SEG_A_9715	9715	DRPD-SEG-A-IND	CHAR	(1,	0)
		0	DRPD_SEG_B_9716	9716	DRPD-SEG-B-IND	CHAR	(1,	0)
		0	DRPD_SEG_C_9717	9717	DRPD-SEG-C-IND	CHAR	(1,	0)
		0	DRPD_SEG_D_9718	9718	DRPD-SEG-D-IND	CHAR	(1,	0)
		0	DRPD_SEG_E_9719	9719	DRPD-SEG-E-IND	CHAR	(1,	0)
		0	DRPD_SEG_F_9720	9720	DRPD-SEG-F-IND	CHAR	(1,	0)
		0	DRPD_SEG_G_9721	9721	DRPD-SEG-G-IND	CHAR	(1,	0)
		0	DRPD_SEG_H_9722	9722	DRPD-SEG-H-IND	CHAR	(1,	0)
		0	DRPD_SEG_J_9723	9723	DRPD-SEG-J-IND	CHAR	(1,	0)
		0	DRPD_SEG_K_9724	9724	DRPD-SEG-K-IND	CHAR	(1,	0)
		0	DRPD_SEG_L_9725	9725	DRPD-SEG-L-IND	CHAR	(1,	0)
		0	DRPD_SEG_M_9726	9726	DRPD-SEG-M-IND	CHAR	(1,	0)
		0	DRPD_SEG_N_9727	9727	DRPD-SEG-N-IND	CHAR	(1,	0)
		0	DRPD_SEG_P_9728	9728	DRPD-SEG-P-IND	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	DRPD_SEG_Q_9729	9729	DRPD-SEG-Q-IND	CHAR	(1, 0)
		0	DRPD_SEG_R_9730	9730	DRPD-SEG-R-IND	CHAR	(1, 0)
		0	DRPD_SEG_V_9731	9731	DRPD-SEG-V-IND	CHAR	(1, 0)
		0	DRPD_SEG_W_9732	9732	DRPD-SEG-W-IND	CHAR	(1, 0)
		0	DRPD_SEG_Y_9733	9733	DRPD-SEG-Y-IND	CHAR	(1, 0)
		0	DRPD_SEG_Z_9734	9734	DRPD-SEG-Z-IND	CHAR	(1, 0)
		0	ALL_SEGS_DRPD_9735	9735	ALL-SEGS-DRPD-IND	CHAR	(1, 0)
			DGTZD-					
075	NIIN_DRAWING_DATA	1	_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	(15, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	PRPRTY_IND_5066	5066	PRPRTY-IND	CHAR	(1, 0)
076	FSC_NOTE_DAT_GROUP	3	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1, 0)
		0	FSC_INCL_NAR_0375	0375	FSC-INCL-NAR	VARCHAR	(1978, 0)
		0	FSC_EXCL_NAR_0376	0376	FSC-EXCL-NAR	VARCHAR	(1978, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	FSC_NOTE_4962	4962	FSC-NOTE	VARCHAR	(1978, 0)
		0	FSC_TI_4970	4970	FSC-TI	VARCHAR	(1978, 0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	(4, 0)
077	ADP_CAO_DATA	0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	(2, 0)
		1	FRM_ZIP_CD_3414	3414	FRM-ZIP-CD	CHAR	(5, 0)
		2	TO_ZIP_CD_3415	3415	TO-ZIP-CD	CHAR	(5, 0)
		0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR	(6, 0)
		0	CAO_CD_8870	8870	CAO-CD	CHAR	(6, 0)
078	EDIT_GUIDE_TRAIL	0	TRAN_FILE_NM_0778	0778	TRAN-FILE-NM	CHAR	(8, 0)
		1	TRAN_PRC_DT_0779	0779	TRAN-FILE-PRC-DT	INTEGER	(4, 0)
		6	SUBMTR_USERID_3205	3205	SUBMTR-USERID	CHAR	(8, 0)
		4	MRC_3445	3445	MRC	CHAR	(4, 0)
		3	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		5	INC_4080	4080	INC	CHAR	(5, 0)
079	BUSINESS_CAT_DATA	0	STD_IND_CL_CD_1368	1368	STD-INDUST-CLAS-CD	CHAR	(4, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
		2	SIC_CD_SQ_IND_9368	9368	SIC-CD-SQ-IND	CHAR	(1, 0)
080	IT_VLD_IMCA_TBL	1	IMCA_4075	4075	IMCA	CHAR	(2, 0)
081	CAGE_AUDIT_DATA	2	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		3	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	DE_IMG_BEF_CG_1376	1376	DATA-ELE-IMG-BEF-CHNG	CHAR	(36, 0)
		0	DE_IMG_AFT_CG_1377	1377	DATA-ELE-IMG-AFT-CHNG	CHAR	(36, 0)
		4	TMSTMP1_4564	4564	TMSTMP1	TIMESTAMP	(10, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
082	CAGE_DATA_1	0	TYP_CAGE_AFFL_0250	0250	TYPE-CAGE-NCAGE-AFFL-CD	CHAR	(1, 0)
		0	CNBR_SYS_I_0845	0845	COMN-NBRING-SYS-IND	CHAR	(1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	SZ_OF_BUS_CD_1364	1364	SZ-OF-BUS-CD	CHAR	(1, 0)
		0	PR_BUS_CAT_CD_1365	1365	PRIM-BUS-CTGY-CD	CHAR	(1, 0)
		0	TYP_BUS_CD_1366	1366	TYP-OF-BUS-CD	CHAR	(1, 0)
		0	WMN_OWND_BUS_1367	1367	WMN-OWND-BUS-CD	CHAR	(1, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		0	DT_OE_RCD_EST_2262	2262	DT-OE-RCD-ESTB	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
		0	CAGE_NSCM_DES_2620	2620	CAGE-NCAGE-DESI-CD	CHAR	(1, 0)
		0	MINM_ADRS_CD_2645	2645	MINM-ADRS-CD	CHAR	(1, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1, 0)
		0	TAX_PYR_ID_3401	3401	TAXPYR-ID	CHAR	(9, 0)
		0	PARNT_TAXPYR_3403	3403	PARNT-TAXPYR-ID	CHAR	(9, 0)
		0	FRN_DOM_CD_4235	4235	FOR-DOM-DESI-CD	CHAR	(1, 0)
		0	CAGE_TYP_CD_4238	4238	CAGE-NCAGE-TYP-CD	CHAR	(1, 0)
		0	ASSOC_CD_CAGE_8855	8855	ASSOC-CD-CAGE-NCAGE-CD	CHAR	(5, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
083	CAGE_LI_NBR_DATA	2	OE_LI_SEG_NBR_1001	1001	OE-LI-SEG-NBR	CHAR	(2, 0)
		0	DT_OE_LI_CHG_8656	8656	DT-OE-LI-SEG-CHNGD	INTEGER	(4, 0)
084	IMPS_HEADERS_IN	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	(7, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(2, 0)
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80, 0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	(4, 0)
		0	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTMP	(10, 0)
		0	EDIT_STAT_9382	9382	EDIT-STAT-CD	CHAR	(1, 0)
		0	EDIT_CMPLT_TS_9383	9383	EDIT-CMPLTD-TS	TIMESTMP	(10, 0)
		0	EDIT_RESULTS_9384	9384	EDIT-RESULTS-TX	CHAR	(20, 0)
		0	RELED_MSG_TS_9385	9385	TM-RELED-MSG-TS	TIMESTMP	(10, 0)
		0	RECDV_MSG_TS_9386	9386	TM-RECDV-MSG-TS	TIMESTMP	(10, 0)
		0	MED_TRAIL_9387	9387	TM-MED-TRAIL-TX	CHAR	(80, 0)
		0	RECDV_TD_QUE_9388	9388	TM-RECDV-TD-QUE-TX	CHAR	(4, 0)
		0	RE_PRCSD_TS_9394	9394	TM-RE-PRCSD-MSG-TS	TIMESTMP	(10, 0)
		2	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4, 0)
		0	SSN_9765	9765	SSN	CHAR	(4, 0)
085	IMPS_MESSAGES_IN	1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80, 0)
		2	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTMP	(10, 0)
		0	MSG_TX_9389	9389	TM-MSG-TX	VARCHAR	(22000, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4, 0)
086	IMPS_ERROR_LOG	0	PGM_ID_1108	1108	PGM-ID	CHAR	(8, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTMP	(10, 0)
		1	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTMP	(10, 0)
		0	DB2_SQL_ERR_9390	9390	DB2-SQL-ERR-CD	INTEGER	(4, 0)
		0	DB2_SQL_STA_9391	9391	DB2-SQL-STA-ERR-CD	CHAR	(5, 0)
		0	CICS_ERR_9392	9392	CICS-ERR-CD	CHAR	(4, 0)
		0	ERR_MSG_9393	9393	ERR-MSG-TX	VARCHAR	(256, 0)
088	MOE_RULE_STATS	0	MOE_CR_ADD_CT_1109	1109	MOE-CUR-ADD-CT	INTEGER	(4, 0)
		0	MOE_CR_CHG_CT_1117	1117	MOE-CUR-CHG-CT	INTEGER	(4, 0)
		0	MOE_CR_DEL_CT_1119	1119	MOE-CUR-DEL-CT	INTEGER	(4, 0)
		0	MOE_ED_ADD_CT_1493	1493	MOE-EFF-DT-ADD-CT	INTEGER	(4, 0)
		0	MOE_ED_CHG_CT_1495	1495	MOE-EFF-DT-CHG-CT	INTEGER	(4, 0)
		0	MOE_ED_DEL_CT_1497	1497	MOE-EFF-DT-DEL-CT	INTEGER	(4, 0)
		0	MOE_MST_INQ_C_1499	1499	MOE-MOE-MSTR-INQ-CT	INTEGER	(4, 0)
		1	MR_STAT_DT_3474	3474	MOE-RULE-STAT-DT	INTEGER	(4, 0)
089	SNF_NIINS	1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		3	SNF_END_DT_9308	9308	SNF-END-DT	INTEGER	(4, 0)
		0	SNF_TYP_UPDT_9309	9309	SNF-TYP-UPDT	CHAR	(1, 0)
090	CDD_FRT_DEST_DATA	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR	(1, 0)
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1, 0)
		0	FRT_CD_STAT_2090	2090	FRT-CD-STAT-CD	CHAR	(1, 0)
		0	CLAS_RTNG_CD_2770	2770	NMF-CLAS-RTNG-CD	CHAR	(1, 0)
		1	NMFC_2850	2850	NMFC-CD	CHAR	(6, 0)
		3	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(5, 0)
		0	FRT_DESC_4020	4020	FRT-DESC	CHAR	(35, 0)
091	COLLOQ_XREF	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR	(5, 0)
		2	REL_INC_2926	2926	REL-INC	CHAR	(5, 0)
092	DEBARRED_BDRS_DATA	0	DBRD_STAT_CD_0866	0866	DBRD-BDR-STAT-CD	CHAR	(1, 0)
		0	DBRD_END_DT_0867	0867	DBRD-CONTR-END-DT	INTEGER	(4, 0)
		0	DBR_PRO_I_SYM_0868	0868	DOD-DBRMT-PPSL-INITR-SYM	CHAR	(5, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	DT_DBR_REC_ES_1374	1374	DT-DBRD-BDR-RCD-ESTB	INTEGER	(4, 0)
		0	DT_DBR_REC_CH_1375	1375	DT-DBRD-BDR-RCD-CHNGD	INTEGER	(4, 0)
		0	DBRMT_SYM- _MNG_1380	1380	DBRMT-PPSL-INITR-SYM-MNG	CHAR	(30, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
093	MOE_RULE_TBL	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER	(4, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	(1, 0)
		0	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	(4, 0)
		0	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR	(1, 0)
		0	CRYPTO_IND_CD_0857	0857	CRYPTO-IND-CD	CHAR	(1, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	AUTH_II_SUBMR_2535	2535	AUTHZD-II-DATA-SUBMR-CD	CHAR	(2, 0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(2, 0)
		0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(1, 0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(2, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	SICA_2938	2938	SICA-CD	CHAR	(2, 0)
		0	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR	(2, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
		0	M_RL_STAT_CD_8458	8458	MOE-RULE-STAT-CD	CHAR	(1, 0)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(1, 0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(1, 0)
		0	MGMT_EXCP_NTS_9542	9542	MGMT-EXCP-NOTES	VARCHAR	(500, 0)
		0	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	(2, 0)
094	EFF_DTD_FSC	0	SUBJ_TO_WIMM_0090	0090	SUBJ-TO-WIMM	CHAR	(1, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	(1, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1, 0)
		0	STDZN_SUBMR_0749	0749	STDZN-SUBMG-ACTY-CD	CHAR	(2, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(1, 0)
		0	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR	(1, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	IMCA_4075	4075	IMCA	CHAR	(2, 0)
		0	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(10, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	(4,	0)
		0	AR_FSC_MGR_8831	8831	AR-FSC-MGR	CHAR	(2,	0)
		0	AF_FSC_MGR_8860	8860	AF-FSC-MGR	CHAR	(2,	0)
		0	IMM_9090	9090	IMM	CHAR	(2,	0)
		0	SIN_SUBM_ACTY_9255	9255	SIN-SUBMG-ACTY-CD	CHAR	(2,	0)
		0	SUBJ_SI_SUB_P_9544	9544	SUBJ-SIN-SUBMR-PRO	CHAR	(1,	0)
		0	SUBJ_IMM_M_CD_9545	9545	SUBJ-INTEG-MAT-MGMT-CD	CHAR	(1,	0)
		0	SUBJ_IM_CDNG_9546	9546	SUBJ-ITM-MGMT-CDNG	CHAR	(1,	0)
095	EFF_MOE_RULE_COLBR	2	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		3	AUTH_II_COLBR_2531	2531	AUTHZD-II-DATA-COLLBR-CD	CHAR	(2,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
096	EFF_MOE_RULE_RCVR	2	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		3	AUTH_II_RCVR_2532	2532	AUTHZD-II-DATA-RCVR-CD	CHAR	(2,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
097	FRT_STATS_ENTITY	0	FR_MST_ADD_ER_1517	1517	FRT-MSTR-ADD-ER-CT	INTEGER	(4,	0)
		0	FR_MST_ADD_CT_1524	1524	FRT-MSTR-ADD-CT	INTEGER	(4,	0)
		0	FR_MST_TI_FRM_1528	1528	FRT-MSTR-TIME-FRAME	INTEGER	(4,	0)
		0	FR_EXD_CHG_ER_1532	1532	FRT-EXTND-DESC-CHG-ER-CT	INTEGER	(4,	0)
		0	FR_MST_DEL_ER_1533	1533	FRT-MSTR-DEL-ER-CT	INTEGER	(4,	0)
		1	FR_MST_INQ_DT_1952	1952	FRT-MSTR-INQ-DATE	DATE	(4,	0)
		0	FR_MST_DEL_CT_1954	1954	FRT-MSTR-DELETE-CT	INTEGER	(4,	0)
		0	FR_EXD_ADD_ER_1955	1955	FRT-EXTND-DESC-ADD-ER-CT	INTEGER	(4,	0)
		0	FR_EXD_DEL_ER_1957	1957	FRT-EXTND-DESC-DEL-ER-CT	INTEGER	(4,	0)
		0	FR_MST_CHG_CT_1959	1959	FRT-MSTR-CHG-CT	INTEGER	(4,	0)
		0	FR_EXD_ADD_CT_1960	1960	FRT-EXTND-DESC-ADD-CT	INTEGER	(4,	0)
		0	FR_EXD_CHG_CT_1961	1961	FRT-EXTND-DESC-CHG-CT	INTEGER	(4,	0)
		0	FR_EXD_DEL_CT_1962	1962	FRT-EXTND-DESC-DEL-CT	INTEGER	(4,	0)
		0	FR_MST_CHG_ER_2029	2029	FRT-MSTR-CHG-ER-CT	INTEGER	(4,	0)
098	NAMES_BY_TYP	0	APPLB_KEY_CD_0103	0103	APPLB-KEY-CD-FIIG	CHAR	(3,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)
		0	NM_PREFIX_2516	2516	NM-PREFIX	CHAR	(10,	0)
		0	NM_ROOT_RMDR_2517	2517	NM-ROOT-RMDR	VARCHAR	(1743,	0)
		0	FSC_COND_CD_2607	2607	FSC-COND-CD	CHAR	(1,	0)
		0	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR	(1,	0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		0	CONCEPT_NBR_4488	4488	CONCEPT-NBR	CHAR	(1,	0)
		0	ITM_NM_DEF_5015	5015	ITM-NM-DEF-DLIM	VARCHAR	(1762,	0)
099	NM_CD_FSC_XREF	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR	(1762,	0)
101	RPLM_CAGE_CD	0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR	(5,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
102	CICS_TO_BATCH	0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	BTCH_FMT_PARM_2602	2602	BTCH-FMT-PARM	CHAR	(50,	0)
		1	TMSTMP1_4564	4564	TMSTMP1	TIMESTAMP	(10,	0)
103	NATO_MASS_CHG	2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR	(5, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
104	BILLING_DATA	0	NATO_FG_TR_P_1024	1024	NATO-FGN-GOVT-TRANS-PR	DECIMAL	(7, 4)
		2	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	DT_PR_EFF_1967	1967	DT-PR-EFF	INTEGER	(4, 0)
		0	NATO_O_TR_PR_1972	1972	NATO-FG-OLD-TRAN-PR	DECIMAL	(7, 4)
		3	NATO_TRAN_PR_1973	1973	NATO-TRAN-PR-CD	CHAR	(2, 0)
		1	DIC_IP_3921	3921	DIC-IP	CHAR	(3, 0)
105	NATO_RTN_CD_DATA	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		6	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
		0	DRN_VAL_9975	9975	DRN-VAL	VARCHAR	(250, 0)
106	NATO_TRACKING_DATA	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	DT_SECD_IP_1009	1009	DT-SECD-IP	INTEGER	(4, 0)
		0	DT_SECD_OP_1011	1011	DT-SECD-OP	INTEGER	(4, 0)
		0	SUPL_DIC_IP_1028	1028	SUPLMNTY-DIC-IP	CHAR	(3, 0)
		0	SUPL_DIC_OP_1029	1029	SUPLMNTY-DIC-OP	CHAR	(3, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	INC_4080	4080	INC	CHAR	(5, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		0	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	(19, 0)
107	BSM_ACTIVITY_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
109	WORKLOAD_DATA	1	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	(1, 0)
		0	WRKLD_CNT_1026	1026	WRKLD-CNT	INTEGER	(4, 0)
		2	TM_CD_1987	1987	TM-CD	CHAR	(1, 0)
		0	WRKLD_LOCK_OT_2024	2024	WRKLD-LOCK-OT-CD	CHAR	(1, 0)
		3	DSK_CD_CATLG_3870	3870	DSK-CD-CATLG	CHAR	(1, 0)
110	HMIC_TBL	1	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	(1, 0)
		0	HMIC_EXPLN_3466	3466	HMIC-EXPLN	VARCHAR	(250, 0)
111	CRITL_CD_FIG_TBL	0	CRT_CD_FIG_EX_3467	3467	CRITL-CD-FIG-EXPLN	VARCHAR	(250, 0)
		1	CRITL_CD_FIG_3843	3843	CRITL-CD-FIG	CHAR	(1, 0)
115	HISTORY_CHAR_DATA	0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		3	MRC_3445	3445	MRC	CHAR	(4, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR	(990, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	MRC_SEQ_NBR_4407	4407	MRC-SEQ-NBR	SMALLINT	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
116	CHAR_DATA	6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	(2, 0)		
		0	PRPY_IND_4409	4409	PRPY-IND	CHAR	(1, 0)		
		0	AND_OR_4410	4410	AND-OR	CHAR	(2, 0)		
		7	TMSTMP3_4443	4443	TMSTMP3	TIMESTAMP	(10, 0)		
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)		
		0	MODE_CD_4735	4735	MODE-CD	CHAR	(1, 0)		
		5	SAC_8990	8990	SAC	CHAR	(3, 0)		
		4	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR	(1, 0)		
		3	MRC_3445	3445	MRC	CHAR	(4, 0)		
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR	(990, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
		0	MRC_SEQ_NBR_4407	4407	MRC-SEQ-NBR	SMALLINT	(2, 0)		
		6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	(2, 0)		
		0	PRPY_IND_4409	4409	PRPY-IND	CHAR	(1, 0)		
		117	COCO_TABLE	0	AND_OR_4410	4410	AND-OR	CHAR	(2, 0)
0	MODE_CD_4735			4735	MODE-CD	CHAR	(1, 0)		
5	SAC_8990			8990	SAC	CHAR	(3, 0)		
4	SEC_AD_IND_CD_9485			9485	SECD-ADRS-IND-CD	CHAR	(1, 0)		
1	COCO_NBR_2254			2254	COCO-NBR	SMALLINT	(2, 0)		
0	UNIT_MEAS_DES_4411			4411	UNIT-MEAS-DES	VARCHAR	(1300, 0)		
0	COCO_CONV_TYP_4415			4415	COCO-CONV-TYPE	CHAR	(1, 0)		
0	CNV_FRM_LEFT_4416			4416	CNV-FRM-LEFT	DECIMAL	(15, 0)		
0	CNV_FRM_RIGHT_4417			4417	CNV-FRM-RIGHT	DECIMAL	(7, 0)		
118	CONV_GD_SKLTN			0	COCO_NBR_2254	2254	COCO-NBR	SMALLINT	(2, 0)
		1	SKEL_CODE_2319	2319	SKELETON-CODE	CHAR	(2, 0)		
		0	SKIP_CNT_4412	4412	SKIP-COUNT	CHAR	(1, 0)		
		2	CHNG_RPLY_FRM_4413	4413	CHNG-RPLY-FRM	CHAR	(6, 0)		
		0	CHNG_RPLY_TO_4414	4414	CHNG-RPLY-TO	CHAR	(6, 0)		
119	CONVERSION_GD_DATA	0	SKEL_CODE_2319	2319	SKELETON-CODE	CHAR	(2, 0)		
		2	MRC_3445	3445	MRC	CHAR	(4, 0)		
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)		
		0	SKIP_CNT_4412	4412	SKIP-COUNT	CHAR	(1, 0)		
		3	CHNG_RPLY_FRM_4413	4413	CHNG-RPLY-FRM	CHAR	(6, 0)		
		0	CHNG_RPLY_TO_4414	4414	CHNG-RPLY-TO	CHAR	(6, 0)		
		0	COCO_CONV_TYP_4415	4415	COCO-CONV-TYPE	CHAR	(1, 0)		
		0	CNV_FRM_LEFT_4416	4416	CNV-FRM-LEFT	DECIMAL	(15, 0)		
		0	CNV_FRM_RIGHT_4417	4417	CNV-FRM-RIGHT	DECIMAL	(7, 0)		
		120	EDIT_GUIDE_1	0	SAC_CDNG_IND_0115	0115	SAC-CDNG-IND	CHAR	(1, 0)
0	DIML_MRC_IND_0326			0326	DIML-MRC-IND	CHAR	(1, 0)		
0	PRPTN_EDIT_CD_0762			0762	PRPTN-EDIT-SYMBL-IND-CD	CHAR	(1, 0)		
0	ISAC_IND_CD_0826			0826	OPTNL-MAND-ISAC-IND-CD	CHAR	(1, 0)		
0	SCR_KEY_CD_1047			1047	MRC-SCTN-NON-CORE-CHARA	CHAR	(1, 0)		
3	MRC_3445			3445	MRC	CHAR	(4, 0)		
0	RPLY_TBL_DCOD_3845			3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	(4, 0)		
1	FIIG_4065			4065	GDE-NBR-FIIG	CHAR	(6, 0)		
2	INC_4080			4080	INC	CHAR	(5, 0)		
0	TAIL_SEQ_NO_4403			4403	TAIL-SEQ-NO	SMALLINT	(2, 0)		
0	FIIG_SEQ_NO_4404			4404	GDE-NBR-FIIG-SEQ-NO	SMALLINT	(2, 0)		
0	MRC_IND_CD_8450			8450	OPTNL-MAND-MRC-IND-CD	CHAR	(1, 0)		
121	EDIT_GUIDE_2			0	ISAC_LMTN_CD_0825	0825	ISAC-LMTN-CD	CHAR	(2, 0)
				0	ISAC_PRES_CD_2348	2348	ISAC-PRES-CD	CHAR	(1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	PROP_CHAR_CD_2514	2514	PROP-CHAR-CD	CHAR	(1, 0)
		3	MRC_3445	3445	MRC	CHAR	(4, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		0	ED_CRITE_STMT_4129	4129	EDIT-CRITE-STMT	VARCHAR	(20000, 0)
		0	REF_MRC_4475	4475	REF-BACK-MRC	CHAR	(4, 0)
		4	MODE_CD_4735	4735	MODE-CD	CHAR	(1, 0)
		0	CRD_SEQ_CD_8264	8264	CRD-SEQ-CD	CHAR	(4, 0)
122	EDIT_GUIDE_3	0	INC_LOCKT_IND_0583	0583	INC-LOCKT-IND	CHAR	(1, 0)
		0	TAIL_ACT_CD_2513	2513	TAIL-ACT-CD	CHAR	(2, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		2	INC_4080	4080	INC	CHAR	(5, 0)
		0	INC_APPL_IND_4405	4405	INC-APPLIC-IND	CHAR	(1, 0)
123	EDIT_GUIDE_4	0	FIIG_LCKT_IND_0581	0581	FIIG-LOCKT-IND	CHAR	(1, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
124	NATO_ISAC_EXTRACT	3	MRC_3445	3445	MRC	CHAR	(4, 0)
		0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	(4, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		2	INC_4080	4080	INC	CHAR	(5, 0)
125	ISAC_RPLY_TAB	0	DCOD_ISAC_RPY_2308	2308	DCODD-ISAC-RPLY-STMT	VARCHAR	(379, 0)
		1	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	(4, 0)
		3	SAC_8990	8990	SAC	CHAR	(3, 0)
		2	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR	(1, 0)
126	MRC_RPLY_TAB	0	CD_F_LGT_RPLY_0365	0365	CD-FOR-LGTH-RPLY	SMALLINT	(2, 0)
		2	RPLY_DCOD_SEQ_0510	0510	RPLY-TBL-DCOD-SEQ-NBR	SMALLINT	(2, 0)
		1	MRC_3445	3445	MRC	CHAR	(4, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	(4, 0)
127	MRD_DECODE	0	PRT_SKLTN_CD_0368	0368	PRT-SKLTN-CD	CHAR	(1, 0)
		0	MRD_STATUS_CD_0816	0816	MRD-STAT-IND-CD	CHAR	(1, 0)
		0	MRC_USG_DESI_0847	0847	MRC-USG-DESI	CHAR	(1, 0)
		0	KEYWRD- _MOD_ST_2033	2033	KEYWRD-MODIFIER-STMT	VARCHAR	(108, 0)
		0	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR	(2, 0)
		0	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR	(20, 0)
		1	MRC_3445	3445	MRC	CHAR	(4, 0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	(110, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR	(1, 0)
128	REPLY_TABLE	0	RPLY_STAT_IND_2498	2498	RPLY-STAT-IND	CHAR	(1, 0)
		2	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	(6, 0)
		0	DCOD_RPLY_ST_3864	3864	DCODD-RPLY-STMT	VARCHAR	(379, 0)
		1	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	(4, 0)
130	GROUPING_CRITERIA	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)
		3	GRP_NBR_8601	8601	IDS-GRP-NBR	SMALLINT	(2, 0)
		0	START_RCD_TYP_8602	8602	IDS-START-RCD-TYP-CD	SMALLINT	(2, 0)
		0	START_ACCS_8603	8603	IDS-START-ACCS-NBR	SMALLINT	(2, 0)
		0	START_CMP_8604	8604	IDS-START-CMP-NBR	SMALLINT	(2, 0)
		0	END_RCD_TYP_8605	8605	IDS-END-RCD-TYP-CD	SMALLINT	(2, 0)
		0	END_ACCS_NBR_8606	8606	IDS-END-ACCS-NBR	SMALLINT	(2, 0)
		0	END_CMP_8607	8607	IDS-END-CMP-NBR	SMALLINT	(2, 0)
		0	PRE_BRK_RCD_8608	8608	IDS-PRE-BRK-RCD-TYP-CD	SMALLINT	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	PRE_BRK_ACCS_8609	8609	IDS-PRE-BRK-ACCS-NBR	SMALLINT	(2, 0)
		0	PRE_BRK_CMP_8610	8610	IDS-PRE-BRK-CMP-NBR	SMALLINT	(2, 0)
		0	POST_BRK_RCD_8611	8611	IDS-POST-BRK-RCD-TYP-CD	SMALLINT	(2, 0)
		0	POST_BRK_ACCS_8612	8612	IDS-POST-BRK-ACCS-NBR	SMALLINT	(2, 0)
		0	POST_BRK_CMP_8613	8613	IDS-POST-BRK-CMP-NBR	SMALLINT	(2, 0)
		0	POST_BRK_POS_8614	8614	IDS-POST-BRK-POS-CD	CHAR	(1, 0)
		0	FORCED_WRITE_8615	8615	IDS-FORCED-WRITE-IND	CHAR	(1, 0)
		0	CTR_ATTR_8616	8616	IDS-CTR-ATTR-ID	CHAR	(2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1, 0)
131	STYL_RPLY_TAB	3	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(5, 0)
		0	DCOD_STYL_RPY_2309	2309	DCOD-STYL-RPLY-STMT	VARCHAR	(379, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
132	APPLIC_MESSAGE_DAT	0	MSG_0983	0983	MSG	CHAR	(66, 0)
		1	MSG_CD_1105	1105	MSG-CD	CHAR	(4, 0)
133	EXTRACT_DESCR	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)
		0	RNDM_SMPL_IND_2671	2671	RNDM-SMPL-IND-CD	CHAR	(1, 0)
		0	NXT_PUB_DT_4188	4188	IDS-NXT-PUB-DT	INTEGER	(4, 0)
		0	LST_PUB_DT_4191	4191	IDS-LST-PUB-DT	INTEGER	(4, 0)
		0	DEF_STAT_CD_4193	4193	IDS-DEF-STAT-CD	CHAR	(1, 0)
		0	ITM_PRCSG_QTY_4201	4201	IDS-ITM-PRCSG-QTY	SMALLINT	(2, 0)
		0	EXTR_OP_FL_4202	4202	IDS-EXTR-OP-FL-QTY	INTEGER	(4, 0)
		0	EXTR_ITM_QY_4209	4209	IDS-EXTR-DATA-ITM-QY	INTEGER	(4, 0)
		0	USER_PAD_CHAR_4251	4251	IDS-USER-PAD-CHAR	SMALLINT	(2, 0)
		0	SRT_RPL_4252	4252	IDS-SRT-RPL-IND	CHAR	(1, 0)
		0	PRPY_DCOD_4253	4253	IDS-PRPY-DCOD-IND	CHAR	(1, 0)
		0	PRPY_NOTC_4254	4254	IDS-PRPY-NOTC-IND	CHAR	(1, 0)
		0	CANC_ITM_IND_4329	4329	IDS-CANC-ITM-IND-CD	CHAR	(1, 0)
		0	RCD_LGTH_ATTR_8622	8622	IDS-RCD-LGTH-ATTR-ID	VARCHAR	(30, 0)
		0	EXTR_UPDT_8624	8624	IDS-EXTR-UPDT-CD	CHAR	(1, 0)
		0	FMT_OP_8625	8625	IDS-FMT-OP-CD	CHAR	(1, 0)
		0	UPDT_KEY_LGTH_8626	8626	IDS-UPDT-KEY-LGTH-QY	SMALLINT	(2, 0)
		0	DYN_ALLOC_8627	8627	IDS-DYN-ALLOC-IND	CHAR	(1, 0)
		0	FILE_NM_HLQ_8628	8628	IDS-FILE-NM-HLQ-ID	CHAR	(8, 0)
134	IDS_JCL_GEN_INFO	1	JOB_JCL_4311	4311	IDS-JOB-JCL-ID	CHAR	(7, 0)
		2	STEP_JCL_4312	4312	IDS-STEP-JCL-ID	CHAR	(1, 0)
		3	JCL_TYP_4313	4313	IDS-JCL-TYP-CD	CHAR	(1, 0)
		4	STEP_SEQ_4314	4314	IDS-STEP-SEQ-ID	SMALLINT	(2, 0)
		0	JCL_TX_4315	4315	IDS-JCL-TX	VARCHAR	(72, 0)
135	DD_PARM_CRITERIA	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)
		3	FILE_TYP_4316	4316	IDS-FILE-TYP-CD	CHAR	(1, 0)
		0	PRIM_SPC_ALOC_4317	4317	IDS-PRIM-SPC-ALOC-QY	CHAR	(3, 0)
		0	SECD_SPC_ALOC_4318	4318	IDS-SECD-SPC-ALOC-QY	CHAR	(3, 0)
		0	PRIM_WS_ALOC_4319	4319	IDS-PRIM-WS-ALOC-QY	CHAR	(3, 0)
		0	SECD_WS_ALOC_4320	4320	IDS-SECD-WS-ALOC-QY	CHAR	(3, 0)
		0	STOR_UNIT_TYP_4321	4321	IDS-STOR-UNIT-TYP-TX	CHAR	(5, 0)
		0	FILE_RET_TIME_4322	4322	IDS-FILE-RET-TIME-QY	CHAR	(3, 0)
		0	FXD_LRECL_4323	4323	IDS-FXD-OP-LRECL-QY	CHAR	(5, 0)
		0	FXD_BLKCSZ_4324	4324	IDS-FXD-OP-BLKCSZ-QY	CHAR	(5, 0)
		0	ASCII_IND_4325	4325	IDS-ASCII-IND-CD	CHAR	(1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
136	ITEM_DRAWING_DATA		DGTZD-							
		1	_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	(15,	0)		
		0	ILL_RTN_DT_4061	4061	ILL-RTN-DT	INTEGER	(4,	0)		
		0	ILL_START_DT_4062	4062	ILL-START-DT	INTEGER	(4,	0)		
		0	ILL_ACPT_IND_4063	4063	ILL-ACPT-IND	CHAR	(1,	0)		
		0	ILL_ID_4066	4066	ILL-ID	CHAR	(10,	0)		
137	MOE_CD_MOE_RL_RLTN	0	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)		
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)		
138	GROUPING_DESCR	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)		
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)		
		3	GRP_NBR_8601	8601	IDS-GRP-NBR	SMALLINT	(2,	0)		
		0	POST_BRK_POS_8614	8614	IDS-POST-BRK-POS-CD	CHAR	(1,	0)		
		0	FORCED_WRITE_8615	8615	IDS-FORCED-WRITE-IND	CHAR	(1,	0)		
		0	CTR_ATTR_8616	8616	IDS-CTR-ATTR-ID	CHAR	(2,	0)		
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1,	0)		
		0	GRP_TYP_8618	8618	IDS-GRP-TYP-ID	CHAR	(1,	0)		
		0	START_CMP_SEQ_8619	8619	IDS-START-CMP-SEQ-NBR	SMALLINT	(2,	0)		
		0	END_CMP_SEQ_8620	8620	IDS-END-CMP-SEQ-NBR	SMALLINT	(2,	0)		
		0	CTR_FUNC_8623	8623	IDS-CTR-FUNC-CD	CHAR	(1,	0)		
		139	ZIP_ADRS_DATA	0	FIPS_CTY_CD_1369	1369	FIPS-CTY-CD	CHAR	(5,	0)
				0	FIPS_STA_CD_1370	1370	FIPS-STA-CD	CHAR	(2,	0)
				0	FIPS_CNTY_CD_1371	1371	FIPS-CNTY-CD	CHAR	(3,	0)
1	ZIP_CD_4400			4400	ZIP-CD	CHAR	(5,	0)		
141	STAT_LOG_STATUS	4	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(12,	0)		
		1	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)		
		5	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR	(4,	0)		
		3	LOG_DT_3339	3339	STAT-LOG-DT	TIMESTMP	(10,	0)		
142	STAT_RESTOR_STATUS	0	RSTR_STAT_FLG_9314	9314	RESTORE-STATUS-FLAG	CHAR	(1,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
144	PSMAT_ADDR	2	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR	(4,	0)		
		1	ACTY_CD_SCRNG_0177	0177	ACTY-CD-SCRNG	CHAR	(2,	0)		
		0	P_SCR_RCV_ADD_0232	0232	PRVSNG-SCRNG-RCVR-ADRS	VARCHAR	(432,	0)		
		3	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	(1,	0)		
		0	SVC_CD_P_SCRN_0264	0264	SVC-CD-PRVSNG-SCRNG-DEST	CHAR	(2,	0)		
		0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR	(2,	0)		
		0	SVC_CON_ID_CD_0744	0744	SVC-CONTR-IDEN-CD	CHAR	(1,	0)		
		0	CMD_AUTHZN_CD_0759	0759	CMD-AUTHZN-CD	CHAR	(1,	0)		
		0	DT_ESB_PSMAT_R_0874	0874	DT-ESB-PSMAT-RD	INTEGER	(4,	0)		
		0	DT_LST_ACC_PS_0875	0875	DT-LST-ACCSD-PSMAT-RD	INTEGER	(4,	0)		
		0	PSO_ACT_CD_0892	0892	PSO-ACT-CD	CHAR	(3,	0)		
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)		
		2	DEST_CD_SCRNG_3890	3890	DEST-CD-SCRNG	CHAR	(5,	0)		
		148	FSC_SEGM_FILE_MNT	0	DIST_AC_SEG_M_0478	0478	DIST-ACTY-CD-SEG-M	CHAR	(2,	0)
3	MOE_CD_2833			2833	MOE-CD	CHAR	(2,	0)		
1	FSG_3994			3994	ASGND-FSG	CHAR	(2,	0)		
2	FSC_WI_FSG_3996			3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)		
0	FILE_MNT_RCVR_8905			8905	FILE-MAINT-RCVR-CD	CHAR	(2,	0)		
149	FREIGHT_LGN_DATA	0	FMR_NMFC_0096	0096	FMR-NMFC-CD	CHAR	(6,	0)		
		0	FMR_UFC_0097	0097	FMR-UFC-CD	CHAR	(5,	0)		
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1,	0)		
		0	FMR_NMFC_SUB_0862	0862	FMR-NMFC-SUB-ITEM-NBR	CHAR	(1,	0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
		1	NMFC_2850	2850	NMFC-CD	CHAR	(6,	0)
		3	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(5,	0)
		4	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
150	TBL_DIRECTR_CSTDN	1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	(4,	0)
		0	TBL_CSTDN_ALT_2231	2231	TBL-CSTDN-ALT	CHAR	(15,	0)
		0	TBL_CSTDN_2232	2232	TBL-CSTDN	CHAR	(15,	0)
		2	TBL_RSP_DIR_2233	2233	TBL-RSPNSBL-DRCTR	CHAR	(6,	0)
151	CAGE_KHN_BKUP	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(1500,	0)
		2	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	(10,	0)
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
152	MOE_RULE_PS_EDITS	5	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
		2	PICA_2866	2866	PICA	CHAR	(2,	0)
		3	SICA_2938	2938	SICA-CD	CHAR	(2,	0)
		1	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR	(2,	0)
		4	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	(2,	0)
153	AMSC_AMC_COMBO	2	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1,	0)
		1	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(1,	0)
		0	AMSC_AMC_VC_8009	8009	AMSC-AMC-VLD-COMBS-CD	CHAR	(1,	0)
154	ACQ_MTHD_CD	1	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1,	0)
		0	AMC_EX_5204	5204	ACQ-MTHD-CD-EXP	VARCHAR	(1000,	0)
155	ACQ_MTHD_SUF_CD	1	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(1,	0)
		0	AMSC_EX_5205	5205	ACQ-MTHD-SUF-CD-EXPLN	VARCHAR	(1000,	0)
156	ACQUISITION_ADV_CD	1	AAC_2507	2507	ACQ-AD-CD	CHAR	(1,	0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR	(1,	0)
		0	AAC_EXPLN_5250	5250	AAC-EXPLN	VARCHAR	(1000,	0)
157	AUTHZD_SUB_ORIG_CD	0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR	(2,	0)
		0	CNTRY_NM_1966	1966	CNTRY-NM	CHAR	(26,	0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	TIR_OP_MED_CD_2093	2093	TIR-OP-MED-CD	CHAR	(1,	0)
		0	SSR_OP_MED_CD_2094	2094	CT-OP-MED-CD	CHAR	(2,	0)
		0	SUBMR_ACT_IND_2143	2143	SUBMR-ACT-IND	CHAR	(1,	0)
		0	RNAAC_IND_2221	2221	RNAAC-IND	CHAR	(1,	0)
		0	ORG_ACT_IND_2222	2222	ORG-ACT-IND	CHAR	(1,	0)
		0	DROP_IN_MAINT_2223	2223	DROP-INDX-CD-MAINT	CHAR	(2,	0)
		0	DROP_IN_NOTIF_2224	2224	DROP-INDX-CD-NOTIF	CHAR	(2,	0)
		0	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
		0	ACTY_NM_LINE1_3238	3238	ACTY-NM-LINE1	VARCHAR	(60,	0)
		0	ACTY_NM_LINE2_3239	3239	ACTY-NM-LINE2	VARCHAR	(60,	0)
		0	ACTY_NM_LINE3_3240	3240	ACTY-NM-LINE3	VARCHAR	(60,	0)
		0	ACTY_NM_LINE4_3241	3241	ACTY-NM-LINE4	VARCHAR	(60,	0)
		0	ACTY_NM_LINE5_3242	3242	ACTY-NM-LINE5	VARCHAR	(60,	0)
		0	ACTY_OFC_SYM_3243	3243	ACTY-OF-SYM	VARCHAR	(60,	0)
		0	ACTY_ST_ADRS1_3244	3244	ACTY-ST-ADRS1	VARCHAR	(60,	0)
		0	ACTY_ST_ADRS2_3245	3245	ACTY-ST-ADRS2	VARCHAR	(60,	0)
		0	ACTY_CITY_3246	3246	ACTY-CITY	VARCHAR	(60,	0)
		0	ACTY_ST_US_AB_3247	3247	ACTY-ST-POS-ABR	CHAR	(2,	0)
		0	ACTY_ZIP_CD_3248	3248	ACTY-ZIP-CD	CHAR	(9,	0)
158	ACTY_CD_AND_ADD	2	CTGY_CD_0905	0905	CTGY-CD	CHAR	(1,	0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
159	ACTIVITY_CAT_CODE	1	CTGY_CD_0905	0905	CTGY-CD	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	CTGY_CD_ACT_X_2227	2227	CTGY-CD-ACT-EXPLN	VARCHAR	(120,	0)
160	ADDRESS_LINE_NBR	0	OE_LI_SEG_EXP_0011	0011	OE-LI-SEG-NBR-EXPLN	VARCHAR	(140,	0)
		1	OE_LI_SEG_NBR_1001	1001	OE-LI-SEG-NBR	CHAR	(2,	0)
161	ADPE_IDENTIFICA_CD	1	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR	(1,	0)
		0	ADPEC_DEF_5262	5262	ADPE-IDEN-CD-DEF	VARCHAR	(1000,	0)
162	AIR_CMDTY_CD	1	AIR_CMDTY_CD_2497	2497	AIR-CMDTY-CD	CHAR	(1,	0)
		0	AIR_CMTY_EX_5232	5232	AIR-CMDTY-CD-EXPLN	VARCHAR	(350,	0)
163	AIR_DIMENSION_CD	0	AIR_DIM_CD_EX_5231	5231	AIR-DIM-CD-EXPLN	VARCHAR	(1000,	0)
		1	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	(1,	0)
164	AF_BUDGET_CD	0	AF_BDGT_PGM_3159	3159	AF-BDGT-PGM	CHAR	(3,	0)
		0	AF_BDGT_APPRP_3160	3160	AF-BDGT-APPRP	CHAR	(15,	0)
		0	BDGT_CD_AF_EX_3161	3161	AF-BDGT-CD-MDL-DEF	VARCHAR	(600,	0)
		0	AF_BGT_STK_FD_3162	3162	AF-BDGT-STK-FD-DIV	CHAR	(25,	0)
		1	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR	(1,	0)
165	AF_EXP_REC_REP_CD	1	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	(1,	0)
		0	ERRC_CNDM_LV_2841	2841	ERRC-CNDM-LV-AF	CHAR	(15,	0)
		0	ERRC_DSG_AF_2842	2842	ERRC-DSG-AF	CHAR	(3,	0)
		0	ERRC_EXP_Y_N_2843	2843	ERRC-EXP-Y-N-AF	CHAR	(3,	0)
		0	ERRC_REP_Y_N_2844	2844	ERRC-REP-Y-N-AF	CHAR	(3,	0)
		0	ERRC_EX_AF_3164	3164	ERRC-CD-EXPLN-AF	VARCHAR	(80,	0)
166	AF_FUND_CD	1	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	(2,	0)
		0	FD_CD_DEF_AF_3163	3163	FD-CD-DEF-AF	VARCHAR	(240,	0)
167	AIR_SPECIAL_HDLG	1	AIR_S_HDLG_EX_3169	3169	AIR-SP-HDLG-CD	CHAR	(1,	0)
		0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	(500,	0)
168	ARMY_ACCT_REQT_CD	1	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR	(1,	0)
		0	ACT_RQM_BR_EX_3157	3157	ACCTG-RQMTS-CD-EXPLN-AR	VARCHAR	(400,	0)
169	AR_MCC_APPRO_SUBGP	1	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR	(1,	0)
		0	AR_MCC_AP_TXT_2164	2164	AR-MCC-APPROP-SUBGRP-TXT	VARCHAR	(100,	0)
170	AR_MCC_DESC_USE	1	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR	(1,	0)
		0	AR_MCC_USE_TX_2162	2162	AR-MCC-DESCP-USE-TXT	VARCHAR	(600,	0)
171	ARMY_MCC_SUBGROUP	1	AR_MCC_SG_CD_2165	2165	AR-MCC-SUB-GRP-CD	CHAR	(1,	0)
		0	AR_MCC_SG_TX_2166	2166	AR-MCC-SUB-GRP-TXT	CHAR	(80,	0)
172	ARMY_MCC_SUBGROUP1	1	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR	(2,	0)
		0	AR_MCC_SG_TX1_2168	2168	AR-MCC-SUB-GRP-TXT1	VARCHAR	(210,	0)
173	ARMY_RECOVERBTY_CD	1	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	(1,	0)
		0	RECOV_EX_AR_5259	5259	RECOV-CD-EXPLN-AR	VARCHAR	(250,	0)
174	AUTZD_ABBREVIATON	1	PUB_TRM_ABR_3190	3190	PUB-TERM-ABBREV	CHAR	(15,	0)
		2	PUB_TERM_3192	3192	PUB-TERM	VARCHAR	(120,	0)
175	AUTHZD_DIC_ACTYS	1	CTGY_CD_0905	0905	CTGY-CD	CHAR	(1,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	CTGY_DIC_CMNT_4626	4626	CTGY-DIC-CMNT	CHAR	(50,	0)
176	CAGE_REF_NBR_FMT	2	FMT_R_NBR_CAG_3113	3113	FMT-REF-NBR-GOVT-CAGE	CHAR	(15,	0)
		3	FMT_EXAMPLE_3114	3114	FMT-EXAMPLE	CHAR	(11,	0)
		0	FMT_REMARKS_4511	4511	FMT-REMARKS	VARCHAR	(200,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
177	SEG_FORMAT_HEADERS	0	DIDS_INTRO_4469	4469		VARCHAR	(1300,	0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8,	0)
		0	HEAD_NARRTV_4453	4453	HEAD-NARRTV	CHAR	(79,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
178	CAO_ADP_PT_PROC_CD	0	CAO_EX_PR_EX_5270	5270	CAO-ADP-EXCP-PRCSG-CD-EX	VARCHAR	(130,	0)
		1	CAO_EX_PR_CD_8868	8868	CAO-ADP-EXCP-PROC-CD	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
179	CARD_IDENTIFIC_CD	1	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(1, 0)
		0	CRD_ID_CD_TI_5211	5211	CRD-IDEN-CD-TI	VARCHAR	(120, 0)
		0	CRD_ID_CD_EX_5212	5212	CRD-IDEN-CD-EXPLN	VARCHAR	(600, 0)
180	CG_SERIAL_NBR_CTRL	1	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR	(1, 0)
		0	SRN_CTL_CG_EX_3182	3182	SER-NBR-CTL-CD-CG-EXPLN	VARCHAR	(80, 0)
181	DIC_BATCH_T912	1	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		2	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	(10, 0)
		0	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	(2, 0)
182	CIIC_CLASS_CD	2	CIIC_CLS_TI_2495	2495	CIIC-CLS-CD-TI	CHAR	(24, 0)
		0	CIIC_CLS_EX_2496	2496	CIIC-CLS-CD-TI-EX	VARCHAR	(320, 0)
		1	CIIC_CLS_CD_5255	5255	CIIC-CLS-CD	CHAR	(1, 0)
183	CIMM_RTRN_ACTN_CD	0	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		1	CIIM_RTN_CD_3134	3134	CIIM-RTN-ACTN-CD	CHAR	(2, 0)
		0	CIIM_RTN_DEF_3137	3137	CIIM-RTN-ACTN-CD-DEF-INS	VARCHAR	(450, 0)
		0	CIIM_IN_IND_3138	3138	CIIM-INPUT-FILE-IND	CHAR	(15, 0)
184	CG_REPARABILITY_CD	0	CIIM_RTN_TO_3139	3139	CIIM-ACTN-RTN-TO	CHAR	(15, 0)
		1	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	(1, 0)
185	COM_GOV_ENT_STA_CD	0	REP_CD_CG_EX_3180	3180	REPBL-CD-CG-EXPLN	VARCHAR	(180, 0)
		1	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1, 0)
186	COMMON_NBR_SYS_IND	0	CAGE_USR_INTP_5293	5293	CAGE-STAT-CD-USER-INTPTN	VARCHAR	(1000, 0)
		1	CNBR_SYS_I_0845	0845	COMN-NBRING-SYS-IND	CHAR	(1, 0)
187	CONFLICT_NOTIF_CD	0	CNBR_SYS_I_EX_5271	5271	COMN-NBRG-SYS-IND-EXPLN	VARCHAR	(150, 0)
		1	CONF_NOTI_CD_0095	0095	CONF-NOTI-CD	CHAR	(2, 0)
		0	CONF_NOTI_EX_5110	5110	CONF-NOTI-CD-EXPLN	VARCHAR	(850, 0)
188	CAT_DEST_ACTY	0	CONF_NOT_CDRK_5111	5111	CONF-NOTI-CD-RMK	VARCHAR	(850, 0)
		2	DEST_ACTY_OP_3880	3880	DEST-ACTY-CD-OP	CHAR	(2, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
189	USG_CAGE	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
190	DATA_TRANM_CRTL_CD	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
		0	D_TRN_CTL_CD_0756	0756	DATA-TRNSM-CTL-CD	CHAR	(1, 0)
191	DEGREE_OF_MATCH_CD	0	D_TRN_CTL_EX_5135	5135	DATA-TRNSMSN-CTL-CD-EXPL	VARCHAR	(250, 0)
		1	DEG_MTCH_CD_0595	0595	DEG-MTCH-CD	CHAR	(1, 0)
		0	REF_SCRN_IND_3101	3101	REF-SCRN-IND	CHAR	(8, 0)
192	DELETION_REASON_CD	0	CHAR_SCRN_IND_3102	3102	CHAR-SCRN-IND	CHAR	(8, 0)
		1	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	(1, 0)
		0	DELT_RSN_EX_5132	5132	DELT-RSN-CD-EXPLN	VARCHAR	(1000, 0)
193	DEMAND_INDICATR_CD	1	DMD_IND_CD_0728	0728	DMD-IND-CD	CHAR	(1, 0)
		0	DMD_IND_EX_5217	5217	DMD-IND-CD-EXPLN	VARCHAR	(200, 0)
194	DEMILITARIZATIO_CD	1	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR	(1, 0)
		0	DEMIL_CD_EX_5136	5136	DEMIL-CD-EXPLN	VARCHAR	(1000, 0)
		0	DIC_I_O_TYPE_2052	2052	DIC-I-O-TYPE	CHAR	(1, 0)
196	DIC_DATA	0	TRANS_TI_2057	2057	TRANS-TI	VARCHAR	(270, 0)
		0	DIC_REF_2211	2211	DIC-REF	CHAR	(15, 0)
		0	DIC_CSTDN_ALT_2213	2213	DIC-CSTDN-ALT	CHAR	(15, 0)
		0	DIC_CSTDN_2214	2214	DIC-CSTDN	CHAR	(15, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		0	DLSC_ONLY_IND_4621	4621	DLSC-ONLY-IND	CHAR	(1, 0)
		0	I_I_DATA_IND_4622	4622	I-I-DATA-IND	CHAR	(1, 0)
		0	SUPT_DATA_IND_4623	4623	SUPT-DATA-IND	CHAR	(1, 0)
		0	MAND_SEG_STNG_4624	4624	MAND-SEG-STNG	CHAR	(30, 0)
		0	OPTL_SEG_STNG_4625	4625	OPTNL-SEG-STNG	CHAR	(30, 0)
		1	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	OP_DESTN_2096	2096	OP-DESTN	CHAR	(15,	0)
		0	ROLL_UP_DIC_2097	2097	ROLL-UP-DIC	CHAR	(3,	0)
		0	RL_UP_DIC_DES_2098	2098	ROLL-UP-DIC-DESTN	CHAR	(15,	0)
		0	ED_DIC_2099	2099	ED-DIC	CHAR	(3,	0)
		0	CM_NOTE_IND_2101	2101	CAT-MGMT-IP-OP-NOTE-IND	CHAR	(2,	0)
		0	ED_DIC_DESTN_2102	2102	ED-DIC-DESTN	CHAR	(15,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
198	DIC_RELATED_TO_FD	3	DIC_TO_FD_2212	2212	DIC-RLTD-FNCTNL-DSCPTN	CHAR	(5,	0)
		2	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	(1,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
199	DIDS_SEG_CD	0	DIDS_SEG_EX_3175	3175	DIDS-SEG-CD-EXPLN	VARCHAR	(80,	0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
200	DLA_REP_CHAR_IN_CD	1	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	(1,	0)
		0	REP_CD_DLA_EX_5261	5261	REPBL-CHAR-IND-CD-DLA-DE	VARCHAR	(1000,	0)
201	DOC_AVLB_CD_DATA	1	DAC_2640	2640	DAC	CHAR	(1,	0)
		0	DAC_EX_5123	5123	DOC-AVLB-CD-EXPLN	VARCHAR	(1000,	0)
202	DOD_CMDTY_MAT- _MGMT	1	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(1,	0)
		0	CMDTY_MMC_ID_5308	5308	CMDTY-MAT-MGMT-CD- DOD-ID	VARCHAR	(100,	0)
203	PROPOSAL_INITIATOR	1	DBR_PRO_I_SYM_0868	0868	DOD-DBRMT-PPSL-INITR-SYM	CHAR	(5,	0)
		0	DBR_PRO_INIT_3193	3193	DOD-DBRMT-PPSL-INITR	VARCHAR	(90,	0)
		1	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(1,	0)
204	MMCS_OF_INTEREST	1	DAC_2640	2640	DAC	CHAR	(1,	0)
205	RNCC_DAC_COMBO	2	RNCC_2910	2910	RNCC	CHAR	(1,	0)
		1	PSTHRU_ACT_ID_2139	2139	PASSTHRU-ACTY-ID	CHAR	(4,	0)
206	PASSTHRU_CHECK	2	PSTHRU_ACT_NM_2140	2140	PASSTHRU-ACTY-NM	CHAR	(9,	0)
		1	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)
207	DRN_WITHIN_A_DIC	0	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR	(2,	0)
		3	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8,	0)
		0	REC_COL_2109	2109	REC-COL	CHAR	(7,	0)
		0	DIC_DRN_NOTE_2111	2111	DIC-DRN-NOTE	CHAR	(30,	0)
		4	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	(1,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		5	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
		0	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
208	DRN_WTHN_DIC_NOTES	1	DIC_DRN_N_NBR_2112	2112	F-OR-V-KEY	CHAR	(2,	0)
		0	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8,	0)
		0	DIC_DRN_N_DEF_2113	2113	DIC-DRN-NOTE-DEF	VARCHAR	(1500,	0)
209	DROP_DICS_SEGMENT	3	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR	(2,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	DRP_N_OR_M_4505	4505	DRP-NOTIF-OR-MAINT-IND	CHAR	(1,	0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
210	DRP_SEGMENTS	1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
211	ELEC_STAT_DISCH	1	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	(1,	0)
		0	ESD_EMI_CD_EX_2508	2508	ESD-EMI-CD-EX	VARCHAR	(125,	0)
212	EST_ACTUAL_PRIC_CD	1	EST_ACT_PR_CD_0731	0731	ESTD-OR-ACTL-PR-CD	CHAR	(1,	0)
		0	EST_ACT_PR_EX_5219	5219	EST-ACT-PR-CD-EXPLN	VARCHAR	(90,	0)
213	FILE_MAINT_ACTN_CD	0	FILE_MAINT_EX_3173	3173	FILE-MAINT-ACTN-CD-EXPLN	VARCHAR	(250,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		1	FILE_MAINT_CD_8850	8850	FILE-MAINT-ACTN-CD	CHAR	(1,	0)
214	FIXED_OR_VRBLE_DIC	1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8,	0)
		0	TRANS_DEF_2127	2127	TRANS-DEF	VARCHAR	(1000,	0)
		0	TRANS_INST_2131	2131	TRANS-INST	VARCHAR	(1500,	0)
		3	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	(1,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
215	FSC_MOE_RULE_CHG	1	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	(1,	0)
		0	FSC_M_RL_C_TI_4504	4504	FSC-MOE-RL-CHG-IND-CD-TI	CHAR	(9,	0)
		0	FSC_M_RL_C_EX_5305	5305	FSC-MOE-IND-CD-EXPLN	VARCHAR	(1000,	0)
216	FSC_REQ_ESD_CD	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
217	KFU_COND_CD_DATA	1	FU_COND_CD_0155	0155	FU-COND-CD	CHAR	(2,	0)
		0	FU_COND_DEF_5104	5104	FLW-UP-COND-CD-DEF	VARCHAR	(500,	0)
		0	FU_COND_INST_5105	5105	FLW-UP-COND-CD-INST	VARCHAR	(300,	0)
218	FUT_SSR_MOE_RL_ST	1	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR	(1,	0)
		0	FUT_M_RL_ST_D_5306	5306	FUT-CT-MOE-RL-ST-CD-DEF	VARCHAR	(100,	0)
219	GLOSSARY_ACRONYM	0	GLS_TRM_VL_RF_2134	2134	GLOS-TERM-VOL-REF	CHAR	(30,	0)
		1	GLOS_ACRNM_2135	2135	GLOS-ACRNM	CHAR	(20,	0)
		2	GLOS_ACRNM_TI_2136	2136	GLOS-ACRNM-TI	CHAR	(90,	0)
220	GLOSSARY_OF_TERMS	1	GLOS_TERM_2132	2132	GLOS-TERM	CHAR	(90,	0)
		0	GLOS_TERM_DEF_2133	2133	GLOS-TERM-DEF	VARCHAR	(1200,	0)
		0	GLS_TRM_VL_RF_2134	2134	GLOS-TERM-VOL-REF	CHAR	(30,	0)
221	H_D_BRK_FSC_CAT_XT	1	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR	(1,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	CMDTY_CT_EXP_5301	5301	CMDTY-CTGY-EXPLN	VARCHAR	(1000,	0)
222	CAGE_TRADING_PART	0	RGSTR_RNWL_DT_3373	3373	VND-RGSTR-RNWL-DT	INTEGER	(4,	0)
		0	CNTCT_NM_3374	3374	CAGE-PNT-OF-CNTCT-NM	CHAR	(35,	0)
		0	EMAIL_ADRS_3375	3375	EMAIL-ADRS-TX	CHAR	(80,	0)
		0	DUNS_3405	3405	DUNS	CHAR	(9,	0)
		0	DUNS_PLUS4_4361	4361	CCR-DUNS-PLUS4-ID	CHAR	(4,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
224	HZRD_MATERIAL_CD	1	HMC_2720	2720	HMC	CHAR	(2,	0)
		0	HMC_EXPLN_5222	5222	HMC-EXPLN	VARCHAR	(1000,	0)
225	INC_CAGE_COMBOS	2	INC_4080	4080	INC	CHAR	(5,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
226	INCMP_ADRS_EDIT_CD	1	MINM_ADRS_CD_2645	2645	MINM-ADRS-CD	CHAR	(1,	0)
		0	MINM_ADRS_EX_5288	5288	MINM-ADRS-CD-EXPLN	VARCHAR	(100,	0)
227	INTEGRITY_CD_FRGHT	1	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	(1,	0)
		0	INTGTY_CD_DEF_5220	5220	INTGTY-CD-DEF	VARCHAR	(1000,	0)
228	FIXD_FMT_EDIT_CRIT	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		2	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	(1,	0)
		1	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR	(1400,	0)
229	CG_INVTRY_ACCT_CD	1	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	(1,	0)
		0	INV_ACT_CG_EX_3179	3179	INV-ACCT-CD-CG-EXPLN	VARCHAR	(270,	0)
230	II_SCREEN_DECISION	2	REF_SCRN_IND_3101	3101	REF-SCRN-IND	CHAR	(8,	0)
		1	CHAR_SCRN_IND_3102	3102	CHAR-SCRN-IND	CHAR	(8,	0)
		4	TYP_MATCH_3103	3103	TYP-MATCH	CHAR	(8,	0)
		3	RESULT_ACTN_3104	3104	RESULT-ACTN	CHAR	(30,	0)
231	ITEM_MANAGEMENT_CD	1	IMC_2744	2744	IMC	CHAR	(1,	0)
		0	INVLD_IMC_IND_2747	2747	INVLD-IMC-IND	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	IMC_TI_5208	5208	IMC-TI	VARCHAR	(100,	0)
		0	IMC_DEF_5209	5209	IMC-DEF	VARCHAR	(1000,	0)
232	ITEM_STDZN_CD	1	ISC_2650	2650	ITM-STDZN-CD	CHAR	(1,	0)
		0	ITM_STDZN_EX_5134	5134	ITM-STDZN-CD-EXPLN	VARCHAR	(1000,	0)
233	KFU_STATUS_CD	1	FU_STAT_CD_0166	0166	FU-STAT-CD	CHAR	(2,	0)
		0	FU_STAT_DEF_3141	3141	FU-STAT-CD-DEF	VARCHAR	(125,	0)
		0	FU_STAT_INST_3142	3142	FU-STAT-CD-INST	VARCHAR	(125,	0)
		0	SGR_W_OP_DIC_3143	3143	SEG-R-WITH-OP-DIC	CHAR	(1,	0)
		0	SGR_WO_OP_DIC_3144	3144	SEG-R-W-O-OP-DIC	CHAR	(1,	0)
		0	CURR_TIR_SEG_3145	3145	CURR-TIR-SEG	CHAR	(1,	0)
		0	ADD_R_P_Q_SEG_3146	3146	ADDNTL-R-P-Q-SEG	CHAR	(1,	0)
234	LESS_THN_CRLD_CD	1	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	(1,	0)
		0	LCL_EX_5233	5233	LS-THN-CRLD-RTNG-CD-EXPLN	CHAR	(20,	0)
235	CLASS_RATING	1	CLAS_RTNG_CD_2770	2770	NMF-CLAS-RTNG-CD	CHAR	(1,	0)
		0	CLAS_RTNG_EX_5234	5234	NMF-CLAS-RTNG-CD-EXPLN	CHAR	(20,	0)
236	LMTD_DISTIBTON_CD	0	CAT_SGL_SUB_4503	4503	DOD-CAT-ACT-SGL-SUB	CHAR	(30,	0)
		0	AUTH_INT_SUB_4506	4506	AUTH-INTEROG-SUB	CHAR	(30,	0)
		0	AUTH_UPD_RCVR_4507	4507	AUTH-FL-UPDT-RCVRS	CHAR	(30,	0)
		1	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	(1,	0)
		0	LMT_DIST_EX_5106	5106	LMT-DIST-CD-EXPLN	VARCHAR	(1200,	0)
237	MAJ_MAT_CAT_ARMY	0	MAJ_MCC_AR_EX_2283	2283	MAJ-MCC-AR-EXPLN	VARCHAR	(200,	0)
		1	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(1,	0)
238	MAT_MGMT_AG_AF	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(2,	0)
		0	MMAC_DEF_AF_3158	3158	MAT-MGMT-AG-CD-DEF-AF	VARCHAR	(640,	0)
239	MC_COMBAT_ESNTL_CD	0	CMBT_MC_EXP_3165	3165	CMBT-ESNTL-CD-EXPLN-MC	VARCHAR	(320,	0)
		1	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	(1,	0)
240	MC_ECHELON_CD	1	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	(1,	0)
		0	EC_ACQ_STK_MC_3151	3151	ECH-ACQ-STK-MC	CHAR	(40,	0)
		0	ECH_REM_MC_3152	3152	ECH-REM-MC	VARCHAR	(350,	0)
241	MC_MATERIL_IDEN_CD	0	MAT_ID_MC_EX_3166	3166	MAT-IDEN-CD-EXPLN	VARCHAR	(80,	0)
		0	MAT_ID_MC_NOT_3167	3167	MAT-IDEN-CD-NOTE-IND	CHAR	(1,	0)
		1	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	(1,	0)
242	MC_MGT_CD	0	MAT_CAT_MC_3148	3148	MAT-CAT-MC	VARCHAR	(80,	0)
		0	MGT_AG_G_C_MC_3149	3149	MGMT-AGNCY-GRP-OR-CLS-MC	VARCHAR	(400,	0)
		1	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(1,	0)
243	MC_RECOVERABLY_CD	1	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	(1,	0)
		0	RECOV_EX_MC_3154	3154	RECOV-CD-EXPLN-MC	VARCHAR	(320,	0)
244	MC_STORES_ACCT_CD	1	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	(1,	0)
		0	STRS_ACT_MC_X_3153	3153	STRS-ACCT-EXPLN-MC	CHAR	(80,	0)
245	MNDTRY_CAGE_RNCC	2	RNCC_2910	2910	RNCC	CHAR	(1,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
		0	TYP_MBL_RSV_0723	0723	TYP-MOBLZTN-RSRV-RQMT-CD	CHAR	(1,	0)
		0	TYP_MBL_RSV_X_5215	5215	TYP-MBLZTN-RSV-RQT-CD-EX	VARCHAR	(100,	0)
247	MJR_ORGN_ENTITY_CD	1	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
		0	MOE_CD_IDEN_5299	5299	MOE-CD-IDEN	VARCHAR	(100,	0)
248	NIMSC_DSOR_XREF	1	NIMSC_0076	0076	NIMSC	CHAR	(1,	0)
		3	DSOR_0903	0903	DSOR	CHAR	(2,	0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
249	SEG_FORMAT	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8,	0)
		0	REC_COL_2109	2109	REC-COL	CHAR	(7,	0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
		0	SEG_NOTE_NBR1_4528	4528	DLIS-SEG-NOTE1	SMALLINT	(2,	0)
		0	SEG_NOTE_NBR2_4529	4529	DLIS-SEG-NOTE2	SMALLINT	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
250	DETERMINE_MOE_RULE	1	PICA_2866	2866	PICA	CHAR	(2,	0)
		2	SICA_2938	2938	SICA-CD	CHAR	(2,	0)
		3	FSC_3990	3990	ASGND-FSC	CHAR	(4,	0)
		4	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
251	NATL_CDFN_BUREU_CD	1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		0	NCB_CD_CTRY_5101	5101	NATL-CDFN-BUR-CD-CTRY	CHAR	(20,	0)
		0	NCB_CD_NOTE_5102	5102	NATL-CDFN-BUR-CD-NOTE	CHAR	(1,	0)
252	NAVY_COGNIZANCE_CD	1	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(2,	0)
		0	NO_Q8_ED_NVY_3181	3181	NO-Q8-RTN-CD-ED-NVY	CHAR	(1,	0)
		0	COG_CD_NVY_EX_5256	5256	COG-CD-NVY-DEF	VARCHAR	(300,	0)
		0	COG_RET_L_OFC_5257	5257	COG-CD-INV-MGR-RET_L-OFC	VARCHAR	(150,	0)
253	NAVY_MATL_CNTRL_CD	1	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	(1,	0)
		0	MCC_NVY_EX_3156	3156	MAT-CTL-CD-DEF-NVY	VARCHAR	(160,	0)
254	NVY_SPEC_MTL_ID_CD	1	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	(2,	0)
		0	SP_MAT_APL_IK_3155	3155	SP-MAT-APL-ITEM-OR-KIT	VARCHAR	(560,	0)
255	NIIN_STATUS_CD	1	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1,	0)
		0	NIIN_STAT_DEF_5201	5201	NIIN-ST-CD-DEF-INST	VARCHAR	(1000,	0)
256	NONSMBL_ITM_MAT_CD	1	NIMSC_0076	0076	NIMSC	CHAR	(1,	0)
		0	NIMSC_EXPLN_5210	5210	NIMSC-EXPLN	VARCHAR	(1200,	0)
257	NORMAL_SOURCE_PROC	1	NRM_SRC_PR_CD_0721	0721	NORM-SRC-PRCMT-CD	CHAR	(1,	0)
		0	NRM_SRC_PR_TI_5213	5213	NORM-SRC-PRCMT-CD-TI	VARCHAR	(100,	0)
		0	NRM_SRC_PR_EX_5214	5214	NOR-SRC-PRCMT-CD-EXPLN	VARCHAR	(500,	0)
258	NSCM_PRFX_CDFN_BUR	1	NSCM_CDFN_BUR_4180	4180		CHAR	(1,	0)
		0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	(1,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	NSCM_CD_BUR_N_5268	5268	NCAGE-PRFX-CDFN-BUR-CD-NT	CHAR	(1,	0)
		0	NSCM_CD_BUR_X_5272	5272	NCAGE-PRFX-CDFN-BUR-CD-EX	CHAR	(30,	0)
259	NSCM_SUF_X_CDFN_BUR	0	NSCM_S_CD_B_N_5265	5265		CHAR	(1,	0)
		0	NSCM_S_CD_B_X_5266	5266		CHAR	(25,	0)
		1	NSCM_S_CD_BR_5267	5267		CHAR	(1,	0)
		0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	(1,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
260	NVY_SOS_CD	2	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(2,	0)
		1	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(2,	0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(3,	0)
		0	COG_CD_NV_CM_4558	4558	COG-CD-CMNT-NVY	CHAR	(50,	0)
261	NVY_IRC_SOS_NSP_CD	1	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(2,	0)
		2	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(2,	0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(3,	0)
262	NVY_IS_RE_REQ_CD	1	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(2,	0)
		0	IRRC_NVY_DEF_5260	5260	ISS-REP-RQNG-RSTRN-CD-DE	VARCHAR	(400,	0)
263	O_E_DESIGNATOR_CD	1	CAGE_NSCM_DES_2620	2620	CAGE-NCAGE-DESI-CD	CHAR	(1,	0)
		0	OE_DESI_EX_5287	5287	OE-DESI-CD-EXPLN	VARCHAR	(100,	0)
264	NATO_CANC_COLLAB	0	CNTRY_NM_1966	1966	CNTRY-NM	CHAR	(26,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	MOE_RULE_NBR_8290	<u>8290</u>	MOE-RULE-NBR	CHAR	(4,	0)
265	TYPE_O_E_AGENCY_RSP	0	TYP_OE_CD_EXP_3171	<u>3171</u>	TYP-OF-OE-CD-EXPLN	VARCHAR	(80,	0)
		1	CAGE_TYP_CD_4238	<u>4238</u>	CAGE-NCAGE-TYP-CD	CHAR	(1,	0)
266	MC_OPERTNL_TEST_CD	1	OPRTL_TST_MC_0572	<u>0572</u>	OPRTNL-TST-CD	CHAR	(1,	0)
		0	OPRTL_T_MC_EX_3176	<u>3176</u>	OPRTNL-TST-CD-EXPLN	VARCHAR	(700,	0)
267	OTPT_MODE_MEDIA_CD	0	OP_MOD_MED_EX_3118	<u>3118</u>	OP-MODE-MED-CD-DESC	VARCHAR	(90,	0)
		0	F_V_LEN_IND_3119	<u>3119</u>	FIXED-VAR-LEN-MED-IND	CHAR	(2,	0)
		0	EAM_CRD_INTRP_3120	<u>3120</u>	EAM-CARD-INTERP-IND	CHAR	(2,	0)
		0	LST_PRT_P_IND_3121	<u>3121</u>	LISTIN-PART-PAPER-IND	CHAR	(2,	0)
		0	MT_TRC_ENCD_I_3122	<u>3122</u>	MAG-TAPE-TRCKS-ENCOD-IND	VARCHAR	(90,	0)
		0	MT_USG_NOTE_3123	<u>3123</u>	MAG-TAPE-USAGE-NOTE	VARCHAR	(300,	0)
		0	MT_DNSTY_IND_3124	<u>3124</u>	MAG-TAPE-DENSITY-IND	CHAR	(4,	0)
		0	MT_PRTY_IND_3125	<u>3125</u>	MAG-TAPE-PARITY-IND	CHAR	(4,	0)
		0	MT_BLK_FAC_3126	<u>3126</u>	MAG-TAPE-BLCKNG-FAC-IND	CHAR	(24,	0)
		0	MT_LAB_IND_3127	<u>3127</u>	MAG-TAPE-LAB-IND	CHAR	(8,	0)
		1	OP_MOD_MED_CD_3740	<u>3740</u>	OP-MODE-MED-CD	CHAR	(2,	0)
268	PHRASE_CD_DATA	1	PHRS_CD_2862	<u>2862</u>	PHRS-CD-MDL	CHAR	(1,	0)
		2	PHRS_CD_PHRS_5240	<u>5240</u>	PHRS-CD-PHRS	CHAR	(100,	0)
		0	PHRS_CD_EXPLN_5241	<u>5241</u>	PHRS-CD-EXPLN	VARCHAR	(1000,	0)
269	MC_PHYSICAL_CAT_CD	1	PHY_CTGY_MC_0573	<u>0573</u>	PHY-CTGY-CD	CHAR	(1,	0)
		0	PHY_CTGY_MC_X_3177	<u>3177</u>	PHY-CTGY-CD-EXPLN	VARCHAR	(60,	0)
270	CNTRL_INVTY_ITM_CD	1	CIIC_2863	<u>2863</u>	CIIC	CHAR	(1,	0)
		0	CIIC_CTGY_EX_5254	<u>5254</u>	CTLD-INV-ITM-CD-EXPLN	VARCHAR	(1000,	0)
		2	CIIC_CLS_CD_5255	<u>5255</u>	CIIC-CLS-CD	CHAR	(1,	0)
271	PICA_LEVEL_OF_AUTH	1	PICA_LOA_3505	<u>3505</u>	PICA-LVL-AUTH-CD	CHAR	(2,	0)
		0	PICA_LOA_DEF_5303	<u>5303</u>	PICA-LVL-AUTH-CD-DEF	VARCHAR	(1300,	0)
272	PREC_METL_IND_CODE	1	PMIC_0802	<u>0802</u>	PREC-MTLS-IND-CD	CHAR	(1,	0)
		0	TYP_PREC_MTL_5263	<u>5263</u>	TYP-PREC-MTL	VARCHAR	(100,	0)
273	PRICE_VALIDATON_CD	1	PVC_AF_0858	<u>0858</u>	PR-VLDTN-CD-AF	CHAR	(1,	0)
		0	PVC_AF_DEF_3191	<u>3191</u>	PR-VLDTN-CD-AF-DEF	VARCHAR	(1200,	0)
274	PSEUDO_SOS_SPLY_CD	1	PSDO_SOS_CD_0133	<u>0133</u>	PSDO-SOS-CD	CHAR	(3,	0)
		0	PSDO_SOS_DESC_5113	<u>5113</u>	PSDO-SOS-CD-DESC	VARCHAR	(1000,	0)
275	FREIGHT_SUBMITTERS	0	NOTE_NBR			CHAR	(2,	0)
		1	PICA_2866	<u>2866</u>	PICA	CHAR	(2,	0)
		2	PICA_LOA_3505	<u>3505</u>	PICA-LVL-AUTH-CD	CHAR	(2,	0)
		3	SUBMG_ACTY_CD_3720	<u>3720</u>	SUBMG-ACTY-CD	CHAR	(2,	0)
276	U_OF_MEASURE_DESIG	1	UNIT_MEAS_CD_0107	<u>0107</u>	UNIT-MEAS-CD	CHAR	(2,	0)
		0	UNIT_MEAS_TRM_2347	<u>2347</u>	UNIT-MEAS-TRM	CHAR	(20,	0)
277	QUANT_UNIT_PACK_CD	0	QUP_CD_QTY_5248	<u>5248</u>	QUP-CD-QTY	VARCHAR	(200,	0)
		1	QUP_6106	<u>6106</u>	QUP-CD	CHAR	(1,	0)
278	REF_NBR_COMBO	2	RNCC_MS_H_RNG_3105	<u>3105</u>	RNCC-MUST-HAVE-RNG	CHAR	(1,	0)
		3	RNVC_MS_H_RNG_3106	<u>3106</u>	RNVC-MUST-HAVE-RNG	CHAR	(1,	0)
		4	DAC_MUST_RNG_3107	<u>3107</u>	DAC-MUST-HAVE-RNG	CHAR	(1,	0)
		0	VLD_REF_MST_3108	<u>3108</u>	VLD-REF-MST-HV-NOTE-IND	CHAR	(1,	0)
		5	RNCC_MA_H_RNG_3109	<u>3109</u>	RNCC-MAY-HAVE-RNG	CHAR	(1,	0)
		6	RNVC_MA_H_RNG_3110	<u>3110</u>	RNVC-MAY-HAVE-RNG	CHAR	(1,	0)
		7	DAC_MAY_RNG_3111	<u>3111</u>	DAC-MAY-HAVE-RNG	CHAR	(1,	0)
		0	VLD_REF_MAY_3112	<u>3112</u>	VLD-REF-MAY-HV-NOTE-IND	CHAR	(10,	0)
		1	TYP_II_CD_TYP_5116	<u>5116</u>	TYP-OF-II-CD-TYP	CHAR	(2,	0)
279	TRAN_BLD_AGCY_PROJ	1	AGCY_PROJ_CD_4339	<u>4339</u>	AGCY-PROJ-CD	CHAR	(2,	0)
		0	AGCY_PROJ_DEF_4340	<u>4340</u>	AGCY-PROJ-DEF-TX	CHAR	(30,	0)
280	REF_NBR_CTGY_CD	1	RNCC_2910	<u>2910</u>	RNCC	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
281	CAGE EDI AUDIT	0	RNCC_EX_5125	5125	REF-NBR-CTGY-CD-EXPLN	VARCHAR	(1600,	0)		
		0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1,	0)		
		0	PRCS_CAGE_CD_3376	3376	RCD-ON-LINE-PRCS-CAGE-CD	CHAR	(5,	0)		
		0	CCR_IP_RCD_TX_3377	3377	CCR-CAGE-CD-IP-RCD-TX	VARCHAR	(530,	0)		
		0	CCR_OP_RCD_TX_3378	3378	CCR-CAGE-CD-OP-RCD-TX	VARCHAR	(530,	0)		
		1	EDIT_CAGE_CD_3379	3379	RCD-TBL070-IP-EDIT-CAGE	CHAR	(5,	0)		
		0	CCR_CAGE_CD_3380	3380	CCR-IP-RCD-CAGE-CD	CHAR	(5,	0)		
		0	DUNS_3405	3405	DUNS	CHAR	(9,	0)		
		0	DUNS_PLUS4_4361	4361	CCR-DUNS-PLUS4-ID	CHAR	(4,	0)		
		2	TMSTMP1_4564	4564	TMSTMP1	TIMESTAMP	(10,	0)		
282	REF_NBR_FORMAT_CD	1	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	(1,	0)		
		0	RNFC_EX_5114	5114	REF-NBR-FMT-CD-EXPLN	VARCHAR	(200,	0)		
283	REF_NBR_JUSTIFN_CD	1	RNJC_2750	2750	RNJC	CHAR	(1,	0)		
		0	RNJC_EX_5121	5121	REF-NBR-JUST-CD-EXPLN	VARCHAR	(1000,	0)		
284	REF_NBR_STATUS_CD	1	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	(1,	0)		
		0	R_N_STAT_EX_5131	5131	REF-NBR-STAT-CD-EXPLN	VARCHAR	(1000,	0)		
285	REF_NBR_VARITON_CD	1	RNVC_4780	4780	RNVC	CHAR	(1,	0)		
		0	RNVC_EX_5127	5127	REF-NBR-VARI-CD-EXPLN	VARCHAR	(1000,	0)		
286	REF_PAR_DES_RSN_CD	1	RPDMRC_4765	4765	RPDMRC	CHAR	(1,	0)		
		0	RPDMRC_EXP_5119	5119	RPDMRC-EXP	VARCHAR	(1000,	0)		
287	REF_NBR_DUPL_DECSN	0	RN_DEC_CAT_CD_2561	2561	REF-NBR-DEC-CTGY-CD	CHAR	(1,	0)		
		0	R_N_DUP_DEC_I_3117	3117	REF-NBR-DUP-DEC-IND	CHAR	(4,	0)		
		1	RNCC_IN_3128	3128	RNCC-IN	CHAR	(1,	0)		
		2	RNVC_IN_3129	3129	RNVC-IN	CHAR	(1,	0)		
		3	RNCC_DB_3130	3130	RNCC-DB	CHAR	(1,	0)		
		4	RNVC_DB_3131	3131	RNVC-DB	CHAR	(1,	0)		
		5	UNMTCH_RNCC_3132	3132	UNMATCHED-RNCC	CHAR	(12,	0)		
288	REIMBURSEMENT_CD	0	R_N_DUP_DEC_3133	3133	REF-NBR-DUP-DEC	CHAR	(8,	0)		
		1	REIMB_CD_2930	2930	REIMB-CD	CHAR	(1,	0)		
289	RNCC_RNVC_COMB- _MAY	0	REIMB_CD_EX_3185	3185	REIMB-CD-EXPLN	VARCHAR	(125,	0)		
		3	RNCC_MA_H_RNG_3109	3109	RNCC-MAY-HAVE-RNG	CHAR	(1,	0)		
		4	RNVC_MA_H_RNG_3110	3110	RNVC-MAY-HAVE-RNG	CHAR	(1,	0)		
		0	VLD_REF_MAY_3112	3112	VLD-REF-MAY-HV-NOTE-IND	CHAR	(10,	0)		
		1	SCRN_RNCC_3115	3115	SCRN-RNCC	CHAR	(1,	0)		
		2	SCRN_RNVC_3116	3116	SCRN-RNVC	CHAR	(1,	0)		
		290	RNCC_RNVC_COMB_MST	3	RNCC_MS_H_RNG_3105	3105	RNCC-MUST-HAVE-RNG	CHAR	(1,	0)
				4	RNVC_MS_H_RNG_3106	3106	RNVC-MUST-HAVE-RNG	CHAR	(1,	0)
		291	RETURN_ACTION_CD	1	SCRN_RNCC_3115	3115	SCRN-RNCC	CHAR	(1,	0)
				2	SCRN_RNVC_3116	3116	SCRN-RNVC	CHAR	(1,	0)
3	SEQ_KEY_3043			3043	SEQ-KEY	CHAR	(1,	0)		
292	RETURN_CD_RLTD_DRN	0	RTN_DEF_INST_3140	3140	RTN-CD-DEF-INST	VARCHAR	(1400,	0)		
		0	RTN_CD_CMMT_4559	4559	RTN-CD-CMNT	CHAR	(1,	0)		
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)		
		1	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)		
		4	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)		
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)		
		5	RTN_CD_DRN_CM_4557	4557	RTN-CD-DRN-CMNT	CHAR	(11,	0)		
293	SEG_CD_SUPMTL	3	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)		
		1	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)		
		1	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR	(2,	0)		
0	SEG_CD_SUP_EX_3174	3174	SEG-CD-SUPMTL-EXPLN	VARCHAR	(80,	0)				

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1, 0)
294	SERV_AGCY_DESIG_CD	1	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	(2, 0)
		0	SA_DESI_CD_X_5319	5319	SVC-AGCY-DESI-CD-DEF	VARCHAR	(20, 0)
295	SHELF_LIFE_CODE	1	SLC_2943	2943	SHLF-LIF-CD	CHAR	(1, 0)
		0	STR_TM_PED_5237	5237	STR-TM-PED	VARCHAR	(200, 0)
296	SICA_LEVEL_OF_AUTH	0	SICA_LOA_DEF_5302	5302	SICA-LVL-AUTH-CD-DEF	VARCHAR	(1300, 0)
		1	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	(2, 0)
297	DEMIL_CRIT_FSCS	1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
298	SOS_MODIFIER_CODES	1	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	(3, 0)
		0	SOSM_CD_EX_5252	5252	SOS-MOD-CD-EXPLN	VARCHAR	(200, 0)
299	SOURCE_OF_SPLY_CD	2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		0	NO_Q8_ED_3136	3136	NO-Q8-RTN-CD-ED	CHAR	(1, 0)
		1	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)
		0	SA_ADD_SOS_CD_5108	5108	SVC-ACTY-AND-ADRS-SOS-CD	VARCHAR	(500, 0)
300	SPECL_HANDLING_CD	0	SP_HDLG_CD_EX_3168	3168	SP-HDLG-CD-EXPLN	VARCHAR	(80, 0)
		1	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	(1, 0)
301	SPCL_MTL_CONT_CD	1	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	(1, 0)
		0	SP_MAT_CON_EX_3172	3172	SP-MAT-CONT-CD-EXPLN	VARCHAR	(120, 0)
302	SPECIAL_PACK_REQT	1	S_PKG_RQM_CD_0725	0725	SP-PKG-RQMT-CD	CHAR	(1, 0)
		0	S_PKG_RQM_EX_5216	5216	SP-PKG-RQMT-CD-EXPLN	VARCHAR	(100, 0)
303	STATISTICAL_IND_CD	1	STATL_IND_CD_3708	3708	STATL-IND-CD	CHAR	(1, 0)
		0	STATL_I_CD_EX_5133	5133	STATL-IND-CD-EXPLN	VARCHAR	(100, 0)
304	SINGLE_SUB_BY_PASS	2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		1	FSC_3990	3990	ASGND-FSC	CHAR	(4, 0)
305	SEG_FORMAT_NOTES	1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8, 0)
		3	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	(4, 0)
		0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR	(1200, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1, 0)
306	TRANSACT_STATUS_CD	1	TRN_STATUS_CD_0854	0854	TRAN-STAT-CD	CHAR	(2, 0)
		0	TRAN_STAT_DEF_3186	3186	TRAN-STAT-CD-DEF	VARCHAR	(150, 0)
		0	TRAN_STAT_INS_3187	3187	TRAN-STAT-CD-INST	VARCHAR	(150, 0)
		0	TRAN_STAT_OP_3188	3188	TRAN-STAT-CD-OP	VARCHAR	(150, 0)
		0	TRAN_STAT_NOT_3189	3189	TRAN-STAT-CD-NOTE-IND	CHAR	(1, 0)
307	TYP_OF_ADDRESS_CD	1	FRN_DOM_CD_4235	4235	FOR-DOM-DESI-CD	CHAR	(1, 0)
		0	FRN_DOM_EX_5289	5289	FOR-DOM-DESI-CD-EXPLN	VARCHAR	(100, 0)
308	TYP_FIN_MGMT_CTRL	1	TYP_FIN_MGT_0729	0729	TYP-FINCL-MGMT-CTL-CD	CHAR	(1, 0)
		0	TYP_FIN_MGT_X_5218	5218	TYP-FINCL-MGT-CTL-CD-EXP	VARCHAR	(100, 0)
309	TYP_OF_ITM_IDNT_CD	1	TYP_II_4820	4820	TYP-OF-II-CD	CHAR	(1, 0)
		0	TYP_II_CD_TYP_5116	5116	TYP-OF-II-CD-TYP	CHAR	(2, 0)
		0	TYP_II_CD_EXP_5117	5117	TYP-OF-II-CD-EXPLN	VARCHAR	(100, 0)
310	TYP_SP_PRC SG_IN_CD	1	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR	(1, 0)
		0	TYP_SP_PRC_E_3178	3178	TYP-OF-SP-PRCSG-IND-CD-E	VARCHAR	(360, 0)
311	TYPE_OF_CARGO_CD	0	TYP_CGO_EXP_5224	5224	TYP-CGO-CD-EXPLN	VARCHAR	(1000, 0)
		1	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	(1, 0)
312	UNIT_OF_ISSUE_CD	1	UI_3050	3050	UI	CHAR	(2, 0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR	(1, 0)
		0	UI_TRM_5242	5242	UI-TRM	VARCHAR	(20, 0)
		0	UI_DEF_5243	5243	UI-DEF	VARCHAR	(800, 0)
313	USING_SERVICE_CD	1	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(1, 0)
		0	USI_SVC_CD_X_3147	3147	USI-SVC-CD-EXPLN	VARCHAR	(80, 0)
314	CLEAN_AND_DRY_CD	1	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR	(1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	CLN_DRY_PR_TX_8630	8630	CLNG-DRYNG-PRO-CD-DEF-TX	VARCHAR	(100,	0)
315	PKG_DATA_SOURCE	0	PK_DTA_SRC_TX_5147	5147	PKG-DATA-SRC-CD-DEF-TX	VARCHAR	(100,	0)
		1	PK_DTA_SRC_CD_5148	5148	PKG-DATA-SRC-CD	CHAR	(1,	0)
316	FSG_NOTE_DAT_GROUP	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSG_NOTE_4965	4965	FSG-NOTE	VARCHAR	(1978,	0)
		0	FSG_TI_4972	4972	FSG-TI	VARCHAR	(1978,	0)
		0	FSG_DT_E_C_RC_5183	5183	FSG-DT-ESB-CANC-RCD-DIDS	INTEGER	(4,	0)
317	GIRDER_DAT_GROUP_1	1	GIRDER_CD_0808	0808	GIRDER-CD	CHAR	(2,	0)
		0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	(58,	0)
		0	GIRDER_CD_EX_5100	5100	GIRDER-CD-EXPLN	VARCHAR	(1000,	0)
318	MOE_TO_IMC_ACTY	2	IMC_ACTY_2748	2748	IMC-ACTY	CHAR	(2,	0)
		1	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
321	FIIG_DWG_XREF	2	FIIG_APDX_ID_0332	0332	FIIG-APDX-SCTN-ID	CHAR	(1,	0)
		0	DWG_STAT_CD_0333	0333	DWG-STAT-CD	CHAR	(1,	0)
		0	STYL_AEUSA_CD_0334	0334	STYL-AEUSA-IND-CD	CHAR	(1,	0)
		4	RDG_SCTN_ID_0335	0335	REF-DWG-GP-SCTN-ID	CHAR	(2,	0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(5,	0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(2,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		0	PHYS_DWG_ID_5037	5037	PHYS-DWG-ID	CHAR	(8,	0)
		0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR	(120,	0)
322	FIIG_TITLES	0	FIIG_IMPL_DT_0337	0337	FIIG-IMPL-DT	DATE	(4,	0)
		0	FIIG_CANC_DT_0338	0338	FIIG-CANCL-DT	DATE	(4,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		0	FIIG_INITR_CD_5067	5067	FIIG-INITR-CD	CHAR	(4,	0)
		0	FIIG_TI_9779	9779	FIIG-TI	VARCHAR	(120,	0)
323	DWG_MRC_XREF	2	FIIG_APDX_ID_0332	0332	FIIG-APDX-SCTN-ID	CHAR	(1,	0)
		4	RDG_SCTN_ID_0335	0335	REF-DWG-GP-SCTN-ID	CHAR	(2,	0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(5,	0)
		6	MRC_3445	3445	MRC	CHAR	(4,	0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(2,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
324	DWG_INC_XREF	2	FIIG_APDX_ID_0332	0332	FIIG-APDX-SCTN-ID	CHAR	(1,	0)
		4	RDG_SCTN_ID_0335	0335	REF-DWG-GP-SCTN-ID	CHAR	(2,	0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(5,	0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(2,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		6	INC_4080	4080	INC	CHAR	(5,	0)
325	RDG_SCTN	3	RDG_SCTN_ID_0335	0335	REF-DWG-GP-SCTN-ID	CHAR	(2,	0)
		0	RDG_SCTN_TI_0336	0336	REF-DWG-GP-SCTN-TI-TX	VARCHAR	(120,	0)
		2	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(2,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
326	FIIG_RDG	0	RDG_TI_0964	0964	RDG-TI	VARCHAR	(160,	0)
		2	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(2,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
327	KHN_ACTY_TBL	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	KHN_ACTY_IND_4356	4356	KHN-ACTY-IND	CHAR	(1,	0)
328	FOREIGN_ADDRESS	0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	(36,	0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	(36,	0)
		0	CITY_1084	1084	CITY	CHAR	(36,	0)
		0	POBOX_1361	1361	POBOX	CHAR	(36,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		2	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	(1, 0)
		0	POS_ZONE_2549	2549	POS-ZONE	CHAR	(10, 0)
		0	CNTRY_CD_3408	3408	CNTRY-CD	CHAR	(3, 0)
		0	OTH_STA_PRVNC_8978	8978	OTH-STA-PRVNC-NM	CHAR	(36, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
329	AMC_CHANGE_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		5	AMC_TO_3085	3085	ACQ-MTHD-CD-TO	CHAR	(1, 0)
		6	AMC_FROM_3086	3086	ACQ-MTHD-CD-FROM	CHAR	(1, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR	(2, 0)
		0	AMC_STAT_CNT_6363	6363	AMC-DP-CC-MVMT-NSN	INTEGER	(4, 0)
		0	AMC_STAT_CNT_6381	6381	AMC-AT-CC-MVMT-NSN	INTEGER	(4, 0)
331	DAAS_SOS	0	INACT_SOS_IND_0134	0134	INACT-SOS-IND-CD	CHAR	(1, 0)
		0	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(2, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	IMM_SOS_9401	9401	IMM-SOS	CHAR	(3, 0)
		0	AR_SOS_9402	9402	AR-SOS	CHAR	(3, 0)
		0	AF_SOS_9403	9403	AF-SOS	CHAR	(3, 0)
		0	NVY_SOS_9404	9404	NVY-SOS	CHAR	(3, 0)
332	GUI_ACCESS_AUTH	1	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		2	USR_ACCS_SUB_3381	3381	USR-ACCES-LVL-SUBSYS-CD	CHAR	(1, 0)
333	ACCESS_DESCR_TBL	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)
		0	CMPNT_BLN_4162	4162	IDS-ACCES-CMPNT-BLN-IND	CHAR	(1, 0)
		0	CMPNT_OMIT_4163	4163	IDS-ACCES-CMPNT-OMIT-IND	CHAR	(1, 0)
		0	CMPNT_FAIL_4164	4164	IDS-ACCES-CMPNT-FAIL-IND	CHAR	(1, 0)
		0	CMPNT_MANY_4165	4165	IDS-ACCES-CMPNT-MANY-IND	CHAR	(1, 0)
		0	EXTR_TYP_SEQ_4166	4166	IDS-EXTR-RCD-TYP-SEQ-NBR	VARCHAR	(20, 0)
		0	CMPNT_FILE_NM_4168	4168	IDS-ACCES-CMPNT-FILE-NM	CHAR	(8, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2, 0)
		0	ACCES_TYP_CD_4198	4198	IDS-ACCES-TYP-CD	CHAR	(1, 0)
		4	ACCES_SEQ_NBR_4199	4199	IDS-ACCES-REC-SEQ-NBR	SMALLINT	(2, 0)
		0	TBL_QRY_STNG_4207	4207	IDS-TBL-QRY-STNG-TXT	VARCHAR	(2048, 0)
		0	LINK_PARM_4208	4208	IDS-LINK-PARM-STNG-TXT	VARCHAR	(160, 0)
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR	(1, 0)
		0	ACCES_RPET_CT_4256	4256	IDS-ACCES-RPET-CT-QTY	SMALLINT	(2, 0)
334	ACCESS_RCRD_DSCR_T	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)
		0	EX_FILE_LGTH_4158	4158	IDS-EXTN-FILE-LGTH-NBR	INTEGER	(4, 0)
		0	XFILE_RPETD_4159	4159	IDS-XFILE-RPETD-DATA-NBR	SMALLINT	(2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	(2, 0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCES-CMPNT-DSCRD-IND	CHAR	(1, 0)
		0	CMPNT_SEQ_4172	4172	IDS-ACCES-CMPNT-SEQ-NBR	SMALLINT	(2, 0)
		0	CMPNT_CATNT_4173	4173	IDS-ACCES-CMPNT-CATNT-IND	CHAR	(1, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCES-CMPNT-LGTH-NBR	SMALLINT	(2, 0)
		0	DATA_STRM_BRK_4176	4176	IDS-DATA-STRM-BRK-IND	CHAR	(1, 0)
		0	CMPNT_SRT_4177	4177	IDS-A-CMPNT-SRT-ORDR-IND	CHAR	(1, 0)
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
335	MARKUP_DESCR_TBL	0	CMPNT_OFST_4187	4187	IDS-ACCS-CMPNT-OFST-NBR	SMALLINT	(2, 0)		
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2, 0)		
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2, 0)		
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	(1, 0)		
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)		
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)		
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	(79, 0)		
		3	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	(2, 0)		
		0	MRKP_HPHN_4181	4181	NSN-MRKP-HPHN-IND	CHAR	(1, 0)		
		0	MRKP_CPTLZTN_4182	4182	IDS-MRKP-CPTLZTN-IND	CHAR	(1, 0)		
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	(79, 0)		
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	(2, 0)		
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	(2, 0)		
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1, 0)		
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	(2, 0)		
336	CALLABLE_DESCR_TBL	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)		
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)		
		0	EXTR_TYP_SEQ_4166	4166	IDS-EXTR-RCD-TYP-SEQ-NBR	VARCHAR	(20, 0)		
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	(1, 0)		
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT	(2, 0)		
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(2, 0)		
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	(2, 0)		
		0	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR	(8, 0)		
		0	PASD_PARM_4184	4184	IDS-C-ACCS-PASD-PARM-TXT	VARCHAR	(160, 0)		
		0	ACCS_PARM_4185	4185	IDS-CLBL-ACCS-PARM-TXT	VARCHAR	(160, 0)		
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2, 0)		
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2, 0)		
		0	ROW_IND_4205	4205	ROW-IND	CHAR	(1, 0)		
		337	CALL_ACCESS_LIST	1	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR	(8, 0)
				0	SGML_ELE_NAME_9481	9481	SGML-ELE-NAME	CHAR	(8, 0)
0	SRT_ALLOWED_9482			9482	SRT-ALLOWED-IND	CHAR	(1, 0)		
338	ADPEC_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)		
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)		
339	DECDE_COMP_DESCR_T	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)		
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)		
		0	MRC_3445	3445	MRC	CHAR	(4, 0)		
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	(6, 0)		
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	(2, 0)		
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	(1, 0)		
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT	(2, 0)		
		0	CMPNT_CATNT_4173	4173	IDS-ACCS-CMPNT-CATNT-IND	CHAR	(1, 0)		
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(2, 0)		
		0	DATA_STRM_BRK_4176	4176	IDS-DATA-STRM-BRK-IND	CHAR	(1, 0)		
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	(2, 0)		
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2, 0)		
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2, 0)		
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	(1, 0)		
		340	MGT_INFO_TABLE	0	PRDCT_TI_0982	0982	PRDCT-TI	CHAR	(20, 0)
0	USR_CD_1101			1101	USR-CD	CHAR	(8, 0)		
1	INFO_DISEM_ID_1720			1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)		
2	REV_LVL_2644			2644	REV-LVL	CHAR	(3, 0)		
0	RNDM_SMPL_IND_2671			2671	RNDM-SMPL-IND-CD	CHAR	(1, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	NXT_PUB_DT_4188	4188	IDS-NXT-PUB-DT	INTEGER (4, 0)
		0	LST_UPDT_DT_4189	4189	IDS-LST-PUB-UPDT-DT	CHAR (9, 0)
		0	LST_PUB_DT_4191	4191	IDS-LST-PUB-DT	INTEGER (4, 0)
		0	DEF_ESTB_DT_4192	4192	IDS-PRDCT-DEF-ESTB-DT	CHAR (9, 0)
		0	DEF_STAT_CD_4193	4193	IDS-DEF-STAT-CD	CHAR (1, 0)
		0	PUB_CYCL_TM_4194	4194	IDS-PUB-CYCL-TM	CHAR (13, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR (6, 0)
		0	ACT_USR_IND_4196	4196	IDS-ACT-USR-IND	CHAR (1, 0)
		0	ITM_PRCSG_QTY_4201	4201	IDS-ITM-PRCSG-QTY	SMALLINT (2, 0)
		0	EXTR_OP_FL_4202	4202	IDS-EXTR-OP-FL-QTY	INTEGER (4, 0)
		0	USER_PAD_CHAR_4251	4251	IDS-USER-PAD-CHAR	SMALLINT (2, 0)
		0	SRT_RPL_4252	4252	IDS-SRT-RPL-IND	CHAR (1, 0)
		0	PRPY_DCOD_4253	4253	IDS-PRPY-DCOD-IND	CHAR (1, 0)
		0	PRPY_NOTC_4254	4254	IDS-PRPY-NOTC-IND	CHAR (1, 0)
		0	PRFL_PRFX_TX_4326	4326	IDS-PRFL-PRFX-TX	CHAR (8, 0)
		0	PRFX_JCL_MBR_4327	4327	IDS-PRFX-JCL-MBR-NM	CHAR (6, 0)
		0	FILEAID_MBR_4328	4328	IDS-FILEAID-MBR-NM	CHAR (8, 0)
		0	CANC_ITM_IND_4329	4329	IDS-CANC-ITM-IND-CD	CHAR (1, 0)
		0	EXTR_UPDT_8624	8624	IDS-EXTR-UPDT-CD	CHAR (1, 0)
		0	FMT_OP_8625	8625	IDS-FMT-OP-CD	CHAR (1, 0)
		0	DYN_ALLOC_8627	8627	IDS-DYN-ALLOC-IND	CHAR (1, 0)
		0	FILE_NM_HLQ_8628	8628	IDS-FILE-NM-HLQ-ID	CHAR (8, 0)
341	LOLA_OVERNIGHT	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	PKG_SEQ_NBR_1070	1070	PKG-SEQ-NBR	CHAR (3, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR (1, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR (7, 0)
		0	LSN_LTI_RMDR_4696	4696	LOLA-OVERNIGHT-LSN-LTI	CHAR (57, 0)
342	ITM_EXC_CRI_REC_TP	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR (10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR (3, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR (6, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT (2, 0)
		0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR (1, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT (2, 0)
345	NIIN_MOE_RULE_DATA	0	NIMSC_0076	0076	NIMSC	CHAR (1, 0)
		0	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR (1, 0)
		4	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	IMC_2744	2744	IMC	CHAR (1, 0)
		0	IMC_ACTY_2748	2748	IMC-ACTY	CHAR (2, 0)
		0	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR (1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER (4, 0)
		0	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR (4, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
		0	DT_MR_ASGND_9128	9128	DT-MOE-RULE-ASGND-NIIN	INTEGER (4, 0)
346	NIIN_PKG_DAT_GROUP	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		3	PICA_SICA_IND_5099	5099	PICA-SICA-IND-CD	CHAR	(1,	0)
		0	PK_DTA_SRC_CD_5148	5148	PKG-DATA-SRC-CD	CHAR	(1,	0)
		0	INTMD_CTN_QTY_5152	5152	INTMED-CTNR-QTY	CHAR	(3,	0)
		0	UP_WT_5153	5153	UP-WT	CHAR	(5,	0)
		0	UP_SZ_5154	5154	UP-SZ	CHAR	(12,	0)
		0	UP_CU_5155	5155	UP-CU	CHAR	(7,	0)
		0	ITM_TYP_STOR_5156	5156	ITM-TYP-STOR-CD	CHAR	(1,	0)
		0	UNPKG_ITM_WT_5157	5157	UNPKG-ITM-WT	CHAR	(5,	0)
		0	UNPKG_ITM_DIM_5158	5158	UNPKG-ITM-DIM	CHAR	(12,	0)
		0	PKG_CTGY_CD_5159	5159	PKG-CTGY-CD	CHAR	(4,	0)
		0	MTHD_PRSRV_CD_5160	5160	MTHD-PRES-CD	CHAR	(2,	0)
		0	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR	(1,	0)
		0	PRSRV_MAT_CD_5162	5162	PRES-CD	CHAR	(2,	0)
		0	WRAP_MAT_CD_5163	5163	WRAP-MAT-CD	CHAR	(2,	0)
		0	CUSH_DUN_MAT_5164	5164	CUSH-DUN-MAT-CD	CHAR	(2,	0)
		0	THK_CUSH_DUN_5165	5165	THK-CUSH-DUN-CD	CHAR	(1,	0)
		0	UNIT_CTNR_CD_5166	5166	UNIT-CTNR-CD	CHAR	(2,	0)
		0	INTMD_CTNR_CD_5167	5167	INTMED-CTNR-CD	CHAR	(2,	0)
		0	UNIT_CTNR_LVL_5168	5168	UNIT-CTNR-LVL-CD	CHAR	(1,	0)
		0	SP_MKG_CD_5169	5169	SP-MKG-CD	CHAR	(2,	0)
		0	LVL_A_PKG_CD_5170	5170	LVL-A-PKG-RQMT-CD	CHAR	(1,	0)
		0	LVL_B_PKG_CD_5171	5171	LVL-B-PKG-RQMT-CD	CHAR	(1,	0)
		0	MINM_PK_RQ_CD_5172	5172	MINM-PKG-RQMT-CD	CHAR	(1,	0)
		0	OPTNL_PRO_IND_5173	5173	OPTNL-PRO-IND-CD	CHAR	(1,	0)
		0	SUPMTL_INST_5174	5174	SUPMTL-INST	VARCHAR	(59,	0)
		0	SPI_NBR_5175	5175	SPI-NBR	CHAR	(10,	0)
		0	SPI_REV_5176	5176	SPI-REV	CHAR	(1,	0)
		0	SPI_DT_5177	5177	SPI-DT	CHAR	(5,	0)
		0	CTNR_NSN_5178	5178	CTNR-NSN	CHAR	(13,	0)
		0	PKG_DSGN_ACTY_5179	5179	PKG-DSGN-ACTY-CD	CHAR	(5,	0)
347	MRD_REQ_STMT_DEF	1	MRC_3445	3445	MRC	CHAR	(4,	0)
		0	RQMT_STMT_DEF_5027	5027	RQMT-STMT-DEF	VARCHAR	(500,	0)
348	MODE_TEXT_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(1,	0)
		1	PINC_3084	3084	PINC	CHAR	(7,	0)
		2	MRC_3445	3445	MRC	CHAR	(4,	0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR	(990,	0)
		4	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		5	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	(2,	0)
		3	SAC_8990	8990	SAC	CHAR	(3,	0)
349	MODE_TEXT_INDEX	1	PINC_3084	3084	PINC	CHAR	(7,	0)
		4	CLRTXT_KEY_3088	3088	CLRTXT-KEY	CHAR	(35,	0)
		2	MRC_3445	3445	MRC	CHAR	(4,	0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		3	SAC_8990	8990	SAC	CHAR	(3,	0)
350	MODE_D_L_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(1,	0)
		1	PINC_3084	3084	PINC	CHAR	(7,	0)
		2	MRC_3445	3445	MRC	CHAR	(4,	0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
351	MODE_A_B_REPLY	4	DL_REPLY_4418	4418	DL-REPLY	CHAR	(6, 0)
		3	SAC_8990	8990	SAC	CHAR	(3, 0)
		0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(1, 0)
		1	PINC_3084	3084	PINC	CHAR	(7, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
352	MODE_J_REPLY	4	AB_VALUE_4419	4419	AB-VALUE	DECIMAL	(15, 7)
		3	SAC_8990	8990	SAC	CHAR	(3, 0)
		0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(1, 0)
		4	J_TBL_REPLY_3073	3073	J-TBL-REPLY	CHAR	(12, 0)
		1	PINC_3084	3084	PINC	CHAR	(7, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)
		10	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		11	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		5	J_MIN_L_VAL_4420	4420	J-MIN-L-VALUE	DECIMAL	(15, 0)
		7	STORE_TYPE_4421	4421	STORE-TYPE	CHAR	(1, 0)
		8	J_MAX_L_VAL_4422	4422	J-MAX-L-VALUE	DECIMAL	(15, 0)
		6	J_MIN_R_VAL_4423	4423	J-MIN-R-VALUE	DECIMAL	(7, 0)
		0	STORE_M_J_TBL_4424	4424	STORE-M-J-TBL	CHAR	(12, 0)
		0	STORE_M_MIN_4425	4425	STORE-M-MIN	VARCHAR	(23, 0)
		0	STORE_M_MAX_4426	4426	STORE-M-MAX	VARCHAR	(23, 0)
353	MODE_F_REPLY	9	J_MAX_R_VAL_4427	4427	J-MAX-R-VALUE	DECIMAL	(7, 0)
		3	SAC_8990	8990	SAC	CHAR	(3, 0)
		0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(1, 0)
		4	F_MIN_VALUE_3078	3078	F-MIN-VALUE	DECIMAL	(15, 7)
		1	PINC_3084	3084	PINC	CHAR	(7, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)
		6	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
354	MODE_H_REPLY	7	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		5	F_MAX_VALUE_4428	4428	F-MAX-VALUE	DECIMAL	(15, 7)
		3	SAC_8990	8990	SAC	CHAR	(3, 0)
		0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(1, 0)
		1	PINC_3084	3084	PINC	CHAR	(7, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)
		12	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		13	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		14	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	(2, 0)
		4	H_TAB1_VAL_4429	4429	H-TAB1-VALUE	CHAR	(6, 0)
		5	H_TAB2_VAL_4430	4430	H-TAB2-VALUE	CHAR	(6, 0)
356	INC_MRC_COUNT	6	H_TAB3_VAL_4431	4431	H-TAB3-VALUE	CHAR	(6, 0)
		7	H_TAB4_VAL_4432	4432	H-TAB4-VALUE	CHAR	(6, 0)
		8	H_TAB5_VAL_4433	4433	H-TAB5-VALUE	CHAR	(6, 0)
		9	H_TAB6_VAL_4434	4434	H-TAB6-VALUE	CHAR	(6, 0)
		10	H_TAB7_VAL_4435	4435	H-TAB7-VALUE	CHAR	(6, 0)
		11	H_TAB8_VAL_4436	4436	H-TAB8-VALUE	CHAR	(6, 0)
		0	H_J_TEXT_4437	4437	H-J-TEXT	VARCHAR	(990, 0)
		3	SAC_8990	8990	SAC	CHAR	(3, 0)
		1	PINC_3084	3084	PINC	CHAR	(7, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)
		357	INC_MRC_VAL_MOD_DL	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER
1	PINC_3084			3084	PINC	CHAR	(7, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
358	INC_MRC_VAL_MOD_AB	2	MRC_3445	3445	MRC	CHAR	(4, 0)		
		4	DL_REPLY_4418	4418	DL-REPLY	CHAR	(6, 0)		
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	(4, 0)		
		3	SAC_8990	8990	SAC	CHAR	(3, 0)		
		1	PINC_3084	3084	PINC	CHAR	(7, 0)		
		2	MRC_3445	3445	MRC	CHAR	(4, 0)		
		4	AB_VALUE_4419	4419	AB-VALUE	DECIMAL	(15, 7)		
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	(4, 0)		
		3	SAC_8990	8990	SAC	CHAR	(3, 0)		
		359	ACCESS_DEFINITION	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
2	REV_LVL_2644			2644	REV-LVL	CHAR	(3, 0)		
0	FUNC_MNEM_NM_4195			4195	IDS-FUNC-MNEM-NM	CHAR	(6, 0)		
3	REC_TYP_CD_4197			4197	IDS-REC-TYP-CD	SMALLINT	(2, 0)		
4	ACCS_SEQ_NBR_4199			4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2, 0)		
0	MBR_STNG_TX_4203			4203	IDS-SQL-COND-MBR-STNG-TX	CHAR	(17, 0)		
0	PRCSG_ACTN_4204			4204	IDS-PRCSG-ACTN-TXT	CHAR	(18, 0)		
0	ROW_IND_4205			4205	ROW-IND	CHAR	(1, 0)		
0	COND_TXT_4206			4206	IDS-COND-TXT	VARCHAR	(1120, 0)		
0	DATA_RPL_4255			4255	IDS-DATA-RPL-IND	CHAR	(1, 0)		
0	ACCS_RPET_CT_4256			4256	IDS-ACCS-RPET-CT-QTY	SMALLINT	(2, 0)		
0	DB2_TBL_NAME_4465			4465	DB2-TBL-NAME	CHAR	(18, 0)		
360	INC_MRC_VAL_MODE_J			4	J_TBL_REPLY_3073	3073	J-TBL-REPLY	CHAR	(12, 0)
				1	PINC_3084	3084	PINC	CHAR	(7, 0)
		2	MRC_3445	3445	MRC	CHAR	(4, 0)		
		5	J_MIN_L_VAL_4420	4420	J-MIN-L-VALUE	DECIMAL	(15, 0)		
		7	STORE_TYPE_4421	4421	STORE-TYPE	CHAR	(1, 0)		
		8	J_MAX_L_VAL_4422	4422	J-MAX-L-VALUE	DECIMAL	(15, 0)		
		6	J_MIN_R_VAL_4423	4423	J-MIN-R-VALUE	DECIMAL	(7, 0)		
		9	J_MAX_R_VAL_4427	4427	J-MAX-R-VALUE	DECIMAL	(7, 0)		
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	(4, 0)		
		3	SAC_8990	8990	SAC	CHAR	(3, 0)		
361	INC_MRC_VAL_MODE_F	4	F_MIN_VALUE_3078	3078	F-MIN-VALUE	DECIMAL	(15, 7)		
		1	PINC_3084	3084	PINC	CHAR	(7, 0)		
		2	MRC_3445	3445	MRC	CHAR	(4, 0)		
		5	F_MAX_VALUE_4428	4428	F-MAX-VALUE	DECIMAL	(15, 7)		
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	(4, 0)		
		3	SAC_8990	8990	SAC	CHAR	(3, 0)		
362	INC_MRC_VAL_MODE_H	1	PINC_3084	3084	PINC	CHAR	(7, 0)		
		2	MRC_3445	3445	MRC	CHAR	(4, 0)		
		4	H_TAB1_VAL_4429	4429	H-TAB1-VALUE	CHAR	(6, 0)		
		5	H_TAB2_VAL_4430	4430	H-TAB2-VALUE	CHAR	(6, 0)		
		6	H_TAB3_VAL_4431	4431	H-TAB3-VALUE	CHAR	(6, 0)		
		7	H_TAB4_VAL_4432	4432	H-TAB4-VALUE	CHAR	(6, 0)		
		8	H_TAB5_VAL_4433	4433	H-TAB5-VALUE	CHAR	(6, 0)		
		9	H_TAB6_VAL_4434	4434	H-TAB6-VALUE	CHAR	(6, 0)		
		10	H_TAB7_VAL_4435	4435	H-TAB7-VALUE	CHAR	(6, 0)		
		11	H_TAB8_VAL_4436	4436	H-TAB8-VALUE	CHAR	(6, 0)		
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	(4, 0)		
		3	SAC_8990	8990	SAC	CHAR	(3, 0)		
		363	UNAPPRV_ITEM_NM_DT	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4, 0)
				0	NAIN_RMDR_2177	2177	ITM-NM-NON-APRVD-RMDR	VARCHAR	(971, 0)
1	NAIN_CD_3237			3237	NAIN-CD	CHAR	(7, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
364	KEYWORD_INDEX	0	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	(19,	0)
		2	PINC_3084	3084	PINC	CHAR	(7,	0)
		1	ITEM_NM_KY_WD_4401	4401	ITEM-NAME-KEYWORD	CHAR	(35,	0)
365	DEMIL_TRAINEE_HIST	3	WRK_DEL_DT_5145	5145		INTEGER	(4,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		2	USR_ACCS_LVL_1381	1381	USR-ACCS-LVL	CHAR	(1,	0)
366	USER_DATE_XREF	0	ADMIN_USR_CD_5144	5144	DEMIL-DELT-ADMIN-USR-CD	CHAR	(8,	0)
		3	SCRN_ID_0981	0981	SCREEN-ID-CODE	CHAR	(6,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
367	COMMONALITY_FAA	2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	PC_DN_LD_LINE_3087	3087	PC-DN-LD-LINE	VARCHAR	(400,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
368	LOLA_UPD_STATSDATA	0	ICFS_STAT_CNT_5895	5895	ICFS-FAA-ALL-MNGD-TOT	INTEGER	(4,	0)
		0	ICFS_STAT_CNT_5896	5896	ICFS-FAA-ALL-MNGD-MM	INTEGER	(4,	0)
		0	ICFS_STAT_CNT_5898	5898	ICFS-DLA-ALL-MM	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICFS_STAT_CNT_5901	5901	ICFS-DOD-ALL-MM	INTEGER	(4,	0)
		0	ICFS_STAT_CNT_7810	7810	ICFS-GSA-ALL-MM	INTEGER	(4,	0)
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
368	LOLA_UPD_STATSDATA	0	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	(17,	0)
368	LOLA_UPD_STATSDATA	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	UPDT_PRC_TIME_3323	3323	LOLA-UPDT-PRCS-D-TIME	CHAR	(6,	0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)
368	LOLA_UPD_STATSDATA	0	NIIN_4000	4000	ASGND-NIIN	CHAR	(9,	0)
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	(7,	0)
		3	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP	(10,	0)
369	COMALTY_MS_D_DTL	0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
369	COMALTY_MS_D_DTL	3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7,	0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR	(12,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
369	COMALTY_MS_D_DTL	5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	ICMD_STAT_CNT_5849	5849	ICMD-LA-ALL-LC-ANM	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5850	5850	ICMD-LA-ALL-LC-AN	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5851	5851	ICMD-LA-ALL-LC-AFM	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5852	5852	ICMD-LA-ALL-LC-AF	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5853	5853	ICMD-LA-ALL-LC-AM	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5854	5854	ICMD-LA-ALL-LC-A	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5855	5855	ICMD-LA-ALL-LC-NFM	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5856	5856	ICMD-LA-ALL-LC-NF	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5857	5857	ICMD-LA-ALL-LC-NM	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5858	5858	ICMD-LA-ALL-LC-N	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5861	5861	ICMD-LA-ALL-LC-FM	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5862	5862	ICMD-LA-ALL-LC-F	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5863	5863	ICMD-LA-ALL-LC-M	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5880	5880	ICMD-LA-FSC-LC-ANFM	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5881	5881	ICMD-LA-FSC-LC-ANF	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5882	5882	ICMD-LA-FSC-LC-ANM	INTEGER	(4,	0)
		0	ICMD_STAT_CNT_5883	5883	ICMD-LA-FSC-LC-AN	INTEGER	(4,	0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5884	5884	ICMD-LA-FSC-LC-AFM	INTEGER	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICMD_STAT_CNT_5885	5885	ICMD-LA-FSC-LC-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5886	5886	ICMD-LA-FSC-LC-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5887	5887	ICMD-LA-FSC-LC-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5888	5888	ICMD-LA-FSC-LC-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5889	5889	ICMD-LA-FSC-LC-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5890	5890	ICMD-LA-FSC-LC-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5891	5891	ICMD-LA-FSC-LC-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5892	5892	ICMD-LA-FSC-LC-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5893	5893	ICMD-LA-FSC-LC-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5894	5894	ICMD-LA-FSC-LC-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7102	7102	ICMD-FSC-ALL-LC-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7103	7103	ICMD-FSC-ALL-LC-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7104	7104	ICMD-FSC-ALL-LC-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7105	7105	ICMD-FSC-ALL-LC-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7106	7106	ICMD-FSC-ALL-LC-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7107	7107	ICMD-FSC-ALL-LC-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7108	7108	ICMD-FSC-ALL-LC-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7109	7109	ICMD-FSC-ALL-LC-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7110	7110	ICMD-FSC-ALL-LC-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7111	7111	ICMD-FSC-ALL-LC-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7112	7112	ICMD-FSC-ALL-LC-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7113	7113	ICMD-FSC-ALL-LC-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7114	7114	ICMD-FSC-ALL-LC-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7115	7115	ICMD-FSC-ALL-LC-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7116	7116	ICMD-FSC-ALL-LC-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7132	7132	ICMD-IM-ALL-LC-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7133	7133	ICMD-IM-ALL-LC-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7134	7134	ICMD-IM-ALL-LC-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7135	7135	ICMD-IM-ALL-LC-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7136	7136	ICMD-IM-ALL-LC-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7137	7137	ICMD-IM-ALL-LC-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7138	7138	ICMD-IM-ALL-LC-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7139	7139	ICMD-IM-ALL-LC-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7140	7140	ICMD-IM-ALL-LC-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7141	7141	ICMD-IM-ALL-LC-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7142	7142	ICMD-IM-ALL-LC-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7143	7143	ICMD-IM-ALL-LC-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7144	7144	ICMD-IM-ALL-LC-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7145	7145	ICMD-IM-ALL-LC-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7146	7146	ICMD-IM-ALL-LC-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7162	7162	ICMD-LA-ALL-LC-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7163	7163	ICMD-LA-ALL-LC-ANF	INTEGER (4, 0)
370	COMMONALITY_MGD	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	ICWD_STAT_CNT_5800	5800	ICWD-LA-FSC-DOD-CI-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5801	5801	ICWD-LA-FSC-DOD-CI	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5802	5802	ICWD-LA-FSC-DOD-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5803	5803	ICWD-LA-FSC-DOD	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5804	5804	ICWD-LA-FSC-CI-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5805	5805	ICWD-LA-FSC-CI	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
371	MRSP_INDV_CLASSES	0	ICWD_STAT_CNT_5806	5806	ICWD-LA-FSC-OGOV	INTEGER	(4, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M8B5_STAT_CNT_5563	5563	M8B5-FSC-DP-LOA-BB-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CNT_5564	5564	M8B5-FSC-DP-LOA-ADD-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CNT_5567	5567	M8B5-FSC-DP-LOA-DLT-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CNT_5568	5568	M8B5-FSC-DP-LOA-EB-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER	(4, 0)
		372	PIC_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR
3	STAT_ACTIVITY_0898			0898	STAT-ACTIVITY	CHAR	(2, 0)
1	STAT_REQ_DATE_0899			0899	STATS-REQUEST-DATE	CHAR	(6, 0)
4	DIC_IP_3921			3921	DIC-IP	CHAR	(3, 0)
0	PIC_STAT_CNT_5815			5815	PIC-ACTY-DIC-PRICD-ZER	INTEGER	(4, 0)
0	PIC_STAT_CNT_9670			9670	PIC-ACTY-DIC-PRICD-ONE	INTEGER	(4, 0)
0	PIC_STAT_CNT_9671			9671	PIC-ACTY-DIC-PRICD-TWO	INTEGER	(4, 0)
0	PIC_STAT_CNT_9672			9672	PIC-ACTY-DIC-PRICD-THREE	INTEGER	(4, 0)
0	PIC_STAT_CNT_9673			9673	PIC-ACTY-DIC-PRICD-FOUR	INTEGER	(4, 0)
374	LOLA_UPD_STATSHIST			2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR
		5	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		0	UPDT_DIC_CT_3324	3324	LOLA-UPDT-DIC-CT-NBR	INTEGER	(4, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(3, 0)
		0	CRS_LOLA_KEY_4515	4515	CRS-LOLA-KEY-CD	CHAR	(1, 0)
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	(7, 0)
		6	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
375	LOLA_UPD_TRANSDATA	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	UPDT_TRAN_HDR_3313	3313	LOLA-UPDT-TRAN-HDR-TXT	CHAR	(66, 0)
		0	UPDT_COMM_3314	3314	LOLA-UPDT-COMM-TXT	VARCHAR	(1400, 0)
		2	RECDV_STAMP_9204	9204	RECDV-STAMP	TIMESTMP	(10, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
		0	UPDT_STAT_KEY_9436	9436	LOLA-UPDT-STAT-KEY-CD	CHAR	(1, 0)
376	TRN_TIMING_DATA	0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	STAT_BTCH_TIM_2604	2604	STAT-BTCH-TIM	CHAR	(1, 0)
		3	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(1, 0)
		2	DIC_IP_3921	3921	DIC-IP	CHAR	(3, 0)
		0	TMG_STAT_CNT_6892	6892	TMG-PIC-DIC-TMFR	INTEGER	(4, 0)
378	DEMIL_ACCESS_CNTRL	0	TMG_STAT_CNT_6893	6893	TMG-PIC-DIC-TMFR-AVG-TM	INTEGER	(4, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	USR_ACCS_LVL_1381	1381	USR-ACCS-LVL	CHAR	(1, 0)
379	DEMIL_TRAINEE	0	TECHN_AVLB_5140	5140	DEMIL-TECHN-AVLB-CD	CHAR	(1, 0)
		0	WRK_MOV_IND_5141	5141		CHAR	(1, 0)
		0	DEMIL_SP_PROJ_0136	0136	DEMIL-SP-PROJ-ID	CHAR	(5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	DEMIL_INTG_CD_0138	0138	DEMIL-INTGTY-CD	CHAR	(1, 0)
		0	DEMIL_APDX_0140	0140	DEMIL-APDX-ID	CHAR	(2, 0)
		0	DEMIL_CTGY_0141	0141	DEMIL-CTGY-ID	CHAR	(2, 0)
		0	DEMIL_PARA_0142	0142	DEMIL-PARA-ID	CHAR	(2, 0)
		0	ECCN_0143	0143	EXPORT-CMDTY-CTL-NBR-ID	CHAR	(5, 0)
		0	DEMIL_NAR_0145	0145	DEMIL-TECH-NAR-TX	VARCHAR	(1000, 0)
		0	DEMIL_REVW_DT_0146	0146	DEMIL-ITM-REVW-JUL-DT	INTEGER	(4, 0)
		0	NEW_DEMIL_CD_0147	0147	NEW-DEMIL-CD	CHAR	(1, 0)
		0	PICA_FWD_DT_0149	0149	DEMIL-PICA-FWD-JUL-DT	INTEGER	(4, 0)
		0	PICA_RSP_DT_0150	0150	DEMIL-PICA-RSP-JUL-DT	INTEGER	(4, 0)
		0	DEMIL_NIIN_CD_0157	0157	DEMIL-FLIS-NIIN-IND-CD	CHAR	(1, 0)
		0	INTGTY_CHG_DT_0160	0160	DEMIL-INTGTY-CHG-JUL-DT	INTEGER	(4, 0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)
		0	NEW_CIIC_0171	0171	NEW-CTLD-INV-ITM-CD	CHAR	(1, 0)
		0	NIIN_LOAD_DT_0172	0172	NIIN-LOAD-JUL-DT	INTEGER	(4, 0)
		0	RE_RVW_DT_0173	0173	RE-REVW-JUL-DT	INTEGER	(4, 0)
		0	I_S_IND_CD_0174	0174	EOL	CHAR	(1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	RTN_TRNEE_CD_2000	2000	RTN-TO-TRNEE-CD	CHAR	(1, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		0	CIIC_2863	2863	CIIC	CHAR	(1, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	TRNR_USR_CD_5142	5142	DEMIL-REVW-TRNR-USR-CD	CHAR	(8, 0)
		0	TRNEE_RTN_CTR_5143	5143	DEMIL-TRNEE-NIIN-RTN-CTR	CHAR	(1, 0)
		0	DCMO_CHAL_CD_5320	5320	DCMO-CHL-PGM-IND-CD	CHAR	(1, 0)
380	EFF_DATD_CHAR_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		1	TMSTMP3_4443	4443	TMSTMP3	TIMESTAMP	(10, 0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
381	LOLA_MGMT_STATS_DT	0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	QUERY_TYPE_4476	4476	QUERY-TYPE	CHAR	(2, 0)
		0	INQ_OUT_VIEW_4477	4477	INQ-OUT-VIEW	CHAR	(20, 0)
382	ACTIVITY_FORMAT_ID	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	DFLT_OP_FMT_2564	2564	DFLT-OP-FMT	CHAR	(1, 0)
		0	ACTY_TYPE_9134	9134	ACTY-TYPE	CHAR	(4, 0)
		0	INPUT_FORMAT_9169	9169	INPUT-FORMAT	CHAR	(8, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	OUTPUT_FORMAT_9195	9195	OUTPUT-FORMAT	CHAR	(8,	0)
		0	ACTY_CATEGORY_9751	9751	ACTY-CATEGORY	CHAR	(2,	0)
383	DIC_TABLE	0	FU_STAT_CD_0166	0166	FU-STAT-CD	CHAR	(2,	0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(8,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	DSPL_ORDR_8269	8269	TM-DSPL-ORDR-ID	CHAR	(3,	0)
		0	I_O_TYPE_9167	9167	I-O-TYPE	CHAR	(1,	0)
		0	PGM_NAME_9198	9198	PGM-NAME	CHAR	(18,	0)
		0	PGM_TRANSID_9199	9199	PGM-TRANSID	CHAR	(4,	0)
		0	TRANS_TYP_FLG_9440	9440	TRANS-TYP-FLG	CHAR	(4,	0)
		0	VALID_HX_DIC_9443	9443	VALID-HX-DIC	CHAR	(1,	0)
		0	VALID_LFU_DIC_9444	9444	VALID-LFU-DIC	CHAR	(1,	0)
		0	DFLT_RELE_TDQ_9500	9500	DFLT-RELE-TDQ-ID	CHAR	(4,	0)
		0	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	(2,	0)
		0	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR	(1,	0)
384	LOLA_UPD_TEMPLATE	2	LOLA_TMPLT_NM_1100	1100	LOLA-TMPLT-NM	CHAR	(15,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2,	0)
		4	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	(1127,	0)
385	ORIGINAL_IMAGE_KEY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	(2,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	(23,	0)
386	TRANSITION_TABLE	1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
387	DAAS_ACCESS	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
388	COMPONENT_TABLE	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		0	EDIT_MBR_TXT_4155	4155	IDS-EDIT-MBR-TXT	CHAR	(17,	0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	(79,	0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	(2,	0)
		0	CMPNT_ELE_NM_4161	4161	IDS-DB2-CMPNT-ELE-NM	CHAR	(18,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(2,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2,	0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(18,	0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	(1,	0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	(79,	0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	(2,	0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	(2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1,	0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	(2,	0)
389	REROUTED_TRAN_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	(2,	0)
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(23,	0)
390	MODE_CD_EDIT	2	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR	(20,	0)
		0	NBR_OF_TBLS_4444	4444	NBR-OF-TBLS	INTEGER	(4,	0)
		0	PRT_SKLTN_1_4445	4445	PRT-SKLTN-1	CHAR	(1,	0)
		0	PRT_SKLTN_2_4446	4446	PRT-SKLTN-2	CHAR	(1,	0)
		0	PRT_SKLTN_3_4447	4447	PRT-SKLTN-3	CHAR	(1,	0)
		1	MODE_CD_4735	4735	MODE-CD	CHAR	(1,	0)
391	MRD_KEY_GRP_CD	1	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR	(2,	0)
		0	KEY_GRP_DESC_4448	4448	KEY-GRP-DESC	CHAR	(20,	0)
392	TABLE_CONTENTS	0	DIDS_INTRO_4469	4469		VARCHAR	(1300,	0)
		2	DIDS_TBL_NAME_4466	4466		CHAR	(40,	0)
		0	TABLE_TYP_DV_1079	1079	TBL-ELE-IDEN	CHAR	(1,	0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	(4,	0)
		0	TABL_NAME_REM_4449	4449	TABL-NAME-REM	VARCHAR	(200,	0)
		0	DB2_TBL_NAME_4465	4465	DB2-TBL-NAME	CHAR	(18,	0)
		3	DIDS_SUB_PART_4467	4467	FLIS-SUB-PART	CHAR	(3,	0)
		0	HLP_PRC_PGMNM_4491	4491	HLP-PRC-PGMNM	CHAR	(8,	0)
		0	DB2_GRP_NUM_4492	4492	DB2-GRP-NUM	CHAR	(3,	0)
393	PAGE_HEADERS	1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	(4,	0)
		3	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR	(3,	0)
		0	HEAD_NARRTV_4453	4453	HEAD-SUB-NARRTV	CHAR	(79,	0)
		2	DB2_GRP_NUM_4492	4492	DB2-GRP-NUM	CHAR	(3,	0)
		4	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
394	NOTES_DATA	3	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	(4,	0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	(4,	0)
		0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR	(1200,	0)
		5	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	(1,	0)
		4	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT	(2,	0)
		2	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR	(3,	0)
395	PAGE_TRAILERS	1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	(4,	0)
		2	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR	(3,	0)
		0	TRAIL_NARRATV_4454	4454	TRAIL-NARRATV	VARCHAR	(800,	0)
396	SPC_VALUES	0	DEF_EXPLN_TX_2880	2880	DEF-EXPLN-TX	VARCHAR	(255,	0)
		1	SPC_4530	4530	SP-PROC-CD	CHAR	(2,	0)
397	MEDIA_MESSAGE_ID	0	AUTODIN_IO_9140	9140	AUTODIN-IO	CHAR	(1,	0)
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	(4,	0)
		0	RCVD_SND_STMP_9202	9202	RCVD-SND-STMP	TIMESTMP	(10,	0)
		0	TRAILER_9432	9432	TRAILER	CHAR	(80,	0)
		0	TRANS_COUNT_9433	9433	TRANS-COUNT	SMALLINT	(2,	0)
398	ACTY_DIC_EDIT	2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	CIT_ELGBL_IND_9506	9506	CIT-ELGBL-IND-CD	CHAR	(1,	0)
399	ORIGINAL_IMAGE	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(1128,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	(23,	0)
400	WEAPON_PARTS_CRIT	0	CTDF_CRIT_ITM_1318	1318	CTDF-CRIT-ITM-CD	CHAR	(1,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	SPC_4530	4530	SP-PROC-CD	CHAR	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
401	REROUTE_LOG	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	CPU_ROUTED_TO_9143	9143	CPU-ROUTED-TO	CHAR	(10,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(2,	0)
		0	REROUTED_TIME_9210	9210	REROUTED-TIME	TIMESTMP	(10,	0)
402	REROUTED_TRANS	1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(23,	0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(1128,	0)
403	LMX_LMD_COMB	1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(23,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		2	ALLOWED_DIC_9135	9135	ALLOWED-DIC	CHAR	(3,	0)
404	USER_OUTPUT_FORMAT	3	SEGMENT_STATS_9420	9420	SEGMENT-STATS	CHAR	(1,	0)
		0	SEG_LGTH_0189	0189	SEG-LGTH	CHAR	(4,	0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
405	TRANS_PROC_ERROR	4	DE_START_POS_1097	1097	DATA-ELE-START-POS	SMALLINT	(2,	0)
		0	DE_LENGTH_1882	1882	DATA-ELE-LGTH	SMALLINT	(2,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		1	FORMAT_NAME_9162	9162	FORMAT-NAME	CHAR	(8,	0)
		3	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	MSG_CD_1105	1105	MSG-CD	CHAR	(4,	0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(8,	0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		2	ERROR_SEQ_9151	9151	ERROR-SEQ	SMALLINT	(2,	0)
406	USER_INPUT_FORMAT	0	ERROR_TS_9152	9152	ERROR-TS	TIMESTMP	(10,	0)
		0	RESOLUTION_9411	9411	RESOLUTION	CHAR	(40,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
		0	SEG_LGTH_0189	0189	SEG-LGTH	CHAR	(4,	0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		4	DE_START_POS_1097	1097	DATA-ELE-START-POS	SMALLINT	(2,	0)
		0	DE_LENGTH_1882	1882	DATA-ELE-LGTH	SMALLINT	(2,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		1	FORMAT_NAME_9162	9162	FORMAT-NAME	CHAR	(8,	0)
407	SELECT_FMT_MODULE	3	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(8,	0)
408	APPL_OP_HOLD	1	SELECT_KEY_9764	9764	SELECT-KEY	CHAR	(5,	0)
		5	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	(1,	0)
409	COMMRI_ACTY_CD	3	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(1500,	0)
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		2	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	(2,	0)
		3	PSO_ACT_CD_0892	0892	PSO-ACT-CD	CHAR	(3,	0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	COMM_RI_9142	9142	COMM-RI	CHAR	(7,	0)
		0	PRIM_COMM_RI_9214	9214	PRIM-COMM-RI-IND	CHAR	(1,	0)
410	MEDIA_TYPE_TABLE	0	KWA_NO_NOTI_9562	9562	KWA-NO-OP-ACTY-NOTI-IND	CHAR	(1,	0)
		0	KWA_ACTY_NOTI_9563	9563	KWA-ACTY-NOTI-IND	CHAR	(1,	0)
		0	KWA_NATO_ZZ_9564	9564	KWA-NATO-ACTY-ZZ-IND	CHAR	(1,	0)
		0	OP_MOD_MED_EX_3118	3118	OP-MODE-MED-CD-DESC	VARCHAR	(90,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	F_V_LEN_IND_3119	3119	FIXED-VAR-LEN-MED-IND	CHAR	(2, 0)
		0	EAM_CRD_INTRP_3120	3120	EAM-CARD-INTERP-IND	CHAR	(2, 0)
		0	LST_PRT_P_IND_3121	3121	LISTIN-PART-PAPER-IND	CHAR	(2, 0)
		0	MT_DNSTY_IND_3124	3124	MAG-TAPE-DENSITY-IND	CHAR	(4, 0)
		0	MT_PRTY_IND_3125	3125	MAG-TAPE-PARITY-IND	CHAR	(4, 0)
		0	MT_BLK_FAC_3126	3126	MAG-TAPE-BLCKNG-FAC-IND	CHAR	(24, 0)
		0	MT_LAB_IND_3127	3127	MAG-TAPE-LAB-IND	CHAR	(8, 0)
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2, 0)
		0	ASCII_EBCDIC_9139	9139	ASCII-EBCDIC	CHAR	(1, 0)
		0	BLOCK_SIZE_9141	9141	BLOCK-SIZE	CHAR	(4, 0)
		0	MAX_REC_LGTH_9176	9176	MAX-REC-LGTH	CHAR	(4, 0)
		0	MIN_REC_LGTH_9182	9182	MIN-REC-LGTH	CHAR	(4, 0)
411	VALID_SEGMENTS	1	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3, 0)
		0	SEGMENT_FLAG_9418	9418	SEGMENT-FLAG	CHAR	(1, 0)
		0	SEGMENT_POS_9419	9419	SEGMENT-POS	SMALLINT	(2, 0)
412	PRIORITY_IND_CODE	1	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(1, 0)
		0	NATO_PIC_VAL_9187	9187	NATO-PIC-VAL	CHAR	(1, 0)
		0	PIC_DESC_9200	9200	PIC-DESC	CHAR	(25, 0)
		0	RESPONSE_HRS_9412	9412	RESPONSE-HRS	SMALLINT	(2, 0)
418	FILE_ACCESS_RECORD	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3, 0)
		0	CMPNT_FILE_NM_4168	4168	IDS-ACCS-CMPNT-FILE-NM	CHAR	(8, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(18, 0)
		0	ROW_IND_4205	4205	ROW-IND	CHAR	(1, 0)
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR	(1, 0)
		0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT	(2, 0)
419	DSS_WEIGHT_CUBE	1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	DSS_UP_WT_5146	5146	DSS-UP-WT	CHAR	(12, 0)
		0	DSS_UP_CU_5188	5188	DSS-UP-CU-VL	CHAR	(12, 0)
		0	DSS_WC_UPD_DT_5197	5197	DSS-WT-CU-LST-UPD-JUL-DT	INTEGER	(4, 0)
		0	DSS_WC_QLT_CD_5198	5198	DSS-WT-CU-QLTY-CD	CHAR	(2, 0)
		0	DSS_WC_SRC_CD_5199	5199	DSS-WT-CU-SRC-CD	CHAR	(2, 0)
422	NATO_NCC_COMMENT	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		1	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		0	NCC_CMNT_8976	8976	NATO-CDFN-CTL-CMNT-TX	VARCHAR	(500, 0)
425	AMSC_DATA_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1, 0)
		0	AMSC_STAT_TOT_6388	6388	AMSC-DP-AT-AMC-TOT	INTEGER	(4, 0)
		0	AMSC_STAT_TOT_6401	6401	AMSC-DP-AMC-TOT-NSN	INTEGER	(4, 0)
426	DEMIL_AGENCY	3	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
427	DEMIL_MGR_ITEMS	2	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		0	DS2_STAT_CNT_8217	8217	DS2-DPT-DEML-NSC-0-NSN	INTEGER	(4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)
428	DEMIL_MGR_CODES	0	DS3_STAT_CNT_8219	8219	DS3-DOD-SS-NSC-0-MGD-NSN	INTEGER	(4, 0)
		4	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)
429	FCS_GOALS_DEPT_TOT	0	DS4_STAT_CNT_8221	8221	DS4-ML-SS-NSC-0-DEML-NSN	INTEGER	(4, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	M3AC_STAT_CNT_1588	1588	M3AC-D-MG	INTEGER	(4, 0)
		0	M3AC_STAT_CNT_1589	1589	M3AC-D-DM	INTEGER	(4, 0)
		0	M3AC_STAT_CNT_1590	1590	M3AC-D-DM-G	INTEGER	(4, 0)
		0	M3AC_STAT_CNT_1593	1593	M3AC-D-AIN	INTEGER	(4, 0)
		0	M3AC_STAT_CNT_1594	1594	M3AC-D-AIN-G	INTEGER	(4, 0)
		0	M3AC_STAT_CNT_1597	1597	M3AC-D-RN	INTEGER	(4, 0)
		0	M3AC_STAT_CNT_1598	1598	M3AC-D-RN-G	INTEGER	(4, 0)
430	FIIG_POP_MGD_DTL	6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		3	INC_4080	4080	INC	CHAR	(5, 0)
		0	POP_STAT_CNT_6726	6726	POP-FIIG-AIN-FSC-MG-AC	INTEGER	(4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
431	FIIG_POP_NONMGD	4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		5	INC_4080	4080	INC	CHAR	(5, 0)
		0	POP_STAT_CNT_7828	7828	POP-FIIG-AIN-FSC-NMG-FU	INTEGER	(4, 0)
		0	POP_STAT_CNT_7829	7829	POP-FIIG-AIN-FSC-NMG-PA	INTEGER	(4, 0)
		0	POP_STAT_CNT_7830	7830	POP-FIIG-AIN-FSC-NMG-RE	INTEGER	(4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		4	INC_4080	4080	INC	CHAR	(5, 0)
		0	FSC_INC_NSN_5751	5751	FSC-INC-NSN	INTEGER	(4, 0)
432	FSC_FSCINC_DATA	0	FSC_STAT_CNT_5752	5752	FSC-NSN	INTEGER	(4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	MOE_STAT_CNT_5753	5753	MOE-FSG-NSN	INTEGER	(4, 0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(4, 0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
433	MOE_FSGFSC_DATA	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
434	FSC_POP_MGD_DTL	6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		5	INC_4080	4080	INC	CHAR	(5,	0)
		0	POP_STAT_CNT_5603	5603	POP-FSC-FIIG-AIN-MG-AC	INTEGER	(4,	0)
435	FSC_POP_NONMGD	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		5	INC_4080	4080	INC	CHAR	(5,	0)
		0	POP_STAT_CNT_5613	5613	POP-FSC-FIIG-AIN-NMG-FU	INTEGER	(4,	0)
		0	POP_STAT_CNT_5614	5614	POP-FSC-FIIG-AIN-NMG-PA	INTEGER	(4,	0)
		0	POP_STAT_CNT_5615	5615	POP-FSC-FIIG-AIN-NMG-RE	INTEGER	(4,	0)
436	IMC_NEW_DATA	6	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(1,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7,	0)
		5	IMC_2744	2744	IMC	CHAR	(1,	0)
		0	IMC_STAT_CNT_5639	5639	IMC-NW-DP-AT-IMC-CIC	INTEGER	(4,	0)
437	MOE_RULE_FSC	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(4,	0)
		4	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
438	ITEM_NAME_DATA	0	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19,	0)
		0	INAM_STAT_CNT_7824	7824	ITEM-NAME-NSN	INTEGER	(4,	0)
439	MOE_RULE_COLL_REC	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	MOE_STAT_CNT_7820	7820	MOE-RGSTRN-CLBR-AT	INTEGER	(4,	0)
		0	MOE_STAT_CNT_7821	7821	MOE-RGSTRN-RCVR-AT	INTEGER	(4,	0)
440	AF_SOS_LOAD	0	SOS_CD_3690	3690	SOS-CD	CHAR	(3,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
441	PIC_DATA_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	PIC_STAT_CNT_5823	5823	PIC-DEPT-PRICD-ZER	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9692	9692	PIC-DEPT-PRICD-ONE	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9693	9693	PIC-DEPT-PRICD-TWO	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9694	9694	PIC-DEPT-PRICD-THREE	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9695	9695	PIC-DEPT-PRICD-FOUR	INTEGER	(4,	0)
443	PASS_TO_CICS	1	CICS_PASS_KEY_9069	9069	CICS-PASS-KEY-TX	CHAR	(30,	0)
		0	CICS_PASS_TX_9070	9070	CICS-PASS-TX	CHAR	(50,	0)
447	FILE_COMPONENT	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		0	FILE_OFST_NBR_4152	4152	IDS-EXTN-FILE-OFST-NBR	SMALLINT	(2,	0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	(79,	0)
		0	EX_FILE_LGTH_4158	4158	IDS-EXTN-FILE-LGTH-NBR	SMALLINT	(2,	0)
		0	XFILE_RPETD_4159	4159	IDS-XFILE-RPETD-DATA-NBR	SMALLINT	(2,	0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	(2,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(2,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(18,	0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	(1,	0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	(79,	0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	(2,	0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	(2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1,	0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	(2,	0)
461	DECODE_ACCESS	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		0	PARM_STNG_TXT_4153	4153	IDS-PARM-STNG-TXT	VARCHAR	(160,	0)
		0	DCOD_SVC_IND_4157	4157	IDS-DCOD-SVC-IND	CHAR	(1,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2,	0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(18,	0)
473	DECODE_COMPONENT	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		0	MRC_3445	3445	MRC	CHAR	(4,	0)
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	(6,	0)
		0	EDIT_MBR_TXT_4155	4155	IDS-EDIT-MBR-TXT	CHAR	(17,	0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	(79,	0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	(2,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(2,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2,	0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(18,	0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	(1,	0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	(79,	0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	(2,	0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	(2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1,	0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	(2,	0)
474	ACTY_STORAGE_STATS	0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		3	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	(12,	0)
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(4,	0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(4,	0)
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
475	ACTY_OP_HOLD	3	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	(1,	0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	RPTY_ID_2638	2638	RPTY-ID	CHAR	(3,	0)
		5	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	(1500,	0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		7	ACTY_CATEGORY_9751	9751	ACTY-CATEGORY	CHAR	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
476	APPL_OUTPUT_DIC	2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		3	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2,	0)
		4	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
477	CALLABLE_ACCESS	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		0	PARM_STNG_TXT_4153	4153	IDS-PARM-STNG-TXT	VARCHAR	(160,	0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	(79,	0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	(1,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(2,	0)
		0	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR	(8,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(2,	0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(18,	0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	(79,	0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	(2,	0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	(2,	0)
478	PRODUCT_CONSOL	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		3	PRDCT_PT_NBR_4154	4154	IDS-PRDCT-PT-NBR	SMALLINT	(2,	0)
		0	RCD_TYP_ORDR_4169	4169	IDS-RCD-TYP-ORDR-NBR	SMALLINT	(2,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		4	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(2,	0)
479	VAR_SEG_PARAM	0	MAX_OCURS_4594	4594		SMALLINT	(2,	0)
		2	I_OR_O_IND_4591	4591	IN-OR-OUT-IND	CHAR	(3,	0)
		0	MIN_LGTH_4592	4592	MIN-LGTH	SMALLINT	(2,	0)
		0	MAX_LGTH_4593	4593	MAX-LGTH	SMALLINT	(2,	0)
		0	REPT_SEG_IND_4594	4594	REPT-SEG-IND	CHAR	(1,	0)
		0	TOT_MAX_LGTH_4596	4596	TOT-MAX-LGTH	INTEGER	(4,	0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
		1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR	(2,	0)
480	DRP_DICS	2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		3	DRP_N_OR_M_4505	4505	DRP-NOTIF-OR-MAINT-IND	CHAR	(1,	0)
		1	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP	(10,	0)
481	UNDEFINABLE_TRANS	0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		2	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	(2,	0)
		0	UNDEF_SEGMENT_9442	9442	UNDEFINED-SEG	CHAR	(132,	0)
		1	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	(2,	0)
483	STATE_CODES	2	STATE_NAME_4490	4490	STATE-NAME	CHAR	(36,	0)
		2	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
484	TRAN_BLD_SUSP_FILE	0	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		3	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		4	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		5	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		1	SUSP_PROC_DT_4698	4698	SUSP-FILE-PROC-DT	INTEGER	(4,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
485	STOP_WORD_CDM	1	STOP_WORD_CDM_4463	4463	STOP-WORD-CDM	CHAR	(35,	0)
486	SORTING_TABLE	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)
		3	PRDCT_PT_NBR_4154	4154	IDS-PRDCT-PT-NBR	SMALLINT	(2,	0)
		0	SRT_SEQ_TXT_4167	4167	IDS-SRT-SEQ-TXT	VARCHAR	(110,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(6,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(1,	0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	(2,	0)
487		AMMO_EDIT_CRITERIA	1	FSC_3990	3990	ASGND-FSC	CHAR	(4,
		2	AMMO_CD_PRFX_8809	8809	AMMO-CD-PRFX-ID	CHAR	(8,	0)
489	ITM_NM_FUT_HIST	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		0	RPLD_INC_2646	2646	RPLM-INC	CHAR	(5,	0)
		0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR	(1978,	0)
		3	TMSTMP4_4472	4472	TMSTMP4	TIMESTAMP	(10,	0)
490		RNAAC_BYPASS	0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,
491	FSC_NOTE_DATE_GP2	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		3	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		0	RPLD_FSC_2647	2647	RPLM-FSC	CHAR	(4,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR	(1978,	0)
		4	TMSTMP5_4473	4473	TMSTMP5	TIMESTAMP	(10,	0)
492	FSG_NOTE_DATE_GP2	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		0	RPLD_FSC_2647	2647	RPLM-FSC	CHAR	(4,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR	(1978,	0)
		3	TMSTMP6_4474	4474	TMSTMP6	TIMESTAMP	(10,	0)
494		CAGE_FSCNSN	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,
	3		FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
	4		FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
	0		CAGE_STAT_CNT_6657	6657	CAGE-FSC-NSN	INTEGER	(4,	0)
	2		CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
495	CAGE_INCNSN	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	INC_4080	4080	INC	CHAR	(5,	0)
		0	CAGE_STAT_CNT_6656	6656	CAGE-INC-NSN	INTEGER	(4,	0)
		3	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
496	REPLACEMENT_AMMO	1	AMMO_CD_8805	8805	AMMO-CD	CHAR	(4,	0)
		2	RPLD_AMMO_8815	8815	RPLM-AMMO-CD	CHAR	(4,	0)
497	ID_CAT_ITEM_SELECT	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
498	ID_DECODE_CAT_CHAR	3	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)	
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)	
		0	MRC_CLR_TXT_R_0113	0113	MRC-CLRTXT-RPLY-FLD	VARCHAR	(990,	0)	
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(10,	0)	
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(3,	0)	
		0	MRC_3445	3445	MRC	CHAR	(4,	0)	
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	(110,	0)	
		3	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)	
499	DIC_SEG_ODRC	4	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)	
		5	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	(2,	0)	
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)	
		0	FIRST_ODRC_4691	4691	FRST-LOLA-OVERNIGHT-ODRC	CHAR	(4,	0)	
					SECN-LOLA-OVERNIGHT-					
		0	SECOND_ODRC_4692	4692	ODRC	CHAR	(4,	0)	
					THRD-LOLA-OVERNIGHT-					
		0	THIRD_ODRC_4693	4693	ODRC	CHAR	(4,	0)	
501	GD_REF_BACK	2	SEG_VALUES_4694	4694	LOLA-OVERNIGHT-SEG-VAL	CHAR	(15,	0)	
		2	MRC_3445	3445	MRC	CHAR	(4,	0)	
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)	
		0	REF_MRC_4475	4475	REF-BACK-MRC	CHAR	(4,	0)	
502	CAGE_DEL_HIST	3	MODE_CD_4735	4735	MODE-CD	CHAR	(1,	0)	
		0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1,	0)	
		0	DT_OE_RCD_DEL_8657	8657	DT-OE-RCD-DELD	INTEGER	(4,	0)	
503	FREIGHT_DATA_TOTAL	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)	
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1,	0)	
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)	
		2	NMFC_2850	2850	NMFC-CD	CHAR	(6,	0)	
504	CAGE_KEYWORD_ADRS	4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(5,	0)	
		0	FRGT_STAT_CNT_6600	6600	FREIGHT-INC-TOT-NSN	INTEGER	(4,	0)	
		3	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	(1,	0)	
		1	CAGE_KEYWORD_4471	4471	CAGE-KEYWORD	CHAR	(25,	0)	
505	CMD_BASIC_HIST	2	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)	
		0	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	(1,	0)	
		0	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(2,	0)	
		0	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR	(1,	0)	
		0	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	(1,	0)	
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	(1,	0)	
		0	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	(1,	0)	
		0	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	(1,	0)	
		5	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(1,	0)	
		0	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR	(1,	0)	
		0	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR	(1,	0)	
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)	
		4	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)	
		0	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR	(1,	0)	
		0	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR	(1,	0)	
		0	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR	(2,	0)	
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)	
0	AAC_2507	2507	ACQ-AD-CD	CHAR	(1,	0)			
0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(2,	0)			
0	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	(1,	0)			
0	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR	(1,	0)			

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	(2, 0)
		0	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	(1, 0)
		3	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)
		0	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	(2, 0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(2, 0)
		0	CIIC_2863	2863	CIIC	CHAR	(1, 0)
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	(1, 0)
		0	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	(1, 0)
		0	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	(1, 0)
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR	(1, 0)
		0	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	(3, 0)
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	(1, 0)
		0	UI_3050	3050	UI	CHAR	(2, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR	(5, 0)
		6	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	(1, 0)
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	(1, 0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR	(1, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	(1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		7	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(4, 0)
		0	REP_NET_PR_5235	5235	REP-NET-PR	INTEGER	(4, 0)
		0	QUP_6106	6106	QUP-CD	CHAR	(1, 0)
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL	(11, 2)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(1, 0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(1, 0)
506	CMD_PHRASE_IS_HIST	0	QTY_PER_ASBL_0106	0106	QTY-PER-ASBLY	INTEGER	(4, 0)
		0	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR	(2, 0)
		13	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(1, 0)
		0	JTC_0792	0792	I-S-JTC	CHAR	(3, 0)
		0	OOU_0793	0793	I-S-OOU-CD	CHAR	(3, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		11	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)
		12	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1, 0)
		0	TECH_DOC_NBR_2893	2893	TECH-DOC-NBR	CHAR	(20, 0)
		0	REL_NSN_2895	2895	REL-NSN	CHAR	(13, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		10	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----			
						TYPE	LENGTH	DECIMAL	
507	COLLABORATORS_HIST	0	QNTV_EXPRSN_8575	8575	QNTV-EXPRSN	CHAR	(13,	0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		12	SUPPLM_COLLBR_2533	2533	SUPPLM-COLLBR	CHAR	(2,	0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		10	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		11	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
		508	DEPOT_SRC_REP_HIST	7	DSOR_0903	0903	DSOR	CHAR	(
0	FMR_DSOR_0904			0904	FMR-DSOR	CHAR	(2,	0)
3	DCSN_1000			1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
9	EFF_DT_2128			2128	EFF-DT	INTEGER	(4,	0)
2	DT_TRAN_2310			2310	DT-TRAN	INTEGER	(4,	0)
8	TMSTMP_3059			3059	TMSTMP	TIMESTMP	(10,	0)
6	SUBMG_ACTY_CD_3720			3720	SUBMG-ACTY-CD	CHAR	(2,	0)
4	DIC_3920			3920	DOC-ID-CD	CHAR	(3,	0)
10	NCB_CD_4130			4130	NCB-CD	CHAR	(2,	0)
11	I_I_NBR_4131			4131	I-I-NBR	CHAR	(7,	0)
5	ORIG_ACTY_CD_4210			4210	ORIG-ACTY-CD	CHAR	(2,	0)
1	HISTORY_DT_4470			4470	HISTORY-DATE	INTEGER	(4,	0)
12	MOE_RULE_NBR_8290			8290	MOE-RULE-NBR	CHAR	(4,	0)
509	EFF_DATED_ITM_HIST			0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR	(
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR	(1,	0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		0	LKD_LKU_RPLM_2499	2499	LKD-LKU-RPLM-IND	INTEGER	(4,	0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		0	PINC_3084	3084	PINC	CHAR	(7,	0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR	(1,	0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		0	INC_4080	4080	INC	CHAR	(5,	0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		10	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	(1,	0)		
0	RPDMRC_4765	4765	RPDMRC	CHAR	(1,	0)		
0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR	(1,	0)		
510	MOE_RULE_DELT_HIST	0	RPLM_NSN_CANC_8875	8875	RPLM-NSN-CANC	CHAR	(13,	0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		9	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		8	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		10	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		11	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		7	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR (1, 0)
		12	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
511	NON_CMD_ACTY_HIST	3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		9	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
		8	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		10	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		11	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		12	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
512	RECEIVERS_HIST	3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		12	SUPPLM_RCVR_2534	2534	SUPPLM-RCVR	CHAR (2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		10	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		11	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
513	COLLOQ_XREF_HIST	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER (4, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		3	REL_INC_2926	2926	REL-INC	CHAR (5, 0)
		2	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP (10, 0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
515	EFF_DTD_FSC_HIST	0	SUBJ_TO_WIMM_0090	0090	SUBJ-TO-WIMM	CHAR (1, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR (1, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	STDZN_SUBMR_0749	0749	STDZN-SUBMG-ACTY-CD	CHAR (2, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR (1, 0)
		0	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	IMCA_4075	4075	IMCA	CHAR	(2,	0)
		3	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(10,	0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	(4,	0)
		0	AR_FSC_MGR_8831	8831	AR-FSC-MGR	CHAR	(2,	0)
		0	AF_FSC_MGR_8860	8860	AF-FSC-MGR	CHAR	(2,	0)
		0	IMM_9090	9090	IMM	CHAR	(2,	0)
		0	SIN_SUBM_ACTY_9255	9255	SIN-SUBMG-ACTY-CD	CHAR	(2,	0)
		0	SUBJ_SI_SUB_P_9544	9544	SUBJ-SIN-SUBMR-PRO	CHAR	(1,	0)
		0	SUBJ_IMM_M_CD_9545	9545	SUBJ-INTEG-MAT-MGMT-CD	CHAR	(1,	0)
		0	SUBJ_IM_CDNG_9546	9546	SUBJ-ITM-MGMT-CDNG	CHAR	(1,	0)
516	MASS_KHN_ERROR	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	NATO_KHN_9130	9130	NATO-DIC-KHN-IMG-DATA-TX	CHAR	(80,	0)
517	MASS_KHN_EDITED	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	NATO_KHN_9130	9130	NATO-DIC-KHN-IMG-DATA-TX	CHAR	(80,	0)
518	NM_CD_FSC_XRF_HIST	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		2	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(10,	0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR	(1762,	0)
519	DAAS_SOS_HIST	0	INACT_SOS_IND_0134	0134	INACT-SOS-IND-CD	CHAR	(1,	0)
		0	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(2,	0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		0	IMM_SOS_9401	9401	IMM-SOS	CHAR	(3,	0)
		0	AR_SOS_9402	9402	AR-SOS	CHAR	(3,	0)
		0	AF_SOS_9403	9403	AF-SOS	CHAR	(3,	0)
		0	NVY_SOS_9404	9404	NVY-SOS	CHAR	(3,	0)
521	NIIN_MOE_RULE_HIST	0	NIMSC_0076	0076	NIMSC	CHAR	(1,	0)
		0	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(1,	0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		4	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		0	IMC_2744	2744	IMC	CHAR	(1,	0)
		0	IMC_ACTY_2748	2748	IMC-ACTY	CHAR	(2,	0)
		0	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1,	0)
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(1,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(4, 0)
		0	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR	(4, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
		0	DT_MR_ASGND_9128	9128	DT-MOE-RULE-ASGND-NIIN	INTEGER	(4, 0)
522	NIIN_REF_NBR_HIST	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		0	HCC_2579	2579	HZRD-CHAR-CD	CHAR	(2, 0)
		0	DAC_2640	2640	DAC	CHAR	(1, 0)
		0	RNJC_2750	2750	RNJC	CHAR	(1, 0)
		0	RNAAC_2900	2900	RNAAC	CHAR	(2, 0)
		0	RNCC_2910	2910	RNCC	CHAR	(1, 0)
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	(1, 0)
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	(1, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		3	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32, 0)
		0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	(32, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		6	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		0	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	(2, 0)
		0	RNVC_4780	4780	RNVC	CHAR	(1, 0)
		0	MSDS_ID_9076	9076	MSDS-ID	CHAR	(5, 0)
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
523	NONEF_DTD_ITM_HIST	0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)
		0	DLA_GSA_EXCPT_0511	0511	ACTY-DESI-CD-DLA-GSA	CHAR	(1, 0)
		0	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1, 0)
		0	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	(1, 0)
		0	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	(1, 0)
		0	SUR_PRC_ID_CD_0872	0872	SURCHG-PRCSG-IND-CD	CHAR	(1, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	LST_KWN_SOS_1071	1071	LST-KWN-SOS	CHAR	(3, 0)
		0	FMSN_1515	1515	FILE-MAINT-SEQ-NBR	CHAR	(3, 0)
		0	NATO_FMSN_1516	1516	NATO-FILE-MAINT-SEQ-NBR	CHAR	(3, 0)
		0	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	(1, 0)
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-ASGMT	INTEGER	(4, 0)
		0	DT_LST_MRN_2260	2260	DT-LST-MOE-RULE-NBR-WTHD	INTEGER	(4, 0)
		0	DT_STDZN_DEC_2300	2300	DT-STDZN-DEC	INTEGER	(4, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		0	HCC_2579	2579	HZRD-CHAR-CD	CHAR	(2, 0)
		0	SUR_PRC_YR_2597	2597	SURCHG-PRCSG-YR	SMALLINT	(2, 0)
		0	SUR_PRC_UN_PR_2599	2599	SURCHG-PRCSG-UNIT-PR	CHAR	(9, 0)
		0	ISC_2650	2650	ITM-STDZN-CD	CHAR	(1, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		0	HMC_2720	2720	HMC	CHAR	(2, 0)
		0	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	(1, 0)
		0	NMFC_2850	2850	NMFC-CD	CHAR	(6, 0)
		0	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		3	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	(1,	0)
		0	RAIL_VARI_CD_4760	4760	RAIL-VARI-CD	CHAR	(1,	0)
		0	AIR_CMTY_HDLG_9215	9215	AIR-CMDTY-SP-HDLG-CD	CHAR	(2,	0)
		0	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	(1,	0)
		0	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	(1,	0)
		0	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	(1,	0)
		0	WTR_CMDTY_CD_9275	9275	WTR-CMDTY-CD	CHAR	(3,	0)
		0	ORG_STDZN_DEC_9325	9325	ORIG-STDZN-DEC	CHAR	(2,	0)
		0	RPLM_NSN_STDZ_9525	9525	RPLM-NSN-STDZN-RL	CHAR	(13,	0)
524	RPLD_NSN_STDZ_HIST	3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		10	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		9	RP_NSN_STD_RL_8977	8977	RPLD-NSN-STDZN-RL	CHAR	(13,	0)
525	FSC_RI_TABLE	0	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	(1,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
530	FSC_SEGM_FM_HIST	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		0	DIST_AC_SEG_M_0478	0478	DIST-ACTY-CD-SEG-M	CHAR	(2,	0)
		3	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		4	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(10,	0)
		0	FILE_MNT_RCVR_8905	8905	FILE-MAINT-RCVR-CD	CHAR	(2,	0)
536	VAR_FMT_R_ED_CRI	5	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	(1,	0)
		2	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
		1	BSC_CM_IM_IND_4582	4582	BSC-CMB-IMM-IND	CHAR	(1,	0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR	(1400,	0)
		4	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
537	TM_CRS_RETURN	2	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	CRS_SUBM_TRAN_4533	4533	CRS-ACTY-SUBM-RTND-TRAN	CHAR	(4,	0)
		0	CRS_RTND_TRAN_4534	4534	CRS-LGCY-RTND-SUBM-TRAN	CHAR	(4,	0)
538	SUR_OP_MEDIA	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		0	COMM_ADRS_ID_6572	6572	COMM-ADRS-ID	CHAR	(20,	0)
		0	EXTRNL_USRID_6573	6573	EXTRNL-COMM-USERID-ID	CHAR	(8,	0)
		0	EXTRNL_PASWD_6574	6574	EXTRNL-COMM-PASWD-ID	CHAR	(15,	0)
		0	COMM_FILE_NM_6575	6575	COMM-FILE-NM	CHAR	(45,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----			
						TYPE	LENGTH	DECIMAL	
539	REF_NBR_PRFCN_ORDR	1	RNCC_2910	<u>2910</u>	RNCC	CHAR	(1,	0)
		0	RN_PREF_ORDR_2911	<u>2911</u>	RNCC-RNVC-COMB-PREF- ORDR	CHAR	(2,	0)
		0	RN_COMB_DF_TX_2912	<u>2912</u>	RNCC-RNVC-COMB-DEF-TX	VARCHAR	(500,	0)
543	UITD_LOOKUP	2	RNVC_4780	<u>4780</u>	RNVC	CHAR	(1,	0)
		1	UIT_DESI_CD_1010	<u>1010</u>	UNQ-ITM-TRK-DESI-CD	CHAR	(3,	0)
544	UNIQUE_ITEM_TRACK	0	UITD_PGM_NM_1014	<u>1014</u>	UNQ-ITM-TRK-DESI-PGM-NM	VARCHAR	(200,	0)
		1	UIT_NCB_XS_1020	<u>1020</u>		CHAR	(2,	0)
551	PIC_ACTY_TOT	0	UIT_DESI_CD_1010	<u>1010</u>	UNQ-ITM-TRK-DESI-CD	CHAR	(3,	0)
		2	UIT_ID_1021	<u>1021</u>	UIT-ID	CHAR	(7,	0)
		2	STAT_DEPT_0897	<u>0897</u>	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	<u>0898</u>	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	<u>0899</u>	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	PIC_STAT_CNT_5819	<u>5819</u>	PIC-ACTY-PRICD-ZER	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9681	<u>9681</u>	PIC-ACTY-PRICD-ONE	INTEGER	(4,	0)
569	MRSP_ASGN_INT_MGR	0	PIC_STAT_CNT_9682	<u>9682</u>	PIC-ACTY-PRICD-TWO	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9683	<u>9683</u>	PIC-ACTY-PRICD-THREE	INTEGER	(4,	0)
		0	PIC_STAT_CNT_9684	<u>9684</u>	PIC-ACTY-PRICD-FOUR	INTEGER	(4,	0)
		2	STAT_DEPT_0897	<u>0897</u>	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	<u>0898</u>	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	<u>0899</u>	STATS-REQUEST-DATE	CHAR	(6,	0)
		4	STAT_LOA_3066	<u>3066</u>	STAT-LVL-AUTH-CD	CHAR	(2,	0)
		0	M8B1_STAT_CNT_5513	<u>5513</u>	M8B1-IM-DP-LOA-BB-NSN	INTEGER	(4,	0)
		0	M8B1_STAT_CNT_5514	<u>5514</u>	M8B1-IM-DP-LOA-ADD-NSN	INTEGER	(4,	0)
		0	M8B1_STAT_CNT_5515	<u>5515</u>	M8B1-IM-DP-LOA-DLT-NSN	INTEGER	(4,	0)
		0	M8B1_STAT_CNT_5516	<u>5516</u>	M8B1-IM-DP-LOA-EB-NSN	INTEGER	(4,	0)
570	MRSP_ASGN_CL_MGR	0	M8B2_STAT_CNT_5525	<u>5525</u>	M8B2-IM-AT-LOA-BB-NSN	INTEGER	(4,	0)
		0	M8B2_STAT_CNT_5526	<u>5526</u>	M8B2-IM-AT-LOA-ADD-NSN	INTEGER	(4,	0)
		0	M8B2_STAT_CNT_5527	<u>5527</u>	M8B2-IM-AT-LOA-DLT-NSN	INTEGER	(4,	0)
		0	M8B2_STAT_CNT_5528	<u>5528</u>	M8B2-IM-AT-LOA-EB-NSN	INTEGER	(4,	0)
		3	STAT_DEPT_0897	<u>0897</u>	STAT-DEPARTMENT	CHAR	(2,	0)
		4	STAT_ACTIVITY_0898	<u>0898</u>	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	<u>0899</u>	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	STAT_MANAGER_2506	<u>2506</u>	STAT-MANAGER	CHAR	(7,	0)
		5	STAT_LOA_3066	<u>3066</u>	STAT-LVL-AUTH-CD	CHAR	(2,	0)
		0	M8B3_STAT_CNT_5537	<u>5537</u>	M8B3-CLM-DP-LOA-BB-NSN	INTEGER	(4,	0)
		0	M8B3_STAT_CNT_5538	<u>5538</u>	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER	(4,	0)
571	MRSP_ALL_CL_DEPT	0	M8B3_STAT_CNT_5541	<u>5541</u>	M8B3-CLM-DP-LOA-DLT-NSN	INTEGER	(4,	0)
		0	M8B3_STAT_CNT_5542	<u>5542</u>	M8B3-CLM-DP-LOA-EB-NSN	INTEGER	(4,	0)
		0	M8B4_STAT_CNT_5551	<u>5551</u>	M8B4-CLM-AT-LOA-BB-NSN	INTEGER	(4,	0)
		0	M8B4_STAT_CNT_5552	<u>5552</u>	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER	(4,	0)
		0	M8B4_STAT_CNT_5553	<u>5553</u>	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER	(4,	0)
		0	M8B4_STAT_CNT_5554	<u>5554</u>	M8B4-CLM-AT-LOA-EB-NSN	INTEGER	(4,	0)
		2	STAT_DEPT_0897	<u>0897</u>	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	<u>0898</u>	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	<u>0899</u>	STATS-REQUEST-DATE	CHAR	(6,	0)
		4	STAT_LOA_3066	<u>3066</u>	STAT-LVL-AUTH-CD	CHAR	(2,	0)
		0	M8A1_STAT_CNT_5487	<u>5487</u>	M8A1-DP-LOA-BB-NSN	INTEGER	(4,	0)
0	M8A1_STAT_CNT_5488	<u>5488</u>	M8A1-DP-LOA-ADD-NSN	INTEGER	(4,	0)		
0	M8A1_STAT_CNT_5489	<u>5489</u>	M8A1-DP-LOA-DLT-NSN	INTEGER	(4,	0)		
0	M8A1_STAT_CNT_5490	<u>5490</u>	M8A1-DP-LOA-EB-NSN	INTEGER	(4,	0)		
0	M8C1_STAT_CNT_5499	<u>5499</u>	M8C1-DP-AT-LOA-BB-NSN	INTEGER	(4,	0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----					
						TYPE	LENGTH	DECIMAL			
572	MRSP_ALL_CL_ACTV	0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER	(4,	0)		
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER	(4,	0)		
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER	(4,	0)		
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7,	0)		
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2,	0)		
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)		
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)		
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER	(4,	0)		
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER	(4,	0)		
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER	(4,	0)		
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER	(4,	0)		
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER	(4,	0)		
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER	(4,	0)		
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER	(4,	0)		
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER	(4,	0)		
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER	(4,	0)		
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER	(4,	0)		
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER	(4,	0)		
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER	(4,	0)		
		573	MRSP_INDV_CL_TL	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
				5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
				1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
				2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
				3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
				0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER	(4,	0)
				0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER	(4,	0)
0	M8B5_STAT_CNT_5573			5573	M8B5-FSC-DP-DLT-NSN	INTEGER	(4,	0)		
0	M8B5_STAT_CNT_5574			5574	M8B5-FSC-DP-EB-NSN	INTEGER	(4,	0)		
0	M8B6_STAT_CNT_5583			5583	M8B6-FSC-AT-BB-NSN	INTEGER	(4,	0)		
0	M8B6_STAT_CNT_5584			5584	M8B6-FSC-AT-ADD-NSN	INTEGER	(4,	0)		
0	M8B6_STAT_CNT_5585			5585	M8B6-FSC-AT-DLT-NSN	INTEGER	(4,	0)		
0	M8B6_STAT_CNT_5586			5586	M8B6-FSC-AT-EB-NSN	INTEGER	(4,	0)		
574	MRSP_ASGN_INT_TL			2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
				3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
				1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	M8B1_STAT_CNT_5519	5519	M8B1-IM-DP-BB-NSN	INTEGER	(4,	0)		
		0	M8B1_STAT_CNT_5520	5520	M8B1-IM-DP-ADD-NSN	INTEGER	(4,	0)		
		0	M8B1_STAT_CNT_5521	5521	M8B1-IM-DP-DLT-NSN	INTEGER	(4,	0)		
		0	M8B1_STAT_CNT_5522	5522	M8B1-IM-DP-EB-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER	(4,	0)		
575	MRSP_ASGN_CL_TL	0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER	(4,	0)		
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER	(4,	0)		
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)		
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		0	M8B3_STAT_CNT_5545	5545	M8B3-CLM-DP-BB-NSN	INTEGER	(4, 0)
		0	M8B3_STAT_CNT_5546	5546	M8B3-CLM-DP-ADD-NSN	INTEGER	(4, 0)
		0	M8B3_STAT_CNT_5547	5547	M8B3-CLM-DP-DLT-NSN	INTEGER	(4, 0)
		0	M8B3_STAT_CNT_5548	5548	M8B3-CLM-DP-EB-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER	(4, 0)
576	MRSP_ALL_CL_D_TL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	M8A1_STAT_CNT_5493	5493	M8A1-DP-BB-NSN	INTEGER	(4, 0)
		0	M8A1_STAT_CNT_5494	5494	M8A1-DP-ADD-NSN	INTEGER	(4, 0)
		0	M8A1_STAT_CNT_5495	5495	M8A1-DP-DLT-NSN	INTEGER	(4, 0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER	(4, 0)
577	MRSP_ALL_CL_A_TL	6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER	(4, 0)
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER	(4, 0)
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER	(4, 0)
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER	(4, 0)
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER	(4, 0)
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER	(4, 0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER	(4, 0)
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER	(4, 0)
578	MGT_RSP_CHG_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	(4, 0)
		0	M8B5_STAT_CHG_5575	5575	M8B5-FSC-DP-NET-CHG	INTEGER	(4, 0)
		0	M8B5_STAT_PCT_5576	5576	M8B5-FSC-DP-PCT	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
579	DXRF_OVERNIGHT	0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR	(1,	0)
		0	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	(7,	0)
580	ERP_NIIN_ACT_IND	0	DEF_EXPLN_TX_2880	2880	DEF-EXPLN-TX	VARCHAR	(255,	0)
		1	NIIN_ACTN_IND_3979	3979	NIIN-ACTN-IND-CD	CHAR	(1,	0)
581	ERP_OUTPUT_ACT_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	AR_RPL_ACT_CD_2873	2873	AR-RPLM-ACTY-CD	CHAR	(4,	0)
		0	NV_RPL_ACT_CD_2874	2874	NVY-RPLM-ACTY-CD	CHAR	(4,	0)
		0	AF_RPL_ACT_CD_2875	2875	AF-RPLM-ACTY-CD	CHAR	(4,	0)
		0	K_DIC_OP_IND_2888	2888	K-DIC-OP-IND-CD	CHAR	(1,	0)
582	ERP_DATA_ELEM_FLTR	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	DRN_INTR_ID_2885	2885	DRN-OP-INTR-ID	CHAR	(4,	0)
583	ERP_PHRS_CD_INTRST	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1,	0)
		0	SICA_OP_IND_2881	2881	SICA-OP-IND-CD	CHAR	(1,	0)
		0	PICA_OP_IND_2882	2882	PICA-OP-IND-CD	CHAR	(1,	0)
		0	KIP_OP_IND_2883	2883	KIP-OP-IND-CD	CHAR	(1,	0)
		0	KIM_OP_IND_2884	2884	KIM-OP-IND-CD	CHAR	(1,	0)
584	ERP_REF_NBR_OUTPUT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	GOV_CAGE_INCL_2878	2878	GOVT-CAGE-INCL-CD	CHAR	(1,	0)
		2	RNCC_2910	2910	RNCC	CHAR	(1,	0)
		3	RNVC_4780	4780	RNVC	CHAR	(1,	0)
585	ERP_CHANGE	1	ERP_CHNG_IND_2879	2879	ERP-CHNG-IND-CD	CHAR	(4,	0)
		0	DEF_EXPLN_TX_2880	2880	DEF-EXPLN-TX	VARCHAR	(255,	0)
586	ERP_DIST_HOLD	1	DB2_PART_QY_2886	2886	DB2-PARTITION-QY	SMALLINT	(2,	0)
		0	ERP_MSG_TX_2887	2887	ERP-MSG-TX	VARCHAR	(22000,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
587	ERP_DIST_CNTL	0	DB2_PART_QY_2886	2886	DB2-PARTITION-QY	SMALLINT	(2,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(4,	0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(4,	0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP	(10,	0)
		0	FILE_REC_MIN_9242	9242	FILE-REC-MIN-QY	INTEGER	(4,	0)
		0	FILE_CHAR_MIN_9243	9243	FILE-CHAR-MIN-QY	INTEGER	(4,	0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
588	ERP_ACTY	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	SVC_COMMD_LVL_9303	9303	SVC-CMMD-LVL-ACRNM-ID	CHAR	(6,	0)
590	LMP_NIIN	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
591	FC_FSC_NOTE_DAT_GP	3	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)
		0	FSC_INCL_NAR_0375	0375	FSC-INCL-NAR	VARCHAR	(1978,	0)
		0	FSC_EXCL_NAR_0376	0376	FSC-EXCL-NAR	VARCHAR	(1978,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	FSC_NOTE_4962	4962	FSC-NOTE	VARCHAR	(1978,	0)
		0	FSC_TI_4970	4970	FSC-TI	VARCHAR	(1978,	0)
592	FC_COLLOQ_XREF	0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	(4,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----					
						TYPE	LENGTH	DECIMAL			
593	FC_NAMES_BY_TYP	2	REL_INC_2926	2926	REL-INC	CHAR	(5,	0)		
		0	APPLB_KEY_CD_0103	0103	APPLB-KEY-CD-FIIG	CHAR	(3,	0)		
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)		
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)		
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19,	0)		
		1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)		
		0	NM_PREFIX_2516	2516	NM-PREFIX	CHAR	(10,	0)		
		0	NM_ROOT_RMDR_2517	2517	NM-ROOT-RMDR	VARCHAR	(1743,	0)		
		0	FSC_COND_CD_2607	2607	FSC-COND-CD	CHAR	(1,	0)		
		0	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR	(1,	0)		
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)		
		0	CONCEPT_NBR_4488	4488	CONCEPT-NBR	CHAR	(1,	0)		
		0	ITM_NM_DEF_5015	5015	ITM-NM-DEF-DLIM	VARCHAR	(1762,	0)		
		594	FC_NM_CD_FSC_XREF	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-FLIS	INTEGER	(4,	0)
				0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
1	NM_CD_2303			2303	NM-CD	CHAR	(5,	0)		
2	FSG_3994			3994	ASGND-FSG	CHAR	(2,	0)		
3	FSC_WI_FSG_3996			3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)		
595	FC_FSG_NOTE_DAT_GP	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR	(1762,	0)		
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1,	0)		
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)		
		0	FSG_NOTE_4965	4965	FSG-NOTE	VARCHAR	(1978,	0)		
		0	FSG_TI_4972	4972	FSG-TI	VARCHAR	(1978,	0)		
596	LSN_ITM_DATA	0	FSG_DT_E_C_RC_5183	5183	FSG-DT-ESB-CANC-RCD-DIDS	INTEGER	(4,	0)		
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1,	0)		
		0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR	(1,	0)		
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR	(1,	0)		
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19,	0)		
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)		
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)		
		2	LSN_SER_NBR_4481	4481	LSN-SER-NBR-ID	CHAR	(7,	0)		
		0	LSN_STAT_CD_4482	4482	LSN-STAT-CD	CHAR	(1,	0)		
		1	LSN_PRMNCY_CD_4483	4483	LSN-PRMNCY-CD	CHAR	(2,	0)		
		0	LSN_ASGMT_DT_4484	4484	LSN-ASGMT-JUL-DT	INTEGER	(4,	0)		
		0	RPDMRC_4765	4765	RPDMRC	CHAR	(1,	0)		
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR	(1,	0)		
597	LSN_MOE_RULE_DATA	0	NIMSC_0076	0076	NIMSC	CHAR	(1,	0)		
		0	DSOR_0903	0903	DSOR	CHAR	(2,	0)		
		0	IMC_2744	2744	IMC	CHAR	(1,	0)		
		0	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(1,	0)		
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(1,	0)		
		2	LSN_SER_NBR_4481	4481	LSN-SER-NBR-ID	CHAR	(7,	0)		
		1	LSN_PRMNCY_CD_4483	4483	LSN-PRMNCY-CD	CHAR	(2,	0)		
		0	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)		
		598	LSN_REF_NBR_DATA	0	DAC_2640	2640	DAC	CHAR	(1,	0)
0	RNJC_2750			2750	RNJC	CHAR	(1,	0)		
0	RNCC_2910			2910	RNCC	CHAR	(1,	0)		
0	REF_NBR_3570			3570	REF-NBR-LOG	CHAR	(32,	0)		
2	LSN_SER_NBR_4481			4481	LSN-SER-NBR-ID	CHAR	(7,	0)		
1	LSN_PRMNCY_CD_4483			4483	LSN-PRMNCY-CD	CHAR	(2,	0)		
0	RNVC_4780			4780	RNVC	CHAR	(1,	0)		
0	CAGE_CD_9250			9250	CAGE-CD	CHAR	(5,	0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
599	LSN_CMD_DATA	0	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	(1, 0)		
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	(1, 0)		
		0	JTC_0792	0792	I-S-JTC	CHAR	(3, 0)		
		0	OOU_0793	0793	I-S-OOU-CD	CHAR	(3, 0)		
		0	GNC_MSTR_NSN_0796	0796	GNC-MSTR-NSN	CHAR	(13, 0)		
		0	MSTR_NSN_0797	0797	MSTR-NSN	CHAR	(13, 0)		
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)		
		0	AAC_2507	2507	ACQ-AD-CD	CHAR	(1, 0)		
		0	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)		
		0	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1, 0)		
		0	CIIC_2863	2863	CIIC	CHAR	(1, 0)		
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	(1, 0)		
		0	REL_NSN_2895	2895	REL-NSN	CHAR	(13, 0)		
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR	(1, 0)		
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	(1, 0)		
		0	UI_3050	3050	UI	CHAR	(2, 0)		
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	(1, 0)		
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	(1, 0)		
		0	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)		
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	(1, 0)		
		2	LSN_SER_NBR_4481	4481	LSN-SER-NBR-ID	CHAR	(7, 0)		
		1	LSN_PRMNCY_CD_4483	4483	LSN-PRMNCY-CD	CHAR	(2, 0)		
		0	QUP_6106	6106	QUP-CD	CHAR	(1, 0)		
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL	(11, 2)		
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(1, 0)		
		600	TRANS_ACTIVE_MAST	0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(1, 0)
				0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	(2, 0)
				0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(2, 0)
				0	NATO_PIC_9186	9186	NATO-PIC	CHAR	(1, 0)
				0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	(1, 0)
				1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
0	TRANS_REF_KEY_9438			9438	TRANS-REF-KEY	CHAR	(37, 0)		
601	TRANS_ACTIVE_STATS	0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP	(10, 0)		
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTAMP	(10, 0)		
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	(2, 0)		
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTAMP	(10, 0)		
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP	(10, 0)		
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTAMP	(10, 0)		
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP	(10, 0)		
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTAMP	(10, 0)		
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR	(18, 0)		
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)		
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	(17, 0)		
602	TRANS_ACTIVE_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)		
		0	FSC_3990	3990	ASGND-FSC	CHAR	(4, 0)		
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	(9, 0)		
		0	RECDV_STAMP_9204	9204	RECDV-STAMP	TIMESTAMP	(10, 0)		
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)		
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	(4, 0)		
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)		
603	TM_TAPE_LOG	0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)		
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	(4,	0)
		2	TAPE_LOG_IP_9226	9226	TM-TAPE-LOG-IP-TM	TIMESTMP	(10,	0)
		0	TAPE_VOL_SER_9227	9227	TM-TAPE-VOL-SER-NBR-ID	CHAR	(8,	0)
		0	TAPE_IP_TM_9228	9228	TM-TAPE-IP-TM	TIMESTMP	(10,	0)
		0	MULT_MED_TRAN_9483	9483	TM-MULT-MED-TRAN-QTY	INTEGER	(4,	0)
		0	IP_DS_NM_9736	9736	TM-IP-DS-NM	CHAR	(38,	0)
		0	DS_REJ_FLG_9737	9737	TM-DS-REJ-FLG-ID	CHAR	(2,	0)
		0	STAT_IP_DS_9738	9738	TM-STAT-IP-DS-ID	CHAR	(4,	0)
		0	DS_CT_9739	9739	TM-DS-CT-QY	SMALLINT	(2,	0)
		0	DIC_IP_DS_CT_9740	9740	TM-DIC-IP-DS-CT-QY	VARCHAR	(1600,	0)
		0	PRE_EDIT_NM_9742	9742	TM-PRE-EDIT-DS-NM	CHAR	(38,	0)
604	TM_TRACKING_LOG	0	DIC_OP_1052	1052	DIC-OP	CHAR	(3,	0)
		1	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	(17,	0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(2,	0)
		0	MEDALS_FLG_9216	9216	TM-MEDALS-FLG	CHAR	(1,	0)
		0	ACTY_OP_9217	9217	TM-ACTY-OP	VARCHAR	(20,	0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	(15,	0)
		0	OP_TRK_9222	9222	TM-OP-TRK-ID	CHAR	(15,	0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	(4,	0)
		0	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER	(4,	0)
		0	TRAN_PROC_FLG_9229	9229	TM-TRAN-PROC-FLG-ID	CHAR	(1,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		0	TRANS_TS_STAT_9446	9446	TM-TRANS-TS-STAT-CD	CHAR	(2,	0)
605	LFU_ARCHIVE_BUILD	0	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER	(4,	0)
		0	LFU_PROC_STAT_9230	9230	LFU-PROC-STAT-CD	CHAR	(2,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		0	LFU_TRANS_KEY_9445	9445	LFU-TRANS-KEY	CHAR	(21,	0)
606	COMM_DATA_BATCH	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	(12,	0)
		0	TM_BATCH_NBR_9424	9424	TM-BATCH-NBR	SMALLINT	(2,	0)
607	NATO_SEG_OUT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	OP_SEG_V_ID_4438	4438	OP-FLIS-SEG-V-ID	CHAR	(1,	0)
608	PASSTHRU_STATS	0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	UPDT_PRC_TIME_3323	3323	LOLA-UPDT-PRCS-D-TIME	CHAR	(12,	0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	(7,	0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	(4,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
609	TRANS_ACTIVE_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	(1127,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
610	CRS_DIST_HOLD	2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		0	CRS_MSG_TX_4516	4516	CRS-MSG-TX	VARCHAR	(22000,	0)
		1	CRS_DB2_PART_4517	4517	CRS-DB2-PARTITION-QY	SMALLINT	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
611	NAIN_POP_DATA_DTL	0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
612	MADS_DIST_HOLD	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		5	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	(19,	0)
		0	POP_STAT_CNT_6731	6731	POP-NAIN-FSC-AC	INTEGER	(4,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
613	TM_TRANS_COUNT	1	MADS_DB2_PART_9241	9241	MADS-DB2-PARTITION-QY	SMALLINT	(2,	0)
		0	AUTODIN_MSG_9310	9310	AUTODIN-MSG	VARCHAR	(22000,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
614	TM_TRANS_HOLD	4	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	(15,	0)
		3	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	(4,	0)
		0	DFLT_RELE_TDQ_9500	9500	DFLT-RELE-TDQ-ID	CHAR	(4,	0)
		0	HELD_CNT_9501	9501	TM-HELD-CNT-QY	INTEGER	(4,	0)
		0	RELED_CNT_9502	9502	TM-RELED-CNT-QY	INTEGER	(4,	0)
615	TM_ACTIVITY_OP	2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		4	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	(15,	0)
		3	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	(4,	0)
616	TM_RELEASED_KEYS	0	RELE_DATA_9503	9503	TM-RELE-DATA	CHAR	(70,	0)
		0	REORG_FLAG_9504	9504	REORG-STATUS-FLAG-ID	CHAR	(1,	0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(1,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	(12,	0)
		0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(4,	0)
617	TM_RECOVERY	0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(4,	0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	(15,	0)
618	TM_SYSID_COMMRI	0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	(4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		0	RELE_DATA_9503	9503	TM-RELE-DATA	CHAR	(70,	0)
		0	REORG_FLAG_9504	9504	REORG-STATUS-FLAG-ID	CHAR	(1,	0)
		2	PGM_ID_1108	1108	PGM-ID	CHAR	(8,	0)
618	TM_SYSID_COMMRI	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP	(10,	0)
		1	JCL_JOB_NM_9507	9507	JCL-JOB-CRD-NM	CHAR	(8,	0)
		0	TM_JOB_STAT_9508	9508	TM-JOB-STAT-CD	CHAR	(1,	0)
		0	TM_COMMIT_RT_9509	9509	TM-COMMIT-CKPNT-RT	SMALLINT	(2,	0)
		0	TM_CKPNT_WS_9510	9510	TM-RESTR-CKPNT-WS-FLD	VARCHAR	(1024,	0)
		0	TM_CKPNT_CT_1_9511	9511	TM-RESTR-CKPNT-CTR-1-QY	INTEGER	(4,	0)
		0	TM_CKPNT_CT_2_9512	9512	TM-RESTR-CKPNT-CTR-2-QY	INTEGER	(4,	0)
		0	TM_CKPNT_CT_3_9513	9513	TM-RESTR-CKPNT-CTR-3-QY	INTEGER	(4,	0)
		0	TM_CKPNT_CT_4_9514	9514	TM-RESTR-CKPNT-CTR-4-QY	INTEGER	(4,	0)
618	TM_SYSID_COMMRI	1	SNA_REMOT_ID_3054	3054	SNA-REMOT-SYS-ID	CHAR	(4,	0)
		2	COMM_RI_9142	9142	COMM-RI	CHAR	(7,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
619	TM_SYSID_MSG	0	ROW_HLD_FLG_9191	9191	ROW-HLD-FLG-ID	CHAR	(1, 0)
		1	SNA_REMOT_ID_3054	3054	SNA-REMOT-SYS-ID	CHAR	(4, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	(4, 0)
		0	MSG_TX_9389	9389	TM-MSG-TX	VARCHAR	(22000, 0)
620	LOLA_INQ_DEPT	3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		0	LRN_STAT_CNT_1137	1137	LRN-RNL-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1158	1158	LRN-P-RNL-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1178	1178	LRN-NM-NIIN-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1198	1198	LRN-CHS-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1672	1672	LRN-NIIN-INQ-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1734	1734	LRN-COMB-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_2429	2429	LRN-DEPT-DLY-TOT	INTEGER	(4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(1, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_5983	5983	LRN-C-NIIN-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_6183	6183	LRN-C-RNL-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_6207	6207	LRN-C-P-RNL-DEPT-DLY	INTEGER	(4, 0)
0	LRN_STAT_CNT_6860	6860	LRN-FSG-FSC-ITM-NM-DPT-D	INTEGER	(4, 0)		
0	LRN_STAT_CNT_8237	8237	LRN-PROC-DEPT-DLY	INTEGER	(4, 0)		
621	LOLA_INQ_ALL_DEPT	0	LRN_STAT_CNT_1121	1121	LRN-NIIN-INQ-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1142	1142	LRN-RNL-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1163	1163	LRN-P-RNL-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1183	1183	LRN-NM-NIIN-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1203	1203	LRN-CHS-TOT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1657	1657	LRN-C-P-RNL-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_1739	1739	LRN-COMB-TOT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_2422	2422	LRN-GRD-TOT-DLY-TOT	INTEGER	(4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(1, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(4, 0)
		0	LRN_STAT_CNT_5989	5989	LRN-C-NIIN-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_6189	6189	LRN-C-RNL-DLY-TOT	INTEGER	(4, 0)
		0	LRN_STAT_CNT_6865	6865	LRN-FSG-FSC-ITM-NM-TOT-D	INTEGER	(4, 0)
		0	LRN_STAT_CNT_8242	8242	LRN-PROC-TOT-DLY	INTEGER	(4, 0)
624	DIC_OTHER_OUTPUT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	DOC_ID_CD_CT_1997	1997	DOC-ID-CD-CT	INTEGER	(4, 0)
632	CRS_DIST_CNTL	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	CRS_DB2_PART_4517	4517	CRS-DB2-PARTITION-QY	SMALLINT	(2, 0)
		0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(4, 0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(4, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP	(10, 0)
		0	FILE_REC_MIN_9242	9242	FILE-REC-MIN-QY	INTEGER	(4, 0)
		0	FILE_CHAR_MIN_9243	9243	FILE-CHAR-MIN-QY	INTEGER	(4, 0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4, 0)
633	BSM_NIINS	0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(1, 0)
		0	CMDTY_MMC- _FUT_2612	2612	CMDTY-MAT-MGMT-CD-FUT	CHAR	(1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL				
646	TIIM_INDV_CL_TL	0	FUT_MMC_EF_DT_2613	2613	FUT-MAT-MGMT-CD-EFF-DT	INTEGER	(4, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)		
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)		
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)		
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)		
		0	M6B5_STAT_CNT_7962	7962	M6B5-FSC-DP-T1-NSN	INTEGER	(4, 0)		
		0	M6B5_STAT_CNT_7963	7963	M6B5-FSC-DP-T1A-NSN	INTEGER	(4, 0)		
		0	M6B5_STAT_CNT_7964	7964	M6B5-FSC-DP-T1B-NSN	INTEGER	(4, 0)		
		0	M6B5_STAT_CNT_7965	7965	M6B5-FSC-DP-T4-NSN	INTEGER	(4, 0)		
		0	M6B5_STAT_CNT_7966	7966	M6B5-FSC-DP-T4A-NSN	INTEGER	(4, 0)		
		0	M6B5_STAT_CNT_7967	7967	M6B5-FSC-DP-T4B-NSN	INTEGER	(4, 0)		
		0	M6B5_STAT_CNT_7968	7968	M6B5-FSC-DP-T2-NSN	INTEGER	(4, 0)		
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER	(4, 0)		
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER	(4, 0)		
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER	(4, 0)		
		648	TIIM_ASGN_INT_MGR	0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER	(4, 0)
				0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER	(4, 0)
0	M6B6_STAT_CNT_8204			8204	M6B6-FSC-AT-T4B-NSN	INTEGER	(4, 0)		
0	M6B6_STAT_CNT_8205			8205	M6B6-FSC-AT-T2-NSN	INTEGER	(4, 0)		
2	STAT_DEPT_0897			0897	STAT-DEPARTMENT	CHAR	(2, 0)		
3	STAT_ACTIVITY_0898			0898	STAT-ACTIVITY	CHAR	(2, 0)		
1	STAT_REQ_DATE_0899			0899	STATS-REQUEST-DATE	CHAR	(6, 0)		
4	STAT_LOA_3066			3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)		
0	M6B1_STAT_CNT_7873			7873	M6B1-IM-DP-LOA-T1-NSN	INTEGER	(4, 0)		
0	M6B1_STAT_CNT_7874			7874	M6B1-IM-DP-LOA-T1A-NSN	INTEGER	(4, 0)		
0	M6B1_STAT_CNT_7875			7875	M6B1-IM-DP-LOA-T1B-NSN	INTEGER	(4, 0)		
0	M6B1_STAT_CNT_7876			7876	M6B1-IM-DP-LOA-T4-NSN	INTEGER	(4, 0)		
0	M6B1_STAT_CNT_7877			7877	M6B1-IM-DP-LOA-T4A-NSN	INTEGER	(4, 0)		
0	M6B1_STAT_CNT_7878			7878	M6B1-IM-DP-LOA-T4B-NSN	INTEGER	(4, 0)		
0	M6B1_STAT_CNT_7879			7879	M6B1-IM-DP-LOA-T2-NSN	INTEGER	(4, 0)		
0	M6B2_STAT_CNT_7912			7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	(4, 0)		
0	M6B2_STAT_CNT_7913			7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	(4, 0)		
0	M6B2_STAT_CNT_7914			7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	(4, 0)		
0	M6B2_STAT_CNT_7915			7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	(4, 0)		
650	TIIM_ASGN_INT_TL			0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	(4, 0)		
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	(4, 0)		
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)		
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)		
		0	M6B1_STAT_CNT_7883	7883	M6B1-IM-DP-T1-NSN	INTEGER	(4, 0)		
		0	M6B1_STAT_CNT_7884	7884	M6B1-IM-DP-T1A-NSN	INTEGER	(4, 0)		
		0	M6B1_STAT_CNT_7885	7885	M6B1-IM-DP-T1B-NSN	INTEGER	(4, 0)		
		0	M6B1_STAT_CNT_7886	7886	M6B1-IM-DP-T4-NSN	INTEGER	(4, 0)		
		0	M6B1_STAT_CNT_7887	7887	M6B1-IM-DP-T4A-NSN	INTEGER	(4, 0)		
		0	M6B1_STAT_CNT_7888	7888	M6B1-IM-DP-T4B-NSN	INTEGER	(4, 0)		
		0	M6B1_STAT_CNT_7889	7889	M6B1-IM-DP-T2-NSN	INTEGER	(4, 0)		
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	(4, 0)		
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER	(4, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER	(4, 0)
652	TIIM_ASGN_CL_MGR	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)
		0	M6B3_STAT_CNT_7893	7893	M6B3-CLM-DP-LOA-T1-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7894	7894	M6B3-CLM-DP-LOA-T1A-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7895	7895	M6B3-CLM-DP-LOA-T1B-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7896	7896	M6B3-CLM-DP-LOA-T4-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7897	7897	M6B3-CLM-DP-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7898	7898	M6B3-CLM-DP-LOA-T4B-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7899	7899	M6B3-CLM-DP-LOA-T2-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	(4, 0)
654	TIIM_ASGN_CL_TL	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		0	M6B3_STAT_CNT_7902	7902	M6B3-CLM-DP-T1-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7903	7903	M6B3-CLM-DP-T1A-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7904	7904	M6B3-CLM-DP-T1B-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7905	7905	M6B3-CLM-DP-T4-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7906	7906	M6B3-CLM-DP-T4A-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7907	7907	M6B3-CLM-DP-T4B-NSN	INTEGER	(4, 0)
		0	M6B3_STAT_CNT_7908	7908	M6B3-CLM-DP-T2-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER	(4, 0)
656	TIIM_ALL_CL_DEPT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)
		0	M6A1_STAT_CNT_7832	7832	M6A1-DP-LOA-T1-NSN	INTEGER	(4, 0)
		0	M6A1_STAT_CNT_7833	7833	M6A1-DP-LOA-T1A-NSN	INTEGER	(4, 0)
		0	M6A1_STAT_CNT_7834	7834	M6A1-DP-LOA-T1B-NSN	INTEGER	(4, 0)
		0	M6A1_STAT_CNT_7835	7835	M6A1-DP-LOA-T4-NSN	INTEGER	(4, 0)
		0	M6A1_STAT_CNT_7836	7836	M6A1-DP-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6A1_STAT_CNT_7837	7837	M6A1-DP-LOA-T4B-NSN	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	M6A1_STAT_CNT_7838	7838	M6A1-DP-LOA-T2-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER (4, 0)
658	TIIM_ALL_CL_D_TL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		0	M6A1_STAT_CNT_7842	7842	M6A1-DP-T1-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7843	7843	M6A1-DP-T1A-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7844	7844	M6A1-DP-T1B-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7845	7845	M6A1-DP-T4-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7846	7846	M6A1-DP-T4A-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7847	7847	M6A1-DP-T4B-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7848	7848	M6A1-DP-T2-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER (4, 0)
660	TIIM_ALL_CL_ACTV	2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	(4, 0)
662	TIIM_ALL_CL_A_TL	6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	(4, 0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	(4, 0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	(4, 0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	(4, 0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	(4, 0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	(4, 0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER	(4, 0)
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER	(4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER	(4, 0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER	(4, 0)
665	BSM_DIST_CNTL	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		0	BSM_DB2_PART_4510	4510	BSM-DB2-PARTITION-QY	SMALLINT	(2, 0)
		0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(4, 0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(4, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP	(10, 0)
		0	FILE_REC_MIN_9242	9242	FILE-REC-MIN-QY	INTEGER	(4, 0)
		0	FILE_CHAR_MIN_9243	9243	FILE-CHAR-MIN-QY	INTEGER	(4, 0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4, 0)
666	MADS_DIST_CNTL	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(4, 0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP	(10,	0)
		0	MADS_DB2_PART_9241	9241	MADS-DB2-PARTITION-QY	SMALLINT	(2,	0)
		0	FILE_REC_MIN_9242	9242	FILE-REC-MIN-QY	INTEGER	(4,	0)
		0	FILE_CHAR_MIN_9243	9243	FILE-CHAR-MIN-QY	INTEGER	(4,	0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
667	BSM_DIST_HOLD	2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		0	BSM_MSG_TX_4509	4509	BSM-MSG-TX	VARCHAR	(22000,	0)
		1	BSM_DB2_PART_4510	4510	BSM-DB2-PARTITION-QY	SMALLINT	(2,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
669	MOE_RULE_XREF	1	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR	(4,	0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
671	PACS_ADRS_NM_LINES	0	ADRS_NM_C_TXT_1086	1086	ADRS-NM-CLR-TXT	CHAR	(36,	0)
		2	ADRS_NM_LN_NO_1087	1087	ADRS-NM-LN-NO	CHAR	(2,	0)
		1	NSCM_4140	4140	NATO-NSCM-CD	CHAR	(5,	0)
674	PACS_ADDRESS	0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	(36,	0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	(36,	0)
		0	CITY_1084	1084	CITY	CHAR	(36,	0)
		0	POBOX_1361	1361	POBOX	CHAR	(36,	0)
		0	POS_ZONE_2549	2549	POS-ZONE	CHAR	(10,	0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1,	0)
		0	CNTRY_CD_3408	3408	CNTRY-CD	CHAR	(3,	0)
		0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR	(5,	0)
		1	NSCM_4140	4140	NATO-NSCM-CD	CHAR	(5,	0)
		0	CAGE_TYP_CD_4238	4238	CAGE-NCAGE-TYP-CD	CHAR	(1,	0)
		0	OTH_STA_PRVNC_8978	8978	OTH-STA-PRVNC-NM	CHAR	(36,	0)
675	PACS_PHONE	2	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	(1,	0)
		0	TEL_NBR_1359	1359	TEL-NBR	CHAR	(20,	0)
		1	NSCM_4140	4140	NATO-NSCM-CD	CHAR	(5,	0)
678	FCS_Q_S_REF	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	FCS_STAT_CNT_6886	6886	FCS-REF-SDP-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6887	6887	FCS-REF-SDP-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6888	6888	FCS-REF-SDP-TII-4-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8162	8162	FCS-REF-SAC-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8163	8163	FCS-REF-SAC-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8164	8164	FCS-REF-SAC-TII-4-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8170	8170	FCS-C-REF-SAC-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8171	8171	FCS-C-REF-SAC-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8172	8172	FCS-C-REF-SAC-TII-4-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8173	8173	FCS-C-REF-SDP-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8174	8174	FCS-C-REF-SDP-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_8175	8175	FCS-C-REF-SDP-TII-4-NSN	INTEGER	(4,	0)
682	FCS_Q_S_AIN	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	FCS_STAT_CNT_6428	6428	FCS-AIN-SAC-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6431	6431	FCS-AIN-SAC-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6432	6432	FCS-AIN-SAC-TII-4-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6438	6438	FCS-C-AIN-SAC-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6439	6439	FCS-C-AIN-SAC-TII-2-NSN	INTEGER	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	FCS_STAT_CNT_6440	6440	FCS-C-AIN-SAC-TII-4-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6445	6445	FCS-AIN-SDP-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6446	6446	FCS-AIN-SDP-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6447	6447	FCS-AIN-SDP-TII-4-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6453	6453	FCS-C-AIN-SDP-TII-1-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6454	6454	FCS-C-AIN-SDP-TII-2-NSN	INTEGER	(4,	0)
		0	FCS_STAT_CNT_6455	6455	FCS-C-AIN-SDP-TII-4-NSN	INTEGER	(4,	0)
684	NATO_IDENT	0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19,	0)
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	INC_4080	4080	INC	CHAR	(5,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	NATO_RPLM_NSN_8971	8971	NATO-RPLM-NSN-CANCL-ID	CHAR	(16,	0)
685	NATO_CAGE	0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1,	0)
		1	NSCM_4140	4140	NATO-NSCM-CD	CHAR	(5,	0)
		0	NATO_MFR_NM_8972	8972	NATO-MFR-NM	CHAR	(195,	0)
		0	NATO_MFR_ADRS_8973	8973	NATO-MFR-ADRS-TX	CHAR	(156,	0)
		0	NATO_MFR_TEL_8974	8974	NATO-MFR-TEL-NBR-ID	CHAR	(38,	0)
		0	NATO_MFR_FAX_8975	8975	NATO-MFR-FAX-NBR-ID	CHAR	(38,	0)
686	NATO_NIIN_REF	0	RNJC_2750	2750	RNJC	CHAR	(1,	0)
		0	RNAAC_2900	2900	RNAAC	CHAR	(2,	0)
		0	RNCC_2910	2910	RNCC	CHAR	(1,	0)
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	(1,	0)
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	(1,	0)
		3	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	RNVC_4780	4780	RNVC	CHAR	(1,	0)
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
687	NATO_MOE_RULE	1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
688	NATO_CHAR	0	MRC_CLR_TXT_R_0113	0113	MRC-CLRTXT-RPLY-FLD	VARCHAR	(999,	0)
		0	MRC_3445	3445	MRC	CHAR	(4,	0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	(110,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
689	NCAGE_PFX_SFX_C_BR	2	NCG_SFX_CD_BR_5267	5267		CHAR	(1,	0)
		0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	(1,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		1	NCG_PFX_CD_BR_4180	4180	NCAGE-PFX-CDFN-BUR-CD	CHAR	(1,	0)
		0	NCG_CD_BR_NOT_5265	5265	NCAGE-CDFN-BUR-CD-NOT	CHAR	(1,	0)
		0	NCG_CD_BR_EXP_5266	5266	NCAGE-CDFN-BUR-CD-EXP	CHAR	(30,	0)
690	ITEM_NAME_DEPT_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	IN_STAT_CNT_6691	6691	IN-DP-AIN-NSN	INTEGER	(4,	0)
		0	IN_STAT_CNT_6692	6692	IN-DP-NAIN-NSN	INTEGER	(4,	0)
		0	IN_STAT_CNT_6699	6699	IN-DP-AIN-NR-NSN	INTEGER	(4,	0)
		0	IN_STAT_CNT_6700	6700	IN-DP-NAIN-NR-NSN	INTEGER	(4,	0)
692	COMALTY_SDOD_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	ICDS_STAT_CNT_5827	5827	ICDS-FSC-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5829	5829	ICDS-FSC-ALL-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5831	5831	ICDS-FSC-ALL-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5833	5833	ICDS-FSC-ALL-OD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5843	5843	ICDS-IM-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5860	5860	ICDS-IM-ALL-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5905	5905	ICDS-IM-ALL-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5907	5907	ICDS-IM-ALL-OD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5917	5917	ICDS-LA-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5919	5919	ICDS-LA-ALL-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5921	5921	ICDS-LA-ALL-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5923	5923	ICDS-LA-ALL-OD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5933	5933	ICDS-LA-FSC-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5935	5935	ICDS-LA-FSC-ALL-MS-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5937	5937	ICDS-LA-FSC-ALL-IM-MM	INTEGER	(4, 0)
		0	ICDS_STAT_CNT_5939	5939	ICDS-LA-FSC-ALL-OD-MM	INTEGER	(4, 0)
694	COMALTY_M_S_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	ICWS_STAT_CNT_5755	5755	ICWS-ALL-MNGD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5757	5757	ICWS-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5759	5759	ICWS-ALL-CI-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5761	5761	ICWS-ALL-OGOV-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5763	5763	ICWS-IM-ALL-MNGD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5765	5765	ICWS-IM-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5767	5767	ICWS-IM-ALL-CI-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5769	5769	ICWS-IM-ALL-OGOV-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5771	5771	ICWS-LA-ALL-MNGD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5773	5773	ICWS-LA-ALL-DOD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5775	5775	ICWS-LA-ALL-CI-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5777	5777	ICWS-LA-ALL-OGOV-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5807	5807	ICWS-LA-FSC-MNGD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5809	5809	ICWS-LA-FSC-DOD-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5811	5811	ICWS-LA-FSC-CI-MM	INTEGER	(4, 0)
		0	ICWS_STAT_CNT_5813	5813	ICWS-LA-FSC-OGOV-MM	INTEGER	(4, 0)
696	NAIN_POP_TOT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	POP_STAT_CNT_6732	6732	POP-NAIN-FSC-ALL-INAC	INTEGER	(4, 0)
		0	POP_STAT_CNT_6733	6733	POP-NAIN-FSC-ALL-MG	INTEGER	(4, 0)
698	STAT_DEPT_NME_CD	1	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		0	STAT_DEPT_NM_9704	9704	STAT-DEPT-NAME	CHAR	(7, 0)
699	IDS_AUTO_QA	0	OP_PROD_EXTR_2672	2672	OP-PROD-EXTR-QY	INTEGER	(4, 0)
		0	CNFDNC_LVL_RT_2673	2673	CNFDNC-LVL-RT	CHAR	(2, 0)
		0	ERR_RT_2674	2674	ERR-RT	CHAR	(2, 0)
		0	SMPL_SZ_QY_2675	2675	SMPL-SZ-QY	SMALLINT	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
700	CAGE_AFFL_CODES	0	TYP_CAGE_AFFL_0250	0250	TYPE-CAGE-NCAGE-AFFL-CD	CHAR	(1, 0)
		0	CAGE_AFFL_DEF_3366	3366	DEF	CHAR	(50, 0)
701	COUNTRY_CODES	2	CNTRY_1085	1085	CNTRY	CHAR	(36, 0)
		1	CNTRY_CD_3408	3408	CNTRY-CD	CHAR	(3, 0)
702	TEL_TYP_CODES	0	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	(1, 0)
		0	TEL_TYP_DEF_3413	3413	TEL-NBR-TYP-CD-DEF	CHAR	(20, 0)
703	TYP_OF_BUS_CODES	0	TYP_BUS_CD_1366	1366	TYP-OF-BUS-CD	CHAR	(1, 0)
		0	TYP_BUS_DEF_3369	3369	TYP-OF-BUS-DEF	CHAR	(50, 0)
704	PRIM_BUS_CODES	0	PR_BUS_CAT_CD_1365	1365	PRIM-BUS-CTGY-CD	CHAR	(1, 0)
		0	BUS_CAT_DEF_3368	3368	PRIM-BUS-CAT-DEF	CHAR	(50, 0)
705	SIZE_OF_BUS_CODES	0	SZ_OF_BUS_CD_1364	1364	SZ-OF-BUS-CD	CHAR	(1, 0)
		0	SZ_OF_BUS_DEF_3367	3367	SZ-OF-BUS-CD-DEF	CHAR	(50, 0)
710	ADP_CAO_TO_BATCH	0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR	(1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	DE_IMG_BEF.CG_1376	1376	DATA-ELE-IMG-BEF-CHNG	CHAR	(36, 0)
		0	DE_IMG_AFT.CG_1377	1377	DATA-ELE-IMG-AFT-CHNG	CHAR	(36, 0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	(10, 0)
711	HCC_TABLE	0	RESTRT_COMMIT_9515	9515	RESTART-COMMIT-ID	CHAR	(8, 0)
		1	HCC_2579	2579	HZRD-CHAR-CD	CHAR	(2, 0)
		0	HCC_ABRV_DEF_9077	9077	HCC-ABRV-DEF-TX	CHAR	(40, 0)
712	DEMIL_AUTOMATION	0	HCC_GP_9079	9079	HCC-GP-TX	CHAR	(60, 0)
		0	DEMIL_SP_PROJ_0136	0136	DEMIL-SP-PROJ-ID	CHAR	(5, 0)
		0	DEMIL_INTG_CD_0138	0138	DEMIL-INTGTY-CD	CHAR	(1, 0)
		0	DEMIL_APDX_0140	0140	DEMIL-APDX-ID	CHAR	(2, 0)
		0	DEMIL_CTGY_0141	0141	DEMIL-CTGY-ID	CHAR	(2, 0)
		0	DEMIL_PARA_0142	0142	DEMIL-PARA-ID	CHAR	(2, 0)
		0	ECCN_0143	0143	EXPORT-CMDTY-CTL-NBR-ID	CHAR	(5, 0)
		0	DEMIL_NAR_0145	0145	DEMIL-TECH-NAR-TX	VARCHAR	(1000, 0)
		0	DEMIL_REVW_DT_0146	0146	DEMIL-ITM-REVW-JUL-DT	INTEGER	(4, 0)
		0	NEW_DEMIL_CD_0147	0147	NEW-DEMIL-CD	CHAR	(1, 0)
		0	PICA_FWD_DT_0149	0149	DEMIL-PICA-FWD-JUL-DT	INTEGER	(4, 0)
		0	PICA_RSP_DT_0150	0150	DEMIL-PICA-RSP-JUL-DT	INTEGER	(4, 0)
		0	DEMIL_NIIN_CD_0157	0157	DEMIL-FLIS-NIIN-IND-CD	CHAR	(1, 0)
		0	INTGTY_CHG_DT_0160	0160	DEMIL-INTGTY-CHG-JUL-DT	INTEGER	(4, 0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1, 0)
		0	NEW_CIIC_0171	0171	NEW-CTLD-INV-ITM-CD	CHAR	(1, 0)
		0	NIIN_LOAD_DT_0172	0172	NIIN-LOAD-JUL-DT	INTEGER	(4, 0)
		0	RE_RVW_DT_0173	0173	RE-REVW-JUL-DT	INTEGER	(4, 0)
		0	I_S_IND_CD_0174	0174	EOL	CHAR	(1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	PICA_UPDT_DT_2150	2150	DEMIL-PICA-UPDT-JUL-DT	INTEGER	(4, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		0	CIIC_2863	2863	CIIC	CHAR	(1, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR	(3, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)		
1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
0	DEMIL_QC_REVW_5139	5139	DEMIL-QC-REVW-PROC-CD	CHAR	(1, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----				
						TYPE	LENGTH	DECIMAL		
713	DEMIL_NIIN_CONTROL	0	DCMO_CHAL_CD_5320	5320	DCMO-CHL-PGM-IND-CD	CHAR	(1, 0)		
		0	DEMIL_NIIN_CD_0157	0157	DEMIL-FLIS-NIIN-IND-CD	CHAR	(1, 0)		
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
714	DEMIL_WORK_TABLE	0	DEMIL_SP_PROJ_0136	0136	DEMIL-SP-PROJ-ID	CHAR	(5, 0)		
		0	DEMIL_STAT_CD_0156	0156	TECHN-ASGMT-STAT-CD	CHAR	(1, 0)		
		0	DEMIL_NIIN_CD_0157	0157	DEMIL-FLIS-NIIN-IND-CD	CHAR	(1, 0)		
		0	FSC_REVW_PRI_0168	0168	DEMIL-FSC-REVW-PRI-CD	CHAR	(2, 0)		
		0	NIIN_LOAD_DT_0172	0172	NIIN-LOAD-JUL-DT	INTEGER	(4, 0)		
		1	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)		
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)		
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)		
		2	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
		715	SP_PROJ_MM_OUT	3	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2, 0)
				2	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	(12, 0)
0	OUTPUT_RECORD_9196			9196	OUTPUT-RECORD	VARCHAR	(1500, 0)		
1	SP_PROJ_9223			9223	TM-SP-PROJ-ID	CHAR	(4, 0)		
7	TM_REC_NBR_9430			9430	TM-REC-NBR	INTEGER	(4, 0)		
6	OP_SEQ_FLD_9801			9801	TM-OP-SEQ-FLD	CHAR	(25, 0)		
4	OP_DATA_GP_9802			9802	TM-OP-DATA-GP	CHAR	(1, 0)		
5	USER_DEF_FLG_9803			9803	TM-USER-DEF-FLG	CHAR	(1, 0)		
1	ACTY_CD_2046			2046	ACTY-CD	CHAR	(6, 0)		
716	IMCA_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
717	SSP_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
718	STDZN_SUB_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
719	AR_FSC_MGR_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
720	AF_FSC_MGR_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
721	DIST_SEG_M_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)		
722	DEMIL_INTEGRITY	1	DEMIL_INTG_CD_0138	0138	DEMIL-INTGTY-CD	CHAR	(1, 0)		
		0	DEMIL_INTG_TX_0152	0152	DEMIL-INTGTY-DEF-TX	VARCHAR	(200, 0)		
723	AMMO_CODE_VALUES	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1, 0)		
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	(4, 0)		
724	NAME_CODE_VALUES	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(1, 0)		
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)		
		1	NM_CD_2303	2303	NM-CD	CHAR	(5, 0)		
725	CAGE_CD_VALUES	2	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR	(1, 0)		
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)		
		0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1, 0)		
726	DEMIL_FSC_HIST	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)		
		0	DATE_LAST_CHG_0043	0043		INTEGER	(4, 0)		
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)		
727	DEMIL_FSC_PRIORITY	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)		
		0	FSC_CPCT_CD_0165	0165	DEMIL-FSC-PRI-CPCT-CD	CHAR	(1, 0)		
		0	FSC_REVW_PRI_0168	0168	DEMIL-FSC-REVW-PRI-CD	CHAR	(2, 0)		
728	AIR_S_HDLG_PART1	1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)		
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)		
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)		
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)		
		0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	(500, 0)		
		1	AIR_S_HDLG_P1_4521	4521	AIR-SP-HDLG-PT-1	CHAR	(1, 0)		
		2	AIR_S_HDLG_S1_4522	4522	AIR-SP-HDLG-SUB-1	CHAR	(1, 0)		
		3	AIR_S_HDLG_S2_4523	4523	AIR-SP-HDLG-SUB-2	CHAR	(1, 0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
729	AIR_S_HDLG_PART2	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	(500,	0)
		1	AIR_S_HDLG_P2_4524	4524	AIR-SP-HDLG-PT-2	CHAR	(1,	0)
730	MOE_RULE_RPLM_DATA	2	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	(4,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
731	DEMIL_TSC_FIVES	0	DEMIL_INTG_CD_0138	0138	DEMIL-INTGTY-CD	CHAR	(1,	0)
		0	DEMIL_REVW_DT_0146	0146	DEMIL-ITM-REVW-JUL-DT	INTEGER	(4,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
732	EXTD_FRT_DEST_DATA	2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	EXTD_FRT_DESC_0041	0041	EXTD-FRT-DESC	VARCHAR	(250,	0)
		0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER	(4,	0)
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR	(1,	0)
733	M_RL_FSC_G_MGT_EX	2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(1,	0)
		1	NMFC_2850	2850	NMFC-CD	CHAR	(6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
734	FST_POS_MOE_EDIT	0	INCL_EXCL_CD_4497	4497	INCL-EXCL-CD	CHAR	(1,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
735	IMM_FSC_EDIT	2	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
		1	FST_POS_MR_4495	4495	FST-POS-MR	CHAR	(1,	0)
736	TEXT_TABLES	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	TBL_NBR_1298	1298	TBL-NBR	INTEGER	(4,	0)
737	DEMIL_JUSTIFIER	1	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT	(2,	0)
		0	TX_TB_HDR_IND_3453	3453	TX-TAB-HDR-IND	CHAR	(1,	0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
		0	TEXT_LINE_4519	4519	TEXT-LINE	CHAR	(78,	0)
738	CLASS_OF_SUPPLY	1	DEMIL_APDX_0140	0140	DEMIL-APDX-ID	CHAR	(2,	0)
		2	DEMIL_CTGY_0141	0141	DEMIL-CTGY-ID	CHAR	(2,	0)
		3	DEMIL_PARA_0142	0142	DEMIL-PARA-ID	CHAR	(2,	0)
739	TRN_DIC_OAC_DTL	0	SCMC_1481	1481		CHAR	(2,	0)
		3	COSIC_2326	2326	CLS-OF-SUP-INTGTY-CD	CHAR	(2,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)
		0	DIC_STAT_CNT_5355	5355	DIC-OAC-DEPT-TOT-RECVD	INTEGER	(4,	0)
		0	DIC_STAT_CNT_5357	5357	DIC-OAC-DEPT-TOT-APRVD	INTEGER	(4,	0)
		0	DIC_STAT_CNT_5359	5359	DIC-OAC-DEPT-TOT-ADUPS	INTEGER	(4,	0)
		0	DIC_STAT_CNT_5360	5360	DIC-OAC-DEPT-TOT-PDUPS	INTEGER	(4,	0)
741	ISC_DATA_TOT	0	DIC_STAT_CNT_5361	5361	DIC-OAC-DEPT-TOT-CLRCL	INTEGER	(4,	0)
		0	DIC_STAT_CNT_5362	5362	DIC-OAC-DEPT-TOT-RULES	INTEGER	(4,	0)
		0	DIC_STAT_CNT_5363	5363	DIC-OAC-DEPT-TOT-NIINST	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6799	6799	DIC-OAC-PDUPS	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6800	6800	DIC-OAC-ADUPS	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6803	6803	DIC-OAC-APRVD	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6805	6805	DIC-OAC-RECVD	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6836	6836	DIC-OAC-NIINST	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6837	6837	DIC-OAC-RULES	INTEGER	(4,	0)
		0	DIC_STAT_CNT_6838	6838	DIC-OAC-CLRCL	INTEGER	(4,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		3	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER	(4,	0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	(4,	0)
		0	ISC_STAT_CNT_5740	5740	ISC-FSG-NSN	INTEGER	(4,	0)
744	FCS_GOALS_DEPT_DTL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	M3A_STAT_CNT_1601	1601	M3A-D-LOA-MG	INTEGER	(4,	0)
		0	M3A_STAT_CNT_1602	1602	M3A-D-LOA-DM	INTEGER	(4,	0)
		0	M3A_STAT_CNT_1603	1603	M3A-D-LOA-DM-G	INTEGER	(4,	0)
		0	M3A_STAT_CNT_1606	1606	M3A-D-LOA-AIN	INTEGER	(4,	0)
		0	M3A_STAT_CNT_1607	1607	M3A-D-LOA-AIN-G	INTEGER	(4,	0)
		0	M3A_STAT_CNT_1610	1610	M3A-D-LOA-RN	INTEGER	(4,	0)
		0	M3A_STAT_CNT_1611	1611	M3A-D-LOA-RN-G	INTEGER	(4,	0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2,	0)
746	CIIM_RTRN_ACTN_DRN	3	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		1	CIIM_RTN_CD_3134	3134	CIIM-RTN-ACTN-CD	CHAR	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
747	MAP_BASIC	0	SCHEDULE_B			CHAR	(10,	0)
		3	PINC_3084	3084	PINC	CHAR	(7,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	INC_4080	4080	INC	CHAR	(5,	0)
748	MAP_EXTD	0	DCOD_RPLY_ST_3865	3865		CHAR	(100,	0)
		0	SCHEDULE_B			CHAR	(10,	0)
		0	PINC_3084	3084	PINC	CHAR	(7,	0)
		0	MRC_3445	3445	MRC	CHAR	(4,	0)
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	(7,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	INC_4080	4080	INC	CHAR	(5,	0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	CHAR	(100,	0)
755	SCRN_PREREF	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	PRER_STAT_CNT_5451	5451	SCN-PRE-REF-DP-CUR-MTH	INTEGER	(4,	0)
		0	PRER_STAT_CNT_5452	5452	SCN-PRE-REF-DP-CUR-NMTH	INTEGER	(4,	0)
		0	PRER_STAT_CNT_5453	5453	SCN-PRE-REF-DP-CUR-REJ	INTEGER	(4,	0)
757	SCRN_PRENIIIN	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	PREN_STAT_CNT_6241	6241	SCN-PRE-NSN-DP-CUR-MTH	INTEGER	(4,	0)
		0	PREN_STAT_CNT_6242	6242	SCN-PRE-NSN-DP-CUR-NMTH	INTEGER	(4,	0)
		0	PREN_STAT_CNT_6243	6243	SCN-PRE-NSN-DP-CUR-REJ	INTEGER	(4,	0)
759	SCRN_PROREF	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	PROR_STAT_CNT_6225	6225	SCN-PRO-REF-DP-CUR-MTH	INTEGER	(4,	0)
		0	PROR_STAT_CNT_6226	6226	SCN-PRO-REF-DP-CUR-NMTH	INTEGER	(4,	0)
		0	PROR_STAT_CNT_6227	6227	SCN-PRO-REF-DP-CUR-REJ	INTEGER	(4,	0)
761	SCRN_PRONIIN	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	PRON_STAT_CNT_6209	6209	SCN-PRO-NSN-DP-CUR-MTH	INTEGER	(4,	0)
		0	PRON_STAT_CNT_6210	6210	SCN-PRO-NSN-DP-CUR-NMTH	INTEGER	(4,	0)
		0	PRON_STAT_CNT_6211	6211	SCN-PRO-NSN-DP-CUR-REJ	INTEGER	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----					
						TYPE	LENGTH	DECIMAL			
763	COMALTY_MGD_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7,	0)		
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)		
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)		
		0	ICWD_STAT_CNT_5779	5779	ICWD-ALL-DOD-CI-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5780	5780	ICWD-ALL-DOD-CI	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5781	5781	ICWD-ALL-DOD-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5782	5782	ICWD-ALL-DOD	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5783	5783	ICWD-ALL-CI-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5784	5784	ICWD-ALL-CI	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5785	5785	ICWD-ALL-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5786	5786	ICWD-IM-ALL-DOD-CI-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5787	5787	ICWD-IM-ALL-DOD-CI	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5788	5788	ICWD-IM-ALL-DOD-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5789	5789	ICWD-IM-ALL-DOD	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5790	5790	ICWD-IM-ALL-CI-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5791	5791	ICWD-IM-ALL-CI	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5792	5792	ICWD-IM-ALL-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5793	5793	ICWD-LA-ALL-DOD-CI-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5794	5794	ICWD-LA-ALL-DOD-CI	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5795	5795	ICWD-LA-ALL-DOD-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5796	5796	ICWD-LA-ALL-DOD	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5797	5797	ICWD-LA-ALL-CI-OGOV	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5798	5798	ICWD-LA-ALL-CI	INTEGER	(4,	0)		
		0	ICWD_STAT_CNT_5799	5799	ICWD-LA-ALL-OGOV	INTEGER	(4,	0)		
		765	ENAC_CD	0	ENAC_CTGY_NM_3006	3006	ENV-PREF-PROD-CTGY-NM	CHAR	(100,	0)
				0	ENAC_ATTR_NM_3007	3007	ENV-PREF-ATTR-CLAS-NM	CHAR	(100,	0)
				0	ENAC_DEF_3010	3010	ENVRNMTL-ATTR-DEF-TX	VARCHAR	(100,	0)
		767	ENAC_DATA	1	ENAC_3025	3025	ENVRNMTL-ATTR-CD	CHAR	(2,	0)
0	ORIG_ACT_CD_4210			4210		CHAR	(2,	0)		
0	DCSN_1000			1000	DOC-CTL-SER-NBR	CHAR	(7,	0)		
3	EFF_DT_2128			2128	EFF-DT	INTEGER	(4,	0)		
0	DT_TRAN_2310			2310	DT-TRAN	INTEGER	(4,	0)		
4	ENAC_3025			3025	ENVRNMTL-ATTR-CD	CHAR	(2,	0)		
0	TMSTMP_3059			3059	TMSTMP	TIMESTMP	(10,	0)		
0	SUBMG_ACTY_CD_3720			3720	SUBMG-ACTY-CD	CHAR	(2,	0)		
0	DIC_3920			3920	DOC-ID-CD	CHAR	(3,	0)		
1	NCB_CD_4130			4130	NCB-CD	CHAR	(2,	0)		
2	I_I_NBR_4131			4131	I-I-NBR	CHAR	(7,	0)		
768	ENAC_DATA_HIST			0	ORIG_ACT_CD_4210	4210		CHAR	(2,	0)
				0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
				3	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
				0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		4	ENAC_3025	3025	ENVRNMTL-ATTR-CD	CHAR	(2,	0)		
		4	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)		
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)		
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)		
770	DIC_RTN_CD_ED_CRIT	2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)		
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)		
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
		0	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	(4, 0)
		5	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	(1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		2	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4, 0)
		3	IN_EX_IND_4581	4581	INTRNL-EXTRNL-IND	CHAR	(1, 0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR	(1400, 0)
		0	FILE_VAL_IND_4584	4584	FILE-VAL-IND	CHAR	(1, 0)
		4	DLSC_ONLY_IND_4621	4621	DLSC-ONLY-IND	CHAR	(1, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
771	SEG_RTN_CD_ED_CRIT	4	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR	(2, 0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	(4, 0)
		6	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	(1, 0)
		5	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4, 0)
		1	IN_EX_IND_4581	4581	INTRNL-EXTRNL-IND	CHAR	(1, 0)
		2	BSC_CM_IM_IND_4582	4582	BSC-CMB-IMM-IND	CHAR	(1, 0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR	(1400, 0)
		0	FILE_VAL_IND_4584	4584	FILE-VAL-IND	CHAR	(1, 0)
		3	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
772	GIRDER	0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	(58, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19, 0)
		0	DAC_2640	2640	DAC	CHAR	(1, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	RNAAC_2900	2900	RNAAC	CHAR	(2, 0)
		0	RNCC_2910	2910	RNCC	CHAR	(1, 0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32, 0)
		3	NSN_3960	3960	ASGND-NSN	CHAR	(13, 0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	(2, 0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	(2, 0)
		0	GRDR_SEQ_NBR_4543	4543	GIRDER-SEQ-NBR	INTEGER	(4, 0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	(5, 0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	(32, 0)
		0	RNVC_4780	4780	RNVC	CHAR	(1, 0)
		0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR	(1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
773	GIRDER_LTI	0	PICA_2866	2866	PICA	CHAR	(2, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	SEG_IP_TRAN_4508	4508	SEG-IP-TRAN	CHAR	(80, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
775	REF_NBR_CHANGES	0	MFR_NOTES_0809	0809	MFR-NOTES	CHAR	(58, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19, 0)
		0	HCC_2579	2579	HZRD-CHAR-CD	CHAR	(2, 0)
		0	DAC_2640	2640	DAC	CHAR	(1, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NCAGE-STAT-CD	CHAR	(1, 0)
		0	RNJC_2750	2750	RNJC	CHAR	(1, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	RNAAC_2900	2900	RNAAC	CHAR	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	RNCC_2910	2910	RNCC	CHAR	(1, 0)
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	(1, 0)
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	(1, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		4	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	(2, 0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	(2, 0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	(5, 0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	(32, 0)
		0	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	(2, 0)
		0	RNVC_4780	4780	RNVC	CHAR	(1, 0)
		0	MSDS_ID_9076	9076	MSDS-ID	CHAR	(5, 0)
		3	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
776	TRANS_SUSP_KEYS	0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	(17, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		0	FSC_3990	3990	ASGND-FSC	CHAR	(4, 0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	(9, 0)
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	(10, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	(4, 0)
777	TRANS_SUSP_MAST	0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(1, 0)
		0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	(2, 0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTMP	(10, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(2, 0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	(1, 0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP	(10, 0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	(1, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
778	TRANS_SUSP_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	(1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
779	GIRDER_STATS	2	GIRDER_CD_0808	0808	GIRDER-CD	CHAR	(2, 0)
		0	GC_PICA_LAR_1501	1501	GC-PICA-LAR-CNT	INTEGER	(4, 0)
		0	GC_PICA_LCR_1502	1502	GC-PICA-LCR-CNT	INTEGER	(4, 0)
		3	PICA_2866	2866	PICA	CHAR	(2, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
780	GIRDER_ERROR	0	MSG_0983	0983	MSG	CHAR	(66, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		0	GRDR_MFR_DATA_4546	4546	GIRDER-MFR-DATA	VARCHAR	(100, 0)
		0	GRDR_DUP_PROT_4547	4547	GIRDER-DUP-PROTECTED	CHAR	(83, 0)
		0	GRDR_MFR_PROT_4548	4548	GIRDER-MFR-PROTECTED	CHAR	(83, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
781	GIRDER_EXCEPTION	0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	(58, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR (32, 0)
		3	NSN_3960	3960	ASGND-NSN	CHAR (13, 0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR (2, 0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR (2, 0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR (5, 0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR (32, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
782	LIMITED_DIST	0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR (1, 0)
		0	ACTY_CD_SCRNG_0177	0177	ACTY-CD-SCRNG	CHAR (2, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR (1, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR (1, 0)
		0	DEST_CD_SCRNG_3890	3890	DEST-CD-SCRNG	CHAR (5, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	NSN_3960	3960	ASGND-NSN	CHAR (13, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	INC_4080	4080	INC	CHAR (5, 0)
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR (1, 0)
		0	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR (4, 0)
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR (1, 0)
783	ACTIVITY_MEDIA_ID	0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR (2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		2	RPTY_ID_2638	2638	RPTY-ID	CHAR (5, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR (2, 0)
		0	MIN_ALT_MED_9180	9180	MIN-ALT-MED	CHAR (2, 0)
		0	MINIMIZE_FLAG_9181	9181	MINIMIZE-FLAG	CHAR (1, 0)
		0	OP_DIST_FREQ_9804	9804	TM-OP-DIST-FREQ-CD	CHAR (1, 0)
784	COMALTY_MS_S_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	ICMS_STAT_CNT_6495	6495	ICMS-FSC-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6497	6497	ICMS-FSC-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6499	6499	ICMS-FSC-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6501	6501	ICMS-FSC-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6503	6503	ICMS-FSC-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6515	6515	ICMS-IM-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6517	6517	ICMS-IM-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6519	6519	ICMS-IM-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6521	6521	ICMS-IM-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6523	6523	ICMS-IM-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6535	6535	ICMS-LA-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6538	6538	ICMS-LA-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6930	6930	ICMS-LA-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6932	6932	ICMS-LA-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6966	6966	ICMS-LA-FSC-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6968	6968	ICMS-LA-FSC-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6970	6970	ICMS-LA-FSC-ALL-NA-MM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICMS_STAT_CNT_6972	6972	ICMS-LA-FSC-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6974	6974	ICMS-LA-FSC-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_8071	8071	ICMS-LA-ALL-AR-MM	INTEGER (4, 0)
786	COMALTY_MS_S_DTL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	ICMS_STAT_CNT_6505	6505	ICMS-FSC-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6507	6507	ICMS-FSC-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6509	6509	ICMS-FSC-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6511	6511	ICMS-FSC-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6513	6513	ICMS-FSC-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6525	6525	ICMS-IM-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6527	6527	ICMS-IM-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6529	6529	ICMS-IM-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6531	6531	ICMS-IM-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6533	6533	ICMS-IM-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6928	6928	ICMS-LA-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6958	6958	ICMS-LA-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6960	6960	ICMS-LA-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6962	6962	ICMS-LA-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6964	6964	ICMS-LA-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6976	6976	ICMS-LA-FSC-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6978	6978	ICMS-LA-FSC-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7081	7081	ICMS-LA-FSC-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7083	7083	ICMS-LA-FSC-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7085	7085	ICMS-LA-FSC-LC-MC-MM	INTEGER (4, 0)
788	COMALTY_MS_D_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	ICMD_STAT_CNT_5864	5864	ICMD-LA-FSC-ALL-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5865	5865	ICMD-LA-FSC-ALL-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5866	5866	ICMD-LA-FSC-ALL-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5867	5867	ICMD-LA-FSC-ALL-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5869	5869	ICMD-LA-FSC-ALL-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5870	5870	ICMD-LA-FSC-ALL-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5871	5871	ICMD-LA-FSC-ALL-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5872	5872	ICMD-LA-FSC-ALL-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5873	5873	ICMD-LA-FSC-ALL-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5874	5874	ICMD-LA-FSC-ALL-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5875	5875	ICMD-LA-FSC-ALL-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5876	5876	ICMD-LA-FSC-ALL-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5877	5877	ICMD-LA-FSC-ALL-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5878	5878	ICMD-LA-FSC-ALL-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5879	5879	ICMD-LA-FSC-ALL-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7087	7087	ICMD-FSC-ALL-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7088	7088	ICMD-FSC-ALL-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7089	7089	ICMD-FSC-ALL-ANM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	ICMD_STAT_CNT_7090	7090	ICMD-FSC-ALL-AN	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7091	7091	ICMD-FSC-ALL-AFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7092	7092	ICMD-FSC-ALL-AF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7093	7093	ICMD-FSC-ALL-AM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7094	7094	ICMD-FSC-ALL-A	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7095	7095	ICMD-FSC-ALL-NFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7096	7096	ICMD-FSC-ALL-NF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7097	7097	ICMD-FSC-ALL-NM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7098	7098	ICMD-FSC-ALL-N	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7099	7099	ICMD-FSC-ALL-FM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7100	7100	ICMD-FSC-ALL-F	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7101	7101	ICMD-FSC-ALL-M	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7117	7117	ICMD-IM-ALL-ANFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7118	7118	ICMD-IM-ALL-ANF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7119	7119	ICMD-IM-ALL-ANM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7120	7120	ICMD-IM-ALL-AN	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7121	7121	ICMD-IM-ALL-AFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7122	7122	ICMD-IM-ALL-AF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7123	7123	ICMD-IM-ALL-AM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7124	7124	ICMD-IM-ALL-A	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7125	7125	ICMD-IM-ALL-NFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7126	7126	ICMD-IM-ALL-NF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7127	7127	ICMD-IM-ALL-NM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7128	7128	ICMD-IM-ALL-N	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7129	7129	ICMD-IM-ALL-FM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7130	7130	ICMD-IM-ALL-F	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7131	7131	ICMD-IM-ALL-M	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7147	7147	ICMD-LA-ALL-ANFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7148	7148	ICMD-LA-ALL-ANF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7149	7149	ICMD-LA-ALL-ANM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7150	7150	ICMD-LA-ALL-AN	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7151	7151	ICMD-LA-ALL-AFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7152	7152	ICMD-LA-ALL-AF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7153	7153	ICMD-LA-ALL-AM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7154	7154	ICMD-LA-ALL-A	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7155	7155	ICMD-LA-ALL-NFM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7156	7156	ICMD-LA-ALL-NF	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7157	7157	ICMD-LA-ALL-NM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7158	7158	ICMD-LA-ALL-N	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7159	7159	ICMD-LA-ALL-FM	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7160	7160	ICMD-LA-ALL-F	INTEGER	(4, 0)
		0	ICMD_STAT_CNT_7161	7161	ICMD-LA-ALL-M	INTEGER	(4, 0)
790	COMALTY_DDOD_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	ICDD_STAT_CNT_5949	5949	ICDD-FSC-ALL-MS-IM-OD	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_5950	5950	ICDD-FSC-ALL-MS-IM	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_5951	5951	ICDD-FSC-ALL-MS-OD	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_5952	5952	ICDD-FSC-ALL-MS	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_5953	5953	ICDD-FSC-ALL-IM-OD	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICDD_STAT_CNT_5954	5954	ICDD-FSC-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5955	5955	ICDD-FSC-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5963	5963	ICDD-IM-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5964	5964	ICDD-IM-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5965	5965	ICDD-IM-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5966	5966	ICDD-IM-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5967	5967	ICDD-IM-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5968	5968	ICDD-IM-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5969	5969	ICDD-IM-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6467	6467	ICDD-LA-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6468	6468	ICDD-LA-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6469	6469	ICDD-LA-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6470	6470	ICDD-LA-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6471	6471	ICDD-LA-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6472	6472	ICDD-LA-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6473	6473	ICDD-LA-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6481	6481	ICDD-LA-FSC-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6482	6482	ICDD-LA-FSC-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6483	6483	ICDD-LA-FSC-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6484	6484	ICDD-LA-FSC-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6485	6485	ICDD-LA-FSC-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6486	6486	ICDD-LA-FSC-ALL-IM	INTEGER (4, 0)
792	COMALTY_DDOD_DTL	0	ICDD_STAT_CNT_6487	6487	ICDD-LA-FSC-ALL-OD	INTEGER (4, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	ICDD_STAT_CNT_5956	5956	ICDD-FSC-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5957	5957	ICDD-FSC-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5958	5958	ICDD-FSC-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5959	5959	ICDD-FSC-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5960	5960	ICDD-FSC-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5961	5961	ICDD-FSC-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5962	5962	ICDD-FSC-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6460	6460	ICDD-IM-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6461	6461	ICDD-IM-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6462	6462	ICDD-IM-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6463	6463	ICDD-IM-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6464	6464	ICDD-IM-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6465	6465	ICDD-IM-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6466	6466	ICDD-IM-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6474	6474	ICDD-LA-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6475	6475	ICDD-LA-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6476	6476	ICDD-LA-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6477	6477	ICDD-LA-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6478	6478	ICDD-LA-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6479	6479	ICDD-LA-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6480	6480	ICDD-LA-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6488	6488	ICDD-LA-FSC-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6489	6489	ICDD-LA-FSC-LC-MS-IM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	ICDD_STAT_CNT_6490	6490	ICDD-LA-FSC-LC-MS-OD	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_6491	6491	ICDD-LA-FSC-LC-MS	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_6492	6492	ICDD-LA-FSC-LC-IM-OD	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_6493	6493	ICDD-LA-FSC-LC-IM	INTEGER	(4, 0)
		0	ICDD_STAT_CNT_6494	6494	ICDD-LA-FSC-LC-OD	INTEGER	(4, 0)
794	FCS_GOAL_ACTY_DTL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	M3C1_STAT_CNT_1634	1634	M3C1-D-AT-MG	INTEGER	(4, 0)
		0	M3C1_STAT_CNT_1635	1635	M3C1-D-AT-DM	INTEGER	(4, 0)
		0	M3C1_STAT_CNT_1636	1636	M3C1-D-AT-DM-G	INTEGER	(4, 0)
		0	M3C1_STAT_CNT_1638	1638	M3C1-D-AT-AIN	INTEGER	(4, 0)
		0	M3C1_STAT_CNT_1639	1639	M3C1-D-AT-AIN-G	INTEGER	(4, 0)
		0	M3C1_STAT_CNT_1641	1641	M3C1-D-AT-RN	INTEGER	(4, 0)
		0	M3C1_STAT_CNT_1642	1642	M3C1-D-AT-RN-G	INTEGER	(4, 0)
796	FCS_GOAL_FSC_D_DTL	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	M3B_STAT_CNT_1624	1624	M3B-FSC-D-LOA-MG	INTEGER	(4, 0)
		0	M3B_STAT_CNT_1625	1625	M3B-FSC-D-LOA-DM	INTEGER	(4, 0)
		0	M3B_STAT_CNT_1626	1626	M3B-FSC-D-LOA-DM-G	INTEGER	(4, 0)
		0	M3B_STAT_CNT_1628	1628	M3B-FSC-D-LOA-AIN	INTEGER	(4, 0)
		0	M3B_STAT_CNT_1629	1629	M3B-FSC-D-LOA-AIN-G	INTEGER	(4, 0)
		0	M3B_STAT_CNT_1631	1631	M3B-FSC-D-LOA-RN	INTEGER	(4, 0)
		0	M3B_STAT_CNT_1632	1632	M3B-FSC-D-LOA-RN-G	INTEGER	(4, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
798	FCS_GOAL_FSC_D_TOT	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	M3BC_STAT_CNT_1614	1614	M3BC-FSC-D-MG	INTEGER	(4, 0)
		0	M3BC_STAT_CNT_1615	1615	M3BC-FSC-D-DM	INTEGER	(4, 0)
		0	M3BC_STAT_CNT_1616	1616	M3BC-FSC-D-DM-G	INTEGER	(4, 0)
		0	M3BC_STAT_CNT_1618	1618	M3BC-FSC-D-AIN	INTEGER	(4, 0)
		0	M3BC_STAT_CNT_1619	1619	M3BC-FSC-D-AIN-G	INTEGER	(4, 0)
		0	M3BC_STAT_CNT_1621	1621	M3BC-FSC-D-RN	INTEGER	(4, 0)
		0	M3BC_STAT_CNT_1622	1622	M3BC-FSC-D-RN-G	INTEGER	(4, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
800	FCS_GOAL_FSC_A_DTL	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(2, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M3C2_STAT_CNT_6295	6295	M3C2-FSC-D-AT-LOA-MG	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6296	6296	M3C2-FSC-D-AT-LOA-DM-G	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6298	6298	M3C2-FSC-D-AT-LOA-AIN	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6299	6299	M3C2-FSC-D-AT-LOA-AIN-G	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6301	6301	M3C2-FSC-D-AT-LOA-RN	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6302	6302	M3C2-FSC-D-AT-LOA-RN-G	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6650	6650	M3C2-FSC-D-AT-LOA-DM	INTEGER	(4, 0)
802	FCS_GOAL_FSC_A_TOT	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	M3C2_STAT_CNT_1644	1644	M3C2-FSC-D-AT-MG	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_1645	1645	M3C2-FSC-D-AT-DM	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_1646	1646	M3C2-FSC-D-AT-DM-G	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_1648	1648	M3C2-FSC-D-AT-AIN	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_1649	1649	M3C2-FSC-D-AT-AIN-G	INTEGER	(4, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M3C2_STAT_CNT_6292	6292	M3C2-FSC-D-AT-RN	INTEGER	(4, 0)
		0	M3C2_STAT_CNT_6293	6293	M3C2-FSC-D-AT-RN-G	INTEGER	(4, 0)
804	FCS_GOAL_D_F_A_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		0	M3D_STAT_CNT_6304	6304	M3D-D-MG	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6305	6305	M3D-D-DM	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6306	6306	M3D-D-DM-G	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6308	6308	M3D-D-AIN	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6309	6309	M3D-D-AIN-G	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6312	6312	M3D-D-RN	INTEGER	(4, 0)
		0	M3D_STAT_CNT_6313	6313	M3D-D-RN-G	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6342	6342	M3E-FSC-D-MG	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6343	6343	M3E-FSC-D-DM	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6344	6344	M3E-FSC-D-DM-G	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6346	6346	M3E-FSC-D-AIN	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6347	6347	M3E-FSC-D-AIN-G	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6349	6349	M3E-FSC-D-RN	INTEGER	(4, 0)
		0	M3E_STAT_CNT_6350	6350	M3E-FSC-D-RN-G	INTEGER	(4, 0)
808	TRN_QDIC_OAC_ST	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(3, 0)
		0	QDIC_STAT_CNT_6816	6816	QDIC-OAC-DIC-NIINST	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_6817	6817	QDIC-OAC-DIC-RULES	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_6818	6818	QDIC-OAC-DIC-CLRCL	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_6819	6819	QDIC-OAC-DIC-PDUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_6820	6820	QDIC-OAC-DIC-ADUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_6823	6823	QDIC-OAC-DIC-APRVD	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_6825	6825	QDIC-OAC-DIC-RECVD	INTEGER	(4, 0)
810	TRN_QDIC_OAC_DPT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6, 0)
		0	QDIC_STAT_CNT_5422	5422	QDIC-ALL-OAC-DEPT-RECVD	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5424	5424	QDIC-ALL-OAC-DEPT-APRVD	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5426	5426	QDIC-ALL-OAC-DEPT-ADUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5427	5427	QDIC-ALL-OAC-DEPT-PDUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5428	5428	QDIC-ALL-OAC-DEPT-CLRCL	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5429	5429	QDIC-ALL-OAC-DEPT-RULES	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5430	5430	QDIC-ALL-OAC-DEPT-NIINST	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5442	5442	QDIC-OAC-TOT-RECVD	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5444	5444	QDIC-OAC-TOT-APRVD	INTEGER	(4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	QDIC_STAT_CNT_5446	5446	QDIC-OAC-TOT-ADUPS	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5447	5447	QDIC-OAC-TOT-PDUPS	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5448	5448	QDIC-OAC-TOT-CLRCL	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5449	5449	QDIC-OAC-TOT-RULES	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5450	5450	QDIC-OAC-TOT-NIINST	INTEGER (4, 0)
812	DEMIL_HISTORY	0	DEMIL_SP_PROJ_0136	0136	DEMIL-SP-PROJ-ID	CHAR (5, 0)
		0	DEMIL_INTG_CD_0138	0138	DEMIL-INTGTY-CD	CHAR (1, 0)
		0	DEMIL_APDX_0140	0140	DEMIL-APDX-ID	CHAR (2, 0)
		0	DEMIL_CTGY_0141	0141	DEMIL-CTGY-ID	CHAR (2, 0)
		0	DEMIL_PARA_0142	0142	DEMIL-PARA-ID	CHAR (2, 0)
		0	ECCN_0143	0143	EXPORT-CMDTY-CTL-NBR-ID	CHAR (5, 0)
		0	DEMIL_NAR_0145	0145	DEMIL-TECH-NAR-TX	VARCHAR (1000, 0)
		0	DEMIL_REVW_DT_0146	0146	DEMIL-ITM-REVW-JUL-DT	INTEGER (4, 0)
		0	PICA_FWD_DT_0149	0149	DEMIL-PICA-FWD-JUL-DT	INTEGER (4, 0)
		0	PICA_RSP_DT_0150	0150	DEMIL-PICA-RSP-JUL-DT	INTEGER (4, 0)
		0	DEMIL_NIIN_CD_0157	0157	DEMIL-FLIS-NIIN-IND-CD	CHAR (1, 0)
		0	INTGTY_CHG_DT_0160	0160	DEMIL-INTGTY-CHG-JUL-DT	INTEGER (4, 0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR (1, 0)
		0	NIIN_LOAD_DT_0172	0172	NIIN-LOAD-JUL-DT	INTEGER (4, 0)
		0	RE_RVW_DT_0173	0173	RE-REVW-JUL-DT	INTEGER (4, 0)
		0	I_S_IND_CD_0174	0174	EOL	CHAR (1, 0)
		0	DEMIL_HST_IND_0175	0175	DEMIL-HST-IND-CD	CHAR (1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		0	PICA_UPDT_DT_2150	2150	DEMIL-PICA-UPDT-JUL-DT	INTEGER (4, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR (1, 0)
		0	PREV_DEMIL_CD_2845	2845	PREV-DEMIL-CD	CHAR (1, 0)
		0	PREV_CIIC_2846	2846	PREV-CTLD-INV-ITM-CD	CHAR (1, 0)
		0	RECM_DEMIL_2847	2847	RECM-DEMIL-CD	CHAR (1, 0)
		0	RECM_CIIC_2848	2848	RECM-CTLD-INV-ITM-CD	CHAR (1, 0)
		0	DEMIL_UPD_SRC_2849	2849	DEMIL-UPDT-SRC-CD	CHAR (1, 0)
		0	CIIC_2863	2863	CIIC	CHAR (1, 0)
		0	PICA_2866	2866	PICA	CHAR (2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR (3, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	DEMIL_QC_REVW_5139	5139	DEMIL-QC-REVW-PROC-CD	CHAR (1, 0)
		0	DCMO_CHAL_CD_5320	5320	DCMO-CHL-PGM-IND-CD	CHAR (1, 0)
813	U_I_CONVERN_FACTOR	0	OUT_UI_TEXT_3046	3046		VARCHAR (50, 0)
		1	OLD_UI_CD_3041	3041	OLD-UI-CD	CHAR (2, 0)
		2	NEW_UI_CD_3042	3042	NEW-UI-CD	CHAR (2, 0)
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR (1, 0)
		0	OLD_QUANT_EXP_3044	3044	OLD-QUANT-EXP	CHAR (13, 0)
		0	NEW_QUANT_EXP_3045	3045	NEW-QUANT-EXP	CHAR (13, 0)
		0	NEW_UI_TEXT_3047	3047	NEW-UI-TEXT	VARCHAR (50, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR (5, 0)
816	MASTER_DRAW_FILE	1	DGTZD- _DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR (15, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----					
						TYPE	LENGTH	DECIMAL			
818	TRN_DIC_OAC_TOT	2	PHYS_DWG_ID_5037	5037	PHYS-DWG-ID	CHAR	(8,	0)		
		0	PHYS_TYP_IND_5074	5074	PHYS-TYP-IND	CHAR	(1,	0)		
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)		
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)		
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
		0	DIC_STAT_CNT_5335	5335	DIC-ALL-OAC-DEPT-RECVD	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_5337	5337	DIC-ALL-OAC-DEPT-APRVD	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_5339	5339	DIC-ALL-OAC-DEPT-ADUPS	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_5340	5340	DIC-ALL-OAC-DEPT-PDUPS	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_5341	5341	DIC-ALL-OAC-DEPT-CLRCL	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_5342	5342	DIC-ALL-OAC-DEPT-RULES	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_5343	5343	DIC-ALL-OAC-DEPT-NIINST	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6806	6806	DIC-ALL-OAC-NIINST	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6807	6807	DIC-ALL-OAC-RULES	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6808	6808	DIC-ALL-OAC-CLRCL	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6809	6809	DIC-ALL-OAC-PDUPS	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6810	6810	DIC-ALL-OAC-ADUPS	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6813	6813	DIC-ALL-OAC-APRVD	INTEGER	(4,	0)		
		0	DIC_STAT_CNT_6815	6815	DIC-ALL-OAC-RECVD	INTEGER	(4,	0)		
		820	TRN_DIC_SAC_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
3	STAT_ACTIVITY_0898			0898	STAT-ACTIVITY	CHAR	(2,	0)		
1	STAT_REQ_DATE_0899			0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
0	DIC_STAT_CNT_6789			6789	DIC-ALL-SAC-NIINST	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6790			6790	DIC-ALL-SAC-RULES	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6791			6791	DIC-ALL-SAC-CLRCL	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6792			6792	DIC-ALL-SAC-PDUPS	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6793			6793	DIC-ALL-SAC-ADUPS	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6796			6796	DIC-ALL-SAC-APRVD	INTEGER	(4,	0)		
0	DIC_STAT_CNT_6798			6798	DIC-ALL-SAC-RECVD	INTEGER	(4,	0)		
0	DIC_STAT_CNT_7647			7647	DIC-ALL-SAC-DEPT-RECVD	INTEGER	(4,	0)		
0	DIC_STAT_CNT_7649			7649	DIC-ALL-SAC-DEPT-APRVD	INTEGER	(4,	0)		
0	DIC_STAT_CNT_7651			7651	DIC-ALL-SAC-DEPT-ADUPS	INTEGER	(4,	0)		
0	DIC_STAT_CNT_7652			7652	DIC-ALL-SAC-DEPT-PDUPS	INTEGER	(4,	0)		
0	DIC_STAT_CNT_7653			7653	DIC-ALL-SAC-DEPT-CLRCL	INTEGER	(4,	0)		
0	DIC_STAT_CNT_7654			7654	DIC-ALL-SAC-DEPT-RULES	INTEGER	(4,	0)		
0	DIC_STAT_CNT_9577			9577	DIC-ALL-SAC-DEPT-NIINST	INTEGER	(4,	0)		
822	TRN_QDIC_SAC_ST			2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
				3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(2,	0)
				1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(3,	0)		
		0	QDIC_STAT_CNT_6826	6826	QDIC-SAC-DIC-NIINST	INTEGER	(4,	0)		
		0	QDIC_STAT_CNT_6827	6827	QDIC-SAC-DIC-RULES	INTEGER	(4,	0)		
		0	QDIC_STAT_CNT_6828	6828	QDIC-SAC-DIC-CLRCL	INTEGER	(4,	0)		
		0	QDIC_STAT_CNT_6829	6829	QDIC-SAC-DIC-PDUPS	INTEGER	(4,	0)		
		0	QDIC_STAT_CNT_6830	6830	QDIC-SAC-DIC-ADUPS	INTEGER	(4,	0)		
		0	QDIC_STAT_CNT_6833	6833	QDIC-SAC-DIC-APRVD	INTEGER	(4,	0)		
		0	QDIC_STAT_CNT_6835	6835	QDIC-SAC-DIC-RECVD	INTEGER	(4,	0)		
		824	TRN_QDIC_SAC_DPT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2,	0)
3	STAT_ACTIVITY_0898			0898	STAT-ACTIVITY	CHAR	(2,	0)		
1	STAT_REQ_DATE_0899			0899	STATS-REQUEST-DATE	CHAR	(6,	0)		
0	QDIC_STAT_CNT_5384			5384	QDIC-ALL-SAC-DEPT-RECVD	INTEGER	(4,	0)		
0	QDIC_STAT_CNT_5386			5386	QDIC-ALL-SAC-DEPT-APRVD	INTEGER	(4,	0)		

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	QDIC_STAT_CNT_5388	5388	QDIC-ALL-SAC-DEPT-ADUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5389	5389	QDIC-ALL-SAC-DEPT-PDUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5390	5390	QDIC-ALL-SAC-DEPT-CLRCL	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5391	5391	QDIC-ALL-SAC-DEPT-RULES	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5392	5392	QDIC-ALL-SAC-DEPT-NIINST	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5402	5402	QDIC-SAC-TOT-RECVD	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5406	5406	QDIC-SAC-TOT-APRVD	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5408	5408	QDIC-SAC-TOT-ADUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5409	5409	QDIC-SAC-TOT-PDUPS	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5410	5410	QDIC-SAC-TOT-CLRCL	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5411	5411	QDIC-SAC-TOT-RULES	INTEGER	(4, 0)
		0	QDIC_STAT_CNT_5412	5412	QDIC-SAC-TOT-NIINST	INTEGER	(4, 0)
830	INC_FIIG_CORL	0	TYPE_II_4_3487	3487		CHAR	(20, 0)
		1	INC_FIIG_CORL_3485	3485	INC-FIIG-CORL	CHAR	(50, 0)
		0	TYPE_II_2_3486	3486	TYP-II-2	CHAR	(20, 0)
		0	TYP_II_M_3488	3488	TYP-II-M	CHAR	(20, 0)
		0	TYP_II_N_3489	3489	TYP-II-N	CHAR	(20, 0)
		0	TYP_II_1_3490	3490	TYP-II-1	CHAR	(20, 0)
		0	TYP_II_K_3491	3491	TYP-II-K	CHAR	(20, 0)
		0	TYP_II_L_3492	3492	TYP-II-L	CHAR	(20, 0)
831	FED_COND_CD_SPLY	0	CON_CD_FD1_TI_3183	3183	COND-CD-FED1-TI	CHAR	(50, 0)
		0	CON_CD_FD1_3184	3184	COND-CD-FED1-DF	VARCHAR	(600, 0)
		1	CON_CD_FED1_3475	3475	COND-CD-FED1	CHAR	(1, 0)
832	FED_COND_CD_DSPL	1	CON_CD_FED2_3476	3476	COND-CD-FED2	CHAR	(1, 0)
		0	CON_CD_FD2_TI_3477	3477	COND-CD-FED2-TI	CHAR	(30, 0)
		0	CON_CD_FD2_XD_3478	3478	COND-CD-FED2-EXP-DF	VARCHAR	(500, 0)
833	DSOR_ACTY_CD_XREF	2	DSOR_0903	0903	DSOR	CHAR	(2, 0)
		1	SVC_NM_3479	3479	SVC-NM	CHAR	(13, 0)
		0	DSOR_ACTY_NM_3483	3483	DSOR-ACTY-NM	CHAR	(150, 0)
834	DSOR_MISMO_ADRS	0	CITY_1083	1083		CHAR	(36, 0)
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	(2, 0)
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	(36, 0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	(36, 0)
		1	SVC_NM_3479	3479	SVC-NM	CHAR	(13, 0)
		0	NM_LINE1_3480	3480	NM-LINE-1	CHAR	(60, 0)
		0	NM_LINE2_3481	3481	NM-LINE-2	CHAR	(60, 0)
		0	ATTN_LINE_3482	3482	ATTN-LINE	CHAR	(36, 0)
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR	(10, 0)
835	SERVICE_CD_PSMAT	1	SVC_CD_P_SCRN_0264	0264	SVC-CD-PRVSNG-SCRNG-DEST	CHAR	(2, 0)
		0	SVC_CD_P_S_EX_3449	3449	SVC-CD-P-S-EX	CHAR	(75, 0)
836	PHRASE_CD_SVC	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1, 0)
		2	PHRS_CD_SVC_X_3450	3450	PHRS-CD-SVC-X	CHAR	(50, 0)
		0	PHRS_CD_PHRS_5240	5240	PHRS-CD-PHRS	CHAR	(100, 0)
837	PICA_SICA_CMD_CMPT	0	PRICE_NOTE_3447	3447	PRICE-NOTE	CHAR	(25, 0)
		0	QE_NOTE_3448	3448	QE-NOTE	CHAR	(25, 0)
		1	SVC_SICA_3493	3493	SVC-SICA	CHAR	(20, 0)
		0	CIIC_NOTE_3494	3494	CIIC-NOTE	CHAR	(25, 0)
		0	SLC_NOTE_3495	3495	SLC-NOTE	CHAR	(25, 0)
		0	SOSM_NOTE_3496	3496	SOSM-NOTE	CHAR	(25, 0)
		0	UI_NOTE_3497	3497	UI-NOTE	CHAR	(25, 0)
		0	SOS_NOTE_3498	3498	SOS-NOTE	CHAR	(25, 0)
		0	QUP_NOTE_3499	3499	QUP-NOTE	CHAR	(25, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
838	TRANS_SEG_EXTENTS	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR	(1127,	0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	(2,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
839	PHRASE_CD_PKG_COMB	1	FRST_PHRS_CD_3048	3048	FRST-PHRS-CD	CHAR	(1,	0)
		2	SCND_PHRS_CD_3049	3049	SCND-PHRS-CD	CHAR	(1,	0)
		0	PH_CD_NT_IND_3051	3051	PHRS-CD-COMB-NT-IND	CHAR	(1,	0)
840	ARCHIVE_LOG	0	RESTORE_FLAG_9066	9066	RESTORE-FLAG	CHAR	(1,	0)
		0	ARCHIVE_TS_9137	9137	ARCHIVE-TS	TIMESTAMP	(10,	0)
		0	ARCHVNG_USER_9138	9138	ARCVD-BY-USER	CHAR	(8,	0)
		0	DATASET_NAME_9144	9144	DATASET-NAME	CHAR	(38,	0)
		0	FOOTPRNT_DATE_9161	9161	FOOTPRNT-DATE	DATE	(4,	0)
		1	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER	(4,	0)
		0	ARCH_DATA_TYP_9225	9225	TM-ARCH-DATA-TYP-ID	CHAR	(3,	0)
841	AUTODIN_KWA_LOG	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		3	AUTODIN_IO_9140	9140	AUTODIN-IO	CHAR	(1,	0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	(7,	0)
		2	RCVD_SND_STMP_9202	9202	RCVD-SND-STMP	TIMESTAMP	(10,	0)
		0	AUTODIN_CIC_9306	9306	AUTODIN-CONT-IND-CD	CHAR	(4,	0)
		0	RE_OP_AUTO_TS_9484	9484	RE-OP-AUTODIN-MSG-TMSTMP-ID	TIMESTAMP	(10,	0)
		4	SSN_9765	9765	SSN	CHAR	(4,	0)
842	NIIN_ID_NBR_DATA	0	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(5,	0)
		1	DGTZD-DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	(15,	0)
		0	TBL_V_IN_CT_C_0941	0941	TBL-VRBL-INDCTR-CD	CHAR	(1,	0)
		0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR	(120,	0)
		0	PRT_DWG_SUPR_8261	8261	PRT-DWG-SUPRSN-IND-CD	CHAR	(1,	0)
843	TM_MESSAGE_OUT	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	(7,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP	(10,	0)
		0	AUTODIN_MSG_9310	9310	AUTODIN-MSG	VARCHAR	(22000,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	SMALLINT	(2,	0)
844	AIA_MSG_HEADER_LOG	0	SSN_9765	9765	SSN	CHAR	(4,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
845	HOLD_TRANS	1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	(80,	0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
846	WEAPON_NAME	2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		1	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR	(2,	0)
847	WEAPON_TO_NIIN	2	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR	(1,	0)
		0	WPN_SYS_NM_3887	3887	WPN-SYS-NM	CHAR	(75,	0)
		0	WPN_SYS_GP_CD_3889	3889	WPN-SYS-GP-CD	CHAR	(1,	0)
		3	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR	(2,	0)
		4	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR	(1,	0)
		0	WPN_SYS_IND_3883	3883	WPN-SYS-IND-CD	CHAR	(1,	0)
847	WEAPON_TO_NIIN	0	WPN_SYS_ESNTL_3885	3885	WPN-SYS-ESNTL-CD	CHAR	(1,	0)
		0	DLA_CTR_CD_3886	3886	DLA-CTR-CD	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
848	ORIG_IMAGE_EXTENTS	0	INPUT_RECORDS_9171	9171		VARCHAR	(1128,	0)
		2	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	(2,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	(23,	0)
849	RELEASE_NOW	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
850	REORDER_CRITERIA	0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	RELEASED_CNT_9207	9207	RELEASED-CNT	CHAR	(6,	0)
		1	REORDER_TS_9209	9209	REORDER-TS	TIMESTMP	(10,	0)
851	TRANS_ACTIVE_BATCH	1	TM_BATCH_NBR_9424	9424	TM-BATCH-NBR	SMALLINT	(2,	0)
		2	TM_BATCH_SEQ_9425	9425	TM-BATCH-SEQ-NBR	INTEGER	(4,	0)
		0	TM_BATCH_TRNS_9426	9426	TM-BATCH-TRNS	CHAR	(80,	0)
		0	TRANS_ERR_FLG_9434	9434	TRANS-ERR-FLG	CHAR	(1,	0)
852	TRANS_HIST_MAST	0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(1,	0)
		0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	(2,	0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTMP	(10,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(2,	0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	(1,	0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP	(10,	0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	(2,	0)
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTMP	(10,	0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP	(10,	0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	(1,	0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTMP	(10,	0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP	(10,	0)
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTMP	(10,	0)
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR	(18,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR	(37,	0)
853	VALID_CONTINUATION	2	CONTI_IND_CD_8555	8555	CONTI-IND-CD	CHAR	(1,	0)
		1	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		3	VALID_POSIT_9771	9771	VALID-POSIT	CHAR	(1,	0)
854	TRANS_SUSP_EXTENTS	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR	(1127,	0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	(2,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(2,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
855	VALID_DIC_ODRC	1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	(4,	0)
		2	NATO_FLAG_9185	9185	NATO-FLAG	CHAR	(1,	0)
		3	ODRC_SEQ_9189	9189	ODRC-SEQ	CHAR	(1,	0)
857	STAT_MGR	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(6,	0)
		0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE	(4,	0)
		4	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(7,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
858	CMD_AUTHZN_CD	1	CMD_AUTHZN_CD_0759	0759	CMD-AUTHZN-CD	CHAR	(1,	0)
		0	CMD_AUTH_CD_X_3458	3458	CMD-AUTH-CD-X	CHAR	(14,	0)
859	ODRC_DIC_VAL_TBL	1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		2	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	(4, 0)
		3	DR_ODRC_REC_4981	4981	DR-ODRC-REC-CD	CHAR	(1, 0)
		0	DR_SEG_A_4982	4982	DR-SEG-A-CD	CHAR	(1, 0)
		0	DR_SEG_B_4983	4983	DR-SEG-B-CD	CHAR	(1, 0)
		0	DR_SEG_C_4984	4984	DR-SEG-C-CD	CHAR	(1, 0)
		0	DR_SEG_E_4985	4985	DR-SEG-E-CD	CHAR	(1, 0)
		0	DR_SEG_F_4986	4986	DR-SEG-F-CD	CHAR	(1, 0)
		0	DR_SEG_G_4987	4987	DR-SEG-G-CD	CHAR	(1, 0)
		0	DR_SEG_H_4988	4988	DR-SEG-H-CD	CHAR	(1, 0)
		0	DR_SEG_M_4989	4989	DR-SEG-M-CD	CHAR	(1, 0)
		0	DR_SEG_V_4991	4991	DR-SEG-V-CD	CHAR	(1, 0)
		0	DR_SEG_Z_4992	4992	DR-SEG-Z-CD	CHAR	(1, 0)
		0	DR_SEG_W_4996	4996	DR-SEG-W-CD	CHAR	(1, 0)
		0	DR_DAAS_SOS_4997	4997	DR-DAAS-SOS-CD	CHAR	(1, 0)
861	MOE_RULE_CATT_CANC	2	M_RL_CMP_FLG_1110	1110	MOE-RULE-PROC-CMPTN-FLG	CHAR	(1, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
862	ADRS_SEQ_CDS	1	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	(1, 0)
863	CONTR_ID_CDS	1	SVC_CON_ID_CD_0744	0744	SVC-CONTR-IDEN-CD	CHAR	(1, 0)
		0	SVC_CNTR_CD_X_5236	5236	SVC-CONTR-IDEN-CD-EXPLN	CHAR	(42, 0)
864	DIC_RTN_CD_ED_NOTE	2	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	(4, 0)
		0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR	(1200, 0)
		1	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT	(2, 0)
865	MOE_RULE_TBL_HIST	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER	(4, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	(1, 0)
		0	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	(4, 0)
		0	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR	(1, 0)
		0	CRYPTO_IND_CD_0857	0857	CRYPTO-IND-CD	CHAR	(1, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	AUTH_II_SUBMR_2535	2535	AUTHZD-II-DATA-SUBMR-CD	CHAR	(2, 0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(2, 0)
		0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(1, 0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(2, 0)
		0	PICA_2866	2866	PICA	CHAR	(2, 0)
		0	SICA_2938	2938	SICA-CD	CHAR	(2, 0)
		0	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR	(2, 0)
		2	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
		0	M_RL_STAT_CD_8458	8458	MOE-RULE-STAT-CD	CHAR	(1, 0)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(1, 0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(1, 0)
		0	MGMT_EXCP_NTS_9542	9542	MGMT-EXCP-NOTES	VARCHAR	(500, 0)
		0	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	(2, 0)
866	EFF_MOE_COLBR_HIST	3	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		4	AUTH_II_COLBR_2531	2531	AUTHZD-II-DATA-COLLBR-CD	CHAR	(2, 0)
		2	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
867	EFF_MOE_RCVR_HIST	3	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		4	AUTH_II_RCVR_2532	2532	AUTHZD-II-DATA-RCVR-CD	CHAR	(2, 0)
		2	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4, 0)
868	MOE_CD_RL_RLTN_HST	0	MOE_CD_2833	2833	MOE-CD	CHAR	(2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		2	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
869	MOE_RPLM_DATA_HIST	3	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	(4,	0)
		2	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
870	MOE_FSC_G_EX_HIST	3	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		2	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4,	0)
		0	INCL_EXCL_CD_4497	4497	INCL-EXCL-CD	CHAR	(1,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
871	MOE_CHG_USRID_HIST	0	USR_CD_1101	1101	USR-CD	CHAR	(8,	0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
872	MOE_RL_KU_OP_BKUP	3	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(1500,	0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	(10,	0)
		4	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
873	SGL_MULT_OUTPUT_CD	0	SIN_MLT_OP_EX_3455	3455	SIN-MULT-OP-EX	VARCHAR	(500,	0)
		1	SIN_MLT_OP_CD_4535	4535	SIN-MULT-OP-CD	CHAR	(1,	0)
874	AF_SUSPNS_FL	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR	(3,	0)
		0	LCU_ODIC_3923	3923	LCU-ODIC	CHAR	(3,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER	(4,	0)
		0	LCU_DATE_4237	4237	LCU-DATE	INTEGER	(4,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
875	CTOC_SUSPNS_FL	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR	(3,	0)
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR	(3,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER	(4,	0)
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER	(4,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2,	0)
876	GATEKEEPER	0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	(17,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	MIOS_TRAN_KEY_9410	9410	MIOS-TRAN-KEY	TIMESTMP	(10,	0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21,	0)
877	RPDMRC_FOLLOW_UP	1	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		4	RPDMRC_FU_IND_4531	4531	RPDMRC-KFP-FU-IND	CHAR	(1,	0)
		3	RPDMRC_FU_DT_4532	4532	RPDMRC-KFP-FU-DT	INTEGER	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
878	MC_MAINT_DATA	0	MC_CRITE_STMT_0324	0324	MASS-CHNG-CRITE-STMT	VARCHAR	(3967,	0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6,	0)
		0	INC_4080	4080	INC	CHAR	(5,	0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR	(5,	0)
		1	MC_LGG_TMSTMP_4573	4573	MASS-CHNG-LGG-TMSTMP	TIMESTMP	(10,	0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR	(6,	0)
		0	FILE_MAINT_CD_8850	8850	FILE-MAINT-ACTN-CD	CHAR	(1,	0)
879	MS_JOB_CNTL_HIST	2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(12,	0)
		0	EXTR_RTN_CD_9451	9451	EXTR-RTN-CD	SMALLINT	(2,	0)
		0	ACCUM_RTN_CD_9452	9452	ACCUM-RTN-CD	SMALLINT	(2,	0)
		0	CARRY_OVR_FLG_9453	9453	CARRY-OVR-FLG	CHAR	(1,	0)
		0	CARRY_OVR_RTN_9454	9454	CARRY-OVR-RTN-CD	SMALLINT	(2,	0)
		0	CARRY_OVR_CNT_9455	9455	CARRY-OVR-CNT	INTEGER	(4,	0)
		0	UPDT_RTN_CD_9456	9456	UPDT-RTN-CD	SMALLINT	(2,	0)
		0	UPDT_CNT_9457	9457	UPDT-CNT	INTEGER	(4,	0)
		0	FORCED_FLAG_9458	9458	FORCED-FLAG	CHAR	(1,	0)
		1	JOB_CTL_JUL_9461	9461	JOB-CTL-JUL-DT	INTEGER	(4,	0)
		0	STORED_JUL_DT_9462	9462	STORED-JUL-DT	INTEGER	(4,	0)
880	MC_CDG_DATA	0	MRC_3445	3445	MRC	CHAR	(4,	0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR	(5,	0)
		1	MC_CDG_TM- STMP_4572	4572	MASS-CHNG-CHAR-TMSTMP	TIMESTMP	(10,	0)
		0	MC_LGG_TMSTMP_4573	4573	MASS-CHNG-LGG-TMSTMP	TIMESTMP	(10,	0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR	(6,	0)
		0	MC_CDG_4575	4575	MASS-CHNG-CDG	VARCHAR	(1005,	0)
		0	MC_DEL_CDG_3631	3631	MASS-CHG-DEL-CDG-CD	CHAR	(1,	0)
881	MC_CHARACTERISTICS	2	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR	(5,	0)
		1	MC_CDG_TM- STMP_4572	4572	MASS-CHNG-CHAR-TMSTMP	TIMESTMP	(10,	0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR	(6,	0)
882	PHRS_CD_DRN_0217	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1,	0)
883	SVC_PEC_DE	2	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(1,	0)
		1	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
884	INACTIVE_PHRS_CD	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	(1,	0)
885	EFF_DTD_M_RL_EXCPT	4	EFF_DT_2128	2128	EFF-DT	INTEGER	(4,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		0	INCL_EXCL_CD_4497	4497	INCL-EXCL-CD	CHAR	(1,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(4,	0)
886	SOS_SUB_ACT_MOE_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
887	SUR_SUB_ACT_MOE_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	(2,	0)
888	NATO_ACTY_SUR_OP	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
889	LAD_SEG_DRN	1	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
890	LCD_SEG_DRN	1	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----			
						TYPE	LENGTH	DECIMAL	
891	LDD_SEG_DRN	1	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
892	LCG_SEG_DRN	1	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(1,	0)
893	DESC_TY_SUB_ACT	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
894	DCSC_AY_SUB_ACT	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
895	DESC_TY_FSG_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
896	DCSC_AY_FSG_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
897	AEB_MC_MGT_CD1_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
898	AEB_MC_MGT_CD1_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
899	AEB_MC_MGT_CD2_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
900	AEB_MC_MGT_CD2_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
901	AEB_MC_MGT_CD3_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
902	AEB_MC_MGT_CD3_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
903	AEB_MC_MGT_CD4_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
904	AEB_MC_MGT_CD4_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
905	AEB_MC_MGT_CD5_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
906	AEB_MC_MGT_CD6_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
907	AEB_MC_MGT_CD6_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
908	AEB_ACCT_REQ_CD_D	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
909	AEB_ACCT_REQ_CD_N	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
910	KHN_ERROR	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	NATO_KHN_9130	9130	NATO-DIC-KHN-IMG-DATA-TX	CHAR	(80,	0)
911	KHN_EDITED	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		0	NATO_KHN_9130	9130	NATO-DIC-KHN-IMG-DATA-TX	CHAR	(80,	0)
912	NAIN_CHAL_BY_ACTY	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
913	STAT_ARCHIVE_TBLS	0	DB2_GRP_NUM_4457	4457		CHAR	(4,	0)
		0	DB2_TBL_NAME_4466	4466		CHAR	(18,	0)
		0	TBL_ALL0C_2471	2471		INTEGER	(4,	0)
		0	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(12,	0)
		0	TBL_VOLUME_2473	2473	TBL-VOLUME	CHAR	(6,	0)
		0	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR	(4,	0)
		0	ARCH_BEG_DT_9311	9311	ARCHIVE-BEGIN-DATE	CHAR	(6,	0)
		0	ARCH_END_DT_9312	9312	ARCHIVE-END-DATE	CHAR	(6,	0)
		0	RSTR_STAT_FLG_9314	9314	RESTORE-STATUS-FLAG	CHAR	(1,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(2,	0)
914	NEXT_NIIN	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7,	0)
915	VALID_ISC_COMBO	1	ISC_2650	2650	ITM-STDZN-CD	CHAR	(1,	0)
		2	REP_ISC_8525	8525	REP-ITM-STDZN-CD	CHAR	(1,	0)
916	VALID_FSC_W_B_ISC	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
917	ISC_AUTH_SPEC_STD	2	MIL_VOL_IND_3454	3454	MIL-VOL-IND	CHAR	(1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
918	FUTURE_R_OUTPUT	4	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		0	DOC_CTL_NBR_1015	1015	DOC-CTL-NBR	CHAR	(16, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER	(4, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(2, 0)
919	ASSIGN_MRC	0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		1	MRC_3445	3445	MRC	CHAR	(4, 0)
920	ASSIGN_REPLY	0	MRC_ASGN_STAT_3462	3462	MRC-ASGND-STAT-IND	CHAR	(1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	RPLY_TBL_STAT_3463	3463	RPLY-TBL-CD-STATUS-IND	CHAR	(1, 0)
921	MRD_REQ_AUD_TABLE	1	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	(4, 0)
		0	PRT_SKLTN_CD_0368	0368	PRT-SKLTN-CD	CHAR	(1, 0)
		0	MRD_STATUS_CD_0816	0816	MRD-STAT-IND-CD	CHAR	(1, 0)
		0	MRC_USG_DESI_0847	0847	MRC-USG-DESI	CHAR	(1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	KEYWRD- _MOD_ST_2033	2033	KEYWRD-MODIFIER-STMT	VARCHAR	(108, 0)
		0	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR	(2, 0)
		0	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR	(20, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	MRC_3445	3445	MRC	CHAR	(4, 0)
		2	AUD_RQMT_STAT_3460	3460	MRD-AUD-RQMT-STAT-IND	CHAR	(1, 0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	(110, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR	(1, 0)
922	MRD_REQ_AUD_T_SEQ	0	RQMT_STMT_DEF_5027	5027	RQMT-STMT-DEF	VARCHAR	(500, 0)
		0	CD_F_LGT_RPLY_0365	0365	CD-FOR-LGTH-RPLY	SMALLINT	(2, 0)
		3	RPLY_DCOD_SEQ_0510	0510	RPLY-TBL-DCOD-SEQ-NBR	SMALLINT	(2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		2	AUD_RQMT_STAT_3460	3460	MRD-AUD-RQMT-STAT-IND	CHAR	(1, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	(4, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
923	MRD_REPL_AUD_TABLE	0	RPLY_STAT_IND_2498	2498	RPLY-STAT-IND	CHAR	(1, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		2	AUD_RPLY_STAT_3461	3461	MRD-AUD-RPLY-STAT-IND	CHAR	(1, 0)
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	(6, 0)
		0	DCOD_RPLY_ST_3864	3864	DCODD-RPLY-STMT	VARCHAR	(379, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	(4, 0)
924	REJ_REPLY_RECORD	0	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		0	BTCH_STAT_CTR_1107	1107	BATCH-STAT-CNTR	INTEGER	(4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	STATL_IND_CD_3708	3708	STATL-IND-CD	CHAR	(1, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR	(3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		0	STAT_JUL_DATE_7646	7646	STATS-JULIAN-DATE	CHAR	(5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
925	REC_PROF3	1	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
926	PASS_LINE_ACCESS	0	LN_2780_DESC_9213	9213		CHAR	(20, 0)
		0	PORT_NBR_9212	9212		CHAR	(2, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		1	LN_2780_IDEN_9211	9211	LN-2780-IDEN	CHAR	(4, 0)
		0	MULTI_INP_FLG_9479	9479	MULTI-INP-FLG	CHAR	(1, 0)
927	BSM_PACKET_TYPE	1	PKT_TYP_CD_3972	3972	PKT-TYP-CD	CHAR	(1, 0)
		0	PKT_TYP_TX_3973	3973	PKT-TYP-TX	VARCHAR	(200, 0)
928	NIIN_PKG_DAT_HIST	3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4, 0)
		6	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10, 0)
		5	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		4	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(4, 0)
		9	PICA_SICA_IND_5099	5099	PICA-SICA-IND-CD	CHAR	(1, 0)
		0	PK_DTA_SRC_CD_5148	5148	PKG-DATA-SRC-CD	CHAR	(1, 0)
		0	INTMD_CTN_QTY_5152	5152	INTMED-CTNR-QTY	CHAR	(3, 0)
		0	UP_WT_5153	5153	UP-WT	CHAR	(5, 0)
		0	UP_SZ_5154	5154	UP-SZ	CHAR	(12, 0)
		0	UP_CU_5155	5155	UP-CU	CHAR	(7, 0)
		0	ITM_TYP_STOR_5156	5156	ITM-TYP-STOR-CD	CHAR	(1, 0)
		0	UNPKG_ITM_WT_5157	5157	UNPKG-ITM-WT	CHAR	(5, 0)
		0	UNPKG_ITM_DIM_5158	5158	UNPKG-ITM-DIM	CHAR	(12, 0)
		0	PKG_CTGY_CD_5159	5159	PKG-CTGY-CD	CHAR	(4, 0)
		0	MTHD_PRSRV_CD_5160	5160	MTHD-PRES-CD	CHAR	(2, 0)
		0	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR	(1, 0)
		0	PRSRV_MAT_CD_5162	5162	PRES-CD	CHAR	(2, 0)
		0	WRAP_MAT_CD_5163	5163	WRAP-MAT-CD	CHAR	(2, 0)
		0	CUSH_DUN_MAT_5164	5164	CUSH-DUN-MAT-CD	CHAR	(2, 0)
		0	THK_CUSH_DUN_5165	5165	THK-CUSH-DUN-CD	CHAR	(1, 0)
		0	UNIT_CTNR_CD_5166	5166	UNIT-CTNR-CD	CHAR	(2, 0)
		0	INTMD_CTNR_CD_5167	5167	INTMED-CTNR-CD	CHAR	(2, 0)
		0	UNIT_CTNR_LVL_5168	5168	UNIT-CTNR-LVL-CD	CHAR	(1, 0)
		0	SP_MKG_CD_5169	5169	SP-MKG-CD	CHAR	(2, 0)
		0	LVL_A_PKG_CD_5170	5170	LVL-A-PKG-RQMT-CD	CHAR	(1, 0)
		0	LVL_B_PKG_CD_5171	5171	LVL-B-PKG-RQMT-CD	CHAR	(1, 0)
		0	MINM_PK_RQ_CD_5172	5172	MINM-PKG-RQMT-CD	CHAR	(1, 0)
		0	OPTNL_PRO_IND_5173	5173	OPTNL-PRO-IND-CD	CHAR	(1, 0)
		0	SUPMTL_INST_5174	5174	SUPMTL-INST	VARCHAR	(59, 0)
		0	SPI_NBR_5175	5175	SPI-NBR	CHAR	(10, 0)
		0	SPI_REV_5176	5176	SPI-REV	CHAR	(1, 0)
		0	SPI_DT_5177	5177	SPI-DT	CHAR	(5, 0)
		0	CTNR_NSN_5178	5178	CTNR-NSN	CHAR	(13, 0)
		0	PKG_DSGN_ACTY_5179	5179	PKG-DSGN-ACTY-CD	CHAR	(5, 0)
929	GIRDER_CAGE_CNTL	0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR	(1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
930	CAGE_CCR_NAICS	2	NAICS_IDEN_CD_6044	6044	NAICS-IDEN-CD	CHAR	(6, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
931	CAGE_INFO_TABLE	0	URL_8021	8021	WEB-URL-ID	CHAR	(200,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
932	GIRDER_MFR_UPD	0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	(58,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	(19,	0)
		0	DAC_2640	2640	DAC	CHAR	(1,	0)
		0	PICA_2866	2866	PICA	CHAR	(2,	0)
		0	RNAAC_2900	2900	RNAAC	CHAR	(2,	0)
		0	RNCC_2910	2910	RNCC	CHAR	(1,	0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(32,	0)
		3	NSN_3960	3960	ASGND-NSN	CHAR	(13,	0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	(2,	0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	(2,	0)
		0	GRDR_SEQ_NBR_4543	4543	GIRDER-SEQ-NBR	INTEGER	(4,	0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	(5,	0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	(32,	0)
		0	RNVC_4780	4780	RNVC	CHAR	(1,	0)
		0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR	(1,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
936	LMT_DIS_ACT_CD_VAL	2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	(1,	0)
937	GIRDER_TRN_HLD	2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(10,	0)
		0	SEG_IP_TRAN_4508	4508	SEG-IP-TRAN	CHAR	(80,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5,	0)
941	VAL_DMIL_CIIC_COMB	1	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(1,	0)
		2	CIIC_2863	2863	CIIC	CHAR	(1,	0)
942	SKO_COMPONENTS	2	SKO_I_I_NBR_8581	8581	SKO-I-I-NBR	CHAR	(7,	0)
		1	SKO_NCB_CD_8582	8582	SKO-NCB-CD	CHAR	(2,	0)
		4	CMP_I_I_NBR_8583	8583	CMP-I-I-NBR	CHAR	(7,	0)
		3	CMP_NCB_CD_8584	8584	CMP-NCB-CD	CHAR	(2,	0)
		0	SKO_QTY_8593	8593	SKO-QTY	SMALLINT	(2,	0)
		0	SKO_FSC_8594	8594	SKO-FSC	CHAR	(4,	0)
		0	CMP_FSC_8595	8595	CMP-FSC	CHAR	(4,	0)
		0	SKO_ITEM_NAME_8596	8596	SKO-ITEM-NAME	CHAR	(19,	0)
		0	CMP_ITEM_NAME_8597	8597	CMP-ITEM-NAME	CHAR	(19,	0)
943	MQ_MANAGER	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6,	0)
		1	QUE_LOC_NM_9405	9405	QUE-LOC-NM	CHAR	(48,	0)
944	COMM_CATG	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		0	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
945	MULTI_MEDIA_OUT	2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(2,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	(12,	0)
		0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	(1500,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
		6	OP_SEQ_FLD_9801	9801	TM-OP-SEQ-FLD	CHAR	(25,	0)
		4	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR	(1,	0)
		5	USER_DEF_FLG_9803	9803	TM-USER-DEF-FLG	CHAR	(1,	0)
946	PKG_UP_QTY	0	UP_QTY_EXPL_3464	3464	UP-QTY-EXPL	VARCHAR	(120,	0)
		1	UP_QTY_5321	5321	UP-QTY	CHAR	(3,	0)
948	KVI_SUSPNS_FL	0	INCR_NBR_2219	2219	INCR-NBR	CHAR	(2,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	DLAC_3891	3891	DLAC	CHAR	(2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR	(3, 0)
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR	(3, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
		0	KVI_SPNS_E_DT_4214	4214	KVI-SUSPNS-ESTB-DT	INTEGER	(4, 0)
		0	OTHER_DIC_4215	4215	OTH-DIC	CHAR	(3, 0)
		0	OTHR_DIC_DATE_4216	4216	OTH-DIC-DATE	INTEGER	(4, 0)
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER	(4, 0)
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER	(4, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
949	KVI_STRAGLER_FL	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2, 0)
		0	KVI_DECR_CTR_4211	4211	KVI-DECR-CTR	INTEGER	(4, 0)
		0	KVI_ORIG_CTR_4212	4212	KVI-ORIG-CTR	INTEGER	(4, 0)
950	ISAC_RPLY_AUD	0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	DCOD_ISAC_RPY_2308	2308	DCODD-ISAC-RPLY-STMT	VARCHAR	(379, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		2	AUD_ISAC_RPY_3562	3562	AUD-ISAC-RPLY-STAT-IND	CHAR	(1, 0)
		0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	(4, 0)
		0	SAC_8990	8990	SAC	CHAR	(3, 0)
		0	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR	(1, 0)
951	STYL_RPLY_AUD	0	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(5, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	DCOD_STYL_RPY_2309	2309	DCODD-STYL-RPLY-STMT	VARCHAR	(379, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	MRC_3445	3445	MRC	CHAR	(4, 0)
		2	AUD_STYL_RPY_3563	3563	AUD-STYL-RPLY-STAT-IND	CHAR	(1, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(6, 0)
952	ASSIGN_ISAC_RPLY	0	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10, 0)
		0	ASGN_ISAC_RPY_3561	3561	ASGN-ISAC-RPLY-STAT-IND	CHAR	(1, 0)
		1	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	(4, 0)
953	REF_NBR_GATEKEEPER	0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	(17, 0)
		0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	(32, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		0	CAGE_CD_9250	9250	CAGE-CD	CHAR	(5, 0)
		0	MIOS_TRAN_KEY_9410	9410	MIOS-TRAN-KEY	TIMESTAMP	(10, 0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
954	USER_ACCESS_AUTH	1	USR_CD_1101	1101	USR-CD	CHAR	(8, 0)
		0	USR_ACCS_LVL_1381	1381	USR-ACCS-LVL	CHAR	(1, 0)
		2	USR_ACCS_SUB_3381	3381	USR-ACCS-LVL-SUBSYS-CD	CHAR	(1, 0)
955	CMD_RCVRS_ACTY_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(6, 0)
		2	DEPT_CD_8329	8329	DEPT-CD	CHAR	(2, 0)
956	FIRST_OF_MONTH	0	FRST_MNTH_JUL_2538	2538	FRST-MNTH-JUL	CHAR	(3, 0)
		1	NUMERIC- _MONTH_2539	2539	NUMERIC-MONTH	CHAR	(2, 0)
957	LOLA_RESPONSE	5	DRN_0950	0950	DATA-REC-NBR	CHAR	(4, 0)
		3	DIC_OP_1052	1052	DIC-OP	CHAR	(3, 0)
		4	PKG_SEQ_NBR_1070	1070	PKG-SEQ-NBR	CHAR	(3, 0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
		6	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(3, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(21, 0)
		2	RTN_CD_9480	9480	RTN-CD	CHAR	(2, 0)
958	LTI_LFN_FOLLOWUP	0	TRN_STATUS_CD_0854	0854	TRAN-STAT-CD	CHAR	(2, 0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR	(3, 0)
		1	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	(4, 0)
959	MS_DEPT_MATRIX	1	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(2, 0)
		2	ROLL_UP_DEPT_9459	9459	ROLL-UP-DEPT-CD	CHAR	(2, 0)
		0	ROLL_UP_CD_9460	9460	ROLL-UP-CD	CHAR	(2, 0)
960	EMERGENCY_NIIN	0	NIIN_STAT_CD_2670	2670	NIIN-STAT-CD	CHAR	(1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(7, 0)
961	SPCL_APPL_OP_HOLD	4	DIC_3920	3920	DOC-ID-CD	CHAR	(3, 0)
		2	ALLOWED_DIC_9135	9135	ALLOWED-DIC	CHAR	(3, 0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(1500, 0)
		5	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(2, 0)
		3	RECDV_STAMP_9204	9204	RECDV-STAMP	TIMESTMP	(10, 0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4, 0)
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	(2, 0)
962	HMIC_FSC_TBL	1	FSG_3994	3994	ASGND-FSG	CHAR	(2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2, 0)
		3	HMIC_FSC_TB_N_8589	8589	HMIC-FSC-TBL-NBR	CHAR	(1, 0)
			DGTZD- _DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	(15, 0)
966	PROD_NM_XREF	2	DLN_1283	1283	EOL	CHAR	(10, 0)
967	REC_PROF1	0	ACCESS_FLAG			CHAR	(1, 0)
		0	ACTIVITY_CD			CHAR	(6, 0)
		0	AMLS_LBL_ID_9999	9999		CHAR	(2, 0)
		0	AMLS_LID_ACES_9999	9999		CHAR	(1, 0)
		0	FIRST_INIT			CHAR	(2, 0)
		0	GROUPID			CHAR	(5, 0)
		0	LAST_NAME			CHAR	(17, 0)
		0	PC_CODE			CHAR	(1, 0)
		0	PRNT1			CHAR	(8, 0)
		0	PRNT2_9999	9999		CHAR	(4, 0)
		0	PROPRITORY			CHAR	(1, 0)
		0	SVC_ENT_9999	9999		CHAR	(2, 0)
		1	USERID			CHAR	(8, 0)
968	REC_MENU3	0	CLECT_I_1			CHAR	(6, 0)
		0	CLECT_I_2			CHAR	(6, 0)
		0	CLECT_I_3			CHAR	(6, 0)
		0	CLECT_I_4			CHAR	(6, 0)
		0	CLECT_I_5			CHAR	(6, 0)
		0	CLECT_I_6			CHAR	(6, 0)
		0	CLECT_I_7			CHAR	(6, 0)
		0	CLECT_T_1			CHAR	(8, 0)
		0	CLECT_T_2			CHAR	(8, 0)
		0	CLECT_T_3			CHAR	(8, 0)
		0	CLECT_T_4			CHAR	(8, 0)
		0	CLECT_T_5			CHAR	(8, 0)
		0	CLECT_T_6			CHAR	(8, 0)
		0	CLECT_T_7			CHAR	(8, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	CLECT_X_1			CHAR (60, 0)
		0	CLECT_X_2			CHAR (60, 0)
		0	CLECT_X_3			CHAR (60, 0)
		0	CLECT_X_4			CHAR (60, 0)
		0	CLECT_X_5			CHAR (60, 0)
		0	CLECT_X_6			CHAR (60, 0)
		0	CLECT_X_7			CHAR (60, 0)
		0	MENU_SCR_TITLE			CHAR (45, 0)
		0	MENU_TITLE			CHAR (45, 0)
		1	GROUP_ID			CHAR (5, 0)
		2	MENU_ID			CHAR (6, 0)
970	REC_TERM	0	PRINTER_ID			CHAR (4, 0)
		1	TERMINAL_ID			CHAR (8, 0)
971	TABLE_ALIAS	0	TABLE_KEYLEN			DECIMAL (3, 0)
		0	TABLE_NAME			CHAR (27, 0)
		1	TABLE_GROUP			CHAR (6, 0)
972	CMD_BASIC_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
973	CMD_PHRASE_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
974	COLLABOR_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
975	DSOR_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
976	EFF_DT_ITM_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
977	MOE_RL_DLT_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
978	NON_CMD_AC_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
979	RECEIVERS_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
980	NIIN_MOE_R_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR (3, 0)
981	NIIN_PKG_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
982	NIIN_REF_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
983	NONEFF_ITM_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
984	RPLD_NSN_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
985	NAIN_FSG_FSC_EDIT	2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		1	NAIN_STRING_6589	6589	NAIN-STRNG	CHAR	(19,	0)
986	FSG_FSC_NAIN_EDIT	1	FSG_3994	3994	ASGND-FSG	CHAR	(2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(2,	0)
		3	NAIN_STRING_6589	6589	NAIN-STRNG	CHAR	(19,	0)
987	PMIC_RPLY	0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR	(1,	0)
		2	PMIC_CDD_RPLY_3572	3572	PMIC-CDD-REPLY	CHAR	(6,	0)
		1	PMIC_TBL_TYPE_3574	3574	PMIC-TBL-TYPE	CHAR	(1,	0)
988	PMIC_MRC_TYPE	1	PMIC_MRC_3573	3573	PMIC-MRC	CHAR	(4,	0)
		0	PMIC_TBL_TYPE_3574	3574	PMIC-TBL-TYPE	CHAR	(1,	0)
989	LVI_R_TABLE_EDIT	1	DRN_0950	0950	DATA-REC-NBR	CHAR	(4,	0)
		2	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(2,	0)
990	REPLACEMENT_INCS	1	NM_CD_2303	2303	NM-CD	CHAR	(5,	0)
		2	RPLD_INC_2646	2646	RPLM-INC	CHAR	(5,	0)
991	DEMIL_PICA_ACT_CD	1	PICA_2866	2866	PICA	CHAR	(2,	0)
992	DIC_SPEC_NOTES	2	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(8,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(4,	0)
		0	TEXT_LINE_4519	4519	TEXT-LINE	CHAR	(78,	0)
993	MS_JOB_CNTL	2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(12,	0)
		0	EXTR_RTN_CD_9451	9451	EXTR-RTN-CD	SMALLINT	(2,	0)
		0	ACCUM_RTN_CD_9452	9452	ACCUM-RTN-CD	SMALLINT	(2,	0)
		0	CARRY_OVR_FLG_9453	9453	CARRY-OVR-FLG	CHAR	(1,	0)
		0	CARRY_OVR_RTN_9454	9454	CARRY-OVR-RTN-CD	SMALLINT	(2,	0)
		0	CARRY_OVR_CNT_9455	9455	CARRY-OVR-CNT	INTEGER	(4,	0)
		0	UPDT_RTN_CD_9456	9456	UPDT-RTN-CD	SMALLINT	(2,	0)
		0	UPDT_CNT_9457	9457	UPDT-CNT	INTEGER	(4,	0)
		0	FORCED_FLAG_9458	9458	FORCED-FLAG	CHAR	(1,	0)
994	ORIG_KRU_IMAGE	1	JOB_CTL_JUL_9461	9461	JOB-CTL-JUL-DT	INTEGER	(4,	0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(4,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(1128,	0)
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP	(10,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(4,	0)
995	MULTIMEDIA_RR_FIXD	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(1128,	0)
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(23,	0)
996	MULTIMEDIA_RR_VARI	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(1,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(1128,	0)
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(23,	0)
997	NATO_SUSPENSE_DATA	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(10,	0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(2,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(3,	0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(2,	0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(1500,	0)
998	NATO_L07_DCSN_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(7,	0)
		4	LWST_DCSN_SEQ_2198	2198	LWST-DOC-CTL-NBR-SEQ-NBR	CHAR	(4,	0)
		5	HI_DCSN_SEQ_2199	2199	HGST-DOC-CTL-NBR-SEQ-NBR	CHAR	(4,	0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(4,	0)
		0	L07_TRAN_SENT_2541	2541	L07-TRANS-SENT-QTY	INTEGER	(4,	0)
		0	L07_TRAN_RCVD_2542	2542	L07-TRANS-RCVD-QTY	INTEGER	(4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
999	NATO_ACTIVITY_SEG	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		6	TMSTMP_3059	3059	TMSTMP	TIMESTAMP (10, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		5	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR (1500, 0)

(BLANK PAGE)

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	ACCESSCREATOR	AIN			AME
	ACCESSNAME	AIN			AOA
	ACCESSTYPE	AIN			AVY
	ACCESS_DEGREE	AIN			CCO
	ACCESS_FLAG	967			CEC
	ACCESS_PGROUP_ID	AIN			CMA
	ACTIVITY_CD	967			CMG
	AMLS_LBL_ID_9999	967			CNM
	AMLS_LID_ACES_9999	967			CPH
	APPLNAME	AIN			CRE
	CITY_1083	834			CST
	CLECT_I_1	968			DBR
	CLECT_I_2	968			DPC
	CLECT_I_3	968			EDC
	CLECT_I_4	968			EDC
	CLECT_I_5	968			EFN
	CLECT_I_6	968			EFN
	CLECT_I_7	968			EIM
	CLECT_T_1	968			EMI
	CLECT_T_2	968			EMI
	CLECT_T_3	968			EMI
	CLECT_T_4	968			EMI
	CLECT_T_5	968			EPL
	CLECT_T_6	968			EPL
	CLECT_T_7	968			ETE
	CLECT_X_1	968			FFA
	CLECT_X_2	968			GRE
	CLECT_X_3	968			GSE
	CLECT_X_4	968			HRA
	CLECT_X_5	968			HRA
	CLECT_X_6	968			ICO
	CLECT_X_7	968			IIC
	COLLID	AIN			IMS
	COLUMN_FN_EVAL	AIN			IPA
	CREATOR	AIN			IRC
	DATE_LAST_CHG_0043	726			IRS
	DB2_GRP_NUM_4457	913			IRS
	DB2_TBL_NAME_4466	913			IRS
	DCOD_RPLY_ST_3865	748			KGU
	DIC_DRN_N_NBR_2112	208			LAS
	DIDS_INTRO_4469	177			LOS
		392			LOS
	DIDS_TBL_NAME_4466	392			MIC
	FIRST_INIT	967			MIC
	GROUPID	967			OBI
	GROUP_ID	968			OMM
	IBMSNAP_COMMITSEQ	AGE			PEC

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		R			IRS
		RMC			IRS
		RMY			IRS
		RMY			KGU
		SEU			LAS
		STA			LOS
		TOP			LOS
		VYI			MIC
		VYS			MIC
		VYS			OBI
		YPE			OMM
	IBMSNAP_INTENTSEQ	AGE			PEC
		AME			R
		AOA			RMC
		AVY			RMY
		CCO			RMY
		CEC			SEU
		CMA			STA
		CMG			TOP
		CNM			VYI
		CPH			VYS
		CRE			VYS
		CST			YPE
		DBR		IBMSNAP_OPERATION	AGE
		DPC			AME
		EDC			AOA
		EDC			AVY
		EFN			CCO
		EFN			CEC
		EIM			CMA
		EMI			CMG
		EMI			CNM
		EMI			CPH
		EMI			CRE
		EPL			CST
		EPL			DBR
		ETE			DPC
		FFA			EDC
		GRE			EDC
		GSE			EFN
		HRA			EFN
		HRA			EIM
		ICO			EMI
		IIC			EMI
		IMS			EMI
		IPA			EMI
		IRC			EPL

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		EPL		METHOD	AIN
		ETE		MIXOPSEQ	AIN
		FFA		NSCM_SFX_CD_BR_5267	689
		GRE		NOTE_NBR	275
		GSE		NSCM_CDFN_BUR_4180	258
		HRA		NSCM_S_CD_BR_5267	259
		HRA		NSCM_S_CD_B_N_5265	259
		ICO		NSCM_S_CD_B_X_5266	259
		IIC		ORIG_ACT_CD_4210	767
		IMS			768
		IPA		OUT_UI_TEXT_3046	ICO
		IRC			813
		IRS		PC_CODE	967
		IRS		PLANNO	AIN
		IRS		PORT_NBR_9212	926
		KGU		PREFETCH	AIN
		LAS		PRINTER_ID	970
		LOS		PRNT1	967
		LOS		PRNT2_9999	967
		MIC		PROGNAME	AIN
		MIC		PROPRITORY	967
		OBI		QBLOCKNO	AIN
		OMM		QUERYNO	AIN
		PEC		REMARKS	AIN
		R		SCHEDULE_B	747
		RMC			748
		RMY		SCMC_1481	738
		RMY		SORTC_GROUPBY	AIN
		SEU		SORTC_JOIN	AIN
		STA		SORTC_ORDERBY	AIN
		TOP		SORTC_UNIQ	AIN
		VYI		SORTN_GROUPBY	AIN
		VYS		SORTN_JOIN	AIN
		VYS		SORTN_ORDERBY	AIN
		YPE		SORTN_UNIQ	AIN
	INDEXONLY	AIN		SVC_ENT_9999	967
	INPUT_RECORDS_9171	848		TABLE_GROUP	971
	IO_STST_CNT_6546	064		TABLE_KEYLEN	971
	JOIN_DEGREE	AIN		TABLE_NAME	971
	JOIN_PGROUP_ID	AIN		TABNO	AIN
	LAST_NAME	967		TBL_ALL0C_2471	913
	LN_2780_DESC_9213	926		TERMINAL_ID	970
	MATCHCOLS	AIN		TIMESTAMP	AIN
	MAX_OCURS_4594	479		TNAME	AIN
	MENU_ID	968		TSLOCKMODE	AIN
	MENU_SCR_TITLE	968		TYPE_IL_4_3487	830
	MENU_TITLE	968		UIT_NCB_XS_1020	544

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	USERID	967			082
	VERSION	AIN			086
	WRK_DEL_DT_5145	365			107
	WRK_MOV_IND_5141	379			157
AAC-EXPLN	AAC_EXPLN_5250	156			158
AB-VALUE	AB_VALUE_4419	351			238
		358			299
ABV-MRC-FIIG-INC-NSN	AMRC_STAT_CNT_8224	020			327
ACCTG-RQMTS-CD-AR	ACTG_RQMT_AR_2665	006			368
		168			374
		505			381
ACCTG-RQMTS-CD-EXPLN-AR	ACT_RQM_BR_EX_3157	168			382
ACCUM-RTN-CD	ACCUM_RTN_CD_9452	879			385
		993			387
ACQ-AD-CD	AAC_2507	006			389
		015			398
		156			401
		505			405
		511			409
		599			475
ACQ-MTHD-CD	AMC_2871	021			537
		022			538
		153			581
		154			582
		345			583
		425			584
		521			588
		597			590
ACQ-MTHD-CD-EXP	AMC_EX_5204	154			602
ACQ-MTHD-CD-FROM	AMC_FROM_3086	329			603
ACQ-MTHD-CD-TO	AMC_TO_3085	329			604
ACQ-MTHD-SUF-CD	AMSC_2876	022			607
		153			608
		155			613
		345			614
		521			616
		597			716
ACQ-MTHD-SUF-CD-EXPLN	AMSC_EX_5205	155			717
ACTIVITY-FLAG	ACTIVITY_FLAG_9131	772			718
		929			719
		932			720
ACTY-CATEGORY	ACTY_CATEGORY_9751	382			721
		475			735
ACTY-CD	ACTY_CD_2046	R			776
		012			783
		054			841
		074			843

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		845	ADRS-SEQ-CD	ADRS_SEQ_CD_0233	144
		849			408
		850			475
		886			862
		887	ADRS-TYP-CD	ADRS_TYP_CD_2137	002
		888			003
		912			328
		925			504
		926	AF-BDGT-APPRP	AF_BDGT_APPRP_3160	164
		936	AF-BDGT-CD-MDL	BDGT_CD_AF_3765	006
		943			164
		955			505
		994	AF-BDGT-CD-MDL-DEF	BDGT_CD_AF_EX_3161	164
ACTY-CD-SCRNG	ACTY_CD_SCRNG_0177	144	AF-BDGT-PGM	AF_BDGT_PGM_3159	164
		782	AF-BDGT-STK-FD-DIV	AF_BGT_STK_FD_3162	164
ACTY-CITY	ACTY_CITY_3246	157	AF-FSC-MGR	AF_FSC_MGR_8860	094
ACTY-DESI-CD-DLA-GSA	DLA_GSA_EXCPT_0511	016			515
		523	AF-RPLM-ACTY-CD	AF_RPL_ACT_CD_2875	581
ACTY-GRP	ACTY_GRP_9133	474	AF-SOS	AF_SOS_9403	331
		606			519
		615	AGCY-PROJ-CD	AGCY_PROJ_CD_4339	279
		715	AGCY-PROJ-DEF-TX	AGCY_PROJ_DEF_4340	279
		945	AIR-CMDTY-CD	AIR_CMDTY_CD_2497	1RC
ACTY-NM-LINE1	ACTY_NM_LINE1_3238	157			162
ACTY-NM-LINE2	ACTY_NM_LINE2_3239	157	AIR-CMDTY-CD-EXPLN	AIR_CMTY_EX_5232	1RC
ACTY-NM-LINE3	ACTY_NM_LINE3_3240	157			162
ACTY-NM-LINE4	ACTY_NM_LINE4_3241	157	AIR-CMDTY-SP-HDLG-CD	AIR_CMTY_HDLG_9215	016
ACTY-NM-LINE5	ACTY_NM_LINE5_3242	157			523
ACTY-OFC-SYM	ACTY_OFC_SYM_3243	157	AIR-DIM-CD	AIR_DIM_CD_9220	016
ACTY-ST-ADRS1	ACTY_ST_ADRS1_3244	157			163
ACTY-ST-ADRS2	ACTY_ST_ADRS2_3245	157			523
ACTY-STA-US-POS-ABR	ACTY_ST_US_AB_3247	157	AIR-DIM-CD-EXPLN	AIR_DIM_CD_EX_5231	163
ACTY-TYPE	ACTY_TYPE_9134	382	AIR-SP-HDLG-CD	AIR_S_HDLG_3169	1RS
ACTY-ZIP-CD	ACTY_ZIP_CD_3248	157			167
ADDNTL-R-P-Q-SEG	ADD_R_P_Q_SEG_3146	233	AIR-SP-HDLG-CD-EXPLN	AIR_S_HDLG_EX_3170	1RS
ADP-PNT-CD	ADP_PNT_CD_8835	DPC			1RS
		004			1RS
		077			167
ADPE-IDEN-CD	ADPEC_0801	010			728
		161			729
		509	AIR-SP-HDLG-PT-1	AIR_S_HDLG_P1_4521	1RS
		596			728
ADPE-IDEN-CD-DEF	ADPEC_DEF_5262	161	AIR-SP-HDLG-PT-2	AIR_S_HDLG_P2_4524	1RS
ADRS-NM-CLR-TXT	ADRS_NM_C_TXT_1086	003			729
		671	AIR-SP-HDLG-SUB-1	AIR_S_HDLG_S1_4522	1RS
ADRS-NM-LN-NO	ADRS_NM_LN_NO_1087	003			728
		671	AIR-SP-HDLG-SUB-2	AIR_S_HDLG_S2_4523	1RS

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		728			169
ALL-SEGS-DRPD-IND	ALL_SEGS_DRPD_9735	074			505
ALLOWED-DIC	ALLOWED_DIC_9135	403	AR-MCC-APPROP-SUBGRP-TXT	AR_MCC_AP_TXT_2164	169
		961	AR-MCC-DESCP-USE-CD	AR_MCC_USE_CD_2161	RMC
ALT-OP-MED-CD	ALT_OP_MED_CD_0420	144			006
		157			170
		783			505
AMC-AT-CC-ADDS-NSN	AMC_STAT_CNT_6373	021	AR-MCC-DESCP-USE-TXT	AR_MCC_USE_TX_2162	RMC
AMC-AT-CC-BBAL-NSN	AMC_STAT_CNT_6371	021			170
AMC-AT-CC-DLTS-NSN	AMC_STAT_CNT_6377	021	AR-MCC-SUB-GRP-CD	AR_MCC_SG_CD_2165	RMY
AMC-AT-CC-MVMT-NSN	AMC_STAT_CNT_6381	329			171
AMC-DP-CC-ADDS-NSN	AMC_STAT_CNT_6357	021	AR-MCC-SUB-GRP-CD1	AR_MCC_SG_CD1_2167	006
AMC-DP-CC-BBAL-NSN	AMC_STAT_CNT_6355	021			172
AMC-DP-CC-DLTS-NSN	AMC_STAT_CNT_6359	021			505
AMC-DP-CC-MVMT-NSN	AMC_STAT_CNT_6363	329	AR-MCC-SUB-GRP-TXT	AR_MCC_SG_TX_2166	RMY
AMMO-CD	AMMO_CD_8805	EPL			171
		FFA	AR-MCC-SUB-GRP-TXT1	AR_MCC_SG_TX1_2168	172
		001	AR-RPLM-ACTY-CD	AR_RPL_ACT_CD_2873	581
		073	AR-SOS	AR_SOS_9402	331
		496			519
		723	ARCHIVE-BEGIN-DATE	ARCH_BEG_DT_9311	913
AMMO-CD-PRFX-ID	AMMO_CD_PRFX_8809	487	ARCHIVE-END-DATE	ARCH_END_DT_9312	913
AMSC-AMC-VLD-COMBS-CD	AMSC_AMC_VC_8009	153	ARCHIVE-TS	ARCHIVE_TS_9137	840
AMSC-DP-AMC-NSN	AMC_STAT_CNT_6400	022	ARCVD-BY-USER	ARCHVNG_USER_9138	840
AMSC-DP-AMC-TOT-NSN	AMSC_STAT_TOT_6401	425	ASCII-EBCDIC	ASCII_EBCDIC_9139	410
AMSC-DP-AT-AMC-NSN	AMC_STAT_CNT_6387	022	ASGN-ISAC-RPLY-STAT-IND	ASGN_ISAC_RPY_3561	952
AMSC-DP-AT-AMC-TOT	AMSC_STAT_TOT_6388	425	ASGND-FSC	FSC_3990	ETE
AND-OR	AND_OR_4410	115			250
		116			304
AND-OR-IND	AND_OR_IND_3060	348			487
		350			602
		351			776
		352	ASGND-FSC-WI-FSG	FSC_WI_FSG_3996	CNM
		353			DBR
		354			EMI
APPL-OP-REC	APPL_OP_REC_9136	044			FFA
		151			MIC
		408			001
		872			010
		961			024
		997			031
		999			034
APPLB-KEY-CD-FIIG	APPLB_KEY_CD_0103	098			036
		593			038
AR-FSC-MGR	AR_FSC_MGR_8831	094			041
		515			042
AR-MCC-APPROP-SUBGRP	AR_MCC_AP_SUB_2163	006			047

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		050			712
		053			714
		073			726
		076			727
		094			733
		099			738
		103			741
		106			747
		148			748
		216			763
		221			775
		297			784
		338			786
		369			788
		370			790
		371			792
		379			796
		430			798
		431			800
		432			802
		433			804
		434			812
		435			857
		437			870
		484			874
		491			875
		494			885
		509			895
		515			896
		518			898
		525			900
		530			902
		572			904
		573			907
		577			908
		578			909
		591			916
		594			944
		596			948
		611			962
		646			985
		660			986
		662	ASGND-FSG	FSG_3994	CNM
		684			DBR
		692			EMI
		694			FFA
		696			MIC

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		001			578
		010			591
		024			594
		031			595
		034			596
		036			611
		038			646
		041			660
		042			662
		047			684
		050			692
		053			694
		073			696
		076			712
		094			714
		099			726
		103			727
		106			733
		148			738
		216			741
		221			747
		297			748
		316			763
		338			775
		369			784
		370			786
		371			788
		379			790
		430			792
		431			796
		432			798
		433			800
		434			802
		435			804
		437			812
		484			857
		491			870
		492			874
		494			875
		509			885
		515			895
		518			896
		525			897
		530			898
		572			899
		573			900
		577			901

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		902	BSM-DB2-PARTITION-QY	BSM_DB2_PART_4510	665
		903			667
		904	BSM-MSG-TX	BSM_MSG_TX_4509	667
		905	BTCH-CTL-NBR	BTCH_CTL_NBR_0998	060
		906	BTCH-FMT-PARM	BTCH_FMT_PARM_2602	102
		907	CAGE-CD	CAGE_CD_9250	002
		908			003
		909			004
		916			005
		944			014
		948			023
		962			046
		985			059
		986			069
ASGND-NIIN	NIIN_4000	368			070
		602			079
		776			081
ASGND-NSN	NSN_3960	772			082
		781			083
		782			092
		932			101
ASSOC-CD-CAGE-NCAGE-CD	ASSOC_CD_CAGE_8855	082			103
ATTN-LINE	ATTN_LINE_3482	834			151
AUD-ISAC-RPLY-STAT-IND	AUD_ISAC_RPY_3562	950			176
AUD-STYL-RPLY-STAT-IND	AUD_STYL_RPY_3563	951			189
AUTH-FL-UPDT-RCVRS	AUTH_UPD_RCVR_4507	236			222
AUTH-INTEROG-SUB	AUTH_INT_SUB_4506	236			225
AUTHZD-II-DATA-COLLBR-CD	AUTH_II_COLBR_2531	095			245
		866			328
AUTHZD-II-DATA-RCVR-CD	AUTH_II_RCVR_2532	096			494
		867			495
AUTHZD-II-DATA-SUBMR-CD	AUTH_II_SUBMR_2535	093			502
		865			504
AUTODIN-CONT-IND-CD	AUTODIN_CIC_9306	841			522
AUTODIN-IO	AUTODIN_IO_9140	397			598
		841			686
AUTODIN-MSG	AUTODIN_MSG_9310	612			725
		843			772
AUTODIN-MSG-DT-TM	AUTODIN_DT_TM_9486	R			773
		012			775
BATCH-STAT-CNTR	BTCH_STAT_CTR_1107	924			779
BLOCK-SIZE	BLOCK_SIZE_9141	410			780
BRNCH-CD	BRNCH_CD_0997	060			781
		109			917
		525			929
BSC-CMB-IMM-IND	BSC_CM_IM_IND_4582	536			930
		771			931

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		932	CDD-CLR-RPLY	CDD_CLR_RPLY_4128	115
		937			116
		953			348
CAGE-FSC-NSN	CAGE_STAT_CNT_6657	494			748
CAGE-INC-NSN	CAGE_STAT_CNT_6656	495	CDD-RPLY	CDD_RPLY_3465	128
CAGE-KEYWORD	CAGE_KEYWORD_4471	504			339
CAGE-NCAGE-DESI-CD	CAGE_NSCM_DES_2620	082			473
		263			748
CAGE-NCAGE-STAT-CD	CAGE_STAT_CD_2694	070			923
		082	CHAR-SCRN-IND	CHAR_SCRN_IND_3102	191
		185			230
		281	CHNG-RPLY-FRM	CHNG_RPLY_FRM_4413	118
		502			119
		674	CHNG-RPLY-TO	CHNG_RPLY_TO_4414	118
		685			119
		725	CICS-ERR-CD	CICS_ERR_9392	086
		775	CICS-PASS-KEY-TX	CICS_PASS_KEY_9069	443
CAGE-NCAGE-TYP-CD	CAGE_TYP_CD_4238	YPE	CICS-PASS-TX	CICS_PASS_TX_9070	443
		082	CIIC	CIIC_2863	EMI
		265			006
		674			270
CAGE-NSN	CAGE_STAT_CNT_6654	023			379
CAGE-PNT-OF-CNTCT-NM	CNTCT_NM_3374	222			505
CAGE-REF	CAGE_STAT_CNT_6655	023			599
CAGE-STAT-CD-USER-INTPTN	CAGE_USR_INTP_5293	185			712
CAO-ADP-EXCP-PRCSG-CD-EX	CAO_EX_PR_EX_5270	AOA			812
		178			941
CAO-ADP-EXCP-PROC-CD	CAO_EX_PR_CD_8868	AOA	CIIC-CLS-CD	CIIC_CLS_CD_5255	11C
		178			182
CAO-CD	CAO_CD_8870	DPC			270
		004	CIIC-CLS-CD-TI	CIIC_CLS_TI_2495	11C
		077			182
CARRY-OVR-CNT	CARRY_OVR_CNT_9455	879	CIIC-CLS-CD-TI-EX	CIIC_CLS_EX_2496	11C
		993			182
CARRY-OVR-FLG	CARRY_OVR_FLG_9453	879	CIIC-NOTE	CIIC_NOTE_3494	837
		993	CIIM-ACTN-RTN-TO	CIIM_RTN_TO_3139	183
CARRY-OVR-RTN-CD	CARRY_OVR_RTN_9454	879	CIIM-INPUT-FILE-IND	CIIM_IN_IND_3138	183
		993	CIIM-RTN-ACTN-CD	CIIM_RTN_CD_3134	183
CASE-NBR	CASE_NBR_2544	044			746
CAT-MGMT-IP-OP-NOTE-IND	CM_NOTE_IND_2101	197	CIIM-RTN-ACTN-CD-DEF-INS	CIIM_RTN_DEF_3137	183
CCR-CAGE-CD-IP-RCD-TX	CCR_IP_RCD_TX_3377	281	CIT-ELGBL-IND-CD	CIT_ELGBL_IND_9506	398
CCR-CAGE-CD-OP-RCD-TX	CCR_OP_RCD_TX_3378	281	CITY	CITY_1084	002
CCR-DUNS-PLUS4-ID	DUNS_PLUS4_4361	222			328
		281			674
CCR-IP-RCD-CAGE-CD	CCR_CAGE_CD_3380	281	CLAS-ASST-MOD-H2	CL_ASST_MODH2_9554	CNM
CD-FOR-LGTH-RPLY	CD_F_LGT_RPLY_0365	126			099
		922			518

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		594			119
CLAS-ASST-MOD-H3	CL_ASST_MODH3_9553	FFA	COCO-NBR	COCO_NBR_2254	117
		001			118
		073	COG-CD-CMNT-NVY	COG_CD_NV_CM_4558	VYS
CLNG-DRYNG-PRO-CD	CLNG_DRY_PRC_5161	314			260
		346	COG-CD-INV-MGR-RETL-OFC	COG_RETL_OFC_5257	252
		928	COG-CD-NVY	COG_CD_NVY_2608	VYS
CLNG-DRYNG-PRO-CD-DEF-TX	CLN_DRY_PR_TX_8630	314			006
CLRTXT-KEY	CLRTXT_KEY_3088	349			093
CLS-OF-SUP-INTGTY-CD	COSIC_2326	738			252
CMBT-ESNTL-CD-EXPLN-MC	CMBT_MC_EXP_3165	239			260
CMBT-ESNTL-CD-MC	CMBT_ESTL_MC_3311	006			505
		239			865
		505	COG-CD-NVY-DEF	COG_CD_NVY_EX_5256	252
		599	COMM-ADRS-ID	COMM_ADRS_ID_6572	538
CMD-AUTH-CD-X	CMD_AUTH_CD_X_3458	858	COMM-FILE-NM	COMM_FILE_NM_6575	538
CMD-AUTHZN-CD	CMD_AUTHZN_CD_0759	144	COMM-RI	COMM_RI_9142	054
		858			084
CMDTY-CTGY-EXPLN	CMDTY_CT_EXP_5301	DBR			409
		221			618
CMDTY-MAT-MGMT-CD-DOD	CMDTY_MMC_DOD_2611	093			841
		094			843
		202	COMN-NBRG-SYS-IND-EXPLN	CNBR_SYS_I_EX_5271	OMM
		204			186
		515	COMN-NBRING-SYS-IND	CNBR_SYS_I_0845	OMM
		633			082
		865			186
CMDTY-MAT-MGMT-CD-DOD-ID	CMDTY_MMC_ID_5308	202	CONCEPT-NBR	CONCEPT_NBR_4488	098
CMDTY-MAT-MGMT-CD-FUT	CMDTY_MMC_FUT_2612	633			593
CMP-FSC	CMP_FSC_8595	942	COND-CD-FED1	CON_CD_FED1_3475	EDC
CMP-I-I-NBR	CMP_I_I_NBR_8583	942			831
CMP-ITEM-NAME	CMP_ITEM_NAME_8597	942	COND-CD-FED1-DF	CON_CD_FD1_3184	EDC
CMP-NCB-CD	CMP_NCB_CD_8584	942			831
CNFDNC-LVL-RT	CNFDNC_LVL_RT_2673	699	COND-CD-FED1-TI	CON_CD_FD1_TI_3183	EDC
CNGRSL-DSTRCT-CD	CNGRSL_DSTRCT_3410	002			831
CNTRY	CNTRY_1085	701	COND-CD-FED2	CON_CD_FED2_3476	EDC
CNTRY-CD	CNTRY_CD_3408	328			832
		674	COND-CD-FED2-EXP-DF	CON_CD_FD2_XD_3478	EDC
		701			832
CNTRY-NM	CNTRY_NM_1966	157	COND-CD-FED2-TI	CON_CD_FD2_TI_3477	EDC
		264			832
CNTY-NM	CNTY_NM_3409	002	CONF-NOTI-CD	CONF_NOTI_CD_0095	187
CNV-FRM-LEFT	CNV_FRM_LEFT_4416	117	CONF-NOTI-CD-EXPLN	CONF_NOTI_EX_5110	187
		119	CONF-NOTI-CD-RMK	CONF_NOT_CDRK_5111	187
CNV-FRM-RIGHT	CNV_FRM_RIGHT_4417	117	CONTI-IND-CD	CONTI_IND_CD_8555	853
		119	CONV-REF-NBR	CONV_REF_NBR_3571	014
COCO-CONV-TYPE	COCO_CONV_TYP_4415	117			522

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		953			941
CPU-ROUTED-TO	CPU_ROUTED_TO_9143	401	DAC	DAC_2640	014
CRD-IDEN-CD-EXPLN	CRD_ID_CD_EX_5212	179			201
CRD-IDEN-CD-IMC	CRD_ID_CD_IMC_0099	179			205
		345			522
		436			598
		521			772
CRD-IDEN-CD-TI	CRD_ID_CD_TI_5211	179			775
CRD-SEQ-CD	CRD_SEQ_CD_8264	121			932
CRITL-CD-FIIG	CRITL_CD_FIIG_3843	010	DAC-DEPT-REF-QTY	DAC_STAT_CNT_5637	027
		111	DAC-MAY-HAVE-RNG	DAC_MAY_RNG_3111	278
		509	DAC-MUST-HAVE-RNG	DAC_MUST_RNG_3107	278
		782	DAC-TYPE-II-1-TOT	DAC_STAT_CNT_5629	027
CRITL-CD-FIIG-EXPLN	CRT_CD_FIG_EX_3467	111	DAC-TYPE-II-1A-TOT	DAC_STAT_CNT_5630	027
CRS-ACTY-SUBM-RTND-TRAN	CRS_SUBM_TRAN_4533	537	DAC-TYPE-II-1B-TOT	DAC_STAT_CNT_5631	027
CRS-DB2-PARTITION-QY	CRS_DB2_PART_4517	610	DAC-TYPE-II-2-TOT	DAC_STAT_CNT_5635	027
		632	DAC-TYPE-II-4-TOT	DAC_STAT_CNT_5632	027
CRS-LGCY-RTND-SUBM-TRAN	CRS_RTND_TRAN_4534	537	DAC-TYPE-II-4A-TOT	DAC_STAT_CNT_5633	027
CRS-LOLA-KEY-CD	CRS_LOLA_KEY_4515	374	DAC-TYPE-II-4B-TOT	DAC_STAT_CNT_5634	027
CRS-MSG-TX	CRS_MSG_TX_4516	610	DATA-ELE-IMG-AFT-CHNG	DE_IMG_AFT_CG_1377	081
CRYPTO-IND-CD	CRYPTO_IND_CD_0857	093			710
		865	DATA-ELE-IMG-BEF-CHNG	DE_IMG_BEF_CG_1376	081
CT-OP-MED-CD	SSR_OP_MED_CD_2094	157			710
CTDF-CRIT-ITM-CD	CTDF_CRIT_ITM_1318	400	DATA-ELE-LGTH	DE_LENGTH_1882	404
CTGY-CD	CTGY_CD_0905	158			406
		159	DATA-ELE-START-POS	DE_START_POS_1097	404
		175			406
CTGY-CD-ACT-EXPLN	CTGY_CD_ACT_X_2227	159	DATA-REC-NBR	DRN_0950	048
CTGY-DIC-CMNT	CTGY_DIC_CMNT_4626	175			081
CTLD-INV-ITM-CD-EXPLN	CII_CTGY_EX_5254	270			105
CTNR-NSN	CTNR_NSN_5178	346			177
		928			207
CURR-TIR-SEG	CURR_TIR_SEG_3145	233			228
CUSH-DUN-MAT-CD	CUSH_DUN_MAT_5164	346			249
		928			292
D-MIL-CD	DEMIL_CD_0167	EMI			375
		016			404
		028			406
		194			489
		379			491
		426			492
		428			536
		523			746
		596			770
		712			771
		782			883
		812			889

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		890	DEMIL-APDX-ID	DEMIL_APDX_0140	EMI
		891			379
		892			712
		918			737
		957			812
		989	DEMIL-CD-EXPLN	DEMIL_CD_EX_5136	194
DATA-TRNSM-CTL-CD	D_TRN_CTL_CD_0756	190	DEMIL-CTGY-ID	DEMIL_CTGY_0141	EMI
DATA-TRNSMSN-CTL-CD-EXPL	D_TRN_CTL_EX_5135	190			379
DATASET-NAME	DATASET_NAME_9144	840			712
DATE-LST-CHG	DATE_LST_CHG_0043	090			737
		093			812
		732	DEMIL-DELT-ADMIN-USR-CD	ADMIN_USR_CD_5144	365
		865	DEMIL-FLIS-NIIN-IND-CD	DEMIL_NIIN_CD_0157	EMI
DB2-ARCH-GRP-NBR	DB2_ARC_GP_NO_2746	141			EMI
		142			379
		913			712
DB2-GRP-NUM	DB2_GRP_NUM_4492	392			713
		393			714
DB2-PARTITION-QY	DB2_PART_QY_2886	586			812
		587	DEMIL-FSC-PRI-CPCT-CD	FSC_CPCT_CD_0165	727
DB2-SQL-ERR-CD	DB2_SQL_ERR_9390	086	DEMIL-FSC-REVW-PRI-CD	FSC_REVW_PRI_0168	714
DB2-SQL-STA-ERR-CD	DB2_SQL_STA_9391	086			727
DB2-TBL-NAME	DB2_TBL_NAME_4465	359	DEMIL-HST-IND-CD	DEMIL_HST_IND_0175	812
		392	DEMIL-INTGTY-CD	DEMIL_INTG_CD_0138	EMI
DBRD-BDR-STAT-CD	DBRD_STAT_CD_0866	092			EMI
DBRD-CONTR-END-DT	DBRD_END_DT_0867	092			EMI
DBRMT-PPSL-INITR-SYM-MNG	DBRMT_SYM_MNG_1380	092			379
DCMO-CHL-PGM-IND-CD	DCMO_CHAL_CD_5320	EMI			712
		379			722
		712			731
		812			812
DCODD-ISAC-RPLY-STMT	DCOD_ISAC_RPY_2308	125	DEMIL-INTGTY-CHG-JUL-DT	INTGTY_CHG_DT_0160	EMI
		950			379
DCODD-RPLY-STMT	DCOD_RPLY_ST_3864	128			712
		923			812
DCODD-STYL-RPLY-STMT	DCOD_STYL_RPY_2309	131	DEMIL-INTGTY-DEF-TX	DEMIL_INTG_TX_0152	EMI
		951			722
DEF-EXPLN-TX	DEF_EXPLN_TX_2880	396	DEMIL-ITM-REVW-JUL-DT	DEMIL_REVW_DT_0146	EMI
		580			EMI
		585			379
DEG-MTCH-CD	DEG_MTCH_CD_0595	191			712
DELT-RSN-CD	DELT_RSN_CD_4540	010			731
		011			812
		192	DEMIL-PARA-ID	DEMIL_PARA_0142	EMI
		509			379
		510			712
DELT-RSN-CD-EXPLN	DELT_RSN_EX_5132	192			737

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		812	DIC-ALL-OAC-DEPT-PDUPS	DIC_STAT_CNT_5340	818
DEMIL-PICA-FWD-JUL-DT	PICA_FWD_DT_0149	EMI	DIC-ALL-OAC-DEPT-RECVD	DIC_STAT_CNT_5335	818
		379	DIC-ALL-OAC-DEPT-RULES	DIC_STAT_CNT_5342	818
		712	DIC-ALL-OAC-NIINST	DIC_STAT_CNT_6806	818
		812	DIC-ALL-OAC-PDUPS	DIC_STAT_CNT_6809	818
DEMIL-PICA-RSP-JUL-DT	PICA_RSP_DT_0150	EMI	DIC-ALL-OAC-RECVD	DIC_STAT_CNT_6815	818
		379	DIC-ALL-OAC-RULES	DIC_STAT_CNT_6807	818
		712	DIC-ALL-SAC-ADUPS	DIC_STAT_CNT_6793	820
		812	DIC-ALL-SAC-APRVD	DIC_STAT_CNT_6796	820
DEMIL-PICA-UPDT-JUL-DT	PICA_UPDT_DT_2150	EMI	DIC-ALL-SAC-CLRCL	DIC_STAT_CNT_6791	820
		712	DIC-ALL-SAC-DEPT-ADUPS	DIC_STAT_CNT_7651	820
		812	DIC-ALL-SAC-DEPT-APRVD	DIC_STAT_CNT_7649	820
DEMIL-QC-REVIEW-PROC-CD	DEMIL_QC_REVIEW_5139	EMI	DIC-ALL-SAC-DEPT-CLRCL	DIC_STAT_CNT_7653	820
		712	DIC-ALL-SAC-DEPT-NIINST	DIC_STAT_CNT_9577	820
		812	DIC-ALL-SAC-DEPT-PDUPS	DIC_STAT_CNT_7652	820
DEMIL-REVIEW-TRNR-USR-CD	TRNR_USR_CD_5142	379	DIC-ALL-SAC-DEPT-RECVD	DIC_STAT_CNT_7647	820
DEMIL-SP-PROJ-ID	DEMIL_SP_PROJ_0136	EMI	DIC-ALL-SAC-DEPT-RULES	DIC_STAT_CNT_7654	820
		379	DIC-ALL-SAC-NIINST	DIC_STAT_CNT_6789	820
		712	DIC-ALL-SAC-PDUPS	DIC_STAT_CNT_6792	820
		714	DIC-ALL-SAC-RECVD	DIC_STAT_CNT_6798	820
		812	DIC-ALL-SAC-RULES	DIC_STAT_CNT_6790	820
DEMIL-TECH-NAR-TX	DEMIL_NAR_0145	EMI	DIC-CATEGORY	DIC_CATEGORY_9756	181
		379			383
		712			408
		812			961
DEMIL-TECHN-AVLB-CD	TECHN_AVLB_5140	378	DIC-CSTDN	DIC_CSTDN_2214	196
DEMIL-TRNEE-NIIN-RTN-CTR	TRNEE_RTN_CTR_5143	379	DIC-CSTDN-ALT	DIC_CSTDN_ALT_2213	196
DEMIL-UPDT-SRC-CD	DEMIL_UPD_SRC_2849	812	DIC-DRN-NOTE	DIC_DRN_NOTE_2111	207
DEPT-CD	DEPT_CD_8329	955	DIC-DRN-NOTE-DEF	DIC_DRN_N_DEF_2113	208
DEST-ACTY-CD-OP	DEST_ACTY_OP_3880	188	DIC-I-O-TYPE	DIC_I_O_TYPE_2052	196
DEST-CD-SCRNG	DEST_CD_SCRNG_3890	144	DIC-IP	DIC_IP_3921	064
		782			065
DFLT-OP-FMT	DFLT_OP_FMT_2564	382			104
DFLT-RELE-TDQ-ID	DFLT_RELE_TDQ_9500	383			206
		613			368
DGTZD-DWG-NBR	DGTZD_DWG_NBR_0772	075			372
		136			374
		816			376
		842			474
		966			484
DIC-ALL-OAC-ADUPS	DIC_STAT_CNT_6810	818			608
DIC-ALL-OAC-APRVD	DIC_STAT_CNT_6813	818			739
DIC-ALL-OAC-CLRCL	DIC_STAT_CNT_6808	818			808
DIC-ALL-OAC-DEPT-ADUPS	DIC_STAT_CNT_5339	818			822
DIC-ALL-OAC-DEPT-APRVD	DIC_STAT_CNT_5337	818			924
DIC-ALL-OAC-DEPT-CLRCL	DIC_STAT_CNT_5341	818			958
DIC-ALL-OAC-DEPT-NIINST	DIC_STAT_CNT_5343	818	DIC-OAC-ADUPS	DIC_STAT_CNT_6800	739

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DIC-OAC-APRVD	DIC_STAT_CNT_6803	739	DIC-SAC-RULES	DIC_STAT_CNT_6780	065
DIC-OAC-CLRCL	DIC_STAT_CNT_6838	739	DIC-SEQ	DIC_SEQ_9146	151
DIC-OAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_5359	739			385
DIC-OAC-DEPT-TOT-APRVD	DIC_STAT_CNT_5357	739			389
DIC-OAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_5361	739			408
DIC-OAC-DEPT-TOT-NIINST	DIC_STAT_CNT_5363	739			474
DIC-OAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_5360	739			475
DIC-OAC-DEPT-TOT-RECVD	DIC_STAT_CNT_5355	739			476
DIC-OAC-DEPT-TOT-RULES	DIC_STAT_CNT_5362	739			961
DIC-OAC-NIINST	DIC_STAT_CNT_6836	739	DIDS-NOTE-NAR	DIDS_NOTE_NAR_1300	305
DIC-OAC-PDUPS	DIC_STAT_CNT_6799	739			394
DIC-OAC-RECVD	DIC_STAT_CNT_6805	739			864
DIC-OAC-RULES	DIC_STAT_CNT_6837	739	DIDS-NOTE-NBR	DIDS_NOTE_NBR_1288	305
DIC-OP	DIC_OP_1052	052			394
		060			770
		061			771
		064			864
		104	DIDS-SEG-CD-EXPLN	DIDS_SEG_EX_3175	199
		183	DIDS-SUB-SEC	DIDS_SUB_SEC_4450	393
		197			394
		368			395
		374	DIML-MRC-IND	DIML_MRC_IND_0326	120
		375	DIST-ACTY-CD-SEG-M	DIST_AC_SEG_M_0478	148
		484			530
		537	DL-REPLY	DL_REPLY_4418	350
		604			357
		624	DLA-CTR-CD	DLA_CTR_CD_3886	847
		770	DLAC	DLAC_3891	948
		771	DLIS-PROC-CHP-NBR	DLIS_CHP_NBR_3452	394
		775			736
		924			864
		957	DLIS-SEG-NOTE1	SEG_NOTE_NBR1_4528	249
DIC-REF	DIC_REF_2211	196	DLIS-SEG-NOTE2	SEG_NOTE_NBR2_4529	249
DIC-RLTD-FNCTNL-DSCPTN	DIC_TO_FD_2212	198	DLR-VAL-UNIT-PR	UNIT_PR_7075	006
DIC-SAC-ADUPS	DIC_STAT_CNT_6783	065			505
DIC-SAC-APRVD	DIC_STAT_CNT_6786	065			599
DIC-SAC-CLRCL	DIC_STAT_CNT_6781	065	DLSC-ONLY-IND	DLSC_ONLY_IND_4621	196
DIC-SAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_9591	065			770
DIC-SAC-DEPT-TOT-APRVD	DIC_STAT_CNT_9589	065	DMD-IND-CD	DMD_IND_CD_0728	193
DIC-SAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_9593	065	DMD-IND-CD-EXPLN	DMD_IND_EX_5217	193
DIC-SAC-DEPT-TOT-NIINST	DIC_STAT_CNT_5325	065	DOC-AVLB-CD-EXPLN	DAC_EX_5123	201
DIC-SAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_9592	065	DOC-CTL-NBR	DOC_CTL_NBR_1015	R
DIC-SAC-DEPT-TOT-RECVD	DIC_STAT_CNT_9587	065			012
DIC-SAC-DEPT-TOT-RULES	DIC_STAT_CNT_9594	065			918
DIC-SAC-NIINST	DIC_STAT_CNT_6779	065	DOC-CTL-SER-NBR	DCSN_1000	025
DIC-SAC-PDUPS	DIC_STAT_CNT_6782	065			044
DIC-SAC-RECVD	DIC_STAT_CNT_6788	065			059

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		060			078
		105			121
		106			175
		341			181
		380			188
		422			196
		484			197
		505			198
		506			207
		507			209
		508			214
		509			292
		510			341
		511			380
		512			383
		521			385
		522			386
		523			387
		524			389
		767			398
		768			401
		775			403
		874			404
		875			405
		928			406
		972			408
		973			411
		974			474
		975			475
		976			476
		977			480
		978			499
		979			505
		980			506
		981			507
		982			508
		983			509
		984			510
		997			511
		998			512
		999			521
DOC-ID-CD	DIC_3920	R			522
		012			523
		013			524
		025			602
		060			604
		074			613
		---			---

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		614	DR-SEG-H-CD	DR_SEG_H_4988	859
		616	DR-SEG-M-CD	DR_SEG_M_4989	859
		767	DR-SEG-V-CD	DR_SEG_V_4991	859
		768	DR-SEG-W-CD	DR_SEG_W_4996	859
		770	DR-SEG-Z-CD	DR_SEG_Z_4992	859
		776	DRN-FULL-VALUE	DRN_FULL_VAL_4469	489
		782			491
		845			492
		849	DRN-OP-INTR-ID	DRN_INTR_ID_2885	582
		850	DRN-SEQ-NBR	DRN_SEQ_NBR_5039	889
		855			890
		859			891
		872			892
		876			918
		918			989
		928	DRN-VAL	DRN_VAL_9975	105
		953	DROP-INDX-CD	DROP_INDX_CD_2225	209
		961			210
		972			480
		973	DROP-INDX-CD-MAINT	DROP_IN_MAINT_2223	157
		974	DROP-INDX-CD-NOTIF	DROP_IN_NOTIF_2224	157
		975	DRP-NOTIF-OR-MAINT-IND	DRP_N_OR_M_4505	209
		976			480
		977	DRPD-SEG-1-IND	DRPD_SEG_1_9711	074
		978	DRPD-SEG-6-IND	DRPD_SEG_6_9712	074
		979	DRPD-SEG-7-IND	DRPD_SEG_7_9713	074
		980	DRPD-SEG-9-IND	DRPD_SEG_9_9714	074
		981	DRPD-SEG-A-IND	DRPD_SEG_A_9715	074
		982	DRPD-SEG-B-IND	DRPD_SEG_B_9716	074
		983	DRPD-SEG-C-IND	DRPD_SEG_C_9717	074
		984	DRPD-SEG-D-IND	DRPD_SEG_D_9718	074
		992	DRPD-SEG-E-IND	DRPD_SEG_E_9719	074
		997	DRPD-SEG-F-IND	DRPD_SEG_F_9720	074
		999	DRPD-SEG-G-IND	DRPD_SEG_G_9721	074
DOC-ID-CD-CT	DOC_ID_CD_CT_1997	624	DRPD-SEG-H-IND	DRPD_SEG_H_9722	074
DOD-CAT-ACT-SGL-SUB	CAT_SGL_SUB_4503	236	DRPD-SEG-I-IND	DRPD_SEG_I_9723	074
DOD-DBRMT-PPSL-INITR	DBR_PRO_INIT_3193	203	DRPD-SEG-K-IND	DRPD_SEG_K_9724	074
DOD-DBRMT-PPSL-INITR-SYM	DBR_PRO_I_SYM_0868	092	DRPD-SEG-L-IND	DRPD_SEG_L_9725	074
		203	DRPD-SEG-M-IND	DRPD_SEG_M_9726	074
DR-DAAS-SOS-CD	DR_DAAS_SOS_4997	859	DRPD-SEG-N-IND	DRPD_SEG_N_9727	074
DR-ODRC-REC-CD	DR_ODRC_REC_4981	859	DRPD-SEG-P-IND	DRPD_SEG_P_9728	074
DR-SEG-A-CD	DR_SEG_A_4982	859	DRPD-SEG-Q-IND	DRPD_SEG_Q_9729	074
DR-SEG-B-CD	DR_SEG_B_4983	859	DRPD-SEG-R-IND	DRPD_SEG_R_9730	074
DR-SEG-C-CD	DR_SEG_C_4984	859	DRPD-SEG-V-IND	DRPD_SEG_V_9731	074
DR-SEG-E-CD	DR_SEG_E_4985	859	DRPD-SEG-W-IND	DRPD_SEG_W_9732	074
DR-SEG-F-CD	DR_SEG_F_4986	859	DRPD-SEG-Y-IND	DRPD_SEG_Y_9733	074
DR-SEG-G-CD	DR_SEG_G_4987	859	DRPD-SEG-Z-IND	DRPD_SEG_Z_9734	074

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DS1-DEML-NSC-NSN	DS1_STAT_CNT_8215	028	DT-OE-LI-SEG-CHNGD	DT_OE_LI_CHG_8656	083
DS2-DPT-DEML-NSC-0-NSN	DS2_STAT_CNT_8217	426	DT-OE-RCD-DELD	DT_OE_RCD_DEL_8657	502
DS3-DOD-SS-NSC-0-MGD-NSN	DS3_STAT_CNT_8219	427	DT-OE-RCD-ESTB	DT_OE_RCD_EST_2262	082
DS4-ML-SS-NSC-0-DEML-NSN	DS4_STAT_CNT_8221	428	DT-PR-EFF	DT_PR_EFF_1967	104
DSK-CD-CATLG	DSK_CD_CATLG_3870	060	DT-PRCSD	DT_PRCSD_1031	060
		T09	DT-PRIM-OP	DT_PRIM_OP_1008	060
DSOR	DSOR_0903	IMS	DT-PURGED	DT_PURGED_1051	060
		009	DT-RTC	DT_RTC_1016	060
		248	DT-SECD-IP	DT_SECD_IP_1009	T06
		508	DT-SECD-OP	DT_SECD_OP_1011	T06
		597	DT-STDZN-DEC	DT_STDZN_DEC_2300	016
		833			523
DSOR-ACTY-NM	DSOR_ACTY_NM_3483	833	DT-TRAN	DT_TRAN_2310	025
DSS-UP-CU-VL	DSS_UP_CU_5188	419			044
DSS-UP-WT	DSS_UP_WT_5146	419			059
DSS-WT-CU-LST-UPD-JUL-DT	DSS_WC_UPD_DT_5197	419			060
DSS-WT-CU-QLTY-CD	DSS_WC_QLT_CD_5198	419			T05
DSS-WT-CU-SRC-CD	DSS_WC_SRC_CD_5199	419			T06
DT-BILD	DT_BILD_1041	060			332
DT-DBRD-BDR-RCD-CHNGD	DT_DBR_REC_CH_1375	092			380
DT-DBRD-BDR-RCD-ESTB	DT_DBR_REC_ES_1374	092			381
DT-ESB-PSMAT-RD	DT_ESB_PSMAT_R_0874	144			422
DT-ESTB-CANC-RCD-FLIS	DT_ESTB_CANC_0308	CCO			489
		CNM			491
		FFA			492
		001			505
		073			506
		091			507
		098			508
		099			509
		363			510
		513			511
		518			512
		592			513
		593			515
		594			518
DT-FLGD-FOR-BLNG	DT_FOR_BLNG_1036	060			521
DT-FLGD-FOR-PURGE	DT_FOR_PRG_1042	060			522
DT-FLGD-FOR-RTC	DT_FOR_RTC_1044	060			523
DT-LST-ACCSD-PSMAT-RD	DT_LST_ACC_PS_0875	144			524
DT-LST-MOE-RULE-NBR-WTHD	DT_LST_MRN_2260	016			767
		523			768
DT-MOE-RULE-ASGND-NIIN	DT_MR_ASGND_9128	345			928
		521			972
DT-NIIN-ASGMT	DT_NIIN_ASGMT_2180	016			973
		041			974
		523			975

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		976			015
		977			017
		978			073
		979			091
		980			093
		981			094
		982			095
		983			096
		984			099
		997			115
		998			331
		999			345
DT-TRAN-DSK-CD-CHNG	DT_DSK_CD_CHG_1013	060			380
DUNS	DUNS_3405	070			382
		222			489
		281			491
DWG-STAT-CD	DWG_STAT_CD_0333	321			492
EAM-CARD-INTERP-IND	EAM_CRD_INTRP_3120	267			505
		410			506
ECH-ACQ-STK-MC	EC_ACQ_STK_MC_3151	CEC			507
		240			508
ECH-CD-MC	ECH_CD_MC_3150	CEC			509
		006			510
		240			511
		505			512
		599			513
ECH-REM-MC	ECH_REM_MC_3152	CEC			515
		240			518
ED-DIC	ED_DIC_2099	197			519
ED-DIC-DESTN	ED_DIC_DESTN_2102	197			521
EDIT-CMPLTD-TS	EDIT_CMPLT_TS_9383	084			592
EDIT-CRITE-STMT	ED_CRITE_STMT_4129	121			594
EDIT-RESULTS-TX	EDIT_RESULTS_9384	084			599
EDIT-STAT-CD	EDIT_STAT_9382	084			767
EDT-VAL-CRIT-EXPL	ED_VAL_CRI_EX_4583	228			768
		536			783
		770			865
		771			866
EFF-DT	EFF_DT_2128	CCO			867
		CNM			871
		FFA			885
		006			918
		007	EFF-MGMT-TRFR-APRV-DT	EFF_TRFR_DT_4088	047
		008	EMAIL-ADRS-TX	EMAIL_ADRS_3375	222
		009	ENV-PREF-ATTR-CLAS-NM	ENAC_ATTR_NM_3007	765
		010	ENV-PREF-PROD-CTGY-NM	ENAC_CTGY_NM_3006	765
		011	ENVRNMTL-ATTR-CD	ENAC_3025	765

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		767			609
		768			778
ENVRNMTL-ATTR-DEF-TX	ENAC_DEF_3010	765			995
EOL	DLN_1283	966			996
	I_S_IND_CD_0174	EMI	EXTR-RTN-CD	EXTR_RTN_CD_9451	879
		379			993
		712	EXTRNL-COMM-PASWD-ID	EXTRNL_PASWD_6574	538
		812	EXTRNL-COMM-USERID-ID	EXTRNL_USRID_6573	538
ERP-CHNG-IND-CD	ERP_CHNG_IND_2879	585	F-MAX-VALUE	F_MAX_VALUE_4428	353
ERP-MSG-TX	ERP_MSG_TX_2887	586			361
ERR-MSG-TX	ERR_MSG_9393	086	F-MIN-VALUE	F_MIN_VALUE_3078	353
ERR-RT	ERR_RT_2674	699			361
ERRC-CD-AF	ERRC_CD_AF_2655	006	F-OR-V-KEY	F_OR_V_KEY_1092	177
		165			207
		505			208
ERRC-CD-EXPLN-AF	ERRC_EX_AF_3164	165			214
ERRC-CNDM-LV-AF	ERRC_CNDM_LV_2841	165			249
ERRC-DSG-AF	ERRC_DSG_AF_2842	165			305
ERRC-EXP-Y-N-AF	ERRC_EXP_Y_N_2843	165			992
ERRC-REP-Y-N-AF	ERRC_REP_Y_N_2844	165	FCS-AIN-SAC-TII-1-NSN	FCS_STAT_CNT_6428	682
ERROR-SEQ	ERROR_SEQ_9151	405	FCS-AIN-SAC-TII-2-NSN	FCS_STAT_CNT_6431	682
ERROR-TS	ERROR_TS_9152	086	FCS-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6432	682
		405	FCS-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6445	682
ESD-EMI-CD	ESD_EMI_CD_2043	016	FCS-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6446	682
		211	FCS-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6447	682
		523	FCS-C-AIN-SAC-TII-1-NSN	FCS_STAT_CNT_6438	682
ESD-EMI-CD-EX	ESD_EMI_CD_EX_2508	211	FCS-C-AIN-SAC-TII-2-NSN	FCS_STAT_CNT_6439	682
EST-ACT-PR-CD-EXPLN	EST_ACT_PR_EX_5219	STA	FCS-C-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6440	682
		212	FCS-C-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6453	682
ESTD-OR-ACTL-PR-CD	EST_ACT_PR_CD_0731	STA	FCS-C-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6454	682
		212	FCS-C-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6455	682
EXEC-COUNT	EXEC_COUNT_9153	600	FCS-C-REF-SAC-TII-1-NSN	FCS_STAT_CNT_8170	678
		777	FCS-C-REF-SAC-TII-2-NSN	FCS_STAT_CNT_8171	678
		852	FCS-C-REF-SAC-TII-4-NSN	FCS_STAT_CNT_8172	678
EXPORT-CMDTY-CTL-NBR-ID	ECCN_0143	EMI	FCS-C-REF-SDP-TII-1-NSN	FCS_STAT_CNT_8173	678
		379	FCS-C-REF-SDP-TII-2-NSN	FCS_STAT_CNT_8174	678
		712	FCS-C-REF-SDP-TII-4-NSN	FCS_STAT_CNT_8175	678
		812	FCS-C-SAC-TII-1-NSN	FCS_STAT_CNT_6402	032
EXT-SEG-DATA	EXT_SEG_DATA_9154	838	FCS-C-SAC-TII-2-NSN	FCS_STAT_CNT_6403	032
		854	FCS-C-SAC-TII-4-NSN	FCS_STAT_CNT_6404	032
EXT-SEG-SEQ	EXT_SEG_SEQ_9155	838	FCS-C-SDP-TII-1-NSN	FCS_STAT_CNT_6419	032
		848	FCS-C-SDP-TII-2-NSN	FCS_STAT_CNT_6420	032
		854	FCS-C-SDP-TII-4-NSN	FCS_STAT_CNT_6423	032
EXTD-FRT-DESC	EXTD_FRT_DESC_0041	732	FCS-REF-SAC-TII-1-NSN	FCS_STAT_CNT_8162	678
EXTEND-FLAG	EXTEND_FLAG_9156	071	FCS-REF-SAC-TII-2-NSN	FCS_STAT_CNT_8163	678
		399	FCS-REF-SAC-TII-4-NSN	FCS_STAT_CNT_8164	678
		402	FCS-REF-SDP-TII-1-NSN	FCS_STAT_CNT_6886	678

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
FCS-REF-SDP-TII-2-NSN	FCS_STAT_CNT_6887	678			665
FCS-REF-SDP-TII-4-NSN	FCS_STAT_CNT_6888	678			666
FCS-SAC-TII-1-NSN	FCS_STAT_CNT_6392	032	FILE-VAL-IND	FILE_VAL_IND_4584	770
FCS-SAC-TII-2-NSN	FCS_STAT_CNT_6393	032			771
FCS-SAC-TII-4-NSN	FCS_STAT_CNT_6394	032	FIPS-CNTY-CD	FIPS_CNTY_CD_1371	IPA
FCS-SDP-TII-1-NSN	FCS_STAT_CNT_6410	032			139
FCS-SDP-TII-2-NSN	FCS_STAT_CNT_6411	032	FIPS-CTY-CD	FIPS_CTY_CD_1369	IPA
FCS-SDP-TII-4-NSN	FCS_STAT_CNT_6412	032			139
FD-CD-AF	FUND_CD_AF_2695	006	FIPS-STA-CD	FIPS_STA_CD_1370	IPA
		166			139
		505	FIXED-VAR-LEN-MED-IND	F_V_LEN_IND_3119	267
FD-CD-DEF-AF	FD_CD_DEF_AF_3163	166			410
FIIG-APDX-SCTN-ID	FIIG_APDX_ID_0332	321	FLIS-SEG-CD	DIDS_SEG_CD_8999	177
		323			199
		324			207
FIIG-CANCL-DT	FIIG_CANC_DT_0338	322			209
FIIG-DWG-TI	FIIG_DWG_TI_5062	321			210
		842			249
FIIG-IMPL-DT	FIIG_IMPL_DT_0337	322			291
FIIG-INITR-CD	FIIG_INITR_CD_5067	322			292
FIIG-LOCKT-IND	FIIG_LCKT_IND_0581	123			293
FIIG-TI	FIIG_TI_9779	322			305
FILE-CHAR-CNT	FILE_CHAR_CNT_9157	474			479
		587			746
		615			771
		632			889
		665			890
		666			891
FILE-CHAR-MIN-QY	FILE_CHAR_MIN_9243	587			892
		632	FLIS-SUB-PART	DIDS_SUB_PART_4467	392
		665	FLW-UP-COND-CD-DEF	FU_COND_DEF_5104	217
		666	FLW-UP-COND-CD-INST	FU_COND_INST_5105	217
FILE-MAINT-ACTN-CD	FILE_MAINT_CD_8850	213	FMR-DSOR	FMR_DSOR_0904	009
		878			508
FILE-MAINT-ACTN-CD-EXPLN	FILE_MAINT_EX_3173	213	FMR-MOE-RULE-NBR	FMR_MOE_RULE_8280	345
FILE-MAINT-RCVR-CD	FILE_MNT_RCVR_8905	148			521
		530			669
FILE-MAINT-SEQ-NBR	FMSN_1515	016	FMR-NMFC-CD	FMR_NMFC_0096	149
		523	FMR-NMFC-SUB-ITEM-NBR	FMR_NMFC_SUB_0862	149
FILE-REC-CNT	FILE_REC_CNT_9158	474	FMR-UFC-CD	FMR_UFC_0097	149
		587	FMT-EXAMPLE	FMT_EXAMPLE_3114	176
		615	FMT-REF-NBR-GOVT-CAGE	FMT_R_NBR_CAG_3113	176
		632	FMT-REMARKS	FMT_REMARKS_4511	176
		665	FOOTPRNT-DATE	FOOTPRNT_DATE_9161	840
		666	FOR-DOM-DESI-CD	FRN_DOM_CD_4235	082
FILE-REC-MIN-QY	FILE_REC_MIN_9242	587			307
		632	FOR-DOM-DESI-CD-EXPLN	FRN_DOM_EX_5289	307

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
FORCED-FLAG	FORCED_FLAG_9458	879 993			515 865
FORMAT-NAME	FORMAT_NAME_9162	404 406	FSC-NOTE	FSC_NOTE_4962	076 591
FORMATTED-TS	FORMATTED_TS_9164	601 777 852	FSC-NSN FSC-TI	FSC_STAT_CNT_5752 FSC_TI_4970	432 076 591
FREIGHT-INC-NSN	FRGT_STAT_CNT_6599	035	FSG-DT-ESB-CANC-RCD-DIDS	FSG_DT_E_C_RC_5183	316
FREIGHT-INC-TOT-NSN	FRGT_STAT_CNT_6600	503			595
FRM-ZIP-CD	FRM_ZIP_CD_3414	DPC 077	FSG-NOTE	FSG_NOTE_4965	316 595
FRST-LOLA-OVERNIGHT-ODRC	FIRST_ODRC_4691	499	FSG-TI	FSG_TI_4972	316
FRST-MNTH-JUL	FRST_MNTH_JUL_2538	956			595
FRST-PHRS-CD	FRST_PHRS_CD_3048	HRA 839	FST-POS-MR FU-COND-CD	FST_POS_MR_4495 FU_COND_CD_0155	734 217
FRT-CD-STAT-CD	FRT_CD_STAT_2090	090	FU-STAT-CD	FU_STAT_CD_0166	233
FRT-DESC	FRT_DESC_4020	090			383
FRT-EXTND-DESC-ADD-CT	FR_EXD_ADD_CT_1960	097	FU-STAT-CD-DEF	FU_STAT_DEF_3141	233
FRT-EXTND-DESC-ADD-ER-CT	FR_EXD_ADD_ER_1955	097	FU-STAT-CD-INST	FU_STAT_INST_3142	233
FRT-EXTND-DESC-CHG-CT	FR_EXD_CHG_CT_1961	097	FUT-CT-MOE-RL-ST-CD-DEF	FUT_M_RL_ST_D_5306	218
FRT-EXTND-DESC-CHG-ER-CT	FR_EXD_CHG_ER_1532	097	FUT-CT-MOE-RULE-STAT-CD	FUT_M_RL_ST_C_0297	093
FRT-EXTND-DESC-DEL-CT	FR_EXD_DEL_CT_1962	097			218
FRT-EXTND-DESC-DEL-ER-CT	FR_EXD_DEL_ER_1957	097			865
FRT-MSTR-ADD-CT	FR_MST_ADD_CT_1524	097	FUT-MAT-MGMT-CD-EFF-DT	FUT_MMC_EF_DT_2613	633
FRT-MSTR-ADD-ER-CT	FR_MST_ADD_ER_1517	097	GC-PICA-LAR-CNT	GC_PICA_LAR_1501	779
FRT-MSTR-CHG-CT	FR_MST_CHG_CT_1959	097	GC-PICA-LCR-CNT	GC_PICA_LCR_1502	779
FRT-MSTR-CHG-ER-CT	FR_MST_CHG_ER_2029	097	GDE-NBR-FIIG	FIIG_4065	010
FRT-MSTR-DEL-ER-CT	FR_MST_DEL_ER_1533	097			020
FRT-MSTR-DELETE-CT	FR_MST_DEL_CT_1954	097			033
FRT-MSTR-INQ-DATE	FR_MST_INQ_DT_1952	097			034
FRT-MSTR-TIME-FRAME	FR_MST_TI_FRM_1528	097			038
FSC-COND-CD	FSC_COND_CD_2607	098 593			075 078
FSC-DT-ESB-CANC-RCD-DIDS	FSC_DT_E_C_RC_5182	076 094 515 591			098 119 120 121
FSC-EXCL-NAR	FSC_EXCL_NAR_0376	076 591			122 123
FSC-INC-NSN	FSC_INC_NSN_5751	432			124
FSC-INCL-NAR	FSC_INCL_NAR_0375	076 591			127 131
FSC-MOE-IND-CD-EXPLN	FSC_M_RL_C_EX_5305	215			321
FSC-MOE-RL-CHG-IND-CD-TI	FSC_M_RL_C_TI_4504	215			322
FSC-MOE-RULE-CHNG-IND	FSC_M_RL_C_IN_0122	093 094 215			323 324 325

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		326	GLOS-TERM	GLOS_TERM_2132	LOS
		430			220
		431	GLOS-TERM-DEF	GLOS_TERM_DEF_2133	LOS
		434			220
		435	GLOS-TERM-VOL-REF	GLS_TRM_VL_RF_2134	LOS
		501			LOS
		509			219
		593			220
		782	GNC-MSTR-NSN	GNC_MSTR_NSN_0796	599
		878	GOVT-CAGE-INCL-CD	GOV_CAGE_INCL_2878	584
		921	H-J-TEXT	H_J_TEXT_4437	354
		951	H-TAB1-VALUE	H_TAB1_VAL_4429	354
GDE-NBR-FIIG-SEQ-NO	FIIG_SEQ_NO_4404	120			362
GIM-SA-ACTY-CD	GIM_ACTY_CD_5086	047	H-TAB2-VALUE	H_TAB2_VAL_4430	354
GIM-SA-SOS-CD	GIM_SOS_CD_5087	047			362
GIRDER-CD	GIRDER_CD_0808	317	H-TAB3-VALUE	H_TAB3_VAL_4431	354
		779			362
GIRDER-CD-EXPLN	GIRDER_CD_EX_5100	317	H-TAB4-VALUE	H_TAB4_VAL_4432	354
GIRDER-CD-NEW-1	GRDR_CD_NW_1_4541	046			362
		772	H-TAB5-VALUE	H_TAB5_VAL_4433	354
		775			362
		781	H-TAB6-VALUE	H_TAB6_VAL_4434	354
		932			362
GIRDER-CD-NEW-2	GRDR_CD_NW_2_4542	046	H-TAB7-VALUE	H_TAB7_VAL_4435	354
		772			362
		775	H-TAB8-VALUE	H_TAB8_VAL_4436	354
		781			362
		932	HCC-ABRV-DEF-TX	HCC_ABRV_DEF_9077	711
GIRDER-DUP-PROTECTED	GRDR_DUP_PROT_4547	780	HCC-GP-TX	HCC_GP_9079	711
GIRDER-MFR-DATA	GRDR_MFR_DATA_4546	780	HEAD-NARRTV	HEAD_NARRTV_4453	177
GIRDER-MFR-PROTECTED	GRDR_MFR_PROT_4548	780			393
GIRDER-NEW-CAGE-CD	GRDR_NW_CG_CD_4544	046	HGST-DOC-CTL-NBR-SEQ-NBR	HI_DCSN_SEQ_2199	998
		772	HI-DLR-BRKOT-CMDTY-CTG	H_D_BRK_CMDTY_3428	DBR
		775			094
		781			221
		932			515
GIRDER-NEW-REF-NBR-LOG	GRDR_NW_RN_LG_4545	046	HISTORY-DATE	HISTORY_DT_4470	115
		772			380
		775			505
		781			506
		932			507
GIRDER-SEQ-NBR	GRDR_SEQ_NBR_4543	772			508
		932			509
GLOS-ACRNM	GLOS_ACRNM_2135	LOS			510
		219			511
GLOS-ACRNM-TI	GLOS_ACRNM_TI_2136	LOS			512
		219			513

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		518			046
		519			047
		521			048
		522			075
		523			089
		524			103
		768			106
		865			115
		866			116
		867			331
		868			345
		869			346
		870			348
		928			349
HLP-PRC-PGMNM	HLP_PRC_PGMNM_4491	392			350
HMC	HMC_2720	016			351
		224			352
		523			353
HMC-EXPLN	HMC_EXPLN_5222	224			354
HMIC-EXPLN	HMIC_EXPLN_3466	110			379
HMIC-FSC-TBL-NBR	HMIC_FSC_TB_N_8589	MIC			380
		962			400
HZRD-CHAR-CD	HCC_2579	014			419
		016			474
		522			484
		523			497
		711			498
		775			505
HZRD-MAT-IND-CD	HMIC_0865	016			506
		110			507
		523			508
I-I-DATA-IND	I_I_DATA_IND_4622	196			509
I-I-NBR	I_I_NBR_4131	EMI			510
		EMI			511
		EMI			512
		006			519
		007			521
		008			522
		009			523
		010			524
		011			590
		014			633
		015			684
		016			686
		017			687
		018			688
		041			712
		---			---

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		713	ICDD-IM-ALL-LC-MS-IM	ICDD_STAT_CNT_6461	792
		714	ICDD-IM-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6460	792
		727	ICDD-IM-ALL-LC-MS-OD	ICDD_STAT_CNT_6462	792
		731	ICDD-IM-ALL-LC-OD	ICDD_STAT_CNT_6466	792
		767	ICDD-IM-ALL-MS	ICDD_STAT_CNT_5966	790
		768	ICDD-IM-ALL-MS-IM	ICDD_STAT_CNT_5964	790
		775	ICDD-IM-ALL-MS-IM-OD	ICDD_STAT_CNT_5963	790
		812	ICDD-IM-ALL-MS-OD	ICDD_STAT_CNT_5965	790
		847	ICDD-IM-ALL-OD	ICDD_STAT_CNT_5969	790
		874	ICDD-LA-ALL-IM	ICDD_STAT_CNT_6472	790
		875	ICDD-LA-ALL-IM-OD	ICDD_STAT_CNT_6471	790
		876	ICDD-LA-ALL-LC-IM	ICDD_STAT_CNT_6479	792
		877	ICDD-LA-ALL-LC-IM-OD	ICDD_STAT_CNT_6478	792
		881	ICDD-LA-ALL-LC-MS	ICDD_STAT_CNT_6477	792
		914	ICDD-LA-ALL-LC-MS-IM	ICDD_STAT_CNT_6475	792
		918	ICDD-LA-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6474	792
		928	ICDD-LA-ALL-LC-MS-OD	ICDD_STAT_CNT_6476	792
		948	ICDD-LA-ALL-LC-OD	ICDD_STAT_CNT_6480	792
		957	ICDD-LA-ALL-MS	ICDD_STAT_CNT_6470	790
		960	ICDD-LA-ALL-MS-IM	ICDD_STAT_CNT_6468	790
I-O-TYPE	I_O_TYPE_9167	383	ICDD-LA-ALL-MS-IM-OD	ICDD_STAT_CNT_6467	790
I-S-JTC	JTC_0792	007	ICDD-LA-ALL-MS-OD	ICDD_STAT_CNT_6469	790
		506	ICDD-LA-ALL-OD	ICDD_STAT_CNT_6473	790
		599	ICDD-LA-FSC-ALL-IM	ICDD_STAT_CNT_6486	790
I-S-OOU-CD	OOU_0793	007	ICDD-LA-FSC-ALL-IM-OD	ICDD_STAT_CNT_6485	790
		506	ICDD-LA-FSC-ALL-MS	ICDD_STAT_CNT_6484	790
		599	ICDD-LA-FSC-ALL-MS-IM	ICDD_STAT_CNT_6482	790
I-S-STAT-IND-CD	I_S_STAT_IND_5093	047	ICDD-LA-FSC-ALL-MS-IM-OD	ICDD_STAT_CNT_6481	790
ICDD-FSC-ALL-IM	ICDD_STAT_CNT_5954	790	ICDD-LA-FSC-ALL-MS-OD	ICDD_STAT_CNT_6483	790
ICDD-FSC-ALL-IM-OD	ICDD_STAT_CNT_5953	790	ICDD-LA-FSC-ALL-OD	ICDD_STAT_CNT_6487	790
ICDD-FSC-ALL-LC-IM	ICDD_STAT_CNT_5961	792	ICDD-LA-FSC-LC-IM	ICDD_STAT_CNT_6493	792
ICDD-FSC-ALL-LC-IM-OD	ICDD_STAT_CNT_5960	792	ICDD-LA-FSC-LC-IM-OD	ICDD_STAT_CNT_6492	792
ICDD-FSC-ALL-LC-MS	ICDD_STAT_CNT_5959	792	ICDD-LA-FSC-LC-MS	ICDD_STAT_CNT_6491	792
ICDD-FSC-ALL-LC-MS-IM	ICDD_STAT_CNT_5957	792	ICDD-LA-FSC-LC-MS-IM	ICDD_STAT_CNT_6489	792
ICDD-FSC-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_5956	792	ICDD-LA-FSC-LC-MS-IM-OD	ICDD_STAT_CNT_6488	792
ICDD-FSC-ALL-LC-MS-OD	ICDD_STAT_CNT_5958	792	ICDD-LA-FSC-LC-MS-OD	ICDD_STAT_CNT_6490	792
ICDD-FSC-ALL-LC-OD	ICDD_STAT_CNT_5962	792	ICDD-LA-FSC-LC-OD	ICDD_STAT_CNT_6494	792
ICDD-FSC-ALL-MS	ICDD_STAT_CNT_5952	790	ICDS-FSC-ALL-DOD-MM	ICDS_STAT_CNT_5827	692
ICDD-FSC-ALL-MS-IM	ICDD_STAT_CNT_5950	790	ICDS-FSC-ALL-IM-MM	ICDS_STAT_CNT_5831	692
ICDD-FSC-ALL-MS-IM-OD	ICDD_STAT_CNT_5949	790	ICDS-FSC-ALL-LC-DOD-MM	ICDS_STAT_CNT_5835	024
ICDD-FSC-ALL-MS-OD	ICDD_STAT_CNT_5951	790	ICDS-FSC-ALL-LC-IM-MM	ICDS_STAT_CNT_5839	024
ICDD-FSC-ALL-OD	ICDD_STAT_CNT_5955	790	ICDS-FSC-ALL-LC-MS-MM	ICDS_STAT_CNT_5837	024
ICDD-IM-ALL-IM	ICDD_STAT_CNT_5968	790	ICDS-FSC-ALL-LC-OD-MM	ICDS_STAT_CNT_5841	024
ICDD-IM-ALL-IM-OD	ICDD_STAT_CNT_5967	790	ICDS-FSC-ALL-MS-MM	ICDS_STAT_CNT_5829	692
ICDD-IM-ALL-LC-IM	ICDD_STAT_CNT_6465	792	ICDS-FSC-ALL-OD-MM	ICDS_STAT_CNT_5833	692
ICDD-IM-ALL-LC-IM-OD	ICDD_STAT_CNT_6464	792	ICDS-IM-ALL-DOD-MM	ICDS_STAT_CNT_5843	692
ICDD-IM-ALL-LC-MS	ICDD_STAT_CNT_6463	792	ICDS-IM-ALL-IM-MM	ICDS_STAT_CNT_5905	692

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICDS-IM-ALL-LC-DOD-MM	ICDS_STAT_CNT_5909	024	ICMD-FSC-ALL-LC-M	ICMD_STAT_CNT_7116	369
ICDS-IM-ALL-LC-IM-MM	ICDS_STAT_CNT_5913	024	ICMD-FSC-ALL-LC-N	ICMD_STAT_CNT_7113	369
ICDS-IM-ALL-LC-MS-MM	ICDS_STAT_CNT_5911	024	ICMD-FSC-ALL-LC-NF	ICMD_STAT_CNT_7111	369
ICDS-IM-ALL-LC-OD-MM	ICDS_STAT_CNT_5915	024	ICMD-FSC-ALL-LC-NFM	ICMD_STAT_CNT_7110	369
ICDS-IM-ALL-MS-MM	ICDS_STAT_CNT_5860	692	ICMD-FSC-ALL-LC-NM	ICMD_STAT_CNT_7112	369
ICDS-IM-ALL-OD-MM	ICDS_STAT_CNT_5907	692	ICMD-FSC-ALL-M	ICMD_STAT_CNT_7101	788
ICDS-LA-ALL-DOD-MM	ICDS_STAT_CNT_5917	692	ICMD-FSC-ALL-N	ICMD_STAT_CNT_7098	788
ICDS-LA-ALL-IM-MM	ICDS_STAT_CNT_5921	692	ICMD-FSC-ALL-NF	ICMD_STAT_CNT_7096	788
ICDS-LA-ALL-LC-DOD-MM	ICDS_STAT_CNT_5925	024	ICMD-FSC-ALL-NFM	ICMD_STAT_CNT_7095	788
ICDS-LA-ALL-LC-IM-MM	ICDS_STAT_CNT_5929	024	ICMD-FSC-ALL-NM	ICMD_STAT_CNT_7097	788
ICDS-LA-ALL-LC-MS-MM	ICDS_STAT_CNT_5927	024	ICMD-IM-ALL-A	ICMD_STAT_CNT_7124	788
ICDS-LA-ALL-LC-OD-MM	ICDS_STAT_CNT_5931	024	ICMD-IM-ALL-AF	ICMD_STAT_CNT_7122	788
ICDS-LA-ALL-MS-MM	ICDS_STAT_CNT_5919	692	ICMD-IM-ALL-AFM	ICMD_STAT_CNT_7121	788
ICDS-LA-ALL-OD-MM	ICDS_STAT_CNT_5923	692	ICMD-IM-ALL-AM	ICMD_STAT_CNT_7123	788
ICDS-LA-FSC-ALL-DOD-MM	ICDS_STAT_CNT_5933	692	ICMD-IM-ALL-AN	ICMD_STAT_CNT_7120	788
ICDS-LA-FSC-ALL-IM-MM	ICDS_STAT_CNT_5937	692	ICMD-IM-ALL-ANF	ICMD_STAT_CNT_7118	788
ICDS-LA-FSC-ALL-MS-MM	ICDS_STAT_CNT_5935	692	ICMD-IM-ALL-ANFM	ICMD_STAT_CNT_7117	788
ICDS-LA-FSC-ALL-OD-MM	ICDS_STAT_CNT_5939	692	ICMD-IM-ALL-ANM	ICMD_STAT_CNT_7119	788
ICDS-LA-FSC-LC-DOD-MM	ICDS_STAT_CNT_5941	024	ICMD-IM-ALL-F	ICMD_STAT_CNT_7130	788
ICDS-LA-FSC-LC-IM-MM	ICDS_STAT_CNT_5945	024	ICMD-IM-ALL-FM	ICMD_STAT_CNT_7129	788
ICDS-LA-FSC-LC-MS-MM	ICDS_STAT_CNT_5943	024	ICMD-IM-ALL-LC-A	ICMD_STAT_CNT_7139	369
ICDS-LA-FSC-LC-OD-MM	ICDS_STAT_CNT_5947	024	ICMD-IM-ALL-LC-AF	ICMD_STAT_CNT_7137	369
ICFS-DLA-ALL-MM	ICFS_STAT_CNT_5898	367	ICMD-IM-ALL-LC-AFM	ICMD_STAT_CNT_7136	369
ICFS-DOD-ALL-MM	ICFS_STAT_CNT_5901	367	ICMD-IM-ALL-LC-AM	ICMD_STAT_CNT_7138	369
ICFS-FAA-ALL-MNGD-MM	ICFS_STAT_CNT_5896	367	ICMD-IM-ALL-LC-AN	ICMD_STAT_CNT_7135	369
ICFS-FAA-ALL-MNGD-TOT	ICFS_STAT_CNT_5895	367	ICMD-IM-ALL-LC-ANF	ICMD_STAT_CNT_7133	369
ICFS-GSA-ALL-MM	ICFS_STAT_CNT_7810	367	ICMD-IM-ALL-LC-ANFM	ICMD_STAT_CNT_7132	369
ICMD-FSC-ALL-A	ICMD_STAT_CNT_7094	788	ICMD-IM-ALL-LC-ANM	ICMD_STAT_CNT_7134	369
ICMD-FSC-ALL-AF	ICMD_STAT_CNT_7092	788	ICMD-IM-ALL-LC-F	ICMD_STAT_CNT_7145	369
ICMD-FSC-ALL-AFM	ICMD_STAT_CNT_7091	788	ICMD-IM-ALL-LC-FM	ICMD_STAT_CNT_7144	369
ICMD-FSC-ALL-AM	ICMD_STAT_CNT_7093	788	ICMD-IM-ALL-LC-M	ICMD_STAT_CNT_7146	369
ICMD-FSC-ALL-AN	ICMD_STAT_CNT_7090	788	ICMD-IM-ALL-LC-N	ICMD_STAT_CNT_7143	369
ICMD-FSC-ALL-ANF	ICMD_STAT_CNT_7088	788	ICMD-IM-ALL-LC-NF	ICMD_STAT_CNT_7141	369
ICMD-FSC-ALL-ANFM	ICMD_STAT_CNT_7087	788	ICMD-IM-ALL-LC-NFM	ICMD_STAT_CNT_7140	369
ICMD-FSC-ALL-ANM	ICMD_STAT_CNT_7089	788	ICMD-IM-ALL-LC-NM	ICMD_STAT_CNT_7142	369
ICMD-FSC-ALL-F	ICMD_STAT_CNT_7100	788	ICMD-IM-ALL-M	ICMD_STAT_CNT_7131	788
ICMD-FSC-ALL-FM	ICMD_STAT_CNT_7099	788	ICMD-IM-ALL-N	ICMD_STAT_CNT_7128	788
ICMD-FSC-ALL-LC-A	ICMD_STAT_CNT_7109	369	ICMD-IM-ALL-NF	ICMD_STAT_CNT_7126	788
ICMD-FSC-ALL-LC-AF	ICMD_STAT_CNT_7107	369	ICMD-IM-ALL-NFM	ICMD_STAT_CNT_7125	788
ICMD-FSC-ALL-LC-AFM	ICMD_STAT_CNT_7106	369	ICMD-IM-ALL-NM	ICMD_STAT_CNT_7127	788
ICMD-FSC-ALL-LC-AM	ICMD_STAT_CNT_7108	369	ICMD-LA-ALL-A	ICMD_STAT_CNT_7154	788
ICMD-FSC-ALL-LC-AN	ICMD_STAT_CNT_7105	369	ICMD-LA-ALL-AF	ICMD_STAT_CNT_7152	788
ICMD-FSC-ALL-LC-ANF	ICMD_STAT_CNT_7103	369	ICMD-LA-ALL-AFM	ICMD_STAT_CNT_7151	788
ICMD-FSC-ALL-LC-ANFM	ICMD_STAT_CNT_7102	369	ICMD-LA-ALL-AM	ICMD_STAT_CNT_7153	788
ICMD-FSC-ALL-LC-ANM	ICMD_STAT_CNT_7104	369	ICMD-LA-ALL-AN	ICMD_STAT_CNT_7150	788
ICMD-FSC-ALL-LC-F	ICMD_STAT_CNT_7115	369	ICMD-LA-ALL-ANF	ICMD_STAT_CNT_7148	788
ICMD-FSC-ALL-LC-FM	ICMD_STAT_CNT_7114	369	ICMD-LA-ALL-ANFM	ICMD_STAT_CNT_7147	788

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICMD-LA-ALL-ANM	ICMD_STAT_CNT_7149	788	ICMD-LA-FSC-LC-FM	ICMD_STAT_CNT_5892	369
ICMD-LA-ALL-F	ICMD_STAT_CNT_7160	788	ICMD-LA-FSC-LC-M	ICMD_STAT_CNT_5894	369
ICMD-LA-ALL-FM	ICMD_STAT_CNT_7159	788	ICMD-LA-FSC-LC-N	ICMD_STAT_CNT_5891	369
ICMD-LA-ALL-LC-A	ICMD_STAT_CNT_5854	369	ICMD-LA-FSC-LC-NF	ICMD_STAT_CNT_5889	369
ICMD-LA-ALL-LC-AF	ICMD_STAT_CNT_5852	369	ICMD-LA-FSC-LC-NFM	ICMD_STAT_CNT_5888	369
ICMD-LA-ALL-LC-AFM	ICMD_STAT_CNT_5851	369	ICMD-LA-FSC-LC-NM	ICMD_STAT_CNT_5890	369
ICMD-LA-ALL-LC-AM	ICMD_STAT_CNT_5853	369	ICMS-FSC-ALL-AF-MM	ICMS_STAT_CNT_6501	784
ICMD-LA-ALL-LC-AN	ICMD_STAT_CNT_5850	369	ICMS-FSC-ALL-AR-MM	ICMS_STAT_CNT_6497	784
ICMD-LA-ALL-LC-ANF	ICMD_STAT_CNT_7163	369	ICMS-FSC-ALL-LC-AF-MM	ICMS_STAT_CNT_6511	786
ICMD-LA-ALL-LC-ANFM	ICMD_STAT_CNT_7162	369	ICMS-FSC-ALL-LC-AR-MM	ICMS_STAT_CNT_6507	786
ICMD-LA-ALL-LC-ANM	ICMD_STAT_CNT_5849	369	ICMS-FSC-ALL-LC-MC-MM	ICMS_STAT_CNT_6513	786
ICMD-LA-ALL-LC-F	ICMD_STAT_CNT_5862	369	ICMS-FSC-ALL-LC-MS-MM	ICMS_STAT_CNT_6505	786
ICMD-LA-ALL-LC-FM	ICMD_STAT_CNT_5861	369	ICMS-FSC-ALL-LC-NA-MM	ICMS_STAT_CNT_6509	786
ICMD-LA-ALL-LC-M	ICMD_STAT_CNT_5863	369	ICMS-FSC-ALL-MC-MM	ICMS_STAT_CNT_6503	784
ICMD-LA-ALL-LC-N	ICMD_STAT_CNT_5858	369	ICMS-FSC-ALL-MS-MM	ICMS_STAT_CNT_6495	784
ICMD-LA-ALL-LC-NF	ICMD_STAT_CNT_5856	369	ICMS-FSC-ALL-NA-MM	ICMS_STAT_CNT_6499	784
ICMD-LA-ALL-LC-NFM	ICMD_STAT_CNT_5855	369	ICMS-IM-ALL-AF-MM	ICMS_STAT_CNT_6521	784
ICMD-LA-ALL-LC-NM	ICMD_STAT_CNT_5857	369	ICMS-IM-ALL-AR-MM	ICMS_STAT_CNT_6517	784
ICMD-LA-ALL-M	ICMD_STAT_CNT_7161	788	ICMS-IM-ALL-LC-AF-MM	ICMS_STAT_CNT_6531	786
ICMD-LA-ALL-N	ICMD_STAT_CNT_7158	788	ICMS-IM-ALL-LC-AR-MM	ICMS_STAT_CNT_6527	786
ICMD-LA-ALL-NF	ICMD_STAT_CNT_7156	788	ICMS-IM-ALL-LC-MC-MM	ICMS_STAT_CNT_6533	786
ICMD-LA-ALL-NFM	ICMD_STAT_CNT_7155	788	ICMS-IM-ALL-LC-MS-MM	ICMS_STAT_CNT_6525	786
ICMD-LA-ALL-NM	ICMD_STAT_CNT_7157	788	ICMS-IM-ALL-LC-NA-MM	ICMS_STAT_CNT_6529	786
ICMD-LA-FSC-ALL-A	ICMD_STAT_CNT_5872	788	ICMS-IM-ALL-MC-MM	ICMS_STAT_CNT_6523	784
ICMD-LA-FSC-ALL-AF	ICMD_STAT_CNT_5870	788	ICMS-IM-ALL-MS-MM	ICMS_STAT_CNT_6515	784
ICMD-LA-FSC-ALL-AFM	ICMD_STAT_CNT_5869	788	ICMS-IM-ALL-NA-MM	ICMS_STAT_CNT_6519	784
ICMD-LA-FSC-ALL-AM	ICMD_STAT_CNT_5871	788	ICMS-LA-ALL-AF-MM	ICMS_STAT_CNT_6932	784
ICMD-LA-FSC-ALL-AN	ICMD_STAT_CNT_5867	788	ICMS-LA-ALL-AR-MM	ICMS_STAT_CNT_8071	784
ICMD-LA-FSC-ALL-ANF	ICMD_STAT_CNT_5865	788	ICMS-LA-ALL-LC-AF-MM	ICMS_STAT_CNT_6962	786
ICMD-LA-FSC-ALL-ANFM	ICMD_STAT_CNT_5864	788	ICMS-LA-ALL-LC-AR-MM	ICMS_STAT_CNT_6958	786
ICMD-LA-FSC-ALL-ANM	ICMD_STAT_CNT_5866	788	ICMS-LA-ALL-LC-MC-MM	ICMS_STAT_CNT_6964	786
ICMD-LA-FSC-ALL-F	ICMD_STAT_CNT_5878	788	ICMS-LA-ALL-LC-MS-MM	ICMS_STAT_CNT_6928	786
ICMD-LA-FSC-ALL-FM	ICMD_STAT_CNT_5877	788	ICMS-LA-ALL-LC-NA-MM	ICMS_STAT_CNT_6960	786
ICMD-LA-FSC-ALL-M	ICMD_STAT_CNT_5879	788	ICMS-LA-ALL-MC-MM	ICMS_STAT_CNT_6930	784
ICMD-LA-FSC-ALL-N	ICMD_STAT_CNT_5876	788	ICMS-LA-ALL-MS-MM	ICMS_STAT_CNT_6535	784
ICMD-LA-FSC-ALL-NF	ICMD_STAT_CNT_5874	788	ICMS-LA-ALL-NA-MM	ICMS_STAT_CNT_6538	784
ICMD-LA-FSC-ALL-NFM	ICMD_STAT_CNT_5873	788	ICMS-LA-FSC-ALL-AF-MM	ICMS_STAT_CNT_6972	784
ICMD-LA-FSC-ALL-NM	ICMD_STAT_CNT_5875	788	ICMS-LA-FSC-ALL-AR-MM	ICMS_STAT_CNT_6968	784
ICMD-LA-FSC-LC-A	ICMD_STAT_CNT_5887	369	ICMS-LA-FSC-ALL-MC-MM	ICMS_STAT_CNT_6974	784
ICMD-LA-FSC-LC-AF	ICMD_STAT_CNT_5885	369	ICMS-LA-FSC-ALL-MS-MM	ICMS_STAT_CNT_6966	784
ICMD-LA-FSC-LC-AFM	ICMD_STAT_CNT_5884	369	ICMS-LA-FSC-ALL-NA-MM	ICMS_STAT_CNT_6970	784
ICMD-LA-FSC-LC-AM	ICMD_STAT_CNT_5886	369	ICMS-LA-FSC-LC-AF-MM	ICMS_STAT_CNT_7083	786
ICMD-LA-FSC-LC-AN	ICMD_STAT_CNT_5883	369	ICMS-LA-FSC-LC-AR-MM	ICMS_STAT_CNT_6978	786
ICMD-LA-FSC-LC-ANF	ICMD_STAT_CNT_5881	369	ICMS-LA-FSC-LC-MC-MM	ICMS_STAT_CNT_7085	786
ICMD-LA-FSC-LC-ANFM	ICMD_STAT_CNT_5880	369	ICMS-LA-FSC-LC-MS-MM	ICMS_STAT_CNT_6976	786
ICMD-LA-FSC-LC-ANM	ICMD_STAT_CNT_5882	369	ICMS-LA-FSC-LC-NA-MM	ICMS_STAT_CNT_7081	786
ICMD-LA-FSC-LC-F	ICMD_STAT_CNT_5893	369	ICWD-ALL-CI	ICWD_STAT_CNT_5784	763

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICWD-ALL-CI-OGOV	ICWD_STAT_CNT_5783	763	IDS-ACCS-CMPNT-DSCRD-IND	CMPNT_DSCRD_4171	334
ICWD-ALL-DOD	ICWD_STAT_CNT_5782	763			336
ICWD-ALL-DOD-CI	ICWD_STAT_CNT_5780	763			339
ICWD-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5779	763			477
ICWD-ALL-DOD-OGOV	ICWD_STAT_CNT_5781	763	IDS-ACCS-CMPNT-FAIL-IND	CMPNT_FAIL_4164	333
ICWD-ALL-OGOV	ICWD_STAT_CNT_5785	763	IDS-ACCS-CMPNT-FILE-NM	CMPNT_FILE_NM_4168	333
ICWD-IM-ALL-CI	ICWD_STAT_CNT_5791	763			418
ICWD-IM-ALL-CI-OGOV	ICWD_STAT_CNT_5790	763	IDS-ACCS-CMPNT-LGTH-NBR	CMPNT_LGTH_4174	334
ICWD-IM-ALL-DOD	ICWD_STAT_CNT_5789	763			336
ICWD-IM-ALL-DOD-CI	ICWD_STAT_CNT_5787	763			339
ICWD-IM-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5786	763			388
ICWD-IM-ALL-DOD-OGOV	ICWD_STAT_CNT_5788	763			447
ICWD-IM-ALL-OGOV	ICWD_STAT_CNT_5792	763			473
ICWD-LA-ALL-CI	ICWD_STAT_CNT_5798	763			477
ICWD-LA-ALL-CI-OGOV	ICWD_STAT_CNT_5797	763	IDS-ACCS-CMPNT-MANY-IND	CMPNT_MANY_4165	333
ICWD-LA-ALL-DOD	ICWD_STAT_CNT_5796	763	IDS-ACCS-CMPNT-OFST-NBR	CMPNT_OFST_4187	334
ICWD-LA-ALL-DOD-CI	ICWD_STAT_CNT_5794	763	IDS-ACCS-CMPNT-OMIT-IND	CMPNT_OMIT_4163	333
ICWD-LA-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5793	763	IDS-ACCS-CMPNT-SEQ-NBR	CMPNT_SEQ_4172	334
ICWD-LA-ALL-DOD-OGOV	ICWD_STAT_CNT_5795	763			336
ICWD-LA-ALL-OGOV	ICWD_STAT_CNT_5799	763			339
ICWD-LA-FSC-CI	ICWD_STAT_CNT_5805	370	IDS-ACCS-REC-SEQ-NBR	ACCS_SEQ_NBR_4199	333
ICWD-LA-FSC-CI-OGOV	ICWD_STAT_CNT_5804	370			334
ICWD-LA-FSC-DOD	ICWD_STAT_CNT_5803	370			336
ICWD-LA-FSC-DOD-CI	ICWD_STAT_CNT_5801	370			339
ICWD-LA-FSC-DOD-CI-OGOV	ICWD_STAT_CNT_5800	370			342
ICWD-LA-FSC-DOD-OGOV	ICWD_STAT_CNT_5802	370			359
ICWD-LA-FSC-OGOV	ICWD_STAT_CNT_5806	370			388
ICWS-ALL-CI-MM	ICWS_STAT_CNT_5759	694			418
ICWS-ALL-DOD-MM	ICWS_STAT_CNT_5757	694			447
ICWS-ALL-MNGD-MM	ICWS_STAT_CNT_5755	694			461
ICWS-ALL-OGOV-MM	ICWS_STAT_CNT_5761	694			473
ICWS-IM-ALL-CI-MM	ICWS_STAT_CNT_5767	694			477
ICWS-IM-ALL-DOD-MM	ICWS_STAT_CNT_5765	694	IDS-ACCS-RPET-CT-QTY	ACCS_RPET_CT_4256	333
ICWS-IM-ALL-MNGD-MM	ICWS_STAT_CNT_5763	694			359
ICWS-IM-ALL-OGOV-MM	ICWS_STAT_CNT_5769	694			418
ICWS-LA-ALL-CI-MM	ICWS_STAT_CNT_5775	694	IDS-ACCS-TYP-CD	ACCS_TYP_CD_4198	333
ICWS-LA-ALL-DOD-MM	ICWS_STAT_CNT_5773	694			342
ICWS-LA-ALL-MNGD-MM	ICWS_STAT_CNT_5771	694			579
ICWS-LA-ALL-OGOV-MM	ICWS_STAT_CNT_5777	694	IDS-ACT-USR-IND	ACT_USR_IND_4196	340
ICWS-LA-FSC-CI-MM	ICWS_STAT_CNT_5811	694	IDS-ASCII-IND-CD	ASCII_IND_4325	135
ICWS-LA-FSC-DOD-MM	ICWS_STAT_CNT_5809	694	IDS-C-ACCS-PASD-PARM-TXT	PASD_PARM_4184	336
ICWS-LA-FSC-MNGD-MM	ICWS_STAT_CNT_5807	694	IDS-CANC-ITM-IND-CD	CANC_ITM_IND_4329	133
ICWS-LA-FSC-OGOV-MM	ICWS_STAT_CNT_5813	694			340
IDS-A-CMPNT-SRT-ORDR-IND	CMPNT_SRT_4177	334	IDS-CLBL-ACCS-PARM-TXT	ACCS_PARM_4185	336
IDS-ACCS-CMPNT-BLN-IND	CMPNT_BLN_4162	333	IDS-CLBL-ACCS-SUBRTN-NM	ACCS_SUBRTN_4183	336
IDS-ACCS-CMPNT-CATNT-IND	CMPNT_CATNT_4173	334			337
		339			477

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
IDS-CMPNT-NBR	IDS_CMPNT_NBR_4160	334			339
		339			388
		388			447
		447			473
		473	IDS-FMT-OP-CD	FMT_OP_8625	133
IDS-COND-TXT	COND_TXT_4206	359			340
IDS-CTR-ATTR-ID	CTR_ATTR_8616	130	IDS-FORCED-WRITE-IND	FORCED_WRITE_8615	130
		138			138
IDS-CTR-FUNC-CD	CTR_FUNC_8623	138	IDS-FUNC-MNEM-NM	FUNC_MNEM_NM_4195	340
IDS-DAT-LGTH-ATTR-ID	DAT_LGTH_ATTR_8621	335			
		388			359
		447			388
		473			418
		486			447
IDS-DATA-RPL-IND	DATA_RPL_4255	333			461
		359			473
		418			477
IDS-DATA-STRM-BRK-IND	DATA_STRM_BRK_4176	334			478
		339			486
IDS-DB2-CMPNT-ELE-NM	CMPNT_ELE_NM_4161	388	IDS-FXD-OP-BLCKSZ-QY	FXD_BLCKSZ_4324	135
IDS-DCOD-SVC-IND	DCOD_SVC_IND_4157	461	IDS-FXD-OP-LRECL-QY	FXD_LRECL_4323	135
IDS-DEF-STAT-CD	DEF_STAT_CD_4193	133	IDS-GRP-NBR	GRP_NBR_8601	130
		340			138
IDS-DYN-ALLOC-IND	DYN_ALLOC_8627	133	IDS-GRP-TYP-ID	GRP_TYP_8618	138
		340	IDS-ITM-PRCSG-QTY	ITM_PRCSG_QTY_4201	133
IDS-EDIT-MBR-TXT	EDIT_MBR_TXT_4155	388			340
		473	IDS-JCL-TX	JCL_TX_4315	134
IDS-END-ACCS-NBR	END_ACCS_NBR_8606	130	IDS-JCL-TYP-CD	JCL_TYP_4313	134
IDS-END-CMP-NBR	END_CMP_8607	130	IDS-JOB-JCL-ID	JOB_JCL_4311	134
IDS-END-CMP-SEQ-NBR	END_CMP_SEQ_8620	138	IDS-LINK-PARM-STNG-TXT	LINK_PARM_4208	333
IDS-END-RCD-TYP-CD	END_RCD_TYP_8605	130	IDS-LST-PUB-DT	LST_PUB_DT_4191	133
IDS-EXTN-FILE-LGTH-NBR	EX_FILE_LGTH_4158	334			340
		447	IDS-LST-PUB-UPDT-DT	LST_UPDT_DT_4189	340
IDS-EXTN-FILE-OFST-NBR	FILE_OFST_NBR_4152	447	IDS-MARKUP-TXT	MARKUP_TXT_4156	335
IDS-EXTR-DATA-ITM-QY	EXTR_ITM_QY_4209	133			388
IDS-EXTR-OP-FL-QTY	EXTR_OP_FL_4202	133			447
		340			473
IDS-EXTR-RCD-TYP-SEQ-NBR	EXTR_TYP_SEQ_4166	333			477
		336	IDS-MRKP-CPTLZTN-IND	MRKP_CPTLZTN_4182	335
IDS-EXTR-UPDT-CD	EXTR_UPDT_8624	133	IDS-MRKP-DSRPTR-FLD-NBR	MRKP_DSRPTR_4179	334
		340			335
IDS-FILE-NM-HLQ-ID	FILE_NM_HLQ_8628	133			336
		340			339
IDS-FILE-RET-TIME-QY	FILE_RET_TIME_4322	135	IDS-NXT-PUB-DT	NXT_PUB_DT_4188	133
IDS-FILE-TYP-CD	FILE_TYP_4316	135			340
IDS-FILEAID-MBR-NM	FILEAID_MBR_4328	340	IDS-PARM-STNG-TXT	PARM_STNG_TXT_4153	461
IDS-FLD-JUST	FLD_JUST_4257	334			477

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
IDS-POST-BRK-ACCS-NBR	POST_BRK_ACCS_8612	130			339
IDS-POST-BRK-CMP-NBR	POST_BRK_CMP_8613	130			342
IDS-POST-BRK-POS-CD	POST_BRK_POS_8614	130			359
		138			388
IDS-POST-BRK-RCD-TYP-CD	POST_BRK_RCD_8611	130			418
IDS-POST-DELIM	POST_DELIM_4260	335			447
		388			461
		447			473
		473			477
		477			478
IDS-POST-MRKP-TXT	POST_MRKP_4258	335	IDS-SECD-SPC-ALOC-QY	SECD_SPC_ALOC_4318	135
		388	IDS-SECD-WS-ALOC-QY	SECD_WS_ALOC_4320	135
		447	IDS-SQL-COND-MBR-STNG-TX	MBR_STNG_TX_4203	359
		473	IDS-SRT-RPL-IND	SRT_RPL_4252	133
		477			340
IDS-PRCSG-ACTN-TXT	PRCSG_ACTN_4204	359	IDS-SRT-SEQ-TXT	SRT_SEQ_TXT_4167	486
		388	IDS-START-ACCS-NBR	START_ACCS_8603	130
		418	IDS-START-CMP-NBR	START_CMP_8604	130
		447	IDS-START-CMP-SEQ-NBR	START_CMP_SEQ_8619	138
		461	IDS-START-RCD-TYP-CD	START_RCD_TYP_8602	130
		473	IDS-STEP-JCL-ID	STEP_JCL_4312	134
		477	IDS-STEP-SEQ-ID	STEP_SEQ_4314	134
IDS-PRDCT-DEF-ESTB-DT	DEF_ESTB_DT_4192	340	IDS-STOR-UNIT-TYP-TX	STOR_UNIT_TYP_4321	135
IDS-PRDCT-PT-NBR	PRDCT_PT_NBR_4154	478	IDS-TBL-QRY-STNG-TXT	TBL_QRY_STNG_4207	333
		486	IDS-UPDT-KEY-LGTH-QY	UPDT_KEY_LGTH_8626	133
IDS-PRE-BRK-ACCS-NBR	PRE_BRK_ACCS_8609	130	IDS-USER-PAD-CHAR	USER_PAD_CHAR_4251	133
IDS-PRE-BRK-CMP-NBR	PRE_BRK_CMP_8610	130			340
IDS-PRE-BRK-RCD-TYP-CD	PRE_BRK_RCD_8608	130	IDS-XFILE-RPETD-DATA-NBR	XFILE_RPETD_4159	334
IDS-PRE-DELIM	PRE_DELIM_4259	335			447
		388	IDS-ZER-SUPRSN-IND	ZER_SUPRSN_8617	130
		447			138
		473			335
		477			388
IDS-PRFL-PRFX-TX	PRFL_PRFX_TX_4326	340			447
IDS-PRFX-JCL-MBR-NM	PRFX_JCL_MBR_4327	340			473
IDS-PRIM-SPC-ALOC-QY	PRIM_SPC_ALOC_4317	135			486
IDS-PRIM-WS-ALOC-QY	PRIM_WS_ALOC_4319	135	ILL-ACPT-IND	ILL_ACPT_IND_4063	136
IDS-PRPY-DCOD-IND	PRPY_DCOD_4253	133	ILL-ID	ILL_ID_4066	136
		340	ILL-RTN-DT	ILL_RTN_DT_4061	136
IDS-PRPY-NOTC-IND	PRPY_NOTC_4254	133	ILL-START-DT	ILL_START_DT_4062	136
		340	IMC	IMC_2744	231
IDS-PUB-CYCL-TM	PUB_CYCL_TM_4194	340			345
IDS-RCD-LGTH-ATTR-ID	RCD_LGTH_ATTR_8622	133			436
IDS-RCD-TYP-ORDR-NBR	RCD_TYP_ORDR_4169	478			521
IDS-REC-TYP-CD	REC_TYP_CD_4197	333			597
		334	IMC-ACTY	IMC_ACTY_2748	318
		336			345

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		521			747
IMC-DEF	IMC_DEF_5209	231			748
IMC-NW-DP-AT-IMC-CIC	IMC_STAT_CNT_5639	436			782
IMC-TI	IMC_TI_5208	231			878
IMCA	IMCA_4075	080	INC-APPLIC-IND	INC_APPL_IND_4405	122
		094	INC-FIIG-CORL	INC_FIIG_CORL_3485	830
		515	INC-LOCKT-IND	INC_LOCKT_IND_0583	122
IMM	IMM_9090	094	INC-NSN	INC_STAT_CNT_5750	037
		515	INCL-EXCL-CD	INCL_EXCL_CD_4497	733
IMM-SOS	IMM_SOS_9401	331			870
		519			885
IN-DP-AIN-NR-NSN	IN_STAT_CNT_6699	690	INCR-NBR	INCR_NBR_2219	948
IN-DP-AIN-NSN	IN_STAT_CNT_6691	690	INFO-DISEM-IDEN-NBR	INFO_DISEM_ID_1720	130
IN-DP-AT-AIN-NR-NSN	IN_STAT_CNT_6695	043			133
IN-DP-AT-AIN-NSN	IN_STAT_CNT_6688	043			135
IN-DP-AT-NAIN-NR-NSN	IN_STAT_CNT_6696	043			138
IN-DP-AT-NAIN-NSN	IN_STAT_CNT_6689	043			333
IN-DP-NAIN-NR-NSN	IN_STAT_CNT_6700	690			334
IN-DP-NAIN-NSN	IN_STAT_CNT_6692	690			335
IN-OR-OUT-IND	I_OR_O_IND_4591	479			336
INACT-SOS-IND-CD	INACT_SOS_IND_0134	331			339
		519			340
INC	INC_4080	FFA			342
		001			359
		010			388
		020			418
		033			447
		034			461
		035			473
		037			477
		038			478
		073			486
		078			497
		106			498
		120	INPUT-FORMAT	INPUT_FORMAT_9169	382
		122	INPUT-MEDIA	INPUT_MEDIA_9170	052
		124			084
		225			401
		324			600
		430			604
		431			777
		432			852
		434	INPUT-RECORD	INPUT_RECORD_9171	070
		435			399
		495			402
		509			994
		684			995

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		996	ITM-STDZN-CD-EXPLN	ITM_STDZN_EX_5134	232
INQ-OUT-VIEW	INQ_OUT_VIEW_4477	381	ITM-TYP-STOR-CD	ITM_TYP_STOR_5156	346
INTGTY-CD	INTGTY_CD_0864	016			928
		227	J-MAX-L-VALUE	J_MAX_L_VAL_4422	352
		523			360
INTGTY-CD-DEF	INTGTY_CD_DEF_5220	227	J-MAX-R-VALUE	J_MAX_R_VAL_4427	352
INTMED-CTNR-CD	INTMD_CTNR_CD_5167	346			360
		928	J-MIN-L-VALUE	J_MIN_L_VAL_4420	352
INTMED-CTNR-QTY	INTMD_CTN_QTY_5152	346			360
		928	J-MIN-R-VALUE	J_MIN_R_VAL_4423	352
INTRNL-EXTRNL-IND	IN_EX_IND_4581	770			360
		771	J-TBL-REPLY	J_TBL_REPLY_3073	352
INV-ACCT-CD-CG	INV_ACT_CG_0708	GIN			360
		006	JCL-JOB-CRD-NM	JCL_JOB_NM_9507	617
		229	JOB-CTL-JUL-DT	JOB_CTL_JUL_9461	879
		505			993
INV-ACCT-CD-CG-EXPLN	INV_ACT_CG_EX_3179	GIN	JRNL-TMSTMP	JRNL_TMSTMP_9487	R
		229			012
INVL-IMC-IND	INVL-IMC_IND_2747	231	K-DIC-OP-IND-CD	K_DIC_OP_IND_2888	581
ISAC-LMTN-CD	ISAC_LMTN_CD_0825	121	KEY-GRP-DESC	KEY_GRP_DESC_4448	391
ISAC-PRES-CD	ISAC_PRES_CD_2348	121	KEYWRD-GRP-CD	KEYWRD_GRP_CD_2034	127
ISC-FSC-DOD-NSN	ISC_STAT_CNT_5748	042			391
ISC-FSC-USGOVT-NSN	ISC_STAT_CNT_5747	042			921
ISC-FSC-WMGR-NSN	ISC_STAT_CNT_5746	042	KEYWRD-MODIFIER-STMT	KEYWRD_MOD_ST_2033	127
ISC-FSC-WOMGR-NSN	ISC_STAT_CNT_5749	042			921
ISC-FSG-NSN	ISC_STAT_CNT_5740	741	KHN-ACTY-IND	KHN_ACTY_IND_4356	327
ISS-REP-RQNG-RSTRN-CD	IRRC_NVY_0132	VY1	KIM-OP-IND-CD	KIM_OP_IND_2884	583
		006	KIP-OP-IND-CD	KIP_OP_IND_2883	583
		261	KRT-IND-CD	KRT_IND_2051	258
		262			259
		505			689
ISS-REP-RQNG-RSTRN-CD-DE	IRRC_NVY_DEF_5260	262	KVI-DECR-CTR	KVI_DECR_CTR_4211	949
ITEM-NAME-KEYWORD	ITEM_NM_KY_WD_4401	364	KVI-ORIG-CTR	KVI_ORIG_CTR_4212	949
ITEM-NAME-NSN	INAM_STAT_CNT_7824	438	KVI-SUSPNS-ESTB-DT	KVI_SPNS_E_DT_4214	948
ITM-NM-DEF-DLIM	ITM_NM_DEF_5015	098	KWA-ACTY-NOTI-IND	KWA_ACTY_NOTI_9563	409
		593	KWA-NATO-ACTY-ZZ-IND	KWA_NATO_ZZ_9564	409
ITM-NM-NON-APRVD-RMDR	NAIN_RMDR_2177	363	KWA-NO-OP-ACTY-NOTI-IND	KWA_NO_NOTI_9562	409
ITM-NM-TYP-CD	ITM_NM_TYP_CD_3308	AME	L07-TRANS-RCVD-QTY	L07_TRAN_RCVD_2542	998
		098	L07-TRANS-SENT-QTY	L07_TRAN_SENT_2541	998
		593	LCU-DATE	LCU_DATE_4237	874
		724	LCU-ODIC	LCU_ODIC_3923	874
ITM-STDZN-CD	ISC_2650	016	LDZ-BACK-OUT-APRV-DT	LDZ_BO_APR_DT_5097	047
		041	LDZ-CTL-DRN-VAL-ID	LDZ_DRN_ID_5092	047
		042	LDZ-DELT-OP-DIC-TYP-ID	LDZ_ODIC_4096	047
		232	LDZ-DOC-CTL-SER-NBR	LDZ_DCSN_5096	047
		523	LDZ-RTN-CD	LDZ_RTN_CD_5091	047
		915	LDZ-TRANS-DT	LDZ_DT_5095	047

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
LFU-PROC-STAT-CD	LFU_PROC_STAT_9230	605	LOLA-UPDT-DIC-CT-NBR	UPDT_DIC_CT_3324	374
LFU-TRANS-KEY	LFU_TRANS_KEY_9445	605	LOLA-UPDT-PRCSD-TIME	UPDT_PRC_TIME_3323	368
LIM-SA-ACTY-CD	LIM_ACTY_CD_5084	047			608
LIM-SA-SOS-CD	LIM_SOS_CD_5085	047	LOLA-UPDT-STAT-KEY-CD	UPDT_STAT_KEY_9436	375
LISTIN-PART-PAPER-IND	LST_PRT_P_IND_3121	267	LOLA-UPDT-TRAN-HDR-TXT	UPDT_TRAN_HDR_3313	375
		410	LR-APRV-DT	LR_APRV_DT_4083	047
LKD-LKU-RPLM-IND	LKD_LKU_RPLM_2499	010	LR-PROJ-CD	PROJ_CD_4082	047
		509	LRN-ACT-DLY-TOT	LRN_STAT_CNT_2410	045
LMD-DATE	LMD_DATE_4218	874	LRN-APPL-HELP-DEPT-DLY	LRN_STAT_CNT_3742	045
		875			620
		948			621
LMD-ODIC	LMD_ODIC_3892	874	LRN-C-NIIN-ACTY-DLY	LRN_STAT_CNT_5975	045
		875	LRN-C-NIIN-DEPT-DLY	LRN_STAT_CNT_5983	620
		948	LRN-C-NIIN-DLY-TOT	LRN_STAT_CNT_5989	621
LMT-DIST-CD	LMT_DIST_CD_4645	016	LRN-C-P-RNL-ACTY-DLY	LRN_STAT_CNT_6202	045
		236	LRN-C-P-RNL-DEPT-DLY	LRN_STAT_CNT_6207	620
		523	LRN-C-P-RNL-DLY-TOT	LRN_STAT_CNT_1657	621
		782	LRN-C-RNL-ACTY-DLY	LRN_STAT_CNT_6178	045
		936	LRN-C-RNL-DEPT-DLY	LRN_STAT_CNT_6183	620
LMT-DIST-CD-EXPLN	LMT_DIST_EX_5106	236	LRN-C-RNL-DLY-TOT	LRN_STAT_CNT_6189	621
LMX-LMD-CTL-DRN-VAL-ID	LMXLMD_DRN_ID_5089	047	LRN-CHS-ACTY-DLY	LRN_STAT_CNT_1193	045
LMX-LMD-DOC-CTL-SER-NBR	LMX_LMD_DCSN_5090	047	LRN-CHS-DEPT-DLY	LRN_STAT_CNT_1198	620
LMX-LMD-RTN-CD	LMXLMD_RTN_CD_5088	047	LRN-CHS-TOT-DLY	LRN_STAT_CNT_1203	621
LN-2780-IDEN	LN_2780_IDEN_9211	926	LRN-COMB-ACTY-DLY	LRN_STAT_CNT_1729	045
LOG-MSG-TMSTMP	LOG_MSG_TS_9381	084	LRN-COMB-DEPT-DLY	LRN_STAT_CNT_1734	620
		085	LRN-COMB-TOT-DLY	LRN_STAT_CNT_1739	621
		086	LRN-DEPT-DLY-TOT	LRN_STAT_CNT_2429	620
LOG-REASGMT-TRK-IND-CD	LR_TRK_IND_4081	047	LRN-FSG-FSC-ITM-NM-ACT-D	LRN_STAT_CNT_1233	045
LOGGED-TS	LOGGED_TS_9173	048	LRN-FSG-FSC-ITM-NM-DPT-D	LRN_STAT_CNT_6860	620
		481	LRN-FSG-FSC-ITM-NM-TOT-D	LRN_STAT_CNT_6865	621
		617	LRN-GRD-TOT-DLY-TOT	LRN_STAT_CNT_2422	621
		994	LRN-NIIN-INQ-ACTY-DLY	LRN_STAT_CNT_1667	045
LOLA-OVERNIGHT-LSN-LTI	LSN_LTI_RMDR_4696	341	LRN-NIIN-INQ-DEPT-DLY	LRN_STAT_CNT_1672	620
LOLA-OVERNIGHT-SEG-VAL	SEG_VALUES_4694	499	LRN-NIIN-INQ-DLY-TOT	LRN_STAT_CNT_1121	621
LOLA-OVERNIGHT-TRAN-DT	TRANS_DT_4695	341	LRN-NM-NIIN-ACTY-DLY	LRN_STAT_CNT_1173	045
		368	LRN-NM-NIIN-DEPT-DLY	LRN_STAT_CNT_1178	620
		374	LRN-NM-NIIN-DLY-TOT	LRN_STAT_CNT_1183	621
		579	LRN-P-RNL-ACTY-DLY	LRN_STAT_CNT_1153	045
		608	LRN-P-RNL-DEPT-DLY	LRN_STAT_CNT_1158	620
LOLA-REQUEST-DATE	LOLA_REQ_DATE_3306	045	LRN-P-RNL-DLY-TOT	LRN_STAT_CNT_1163	621
		620	LRN-PROC-ACTY-DLY	LRN_STAT_CNT_8232	045
		621	LRN-PROC-DEPT-DLY	LRN_STAT_CNT_8237	620
LOLA-STATS-SCOPE	LOLA_STAT_SC_3307	045	LRN-PROC-TOT-DLY	LRN_STAT_CNT_8242	621
		620	LRN-RNL-ACTY-DLY	LRN_STAT_CNT_1132	045
		621	LRN-RNL-DEPT-DLY	LRN_STAT_CNT_1137	620
LOLA-TMPLT-NM	LOLA_TMPLT_NM_1100	384	LRN-RNL-DLY-TOT	LRN_STAT_CNT_1142	621
LOLA-UPDT-COMM-TXT	UPDT_COMM_3314	375	LS-THN-CRLD-RTNG-CD	LCL_CD_2760	016

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		234	M3B-FSC-D-LOA-MG	M3B_STAT_CNT_1624	796
		523	M3B-FSC-D-LOA-RN	M3B_STAT_CNT_1631	796
LS-THN-CRLD-RTNG-CD-EXPL	LCL_EX_5233	234	M3B-FSC-D-LOA-RN-G	M3B_STAT_CNT_1632	796
LSN-ASGMT-JUL-DT	LSN_ASGMT_DT_4484	596	M3BC-FSC-D-AIN	M3BC_STAT_CNT_1618	798
LSN-PRMNCY-CD	LSN_PRMNCY_CD_4483	596	M3BC-FSC-D-AIN-G	M3BC_STAT_CNT_1619	798
		597	M3BC-FSC-D-DM	M3BC_STAT_CNT_1615	798
		598	M3BC-FSC-D-DM-G	M3BC_STAT_CNT_1616	798
		599	M3BC-FSC-D-MG	M3BC_STAT_CNT_1614	798
LSN-SER-NBR-ID	LSN_SER_NBR_4481	596	M3BC-FSC-D-RN	M3BC_STAT_CNT_1621	798
		597	M3BC-FSC-D-RN-G	M3BC_STAT_CNT_1622	798
		598	M3C1-D-AT-AIN	M3C1_STAT_CNT_1638	794
		599	M3C1-D-AT-AIN-G	M3C1_STAT_CNT_1639	794
LSN-STAT-CD	LSN_STAT_CD_4482	596	M3C1-D-AT-DM	M3C1_STAT_CNT_1635	794
LST-KWN-SOS	LST_KWN_SOS_1071	016	M3C1-D-AT-DM-G	M3C1_STAT_CNT_1636	794
		523	M3C1-D-AT-MG	M3C1_STAT_CNT_1634	794
LVA-CTL-DRN-VAL-ID	LVA_DRN_ID_5082	047	M3C1-D-AT-RN	M3C1_STAT_CNT_1641	794
LVA-DATE	LVA_DATE_4217	047	M3C1-D-AT-RN-G	M3C1_STAT_CNT_1642	794
		875	M3C2-FSC-D-AT-AIN	M3C2_STAT_CNT_1648	802
		948	M3C2-FSC-D-AT-AIN-G	M3C2_STAT_CNT_1649	802
LVA-DOC-CTL-SER-NBR	LVA_DCSN_5083	047	M3C2-FSC-D-AT-DM	M3C2_STAT_CNT_1645	802
LVA-ODIC	LVA_ODIC_3893	047	M3C2-FSC-D-AT-DM-G	M3C2_STAT_CNT_1646	802
		875	M3C2-FSC-D-AT-LOA-AIN	M3C2_STAT_CNT_6298	800
		948	M3C2-FSC-D-AT-LOA-AIN-G	M3C2_STAT_CNT_6299	800
LVA-RTN-CD	LVA_RTN_CD_5081	047	M3C2-FSC-D-AT-LOA-DM	M3C2_STAT_CNT_6650	800
LVL-A-PKG-RQMT-CD	LVL_A_PKG_CD_5170	346	M3C2-FSC-D-AT-LOA-DM-G	M3C2_STAT_CNT_6296	800
		928	M3C2-FSC-D-AT-LOA-MG	M3C2_STAT_CNT_6295	800
LVL-B-PKG-RQMT-CD	LVL_B_PKG_CD_5171	346	M3C2-FSC-D-AT-LOA-RN	M3C2_STAT_CNT_6301	800
		928	M3C2-FSC-D-AT-LOA-RN-G	M3C2_STAT_CNT_6302	800
LWST-DOC-CTL-NBR-SEQ-NBR	LWST_DCSN_SEQ_2198	998	M3C2-FSC-D-AT-MG	M3C2_STAT_CNT_1644	802
M3A-D-LOA-AIN	M3A_STAT_CNT_1606	744	M3C2-FSC-D-AT-RN	M3C2_STAT_CNT_6292	802
M3A-D-LOA-AIN-G	M3A_STAT_CNT_1607	744	M3C2-FSC-D-AT-RN-G	M3C2_STAT_CNT_6293	802
M3A-D-LOA-DM	M3A_STAT_CNT_1602	744	M3D-D-AIN	M3D_STAT_CNT_6308	804
M3A-D-LOA-DM-G	M3A_STAT_CNT_1603	744	M3D-D-AIN-G	M3D_STAT_CNT_6309	804
M3A-D-LOA-MG	M3A_STAT_CNT_1601	744	M3D-D-DM	M3D_STAT_CNT_6305	804
M3A-D-LOA-RN	M3A_STAT_CNT_1610	744	M3D-D-DM-G	M3D_STAT_CNT_6306	804
M3A-D-LOA-RN-G	M3A_STAT_CNT_1611	744	M3D-D-FSC-AIN-G	M3D_STAT_CNT_6322	036
M3AC-D-AIN	M3AC_STAT_CNT_1593	429	M3D-D-FSC-AT-AIN	M3D_STAT_CNT_6334	031
M3AC-D-AIN-G	M3AC_STAT_CNT_1594	429	M3D-D-FSC-AT-AIN-G	M3D_STAT_CNT_6335	031
M3AC-D-DM	M3AC_STAT_CNT_1589	429	M3D-D-FSC-AT-DM	M3D_STAT_CNT_6330	031
M3AC-D-DM-G	M3AC_STAT_CNT_1590	429	M3D-D-FSC-AT-DM-G	M3D_STAT_CNT_6331	031
M3AC-D-MG	M3AC_STAT_CNT_1588	429	M3D-D-FSC-AT-MG	M3D_STAT_CNT_6329	031
M3AC-D-RN	M3AC_STAT_CNT_1597	429	M3D-D-FSC-AT-RN	M3D_STAT_CNT_6338	031
M3AC-D-RN-G	M3AC_STAT_CNT_1598	429	M3D-D-FSC-AT-RN-G	M3D_STAT_CNT_6339	031
M3B-FSC-D-LOA-AIN	M3B_STAT_CNT_1628	796	M3D-D-FSC-DM-G	M3D_STAT_CNT_6318	036
M3B-FSC-D-LOA-AIN-G	M3B_STAT_CNT_1629	796	M3D-D-FSC-RN-G	M3D_STAT_CNT_6326	036
M3B-FSC-D-LOA-DM	M3B_STAT_CNT_1625	796	M3D-D-MG	M3D_STAT_CNT_6304	804
M3B-FSC-D-LOA-DM-G	M3B_STAT_CNT_1626	796	M3D-D-RN	M3D_STAT_CNT_6312	804

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M3D-D-RN-G	M3D_STAT_CNT_6313	804			660
M3E-FSC-D-AIN	M3E_STAT_CNT_6346	804	M6B2-IM-AT-LOA-T4B-NSN	M6B2_STAT_CNT_7917	648
M3E-FSC-D-AIN-G	M3E_STAT_CNT_6347	804			660
M3E-FSC-D-DM	M3E_STAT_CNT_6343	804	M6B2-IM-AT-T1-NSN	M6B2_STAT_CNT_7922	650
M3E-FSC-D-DM-G	M3E_STAT_CNT_6344	804			662
M3E-FSC-D-MG	M3E_STAT_CNT_6342	804	M6B2-IM-AT-T1A-NSN	M6B2_STAT_CNT_7923	650
M3E-FSC-D-RN	M3E_STAT_CNT_6349	804			662
M3E-FSC-D-RN-G	M3E_STAT_CNT_6350	804	M6B2-IM-AT-T1B-NSN	M6B2_STAT_CNT_7924	650
M6A1-DP-LOA-T1-NSN	M6A1_STAT_CNT_7832	656			662
M6A1-DP-LOA-T1A-NSN	M6A1_STAT_CNT_7833	656	M6B2-IM-AT-T2-NSN	M6B2_STAT_CNT_7928	650
M6A1-DP-LOA-T1B-NSN	M6A1_STAT_CNT_7834	656			662
M6A1-DP-LOA-T2-NSN	M6A1_STAT_CNT_7838	656	M6B2-IM-AT-T4-NSN	M6B2_STAT_CNT_7925	650
M6A1-DP-LOA-T4-NSN	M6A1_STAT_CNT_7835	656			662
M6A1-DP-LOA-T4A-NSN	M6A1_STAT_CNT_7836	656	M6B2-IM-AT-T4A-NSN	M6B2_STAT_CNT_7926	650
M6A1-DP-LOA-T4B-NSN	M6A1_STAT_CNT_7837	656			662
M6A1-DP-T1-NSN	M6A1_STAT_CNT_7842	658	M6B2-IM-AT-T4B-NSN	M6B2_STAT_CNT_7927	650
M6A1-DP-T1A-NSN	M6A1_STAT_CNT_7843	658			662
M6A1-DP-T1B-NSN	M6A1_STAT_CNT_7844	658	M6B3-CLM-DP-LOA-T1-NSN	M6B3_STAT_CNT_7893	652
M6A1-DP-T2-NSN	M6A1_STAT_CNT_7848	658	M6B3-CLM-DP-LOA-T1A-NSN	M6B3_STAT_CNT_7894	652
M6A1-DP-T4-NSN	M6A1_STAT_CNT_7845	658	M6B3-CLM-DP-LOA-T1B-NSN	M6B3_STAT_CNT_7895	652
M6A1-DP-T4A-NSN	M6A1_STAT_CNT_7846	658	M6B3-CLM-DP-LOA-T2-NSN	M6B3_STAT_CNT_7899	652
M6A1-DP-T4B-NSN	M6A1_STAT_CNT_7847	658	M6B3-CLM-DP-LOA-T4-NSN	M6B3_STAT_CNT_7896	652
M6B1-IM-DP-LOA-T1-NSN	M6B1_STAT_CNT_7873	648	M6B3-CLM-DP-LOA-T4A-NSN	M6B3_STAT_CNT_7897	652
M6B1-IM-DP-LOA-T1A-NSN	M6B1_STAT_CNT_7874	648	M6B3-CLM-DP-LOA-T4B-NSN	M6B3_STAT_CNT_7898	652
M6B1-IM-DP-LOA-T1B-NSN	M6B1_STAT_CNT_7875	648	M6B3-CLM-DP-T1-NSN	M6B3_STAT_CNT_7902	654
M6B1-IM-DP-LOA-T2-NSN	M6B1_STAT_CNT_7879	648	M6B3-CLM-DP-T1A-NSN	M6B3_STAT_CNT_7903	654
M6B1-IM-DP-LOA-T4-NSN	M6B1_STAT_CNT_7876	648	M6B3-CLM-DP-T1B-NSN	M6B3_STAT_CNT_7904	654
M6B1-IM-DP-LOA-T4A-NSN	M6B1_STAT_CNT_7877	648	M6B3-CLM-DP-T2-NSN	M6B3_STAT_CNT_7908	654
M6B1-IM-DP-LOA-T4B-NSN	M6B1_STAT_CNT_7878	648	M6B3-CLM-DP-T4-NSN	M6B3_STAT_CNT_7905	654
M6B1-IM-DP-T1-NSN	M6B1_STAT_CNT_7883	650	M6B3-CLM-DP-T4A-NSN	M6B3_STAT_CNT_7906	654
M6B1-IM-DP-T1A-NSN	M6B1_STAT_CNT_7884	650	M6B3-CLM-DP-T4B-NSN	M6B3_STAT_CNT_7907	654
M6B1-IM-DP-T1B-NSN	M6B1_STAT_CNT_7885	650	M6B4-CLM-AT-LOA-T1-NSN	M6B4_STAT_CNT_7932	652
M6B1-IM-DP-T2-NSN	M6B1_STAT_CNT_7889	650			660
M6B1-IM-DP-T4-NSN	M6B1_STAT_CNT_7886	650	M6B4-CLM-AT-LOA-T1A-NSN	M6B4_STAT_CNT_7933	652
M6B1-IM-DP-T4A-NSN	M6B1_STAT_CNT_7887	650			660
M6B1-IM-DP-T4B-NSN	M6B1_STAT_CNT_7888	650	M6B4-CLM-AT-LOA-T1B-NSN	M6B4_STAT_CNT_7934	652
M6B2-IM-AT-LOA-T1-NSN	M6B2_STAT_CNT_7912	648			660
		660	M6B4-CLM-AT-LOA-T2-NSN	M6B4_STAT_CNT_7938	652
M6B2-IM-AT-LOA-T1A-NSN	M6B2_STAT_CNT_7913	648			660
		660	M6B4-CLM-AT-LOA-T4-NSN	M6B4_STAT_CNT_7935	652
M6B2-IM-AT-LOA-T1B-NSN	M6B2_STAT_CNT_7914	648			660
		660	M6B4-CLM-AT-LOA-T4A-NSN	M6B4_STAT_CNT_7936	652
M6B2-IM-AT-LOA-T2-NSN	M6B2_STAT_CNT_7918	648			660
		660	M6B4-CLM-AT-LOA-T4B-NSN	M6B4_STAT_CNT_7937	652
M6B2-IM-AT-LOA-T4-NSN	M6B2_STAT_CNT_7915	648			660
		660	M6B4-CLM-AT-T1-NSN	M6B4_STAT_CNT_7942	654
M6B2-IM-AT-LOA-T4A-NSN	M6B2_STAT_CNT_7916	648			662

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M6B4-CLM-AT-T1A-NSN	M6B4_STAT_CNT_7943	<u>654</u> <u>662</u>	M6B6-FSC-AT-T4-NSN	M6B6_STAT_CNT_8001	<u>662</u> <u>646</u>
M6B4-CLM-AT-T1B-NSN	M6B4_STAT_CNT_7944	<u>654</u> <u>662</u>	M6B6-FSC-AT-T4A-NSN	M6B6_STAT_CNT_8002	<u>662</u> <u>646</u>
M6B4-CLM-AT-T2-NSN	M6B4_STAT_CNT_7948	<u>654</u> <u>662</u>	M6B6-FSC-AT-T4B-NSN	M6B6_STAT_CNT_8204	<u>662</u> <u>646</u>
M6B4-CLM-AT-T4-NSN	M6B4_STAT_CNT_7945	<u>654</u> <u>662</u>	M6C1-AT-LOA-T1-NSN	M6C1_STAT_CNT_7852	<u>656</u> <u>660</u>
M6B4-CLM-AT-T4A-NSN	M6B4_STAT_CNT_7946	<u>654</u> <u>662</u>	M6C1-AT-LOA-T1A-NSN	M6C1_STAT_CNT_7853	<u>656</u> <u>660</u>
M6B4-CLM-AT-T4B-NSN	M6B4_STAT_CNT_7947	<u>654</u> <u>662</u>	M6C1-AT-LOA-T1B-NSN	M6C1_STAT_CNT_7854	<u>656</u> <u>660</u>
M6B5-FSC-DP-LOA-T1-NSN	M6B5_STAT_CNT_7952	<u>050</u>	M6C1-AT-LOA-T2-NSN	M6C1_STAT_CNT_7858	<u>656</u> <u>660</u>
M6B5-FSC-DP-LOA-T1A-NSN	M6B5_STAT_CNT_7953	<u>050</u>	M6C1-AT-LOA-T4-NSN	M6C1_STAT_CNT_7855	<u>656</u> <u>660</u>
M6B5-FSC-DP-LOA-T1B-NSN	M6B5_STAT_CNT_7954	<u>050</u>	M6C1-AT-LOA-T4A-NSN	M6C1_STAT_CNT_7856	<u>656</u> <u>660</u>
M6B5-FSC-DP-LOA-T2-NSN	M6B5_STAT_CNT_7958	<u>050</u>	M6C1-AT-LOA-T4B-NSN	M6C1_STAT_CNT_7857	<u>656</u> <u>660</u>
M6B5-FSC-DP-LOA-T4-NSN	M6B5_STAT_CNT_7955	<u>050</u>	M6C1-AT-T1-NSN	M6C1_STAT_CNT_7862	<u>658</u> <u>662</u>
M6B5-FSC-DP-LOA-T4A-NSN	M6B5_STAT_CNT_7956	<u>050</u>	M6C1-AT-T1A-NSN	M6C1_STAT_CNT_7863	<u>658</u> <u>662</u>
M6B5-FSC-DP-LOA-T4B-NSN	M6B5_STAT_CNT_7957	<u>050</u>	M6C1-AT-T1B-NSN	M6C1_STAT_CNT_7864	<u>658</u> <u>662</u>
M6B5-FSC-DP-T1-NSN	M6B5_STAT_CNT_7962	<u>646</u>	M6C1-AT-T2-NSN	M6C1_STAT_CNT_7868	<u>658</u> <u>662</u>
M6B5-FSC-DP-T1A-NSN	M6B5_STAT_CNT_7963	<u>646</u>	M6C1-AT-T4-NSN	M6C1_STAT_CNT_7865	<u>658</u> <u>662</u>
M6B5-FSC-DP-T1B-NSN	M6B5_STAT_CNT_7964	<u>646</u>	M6C1-AT-T4A-NSN	M6C1_STAT_CNT_7866	<u>658</u> <u>662</u>
M6B5-FSC-DP-T2-NSN	M6B5_STAT_CNT_7968	<u>646</u>	M6C1-AT-T4B-NSN	M6C1_STAT_CNT_7867	<u>658</u> <u>662</u>
M6B5-FSC-DP-T4-NSN	M6B5_STAT_CNT_7965	<u>646</u>	M8A1-DP-ADD-NSN	M8A1_STAT_CNT_5494	<u>576</u>
M6B5-FSC-DP-T4A-NSN	M6B5_STAT_CNT_7966	<u>646</u>	M8A1-DP-BB-NSN	M8A1_STAT_CNT_5493	<u>576</u>
M6B5-FSC-DP-T4B-NSN	M6B5_STAT_CNT_7967	<u>646</u>	M8A1-DP-DLT-NSN	M8A1_STAT_CNT_5495	<u>576</u>
M6B6-FSC-AT-LOA-T1-NSN	M6B6_STAT_CNT_7987	<u>050</u> <u>660</u>	M8A1-DP-EB-NSN	M8A1_STAT_CNT_5496	<u>576</u> <u>741</u>
M6B6-FSC-AT-LOA-T1A-NSN	M6B6_STAT_CNT_7988	<u>050</u> <u>660</u>	M8A1-DP-LOA-ADD-NSN	M8A1_STAT_CNT_5488	<u>571</u>
M6B6-FSC-AT-LOA-T1B-NSN	M6B6_STAT_CNT_7989	<u>050</u> <u>660</u>	M8A1-DP-LOA-BB-NSN	M8A1_STAT_CNT_5487	<u>571</u>
M6B6-FSC-AT-LOA-T2-NSN	M6B6_STAT_CNT_7993	<u>050</u> <u>660</u>	M8A1-DP-LOA-DLT-NSN	M8A1_STAT_CNT_5489	<u>571</u>
M6B6-FSC-AT-LOA-T4-NSN	M6B6_STAT_CNT_7990	<u>050</u> <u>660</u>	M8A1-DP-LOA-EB-NSN	M8A1_STAT_CNT_5490	<u>574</u>
M6B6-FSC-AT-LOA-T4A-NSN	M6B6_STAT_CNT_7991	<u>050</u> <u>660</u>	M8B1-IM-DP-ADD-NSN	M8B1_STAT_CNT_5520	<u>574</u>
M6B6-FSC-AT-LOA-T4B-NSN	M6B6_STAT_CNT_7992	<u>050</u> <u>660</u>	M8B1-IM-DP-BB-NSN	M8B1_STAT_CNT_5519	<u>574</u>
M6B6-FSC-AT-T1-NSN	M6B6_STAT_CNT_7998	<u>646</u> <u>662</u>	M8B1-IM-DP-DLT-NSN	M8B1_STAT_CNT_5521	<u>574</u>
M6B6-FSC-AT-T1A-NSN	M6B6_STAT_CNT_7999	<u>646</u> <u>662</u>			
M6B6-FSC-AT-T1B-NSN	M6B6_STAT_CNT_8000	<u>646</u> <u>662</u>			
M6B6-FSC-AT-T2-NSN	M6B6_STAT_CNT_8205	<u>646</u>			

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M8B1-IM-DP-EB-NSN	M8B1_STAT_CNT_5522	574	M8B5-FSC-DP-BB-NSN	M8B5_STAT_CNT_5571	573
M8B1-IM-DP-LOA-ADD-NSN	M8B1_STAT_CNT_5514	569			578
M8B1-IM-DP-LOA-BB-NSN	M8B1_STAT_CNT_5513	569	M8B5-FSC-DP-DLT-NSN	M8B5_STAT_CNT_5573	573
M8B1-IM-DP-LOA-DLT-NSN	M8B1_STAT_CNT_5515	569			578
M8B1-IM-DP-LOA-EB-NSN	M8B1_STAT_CNT_5516	569	M8B5-FSC-DP-EB-NSN	M8B5_STAT_CNT_5574	573
M8B2-IM-AT-ADD-NSN	M8B2_STAT_CNT_5532	574			578
		577			741
M8B2-IM-AT-BB-NSN	M8B2_STAT_CNT_5531	574	M8B5-FSC-DP-LOA-ADD-NSN	M8B5_STAT_CNT_5564	371
		577	M8B5-FSC-DP-LOA-BB-NSN	M8B5_STAT_CNT_5563	371
M8B2-IM-AT-DLT-NSN	M8B2_STAT_CNT_5533	574	M8B5-FSC-DP-LOA-DLT-NSN	M8B5_STAT_CNT_5567	371
		577	M8B5-FSC-DP-LOA-EB-NSN	M8B5_STAT_CNT_5568	371
M8B2-IM-AT-EB-NSN	M8B2_STAT_CNT_5534	574	M8B5-FSC-DP-NET-CHG	M8B5_STAT_CHG_5575	578
		577	M8B5-FSC-DP-PCT	M8B5_STAT_PCT_5576	578
M8B2-IM-AT-LOA-ADD-NSN	M8B2_STAT_CNT_5526	569	M8B6-FSC-AT-ADD-NSN	M8B6_STAT_CNT_5584	573
		572			577
M8B2-IM-AT-LOA-BB-NSN	M8B2_STAT_CNT_5525	569	M8B6-FSC-AT-BB-NSN	M8B6_STAT_CNT_5583	573
		572			577
M8B2-IM-AT-LOA-DLT-NSN	M8B2_STAT_CNT_5527	569	M8B6-FSC-AT-DLT-NSN	M8B6_STAT_CNT_5585	573
		572			577
M8B2-IM-AT-LOA-EB-NSN	M8B2_STAT_CNT_5528	569	M8B6-FSC-AT-EB-NSN	M8B6_STAT_CNT_5586	573
		572			577
M8B3-CLM-DP-ADD-NSN	M8B3_STAT_CNT_5546	575	M8B6-FSC-AT-LOA-ADD-NSN	M8B6_STAT_CNT_5578	371
M8B3-CLM-DP-BB-NSN	M8B3_STAT_CNT_5545	575			572
M8B3-CLM-DP-DLT-NSN	M8B3_STAT_CNT_5547	575	M8B6-FSC-AT-LOA-BB-NSN	M8B6_STAT_CNT_5577	371
M8B3-CLM-DP-EB-NSN	M8B3_STAT_CNT_5548	575			572
M8B3-CLM-DP-LOA-ADD-NSN	M8B3_STAT_CNT_5538	570	M8B6-FSC-AT-LOA-DLT-NSN	M8B6_STAT_CNT_5579	371
M8B3-CLM-DP-LOA-BB-NSN	M8B3_STAT_CNT_5537	570			572
M8B3-CLM-DP-LOA-DLT-NSN	M8B3_STAT_CNT_5541	570	M8B6-FSC-AT-LOA-EB-NSN	M8B6_STAT_CNT_9576	371
M8B3-CLM-DP-LOA-EB-NSN	M8B3_STAT_CNT_5542	570			572
M8B4-CLM-AT-ADD-NSN	M8B4_STAT_CNT_5558	575	M8C1-DP-AT-ADD-NSN	M8C1_STAT_CNT_5506	576
		577			577
M8B4-CLM-AT-BB-NSN	M8B4_STAT_CNT_5557	575	M8C1-DP-AT-BB-NSN	M8C1_STAT_CNT_5505	576
		577			577
M8B4-CLM-AT-DLT-NSN	M8B4_STAT_CNT_5559	575	M8C1-DP-AT-DLT-NSN	M8C1_STAT_CNT_5507	576
		577			577
M8B4-CLM-AT-EB-NSN	M8B4_STAT_CNT_5560	575	M8C1-DP-AT-EB-NSN	M8C1_STAT_CNT_5508	576
		577			577
M8B4-CLM-AT-LOA-ADD-NSN	M8B4_STAT_CNT_5552	570	M8C1-DP-AT-LOA-ADD-NSN	M8C1_STAT_CNT_5500	571
		572			572
M8B4-CLM-AT-LOA-BB-NSN	M8B4_STAT_CNT_5551	570	M8C1-DP-AT-LOA-BB-NSN	M8C1_STAT_CNT_5499	571
		572			572
M8B4-CLM-AT-LOA-DLT-NSN	M8B4_STAT_CNT_5553	570	M8C1-DP-AT-LOA-DLT-NSN	M8C1_STAT_CNT_5501	571
		572			572
M8B4-CLM-AT-LOA-EB-NSN	M8B4_STAT_CNT_5554	570	M8C1-DP-AT-LOA-EB-NSN	M8C1_STAT_CNT_5502	571
		572			572
M8B5-FSC-DP-ADD-NSN	M8B5_STAT_CNT_5572	573	MADS-DB2-PARTITION-QY	MADS_DB2_PART_9241	612
		578			666

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
MAG-TAPE-BLCKNG-FAC-IND	MT_BLCK_FAC_3126	267 410	MAT-MGMT-AG-CD-AF	MMAC_AF_2836	006 093
MAG-TAPE-DENSITY-IND	MT_DNSTY_IND_3124	267 410			238 505
MAG-TAPE-LAB-IND	MT_LAB_IND_3127	267 410	MAT-MGMT-AG-CD-DEF-AF	MMAC_DEF_AF_3158	238
MAG-TAPE-PARITY-IND	MT_PRTY_IND_3125	267 410	MAT-MGMT-CD-MC	MAT_MGMT_MC_9257	006 093 242
MAG-TAPE-TRCKS-ENCODE-IND	MT_TRC_ENCD_I_3122	267			093
MAG-TAPE-USAGE-NOTE	MT_USG_NOTE_3123	267			242
MAJ-MCC-AR	MAJ_MCC_AR_9256	006 093 237 505 865	MAX-LGTH	MAX_LGTH_4593	505 599 865 479
		237 505 865	MAX-REC-LGTH	MAX_REC_LGTH_9176	410
MAJ-MCC-AR-EXPLN	MAJ_MCC_AR_EX_2283	237	MEDIA-HEADER	MEDIA_HEADER_9178	054
MAND-SEG-STNG	MAND_SEG_STNG_4624	196			084
MASS-CHG-DEL-CDG-CD	MC_DEL_CDG_3631	881			085
MASS-CHNG-CDG	MC_CDG_4575	880			385
MASS-CHNG-CHAR-TMSTMP	MC_CDG_TMSTMP_4572	880 881			389 397
MASS-CHNG-CRITE-STMT	MC_CRITE_STMT_0324	878			481
MASS-CHNG-GDE-NBR-FIIG	MC_FIIG_4574	878 880 881			610 612 667
MASS-CHNG-INC	MC_INC_4571	878 880 881	MESSAGE-LGTH	MESSAGE_LGTH_9179	843 844 054
MASS-CHNG-LGG-TMSTMP	MC_LGG_TMSTMP_4573	878 880			084 397
MAT-CAT-MC	MAT_CAT_MC_3148	242 AVY	MFR-NOTES	MFR_NOTES_0809	619 046
MAT-CTL-CD-DEF-NVY	MCC_NVY_EX_3156	253			317 772
MAT-CTL-CD-NAVY	MAT_CTL_NVY_2832	AVY 006 253 505			775 781 932
MAT-IDEN-CD	MAT_IDEN_MC_4126	CMA 006 241 505 599	MGMT-AGNCY-GRP-OR-CLS-MC	MGT_AG_G_C_MC_3149	CMA 242
		006 241 505 599	MGMT-EXCP-NOTES	MGMT_EXCP_NTS_9542	093 865
		505 599	MGR-ACCESS-COUNT	MGR_STAT_CNT_6605	062
		599	MIL-VOL-IND	MIL_VOL_IND_3454	917
MAT-IDEN-CD-EXPLN	MAT_ID_MC_EX_3166	CMA 241	MIN-ALT-MED	MIN_ALT_MED_9180	783
		241	MIN-LGTH	MIN_LGTH_4592	479
MAT-IDEN-CD-NOTE-IND	MAT_ID_MC_NOT_3167	CMA 241	MIN-REC-LGTH	MIN_REC_LGTH_9182	410
		241	MINIMIZE-FLAG	MINIMIZE_FLAG_9181	783

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
MINM-ADRS-CD	MINM_ADRS_CD_2645	082	MOE-NSN	MOE_STAT_CNT_7812	051
		226	MOE-RGSTRN-CLBR-AT	MOE_STAT_CNT_7820	439
MINM-ADRS-CD-EXPLN	MINM_ADRS_EX_5288	226	MOE-RGSTRN-RCVR-AT	MOE_STAT_CNT_7821	439
MINM-PKG-RQMT-CD	MINM_PK_RQ_CD_5172	346	MOE-RULE-NBR	MOE_RULE_NBR_8290	ETE
		928			008
MIOS-TRAN-KEY	MIOS_TRAN_KEY_9410	876			009
		953			011
MODE-CD	MODE_CD_4735	115			015
		116			017
		121			051
		127			093
		390			095
		501			096
		921			137
MOE-CD	MOE_CD_2833	IMS			250
		006			264
		007			345
		041			437
		137			440
		148			507
		152			508
		157			510
		247			511
		248			512
		318			521
		433			597
		505			669
		506			687
		530			730
		599			733
		734			861
		868			865
		886			866
		887			867
MOE-CD-IDEN	MOE_CD_IDEN_5299	247			868
MOE-CUR-ADD-CT	MOE_CR_ADD_CT_1109	088			869
MOE-CUR-CHG-CT	MOE_CR_CHG_CT_1117	088			870
MOE-CUR-DEL-CT	MOE_CR_DEL_CT_1119	088			871
MOE-EFF-DT-ADD-CT	MOE_ED_ADD_CT_1493	088			872
MOE-EFF-DT-CHG-CT	MOE_ED_CHG_CT_1495	088			885
MOE-EFF-DT-DEL-CT	MOE_ED_DEL_CT_1497	088	MOE-RULE-PROC-CMPTN-FLG	M_RL_CMP_FLG_1110	861
MOE-EFFDTD-ADD-NSN	MOE_STAT_CNT_7814	051	MOE-RULE-STAT-CD	M_RL_STAT_CD_8458	093
MOE-EFFDTD-DEL-NSN	MOE_STAT_CNT_7813	051			865
MOE-FSC-NSN	MOE_STAT_CNT_5754	433	MOE-RULE-STAT-DT	MR_STAT_DT_3474	088
		437	MRC	MRC_3445	020
MOE-FSG-NSN	MOE_STAT_CNT_5753	433			078
MOE-MOE-MSTR-INQ-CT	MOE_MST_INQ_C_1499	088			115

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		116	MRD-AUD-RPLY-STAT-IND	AUD_RPLY_STAT_3461	923
		119	MRD-AUD-RQMT-STAT-IND	AUD_RQMT_STAT_3460	921
		120			922
		121	MRD-STAT-IND-CD	MRD_STATUS_CD_0816	127
		124			921
		126	MSDS-ID	MSDS_ID_9076	014
		127			522
		131			775
		323	MSG	MSG_0983	132
		339			780
		347	MSG-CD	MSG_CD_1105	025
		348			132
		349			405
		350	MSTR-NSN	MSTR_NSN_0797	599
		351	MTHD-PRES-CD	MTHD_PRSRV_CD_5160	346
		352			928
		353	MULT-NIIN-LMX-LMD-OP-DIC	LMX_LMD_ODIC_4092	047
		354	MULT-NIIN-TRANS-LMX-LMD	LMX_LMD_DT_4091	047
		356	MULTI-INP-FLG	MULTI_INP_FLG_9479	926
		357	NAICS-IDEN-CD	NAICS_IDEN_CD_6044	930
		358	NAIN-CD	NAIN_CD_3237	363
		360	NAIN-STRNG	NAIN_STRING_6589	985
		361			986
		362	NATL-CDFN-BUR-CD-CTRY	NCB_CD_CTRY_5101	251
		473	NATL-CDFN-BUR-CD-NOTE	NCB_CD_NOTE_5102	251
		498	NATO-CDFN-CTL-CMNT-TX	NCC_CMNT_8976	422
		501	NATO-DIC-KHN-IMG-DATA-TX	NATO_KHN_9130	516
		688			517
		748			910
		880			911
		919	NATO-FG-OLD-TRAN-PR	NATO_O_TR_PR_1972	104
		921	NATO-FGN-GOVT-TRANS-PR	NATO_FG_TR_P_1024	104
		951	NATO-FILE-MAINT-SEQ-NBR	NATO_FMSN_1516	016
MRC-ASGND-STAT-IND	MRC_ASGN_STAT_3462	919			523
MRC-CLRTXT-RPLY-FLD	MRC_CLR_TXT_R_0113	498	NATO-FLAG	NATO_FLAG_9185	855
		688	NATO-MFR-ADRS-TX	NATO_MFR_ADRS_8973	685
MRC-SCTN-NON-CORE-CHARA	SCR_KEY_CD_1047	120	NATO-MFR-FAX-NBR-ID	NATO_MFR_FAX_8975	685
MRC-SEQ-NBR	MRC_SEQ_NBR_4407	115	NATO-MFR-NM	NATO_MFR_NM_8972	685
		116	NATO-MFR-TEL-NBR-ID	NATO_MFR_TEL_8974	685
MRC-USG-DESI	MRC_USG_DESI_0847	127	NATO-NSCM-CD	NSCM_4140	671
		921			674
MRC-VALUE-COUNT	MRC_COUNT_4439	356			675
		357			685
		358	NATO-ONLY-IND	NATO_ONLY_IND_3451	198
		360			207
		361			214
		362	NATO-PIC	NATO_PIC_9186	600

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		777			379
		852			380
NATO-PIC-VAL	NATO_PIC_VAL_9187	412			400
NATO-RPLM-NSN-CANCL-ID	NATO_RPLM_NSN_8971	684			419
NATO-TRAN-PR-CD	NATO_TRAN_PR_1973	060			474
		104			484
NBR-OF-TBLS	NBR_OF_TBLS_4444	390			497
NCAGE-CDFN-BUR-CD-EXP	NCG_CD_BR_EXP_5266	689			498
NCAGE-CDFN-BUR-CD-NOT	NCG_CD_BR_NOT_5265	689			505
NCAGE-PRFX-CDFN-BUR-CD	NCG_PFX_CD_BR_4180	689			506
NCAGE-PRFX-CDFN-BUR-CD-EX	NSCM_CD_BUR_X_5272	258			507
NCAGE-PRFX-CDFN-BUR-CD-NT	NSCM_CD_BUR_N_5268	258			508
NCB-CD	NCB_CD_4130	EMI			509
		EMI			510
		EMI			511
		006			512
		007			519
		008			521
		009			522
		010			523
		011			524
		014			590
		015			633
		016			684
		017			686
		018			687
		041			688
		046			712
		047			713
		048			714
		075			727
		089			731
		103			767
		106			768
		115			775
		116			812
		251			847
		331			874
		345			875
		346			876
		348			877
		349			881
		350			914
		351			918
		352			928
		353			948
		354			957

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
NEW-CTLD-INV-ITM-CD	NEW_CIIC_0171	960			099
		EMI			489
		379			513
NEW-DEMIL-CD	NEW_DEMIL_CD_0147	712			518
		EMI			592
		379			593
NEW-QUANT-EXP	NEW_QUANT_EXP_3045	712			594
		ICO			724
		813			990
NEW-UI-CD	NEW_UI_CD_3042	ICO	NM-LINE-1	NM_LINE1_3480	834
NEW-UI-TEXT	NEW_UI_TEXT_3047	813	NM-LINE-2	NM_LINE2_3481	834
		ICO	NM-PREFIX	NM_PREFIX_2516	098
		813			593
NIIN-ACTN-IND-CD	NIIN_ACTN_IND_3979	580	NM-ROOT-RMDR	NM_ROOT_RMDR_2517	098
NIIN-LOAD-JUL-DT	NIIN_LOAD_DT_0172	EMI			593
		379	NMF-CLAS-RTNG-CD	CLAS_RTNG_CD_2770	LAS
		712			090
NIIN-ST-CD-DEF-INST	NIIN_STAT_DEF_5201	714			235
		812	NMF-CLAS-RTNG-CD-EXPLN	CLAS_RTNG_EX_5234	LAS
		255			235
NIIN-STAT-CD	NIIN_STAT_CD_2670	EMI	NMFC-CD	NMFC_2850	016
		016			035
		028			090
		255			149
		379			503
		426			523
		427			732
		428	NMFC-SUB-ITM-NBR	SUB_ITM_NBR_0861	016
		523			035
		684			090
		712			149
		782			503
		812			523
960			732		
NIMSC	NIMSC_0076	IMS	NO-Q8-RTN-CD-ED	NO_Q8_ED_3136	299
		248	NO-Q8-RTN-CD-ED-NVY	NO_Q8_ED_NVY_3181	252
		256	NON-APRVD-ITM-NM	NAIN_5020	053
		345			106
		521			363
NIMSC-EXPLN NM-CD	NIMSC_EXPLN_5210 NM_CD_2303	597			611
		256	NOR-SRC-PRCMT-CD-EXPLN	NRM_SRC_PR_EX_5214	257
		AME	NORM-SRC-PRCMT-CD	NRM_SRC_PR_CD_0721	257
		CCO	NORM-SRC-PRCMT-CD-TI	NRM_SRC_PR_TI_5213	257
		CNM	NSN-MRKP-HPHN-IND	MRKP_HPHN_4181	335
		EPL	NSN-RET-REVW-CYCL-IND-CD	REVW_CYCL_IND_0567	041
		091	NUMERIC-MONTH	NUMERIC_MONTH_2539	956
		098	NVY-RPLM-ACTY-CD	NV_RPL_ACT_CD_2874	581

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
NVY-SOS	NVY_SOS_9404	331			505
		519			599
NVY-SP-SOS-CD	NVY_SP_SOS_CD_0135	VYI	OPRTNL-TST-CD-EXPLN	OPRTL_T_MC_EX_3176	266
		VYS	OPTNL-MAND-ISAC-IND-CD	ISAC_IND_CD_0826	120
		260	OPTNL-MAND-MRC-IND-CD	MRC_IND_CD_8450	120
		261	OPTNL-PRO-IND-CD	OPTNL_PRO_IND_5173	346
		331			928
		519	OPTNL-SEG-STNG	OPTL_SEG_STNG_4625	196
ODRC-SEQ	ODRC_SEQ_9189	855	ORG-ACT-IND	ORG_ACT_IND_2222	157
OE-DESI-CD-EXPLN	OE_DESI_EX_5287	263	ORGN-IDEN-CLRTXT-LI-SEG	ORG_ID_TXT_SG_0010	069
OE-LI-SEG-NBR	OE_LI_SEG_NBR_1001	083	ORIG-ACTY-CD	ORIG_ACTY_CD_4210	016
		160			025
OE-LI-SEG-NBR-EXPLN	OE_LI_SEG_EXP_0011	160			044
OLD-QUANT-EXP	OLD_QUANT_EXP_3044	100			059
		813			060
OLD-UI-CD	OLD_UI_CD_3041	100			105
		813			106
ON-HOLD-TS	ON_HOLD_TS_9190	601			341
		777			380
		852			422
OP-DATA-RQST-CD	ODRC_4690	782			505
		855			506
		859			507
		958			508
OP-DESTN	OP_DESTN_2096	197			509
OP-FLIS-SEG-V-ID	OP_SEG_V_ID_4438	607			510
OP-MODE-MED-CD	OP_MOD_MED_CD_3740	R			511
		012			512
		054			521
		144			522
		267			523
		410			524
		474			812
		538			924
		604			928
		715			972
		783			973
		841			974
		843			975
		945			976
OP-MODE-MED-CD-DESC	OP_MOD_MED_EX_3118	267			977
		410			978
OP-PARTITION	OP_PARTITION_9192	601			979
		852			980
OP-PROD-EXTR-QY	OP_PROD_EXTR_2672	699			981
OPRTNL-TST-CD	OPRTL_TST_MC_0572	006			982
		266			983

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		<u>984</u>	PHY-CTGY-CD	PHY_CTGY_MC_0573	CPH
		<u>997</u>			<u>006</u>
		<u>998</u>			<u>269</u>
		<u>999</u>			<u>505</u>
ORIG-IMAG-KEY	ORIG_IMAG_KEY_9759	<u>385</u>			<u>599</u>
		<u>399</u>	PHY-CTGY-CD-EXPLN	PHY_CTGY_MC_X_3177	CPH
		<u>848</u>			<u>269</u>
ORIG-STDZN-DEC	ORG_STDZN_DEC_9325	<u>016</u>	PHYS-DWG-ID	PHYS_DWG_ID_5037	<u>321</u>
		<u>523</u>			<u>816</u>
OTH-DIC	OTHER_DIC_4215	<u>948</u>	PHYS-TYP-IND	PHYS_TYP_IND_5074	<u>816</u>
OTH-DIC-DATE	OTHR_DIC_DATE_4216	<u>948</u>	PIC-ACTY-DIC-PRICD-FOUR	PIC_STAT_CNT_9673	<u>372</u>
OTH-STA-PRVNC-NM	OTH_STA_PRVNC_8978	<u>328</u>	PIC-ACTY-DIC-PRICD-ONE	PIC_STAT_CNT_9670	<u>372</u>
		<u>674</u>	PIC-ACTY-DIC-PRICD-THREE	PIC_STAT_CNT_9672	<u>372</u>
OUTPUT-FORMAT	OUTPUT_FORMAT_9195	<u>382</u>	PIC-ACTY-DIC-PRICD-TWO	PIC_STAT_CNT_9671	<u>372</u>
OUTPUT-RECORD	OUTPUT_RECORD_9196	<u>475</u>	PIC-ACTY-DIC-PRICD-ZER	PIC_STAT_CNT_5815	<u>372</u>
		<u>715</u>	PIC-ACTY-PRICD-FOUR	PIC_STAT_CNT_9684	<u>551</u>
		<u>945</u>	PIC-ACTY-PRICD-ONE	PIC_STAT_CNT_9681	<u>551</u>
PARNT-TAXPYR-ID	PARNT_TAXPYR_3403	<u>082</u>	PIC-ACTY-PRICD-THREE	PIC_STAT_CNT_9683	<u>551</u>
PASSTHRU-ACTY-ID	PSTHRU_ACT_ID_2139	<u>206</u>	PIC-ACTY-PRICD-TWO	PIC_STAT_CNT_9682	<u>551</u>
PASSTHRU-ACTY-NM	PSTHRU_ACT_NM_2140	<u>206</u>	PIC-ACTY-PRICD-ZER	PIC_STAT_CNT_5819	<u>551</u>
PC-DN-LD-LINE	PC_DN_LD_LINE_3087	<u>366</u>	PIC-DEPT-PRICD-FOUR	PIC_STAT_CNT_9695	<u>441</u>
PGM-ID	PGM_ID_1108	<u>025</u>	PIC-DEPT-PRICD-ONE	PIC_STAT_CNT_9692	<u>441</u>
		<u>048</u>	PIC-DEPT-PRICD-THREE	PIC_STAT_CNT_9694	<u>441</u>
		<u>086</u>	PIC-DEPT-PRICD-TWO	PIC_STAT_CNT_9693	<u>441</u>
		<u>383</u>	PIC-DEPT-PRICD-ZER	PIC_STAT_CNT_5823	<u>441</u>
		<u>405</u>	PIC-DEPT-STD-PCT-ONE	PIC_STAT_CNT_9697	<u>030</u>
		<u>407</u>	PIC-DEPT-STD-PCT-TWO	PIC_STAT_CNT_9698	<u>030</u>
		<u>617</u>	PIC-DEPT-STD-PCT-ZER	PIC_STAT_CNT_5824	<u>030</u>
PGM-NAME	PGM_NAME_9198	<u>383</u>	PIC-DESC	PIC_DESC_9200	<u>412</u>
PGM-TRANSID	PGM_TRANSID_9199	<u>383</u>	PICA	PICA_2866	EMI
PHRS-CD-COMB-NT-IND	PH_CD_NT_IND_3051	HRA			ETE
		<u>839</u>			<u>041</u>
PHRS-CD-EXPLN	PHRS_CD_EXPLN_5241	<u>268</u>			<u>093</u>
PHRS-CD-MDL	PHRS_CD_2862	HRA			<u>152</u>
		<u>007</u>			<u>250</u>
		<u>268</u>			<u>275</u>
		<u>506</u>			<u>379</u>
		<u>583</u>			<u>712</u>
		<u>599</u>			<u>772</u>
		<u>836</u>			<u>773</u>
		<u>882</u>			<u>775</u>
		<u>884</u>			<u>779</u>
PHRS-CD-PHRS	PHRS_CD_PHRS_5240	HRA			<u>781</u>
		<u>268</u>			<u>812</u>
		<u>836</u>			<u>865</u>
PHRS-CD-SVC-X	PHRS_CD_SVC_X_3450	HRA			<u>932</u>
		<u>836</u>			<u>991</u>

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
PICA-LVL-AUTH-CD	PICA_LOA_3505	093			674
		152	POP-FIIG-AIN-FSC-MG-AC	POP_STAT_CNT_6726	430
		271	POP-FIIG-AIN-FSC-MG-FU	POP_STAT_CNT_6724	034
		275	POP-FIIG-AIN-FSC-MG-PA	POP_STAT_CNT_6725	034
		865	POP-FIIG-AIN-FSC-MG-RE	POP_STAT_CNT_7172	034
PICA-LVL-AUTH-CD-DEF	PICA_LOA_DEF_5303	271	POP-FIIG-AIN-FSC-NMG-FU	POP_STAT_CNT_7828	431
PICA-OP-IND-CD	PICA_OP_IND_2882	383	POP-FIIG-AIN-FSC-NMG-PA	POP_STAT_CNT_7829	431
PICA-SICA-IND-CD	PICA_SICA_IND_5099	346	POP-FIIG-AIN-FSC-NMG-RE	POP_STAT_CNT_7830	431
		928	POP-FIIG-EFFDTD-INC-NSN	POP_STAT_CNT_6611	033
PINC	PINC_3084	010	POP-FIIG-INC-NSN	POP_STAT_CNT_6612	033
		348	POP-FSC-FIIG-AIN-MG-AC	POP_STAT_CNT_5603	434
		349	POP-FSC-FIIG-AIN-MG-FU	POP_STAT_CNT_5601	038
		350	POP-FSC-FIIG-AIN-MG-PA	POP_STAT_CNT_5617	038
		351	POP-FSC-FIIG-AIN-MG-RE	POP_STAT_CNT_5602	038
		352	POP-FSC-FIIG-AIN-NMG-FU	POP_STAT_CNT_5613	435
		353	POP-FSC-FIIG-AIN-NMG-PA	POP_STAT_CNT_5614	435
		354	POP-FSC-FIIG-AIN-NMG-RE	POP_STAT_CNT_5615	435
		356	POP-NAIN-FSC-AC	POP_STAT_CNT_6731	611
		357	POP-NAIN-FSC-ALL-INAC	POP_STAT_CNT_6732	696
		358	POP-NAIN-FSC-ALL-MG	POP_STAT_CNT_6733	696
		360	POP-NAIN-FSC-INAC	POP_STAT_CNT_6729	053
		361	POP-NAIN-FSC-MG	POP_STAT_CNT_6730	053
		362	POS-ZONE	POS_ZONE_2549	328
		364			674
		509	PR-VLDTN-CD-AF	PVC_AF_0858	006
		747			273
		748			505
PKG-CTGY-CD	PKG_CTGY_CD_5159	346	PR-VLDTN-CD-AF-DEF	PVC_AF_DEF_3191	273
		928	PRDCT-TI	PRDCT_TI_0982	340
PKG-DATA-SRC-CD	PK_DTA_SRC_CD_5148	315	PREC-MTLS-IND-CD	PMIC_0802	MIC
		346			010
		928			272
PKG-DATA-SRC-CD-DEF-TX	PK_DTA_SRC_TX_5147	315			509
PKG-DSGN-ACTY-CD	PKG_DSGN_ACTY_5179	346			596
		928			987
PKG-SEQ-NBR	PKG_SEQ_NBR_1070	341	PRES-CD	PRSRV_MAT_CD_5162	346
		957			928
PKT-TYP-CD	PKT_TYP_CD_3972	927	PREV-CTLD-INV-ITM-CD	PREV_CIIC_2846	812
PKT-TYP-TX	PKT_TYP_TX_3973	927	PREV-DEMIL-CD	PREV_DEMIL_CD_2845	812
PMIC-CDD-REPLY	PMIC_CDD_RPLY_3572	MIC	PRI-IND-CD	PRI_IND_CD_2867	341
		987			376
PMIC-MRC	PMIC_MRC_3573	988			412
PMIC-TBL-TYPE	PMIC_TBL_TYPE_3574	MIC			600
		987			615
		988			777
POBOX	POBOX_1361	002			852
		328	PRICE-NOTE	PRICE_NOTE_3447	837

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
PRIM-BUS-CAT-DEF	BUS_CAT_DEF_3368	704	QDIC-ALL-SAC-DEPT-RECVD	QDIC_STAT_CNT_5384	824
PRIM-BUS-CTGY-CD	PR_BUS_CAT_CD_1365	082	QDIC-ALL-SAC-DEPT-RULES	QDIC_STAT_CNT_5391	824
		704	QDIC-OAC-DIC-ADUPS	QDIC_STAT_CNT_6820	808
PRIM-COMM-RI-IND	PRIM_COMM_RI_9214	409	QDIC-OAC-DIC-APRVD	QDIC_STAT_CNT_6823	808
PRIM-DIC	PRIM_DIC_4549	972	QDIC-OAC-DIC-CLRCL	QDIC_STAT_CNT_6818	808
		973	QDIC-OAC-DIC-NIINST	QDIC_STAT_CNT_6816	808
		974	QDIC-OAC-DIC-PDUPS	QDIC_STAT_CNT_6819	808
		975	QDIC-OAC-DIC-RECVD	QDIC_STAT_CNT_6825	808
		976	QDIC-OAC-DIC-RULES	QDIC_STAT_CNT_6817	808
		977	QDIC-OAC-TOT-ADUPS	QDIC_STAT_CNT_5446	810
		978	QDIC-OAC-TOT-APRVD	QDIC_STAT_CNT_5444	810
		979	QDIC-OAC-TOT-CLRCL	QDIC_STAT_CNT_5448	810
		980	QDIC-OAC-TOT-NIINST	QDIC_STAT_CNT_5450	810
PROCESSED-TS	PROCESSED_TS_9201	601	QDIC-OAC-TOT-PDUPS	QDIC_STAT_CNT_5447	810
		852	QDIC-OAC-TOT-RECVD	QDIC_STAT_CNT_5442	810
PROP-CHAR-CD	PROP_CHAR_CD_2514	121	QDIC-OAC-TOT-RULES	QDIC_STAT_CNT_5449	810
PRPRTY-IND	PRPRTY_IND_5066	075	QDIC-SAC-DIC-ADUPS	QDIC_STAT_CNT_6830	822
PRPTN-EDIT-SYMBL-IND-CD	PRPTN_EDIT_CD_0762	120	QDIC-SAC-DIC-APRVD	QDIC_STAT_CNT_6833	822
PRPY-IND	PRPY_IND_4409	115	QDIC-SAC-DIC-CLRCL	QDIC_STAT_CNT_6828	822
		116	QDIC-SAC-DIC-NIINST	QDIC_STAT_CNT_6826	822
PRT-DWG-SUPRSN-IND-CD	PRT_DWG_SUPR_8261	842	QDIC-SAC-DIC-PDUPS	QDIC_STAT_CNT_6829	822
PRT-SKLTN-1	PRT_SKLTN_1_4445	390	QDIC-SAC-DIC-RECVD	QDIC_STAT_CNT_6835	822
PRT-SKLTN-2	PRT_SKLTN_2_4446	390	QDIC-SAC-DIC-RULES	QDIC_STAT_CNT_6827	822
PRT-SKLTN-3	PRT_SKLTN_3_4447	390	QDIC-SAC-TOT-ADUPS	QDIC_STAT_CNT_5408	824
PRT-SKLTN-CD	PRT_SKLTN_CD_0368	127	QDIC-SAC-TOT-APRVD	QDIC_STAT_CNT_5406	824
		921	QDIC-SAC-TOT-CLRCL	QDIC_STAT_CNT_5410	824
PRVSN-SCRNG-RCVR-ADRS	P_SCR_RCV_ADD_0232	144	QDIC-SAC-TOT-NIINST	QDIC_STAT_CNT_5412	824
PSDO-SOS-CD	PSDO_SOS_CD_0133	SEU	QDIC-SAC-TOT-PDUPS	QDIC_STAT_CNT_5409	824
		274	QDIC-SAC-TOT-RECVD	QDIC_STAT_CNT_5402	824
PSDO-SOS-CD-DESC	PSDO_SOS_DESC_5113	SEU	QDIC-SAC-TOT-RULES	QDIC_STAT_CNT_5411	824
		274	QE-NOTE	QE_NOTE_3448	837
PSO-ACT-CD	PSO_ACT_CD_0892	144	QNTV-EXPRSN	QNTV_EXPRSN_8575	007
		409			506
PUB-TERM	PUB_TERM_3192	174	QTY-PER-ASBLY	QTY_PER_ASBL_0106	007
PUB-TERM-ABBREV	PUB_TRM_ABR_3190	174			506
QDIC-ALL-OAC-DEPT-ADUPS	QDIC_STAT_CNT_5426	810	QUE-LOC-NM	QUE_LOC_NM_9405	943
QDIC-ALL-OAC-DEPT-APRVD	QDIC_STAT_CNT_5424	810	QUERY-TYPE	QUERY_TYPE_4476	381
QDIC-ALL-OAC-DEPT-CLRCL	QDIC_STAT_CNT_5428	810	QUP-CD	QUP_6106	006
QDIC-ALL-OAC-DEPT-NIINST	QDIC_STAT_CNT_5430	810			277
QDIC-ALL-OAC-DEPT-PDUPS	QDIC_STAT_CNT_5427	810			505
QDIC-ALL-OAC-DEPT-RECVD	QDIC_STAT_CNT_5422	810			599
QDIC-ALL-OAC-DEPT-RULES	QDIC_STAT_CNT_5429	810	QUP-CD-QTY	QUP_CD_QTY_5248	277
QDIC-ALL-SAC-DEPT-ADUPS	QDIC_STAT_CNT_5388	824	QUP-NOTE	QUP_NOTE_3499	837
QDIC-ALL-SAC-DEPT-APRVD	QDIC_STAT_CNT_5386	824	RAIL-VARI-CD	RAIL_VARI_CD_4760	016
QDIC-ALL-SAC-DEPT-CLRCL	QDIC_STAT_CNT_5390	824			523
QDIC-ALL-SAC-DEPT-NIINST	QDIC_STAT_CNT_5392	824	RCD-ON-LINE-PRCS-CAGE-CD	PRCS_CAGE_CD_3376	281
QDIC-ALL-SAC-DEPT-PDUPS	QDIC_STAT_CNT_5389	824	RCD-TBL070-IP-EDIT-CAGE	EDIT_CAGE_CD_3379	281

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
RCDED-SUSP-FILE-ENTR-DT	SUSP_ENTR_DT_0870	060			323
RCVD-SND-STMP	RCVD_SND_STMP_9202	397			324
		841			325
RDG-TI	RDG_TI_0964	326	REF-DWG-GP-SCTN-TI-TX	RDG_SCTN_TI_0336	325
RE-OP-AUTODIN-MSG-TMSTMP-ID	RE_OP_AUTO_TS_9484	841	REF-NBR-CTGY-CD-EXPLN	RNCC_EX_5125	280
RE-PROCESS-TS	RE_PROCESS_TS_9203	054	REF-NBR-DEC-CTGY-CD	RN_DEC_CAT_CD_2561	287
		601	REF-NBR-DUP-DEC	R_N_DUP_DEC_3133	287
		843	REF-NBR-DUP-DEC-IND	R_N_DUP_DEC_I_3117	287
		852	REF-NBR-FMT-CD	RNFC_2920	014
RE-REVIEW-JUL-DT	RE_RVW_DT_0173	EMI			282
		379			522
		712			686
		812			775
REC-COL	REC_COL_2109	207	REF-NBR-FMT-CD-EXPLN	RNFC_EX_5114	282
		249	REF-NBR-JUST-CD-EXPLN	RNJC_EX_5121	EFN
RECM-CTLD-INV-ITM-CD	RECM_CIIC_2848	812			283
RECM-DEMIL-CD	RECM_DEMIL_2847	812	REF-NBR-LOG	REF_NBR_3570	014
RECOV-CD-AR	RECOV_CD_AR_2892	RMY			046
		006			059
		173			103
		305			522
RECOV-CD-EXPLN-AR	RECOV_EX_AR_5259	RMY			598
		173			686
RECOV-CD-EXPLN-MC	RECOV_EX_MC_3154	CRE			772
		243			775
RECOV-CD-MC	RECOV_CD_MC_2891	CRE			781
		006			932
		243	REF-NBR-STAT-CD	RNSC_2923	EFN
		505			014
		599			284
RECVD-STAMP	RECVD_STAMP_9204	151			522
		181			686
		368			775
		375	REF-NBR-STAT-CD-EXPLN	R_N_STAT_EX_5131	EFN
		602			284
		710	REF-NBR-VARI-CD-EXPLN	RNVC_EX_5127	285
		776	REF-SCRN-IND	REF_SCRN_IND_3101	191
		872			230
		961	REIMB-CD	REIMB_CD_2930	EM
REF-BACK-MRC	REF_MRC_4475	121			288
		501	REIMB-CD-EXPLN	REIMB_CD_EX_3185	EM
REF-DWG-GP-DES	REF_DWG_GP_DS_3565	321			288
		323	REJECT-FLAG	REJECT_FLAG_9205	600
		324			777
		325			852
		326	REJECTED-TS	REJECTED_TS_9206	601
REF-DWG-GP-SCTN-ID	RDG_SCTN_ID_0335	321			852

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
REL-INC	REL_INC_2926	CCO	RESULT-ACTN	RESULT_ACTN_3104	230
		091	REV-LVL	REV_LVL_2644	130
		513			133
		592			135
REL-NSN	REL_NSN_2895	007			138
		506			333
		599			334
RELEASED-CNT	RELEASED_CNT_9207	850			335
RELEASED-TS	RELEASED_TS_9208	587			336
		601			339
		632			340
		665			342
		666			359
		852			388
REORDER-TS	REORDER_TS_9209	850			418
REORG-STATUS-FLAG-ID	REORG_FLAG_9504	614			447
		616			461
REP-ACTY-LOA-NSN	REP_STAT_CNT_1650	058			473
REP-ACTY-NSN	REP_STAT_CNT_1651	056			477
REP-DEPT-LOA-NSN	REP_STAT_CNT_1652	057			478
REP-DEPT-NSN	REP_STAT_CNT_1653	055			486
REP-ITM-STDZN-CD	REP_ISC_8525	915			497
REP-NET-PR	REP_NET_PR_5235	006			498
		505	RNAAC	RNAAC_2900	014
REPBL-CD	REPBL_CD_2745	055			522
		056			686
		057			772
		058			775
REPBL-CD-CG	REP_CD_CG_0709	GRE			932
		006	RNAAC-IND	RNAAC_IND_2221	157
		184	RNCC	RNCC_2910	014
		505			205
REPBL-CD-CG-EXPLN	REP_CD_CG_EX_3180	GRE			245
		184			280
REPBL-CHAR-IND-CD-DLA	REP_CD_DLA_2934	006			522
		200			539
		505			584
REPBL-CHAR-IND-CD-DLA-DE	REP_CD_DLA_EX_5261	200			598
REPT-SEG-IND	REPT_SEG_IND_4594	479			686
REROUTED-TIME	REROUTED_TIME_9210	401			772
RESOLUTION	RESOLUTION_9411	048			775
		405			932
RESPONSE-HRS	RESPONSE_HRS_9412	412	RNCC-DB	RNCC_DB_3130	287
RESTART-COMMIT-ID	RESTRT_COMMIT_9515	710	RNCC-IN	RNCC_IN_3128	287
RESTORE-FLAG	RESTORE_FLAG_9066	840	RNCC-MAY-HAVE-RNG	RNCC_MA_H_RNG_3109	278
RESTORE-STATUS-FLAG	RSTR_STAT_FLG_9314	141			289
		913	RNCC-MUST-HAVE-RNG	RNCC_MS_H_RNG_3105	278

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		290			345
RNCC-RNVC-COMB-DEF-TX	RN_COMB_DF_TX_2912	539			505
RNCC-RNVC-COMB-PREF-ORDR	RN_PREF_ORDR_2911	539			506
RNDM-SMPL-IND-CD	RNDM_SMPL_IND_2671	133			521
		340	RPDMRC	RPDMRC_4765	010
RNJC	RNJC_2750	EFN			286
		014			509
		283			596
		522	RPDMRC-EXP	RPDMRC_EXP_5119	286
		598	RPDMRC-KFP-FU-DT	RPDMRC_FU_DT_4532	877
		686	RPDMRC-KFP-FU-IND	RPDMRC_FU_IND_4531	877
		775	RPLD-NSN-STDZN-RL	RP_NSN_STD_RL_8977	018
RNVC	RNVC_4780	014			524
		285	RPLM-AMMO-CD	RPLD_AMMO_8815	EPL
		522			496
		539	RPLM-CAGE-CD	RPLM_CAGE_CD_3595	101
		584			103
		598			674
		686	RPLM-FSC	RPLD_FSC_2647	491
		772			492
		775	RPLM-INC	RPLD_INC_2646	EPL
		932			489
RNVC-DB	RNVC_DB_3131	287			990
RNVC-IN	RNVC_IN_3129	287	RPLM-MOE-RULE-NBR1	RPLM_M_RL_NBR_0226	093
RNVC-MAY-HAVE-RNG	RNVC_MA_H_RNG_3110	278			730
		289			865
RNVC-MUST-HAVE-RNG	RNVC_MS_H_RNG_3106	278			869
		290	RPLM-NSN-CANC	RPLM_NSN_CANC_8875	010
ROLL-UP-CD	ROLL_UP_CD_9460	959			509
ROLL-UP-DEPT-CD	ROLL_UP_DEPT_9459	959	RPLM-NSN-STDZN-RL	RPLM_NSN_STDZ_9525	016
ROLL-UP-DIC	ROLL_UP_DIC_2097	197			523
ROLL-UP-DIC-DESTN	RL_UP_DIC_DES_2098	197	RPLY-SEQ-NBR	RPLY_SEQ_NBR_4408	115
ROW-HLD-FLG-ID	ROW_HLD_FLG_9191	618			116
ROW-IND	ROW_IND_4205	336			348
		359			354
		418			498
ROW-NBR	ROW_NBR_4518	207	RPLY-STAT-IND	RPLY_STAT_IND_2498	128
		228			923
		249	RPLY-TBL-CD-FHIG-DCOD-GD	RPLY_TBL_DCOD_3845	120
		393			124
		536			125
		736			950
		770			952
		771	RPLY-TBL-CD-MRD	RPLY_TBL_MRD_8254	126
		992			128
ROW-OBS-DT	ROW_OBS_DT_4489	006			920
		007			922

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		923	SAC	SAC_8990	115
RPLY-TBL-CD-STATUS-IND	RPLY_TBL_STAT_3463	920			116
RPLY-TBL-DCOD-SEQ-NBR	RPLY_DCOD_SEQ_0510	126			125
		922			348
RPTY-ID	RPTY_ID_2638	475			349
		783			350
RQMT-RPLY-INST	RQMT_RPY_INST_2648	127			351
		390			352
		921			353
RQMT-STMT	RQMT_STMT_3614	127			354
		498			357
		688			358
		921			360
RQMT-STMT-DEF	RQMT_STMT_DEF_5027	347			361
		921			362
RR-TRANS-KEY	RR_TRANS_KEY_9763	389			950
		401	SAC-CDNG-IND	SAC_CDNG_IND_0115	120
		402	SCN-LSN-NSN-DP-CUR-MTH	LSND_STAT_CNT_5469	066
		995	SCN-LSN-NSN-DP-CUR-NMTH	LSND_STAT_CNT_5470	066
		996	SCN-LSN-NSN-DP-CUR-REJ	LSND_STAT_CNT_5471	066
RTC-CD	RTC_CD_1002	060	SCN-PRE-NSN-DP-CUR-MTH	PREN_STAT_CNT_6241	757
RTN-CD	RTN_CD_9480	048	SCN-PRE-NSN-DP-CUR-NMTH	PREN_STAT_CNT_6242	757
		061	SCN-PRE-NSN-DP-CUR-REJ	PREN_STAT_CNT_6243	757
		064	SCN-PRE-REF-DP-CUR-MTH	PRER_STAT_CNT_5451	755
		105	SCN-PRE-REF-DP-CUR-NMTH	PRER_STAT_CNT_5452	755
		291	SCN-PRE-REF-DP-CUR-REJ	PRER_STAT_CNT_5453	755
		292	SCN-PRO-NSN-DP-CUR-MTH	PRON_STAT_CNT_6209	761
		368	SCN-PRO-NSN-DP-CUR-NMTH	PRON_STAT_CNT_6210	761
		374	SCN-PRO-NSN-DP-CUR-REJ	PRON_STAT_CNT_6211	761
		375	SCN-PRO-REF-DP-CUR-MTH	PROR_STAT_CNT_6225	759
		405	SCN-PRO-REF-DP-CUR-NMTH	PROR_STAT_CNT_6226	759
		476	SCN-PRO-REF-DP-CUR-REJ	PROR_STAT_CNT_6227	759
		484	SCND-PHRS-CD	SCND_PHRS_CD_3049	HRA
		536			839
		608	SCREEN-ID-CODE	SCRN_ID_0981	366
		770	SCRN-RNCC	SCRN_RNCC_3115	289
		771			290
		775	SCRN-RNVC	SCRN_RNVC_3116	289
		874			290
		875	SECD-ADRS-IND-CD	SEC_AD_IND_CD_9485	115
		924			116
		948			125
		957			950
RTN-CD-CMNT	RTN_CD_CMMT_4559	291	SECN-LOLA-OVERNIGHT-ODRC	SECOND_ODRC_4692	499
RTN-CD-DEF-INST	RTN_DEF_INST_3140	291	SEG-CD-SUPMTL	SEG_CD_SUPMTL_0225	207
RTN-CD-DRN-CMNT	RTN_CD_DRN_CM_4557	292			293
RTN-TO-TRNEE-CD	RTN_TRNEE_CD_2000	379			771

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SEG-CD-SUPMTL-EXPLN	SEG_CD_SUP_EX_3174	293			505
SEG-IP-TRAN	SEG_IP_TRAN_4508	773	SER-NBR-CTL-CD-CG-EXPLN	SRN_CTL.CG_EX_3182	GSE
		937			180
SEG-LGTH	SEG_LGTH_0189	404	SGML-ELE-NAME	SGML_ELE_NAME_9481	337
		406	SHLF-LIF-CD	SLC_2943	006
SEG-R-W-O-OP-DIC	SGR_WO_OP_DIC_3144	233			295
SEG-R-WITH-OP-DIC	SGR_W_OP_DIC_3143	233			505
SEG-SEQ	SEG_SEQ_9414	044			599
		071	SHRT-NM	SHRT_NM_2301	EMI
		105			098
		384			379
		609			438
		778			593
		838			596
		854			684
SEGMENT-CD	SEGMENT_CD_9415	071			712
		384			772
		385			775
		389			782
		404			812
		406			932
		411	SIC-CD-SQ-IND	SIC_CD_SQ_IND_9368	079
		609	SICA-CD	SICA_2938	ETE
		778			041
		838			093
		853			152
		854			250
		957			865
SEGMENT-DATA	SEGMENT_DATA_9416	071	SICA-LVL-AUTH	SICA_LOA_9547	093
		384			152
		609			296
		778			865
SEGMENT-FLAG	SEGMENT_FLAG_9418	411	SICA-LVL-AUTH-CD-DEF	SICA_LOA_DEF_5302	296
SEGMENT-POS	SEGMENT_POS_9419	411	SICA-OP-IND-CD	SICA_OP_IND_2881	583
SEGMENT-STATS	SEGMENT_STATS_9420	403	SIN-MULT-OP-CD	SIN_MLT_OP_CD_4535	873
SELECT-KEY	SELECT_KEY_9764	407	SIN-MULT-OP-EX	SIN_MLT_OP_EX_3455	873
SEQ-KEY	SEQ_KEY_3043	100	SIN-SUBMG-ACTY-CD	SIN_SUBM_ACTY_9255	094
		228			515
		291	SKELETON-CODE	SKEL_CODE_2319	118
		394			119
		536	SKIP-COUNT	SKIP_CNT_4412	118
		770			119
		771	SKO-FSC	SKO_FSC_8594	942
		813	SKO-I-I-NBR	SKO_I_I_NBR_8581	942
SER-NBR-CTL-CD-CG	SER_NO_CTL.CG_0763	GSE	SKO-ITEM-NAME	SKO_ITEM_NAME_8596	942
		006	SKO-NCB-CD	SKO_NCB_CD_8582	942
		180	SKO-QTY	SKO_QTY_8593	942

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SLC-NOTE	SLC_NOTE_3495	837			400
SMPL-SZ-QY	SMPL_SZ_QY_2675	699	SPI-DT	SPI_DT_5177	346
SNA-REMOT-SYS-ID	SNA_REMOT_ID_3054	618			928
		619	SPI-NBR	SPI_NBR_5175	346
SNF-END-DT	SNF_END_DT_9308	089			928
SNF-TYP-UPDT	SNF_TYP_UPDT_9309	089	SPI-REV	SPI_REV_5176	346
SOS-CD	SOS_CD_3690	EM1			928
		VY1	SRT-ALLOWED-IND	SRT_ALLOWED_9482	337
		VYS	SSN	SSN_9765	R
		006			012
		260			054
		261			084
		299			841
		427			843
		428	ST-ADRS-1	ST_ADRS_1_1082	002
		440			328
		505			674
		599			834
		712	ST-ADRS-2	ST_ADRS_2_1083	002
		812			328
SOS-MOD-CD	SOSM_CD_2948	006			674
		298			834
		505	STA-US-POSN-ABR	ST_US_POSN_AB_0186	DPC
SOS-MOD-CD-EXPLN	SOSM_CD_EX_5252	298			002
SOS-NOTE	SOS_NOTE_3498	837			077
SOSM-NOTE	SOSM_NOTE_3496	837			483
SP-HDLG-CD	SP_HDLG_CD_9240	016			834
		300	STAT-ACTIVITY	STAT_ACTIVITY_0898	021
		523			022
SP-HDLG-CD-EXPLN	SP_HDLG_CD_EX_3168	300			029
SP-MAT-APL-ITEM-OR-KIT	SP_MAT_APL_IK_3155	VYS			031
		254			032
SP-MAT-CONT-CD	SP_MAT_CONT_0121	006			043
		301			045
		505			050
SP-MAT-CONT-CD-EXPLN	SP_MAT_CON_EX_3172	301			056
SP-MAT-IDEN-CD	SMIC_NVY_2834	VYS			058
		006			063
		254			064
		505			065
SP-MKG-CD	SP_MKG_CD_5169	346			329
		928			371
SP-PKG-RQMT-CD	S_PKG_RQM_CD_0725	PEC			372
		302			425
SP-PKG-RQMT-CD-EXPLN	S_PKG_RQM_EX_5216	PEC			430
		302			434
SP-PROC-CD	SPC_4530	396			436

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		439			045
		551			050
		569			055
		570			056
		571			057
		572			058
		573			062
		574			065
		575			066
		576			329
		577			368
		611			369
		646			371
		648			372
		650			374
		652			381
		654			425
		656			426
		658			429
		660			436
		662			439
		678			441
		682			551
		739			569
		794			570
		800			571
		802			573
		808			574
		810			575
		818			576
		820			577
		822			578
		824			608
STAT-BTCH-TIM	STAT_BTCH_TIM_2604	376			620
STAT-CMDTY-CTGY	STAT_CCTGY_3995	021			646
		329			648
		944			650
STAT-DAC-SA	STAT_DAC_SA_6592	027			652
		063			654
STAT-DEPARTMENT	STAT_DEPT_0897	021			656
		022			658
		024			662
		029			678
		030			682
		031			690
		032			692
		043			694

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		698	STAT-LVL-AUTH-COMB	STAT_LOA_COMB_3090	024
		739			369
		741			786
		744			792
		755	STAT-MANAGER	STAT_MANAGER_2506	024
		757			369
		759			370
		761			436
		763			570
		784			572
		786			575
		788			577
		790			652
		792			654
		794			660
		796			662
		798			692
		800			694
		802			763
		804			784
		808			786
		810			788
		818			790
		820			792
		822			857
		824	STAT-RETURN-CATEGORY	STAT_RETN_CAT_5666	061
		959	STATE-NAME	STATE_NAME_4490	483
STAT-DEPT-ACTY-CHANGED	STAT_ACTY_CH_0908	029	STATL-IND-CD	STATL_IND_CD_3708	303
		857			924
STAT-DEPT-NAME	STAT_DEPT_NM_9704	698	STATL-IND-CD-EXPLN	STATL_I_CD_EX_5133	303
STAT-LIMITED-RIGHTS-GRP	STAT_LMD_RT_G_8159	027	STATS-ACCESS-DATE	STATS_ACCS_DT_9705	062
STAT-LOG-DT	LOG_DT_3339	141	STATS-JULIAN-DATE	STAT_JUL_DATE_7646	924
STAT-LVL-AUTH-CD	STAT_LOA_3066	050	STATS-REQUEST-DATE	STAT_REQ_DATE_0899	020
		057			021
		058			022
		371			023
		569			024
		570			027
		571			028
		572			029
		648			030
		652			031
		656			032
		660			033
		744			034
		796			035
		800			036

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		037			571
		038			572
		042			573
		043			574
		050			575
		051			576
		053			577
		055			578
		056			611
		057			624
		058			646
		061			648
		063			650
		064			652
		065			654
		066			656
		141			658
		142			660
		329			662
		367			678
		369			682
		370			690
		371			692
		372			694
		376			696
		425			739
		426			741
		427			744
		428			755
		429			757
		430			759
		431			761
		432			763
		433			784
		434			786
		435			788
		436			790
		437			792
		438			794
		439			796
		441			798
		494			800
		495			802
		503			804
		551			808
		569			810
		570			818

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		820			323
		822			324
		824			842
		857			951
STATS-SVC-AGCY-PREF-CD	STATS_SA_PREF_3844	063	SUBJ-INTEG-MAT-MGMT-CD	SUBJ_IMM_M_CD_9545	094
STATUS-CD-NM-FSC	STA_CD_NM_FSC_0320	AME			515
		FFA	SUBJ-ITM-MGMT-CDNG	SUBJ_IM_CDNG_9546	094
		001			515
		073	SUBJ-SIN-SUBMR-PRO	SUBJ_SI_SUB_P_9544	094
		076			515
		094	SUBJ-TO-WIMM	SUBJ_TO_WIMM_0090	094
		098			515
		316	SUBMG-ACTY-CD	SUBMG_ACTY_CD_3720	025
		489			044
		491			059
		492			060
		513			105
		515			106
		518			258
		530			259
		591			275
		593			304
		595			341
		723			380
		724			422
STD-INDUST-CLAS-CD	STD_IND_CL_CD_1368	079			484
STDZN-SUBMG-ACTY-CD	STDZN_SUBMR_0749	094			490
		515			505
STOP-WORD-CDM	STOP_WORD_CDM_4463	TOP			506
		485			507
STORE-M-J-TBL	STORE_M_J_TBL_4424	352			508
STORE-M-MAX	STORE_M_MAX_4426	352			509
STORE-M-MIN	STORE_M_MIN_4425	352			510
STORE-TYPE	STORE_TYPE_4421	352			511
		360			512
STORED-JUL-DT	STORED_JUL_DT_9462	879			521
STR-TM-PED	STR_TM_PED_5237	295			522
STRS-ACCT-EXPLN-MC	STRS_ACT_MC_X_3153	CST			523
		244			524
STRS-ACCT-MC	STRS_ACT_MC_2959	CST			689
		006			767
		244			768
		505			874
		599			875
STYL-AEUSA-IND-CD	STYL_AEUSA_CD_0334	321			893
STYL-NBR-FIIG	STYL_NBR_FIIG_0768	131			894
		321			924
		---			---

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		928			775
		948	SVC-AGCY-DESI-CD-DEF	SA_DESI_CD_X_5319	294
		949	SVC-CD-P-S-EX	SVC_CD_P_S_EX_3449	835
		972	SVC-CD-PRVSNG-SCRNG-DEST	SVC_CD_P_SCRN_0264	144
		973			835
		974	SVC-CMMD-LVL-ACRNM-ID	SVC_COMMD_LVL_9303	588
		975	SVC-CONTR-IDEN-CD	SVC_CON_ID_CD_0744	144
		976			863
		977	SVC-CONTR-IDEN-CD-EXPLN	SVC_CNTR_CD_X_5236	863
		978	SVC-NM	SVC_NM_3479	833
		979			834
		980	SVC-SICA	SVC_SICA_3493	837
		981	SYM-IND	SYM_IND_3456	156
		982			194
		983			312
		984	SZ-OF-BUS-CD	SZ_OF_BUS_CD_1364	082
		997			705
		998	SZ-OF-BUS-CD-DEF	SZ_OF_BUS_DEF_3367	705
		999	TABL-NAME-REM	TABL_NAME_REM_4449	392
SUBMR-ACT-IND	SUBMR_ACT_IND_2143	157	TAIL-ACT-CD	TAIL_ACT_CD_2513	122
SUBMR-CTL-NBR	SUBMR_CTL_NBR_1120	368	TAIL-SEQ-NO	TAIL_SEQ_NO_4403	120
		602	TAXPYR-ID	TAX_PYR_ID_3401	082
		604	TBL-CSTDN	TBL_CSTDN_2232	150
		776	TBL-CSTDN-ALT	TBL_CSTDN_ALT_2231	150
		876	TBL-ELE-IDEN	TABLE_TYP_DV_1079	392
		953	TBL-NBR	TBL_NBR_1298	150
SUBMTR-USERID	SUBMTR_USERID_3205	078			392
SUPLMNTY-DIC-IP	SUPL_DIC_IP_1028	106			393
SUPLMNTY-DIC-OP	SUPL_DIC_OP_1029	106			394
SUPMTL-INST	SUPMTL_INST_5174	346			395
		928			736
SUPPLM-COLLBR	SUPPLM_COLLBR_2533	008	TBL-RSPNSBL-DRCTR	TBL_RSP_DIR_2233	150
		507	TBL-VOLUME	TBL_VOLUME_2473	913
SUPPLM-RCVR	SUPPLM_RCVR_2534	017	TBL-VRBL-INDCTR-CD	TBL_V_IN_CT_C_0941	842
		512	TECH-DOC-NBR	TECH_DOC_NBR_2893	007
SUPT-DATA-IND	SUPT_DATA_IND_4623	196			506
SURCHG-PRCSG-IND-CD	SUR_PRC_ID_CD_0872	016	TECHN-ASGMT-STAT-CD	DEMIL_STAT_CD_0156	714
		523	TEL-NBR	TEL_NBR_1359	005
SURCHG-PRCSG-UNIT-PR	SUR_PRC_UN_PR_2599	016			675
		523	TEL-NBR-TYP-CD	TEL_NBR_TYP_1088	005
SURCHG-PRCSG-YR	SUR_PRC_YR_2597	016			675
		523			702
SUSP-FILE-PROC-DT	SUSP_PROC_DT_4698	484	TEL-NBR-TYP-CD-DEF	TEL_TYP_DEF_3413	702
SVC-ACTY-AND-ADRS-SOS-CD	SA_ADD_SOS_CD_5108	299	TEXT-LINE	TEXT_LINE_4519	736
SVC-AGCY-DESI-CD	SADC_4672	014			992
		294	THK-CUSH-DUN-CD	THK_CUSH_DUN_5165	346
		522			928

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
THRD-LOLA-OVERNIGHT-ODRC	THIRD_ODRC_4693	499	TM-REC-NBR	TM_REC_NBR_9430	084
TIR-OP-MED-CD	TIR_OP_MED_CD_2093	157			085
TM-ACTY-OP	ACTY_OP_9217	052			151
		604			408
TM-APP-ARCH-KEY-ID	APP_ARCH_KEY_9224	604			475
		605			476
		840			481
TM-ARCH-DATA-TYP-ID	ARCH_DATA_TYP_9225	840			586
TM-BATCH-NBR	TM_BATCH_NBR_9424	606			587
		851			604
TM-BATCH-SEQ-NBR	TM_BATCH_SEQ_9425	851			610
TM-BATCH-TRNS	TM_BATCH_TRNS_9426	851			612
TM-CD	TM_CD_1987	060			619
		109			632
TM-COMMIT-CKPNT-RT	TM_COMMIT_RT_9509	617			665
TM-COMPLT-TS	TM_COMPLT_TS_9427	601			666
		852			667
TM-DIC-IP-DS-CT-QY	DIC_IP_DS_CT_9740	603			715
TM-DS-CT-QY	DS_CT_9739	603			843
TM-DS-REJ-FLG-ID	DS_REJ_FLG_9737	603			872
TM-DSPL-ORDR-ID	DSPL_ORDR_8269	383			945
TM-FILE-NAME	TM_FILE_NAME_9429	601			961
		852			994
TM-HELD-CNT-QY	HELD_CNT_9501	613	TM-RECVD-MSG-TS	RECVD_MSG_TS_9386	084
TM-IP-DS-NM	IP_DS_NM_9736	603	TM-RECVD-TD-QUE-TX	RECVD_TD_QUE_9388	084
TM-IP-TRK-ID	IP_TRK_9221	052	TM-RELE-DATA	RELE_DATA_9503	614
		604			616
		613	TM-RELED-CNT-QY	RELED_CNT_9502	613
		614	TM-RELED-MSG-TS	RELED_MSG_TS_9385	084
		616	TM-RESTR-CKPNT-CTR-1-QY	TM_CKPNT_CT_1_9511	617
TM-JOB-STAT-CD	TM_JOB_STAT_9508	617	TM-RESTR-CKPNT-CTR-2-QY	TM_CKPNT_CT_2_9512	617
TM-MED-TRAIL-TX	MED_TRAIL_9387	084	TM-RESTR-CKPNT-CTR-3-QY	TM_CKPNT_CT_3_9513	617
TM-MEDALS-FLG	MEDALS_FLG_9216	052	TM-RESTR-CKPNT-CTR-4-QY	TM_CKPNT_CT_4_9514	617
		604	TM-RESTR-CKPNT-WS-FLD	TM_CKPNT_WS_9510	617
TM-MSG-TX	MSG_TX_9389	085	TM-SP-PROJ-ID	SP_PROJ_9223	052
		619			603
TM-MULT-MED-TRAN-QTY	MULT_MED_TRAN_9483	603			604
TM-OP-DATA-GP	OP_DATA_GP_9802	383			613
		715			614
		945			616
TM-OP-DIST-FREQ-CD	OP_DIST_FREQ_9804	783			715
TM-OP-SEQ-FLD	OP_SEQ_FLD_9801	715	TM-STAT-IP-DS-ID	STAT_IP_DS_9738	603
		945	TM-TAPE-IP-TM	TAPE_IP_TM_9228	603
TM-OP-TRK-ID	OP_TRK_9222	052	TM-TAPE-LOG-IP-TM	TAPE_LOG_IP_9226	603
		604	TM-TAPE-VOL-SER-NBR-ID	TAPE_VOL_SER_9227	603
TM-PRE-EDIT-DS-NM	PRE_EDIT_NM_9742	603	TM-TRAN-PROC-FLG-ID	TRAN_PROC_FLG_9229	604
TM-RE-PRCSD-MSG-TS	RE_PRCSD_TS_9394	084	TM-TRANS-TS-STAT-CD	TRANS_TS_STAT_9446	604

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
TM-USER-DEF-FLG	USER_DEF_FLG_9803	715			604
		945			606
TMG-PIC-DIC-TMFR	TMG_STAT_CNT_6892	376			610
TMG-PIC-DIC-TMFR-AVG-TM	TMG_STAT_CNT_6893	376			612
TMSTMP	TMSTMP_3059	006			614
		007			616
		008			617
		009			619
		010			632
		011			665
		014			666
		015			667
		016			767
		017			768
		018			773
		025			775
		044			780
		046			781
		047			782
		054			812
		059			843
		105			844
		106			910
		149			911
		345			919
		346			920
		366			921
		381			922
		384			923
		422			924
		505			928
		506			937
		507			950
		508			951
		509			952
		510			972
		511			973
		512			974
		516			975
		517			976
		519			977
		521			978
		522			979
		523			980
		524			981
		586			982
		587			983

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		984			604
		997			605
		998			609
		999			616
TMSTMP1	TMSTMP1_4564	FFA			776
		073			777
		081			778
		102			838
		281			852
TMSTMP2	TMSTMP2_4402	094			854
		513			876
		515			953
		518			957
		530	TRANS-NBR	TRANS_NBR_9437	385
TMSTMP3	TMSTMP3_4443	115			389
		380			481
TMSTMP4	TMSTMP4_4472	489	TRANS-REF-KEY	TRANS_REF_KEY_9438	600
TMSTMP5	TMSTMP5_4473	491			852
TMSTMP6	TMSTMP6_4474	492	TRANS-TI	TRANS_TI_2057	196
TO-ZIP-CD	TO_ZIP_CD_3415	DPC	TRANS-TYP-FLG	TRANS_TYP_FLG_9440	383
		077	TRFR-FSC-ODP-FYD-GOAL	TRFR_STAT_CNT_6777	036
TOT-MAX-LGTH	TOT_MAX_LGTH_4596	479	TXT-TAB-HDR-IND	TX_TB_HDR_IND_3453	736
TRAIL-NARRATV	TRAIL_NARRATV_4454	395	TYP-CGO-CD	TYPE_CGO_CD_9260	016
TRAILER	TRAILER_9432	397			311
TRAN-FILE-NM	TRAN_FILE_NM_0778	078			523
TRAN-FILE-PRC-DT	TRAN_PRC_DT_0779	078	TYP-CGO-CD-EXPLN	TYP_CGO_EXP_5224	311
TRAN-STAT-CD	TRN_STATUS_CD_0854	306	TYP-FINCL-MGMT-CTL-CD	TYP_FIN_MGT_0729	308
		958	TYP-FINCL-MGT-CTL-CD-EXP	TYP_FIN_MGT_X_5218	308
TRAN-STAT-CD-DEF	TRAN_STAT_DEF_3186	306	TYP-II-1	TYP_II_1_3490	830
TRAN-STAT-CD-INST	TRAN_STAT_INS_3187	306	TYP-II-2	TYPE_II_2_3486	830
TRAN-STAT-CD-NOTE-IND	TRAN_STAT_NOT_3189	306	TYP-II-K	TYP_II_K_3491	830
TRAN-STAT-CD-OP	TRAN_STAT_OP_3188	306	TYP-II-L	TYP_II_L_3492	830
TRANS-COUNT	TRANS_COUNT_9433	397	TYP-II-M	TYP_II_M_3488	830
TRANS-DEF	TRANS_DEF_2127	214	TYP-II-N	TYP_II_N_3489	830
TRANS-ERR-FLG	TRANS_ERR_FLG_9434	851	TYP-LST-ACT	TYP_LST_ACT_0044	090
TRANS-INST	TRANS_INST_2131	214			710
TRANS-KEY	TRANS_KEY_9435	052			732
		071	TYP-MATCH	TYP_MATCH_3103	230
		375	TYP-MBLZTN-RSV-RQT-CD-EX	TYP_MBL_RSV_X_5215	0B1
		405			246
		408	TYP-MOBLZTN-RSRV-RQMT-CD	TYP_MBL_RSV_0723	0B1
		474			246
		475	TYP-OF-BUS-CD	TYP_BUS_CD_1366	082
		476			703
		600	TYP-OF-BUS-DEF	TYP_BUS_DEF_3369	703
		601	TYP-OF-II-CD	TYP_II_4820	010
		602			309

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		509	UNIT-CTNR-LVL-CD	UNIT_CTNR_LVL_5168	346
		596			928
		782	UNIT-MEAS-CD	UNIT_MEAS_CD_0107	007
TYP-OF-II-CD-EXPLN	TYP_II_CD_EXP_5117	309			276
TYP-OF-II-CD-TYP	TYP_II_CD_TYP_5116	278			506
		309	UNIT-MEAS-DES	UNIT_MEAS_DES_4411	117
TYP-OF-OE-CD-EXPLN	TYP_OE_CD_EXP_3171	YPE	UNIT-MEAS-TRM	UNIT_MEAS_TRM_2347	276
		265	UNMATCHED-RNCC	UNMTCH_RNCC_3132	287
TYP-OF-SP-PRCSG-IND-CD	TYP_SP_PRC_0568	006	UNPKG-ITM-DIM	UNPKG_ITM_DIM_5158	346
		310			928
		505	UNPKG-ITM-WT	UNPKG_ITM_WT_5157	346
TYP-OF-SP-PRCSG-IND-CD-E	TYP_SP_PRC_E_3178	310			928
TYP-PREC-MTL	TYP_PREC_MTL_5263	272	UNQ-ITM-TRK-DESI-CD	UIT_DESI_CD_1010	543
TYPE-CAGE-NCAGE-AFFL-CD	TYP_CAGE_AFFL_0250	AGE			544
		082	UNQ-ITM-TRK-DESI-PGM-NM	UITD_PGM_NM_1014	543
		700	UP-CU	UP_CU_5155	346
TYPE-CAGE-NCAGE-AFFL-CD-DEF	CAGE_AFFL_DEF_3366	AGE			928
		700	UP-QTY	UP_QTY_5321	KGU
TYPE-OF-STAT	TYPE_OF_STAT_0907	062			946
		141	UP-QTY-EXPL	UP_QTY_EXPL_3464	KGU
		879			946
		913	UP-SZ	UP_SZ_5154	346
		993			928
TYPE-OF-TRNS	TYPE_OF_TRNS_9441	602	UP-WT	UP_WT_5153	346
		608			928
		776	UPDT-CNT	UPDT_CNT_9457	879
UFC-CD-MODF	UFC_CD_MODF_3040	016			993
		035	UPDT-RTN-CD	UPDT_RTN_CD_9456	879
		090			993
		149	USI-SVC-CD	USI_SVC_CD_0745	006
		503			007
		523			313
UI	UI_3050	006			505
		312			506
		505			883
		599	USI-SVC-CD-EXPLN	USI_SVC_CD_X_3147	313
UI-CONV-FAC	UI_CONV_FAC_3053	ICO	USR-ACCS-LVL	USR_ACCS_LVL_1381	365
		006			378
		505			954
		813	USR-ACCS-LVL-SUBSYS-CD	USR_ACCS_SUB_3381	332
UI-DEF	UI_DEF_5243	312			954
UI-NOTE	UI_NOTE_3497	837	USR-CD	USR_CD_1101	AME
UI-TRM	UI_TRM_5242	312			EMI
UIT-ID	UIT_ID_1021	544			FFA
UNDEFINED-SEG	UNDEF_SEGMENT_9442	481			001
UNIT-CTNR-CD	UNIT_CTNR_CD_5166	346			073
		928			081

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		082			950
		092			951
		102			952
		141			954
		332	VALID-HX-DIC	VALID_HX_DIC_9443	383
		340	VALID-LFU-DIC	VALID_LFU_DIC_9444	383
		365	VALID-POSIT	VALID_POSIT_9771	853
		366	VLD-REF-MAY-HV-NOTE-IND	VLD_REF_MAY_3112	278
		368			289
		375	VLD-REF-MST-HV-NOTE-IND	VLD_REF_MST_3108	278
		378	VND-RGSTR-RNWL-DT	RGSTR_RNWL_DT_3373	222
		379	WEB-URL-ID	URL_8021	931
		381	WMN-OWND-BUS-CD	WMN_OWND_BUS_1367	082
		384	WPN-SYS-ESNTL-CD	WPN_SYS_ESNTL_3885	847
		489	WPN-SYS-GP-CD	WPN_SYS_GP_CD_3889	846
		491	WPN-SYS-ID	WPN_SYS_ID_3881	041
		492			846
		513			847
		515	WPN-SYS-IND-CD	WPN_SYS_IND_3883	847
		518	WPN-SYS-NM	WPN_SYS_NM_3887	846
		579	WPN-SYS-SVC-CD	WPN_SYS_SVC_3882	041
		603			846
		710			847
		712	WRAP-MAT-CD	WRAP_MAT_CD_5163	346
		714			928
		724	WRKLD-CNT	WRKLD_CNT_1026	109
		725	WRKLD-LOCK-OT-CD	WRKLD_LOCK_OT_2024	109
		812	WTR-CMDTY-CD	WTR_CMDTY_CD_9275	016
		850			523
		871	ZIP-ADD-ON-CD	ZIP_ADD_ON_4398	002
		919	ZIP-CD	ZIP_CD_4400	IPA
		920			002
		921			139
		923			834
		925			---

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0010 ORGN-IDEN-CLRTXT-LI-SEG ORG_ID_TXT_SG_0010 DLIS-SBB V VARCHAR 1096
ORGANIZATIONAL IDENTIFICATION IN THE CLEAR TEXT LINE SEGMENT

VARIABLE LENGTH MISCELLANEOUS CAGE (COMMERCIAL AND GOVERNMENT ENTITY) CLEAR TEXT DATA WHICH CAN NOT BE RECORDED IN ANY OTHER CAGE RELATED DATA ELEMENT. INFORMATION MAY CONSIST OF RELATED CAGE TECHNICIAN NOTATION-S.CODING EXPLANATIONS, OR ADDITIONAL PERTINENT INFORMATION DESCRIBING THE CAGE ENTITY.

0011 OE-LI-SEG-NBR-EXPLN OE_LI_SEG_EXP_0011 DLIS-SC F VARCHAR 140
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER EXPLANATION

A SINGLE LINE OF VARIABLE LENGTH DATA, MAXIMUM OF 365 POSITIONS, CONSTITUTING IN THE CLEAR ORGANIZATIONAL IDENTIFICATION INFORMATION. A SEGMENT MAY CONSIST OF RELATED NOTATIONS SUCH AS, USE APPLICABLE FACILITY CODE, AND OTHER CLEAR TEXT INFORMATION PERTINENT TO A PARTICULAR COMMERCIAL AND GOVERNMENT ENTITY. THIS DRN WILL APPLY TO LINES 23-59 AND ANY PART THEREOF. AN EXPLANATION OF A CODE THAT IDENTIFIES THE TYPE OF LINE SEGMENT, IN THE CLEAR TEXT, COMPRISING AN ORGANIZATIONAL ENTITY RECORD. NUMERIC RANGE 01-59.

0012 INDV-FOR-NATL-EMPL-ID FOR_EMPL_ID_0012 DLIS-TS F CHAR 10
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THIS INDIVIDUAL EMPLOYEE - FOREIGN NATIONAL ONLY.

0013 INDV-FOR-NATL-EMPL-AGCY FOR_EMPL_AGCY_0013 DLIS-TS F CHAR 60
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE AGENCY NAME

THE NAME OF THE AGENCY THAT EMPLOYED THIS INDIVIDUAL - FOREIGN NATIONAL ONLY.

0014 INDV-FOR-NATL-EMPL-CTRY FOR_CTRY_NM_0014 DLIS-TS F CHAR 3
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE COUNTRY NAME CODE

THE CODE THAT REPRESENTS THE COUNTRY THAT THIS INDIVIDUAL EMPLOYEE REPRESENTS - FOREIGN NATIONAL ONLY.

0015 INDV-FOR-NATL-EMPL-DOB FOR_EMPL_DOB_0015 DLIS-TS F INTEGER 8
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE DATE-OF-BIRTH DATE

THE DATE OF BIRTH OF THIS INDIVIDUAL EMPLOYEE - FOREIGN NATIONAL ONLY. VALID VALUES: VALID DATE OF THE FORMAT YYYYMMDD.

0016 INDV-FOR-NATL-EMPL-POB FOR_EMPL_POB_0016 DLIS-TS F CHAR 36
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE PLACE-OF-BIRTH NAME

THE NAME OF THE PLACE OF BIRTH OF THIS INDIVIDUAL EMPLOYEE - FOREIGN NATIONAL ONLY.

0017 INDV-FOR-NATL-CTZN-CTRY FOR_CTZN_CTRY_0017 DLIS-TS F CHAR 3
INDIVIDUAL FOREIGN NATIONAL CITIZENSHIP COUNTRY NAME CODE

THE CODE THAT REPRESENTS THE COUNTRY OF WHICH THIS INDIVIDUAL IS A CITIZEN - FOREIGN NATIONAL ONLY.

0018 INDV-FOR-NATL-INVEST-TYP FOR_INVST_TYP_0018 DLIS-TS F CHAR 20
INDIVIDUAL FOREIGN NATIONAL SECURITY INVESTIGATION TYPE IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE TYPE OF SECURITY INVESTIGATION PERFORMED ON THIS INDIVIDUAL - FOREIGN NATIONAL ONLY.

0019 INDV-FOR-NATL-CLRNC-LVL FOR_CLRNC_LVL_0019 DLIS-TS F CHAR 10
INDIVIDUAL FOREIGN NATIONAL CLEARANCE LEVEL NAME

THE NAME OF THE CLEARANCE LEVEL OF THIS INDIVIDUAL - FOREIGN NATIONAL ONLY.

0024 ACTN-INITN-OFC-ID ACT_INITN_OFC_0024 DLIS-SE F CHAR 4
ACTION INITIATION OFFICE IDENTIFIER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE IDENTIFIER THAT REPRESENTS THE OFFICE THAT INITIATED A POSSIBLE CATALOGING ACTION IN QDB.

0025 PICA-POC-EMAIL-ADRS-ID PICA_EMAL_ADR_0025 DLIS-SE V VARCHAR 50
PICA POINT OF CONTACT EMAIL ADDRESS IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE EMAIL ADDRESS OF A PRIMARY INVENTORY CONTROL ACTIVITY (PICA) POC.

0026 ACTN-CONC-STAT-CD ACTN_CONC_CD_0026 DLIS-SE F CHAR 1
ACTION CONCURRENCE STATUS CODE

THE CODE THAT REPRESENTS THE STATUS, CONCURRENCE OR NON-CONCURRENCE, OF THE PROPOSED ACTION. VALID VALUES: 1 = YES, 0 = NO, BLANK = STATUS UNDETERMINED.

0027 PICA-POC-TEL-NBR-ID PICA_TEL_NBR_0027 DLIS-SE V VARCHAR 50
PICA POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE PHONE NUMBER OF A PRIMARY INVENTORY CONTROL ACTIVITY (PICA) POC. THIS MAY EITHER BE THE DSN NUMBER OR THE COMMERCIAL NUMBER.

0028 LOC-PATH-NM LOC_PATH_NM_0028 DLIS-SE V VARCHAR 16
LOCATION PATH NAME

THE PLAIN TEXT DESCRIPTION NAME OF A LOCATION PATH CODE.

0029 RQSTR-CMNT-TX RQSTR_CMNT_TX_0029 DLIS-SE V VARCHAR 2048
REQUESTER COMMENT TEXT

THE TEXT OF REQUESTER'S COMMENTS ON A SPECIFIC RECOMMENDATION.

0030 LOC-PATH-CD LOC_PATH_CD_0030 DLIS-SE F CHAR 3
LOCATION PATH CODE

A CODE THAT INDICATES THE NEXT DESTINATION OF AN ACTION IN THE PROCESS. VALID VALLUES ARE P1, P2, P2A AND P2B.

0031 RQSTR-ACTN-CMPTN-DT RQST_CMPTN_DT_0031 DLIS-SE F DATETIME 8
REQUESTER ACTION COMPLETION DATE

THE DATE ON WHICH THE REQUESTED ACTION IS COMPLETED.

0032 ACTN-RSP-SUSP-DT RSP_SUSP_DT_0032 DLIS-SE F DATE 7
ACTION RESPONSE SUSPENSE DATE

THE DATE ON WHICH THE ACTION RESPONSE IS DUE.

0033 LOC-ACTN-RTN-DT LOC_RTN_DT_0033 DLIS-SE F DATETIME 8
LOCATION ACTION RETURN DATE

THE DATE ON WHICH THE ACTION RETURNED FROM THE LAST LOCATION.

0034 PICA-ACTN-RSP-DT PICA_RSP_DT_0034 DLIS-SE F DATETIME 8
PICA ACTION RESPONSE DATE

THE DATE ON WHICH PICA RESPONDS TO A SUBMITTED ACTION.

0035 ON-HLD-FLD-NM HLD_FLD_NM_0035 DLIS-SE V VARCHAR 255
ON HOLD FIELD NAME

THE NAME OF THE FIELD THAT HAS AN ITEM ON HOLD FOR FLIS SCREENING.

0036 ON-HLD-FLD-VAL-TX HLD_FLD_VAL_0036 DLIS-SE V VARCHAR 1024

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ON HOLD FIELD VALUE TEXT

THE TEXT OF THE ACTUAL VALUE OF A FIELD ON HOLD FOR FLIS SCREENING.

0037	APP-PARM-NM APPLICATION PARAMETER NAME THE NAME OF A PARAMETER USED TO RUN AN APPLICATION.	APP_PARM_NM_0037	DLIS-SE	V VARCHAR	50
0038	QDB-PROJ-DESC-NM QUALITY DATA BASE PROJECT DESCRIPTION NAME THE APPLICATION NAME OF A SPECIFIC PROJECT (E.G. BSM).	QDB_PROJ_DESC_0038	DLIS-SE	V VARCHAR	50
0039	APP-PARM-VAL-TX APPLICATION PARAMETER VALUE TEXT THE TEXT OF THE VALUE OF A PARAMETER USED TO RUN AN APPLICATION.	APP_PARM_VAL_0039	DLIS-SE	V VARCHAR	255
0040	PROJ-CTGY-TYP-ID PROJECT CATEGORY TYPE IDENTIFIER THE TEXT IDENTIFIER THAT REPRESENTS THE TYPE OF A PROJECT CATEGORY.	PROJ_CTGY_TYP_0040	DLIS-SE	V VARCHAR	20
0041	EXTD-FRT-DESC EXTENDED FREIGHT DESCRIPTION A BROAD STANDARDIZED DESCRIPTION CONSISTING OF 250 POSITIONS USED TO GROUP LIKE ITEMS FOR THE PURPOSE OF ASSESSING CLASS AND COMMODITY RATES. SEE VOLUME 16 AND LOLA USERS INFORMATION ON-LINE.	EXTD_FRT_DESC_0041	DLIS-SB	V VARCHAR	250
0042	QDB-RQST-IP-DT QUALITY DATA BASE REQUEST INPUT DATE THE DATE ON WHICH A REQUEST IS INPUT INTO THE DATA BASE, USED TO TRACK THE AGE OF THE REQUEST. THE FORMAT IS IN THE FORM OF MMDDCCYY.	QDB_RQS_IP_DT_0042	DLIS-SE	F DATETIME	8
0043	DATE-LST-CHG DATE LAST CHANGE THIS DATE REFLECTS THE DATE OF THE LAST CHANGE. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT. SEE VOLUME 16 AND LOLA USER INFO ON-LINE.	DATE_LST_CHG_0043	DLIS-SB	F INTEGER	7
0044	TYP-LST-ACT TYPE LAST ACTION THIS CODE REFLECTS THE LAST ACTION TO THE FILE. THE VALID VALUES ARE C = CHANGE, A = ADD, R = REPLACE.	TYP_LST_ACT_0044	DLIS-SB	F CHAR	1
0045	IN-THE-CLR-ADRS IN THE CLEAR ADDRESS THE IN THE CLEAR ADDRESS DATA FOR EACH ORGANIZATIONAL ENTITY, CONSISTING OF THE ADDRESS LINE ENTRIES, 01 THROUGH 10, ENCOMPASSING THE NAME, STREET ADDRESS, POST OFFICE BOX NUMBER, CITY, STATE, AND/OR COUNTRY AND IS UTILIZED FOR APPLICABLE OUTPUT PURPOSES. SEE VOLUME 10, TABLE 89 AND QUICK INFO ON-LINE.		DLIS-SBB	F	360
0046	COMN-VAL-CDS COMMON VALUE CODES THE DATA CODES WITHIN THE MASTER REQUIREMENT CODE THAT ARE USED TO IDENTIFY THE CITED COMMON GROUP.		DLIS-VO	F	10
0047	LI-ITM-RQST-ON-HLD-FLG ON HOLD FIELD VALUE TEXT	ON_HLD_FLG_CD_0047	DLIS-SE	F CHAR	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LINE ITEM REQUEST ON HOLD FLAG CODE

THE CODE THAT REPRESENTS A FLAG THAT INDICATES WHETHER THE LINE ITEM REQUEST IS ON HOLD. VALID VALUES: 1 = YES, 0 = NO.

0048	RQST-LST-PRC-DT REQUEST LAST PROCESS DATE THE DATE ON WHICH THE REQUEST WAS LAST PROCESSED OR PUT ON HOLD. THE FORMAT IS IN THE FORM OF MMDDCCYY.	LST_PRC_DT_0048	DLIS-SE	F DATETIME	8
0049	ACTN-LOC-SNT-DT ACTION LOCATION SENT DATE THE DATE ON WHICH THE ACTION WAS SENT TO THE LOCATION. THE FORMAT IS IN THE FORM OF MMDDCCYY.	LOC_SNT_DT_0049	DLIS-SE	F DATETIME	8
0052	SPNSR-POC-NM SPONSOR POINT OF CONTACT NAME THE POINT OF CONTACT NAME WITHIN THE THE SPONSORING AGENCY/ORGANIZATION.	SPNSR_POC_NM_0052	DLIS-TS	F CHAR	36
0053	SPNSR-POC-TI-NM SPONSOR POINT OF CONTACT TITLE NAME THE TITLE OF THE POINT OF CONTACT WITHIN THE SPONSORING AGENCY/ORGANIZATION.	SPNSR_POC_TI_0053	DLIS-TS	F CHAR	36
0065	SUPVR-NM SUPERVISOR NAME THE NAME OF THE SUPERVISOR OF THIS INDIVIDUAL.	SUPVR_NM_0065	DLIS-TS	F CHAR	36
0066	SUPVR-TI-NM SUPERVISOR TITLE NAME THE TITLE OF THE SUPERVISOR OF THIS INDIVIDUAL.	SUPVR_TI_NM_0066	DLIS-TS	F CHAR	36
0067	SUPVR-CMRCL-PHN-NBR-ID SUPERVISOR COMMERCIAL TELEPHONE NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL TELEPHONE NUMBER OF THE SUPERVISOR OF THIS INDIVIDUAL.	SUPVR_CMC_PHN_0067	DLIS-TS	F CHAR	20
0068	SUPVR-DSN-PHN-NBR-ID SUPERVISOR DSN TELEPHONE NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE DSN TELEPHONE NUMBER OF THE SUPERVISOR OF THIS INDIVIDUAL.	SUPVR_DSN_PHN_0068	DLIS-TS	F CHAR	20
0069	SUPVR-EMAIL-ADRS-TX SUPERVISOR EMAIL ADDRESS TEXT THE TEXT OF THE E-MAIL ADDRESS OF THE SUPERVISOR OF THIS INDIVIDUAL.	SUPVR_EMAIL_0069	DLIS-TS	F CHAR	80
0070	APP-DESC-TX APPLICATION DESCRIPTION TEXT THE DESCRIPTION TEXT OF APP-TYP-CD (DRN 9262).	APP_DESC_0070	DLIS-TS	F CHAR	80
0071	APP-FLGS-IND-CD APPLICATION FLAGS INDICATOR CODE	APP_FLGS_IND_0071	DLIS-TS	F CHAR	10

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

AGENCY MAJOR COMMAND NAME
THE NAME OF THE MAJOR COMMAND FOR WHICH THIS INDIVIDUAL WORKS.

0082	AGCY-OFC-SYM-ID	AGCY_OFC_SYM_0082	DLIS-TS	F CHAR	60
------	-----------------	-------------------	---------	--------	----

AGENCY OFFICE SYMBOL IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE OFFICE SYMBOL FOR WHICH THIS INDIVIDUAL WORKS.

0083	AGCY-ORG-NM	AGCY_ORG_0083	DLIS-TS	F CHAR	60
------	-------------	---------------	---------	--------	----

AGENCY ORGANIZATION NAME
THE NAME OF THE ORGANIZATION FOR WHICH THIS INDIVIDUAL WORKS.

0084	AGCY-ADRS-LI-1-TX	AGCY_ADRS_1_0084	DLIS-TS	F CHAR	36
------	-------------------	------------------	---------	--------	----

AGENCY ADDRESS LINE 1 TEXT
THE TEXT OF THE ADDRESS (LINE 1) OF THE AGENCY.

0085	AGCY-ADRS-LI-2-TX	AGCY_ADRS_2_0085	DLIS-TS	F CHAR	36
------	-------------------	------------------	---------	--------	----

AGENCY ADDRESS LINE 2 TEXT
THE TEXT OF THE ADDRESS (LINE 2) OF THE AGENCY.

0086	AGCY-CTY-NM	AGCY_CTY_NM_0086	DLIS-TS	F CHAR	36
------	-------------	------------------	---------	--------	----

AGENCY CITY NAME
THE CITY NAME OF THE AGENCY.

0087	AGCY-STA-CD	AGCY_STA_CD_0087	DLIS-TS	F CHAR	2
------	-------------	------------------	---------	--------	---

AGENCY STATE CODE
THE STATE CODE OF THE AGENCY.

0088	AGCY-ZIP-CD	AGCY_ZIP_CD_0088	DLIS-TS	F CHAR	10
------	-------------	------------------	---------	--------	----

AGENCY ZIP CODE
THE ZIP CODE OF THE AGENCY.

0089	AGCY-CTRY-CD	AGCY_CTRY_CD_0089	DLIS-TS	F CHAR	3
------	--------------	-------------------	---------	--------	---

AGENCY COUNTRY CODE
THE COUNTRY CODE OF THE AGENCY.

0090	SUBJ-TO-WIMM	SUBJ_TO_WIMM_0090	DLIS-SB	F CHAR	1
------	--------------	-------------------	---------	--------	---

SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT
AN ALPHA "W" OR "BLANK" THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT (WIMM). SEE VOLUME 13, APPENDIX 13-2-A FOR STANDARD FSC TABLE.

0091	DT-EFF-MOE-RULE-TBL-ACTN		DLIS-SB	F	5
------	--------------------------	--	---------	---	---

DATE EFFECTIVE MAJOR ORGANIZATIONAL ENTITY RULE TBL ACTIO
THE YEAR AND JULIAN DATE A MAJOR ORGANIZATIONAL ENTITY RULE TABLE FILE MAINTENANCE ACTION BECOMES EFFECTIVE. SEE VOLUME 13 AND QUICK INFO ON-LINE.

0092	DT-EFF-STD-FSC-TBL-ENTRY		DLIS-SB	F	5
------	--------------------------	--	---------	---	---

DATE, EFFECTIVE, STANDARD, FEDERAL SUPPLY CLASS TABLE ENT
THE YEAR AND JULIAN DAY DENOTING THE EFFECTIVE DATE FOR A DATA ENTRY RECORDED IN THE STANDARD FEDERAL SUPPLY CLASS TABLE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0093 PUB-INTRO-ID-CD DLIS-SB F 9
PUBLICATION INTRODUCTION IDENTIFIER CODE

A CODE THAT IDENTIFIES THE INTRODUCTIONS TO BE USED IN VARIOUS DLIS- PRODUCED PUBLICATIONS, E.G., 40801101 IDENTIFIES THE INTRODUCTION TO BE PRINTED IN THE FIRST FRAME OF THE FIRST SECTION OF THE FIRST MICROFICHE CARD FOR CATALOGING HANDBOOK H4-1 BASIC EDITION.

0094 INDX-ENTRY DLIS-SBB V 1762
INDEX ENTRY

NAMES OF ITEMS OF PERSONAL PROPERTY NOT CURRENTLY LISTED IN THE FEDERAL ITEM NAME DIRECTORY FOR SUPPLY CATALOGING, INCLUDING STANDARDIZED NAMES, PART NAMES, NAMES OF COMMODITIES NOT CARRIED AS ITEMS OF SUPPLY IN THE FEDERAL GOVERNMENT, AND NAMES ENTERED IN STRAIGHTFORWARD SEQUENCE.

0095 CONF-NOTI-CD CONF_NOTI_CD_0095 DLIS-SBA F CHAR 2
CONFLICT NOTIFICATION CODE

A CODE WHICH IS USED TO IDENTIFY A SPECIFIC CONFLICT CONDITION RECORDED AGAINST AND ASSOCIATED WITH AN APPROVED FILE MAINTENANCE ACTION. SEE [VOLUME 10, TABLE 109](#) AND QUICK INFO ON-LINE.

0096 FMR-NMFC-CD FMR_NMFC_0096 DLIS-SB F CHAR 6
FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE

THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE PREVIOUSLY RECORDED WHICH HAS BEEN DELETED IN ITS ENTIRETY OR HAS BEEN REPLACED WITH A NEW CLASSIFICATION CODE.

0097 FMR-UFC-CD FMR_UFC_0097 DLIS-SBA F CHAR 5
FORMER UNIFORM FREIGHT CLASSIFICATION CODE

THE FORMER UNIFORM CLASSIFICATION CODE PREVIOUSLY RECORDED BUT WHICH HAS EITHER BEEN DELETED IN ITS ENTIRETY OR HAS BEEN REPLACED WITH A NEW CLASSIFICATION CODE.

0099 CRD-IDEN-CD-IMC CRD_ID_CD_IMC_0099 DLIS-SBA F CHAR 1
CARD IDENTIFICATION CODE (CIC), ITEM MANAGEMENT CODING

A CODE WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. THE REFERENCE TO CARD IN THE TITLE REFERS TO THE IMC DATA RECORD ITSELF AND NOT TO THE INPUT FORMAT (CARD/WIRE). SEE [VOLUME 10, TABLE 137](#) AND QUICK INFO ON-LINE.

0103 APPLB-KEY-CD-FIIG APPLB_KEY_CD_0103 DLIS-SC F CHAR 3
APPLICABILITY KEY CODE, FEDERAL ITEM IDENTIFICATION GUIDE

A CODE THAT INDICATES WHETHER A REQUIREMENT IN A FEDERAL ITEM IDENTIFICATION GUIDE /FIIG/ NEED BE SATISFIED FOR THE ITEM BEING IDENTIFIED.

0106 QTY-PER-ASBLY QTY_PER_ASBL_0106 DLIS-SB F INTEGER 3
QUANTITY PER ASSEMBLY

A THREE POSITION NUMERIC CODE INDICATING THE NUMBER OF ITEMS IDENTIFIED BY A RELATED NATIONAL STOCK NUMBER, REQUIRED IN AN ASSEMBLY.

0107 UNIT-MEAS-CD UNIT_MEAS_CD_0107 DLIS-SBA F CHAR 2
UNIT MEASURE CODE

A TWO POSITION ALPHA CODE INDICATING A RECOGNIZABLE PHYSICAL MEASUREMENT/LENGTH, VOLUME, WEIGHT/A COUNT OF ITEM SUCH AS, FOOT, GALLON, POUND, EACH, DOZEN, GROSS, FOR THE RELATED NATIONAL STOCK NUMBER. SEE [VOLUME 10, TABLE 81](#) AND QUICK INFO ON-LINE.

0111 SR-1-SPEC-STD-CTL-DATA DLIS-SCA V 110

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

STANDARD REQUIREMENT-1 SPECIFICATION/STANDARD CONTROL DAT

THIS DATA ELEMENT IS USED TO PRINT THE CLEAR TEXT STANDARD REQUIREMENT 1 DATA ON THE DD FORM 146 OUTPUT. THE SR-1 DATA IS EXTRACTED FROM THE TOTAL ITEM RECORD BASED ON THE REFERENCE NUMBER CATEGORY CODES 1, 2, 4 AND 7. THIS DATA GROUP INCLUDES DATA RECORD NUMBERS 9250 AND 3570 PLUS THE CLEAR TEXT TO BE PRINTED ON THE BASIS OF THE RNCC FOR THE EXTRACTED REFERENCE NUMBER.

0112 SR-5-MFRS-DATA DLIS-SBA V 110

STANDARD REQUIREMENT-5 THE MANUFACTURERS DATA

THIS DATA ELEMENT IS USED TO PRINT THE CLEAR TEXT STANDARD REQUIREMENT 5 DATA ON THE DD FORM 146 OUTPUT. THE SR-5 DATA IS EXTRACTED FROM THE TOTAL ITEM RECORD BASED ON THE REFERENCE NUMBER CATEGORY CODE 3 FOR ITEM IDENTIFICATION TYPES 1A, 1B, 4A AND 4B. THIS DATA GROUP INCLUDES DATA RECORD NUMBERS 9250 AND 3570 PLUS THE CLEAR TEXT TO BE PRINTED WITH THE EXTRACTED REFERENCE NUMBER.

0113 MRC-CLRTXT-RPLY-FLD MRC_CLR_TXT_R_0113 DLIS-SBA V VARCHAR 999

MASTER REQUIREMENT CODE CLEAR TEXT REPLY FIELD

THIS DATA ELEMENT CONSISTS OF THE ENTIRE MASTER REQUIREMENT CODE REPLY FIELD IN CLEAR TEXT. IF REPLY CODE/S/ ARE INCLUDED IN THE CHARACTERISTICS DATA GROUP, THE DECODED REPLY STATEMENT /DRN 3864/ IS INCLUDED IN THIS REPLY FIELD. THE CONTENT OF THE DATA IS IN THE FORMAT FOR PRINTING IN THE DD FORM 146 DESCRIPTION AS DESIGNATED IN THE REPLY FIELD DISPLAY CRITERIA DD FORM 146 /DRN 8327/.

0114 MILSTICCS-RPLY-FLD DLIS-SCA V 9999

MILSTICCS REPLY FIELD

A VARIABLE DATA FIELD WHICH IS A MILSTICCS CODED REPLY OR PART OF THE REPLY TO A PRIMARY ADDRESS CODE REQUIREMENT STATEMENT. IT MAY INCLUDE REPLY CODE(S) OR CLEAR TEXT OR A COMBINATION OF BOTH. WHEN OUTPUT IN A DETAIL LISTING INVOLVING SECONDARY ADDRESS CODING, THE MILSTICCS REPLY FIELD WILL INCLUDE SAC, MODE CODE AND REPLY FIELD. WHEN OUTPUT IN A DETAIL LISTING INVOLVING AND/OR CODING, THE MILSTICCS REPLY FIELD WILL INCLUDE THE MODE CODE, REPLY FIELD, AND/OR SYMBOL(S) AND A REPORT OF THE MODE CODE AND REPLY FIELD.

0115 SAC-CDNG-IND SAC_CDNG_IND_0115 DLIS-SC F CHAR 1

SECONDARY ADDRESS CODING OR AND/OR CODING INDICATOR

A CODE REFLECTED IN THE FORMAT EDIT GUIDE CRITERIA INDICATING THE USE OF SECONDARY ADDRESS CODING, "AND" CODING, AND "OR" CODING THAT APPLIES TO AN MRC. VALID VALUES ARE R = OR, A = AND, \$ = AND/OR, C = SECONDARY ADDRESS CODING, N = NONE, T = SECONDARY ADDRESS CODING AND "AND/OR" CODING, W = SECONDARY ADDRESS CODING AND "AND" CODING, Z = SECONDARY ADDRESS CODING AND "OR" CODING.

0116 QTY-OCCRS DLIS-SCA F 7

QUANTITY OF OCCURRENCES

A QUANTITATIVE COUNT OF THE TOTAL TIMES A SPECIFIC DATA ELEMENT OCCURS, SUCH AS A PRIMARY ADDRESS CODE, OR MASTER REQUIREMENT CODE WITH A SPECIFIC MODE CODE AND CODED REPLY FIELD.

0121 SP-MAT-CONT-CD SP_MAT_CONT_0121 DLIS-SBA F CHAR 1

SPECIAL MATERIAL CONTENT CODE

A CODE THAT INDICATES AN ITEM REPRESENTS OR CONTAINS PECULIAR MATERIAL REQUIRING SPECIAL TREATMENT, PRECAUTIONS OR MANAGEMENT CONTROL OF THE ITEM. SEE [VOLUME 10, TABLE 102](#) AND QUICK INFO ON-LINE.

0122 FSC-MOE-RULE-CHNG-IND FSC_M_RL_C_IN_0122 DLIS-SBA F CHAR 1

FEDERAL SUPPLY CLASS/MOE RULE INDICATOR CODE

A CODE WHICH IS COMPUTER GENERATED AS THE RESULT OF AN INPUT TRANSACTION CHANGING ANY PORTION OF A FEDERAL SUPPLY CLASS/MAJOR ORGANIZATIONAL ENTITY/MOE/RULE RECORD. VALID VALUES ARE: A-NEW, C-CANCELLED, D-DELETION, R-REVISED, OR BLANK-AUTHORIZED FOR CURRENT LEVEL OF APPLICATION USE.

0126 FMR-REL-NSN DLIS-SB F CHAR 13

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FORMER RELATED NATIONAL STOCK NUMBER

THE RELATED NATIONAL STOCK NUMBER THAT IS RECORDED IN A CATALOG MANAGEMENT DATA RECORD TO BE REPLACED BY ANOTHER NATIONAL STOCK NUMBER THROUGH A CHANGE NOTICE.

0130 FRT-CLAS-CD DLIS-SBA F 12
FREIGHT CLASSIFICATION CODE

A CODE ASSIGNED TO EACH DESCRIPTIVE ITEM IDENTIFICATION, TO BE EXTENDED TO ALL ITEMS, BY THE MILITARY TRAFFIC MANAGEMENT COMMAND, CONSISTING OF THE SIX DIGIT NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE, DRN 2850, THE ONE DIGIT NMFC SUB-ITEM NUMBER, DRN 0861, AND THE FIVE DIGIT UNIFORM FREIGHT CLASSIFICATION (UFC) CODE, DRN 3040.

0131 DOC-CTL-NBR-FU DLIS-SBA F CHAR 16
DOCUMENT CONTROL NUMBER, FOLLOW-UP

USED IN FOLLOW-UP TRANSACTIONS AND THEIR RESULTANT OUTPUTS TO IDENTIFY THE DOCUMENT CONTROL NUMBER OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH NOTIFICATION HAS NOT BEEN RECEIVED BY THE SUBMITTING ACTIVITY AS REQUIRED.

0132 ISS-REP-RQNG-RSTRN-CD IRRN_VNY_0132 DLIS-SBA F CHAR 2
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE (IRR)

A CODE THAT INDICATES RESTRICTIONS ON ISSUING OR INSTRUCTIONS FOR REQUISITIONING, ITEM REPAIR/OVERHAUL, TURN-IN, EXCHANGE OR DISPOSAL. SEE [VOLUME 10, TABLE 95](#) AND QUICK INFO ON-LINE.

0133 PSDO-SOS-CD PSDO_SOS_CD_0133 DLIS-SBA F CHAR 3
PSEUDO SOURCE OF SUPPLY CODE

A CODE USED TO REFLECT WHETHER THE SOURCE OF SUPPLY IS EITHER CENTRALIZED OR DECENTRALIZED. THIS CODE IS ALSO USED TO INDICATE TO THE DEFENSE AUTOMATIC ADDRESSING SYSTEMS /DAAS/ THE TYPE OF UPDATE ACTION TO BE TAKEN ON THE SOURCE OF SUPPLY FILE MAINTAINED BY DAAS. SEE [VOLUME 10, TABLE 110](#) AND QUICK INFO ON-LINE.

0134 INACT-SOS-IND-CD INACT_SOS_IND_0134 DLIS-SBA F CHAR 1
INACTIVE SOURCE OF SUPPLY INDICATOR CODE

A ONE POSITION CODE USED TO DENOTE AN INACTIVE SOURCE OF SUPPLY.

0135 Nvy-SP-SOS-CD Nvy_SP_SOS_CD_0135 DLIS-SBA F CHAR 2
NAVY SPECIAL SOURCE OF SUPPLY CODE

A TWO POSITION CODE USED FOR ROUTING MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES REQUISITIONS. THIS CODE IS USED ONLY BY THE NAVY AND IS APPLIED AGAINST A GEOGRAPHICAL GRID /MATRIX/ BY DEFENSE AUTOMATIC ADDRESSING SYSTEM. SEE [VOLUME 10, TABLE 111](#) AND QUICK INFO ON-LINE.

0136 DEMIL-SP-PROJ-ID DEMIL_SP_PROJ_0136 DLIS-SB F CHAR 5
DEMILITARIZATION SPECIAL PROJECT IDENTIFIER

THE IDENTIFIER ASSIGNED BY THE DEMIL ADMINISTRATOR THAT REPRESENTS SPECIAL PROJECTS ASSIGNED TO THE DLIS, DEMIL CODING MANAGEMENT BRANCH. VALID VALUES: A-Z, 1-9

0137 MAINT-ACTN-CD DLIS-SBA F 2
MAINTENANCE ACTION CODE

A CODE USED BY A MILITARY SERVICE OR A WEAPONS INTEGRATED MATERIAL MANAGER TO IDENTIFY THE SPECIFIC CATALOG MANAGEMENT DATA RECORD BEING ESTABLISHED OR UPDATED. CODE MM INDICATES ACTION TO A WEAPONS INTEGRATED MATERIAL MANAGER RECORD ONLY, MS INDICATES ACTION TO THE WEAPONS INTEGRATED MATERIAL MANAGER AND HIS SERVICE RECORD, AND CODE SS INDICATES ACTION TO SERVICE RECORD ONLY.

0138 DEMIL-INTGTY-CD DEMIL_INTG_CD_0138 DLIS-SB F CHAR 1
DEMILITARIZATION INTEGRITY CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE CODE THAT REPRESENTS THE RECOMMENDED DEMIL CODE'S STATUS AND RELATIONSHIP WITH DEMILITARIZATION (DEMIL) CODE (SEE DRN 0167). VALID VALUES CAN BE FOUND IN [VOLUME 10, TABLE 216](#).

0139 DAAS-CRIT-SOS-UPDT DLIS-SBA V 11
DAAS CRITICAL SOURCE OF SUPPLY UPDATE

A GROUP OF DATA ELEMENTS PERTINENT TO AFFECT AN IMMEDIATE SOURCE OF SUPPLY UPDATE TO BE UTILIZED BY THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS). THE LENGTH OF THE DATA SEGMENT IS 80 CHARACTERS IN CARD FORMAT. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0140 DEMIL-APDX-ID DEMIL_APDX_0140 DLIS-SB F CHAR 2
DEMILITARIZATION APPENDIX IDENTIFIER

THE IDENTIFIER OF A LOCATION IN DEMIL MANUAL DOD 4160.21-M-1 USED BY THE DLIS, DEMIL OFFICE TO DETERMINE THE NEW DEMIL CODE. SEE DEMIL_CTGY_0141 AND DEMIL_PARA_0142. EITHER POSITION, BUT NOT BOTH, MAY BE BLANK. VALID VALUES: ANY ONE OR COMBINATION OF THE LETTERS A-Z AND/OR THE NUMBERS 1-9.

0141 DEMIL-CTGY-ID DEMIL_CTGY_0141 DLIS-SB F CHAR 2
DEMILITARIZATION CATEGORY IDENTIFIER

THE IDENTIFIER OF A LOCATION IN DEMIL MANUAL DOD 4160.21-M-1 USED BY THE DLIS, DEMIL OFFICE TO DETERMINE THE NEW DEMIL CODE. SEE DEMIL_APDX_0140 AND DEMIL_PARA_0142. EITHER POSITION, BUT NOT BOTH, MAY BE BLANK. VALID VALUES: ANY ONE OR COMBINATION OF THE LETTERS A-Z AND/OR THE NUMBERS 1-9.

0142 DEMIL-PARA-ID DEMIL_PARA_0142 DLIS-SB F CHAR 2
DEMILITARIZATION PARAGRAPH IDENTIFIER

THE IDENTIFIER OF A LOCATION IN DEMIL MANUAL DOD 4160.21-M-1 USED BY THE DLIS, DEMIL OFFICE TO DETERMINE THE NEW DEMIL CODE. SEE DEMIL_APDX_0140 AND DEMIL_CTGY_0141. EITHER POSITION, BUT NOT BOTH, MAY BE BLANK. VALID VALUES: ANY ONE OR COMBINATION OF THE LETTERS A-Z AND/OR THE NUMBERS 0-9.

0143 EXPORT-CMDTY-CTL-NBR-ID ECCN_0143 DLIS-SB F CHAR 5
EXPORT COMMODITY CONTROL NUMBER IDENTIFIER

THE IDENTIFIER THAT PROVIDES THE COMMODITY, TECHNOLOGY, AND SOFTWARE INTERPRETATIONS FOR AN ITEM OF SUPPLY. SEE THE FEDERAL REGISTER. VALID VALUES: A-Z, 1-9

0145 DEMIL-TECH-NAR-TX DEMIL_NAR_0145 DLIS-SB V VARCHAR 1000
DEMILITARIZATION TECHNICIAN NARRATIVE TEXT

THE CLEAR TEXT NARRATIVE USED BY THE DEMIL TECHNICIAN TO PROVIDE ADDITIONAL JUSTIFICATION BY THE DLIS, DEMIL OFFICE FOR THE CHANGE TO THE NEW DEMIL CODE,

0146 DEMIL-ITM-REVIEW-JUL-DT DEMIL_REVIEW_DT_0146 DLIS-SB F CHAR 7
DEMILITARIZATION ITEM REVIEW JULIAN DATE

THE JULIAN DATE ON WHICH THE DEMIL CODE IS REVIEWED BY THE DLIS, DEMIL OFFICE. FORMAT: CCYYDDD.

0149 DEMIL-PICA-FWD-JUL-DT PICA_FWD_DT_0149 DLIS-SB F CHAR 7
DEMILITARIZATION PICA FORWARDED JULIAN DATE

THE JULIAN DATE ON WHICH AN ITEM, WITH A RECOMMENDED DEMIL CHANGE, IS FORWARDED FROM THE DLIS, DEMIL OFFICE TO THE PICA. FORMAT: CCYYDDD.

0150 DEMIL-PICA-RSP-JUL-DT PICA_RSP_DT_0150 DLIS-SB F CHAR 7
DEMILITARIZATION PICA RESPONSE JULIAN DATE

THE JULIAN DATE ON WHICH THE PICA RESPONDS BY INPUTTING THE RECOMMENDED DEMIL CODE TO FLIS. FORMAT: CCYYDDD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
0151	DEMIL-ITM-RE VW-DEF-TX	DEMIL_RE VW_TX_0151	DLIS-SB	F CHAR 50
DEMILITARIZATION ITEM REVIEW DEFINITION TEXT THE TEXT OF THE DEFINITION OF DEMILITARIZATION ITEM REVIEW CODE. (SEE DRN 0144).				
0152	DEMIL-INTGTY-DEF-TX	DEMIL_INTG_TX_0152	DLIS-SB	F CHAR 200
DEMILITARIZATION INTEGRITY DEFINITION TEXT THE TEXT OF THE DEFINITION OF DEMILITARIZATION INTEGRITY CODE. (SEE DRN 0138).				
0153	DAAS-SOS-UPDT		DLIS-SBA	F 80
DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUPPLY UPDA A GROUP OF DATA ELEMENTS MAKING-UP THE OUTPUT FROM THE FEDERAL LOGISTICS INFORMATION SYSTEM TO THE DEFENSE AUTOMATIC ADDRESSING SYSTEM AS A NOTIFICATION OF A SOURCE OF SUPPLY UPDATE TO BE UTILIZED IN THE ROUTING OF MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) REQUISITIONS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.				
0154	IMC-AD-NOTI-SEG		DLIS-SBA	V 21
ITEM MANAGEMENT CODING ADVICE NOTIFICATION SEGMENT A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE ITEM MANAGEMENT CODING (IMC), I.E., IMC CATEGORY CODE IDENTIFICATION, REFERENCE NUMBER CATEGORY CODE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER. THE LENGTH OF THE DATA SEGMENT IS 80 CHARACTERS IN CARD FORMAT. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.				
0155	FU-COND-CD	FU_COND_CD_0155	DLIS-SBA	F CHAR 2
FOLLOW-UP CONDITION CODE A TWO POSITION CODE GENERATED BY DEFENSE LOGISTICS INFORMATION SERVICE (DLIS) WHICH IDENTIFIES THE CONDITION THAT DLIS WILL FOLLOW-UP TO SERVICE/AGENCY ACTIVITIES. THIS CODE WILL INDICATE WHAT ACTION IS REQUIRED BY THE RECIPIENT OF THE FOLLOW-UP.				
0156	TECHN-ASGMT-STAT-CD	DEMIL_STAT_CD_0156	DLIS-SBD	F CHAR 1
DEMILITARIZATION TECHNICIAN ASSIGNMENT STATUS CODE AN INTERNAL PROGRAM CODE INDICATING WHICH ITEMS IN THE DEMIL_WORK_TABLE HAVE BEEN ASSIGNED TO A TECHNICIAN AND WHICH OF THE ONES ASSIGNED HAVE BEEN COMPLETED. VALID VALUES: A, C, AND BLANK				
0157	DEMIL-FLIS-NIIN-IND-CD	DEMIL_NIIN_CD_0157	DLIS-SBD	F CHAR 1
DEMILITARIZATION FLIS NIIN INDICATOR CODE AN INTERNAL PROGRAM CODE INDICATING WHETHER A NIIN IS NEW IN FLIS, OR FROM THE FLIS INVENTORY. VALID VALUES: I, N, AND S (HOWEVER THE "S" IS ONLY VALID IN THE NEW NIIN_CONTROL_TABLE.)				
0158	INT-CD-PAC-SUMRY-MODE-CD		DLIS-SC	F 4
INTERROGATION CODE, PAC SUMMARY BY MODE CODE WITHIN FIIG A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA WILL CONSIST OF DATA RECORD NUMBERS, 4065, 4735, 0116, 3445, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.				
0159	INT-CD-PAC-DTL-MODE-CD-F		DLIS-SC	F 4
INTERROGATION CODE, PAC DETAIL BY MODE CODE PAC FIIG A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 4375, 0116, 4080, 3445, 4735, 0114, 4080. SEE VOLUME 10, TABLE 28 , AND QUICK INFO ON-LINE.				
0160	DEMIL-INTGTY-CHG-JUL-DT	INTGTY_CHG_DT_0160	DLIS-SBD	F CHAR 7

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

DEMILITARIZATION INTEGRITY CHANGE JULIAN DATE
THE JULIAN DATE ON WHICH A CHANGE WAS MADE TO THE DEMIL INTEGRITY CODE. SEE DEMIL_INTG_CD_0138.

0161 INT-CD-PAC-WI-INC-WI-FII DLIS-SC F 4
INTERROGATION CODE, PAC W/IN ITEM NAME CODE W/IN FII
A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY PRIMARY ADDRESS CODE WITHIN ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 4080, 3445, 0116, 3445,4735, 0114, 3960, 8863 AND 0114. SEE [VOLUME 10, TABLE 28](#) AND QUICK INFO ON-LINE.

0162 INT-CD-PAC-DTL-PAC-WI-FI DLIS-SC F 4
INTERROGATION CODE PAC DETAIL PAC WITHIN FII
A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE DETAIL BY PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0116, 4080, 3445, 4735, 0114, 4080, 3960, 8863 AND 0114. SEE [VOLUME 10, TABLE 28](#) AND QUICK INFO ON-LINE.

0163 INT-CD-PAC-SUMRY-RPLY-CD DLIS-SC F 4
INTERROGATION CODE, PAC SUM BY REPLY CODE W/IN PAC W/IN F
A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY REPLY CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0114, 0116, 3445, 4735, 0115, 0114 AND 4080. SEE [VOLUME 10, TABLE 28](#) AND QUICK INFO ON-LINE.

0164 INT-CD-PAC-DTL-RPLY-CD DLIS-SC F 4
INTERROGATION CODE, PAC DETAIL BY REPLY CODE PAC FII
A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY REPLY CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0114, 0116, 4080, 3445, 4735, 0114, 4080, 3960, 8863 AND 0114. SEE [VOLUME 10, TABLE 28](#) AND QUICK INFO ON-LINE.

0165 DEMIL-FSC-PRI-CPCT-CD FSC_CPCT_CD_0165 DLIS-SBD F CHAR 1
DEMILITARIZATION FSC PRIORITY CAPACITY CODE
THE CODE LOADED TO THE DEMIL FSC PRIORITY TABLE THAT INDICATES WHETHER A PARTICULAR FSC SHOWN ON THE FSC PRIORITY SCREEN IN THE DEMIL APPLICATION HAS BEEN LOADED TO THE DEMIL_WORK_TABLE (TABLE 714). IF THE "F" CODE IS PRESENT, THE DEMIL_WORK_TABLE IS AT CAPACITY AND THE FSC COULD NOT BE LOADED. IF THE CODE IS BLANK, THE FSC WAS LOADED.

0166 FU-STAT-CD FU_STAT_CD_0166 DLIS-SBA F CHAR 2
FOLLOW-UP STATUS CODE
USED IN THE RESULTANT OUTPUTS OF FOLLOW-UP INTERROGATIONS TO IDENTIFY THE CURRENT STATUS OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH NOTIFICATION HAD NOT BEEN RECEIVED BY THE SUBMITTING ACTIVITY.

0167 D-MIL-CD DEMIL_CD_0167 DLIS-SB F CHAR 1
DEMILITARIZATION (DEMIL) CODE
A CODE TO IDENTIFY EACH ITEM REQUIRING DEMILITARIZATION AND THE TYPE OF DEMILITARIZATION REQUIRED. SEE [VOLUME 10, TABLE 38](#) AND QUICK INFO ON-LINE.

0168 DEMIL-FSC-REVW-PRI-CD FSC_REVW_PRI_0168 DLIS-SBD F CHAR 2
DEMILITARIZATION FSC REVIEW PRIORITY CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE CODE THAT NUMERICALLY REPRESENTS THE PRIORITY IN WHICH DEMIL FSCs WILL BE REVIEWED IN THE DEMIL AUTOMATION PROCESS. VALID VALUES: 01 - 99

0169 INT-CD-PAC-SUMRY-FIIG DLIS-SC F 4
INTERROGATION CODE, PRIMARY ADDRESS CODE SUMMARY BY FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 0116, 3445, 4735, 0115, 0114, AND 4080. SEE [VOLUME 10, TABLE 28](#) AND QUICK INFO ON-LINE.

0170 INT-CD-PAC-SUM-MOE-CD-FI DLIS-SC F 4
INTERROGATION CODE, PAC SUM BY MODE CODE W/IN PAC W/IN FI

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY MODE CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 3735, 0116, 0115, 0114 AND 4080. SEE [VOLUME 10, TABLE 28](#) AND QUICK INFO ON-LINE.

0172 NIIN-LOAD-JUL-DT NIIN_LOAD_DT_0172 DLIS-SA F DATE 7
NIIN LOAD JULIAN DATE

THE JULIAN DATE ON WHICH THE LQLNC500 PROGRAM LOADED THE NIIN TO THE DEMIL_WORK TABLE (TABLE 714). THE FORMAT IS IN THE FORM OF CCYYDDD.

0173 RE-REVIEW-JUL-DT RE_RVW_DT_0173 DLIS-SA F DATE 7
RE-REVIEW JULIAN DATE

THE JULIAN DATE ON WHICH THE TABLE 712 RECORD WAS OVERLAID BY A TECHNICIAN WHEN THE NSN IS REVIEWED THROUGH THE RE-REVIEW OPTION ON THE DEMIL_AUTOMATION TABLE (TABLE 712). THE FORMAT IS IN THE FORM OF CCYYDDD.

0174 EOL I_S_IND_CD_0174 DLIS-SA F CHAR 1
I & S INDICATOR CODE

A CODE INDICATING WHETHER THE NIIN IS A MEMBER OF A VALID INTERCHANGEABLE AND SUBSTITUTABLE (I&S) FAMILY. VALID VALUES: Y = YES, N = NO.

0175 DEMIL-HST-IND-CD DEMIL_HST_IND_0175 DLIS-SIA F CHAR 1
DEMILITARIZATION HISTORY INDICATOR CODE

A CODE THAT REPRESENTS A FLAG THAT INDICATES WHETHER A NIIN SELECTED FOR RE-REVIEW FROM THE DEMIL_AUTOMATION TABLE (TABLE 712) HAS A CORRESPONDING DATA RECORD, RECORDED IN THE DEMIL_HISTORY TABLE. VALID VALUES: Y = YES, N = NO.

0177 ACTY-CD-SCRNG ACTY_CD_SCRNG_0177 DLIS-SBA F CHAR 2
ACTIVITY CODE, SCREENING

A TWO POSITION CODE OF THE GOVERNMENT ACTIVITY AUTHORIZING THE SUBMITTAL OF PROVISIONING AND OTHER PREPROCUREMENT SCREENING REQUESTS.

0178 DEMIL-WKLD-FSC-PRI-CD FSC_PRI_0178 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD FSC PRIORITY CODE

THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH FSCs PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERICS 1, 2, 3, 4, 5 AND 6 AND BLANK.)

0179 DEMIL-WKLD-PICA-PRI-CD PICA_PRI_0179 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD PICA PRIORITY CODE

THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH PICA PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERICS 1, 2, 3, 4, 5 AND 6 AND BLANK.)

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0180 DEMIL-WKLD-INC-PRI-CD INC_PRI_0180 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD INC PRIORITY CODE
THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH INC PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERIC 1, 2, 3, 4, 5 AND 6 AND BLANK.)

0181 DEMIL-WKLD-NM-PRI-CD NM_PRI_0181 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD NAME PRIORITY CODE
THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH NAME PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERIC 1, 2, 3, 4, 5 AND 6 AND BLANK.)

0182 DEMIL-WKLD-DEMIL-CD-PRI-CD DEMIL_CD_PRI_0182 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD DEMIL CODE PRIORITY CODE
THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH DEMIL CODE PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERIC 1, 2, 3, 4, 5 AND 6 AND BLANK.)

0183 DEMIL-WKLD-CAGE-PRI-CD CAGE_PRI_0183 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD CAGE PRIORITY CODE
THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH CAGE PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERIC 1, 2, 3, 4, 5 AND 6 AND BLANK.)

0184 DEMIL-WKLD-COMB-PRI-CD COMB_PRI_0184 DLIS-SA F CHAR 1
DEMILITARIZATION WORKLOAD COMBINATION PRIORITY CODE
THE CODE THAT INDICATES THE DEMIL WORKLOAD PRIORITY IN WHICH COMBINATION PULLS WILL BE WORKED. (ALLOWABLE INPUTS ARE NUMERIC 1, 2, 3, 4, 5 AND 6 AND BLANK.)

0185 DEMIL-WKLD-PRI-NBR-CT-QY PRI_CT_0185 DLIS-SA F CHAR 7
DEMILITARIZATION WORKLOAD PRIORITY NUMBER COUNT QUANTITY
A COUNT OF THE NUMBER OF NIINs REMAINING FOR EACH DEMIL WORKLOAD REQUEST TYPE, WHICH HAS NOT BEEN LOADED TO THE DEMIL_WORK_TABLE.

0186 STA-US-POSN-ABR ST_US_POSN_AB_0186 DLIS-SBB F CHAR 2
STATE/U.S. POSSESSION ABBREVIATION
A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION.

0187 ERLS-REVIEW-IND-CD ERLS_REVIEW_IND_0187 DLIS-SXS F CHAR 1
ERLS REVIEW INDICATOR CODE
THE INDICATOR THAT, ADDED TO THE ENVIRONMENTALLY_PREFD_ITM_CLS (ENAC) DATA ELEMENT, MAKES IT POSSIBLE TO DETERMINE IF THE PERCENT MEETING GUIDELINE VALUE SHOULD BE DISPLAYED ON THE ERLS GPR, OR THE WORD "UNREVIEWED" BE DISPLAYED IN ITS PLACE. THE VALUE WILL BE SET TO 'N' DURING THE INITIAL LOAD PROCESS AND THEN MAY BE CHANGED TO 'Y' THROUGH THE ERLS APPLICATION. IT MAY ALSO BE SET BACK TO 'N' USING THE ERLS APPLICATION.

0188 COR-POC-NM COR_POC_NM_0188 DLIS-TS F CHAR 36
CONTRACT OFFICE REPRESENTATIVE (COR) POINT OF CONTACT NAME
THE POINT OF CONTACT NAME, (AKA. SIGHT ADMINISTRATOR), FOR THE COR.

0189 SEG-LGTH SEG_LGTH_0189 DLIS-E F CHAR 4
SEGMENT LENGTH
THIS FIELD CONTAINS THE NUMBER OF CHARACTERS IN THE SEGMENT.

0190 COR-NM COR_NM_0190 DLIS-TS F CHAR 36

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

CONTRACT OFFICE REPRESENTATIVE (COR) NAME
THE NAME OF THE COR FOR THE CONTRACT UNDER WHICH THIS INDIVIDUAL IS WORKING.

0191	COR-OFC-NM	COR_OFC_NM_0191	DLIS-TS	F CHAR	60
------	------------	-----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) OFFICE NAME
THE NAME OF THE OFFICE FOR WHICH THE COR WORKS.

0192	COR-ORG-NM	COR_ORG_NM_0192	DLIS-TS	F CHAR	60
------	------------	-----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) ORGANIZATION NAME
THE NAME OF THE ORGANIZATION FOR WHICH THE COR WORKS.

0193	COR-ADRS-LI-1-TX	COR_ADRS_1_0193	DLIS-TS	F CHAR	36
------	------------------	-----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) ADDRESS LINE 1 TEXT
THE TEXT OF THE ADDRESS (LINE 1) OF THE COR.

0194	COR-ADRS-LI-2-TX	COR_ADRS_2_0194	DLIS-TS	F CHAR	36
------	------------------	-----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) ADDRESS LINE 2 TEXT
THE TEXT OF THE ADDRESS (LINE 2) OF THE COR.

0195	COR-CTY-NM	COR_CTY_NM_0195	DLIS-TS	F CHAR	36
------	------------	-----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) CITY NAME
THE CITY NAME OF THE COR.

0196	COR-STA-CD	COR_STA_CD_0196	DLIS-TS	F CHAR	2
------	------------	-----------------	---------	--------	---

CONTRACT OFFICE REPRESENTATIVE (COR) STATE CODE
THE STATE CODE OF THE COR.

0197	COR-ZIP-CD	COR_ZIP_CD_0197	DLIS-TS	F CHAR	10
------	------------	-----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) ZIP CODE
THE ZIP CODE OF THE COR.

0198	COR-CTRY-CD	COR_CTRY_CD_0198	DLIS-TS	F CHAR	3
------	-------------	------------------	---------	--------	---

CONTRACT OFFICE REPRESENTATIVE (COR) COUNTRY CODE
THE COUNTRY CODE OF THE COR.

0200	COR-CMRCL-FAX-NBR-ID	COR_CMC_FAX_0200	DLIS-TS	F CHAR	20
------	----------------------	------------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) COMMERCIAL FAX NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL FAX NUMBER OF THE COR.

0201	COR-DSN-TEL-NBR-ID	COR_DSN_TEL_0201	DLIS-TS	F CHAR	20
------	--------------------	------------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) DSN TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE DSN TELEPHONE NUMBER OF THE COR.

0202	COR-EMAIL-ADRS-TX	COR_EMAIL_0202	DLIS-TS	F CHAR	80
------	-------------------	----------------	---------	--------	----

CONTRACT OFFICE REPRESENTATIVE (COR) EMAIL ADDRESS TEXT
THE TEXT OF THE E-MAIL ADDRESS OF THE COR.

0203	APP-RGSTRN-FM-CD	APP_RGS_FM_CD_0203	DLIS-TS	F CHAR	1
------	------------------	--------------------	---------	--------	---

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

APPLICATION REGISTRATION FORM CODE
A CODE USED TO IDENTIFY A PARTICULAR APPLICATION REGISTRATION FORM.

0204	APP-RGSTRN-FM-DESC-TX	APP_RGS_FM_TX_0204	DLIS-TS	F CHAR	80
------	-----------------------	--------------------	---------	--------	----

APPLICATION REGISTRATION FORM DESCRIPTION TEXT
THE DESCRIPTION TEXT OF THE APPLICATION REGISTRATION FORM.

0205	FM-URL-PHY-LOC-NM	FM_URL_LOC_NM_0205	DLIS-TS	F CHAR	80
------	-------------------	--------------------	---------	--------	----

FORM UNIVERSAL RESOURCE LOCATOR (URL) PHYSICAL LOCATION NAME
THE NAME OF THE PHYSICAL LOCATION OF THE VIEWABLE/PRINTABLE FORM.

0206	DATA-ELE-SCTN-CD	DE_SCTN_CD_0206	DLIS-TS	F CHAR	1
------	------------------	-----------------	---------	--------	---

DATA ELEMENT SECTION CODE
A CODE THAT DEFINES A GROUP OF RELATED DATA ELEMENTS. VALID VALUES: A = IDENTIFICATION INFORMATION, B = NAME INFORMATION, C = FOREIGN NATIONAL INFORMATION, D = DOMESTIC ADDRESS INFORMATION, E = FOREIGN ADDRESS INFORMATION, F = CONTACT INFORMATION, G = AGENCY INFORMATION, H = CONTRACT INFORMATION, I = COMPANY INFORMATION, J = SPONSOR INFORMATION, K = SUPERVISOR INFORMATION

0207	HDG-SCTN-DESC-TX	HDG_SCTN_DESC_0207	DLIS-TS	F CHAR	80
------	------------------	--------------------	---------	--------	----

HEADINGS SECTION DESCRIPTION TEXT
THE DESCRIPTION TEXT OF THE SECTION THAT IS USED IN THE SECTION HEADINGS OF THE WEB PAGE.

0208	SEQ-SCTN-FLGS-ID	SEQ_SCTN_FLGS_0208	DLIS-TS	F CHAR	20
------	------------------	--------------------	---------	--------	----

SEQUENCE SECTION FLAGS IDENTIFIER
THE IDENTIFIER THAT REPRESENTS FLAGS (IN PAIRS) TO DETERMINE THE SEQUENCE THAT THIS SECTION SHOULD ATTAIN WHEN PRESENTING THE SERIES OF SECTIONS TO BE FILLED OUT ON THE WEB PAGE. EACH PAIR CORRESPONDS TO THE TYPE OF USER REQUESTING ACCESS. IF THE FLAGS (IN PAIRS) CONTAIN 'XX' THEN THE SECTION SHOULD NOT BE PRESENTED FOR THE USER TYPE. OTHERWISE THE FLAGS (IN PAIRS) SHOULD BE CONVERTIBLE TO AN INTEGER THAT INDICATES THE RELATIVE POSITION IN THE SERIES OF SECTIONS TO BE PRESENTED.

0209	REF-NBR-CHAR-CTR		DLIS-SBA	F	2
------	------------------	--	----------	---	---

REFERENCE NUMBER CHARACTER COUNTER
A TWO POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE REFERENCE NUMBER. THE VALUE MAY RANGE FROM 01 TO 32.

0210	ITM-NM-CHAR-CTR		DLIS-SBA	F	2
------	-----------------	--	----------	---	---

ITEM NAME CHARACTER COUNTER
A TWO POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE ITEM NAME CODE OR THE ITEM NAME FIELD. THE VALUE MAY RANGE FROM 00 TO 19.

0211	OCRS-CTR-1		DLIS-SBA	F	1
------	------------	--	----------	---	---

OCCURS COUNTER/1/
A ONE POSITION COUNTER TO INDICATE THE NUMBER OF OCCURRENCES OF A FIXED GROUP OF DATA. THE VALUE MAY RANGE FROM 1 TO 9.

0212	OCRS-CTR-2		DLIS-SBA	F	2
------	------------	--	----------	---	---

OCCURS COUNTER/2/
A TWO POSITION COUNTER TO INDICATE THE NUMBER OF OCCURRENCES OF A FIXED GROUP OF DATA. THE VALUE MAY RANGE FROM ZEROS TO 99.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0213 RQMT-STMT-CHAR-CTR DLIS-E F 3
 REQUIREMENT STATEMENT CHARACTER CTR
 A THREE POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN A REQUIREMENT STATEMENT (DRN 3614).
 THE VALUE MAY RANGE FROM ZEROS TO 200.

0214 MRC-CLRTXT-RPLY-CHAR-CTR DLIS-E F 3
 MASTER REQUIREMENT CODE CLEAR TEXT REPLY CHARACTER COUNT
 A THREE POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE MASTER REQUIREMENT
 CODE/CLEAR TEXT REPLY DATA. THE VALUE OF THE COUNTER MAY RANGE FROM 000 TO 999.

0216 FMR-PHRS-RL-GP DLIS-SBA F 34
 FORMER PHRASE RELATIONSHIP GROUP
 A GROUP OF DATA REQUIRED TO CHANGE A RELATED NATIONAL STOCK NUMBER IN THE TOTAL ITEM RECORD. DATA RECORD
 NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 2862, 2895 AND 0126.

0217 PHRS-RL-GP DLIS-SBA F 21
 PHRASE RELATIONSHIP GROUP
 A GROUP OF DATA REQUIRED TO AFFECT AN ADD OR DELETE ACTION OF A DATA ELEMENT AND RELATED DATA TO THE TOTAL ITEM
 RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 2862 AND 2895.

0218 UI-CHNG-DATA DLIS-SBA F 26
 UNIT OF ISSUE CHANGE DATA
 A GROUP OF DATA REQUIRED TO AFFECT AN UNIT OF ISSUE CHANGE IN THE TOTAL ITEM RECORD. DATA RECORD NUMBERS
 INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 3050, 7075, 6106, 3053 AND 8472.

0219 AGCY-NM AGCY_NM_0219 DLIS-TS F CHAR 60
 AGENCY NAME
 THE NAME OF THE AGENCY THAT IS SPONSORING THIS INDIVIDUAL.

0220 AGCY-CMRL-TEL-NBR-ID AGCY_CMC_TEL_0220 DLIS-TS F CHAR 20
 AGENCY COMMERCIAL TELEPHONE NUMBER IDENTIFIER
 THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL TELEPHONE NUMBER OF THE SPONSORING AGENCY.

0221 AGCY-CMRL-FAX-NBR-ID AGCY_CMC_FAX_0221 DLIS-TS F CHAR 20
 AGENCY COMMERCIAL FAX NUMBER IDENTIFIER
 THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL FAX NUMBER OF THE SPONSORING AGENCY.

0222 AGCY-DSN-TEL-NBR-ID AGCY_DSN_TEL_0222 DLIS-TS F CHAR 20
 AGENCY DSN TELEPHONE NUMBER IDENTIFIER
 THE IDENTIFIER THAT REPRESENTS THE DSN TELEPHONE NUMBER OF THE SPONSORING AGENCY.

0223 AGCY-DSN-FAX-NBR-ID AGCY_DSN_FAX_0223 DLIS-TS F CHAR 20
 AGENCY DSN FAX NUMBER IDENTIFIER
 THE IDENTIFIER THAT REPRESENTS THE DSN FAX NUMBER OF THE SPONSORING AGENCY.

0224 AGCY-EMAIL-ADRS-TX AGCY_EMAIL_0224 DLIS-TS F CHAR 80
 AGENCY EMAIL ADDRESS TEXT
 THE TEXT OF THE E-MAIL ADDRESS OF THE SPONSORING AGENCY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT	HOST/COBOL NAME			
DRN DEFINITION				

0225 SEG-CD-SUPMTL SEG_CD_SUPMTL_0225 DLIS-SBA F CHAR 2
SEGMENT CODE, SUPPLEMENTAL

A CODE WHICH FURTHER QUALIFIES AND EXPANDS A FEDERAL LOGISTICS INFORMATION SYSTEM CODE/DRN 8999/FOR PURPOSES OF IDENTIFYING A SPECIFIC PORTION OF A SYSTEM SUPPORT RECORD FILES SEGMENT.SEE VOLUME 10, TABLE 120 AND QUICK INFO ON-LINE.

0226 RPLM-MOE-RULE-NBR1 RPLM_M_RL_NBR_0226 DLIS-SCA F CHAR 4
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 1

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FIRST OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FIRST OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR2, RPLM-MOE-RULE-NBR3, ETC. SEE VOLUME 13 AND QUICK INFO ON-LINE.

0227 CRD-IDEN-NBR DLIS-SBA F 2
CARD IDENTIFICATION NUMBER

A CODE USED TO IDENTIFY A SPECIFIC CARD RECORD CONTAINED WITHIN A FILE SEGMENT FOR WHICH AN INPUT MAINTENANCE ACTION APPLIES.

0228 CT-MOE-RULE-MGMT-EXCP DLIS-SBA F CHAR 800
CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTION SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE NOTES APPLICABLE TO A GIVEN CATALOG TOOLS MOE RULEMANAGEMENT EXCEPTIONS SEGMENT MAJOR ORGANIZATIONAL ENTITYRULE AND A CARD IDENTIFICATION NUMBER. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES.

0232 PRVSNG-SCRNG-RCVR-ADRS P_SCR_RCV_ADD_0232 DLIS-SBA V VARCHAR 48
PROVISIONING SCREENING RECEIVER'S ADDRESS

THE RECEIVER'S ADDRESS ENTERED IN THE PSMAT. FOR IN-THE-CLEAR MAILING ADDRESSES, EACH LINE OF THE ADDRESS IS LIMITED TO A MAX OF 48 POSITIONS AND TO 9 LINES PER ADDRESS. FOR WIRE OUTPUT, ADDRESSES WILL BE REFLECTED BY A 2 POSITION ACTIVITY CODE WHICH WILL BE CONVERTED TO THE JANUP 128 RIC BY OUTPUT CONTROL AND BY ALTERNATE RECEIVER'S ADDRESS WHICH WILL BE INDENTED TO THE FOURTH POSITION OF THE RECEIVER'S ADDRESS FIELD. THERE IS A MAX LIMIT OF 24 ADDRESSES PER DISTRIBUTION REQUIREMENT. SEE VOL 10 TABLE 23 AND QUICK INFO ON-LINE.

0233 ADRS-SEQ-CD ADRS_SEQ_CD_0233 DLIS-SBA F CHAR 1
ADDRESS SEQUENCE CODE

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH THE RECEIVERS MAILING ADDRESS DATA WILL BE RECORDED. THIS CODE WILL ALSO BE USED WHEN MAKING FILE CHANGES TO ENSURE THAT THE APPLICABLE ADDRESS RECORD IS ADDRESSED. SEE VOLUME 10, TABLE 23 AND QUICK INFO ON-LINE.

0234 PRT-CTL-CD DLIS-SCA F 1
PRINT CONTROL CODE

A NUMERIC CODE PROVIDED IN SEGMENT M FOR USE BY RECIPIENTS IN FORMATTING CLEAR TEXT CHARACTERISTICS DATA OUTPUT. THE CODE "1" WILL INDICATE THAT DATA IS TO BEGIN PRINTING AT THE LEFT MARGIN OF THE AREA RESERVED FOR THE REQUIREMENT STATEMENT. THE CODE "2" WILL INDICATE THAT DATA IS TO COMMENCE PRINTING AT THE LEFT MARGIN OF THE AREA RESERVED FOR THE REPLY DATA. THE CODE "3" WILL INDICATE THAT DATA IS TO BEGIN PRINTING AT THE NEXT POSITION FOLLOWING THE LAST PRINTED CHARACTER ON THE PRECEDING CARD.

0238 TYP-VAL-CD DLIS-SBA F 1
TYPE OF VALUE CODE

A CODE TO IDENTIFY THE SEGMENT TO WHICH THIS CODE APPLIES. THE VALUE WILL BE "S" FOR SUBMITTED VALUE AND "R" FOR REPLACED VALUE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0241 CT-ST-FSC-MGMT-MANT-SG DLIS-SBA F CHAR 160
CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT

A GROUP OF CONTROL DATA ELEMENTS AND HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE ADDING, DELETING, AND CHANGING OF CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT STANDARD FEDERAL SUPPLY CLASSIFICATION MANAGEMENT MAINTENANCE (ACTIONS) DATA. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0242 SSR-OP-SEG DLIS-SBA F 80
SYSTEM SUPPORT RECORD OUTPUT SEGMENT

A DUAL-PURPOSE GROUP OF DATA ELEMENTS CONSISTING OF THE DATA REQUIRED TO RETURN SUPPLEMENTAL SEGMENTS & DATA ELEMENTS WITHOUT VALUE AND/OR, IN AN ABBREVIATED FORM, WILL BE USED AS AN OUTPUT HEADER FOR OTHER TYPES OF SYSTEM SUPPORT RECORD (SSR) OUTPUT. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0244 OE-FILE-MAINT-TRAN-CD DLIS-SBB F 3
ORGANIZATIONAL ENTITY FILE MAINTENANCE TRANSACTION CODE

A CODE WHICH IS COMPUTER APPLIED TO EACH INDIVIDUAL ORGANIZATIONAL ENTITY (O.E.) RECORD FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. THE CODE DESIGNATES THE ACTION TO BE AFFECTED ON THE RECIPIENT FILE. I.E., 001-TOTAL DELETE, 002-DELETE ERRONEOUS CODE, 003-TOTAL ADD AND/OR CHANGE.

0246 OE-ML-ROUT-DATA-SEG DLIS-SBB F 80
ORGANIZATIONAL ENTITY MAIL ROUTING DATA SEGMENT

A GROUP OF DATA ELEMENTS CONSISTING OF THE ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER 10, ZIP CODE, CONTRACT ADMINISTRATION OFFICE (CAO), AUTOMATIC DATA PROCESSING (ADP) POINT CODE, ADP EXCEPTION CODE AND CERTAIN DATA ELEMENTS REQUIRED FOR INTERNAL PROCESSING. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURE MANUAL AND IN THE INTERNAL STANDARD OPERATING PROCEDURE (FOR THOSE DATA ELEMENTS NOT APPLICABLE TO EXTERNAL INPUT).

0247 OE-FILE-MAINT-SEQ-CD DLIS-SBB F 2
ORGANIZATIONAL ENTITY FILE MAINTENANCE SEQUENCE CODE

A CODE USED TO SEQUENCE ORGANIZATIONAL ENTITY (OE) OUTPUT FILE MAINTENANCE RECORDS FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. CODE EA WILL BE REFLECTED IN A ONE 80-COLUMN RECORD. CODE CA, CB, ETC., WILL BE REFLECTED IN MULTIPLE 80-COLUMN RECORDS. THE SEQUENCE CODE FOR THE LAST LINE RECORD OF AN O.E. RECORD WILL ALWAYS BEGIN WITH AN E.

0248 OE-CLRTXT-DATA-CTR DLIS-SBB F 2
ORGANIZATIONAL ENTITY CLEAR TEXT DATA COUNTER

A TWO POSITION COUNTER TO IDENTIFY THE NUMBER OF CHARACTERS COMPRISING EACH LINE OF ORGANIZATIONAL ENTITY CLEAR TEXT IDENTIFICATION DATA. THE COUNTER IS USED IN CONNECTION WITH O.E. OUTPUT FILE MAINTENANCE DATA FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. THE VALUE OF THE COUNTER MAY RANGE FROM 01 TO 72.

0249 OE-NM-ADRS-DATA-SEG DLIS-SBB V 1908
ORGANIZATIONAL ENTITY NAME/ADDRESS DATA SEGMENT

A DATA SEGMENT CONSISTING OF THE ORGANIZATIONAL ENTITY (OE) LINE SEGMENT NUMBERS WITH THE CLEAR TEXT DATA TO IDENTIFY AN O.E. THE DATA IS COMPOSED OF THE O.E. NAME, STREET ADDRESS, POST OFFICE BOX NUMBER, CITY, STATE OR COUNTRY, AND OTHER SPECIAL NOTATIONS AS APPLIES TO SPECIFIC O.E.'S. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0250 TYPE-CAGE-NCAGE-AFFL-CD TYP_CAGE_AFFL_0250 DLIS-SBB F CHAR 1
TYPE OF CAGE/NCAGE AFFILIATION CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

CODE THAT DENOTES THE CORPORATE RELATIONSHIP WITHIN A CORPORATE COMPLEX STRUCTURE. SEE [VOLUME 10, TABLE 197](#) AND QUICK INFO ON-LINE.

0251 OE-FILE-MAINT-DATA-SEG DLIS-SBB V 9999
ORGANIZATIONAL ENTITY FILE MAINTENANCE DATA SEGMENT

A GROUP OF DATA ELEMENTS REQUIRED FOR OUTPUT TO UPDATE FILES OF SELECTED CUSTOMERS WHO HAVE PREVIOUSLY BEEN FURNISHED A BASIC FILE. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0252 SEG-CD-SUPMTL-IP DLIS-SBB F 2
SEGMENT CODE, SUPPLEMENTAL, INPUT

THE SUBMITTED FILE CONTROL SUPPLEMENTAL SEGMENT CODE PERPETUATED FROM INPUT TRANSACTIONS TO RESULTANT OUTPUTS TO IDENTIFY THE TYPE OF SYSTEM SUPPORT RECORD AFFECTED/UPDATED.

0255 FMR-FRT-CL-CD DLIS-SBA F 12
FORMER FREIGHT CLASSIFICATION CODE

A DATA CHAIN CONSISTING OF THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE (NMFC), DRN 0096, THE FORMER NMFC SUB-ITEM NUMBER DRN 0862, AND THE FORMER UNIFORM FREIGHT CLASSIFICATION CODE, DRN 0097. IT IS USED IN CHANGES AND DELETIONS TO THE SYSTEM SUPPORT RECORD MASTER FREIGHT TABLE.

0258 CT-INT-OP-SEG DLIS-SBB V VARCHAR 80
CATALOG TOOLS INTERROGATION OUTPUT SEGMENT

A GROUP OF DATA ELEMENTS USED FOR OUTPUT IN THE CATALOG TOOLSINTERROGATION PROCESS. A DEFINITION OF THE DATA ELEMENTS ISCONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUALS.

0260 PHRS-CD-REL-NSN DLIS-SBA F 14
PHRASE CODE AND RELATED NATIONAL STOCK NUMBER

A DATA CHAIN OF CODES USED IN TRANSMITTING THE PHRASE CODES AND RELATED NATIONAL STOCK NUMBERS INVOLVED IN A UNIT OF ISSUE CHANGE. DATA RECORD NUMBERS 2862 AND 2895 WILL APPEAR IN THIS SEQUENCE IN THE DATA CHAIN.

0261 QTY-CP-REQ DLIS-SBA F 1
QUANTITY OF COPIES REQUIRED

A QUANTITATIVE NUMERIC TOTAL OF COPY(IES) OF MACHINE GENERATED REPORTS (PRINTOUTS) REQUIRED FOR DISTRIBUTION, E.G., FOUR PART PAPER OR AN ALPHA M FOR MICROFICHE.

0262 PAC-SUMRY-DTL-IP-SEG DLIS-SCA V 9999
PRIMARY ADDRESS CODE SUMMARY/DETAIL INPUT SEGMENT

A GROUP OF DATA ELEMENTS PERTINENT TO PRIMARY ADDRESS CODE SUMMARY/ DETAIL TRANSACTIONS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0264 SVC-CD-PRVSNG-SCRNG-DEST SVC_CD_P_SCRN_0264 DLIS-SBA F CHAR 2
SERVICE CODE, PROVISIONING SCREENING DESTINATION TABLE

A TWO POSITION NUMERIC CODE REPRESENTING (BY SERVICE/AGENCY DESIGNATION) THE DEPARTMENT OF DEFENSE COMPONENT OR FEDERAL CIVIL AGENCY WHICH AUTHORIZED THE ESTABLISHMENT OF A PROVISIONING SCREENING DESTINATION TABLE RECORD IN THE PROVISIONING SCREENING RESULTS DESTINATION TABLE. SEE [VOLUME 10, TABLE 42](#) AND QUICK INFO ON-LINE.

0265 MAINT-NBR DLIS-SBA F 4
MAINTENANCE NUMBER

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH INPUT ACTIONS WILL OCCUR WITHIN A GIVEN DOCUMENT IDENTIFIER CODE PACKAGE OR SEGMENT THEREOF. THIS CODE WILL ALSO GENERATE A COMPUTER COUNT ASSIGNED TO EACH OCCURENCE OF FILE MAINTENANCE ACTION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0282	USR-SUFFIX-NM USER SUFFIX NAME THE SUFFIX NAME OF THE USER.	USR_SUFFIX_NM_0282	DLIS-TS	F CHAR	20
0283	CO-ADRS-LI-1-TX COMPANY ADDRESS LINE 1 TEXT THE TEXT OF THE ADDRESS (LINE 1) OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_ADRS_1_0283	DLIS-TS	F CHAR	36
0284	CO-ADRS-LI-2-TX COMPANY ADDRESS LINE 2 TEXT THE TEXT OF THE ADDRESS (LINE 2) OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_ADRS_2_0284	DLIS-TS	F CHAR	36
0285	CO-CTY-NM COMPANY CITY NAME THE CITY NAME OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_CTY_NM_0285	DLIS-TS	F CHAR	36
0286	CO-STA-CD COMPANY STATE CODE THE STATE CODE OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_STA_CD_0286	DLIS-TS	F CHAR	2
0287	CO-ZIP-CD COMPANY ZIP CODE THE ZIP CODE OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_ZIP_CD_0287	DLIS-TS	F CHAR	10
0288	CO-CTRY-CD COMPANY COUNTRY CODE THE COUNTRY CODE OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_CTRY_CD_0288	DLIS-TS	F CHAR	3
0289	CO-CMRCL-TEL-NBR-ID COMPANY COMMERCIAL TELEPHONE NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL TELEPHONE NUMBER OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_CMC_TEL_0289	DLIS-TS	F CHAR	20
0290	CO-CMRCL-FAX-NBR-ID COMPANY COMMERCIAL FAX NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL FAX NUMBER OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_CMC_FAX_0290	DLIS-TS	F CHAR	20
0291	CO-EMAIL-ADRS-TX COMPANY EMAIL ADDRESS TEXT THE TEXT OF THE E-MAIL ADDRESS OF THE COMPANY FOR WHICH THE INDIVIDUAL WORKS.	CO_EMAIL_0291	DLIS-TS	F CHAR	80
0292	CO-DSN-TEL-NBR-ID COMPANY DSN TELEPHONE NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE DSN TELEPHONE NUMBER OF THE COMPANY FOR WHICH THIS INDIVIDUAL WORKS.	CO_DSN_TEL_0292	DLIS-TS	F CHAR	20
0293	CNTR-NBR-ID CONTRACT NUMBER IDENTIFIER	CNTR_NBR_0293	DLIS-TS	F CHAR	20

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE IDENTIFIER THAT REPRESENTS THE CONTRACT NUMBER UNDER WHICH THIS INDIVIDUAL IS WORKING.

0294 CNTR-STRT-DT CNTR_STRT_DT_0294 DLIS-TS F INTEGER 8
CONTRACT START DATE
THE STARTING DATE OF THE CONTRACT UNDER WHICH THIS INDIVIDUAL IS WORKING. VALID VALUES: VALID DATE OF THE FORMAT YYYYMMDD.

0295 CNTR-DUR-EXPCTCY-TM CNTR_DUR_TM_0295 DLIS-TS F CHAR 20
CONTRACT DURATION EXPECTANCY TIME
THE TIME OF THE EXPECTED DURATION OF THE CONTRACT/AGREEMENT UNDER WHICH THE INDIVIDUAL IS WORKING.

0296 SP-SOS-IP DLIS-SBA F 19
SPECIAL SOURCE OF SUPPLY INPUT
A GROUP OF INPUT DATA USED BY THE DEFENSE NUCLEAR AGENCY (DNA) FOR MAINTENANCE OF THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS) SOURCE OF SUPPLY FILE. IT CONSISTS OF DATA RECORD NUMBERS (DRNS) 2128,3960,0133 UP TO FOUR OCCURRENCES, AND 0135 ONLY IF A NAVY SOS IS SUBMITTED. THE FORMAT OF THIS DRN IS AS FOLLOWS: POS 1-5, EFFECTIVE DATE. POS 6-8, IMM SOS/PSOS. POS 9-11, AIR FORCE SOS/PSOS. POS 12-13, ARMY SOS/PSOS. POS 15-17, NAVY SOS/PSOS. POS 18-19, NAVY SPECIAL SOS, DRN 0135.

0297 FUT-CT-MOE-RULE-STAT-CD FUT_M_RL_ST_C_0297 DLIS-SBA F CHAR 1
FUTURE CATALOG TOOLS MOE RULE STATUS CODE
A CODE ENTERED AGAINST A CATALOG TOOLS MAJOR ORGANIZATIONAL ENTITY (MOE)RULE RECORD WHICH REFLECTS THE FORTHCOMING STATUS CODE TO BE ASSIGNEDBASED ON A PENDING FUTURE EFFECTIVE DATED CATALOG TOOLS MOE RULE ACTION. SEE [VOLUME 10, TABLE 116](#) AND QUICK INFO ON-LINE.

0300 ZIP-CD-RNG ZIP_CD_RNG_0300 DLIS-SBB F CHAR 10
ZIP CODE RANGE
A RANGE OF ZIP CODES APPLICABLE TO A GIVEN STATE OR U.S. POSSESSION, OR A PORTION THEREOF.

0303 DCOD-TBL-RPLY-LGTH DLIS-VO F 1
DECODE TABLE REPLY LENGTH
A COUNT OF THE NUMBER OF CHARACTERS IN THE DECODE TABLE REPLY DATA.

0304 PRPTN-EDIT-CRITE-STMT PPN_EDIT_STMT_0304 DLIS-SCA V VARCHAR 9999
PROPORTION EDIT CRITERIA STATEMENT
THE PROPORTION EDIT CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN MASTER REQUIREMENTS CODE TO EDIT THE STRUCTURE OF THE MASTER REQUIREMENTS CODED REPLIES.

0305 PRPTN-EDIT-DATA-GP DLIS-SCA V 9999
PROPORTION EDIT DATA GROUP
AN INPUT DATA GROUP USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) PROPORTION EDIT DATA, APPLICABLE TO A GIVEN FIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0308 DT-ESTB-CANC-RCD-FLIS DT_ESTB_CANC_0308 DLIS-SIC F INTEGER 7
DATE ESTABLISHED, CANCELLED RECORD FLIS
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE ITEM NAME/FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0309 FSC-EXCL-DIRCT-DATA DLIS-SB V 2004
FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA
A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0310 APPLB-KEY-CD-DATA DLIS-SB V 2004
APPLICABILITY KEY CODE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT APPLICABILITY KEY INDEXED TO AN APPROVED ITEM NAME INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0311 INC-AMMO-CD-GNC-DESC-DAT DLIS-SB V 2004
INC/AMMO CODE/GENERIC DESCRIPTION/EFFECTIVE DATE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT GENERIC DESCRIPTION AND RESPECTIVE AMMO CODE IN THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0312 FSG-TI-DATA DLIS-SB V 2004
FEDERAL SUPPLY GROUP TITLE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY GROUP TITLES INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0313 FSG-NOTE-DATA DLIS-SB V 2004
FEDERAL SUPPLY GROUP NOTE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY GROUP NOTE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0314 FSC-TI-EFF-DT-DATA DLIS-SB V 2004
FEDERAL SUPPLY CLASS/TITLE/EFFECTIVE DATE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS TITLE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0315 FSC-NOTE-DATA DLIS-SB V 2004
FEDERAL SUPPLY CLASS NOTE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS NOTE DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE OPERATING PROCEDURE.

0317 ABRS-TRMS-DATA DLIS-SB V 2004
ABBREVIATIONS/TERMS DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT ABBREVIATIONS/TERMS INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0319 OLD-FIIG-NBR DLIS-SC F 6
OLD FEDERAL ITEM IDENTIFICATION GUIDE NUMBER
A NUMBER WHICH WAS ORIGINALLY ASSIGNED TO AN ITEM NAME IN THE SYSTEM SUPPORT RECORD WHEN APPLICABLE AND WAS LATER CHANGED TO A DIFFERENT GUIDE NUMBER.

0320 STATUS-CD-NM-FSC STA_CD_NM_FSC_0320 DLIS-SIC F CHAR 1
STATUS CODE NAME/FEDERAL SUPPLY CLASS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN INTERNALLY GENERATED CODE WHICH DENOTES THE CURRENT STATUS OF A DATA ELEMENT CONTAINED IN EITHER THE NAME OR FEDERAL SUPPLY CLASS MASTER OR VALIDATION FILES. THE FOLLOWING CODES ARE ASSIGNED AS APPLICABLE: CODE A - ACTIVE RECORD, CODE C - CANCELLED RECORD, CODE E - EFFECTIVE DATED RECORD, CODE P - CONTROLS PUBLISHING OF DATA ON CANCELLED RECORD LHB, OR CODE R - REINSTATEMENT OF AMMO CODE RECORD.

0322 RULE-IND-CD RULE_IND_CD_0322 DLIS-SC F CHAR 2

RULE INDICATOR CODE, SECTION II, FIIG

A CODE THAT DESIGNATES THE RULE THAT MUST BE APPLIED TO THE MASTER REQUIREMENT CODE AS INDICATED IN THE SECTION 11 CRITERIA.

0323 SCRNG-IND-CD SCR_IND_CD_0323 DLIS-SC F CHAR 1

SEARCH SCREENING INDICATOR CODE

A CODE USED TO INDICATE THE TYPE OF SEARCH/SCREENING FOR EACH ITEM NAME CODE IN THE FORMAT EDIT GUIDES.

0324 MASS-CHNG-CRITE-STMT MC_CRITE_STMT_0324 DLIS-SC V VARCHAR 3967

MASS CHANGE CRITERIA STATEMENT

THE MASS CHANGE CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN ITEM NAME AND MASTER REQUIREMENT CODE TO RESTRUCTURE THE ITEM OR ITEMS AS REQUIRED BY THE FEDERAL ITEM IDENTIFICATION GUIDE REVISION.

0325 EXTR-CHAR-IMG-TEST DLIS-SB F 80

EXTRACT CHARACTER IMAGE FOR TESTING

AN INPUT DATA GROUP USED TO EXTRACT AN IMAGE FROM THE TOTAL ITEM RECORD OF EACH ITEM APPLICABLE TO A GIVEN FEDERAL ITEM IDENTIFICATION GUIDE OR ITEM NAME CODE, FOR TESTING SECTION II CRITERIA. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0326 DIML-MRC-IND DIML_MRC_IND_0326 DLIS-SC F CHAR 1

DIMENSIONAL MASTER REQUIREMENT CODE INDICATOR

A CODE REFLECTED IN THE FORMAT EDIT GUIDE WHICH INDICATES THAT AN MRC HAS DIMENSIONS TO BE DESCRIBED. FOR EXAMPLE THE INSIDE/OUTSIDE DIAMETER OF A SPECIFIC REQUIREMENT. IF AN MRC IS DIMENSIONAL, THE PROPER USE OF MIN/MAX AND "AND" CODING IS ENFORCED. THE VALID VALUES ARE "Y", "J", OR "G". FOR A NON-DIMENSIONAL MRC, THE VALID VALUE IS "N".

0330 CT-MOE-RULE-DE-SEG DLIS-SB F CHAR 80

CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0331 CT-MOE-RULE-MAINT-SEG DLIS-SB F CHAR 80

CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT

A GROUP OF INPUT/OUTPUT DATA REQUIRED TO CONTROL THE PROCESSING OF MAINTENANCE ACTIONS FOR CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE DATA BASED ON INPUT DOCUMENT IDENTIFIER CODE (DIC). A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0332 FIIG-APDX-SCTN-ID FIIG_APDX_ID_0332 DLIS-SC F CHAR 1

FIIG APPENDIX SECTION IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE APPENDIX SECTION IN THE FIIG. VALID VALUES: A - TABLES/REPLY CODES, B - DRAWINGS, C - HELPFUL PICTURE OF A PARTICULAR ITEM

0333 DWG-STAT-CD DWG_STAT_CD_0333 DLIS-SC F CHAR 1

DRAWING STATUS CODE

THE CODE THAT INDICATES IF THE DRAWING IS IN DELETED OR ACTIVE STATUS. VALID VALUES: D - DELETED, A - ACTIVE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0334 STYL-AEUSA-IND-CD STYL_AEUSA_CD_0334 DLIS-SC F CHAR 1
STYLE ALL EXCEPT USA INDICATOR CODE
THE CODE THAT INDICATES IF THE DRAWING IS FOR ALL EXCEPT USA USE. VALID VALUES: # = AEUSA, BLANK = NOT AEUSA

0335 REF-DWG-GP-SCTN-ID RDG_SCTN_ID_0335 DLIS-SC F CHAR 2
REFERENCE DRAWING GROUP SECTION IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE REFERENCE DRAWING GROUP SECTION WHERE THE DRAWING IS LOCATED IN THE FIG.

0336 REF-DWG-GP-SCTN-TI-TX RDG_SCTN_TI_0336 DLIS-SC F CHAR 120
REFERENCE DRAWING GROUP SECTION TITLE TEXT
THE TEXT OF THE TITLE FOR THE REFERENCE DRAWING GROUP SECTION.

0337 FIG-IMPL-DT FIG_IMPL_DT_0337 DLIS-SC F CHAR 8
FIG IMPLEMENTATION DATE
THE EFFECTIVE DATE ON WHICH THE FIG WAS IMPLEMENTED. THE FORMAT IS IN THE FORM OF MMDDCCYY.

0338 FIG-CANCL-DT FIG_CANC_DT_0338 DLIS-SC F CHAR 8
FIG CANCELLATION DATE
THE EFFECTIVE DATE ON WHICH THE FIG WAS CANCELLED. THE FORMAT IS IN THE FORM OF MMDDCCYY.

0339 SEG-V-TRMNR-CD DLIS-SC F 2
SEGMENT V TERMINATOR CODE
A SET OF SPECIAL CHARACTERS (##) USED TO TERMINATE THE LAST CHARACTERISTIC DATA GROUP OF A SEGMENT V TRANSACTION. IN THE EVENT OF A MULTIPLE SEGMENT V TRANSACTIONS, THIS SET OF CHARACTERS WILL BE USED ONLY ON THE LAST ONE. DATA RECORD NUMBER 8268 (DATA ELEMENT TERMINATOR CODE) MUST NOT PRECEDE THESE TWO CHARACTERS.

0340 SCTN-II-EDIT-DATA-GP DLIS-SC V 9999
SECTION II EDIT DATA GROUP
AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIG) SECTION II EDIT CRITERIA, APPLICABLE TO A GIVEN FIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0342 DT-INT DLIS-SC F 5
DATE, INTERROGATION
A YEAR AND JULIAN DAY USED IN INTERROGATIONS FOR EXTRACTING ALL DATA TO WHICH ANY ADD, CHANGE, OR DELETE TRANSACTION HAS OCCURRED SINCE THAT DATE.

0344 IL-PUB-TYP-SCH-CHNG-CD DLIS-V F 1
IDENTIFICATION LIST PUBLICATION TYPE SCHEDULE CHANGE CODE
A CODE USED TO DESIGNATE THE TYPE OF UPDATE ACTION TO IDENTIFICATION LIST SCHEDULE.

0345 PUB-CY-IL-BSC DLIS-V F 3
PUBLICATION CYCLE IDENTIFICATION LIST BASIC
THE PUBLICATION FREQUENCY OF AN IDENTIFICATION LIST BASIC EDITION DESIGNATED IN DAILY INCREMENT (JULIAN DAYS).

0346 PUB-CY-IL-CHNG-BUL DLIS-V F 3
PUBLICATION CYCLE IDENTIFICATION LIST CHANGE BULLETIN
THE PUBLICATION FREQUENCY OF AN IDENTIFICATION LIST CHANGE BULLETIN DESIGNATED IN DAILY INCREMENTS.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0347 DT-NXT-IL-BSC DLIS-V F 5
DATE NEXT IDENTIFICATION LIST BASIC
THE YEAR AND JULIAN DAY ESTABLISHED FOR PUBLISHING THE NEXT IDENTIFICATION LIST BASIC EDITION, E.G. 74061.

0348 DT-NXT-IL-CHNG-BUL DLIS-V F 5
DATE NEXT IDENTIFICATION LIST CHANGE BULLETIN
THE YEAR AND JULIAN DATE ESTABLISHED FOR PUBLISHING THE NEXT IDENTIFICATION LIST CHANGE BULLETIN.

0349 IL-UPDT-CD DLIS-V F 1
IDENTIFICATION LIST UPDATE CODE
A CODE USED TO DESIGNATE THE TYPE OF UPDATE TO THE IDENTIFICATION LIST PUBLICATION SCHEDULE.

0350 FSC-CT-PUB DLIS-V F 2
FEDERAL SUPPLY CLASS COUNT
A COUNT OF THE QUANTITY OF FEDERAL SUPPLY CLASSES ASSOCIATED WITH A PUBLICATION UNIT.

0356 OFF-LI-CHAR-CHNG-DATA-GP DLIS-SB V 9999
OFF LINE CHARACTER MASS CHANGE DATA GROUP
A GROUP OF INPUT DATA USED TO ENTER MASS CHANGE CRITERIA TO A GIVEN FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)/ITEM NAME CODE (INC) IN THE OFF LINE FILE FOR A FIIG BEING REVISED. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0364 J-MODE-CD-IND DLIS-SC F 1
J MODE CODE INDICATOR
A DATA FIELD WHICH DESIGNATES THE MODE/FORMAT OR STRUCTURE OF THE VARIABLE CLEAR TEXT PORTION OF A J MODE CODE REPLY. CODE A INDICATES THE CLEAR TEXT PORTION IS AN A MODE CODE. CODE B INDICATES THE CLEAR TEXT PORTION IS A B MODE CODE. CODE F INDICATES THE CLEAR TEXT PORTION IS A F MODE CODE.

0365 CD-FOR-LGTH-RPLY CD_F_LGT_RPLY_0365 DLIS-SC F SMALLINT 1
CODE FOR LENGTH OF REPLY
A CODE IDENTIFYING THE SIZE OF THE CODED REPLY (DRN 3465).

0366 RPLY-DCOD-GDE DLIS-SC F 560
REPLY DECODE GUIDE
A GROUP OF INPUT DATA USED TO ENTER THE REPLY DECODE GUIDE INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0367 SECD-SEQ-DCOD-GDE DLIS-SC F 80
SECONDARY SEQUENCING DECODE GUIDE
A GROUP OF DATA ELEMENTS USED TO ENTER THE SECONDARY SEQUENCING DECODE GUIDE INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0368 PRT-SKLTN-CD PRT_SKLTN_CD_0368 DLIS-SC F CHAR 1
PRINT SKELETON CODE
A CODE WHICH IDENTIFIES THE VARIOUS TYPES OF F AND J MODE CODES ASSIGNED TO MASTER REQUIREMENT CODES (MRCS). CODE A IS FOR 1A VARIABLE REPLY. B IS FOR A 1F VARIABLE WITH A BY CONDITION AND T IS FOR A 1F VARIABLE WITH A TO CONDITION. CODE X IDENTIFIES MRCS WITH DUMMY TABLES. DUMMY TABLES ARE TABLES THAT ARE ASSIGNED TO MRCS BUT DUE TO THEIR IMMENSE SIZE ARE NOT MAINTAINED IN THE MASTER REQUIREMENTS DIRECTORY (MRD).

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0375 FSC-INCL-NAR FSC_INCL_NAR_0375 DLIS-SC V VARCHAR 1978
FEDERAL SUPPLY CLASS INCLUSION NARRATIVE

AN INCLUSION NARRATIVE WILL BE USED WHEN IT IS DESIRABLE TO LIMIT THE CONCEPT OF A CLASS BY INDICATING THAT CERTAIN CLOSELY RELATED ITEMS WHICH MIGHT OTHERWISE BE CONSTRUED AS BEING EXCLUDED, ARE INCLUDED UNDER THE CONCEPT.

0376 FSC-EXCL-NAR FSC_EXCL_NAR_0376 DLIS-SC V VARCHAR 1978
FEDERAL SUPPLY CLASS EXCLUSION NARRATIVE

AN EXCLUSION NARRATIVE WILL BE USED WHEN IT IS DESIRABLE TO LIMIT THE CONCEPT OF A CLASS BY INDICATING THAT CERTAIN CLOSELY RELATED ITEMS ARE EXCLUDED FROM THE CONCEPT WHICH MIGHT OTHERWISE BE CONSTRUED AS BEING INCLUDED IN THE CONCEPT.

0395 DODAAC-DPDO DLIS-SB F 6
DODAAC DEFENSE PROPERTY DISPOSAL OFFICE

A DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE ASSIGNED TO IDENTIFY A SPECIFIC DEFENSE PROPERTY DISPOSAL OFFICE (DPDO) WHICH REPORTED AN ASSET AS SURPLUS. THE FIRST POSITION DESIGNATES THE MILITARY SERVICE OR OTHER GOVERNMENT ELEMENTS OF OWNERSHIP OR SPONSORSHIP. THE REMAINING FIVE POSITIONS ARE ASSIGNED IN ACCORDANCE WITH ESTABLISHED PROCEDURES BY THE SERVICE POINT OF THE PARTICIPATING MILITARY SERVICE OR AGENCY, E.G., SX1000.

0399 PUB-INTRO-DATA DLIS-V V 149
PUBLICATION INTRODUCTORY DATA

A SERIES OF SENTENCES AND PARAGRAPHS THAT DEFINE THE CONTENT AND EXPLAIN THE USE OF PUBLICATION AND/OR SECTION OR SUBSECTION THEREOF. INPUT WILL INCLUDE SPECIAL CHARACTERS FOR ESTABLISHING TYPE STYLE WHICH WILL NOT APPEAR IN OUTPUT. THE LENGTH OF THE DATA (149 CHARACTERS) REFLECTS ONE LINE OF THE PUBLICATION INTRODUCTORY DATA (THE NUMBER OF LINES IS VARIABLE).

0405 TRM-ABR-H6-DATA-GP DLIS-BB V 1762
TERM/ABBREVIATION H6 DATA GROUP

A CLEAR TEXT STATEMENT OF TERMS (DATA RECORD NUMBER 5035-TERMS, H6), INTERSPERSED WITH COMPUTER OUTPUT MICROFILM (COM) PRINT SYMBOLS, AND THE ABBREVIATIONS (DRN 3250-ABBREVIATIONS, H6). THE TERMS ARE SEPARATED FROM THE ABBREVIATIONS BY AN EQUAL SYMBOL (=).

0411 TYP-DATA-CD DLIS-V F 2
TYPE DATA CODE

A CODE SUBMITTED WITH A MASS DATA RETRIEVAL TRANSACTION TO ENABLE IDENTIFICATION OF SPECIFIC FILES.

0418 MGMT-CTL-DATA-UNUSE-POS DLIS-SB F 1
MANAGEMENT CONTROL DATA UNUSED POSITIONS

A DATA ELEMENT CONTAINING ONE BLANK REQUIRED TO FILL THE UNUSED POSITION OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 8925 (MANAGEMENT CONTROL DATA, AIR FORCE).

0420 ALT-OP-MED-CD ALT_OP_MED_CD_0420 DLIS-SBA F CHAR 2
ALTERNATE OUTPUT MEDIA CODE

A CODE IDENTIFYING THE ALTERNATE OUTPUT MEDIA WHEN THE OUTPUT EXCEEDS THE AUTOMATIC DIGITAL NETWORK (AUTODIN) LIMITATIONS OR FOR ANY OTHER REASON WHY DATA CANNOT BE TRANSMITTED BY AUTODIN. THIS ALTERNATE MEDIA WOULD ALSO BE APPLICABLE DURING A PERIOD WHEN AUTODIN IS EITHER NOT OPERATING OR UNDER LIMITED OPERATION, SUCH AS DURING MINIMIZE. SEE [VOLUME 10, TABLE 10](#) AND QUICK INFO ON-LINE.

0437 TBL-ENTRY-NBR DLIS-V F 6
TABLE ENTRY NUMBER

A CODE USED TO IDENTIFY THE SEQUENTIAL ORDER OF DATA WITHIN A GIVEN TABLE, E.G., CROSS-REFERENCE OR ABRIDGED TABLES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0438 REL-DE-CDS DLIS-V F 54
RELATED DATA ELEMENT CODES
A DATA FIELD CONTAINING WORDS/NUMERICS/SYMBOLS WHICH REPRESENTS THE NARRATIVE DATA OF A TABLE INCLUDED IN THE FEDERAL LOGISTICS INFORMATION SYSTEM ROUTINES/PROCESSES/REQUIREMENTS.

0441 ESTB-CANC-INC-OP-SEG DLIS-SC V 160
ESTABLISH/CANCEL ITEM NAME CODE (INC) OUTPUT SEGMENT
A SYSTEM SUPPORT RECORD OUTPUT SEGMENT USED TO NOTIFY THE MILITARY TRAFFIC MANAGEMENT AND TERMINAL SERVICE (MTMTS) OF THE ESTABLISHMENT OR CANCELLATION OF AN ITEM NAME CODE (INC) IN THE ITEM NAME SECTOR. THE SEGMENT CONSISTS OF TRANSACTION CONTROL DATA ELEMENTS, OLD/NEW INC, AS WELL AS ITEM NAME AND FREIGHT CLASSIFICATION DATA, IF APPLICABLE, TO NEW/CURRENT INC.

0442 RPLY-RCD-CT DLIS-SC F 1
REPLY RECORD COUNT
THIS COUNT INDICATES THE NUMBER OF RECORDS IN A TRANSACTION NEEDED TO ACCOMODATE THE ENTIRE DECODED REPLY STATEMENT.

0443 EXPSN-FLD-1 DLIS-V F 1
EXPANSION FIELD 1
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0444 EXPSN-FLD-2 DLIS-V F 2
EXPANSION FIELD 2
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0445 EXPSN-FLD-3 DLIS-V F 3
EXPANSION FIELD 3
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0478 DIST-ACTY-CD-SEG-M DIST_AC_SEG_M_0478 DLIS-SB F CHAR 2
DISTRIBUTION ACTIVITY CODE SEGMENT M
A CODE IN THE STANDARD FSC TABLE USED TO IDENTIFY THE ACTIVITIES DESIRING DECODED CHARACTERISTICS DATA (SEGMENT M)

0481 NEW-DOD-AMMO-CD DLIS-SIC F 9
NEW DEPARTMENT OF DEFENSE AMMUNITION CODE
A DEPARTMENT OF DEFENSE AMMUNITION CODE WHICH REPLACES ANOTHER DEPARTMENT OF DEFENSE AMMUNITION CODE WHICH IS CURRENTLY ASSIGNED TO AN ITEM NAME CODE IN THE SYSTEM SUPPORT RECORD. IT IS A NINE CHARACTER SEMISIGNIFICANT NUMBER. THE FIRST FOUR POSITIONS ARE NUMERIC AND REPRESENT THE FEDERAL SUPPLY CLASS ASSIGNED TO THE APPROVED ITEM NAME. THE FIFTH POSITION IS A DASH. THE LAST FOUR POSITIONS MAY BE A ONE, TWO OR THREE POSITION ALPHA FOLLOWED BY NUMERICS AND REPRESENT THE AMMUNITION CODE ASSIGNED BY GENERIC DESCRIPTIONS.

0482 DOD-AMMO-CD-SPTR DLIS-SIC F 1
DEPARTMENT OF DEFENSE AMMUNITION CODE SEPARATOR
A CODE USED IN THE DoD AMMUNITION CODE (DRN 3767) TO SEPARATE THE FSC (DRN 3970) AND THE AMMUNITION CODE (DRN 8805).

0487 SEQ-CD DLIS-SB F 3
SEQUENCING CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A NUMERIC CODE USED TO DETERMINE THE SEQUENCE OF ACTION OCCURRING WITHIN A SPECIFIC DOCUMENT IDENTIFIER CODE TRANSACTION OR SEGMENT OF THE TRANSACTION.

0488 COMMA DLIS-SB F 1
COMMA

A SPECIAL CHARACTER CODE (,) USED TO SEPARATE A SERIES OF LIKE DATA ELEMENTS. USED IN SCREENING KEY COMPUTATION TO SEPARATE A SERIES OF ITEM NAME CODES.

0489 CMPT-CHARA-SCRNG-KEYS DLIS-SB V 80
COMPUTE CHARACTERISTIC SCREENING KEYS

A GROUP OF DATA ALLOWING FOR THE RECOMPUTATION OF SCREENING KEYS WITHOUT SCREENING THE FILE ITEMS THAT ARE REPRESENTED BY THE RECOMPUTED KEYS. THE INTERNAL DESIGN INTERFACE GUIDANCE HANDBOOK CONTAINS A DESCRIPTION OF THE DATA ELEMENTS.

0510 RPLY-TBL-DCOD-SEQ-NBR DLIS-V F SMALLINT 1
RPLY TABLE DECODE SEQUENCE NUMBER

A CODE THAT DESIGNATES THE REPLY TABLE SEQUENCE IN WHICH THE ABRIGED CLEAR TEXT STATEMENT, REQUIRED FOR PRINTOUTS IN PUBLICATIONS, IS DECODED.

0511 ACTY-DESI-CD-DLA-GSA DLIS-SBA F CHAR 1
ACTIVITY DESIGNATOR CODE-DLA/GSA

A CODE WHICH WILL IDENTIFY DLA OR GSA MANAGEMENT BY EXCEPTION FOR A NATIONAL STOCK NUMBER E.G. D-DLA, G-GSA.

0513 SECD-SEQ-CD DLIS-SC F 10
SECONDARY SEQUENCE CODE

A CODE USED TO EXTEND OR MODIFY THE MASTER REQUIREMENT CODE. IT CONSISTS OF THE ONE DIGIT SECONDARY ADDRESS INDICATOR CODE AND THE SECONDARY ADDRESS CODE.

0542 ITM-NM-INC-VLDTN DLIS-SC F 250
ITEM NAME, ITEM NAME CODE VALIDATION

THE FIRST TWO HUNDRED AND FIFTY POSITIONS OF THE TOTAL ITEM NAME EXTRACTED FROM THE MASTER ITEM NAME FILE AND UTILIZED IN THE ITEM NAME CODE VALIDATION FILE.

0543 TBLR-PRT-POS DLIS-V F 2
TABULAR PRINT POSITION

DESIGNATES THE STARTING PRINT POSITION OF TABULAR DATA ON A PRINT LINE.

0565 US-NSN-IND-CD DLIS-SIA F CHAR 1
U.S. NSN INDICATOR CODE

A CODE THAT INDICATES WHETHER THE REFERENCE NUMBER COMBINATION PERTAINS TO A U.S. NSN OR A NON-U.S. NSN. VALID VALUES: U = U.S. NSN, N = NON-U.S. NSN

0566 NSN-INDX-NBR DLIS-V F 6
NSN INDEX NUMBER

A NUMERICAL DESIGNATION ASSIGNED TO EACH NATIONAL STOCK NUMBER (NSN) IN A PUBLICATION FOR THE PURPOSE OF INDEXING AND LOCATING AN ITEM WITHIN A PUBLICATION. THE FIRST ITEM IN THE PUBLICATION WILL BE ASSIGNED 000001 AND EACH SUCCEEDING ITEM WILL BE ASSIGNED A SEQUENTIAL NUMBER INCREMENTED BY 1, TO THE LAST ITEM IN THE PUBLICATION.

0567 NSN-RET-REVW-CYCL-IND-CD DLIS-SA F CHAR 1
NSN RETENTION REVIEW CYCLE INDICATOR CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE CODE WHICH INDICATES THE NUMBER OF REVIEW CYCLES AN NSN HAS BEEN CODED FOR RETENTION (RE) BY ONE OR MORE SERVICE/AGENCIES. VALID VALUES: 1-9 OR A-Z ONLY

0568 TYP-OF-SP-PRCSG-IND-CD TYP_SP_PRC_0568 DLIS-SBA F CHAR 1
TYPE OF SPECIAL PROCESSING INDICATOR CODE

A CODE THAT INDICATES SPECIAL INPUT PROCESSING OR TAILORED OUTPUT. SEE [VOLUME 10, TABLE 125](#) AND QUICK INFO ON-LINE.

0569 DIIP-AD-STAT-CD DIIP_AD_CD_0569 DLIS-SA F CHAR 2
DEFENSE INACTIVE ITEM PROGRAMS ADVICE STATUS CODE

A CODE USED TO DESIGNATE THE STATUS ASSIGNED TO AN INACTIVE ITEM BY THE REVIEWING ACTIVITY (ITEM MANAGER). VALID VALUES: RE = RETAIN ITEM AS ACTIVE, DE = DELETE ITEM IS RECOMMENDED FOR DELETION

0570 DIIP-RET-RSN-CD RET_RSN_CD_0570 DLIS-SA F CHAR 1
DEFENSE INACTIVE ITEM PROGRAMS RETENTION REASON CODE

WHEN THE VALID VALUE OF DIIP_AD_CD_0569 'RE' APPLIES, THE REVIEWING ACTIVITY (ITEM MANAGER) WILL ENTER ONE OF THE FOLLOWING CODES: '1' - ACTIVE ITEM OR '2' - SEMI-ACTIVE ITEM. IF THE REVIEWING ACTIVITY LEAVES THE FIELD BLANK A '1' WILL BE MECHANICALLY ASSIGNED. WHEN THE VALID VALUE OF DIIP_AD_CD_0569 'DL' APPLIES, THIS FIELD WILL BE LEFT BLANK. VALID VALUES: 1 = ACTIVE ITEM, 2 = SEMI-ACTIVE ITEM

0572 OPRTNL-TST-CD OPRTL_TST_MC_0572 DLIS-SB F CHAR 1
OPERATIONAL TEST CODE

A CODE THAT INDICATES THE TYPE OF ITEM WHICH REQUIRES INSPECTION AND OPERATIONAL TESTING AND DEPTH OF PERFORMING INSPECTION AND TESTING. SEE [VOLUME 10, TABLE 123](#) AND QUICK INFO ON-LINE.

0573 PHY-CTGY-CD PHY_CTGY_MC_0573 DLIS-SBA F CHAR 1
PHYSICAL CATEGORY CODE

A CODE THAT INDICATES PHYSICAL CATEGORY FOR PICKING, PACKING AND MARKING ITEMS FOR SHIPMENT. SEE [VOLUME 10, TABLE 124](#) AND QUICK INFO ON-LINE.

0574 LST-DMD-JUL-DT LST_DMD_DT_0574 DLIS-SA F INTEGER 7
LAST DEMAND JULIAN DATE

THE JULIAN DATE FROM THE A01 OR A0A REQUISITION DOCUMENT NUMBER OBTAINED FROM SAMMS OR BSM SYSTEMS. THE JULIAN FORMAT IS IN THE FORM OF CCYYDDD.

0575 STOR-ACTY-STK-OH-QY STK_OH_QY_0575 DLIS-SA F CHAR 10
STORAGE ACTIVITY STOCK ON HAND QUANTITY

THE QUANTITY OF ASSETS ON HAND AT A PARTICULAR STORAGE ACTIVITY, BASED ON THE OFFICIAL UI (DRN 3050).

0581 FIIG-LOCKT-IND FIIG_LCKT_IND_0581 DLIS-SC F CHAR 1
FIIG LOCKOUT INDICATOR

A SYMBOL # USED IN CARD COLUMN 4 OF THE FIRST CARD OF THE FEDERAL ITEM IDENTIFICATION GUIDE *FIIG* TECHNICAL EDIT TO INDICATE THAT NO PROCESSING IS ALLOWED AGAINST THE FIIG CITED IN CARD COLUMNS 5-10.

0583 INC-LOCKT-IND INC_LOCKT_IND_0583 DLIS-SC F CHAR 1
ITEM NAME CODE LOCKOUT INDICATOR

A SYMBOL (#) USED IN A SPECIFIED LOCATION IN THE FORMAT EDIT TO INDICATE THAT THE ITEM NAME CODE (INC) IS IN PROCESSING LOCKOUT STATUS.

0584 THIRD-MODE-CD-IND DLIS-SC F 1
THIRD MODE CODE INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0722 NBR-UNIT-OH-DUE-IN DLIS-SB F 7
NUMBER OF UNITS, ON HAND/DUE IN
A CODE INDICATING THE TOTAL NUMBER OF UNITS OF AN ITEM CURRENTLY ON HAND IN WHOLESALE STOCK OR DUE IN. DOES NOT INCLUDE ASSETS WHICH WOULD NOT NORMALLY BE TRANSFERRED TO THE INTEGRATED MANAGER.

0723 TYP-MOBLZTN-RSRV-RQMT-CD TYP_MBL_RSV_0723 DLIS-SBA F CHAR 1
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE
A CODE INDICATING THE TYPE OF MOBILIZATION REQUIREMENT. SEE [VOLUME 10, TABLE 139](#) AND QUICK INFO ON-LINE.

0724 PERM-CDNG-CD DLIS-SB F 1
PERMISSIVE CODING CODE
A CODE DENOTING THE ITEM MANAGEMENT CODE THAT WOULD HAVE BEEN USED BY A SERVICE TO RETAIN MANAGEMENT OF AN ITEM, IF THE ITEM HAD NOT BEEN PERMISSIVE CODED TO THE COMMODITY INTEGRATED MATERIEL MANAGER.

0725 SP-PKG-RQMT-CD S_PKG_RQM_CD_0725 DLIS-SBA F CHAR 1
SPECIAL PACKAGING REQUIREMENT CODE
A CODE INDICATING WHETHER SPECIAL PACKAGING IS REQUIRED WHICH IS BEYOND NORMAL PRACTICE AND WHICH CANNOT BE OBTAINED THROUGH LOCAL PURCHASE. SEE [VOLUME 10, TABLE 140](#) AND QUICK INFO ON-LINE.

0726 DT-OPRNTL-ND DLIS-SB F 5
DATE, OPERATIONAL NEED
THE YEAR AND JULIAN DAY IN WHICH AN ITEM, NEW TO THE APPROPRIATE MILITARY SUPPLY SYSTEM, WILL BE INITIALLY REQUIRED TO SUPPORT A SERVICE OPERATIONAL PROGRAM OR DEMAND WILL GENERATE FOR AN ESTABLISHED ITEM AS A RESULT OF A NEW SERVICE OPERATIONAL PROGRAM OR SERVICE-SUPPORTED TEST PROGRAM.

0727 NBR-UNIT-ESTD-DMD DLIS-SB F 7
NUMBER OF UNITS, ESTIMATED DEMAND
A CODE INDICATING THE TOTAL NUMBER OF UNITS WHICH ARE FORECAST TO BE ISSUED IN THE NEXT 12-MONTH PERIOD.

0728 DMD-IND-CD DMD_IND_CD_0728 DLIS-SBA F CHAR 1
DEMAND INDICATOR CODE
A CODE INDICATING THE BASIS FOR THE FORECAST OF ESTIMATED DEMAND. SEE [VOLUME 10, TABLE 141](#) AND QUICK INFO ON-LINE.

0729 TYP-FINCL-MGMT-CTL-CD TYP_FIN_MGT_0729 DLIS-SBA F CHAR 1
TYPE OF FINANCIAL MANAGEMENT CONTROL CODE
A CODE INDICATING THE TYPE OF FINANCIAL MANAGEMENT CONTROL OVER AN ITEM. SEE [VOLUME 10, TABLE 142](#) AND QUICK INFO ON-LINE.

0730 NBR-MO-PROD-LEAD-TIME DLIS-SB F 2
NUMBER OF MONTHS, PRODUCTION LEAD TIME
A CODE INDICATING THE ACTUAL OR ESTIMATED NUMBER OF MONTHS TIME INTERVAL BETWEEN THE PLACEMENT OF A CONTRACT AND RECEIPT INTO THE SUPPLY SYSTEM OF THE FIRST ACCEPTABLE MATERIAL PURCHASED.

0731 ESTD-OR-ACTL-PR-CD EST_ACT_PR_CD_0731 DLIS-SBA F CHAR 1
ESTIMATED OR ACTUAL PRICE CODE
A CODE INDICATING THE BASIS FOR THE STANDARD UNIT PRICE OF AN ITEM. CODES AND DEFINITIONS ARE "A" ACTUAL PRICE, "B" ESTIMATED PRICE. SEE [VOLUME 10, TABLE 144](#) AND QUICK INFO ON-LINE.

0732 IMC-DATA-SEG DLIS-BB V 55
ITEM MANAGEMENT CODING DATA SEGMENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0752	FLIS-DATA-MSG-CTL-SEG		DLIS-SB	F		32
	FLIS DATA MESSAGE CONTROL SEGMENT FLIS DATA SEGMENT CONTAINING THE DATA ELEMENTS NECESSARY TO GENERATE AN OUTPUT MESSAGE USED TO FURNISH AUTODIN RECEIVERS THE AUTODIN STATION SERIAL NUMBERS AND TOTAL NUMBER OF AUTODIN MESSAGES GENERATED BY FLIS FOR A SPECIFIED DATE.					
0753	DT-AUTODIN-STA-SER-NBR		DLIS-SB	F		5
	DATE OF AUTODIN STATION SERIAL NUMBER THE JULIAN DATE OF THE DIDS DATA GENERATION.					
0754	AUTODIN-STA-SER-NBR		DLIS-SB	F		4
	AUTODIN STATION SERIAL NUMBER APPEARS AS THE IDENTIFYING SERIAL NUMBER IN THE HEADER OF THE AUTODIN MESSAGE.					
0755	AUTODIN-MSG-CT		DLIS-SB	F		4
	AUTODIN MESSAGE COUNT A COUNT OF THE TOTAL NUMBER OF STATION SERIAL NUMBERS GENERATED BY DIDS FOR CONTENT INDICATOR CODES (CICS) IHFN/DHFN, IHFL/DHFL, IHFH/DHFH AND DHHF (DAAS) FOR AN ACTIVITY, FOR THE JULIAN DATE REFLECTED IN DRN 0753.					
0756	DATA-TRNSM-CTL-CD	D_TRN_CTL_CD_0756	DLIS-SBA	F	CHAR	1
	DATA TRANSMISSION CONTROL CODE A CODE USED TO PROVIDE SERVICES/AGENCIES OPTIONS TO INFORM DLIS OF THEIR INTEREST IN RECEIVING KWA NOTIFICATIONS TO VERIFY RECEIPT OF ALL FLIS DATA TRANSMITTED VIA AUTODIN. (SEE DRN 0752).SEE <u>VOLUME 10, TABLE 101</u> AND QUICK INFO ON-LINE.					
0757	PROD-CD-NON-PARME-SCRNG	PRO_CD_NPASCRT_0757	DLIS-SC	F	CHAR	1
	PRODUCTION CODE FOR NON-PARAMETRIC SEARCH AND SCREENING A CODE WHICH INDICATES THOSE INCS IN PRODUCTION FOR NON-PARAMETRIC SEARCH/SCREENING (4) OR NON-PARAMETRIC SEARCH/NON-SCREENING (5) OR NON-PARAMETRIC SCREENING/NON SEARCH (2).					
0758	DATA-TRMNR-ASSOD-WTH-INC		DLIS-SC	F		4
	DATA TERMINATOR ASSOCIATED WITH INC A TERMINATOR INDICATING THE END OF DATA ASSOCIATED WITH RESPECTIVE ITEM NAME CODE					
0759	CMD-AUTHZN-CD	CMD_AUTHZN_CD_0759	DLIS-SB	F	CHAR	1
	CATALOG MANAGEMENT DATA AUTHORIZATION CODE A CODE WHICH DESIGNATES IF AN ACTIVITY ON THE PROVISIONING SCREENING RESULTS DESTINATION TABLE IS AUTHORIZED TO RECEIVE CATALOG MANAGEMENT DATA.					
0760	FII-EDIT-GDE-DELT-DESI		DLIS-SB	F		12
	FEDERAL ITEM IDENTIFICATION EDIT GUIDE DELETION DESIGNATOR A DESIGNATOR WHICH IS USED FOR DELETING AN ENTIRE FII EDIT GUIDE FROM THE EDIT GUIDE MASTER FILE.					
0761	DELT-RCDS-DESI-CD		DLIS-SB	F		1
	DELETION OF RECORDS DESIGNATOR CODE A DESIGNATOR CODE USED FOR THE DELETION OF SINGLE OR MULTIPLE RECORDS FROM THE TECHNICAL, RELATIONSHIP, PROPORTION AND FORMAT EDIT GUIDES.					
0762	PRPTN-EDIT-SYMBL-IND-CD	PRPTN_EDIT_CD_0762	DLIS-SC	F	CHAR	1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A GROUP OF DATA ELEMENTS USED TO DELETE AN ENTRY OR REPLACE A DIGITIZED GRAPHICS IDENTIFICATION NUMBER IN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE.

0775 DGTZD-GRPHS-IDEN-NBR-RPL DLIS-V F 14
DIGITIZED GRAPHICS IDENTIFICATION NUMBER, REPLACEMENT

A DIGITIZED GRAPHICS IDENTIFICATION NUMBER REPLACING A PREVIOUSLY ASSIGNED IDENTIFICATION NUMBER RECORDED ON A DIGITIZED DRAWING IN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE.

0776 MAINT-NBR-IL-DWG DLIS-V F 14
MAINTENANCE NUMBER IDENTIFICATION LIST DRAWING

A CODE USED TO IDENTIFY THE SEQUENCE OF ACTIONS WITHIN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE MAINTENANCE PACKAGE.

0777 EFF-DT-LJE-PRCSG-DATA-SG DLIS-SB V 44
EFFECTIVE DATE (LJE) PROCESSING DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO EFFECTIVE DATED TRANSACTIONS THAT ARE BEING HELD IN SUSPENSE UNTIL AN EFFECTIVE DATE IS REACHED. THESE TRIGGERS ARE ALWAYS MACHINE GENERATED. NOTE: THE ASSIGNED SUPPLEMENTAL SEGMENT CODE IS 815, HOWEVER A SLASH (/) IS USED TO IDENTIFY THIS SEGMENT IN THE DESIGN FILE.

0778 TRAN-FILE-NM TRAN_FILE_NM_0778 DLIS-SCB F CHAR 8
CHARACTERISTIC EDIT GUIDE TRANSACTION FILE NAME

THE NAME OF A PROCESSED FILE OF CHARACTERISTIC EDIT GUIDETRANSACTIONS.

0779 TRAN-FILE-PRC-DT TRAN_PRC_DT_0779 DLIS-SCB F INTEGER 8
CHARACTERISTIC EDIT GUIDE TRANSACTION FILE PROCESSED DATE

THE DATE ON WHICH A CHARACTERISTIC EDIT GUIDE TRANSACTION FILE WAS PROCESSED. VALID VALUES: VALID DATE OF THE FORMAT YYYYMMDD.

0780 SUBMG-ACTY-CD-REL-TRAN DLIS-SBA F 2
SUBMITTING ACTIVITY CODE, RELATED TRANSACTION

DATA ELEMENT REPRESENTING ANY PARTICIPATING FOREIGN GOVERNMENT OR AGENCY WHICH SUBMITS PROPOSED DATA TO DEFENSE LOGISTICS INFORMATION SERVICE THROUGH INTERNATIONAL CODIFICATION DIVISION, DLIS-SD, FOR APPROVAL. IT IS USED EXCLUSIVELY BY DLIS-SD AS TEMPORARILY RELOCATED SUBMITTING ACTIVITY CODE IN AN INTERNAL DESIGN TECHNIQUE DEVELOPED TO PROVIDE DLIS-SD WITH THE RETURN IN THE EVENT THE INPUT TRANSACTION REJECTS. UPON APPROVAL OF THE INPUT TRANSACTION, THE DATA IN THIS FIELD MOVES TO SUBMITTING ACTIVITY CODE FIELD. SEE [VOLUME 10, TABLE 104](#), AND QUICK INFO ON-LINE.

0781 EXPSN-FLD-5 DLIS-V F 5
EXPANSION FIELD 5

A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0782 NONSCRNG-MRC-DETERM NSCR_MRC_DET_0782 DLIS-SC F CHAR 1
NONSCREENING MASTER REQUIREMENT CODE DETERMINATOR

A CODE USED IN THE FORMAT EDIT GUIDES TO DETERMINE THE THRESHOLD LEVEL OF NONSCREENING MASTER REQUIREMENT CODES (MRCS) REQUIRED TO BE PRESENT FOR AN ITEM NAME CODE (INC) IN ORDER THAT THE SUBMITTED TRANSACTION BE SUBJECTED TO TWO STEP SCREENING.

0791 FOI-GIRDER-SCHG-CD DLIS-V F 1
FREDOM OF INFORMATION GIRDER SCHEDULING CODE

A CODE TO IDENTIFY A PROCESSING ROUTINE TO BE FOLLOWED FOR FREEDOM OF INFORMATION AND GIRDER REQUESTS TO OBTAIN SELECTED OUTPUT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0792 I-S-JTC JTC_0792 DLIS-SB F CHAR 3
I&S JUMP TO CODE
A CODE DENOTING AN EXCEPTION TO THE NORMAL SEQUENCE TO BE FOLLOWED IN THE ATTRITION OF ITEMS WITHIN AN I & S FAMILY.

0793 I-S-OOU-CD OOU_0793 DLIS-SB F CHAR 3
I&S ORDER OF USE CODE
A CODE DENOTING A NATIONAL STOCK NUMBER'S I&S RELATIONSHIP WITHIN A SERVICE/AGENCY'S I&S FAMILY. THE FIRST TWO POSITIONS INDICATE THE I&S ORDER OF USE SUBGROUP CODE, AND THE LAST POSITION INDICATES THE ORDER OF USE SEQUENCE CODE WITHIN SUBGROUPS.

0794 I-S-FMLY-RL-GP DLIS-SBA F 23
I&S FAMILY RELATIONSHIP GROUP
A GROUP OF DATA ELEMENTS REQUIRED TO AFFECT AN ADD OR DELETE OF I&S JUMP TO CODE FOR A RELATED NSN. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137, 2895, AND 0792.

0795 GIIC DLIS-SBA F 1
GENERIC ITEM INDICATOR CODE
A CODE (ALWAYS '7') USED TO DENOTE A GENERIC MASTER NSN IN AN I&S FAMILY

0796 GNC-MSTR-NSN GNC_MSTR_NSN_0796 DLIS-SB F CHAR 13
GENERIC MASTER NATIONAL STOCK NUMBER
AN ITEM THAT HAS AN ACQUISITION ADVICE CODE OF W, IS RECORDED AS A MASTER NSN IN AN I&S FAMILY, AND IS IDENTIFIED TO A MILITARY, FEDERAL, OR ADOPTED INDUSTRY SPECIFICATION/STANDARD BUT STOCKLISTED WITH A DIFFERENT NSN FOR SUPPLY MANAGEMENT PURPOSES.

0797 MSTR-NSN MSTR_NSN_0797 DLIS-SB F CHAR 13
MASTER NATIONAL STOCK NUMBER
THE SOLE NATIONAL STOCK NUMBER DETERMINED BY RESEARCH TO BE THE MOST DESIRABLE AND/OR SATISFACTORY IN MEETING A SPECIFIC REQUIREMENT. IT IS PROCURABLE, AUTHORIZED FOR PURCHASE, AND SUITABLE FOR USE IN LIEU OF ANY OTHER ITEM WITHIN ITS I&S FAMILY.

0801 ADPE-IDEN-CD ADPEC_0801 DLIS-SBA F CHAR 1
AUTOMATIC DATA PROCESSING EQUIPMENT IDEN CODE (ADPEC)
A ONE POSITION IDENTIFIER CODE TO INDICATE AN ITEM OF ADPE OR CONTAINING ADPE REGARDLESS OF ASSIGNED FSC TO PROVIDE VISIBILITY FOR COMPLIANCE WITH UNIQUE MANAGER REQUIREMENTS ESTABLISHED FOR ADPE BY PUBLIC LAW 89-306. SEE VOLUME 10, TABLES 159 AND 161 AND QUICK INFO ON-LINE.

0802 PREC-MTLS-IND-CD PMIC_0802 DLIS-SBA F CHAR 1
PRECIOUS METALS INDICATOR CODE (PMIC)
THIS CODE IS TO IDENTIFY ITEMS THAT HAVE PRECIOUS METALS AS PART OF THEIR CONTENT. PRECIOUS METALS ARE THOSE METALS GENERALLY CONSIDERED TO BE UNCOMMON AND HIGHLY VALUABLE WHICH ARE RELATIVELY SUPERIOR IN CERTAIN PROPERTIES SUCH AS RESISTANCE TO CORROSION AND ELECTRICAL CONDUCTIVITY. THE PRECIOUS METALS RECOVERY PROGRAM FOR THE FEDERAL GOVERNMENT ENCOMPASSES GOLD, SILVER, PLATINUM, AND THE PLATINUM FAMILY WHICH CONSISTS OF PALLADIUM, IRIIDIUM, RHODIUM, OSMIUM, AND RUTHENIUM. SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

0803 ISC-IDEN DLIS-SB F 1
ITEM STANDARDIZATION CODE IDENTIFICATION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE THAT IDENTIFIES WHICH ITEM STANDARDIZATION CODE IS REQUIRED IN AN AUTOMATED TABULAR STUDY LIST. THE CODE MUST BE ONE OF THE FOLLOWING: 1=ALL STANDARDIZATION CODES, 2=STANDARDIZATION CODE OF 5 ONLY OR 3= ALL STANDARDIZATION CODES EXCEPT 3 AND E.

0804 DESC-AVLB DLIS-V F 1
DESCRIPTION AVAILABILITY

A CODE THAT INDICATES WHETHER A DESCRIPTION IS AVAILABLE IN THE TOTAL ITEM RECORD/TIR. THIS CODE IS TO BE GENERATED FROM THE TYPE OF ITEM IDENTIFICATION CODE/DRN 4820. TYPE OF II "2" SHALL BE DISPLAYED AS "N" DESIGNATING NO DESCRIPTION AVAILABLE. ALL OTHER TYPES OF II'S ARE TO REFLECT A BLANK.

0805 MCRL-SVC-AGCY-DESI DLIS-SBA F 1
MCRL SERVICE AGENCY DESIGNATOR

AN ALPHA CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DRN 4672 (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. SEE [VOLUME 10, TABLE 154](#) AND QUICK INFO ON-LINE.

0806 MCRL-REF-NBR-TOT-CR-CT DLIS-V F 2
MCRL REFERENCE NUMBER TOTAL CROSS REFERENCE COUNT

A COMPUTER GENERATED HEXADECIMAL COUNT OF THE QUANTITY OF NSNs WHICH ARE CROSSED REFERENCED IN THE MCRL TO A REFERENCE NUMBER (IF NONE, COUNT IS 00).

0807 MCRL-REF-NBR-RCDS-CTR DLIS-V F 2
MCRL REFERENCE NUMBER RECORDS COUNTER

A HEXADECIMAL COUNTER USED TO SEQUENCE MULTIPLE RECORDS FOR REFERENCE NUMBERS. (IF NONE, COUNTER IS 01).

0808 GIRDER-CD GIRDER_CD_0808 DLIS-CI F CHAR 2
GIRDER CODE

ACTION CODE FURNISHED BY THE MANUFACTURER IN ACCORDANCE WITH FLIS PROCEDURES.

0809 MFR-NOTES MFR_NOTES_0809 DLIS-CI F VARCHAR 58
MANUFACTURER'S NOTES

ANNOTATED DATA PROVIDED BY THE MANUFACTURER IN ACCORDANCE WITH VOLUME 4, DOD 4100.39-M.

0810 MCRL-CR-NSN DLIS-V F 13
MCRL CROSS REFERENCE NATIONAL STOCK NUMBER (NSN)

THIS NATIONAL STOCK NUMBER (NSN) HAS A DIRECT CROSS-REFERENCE RELATIONSHIP TO THE ACTIVE/CURRENT NSN ON THE ITEM OF SUPPLY. CANCELLED NSNs AND NSNs THAT CONTAIN THE FEDERAL SUPPLY CLASS (FSC) FORMERLY ASSIGNED TO THE ITEM OF SUPPLY WILL APPEAR IN THIS FIELD.

0811 NIIN-TO-DWG-MAINT-SEG DLIS-V F 80
NIIN TO DRAWING MAINTENANCE SEGMENT

A GROUP OF DATA ELEMENTS USED TO MASS DELETE AN ENTRY OR REPLACE A DIGITIZED GRAPHICS IDENTIFICATION NUMBER OR ADD GRAPHICS INFORMATION IN THE IDENTIFICATION LIST NATIONAL ITEM IDENTIFICATION NUMBER TO DRAWING CROSS-REFERENCE.

0814 DE-SPTR-CD DLIS-SB F 1
DATA ELEMENT SEPARATOR CODE

A SPECIAL CHARACTER (AN ASTERISK) USED TO INDICATE THE SEPARATION OF A FIXED/VARIABLE DATA ELEMENT FROM ANOTHER FIXED/VARIABLE DATA ELEMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0831 INT-CD-PHY-SEC-PIL-DATA DLIS-VO F 4
INTERROGATION CODE PHYSICAL SECURITY/PILFERAGE DATA

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE FOLLOWING DATA: MAJOR ORGANIZATIONAL ENTITY CODE (DRN 2833), DATE, EFFECTIVE, LOGISTICS ACTION (DRN 2128), AND SHELF LIFE CODE (DRN 2943). SEE [VOLUME 10, TABLE 171](#) AND QUICK INFO ON-LINE.

0838 TRMNL-IDEN-CD DLIS-V F 3
TERMINAL IDENTIFIER CODE

A THREE POSITION CODE USED IN THE FLIS LOGISTICS REMOTE USERS NETWORK TO IDENTIFY THE PARTICULAR SERVICE/AGENCY TERMINAL AND USER SUBMITTING A CATEGORY 1 TRANSACTION FOR INTERROGATION OR SEARCH OF THE FLIS DATA BASE. THIS CODE WILL BE CONTAINED IN THE SUBMITTER IDENTIFICATION NUMBER (DRN 0839) FIELD.

0839 LOLA-SUBMR-ID DLIS-V V VARCHAR 40
LOLA SUBMITTER IDENTIFICATION FIELD

A VARIABLE LENGTH FIELD WITH A MAXIMUM OF 40 CHARACTERS. ENTRIES MAY BE ALPHA, NUMERIC, AND OR CHARACTERS. THIS FIELD IS DISPLAYED ON THE LOGISTICS REMOTE USERS NETWORK (LOGRUN) LOLA OUTPUT (LOLOUT) AND LOLA MULTIPLE NIIN INPUT (LOLMUL) SCREENS. THE PURPOSE OF THIS FIELD IS TO IDENTIFY OUTPUT PRODUCTS BY THE SUBMITTER. IF THIS FIELD IS NOT ENTERED BY THE SUBMITTER, THE FIELD VALUE WILL DEFAULT TO THE LOGRUN LOGON ID OF THE SUBMITTER.

0840 TRMNL-SER-NBR DLIS-V F 7
TERMINAL SERIAL NUMBER

A SEVEN POSITION CODE ASSIGNED BY THE SERVICE/AGENCY USER TO IDENTIFY, AT DESK LEVEL, A CATEGORY I TRANSACTION INPUT TO THE DIDS REMOTE TERMINAL SYSTEM. THIS CODE WILL BE CONTAINED IN THE SUBMITTER IDENTIFICATION NUMBER (DRN 0839) FIELD.

0841 REMOT-OP-FMT-CD DLIS-V F 1
REMOTE OUTPUT FORMAT CODE

A ONE POSITION CODE USED TO IDENTIFY FORMAT OF DATA OUTPUT FOR CATEGORY 1 TRANSACTIONS UNDER THE FLIS LOGISTICS REMOTE USERS NETWORK. DATA MAY BE OUTPUT AS RAW (WITHOUT HEADERS) OR AS FORMATTED DATA WITH HEADERS. A CODE OF R OR M INDICATES RAW DATA OUTPUT. F OR N INDICATES THAT A FORMATTED DATA OUTPUT IS DESIRED.

0845 COMN-NBRING-SYS-IND CNBR_SYS_I_0845 DLIS-SC F CHAR 1
COMMON NUMBERING SYSTEM INDICATOR

A CODE WHICH DESIGNATES WHETHER OR NOT A COMMON PART NUMBERING SYSTEM EXISTS BETWEEN TWO OR MORE COMPANIES WITHIN A DESIGNATED CORPORATE STRUCTURE. VALID VALUES: Y = YES - THERE IS COMMONALITY, N = NO - THERE IS NOT COMMONALITY, U = UNKNOWN, BLANK = NOT REQUIRED.

0847 MRC-USG-DESI MRC_USG_DESI_0847 DLIS-SC F CHAR 1
MASTER REQUIREMENT CODE USAGE DESIGNATOR

AN INDICATOR (*) THAT IDENTIFIES IF THE MASTER REQUIREMENT CODE (MRC) IS IN A U.S. FEDERAL ITEM IDENTIFICATION GUIDE (FIG). A BLANK SPACE WILL INDICATE THAT THE MRC IS INACTIVE OR RECORDED FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE.

0848 MRC-TBL-CT DLIS-SC F 1
MASTER REQUIREMENT CODE TABLE COUNT

A NUMBER (0 THRU 8) THAT INDICATES THE QUANTITY OF TABLES RELATING TO THE MASTER REQUIREMENT CODE (MRC).

0849 REMOT-OP-DEVIC-CD DLIS-V F 1
REMOTE OUTPUT DEVICE CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0865 HZRD-MAT-IND-CD HMIC_0865 DLIS-SBA F CHAR 1
HAZARDOUS MATERIALS INDICATOR CODE

A CODE ESTABLISHED IN THE DLIS TOTAL ITEM RECORD (TIR) TO IDENTIFY TO USERS OF THE FEDERAL CATALOG SYSTEM ALL KNOWN OR SUSPECTED HAZARDOUS ITEMS AS DEFINED BY SAFETY/HEALTH, TRANSACTION AND/OR ENVIRONMENTAL REGULATIONS, TO SERVE AS A FLAG THAT A PROCURING ACTIVITY MUST ACQUIRE A MATERIAL SAFETY DATA SHEET WHEN A HAZARDOUS ITEM IS PROCURED, AND TO INFORM FEDERAL CATALOG SYSTEM USERS WHEN MORE DETAILED INFORMATION ON AN ITEM IS AVAILABLE IN THE HAZARDOUS MATERIAL INFORMATION SYSTEM. SEE [VOLUME 10, TABLE 179](#) AND QUICK INFO ON-LINE.

0866 DBRD-BDR-STAT-CD DBRD_STAT_CD_0866 DLIS-SC F CHAR 1
DEBARRED BIDDER STATUS CODE

A CODE THAT WILL INDICATE A CONTACTOR HAS BEEN DEBARRED (CODE D), PROPOSED FOR DEBARMENT (CODE P) OR SUSPENDED (S) FROM RECEIVING FEDERAL CONTRACTS.

0867 DBRD-CONTR-END-DT DBRD_END_DT_0867 DLIS-SC F INTEGER 6
DEBARRED CONTRACTOR'S END DATE

THE TERMINATION DATE OF THE DEBARMENT OR SUSPENSION ACTION IMPOSED BY A DOC COMPONENT AGAINST A CONTRACTOR.

0868 DOD-DBRMT-PPSL-INTR-SYM DBR_PRO_I_SYM_0868 DLIS-SBB F CHAR 5
DOD DEBARMENT PROPOSAL INITIATOR'S SYMBOL

A SYMBOL DESIGNATING THE MILITARY SERVICE, AGENCY OR OTHER DOD AUTHORITY THAT INITIATED THE PROPOSAL FOR THE DEBARMENT OR SUSPENSION OF THE CONTRACTORS FROM RECEIVING FEDERAL CONTRACTS. SEE [VOLUME 10, TABLE 183](#) AND QUICK INFO ON-LINE.

0870 RCDED-SUSP-FILE-ENTR-DT SUSP_ENTR_DT_0870 DLIS-CI F INTEGER 5
RECORDED SUSPENSE FILE ENTRY DATE

A CODE THAT IDENTIFIES THE DATE A TRANSACTION THAT IS IN PROCESS WAS ADDED TO THE NATO/FG MASTER SUSPENSE FILE. THIS CODE WILL APPLY ONLY WHEN AN INPUT TRANSACTION IS MATCHED BY DIC LFN INPUT AND IS STILL IN PROCESS (I.E., TSC NB). DB2 FORM IS CCYYDDD. OUTPUT FORM IS YYDDD.

0872 SURCHG-PRCSG-IND-CD SUR_PRC_ID_CD_0872 DLIS-S F CHAR 1
SURCHARGE PROCESSING INDICATOR CODE

A CODE WHICH INDICATES THE ITEM HAS A SURCHARGE UNIT PRICE IN THE FUTURE. SPECIAL PROCESSING IS APPLIED TO OVERLAY ANY PRICE SUBMITTED WITH THE SURCHARGE PRICE WHILE THIS CODE IS PRESENT. THE VALID VALUES ARE: U - SURCHARGE, N - NAVY BY-PASS, BLANK - NO SURCHARGE.

0874 DT-ESB-PSMAT-RD DT_ESB_PSMT_R_0874 DLIS-SB F INTEGER 5
DATE ESTABLISHED, PSMAT RECORD

A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED IN THE PRVSNG SCRNG MASTER ADDR FILE.

0875 DT-LST-ACCS-PSMAT-RD DT_LST_ACC_PS_0875 DLIS-SB F INTEGER 5
DATE LAST ACCESSED, PSMAT RECORD

A YEAR AND JULIAN DAY USED TO IDENTIFY THE LAST DATE A RECORD IN THE PRVSNG SCRNG MASTER ADDR FILE WAS UPDATED OR USED IN THE PRVSNG SCRNG PROCESS.

0876 TOT-NBR-ADRS-PSMAT DLIS-SB F 5
TOTAL NUMBER OF ADDRESSES, PSMAT

TOTAL NUMBER OF PRVSNG SCRNG RCVR ADRS (DRN 0232) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0877 SVC-CONTR-IDEN-CD-1-TOT DLIS-SB F 5

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

SERVICE/CONTRACTOR IDENTIFICATION CODE 1 TOTAL

TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 1 (CONTRACTORS) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0878 SVC-CONTR-IDEN-CD-2-TOT DLIS-SB F 5

SERVICE/CONTRACTOR IDENTIFICATION CODE 2 TOTAL

TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 2 (GOVT W/CONTRACTORS) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0879 SVC-CONTR-IDEN-CD-3-TOT DLIS-SB F 5

SERVICE/CONTRACTOR IDENTIFICATION CODE 3 TOTAL

TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 3 (GOVT) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0880 FTS-NBR DLIS-VO F 8

FEDERAL TELECOMMUNICATIONS SYSTEM NUMBER

A TELEPHONE NUMBER WITHIN THE FEDERAL COMMUNICATIONS NETWORK FOR A WIDE RANGE OF SERVICES AT COSTS BELOW COMMERCIAL RATES.

0881 TIC DLIS-VO F 2

TYPE INQUIRY CODE

A CODE INDICATING THE KIND OF INQUIRY TO BE PROCESSED.

0882 RPTY-NAME RPTY_NAME_0882 DLIS-VP V VARCHAR 60

REPOSITORY NAME

THE NAME OF AN ORGANIZATION IN POSSESSION OF TECHNICAL DATA ASSETS.

0883 RPTY-ST-ADRS RPTY_ST_ADRS_0883 DLIS-VP F CHAR 60

REPOSITORY STREET ADDRESS

THE STREET NAME AND ASSOCIATED NUMBER PORTION A REPOSITORYs ADDRESS.

0884 RPTY-CITY RPTY_CITY_0884 DLIS-VP F CHAR 60

REPOSITORY CITY

THAT PART OF AN ADDRESS REFLECTING THE CITY OF A REPOSITORY.

0886 OFC-EXT DLIS-VO V 5

OFFICE EXTENSION

AN EXTENSION OF A TELEPHONE NUMBER GIVEN TO A SPECIFIC OFFICE.

0887 AUTOVON-NBR DLIS-VO F 8

AUTOMATIC VOICE NETWORK NUMBER

TELEPHONE NUMBER WITHIN THE DEFENSE COMMUNICATIONS SYSTEM THAT PROVIDES DIRECT DIALING SERVICE WORLDWIDE BETWEEN GOVERNMENT OWNED AND LEASED AUTOMATIC SWITCHING FACILITIES.

0888 OFC-SYM OFC_SYM_0888 DLIS-VO F VARCHAR 60

OFFICE SYMBOL

OFFICE SYMBOL OR OTHER ATENTION INFORMATION SUCH AS THE BUILDING NUMBER.

0889 RPTY-CLR-TXT1 RPTY_CLR_TXT1_0889 DLIS-VP V VARCHAR 60

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0903 DSOR DSOR_0903 DLIS-SBA F CHAR 2
DEPOT SOURCE OF REPAIR CODE

AN ORGANIC OR CONTRACT ACTIVITY DESIGNATED AS THE SOURCE TO PROVIDE DEPOT MAINTENANCE OF EQUIPMENT. ONLY EACH SERVICE'S MAINTENANCE INTERSERVICE SUPPORT MANAGEMENT OFFICE (MISMO) ASSIGNS DSOR CODES THROUGH PICA SERVICE CATALOGING FUNCTION. SEE VOLUME 10, TABLES 117 AND 126 AND QUICK INFO ON-LINE.

0904 FMR-DSOR FMR_DSOR_0904 DLIS-SBA F CHAR 2
FORMER DEPOT SOURCE OF REPAIR (DSOR) CODE

A CODE IDENTIFYING THE DEPOT SOURCE OF REPAIR FORMERLY DESIGNATED AS THE SOURCE TO PROVIDE DEPOT MAINTENANCE OF EQUIPMENT. SEE VOLUME 10, TABLES 117 AND 126 AND QUICK INFO ON-LINE.

0905 CTGY-CD CTGY_CD_0905 DLIS-SBA F CHAR 1
CATEGORY CODE

THE CATEGORY THAT IS ASSIGNED TO THAT ACTIVITY.

0906 STAT-DP-ACT-ESTABLISHED DLIS-V F 8
STAT DEPARTMENT ACTIVITY DATE ESTABLISHED

THE DATE THE ACTIVITY AND DEPARTMENT CODE WAS ESTABLISHED FOR THE MANAGEMENT STATISTICS FUNCTIONS. MM/DD/YY

0907 TYPE-OF-STAT TYPE_OF_STAT_0907 DLIS-SBA F CHAR 12
TYPE OF STATISTICS

TYPE OF STAT IS PART OF THE CUT OFF DATE TABLE USED BY THE PROGRAM MANAGER. ITS VALUES CAN BE ISC, AAC, AMSC, REP ETC.

0908 STAT-DEPT-ACTY-CHANGED STAT_ACTY_CH_0908 DLIS-SBA F DATE 7
STAT DEPARTMENT ACTIVITY DATE CHANGED

THE LAST DATE THE ACTIVITY AND/OR DEPARTMENT CODE WAS UPDATED.

0909 MGR-AMSC-OUTPUT-ACCESS DLIS-SBA F 8
MANAGER ACQUISITION METHOD SUFFIX OUTPUT ACCESS

THE NUMBER OF USER ACCESSES FOR ACQUISITION METHOD SUFFIX CODE STATISTICS.

0910 STATS-REASON-CD-CATEGORY DLIS-SBA F 8
STATISTICS REASON CODE

THE CLEAR STATISTICAL CATEGORY FOR REASON CODES IN THE SYSTEM.

0912 BEGINNING-DATE BEG_DATE_0912 DLIS-SBA F DATE 5
BEGINNING DATE

THE JULIAN DATE THAT SHOWS THE ACTUAL STARTING DATE FOR ACCUMULATING THAT STATISTIC.

0913 ENDING-DATE ENDING_DATE_0913 DLIS-SBA F INTEGER 7
ENDING DATE

THIS IS THE JULIAN DATE THAT IS THE LAST DATE FOR ACCUMULATING STATISTICS FOR THAT REPORTING PERIOD.

0915 Q-C-VALIDATE Q_C_VALIDATE_0915 DLIS-SBA F CHAR 3
QUALITY CONTROL VALIDATE

THE VALUE IS YES OR NO OF WHETHER OR NOT THE PROGRAM MANAGER VALIDATED THE STATISTIC.

0916 RLSE RLSE_0916 DLIS-SBA F CHAR 3

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

RELEASE

THIS DATA ELEMENT CAN HAVE THE VALUE YES OR NO IN IT TO REFLECT THE PROGRAM MANAGER APPROVAL OF THE MOST RECENT UPDATE TO THE STATISTICS DATA STORE.

0918 DLSC-DWG-LST DLSC_DWG_LST_0918 DLIS-SB F CHAR 14

DLSC DRAWING LIST

THIS REPRESENTS THE DWG-IDEN-NBR LINE DRAWINGS THAT DLIS WILL BE RESPONSIBLE FOR PRODUCING. THE 14 CHARACTER NBR MAY OCCUR UP TO 1200 TIMES ON ONE LIST.

0919 DWG-AT-MFR-CTR DLIS-SB F 10

DRAWING AT THE MANUFACTURER COUNTER

A COUNTER USED TO COUNT THE NUMBER OF DRAWINGS THAT HAVE BEEN SENT TO A MANUFACTURER FOR THE PRODUCTION OF LINE DRAWINGS.

0920 DWG-AT-DLSC DLIS-SB F 14

DRAWING AT DLSC

DRAWINGS THAT DLIS WILL BE RESPONSIBLE FOR TURNING INTO A LINE DRAWING.

0921 DWG-AT-DLSC-CTR DLIS-SB F 10

DRAWING AT DLSC COUNTER

THIS COUNTS HOW MANY LINE DRAWINGS DLIS HAS BEEN ASSIGNED TO PRODUCE.

0922 FIGREP-TO-DWG-IDEN-LST DLIS-SB F 159

FIGREP TO DRAWING IDENTIFICATION LIST

ALPHANUMERIC LIST OF FIGREP STYLE/REPLY IDENTIFICATION NUMBERS THAT CROSS REFERENCE TO FIGREP-IDEN-NBR-DWG-CR, DGTZD-DWG-ITM-NM-DSCRPTN, AND CR-INC.

0923 DWG-TO-B-DGTZD-CTR DLIS-SB F 10

DRAWINGS TO BE DIGITIZED COUNTER

THE ACCUMULATED AMOUNT OF DRAWINGS THAT ARE WAITING TO BE DIGITIZED.

0924 DWG-TYP-2-CTR DLIS-SB F 10

DRAWING TYPE 2 COUNTER

A COUNTER USED TO COUNT THE NUMBER OF DRAWINGS THAT ARE ASSIGNED TO NIIN-IDEN-NBR-DWG-CR TYPE 2 NIINs.

0925 MFR-DWG-LST MFR_DWG_LST_0925 DLIS-V F CHAR 14

MANUFACTURES DRAWING LIST

THIS REPRESENTS THE DWG-IDEN-NBR LINE DRAWINGS THAT THE MANUFACTURE WILL BE RESPONSIBLE FOR PRODUCING. THE 14 CHARACTER NUMBER MAY OCCUR UP TO 1200 TIMES ON ONE LIST.

0926 DWG-TO-B-SNT-TO-MFR-CTR DLIS-SB F 10

DRAWINGS TO BE SENT TO THE MANUFACTURER COUNTER

ACCUMULATIVE COUNT OF DWG-TO-B-SNT-MFR.

0927 FIGREP-DWG-CTR DLIS-SB F 10

FIGREP DRAWINGS COUNTER

A COUNT OF FIGREP-IDEN-NBR-DWG-CR DRAWINGS USED IN FIGREP DRAWING APPLICATION.

0928 NIIN-TO-DWG-IDEN-LST DLIS-SB F 159

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

NIIN TO DRAWING IDENTIFICATION LIST
LIST OF ALL ASGND NIINS ASSOCIATED WITH NIIN-IDEN-NBR-DWG-CR.

0929	LMTD-RGHTS-DWG LIMITED RIGHTS DRAWING DRAWINGS THAT REFERENCE NIINs THAT HAVE LIMITED RIGHTS ASSIGNED TO THEM IN SEGMENT C OR AN MRC.	LMT_RTD_DWG_0929	DLIS-V	F CHAR	1
0930	NIIN-BY-FSC NIIN BY FEDERAL SUPPLY CLASS USED TO IDENTIFY THE NIINs ASSIGNED TO A PARTICULAR FSC THAT HAVE A DIGITIZED DRAWING ON FILE FOR EITHER FIGREP OR NIIN DRAWINGS.		DLIS-S	F	14
0931	NIIN-BY-FSC-CTR NIIN BY FEDERAL SUPPLY CLASS COUNTER TOTAL COUNT OF NIINs ASSIGNED TO A PARTICULAR FSC WITH A DIGITIZED DRAWING.		DLIS-V	F	10
0933	DWG-TO-B-SNT-TO-MFR DRAWINGS TO BE SENT TO MANUFACTURER THIS DISPLAYS THE ACCUMULATIVE AMOUNT OF DWG-IDEN-NBRs THAT WILL BE SENT TO THE MANUFACTURER FOR LINE DRAWING PRODUCTION.		DLIS-SB	F	10
0934	TOT-NBR-DWG-IN-FL-CTR TOTAL NUMBER OF DRAWING IN FILE COUNTER THE TOTAL COUNT OF FIGREP OR NIIN DRAWINGS ASSIGNED.		DLIS-SB	F	10
0935	TOT-NBR-NSNS-ASGND TOTAL NUMBER OF NIINs ASSIGNED TOTAL NUMBER OF NATIONAL STOCK NUMBERS ASSIGNED TO DRAWINGS IN THE DIGITIZED DRAWING RECORD.		DLIS-V	F	10
0936	NBR-OF-DWG-VWS-CTR NUMBER OF DRAWING VIEWS COUNTER THE COUNT OF DRAWING VIEWS ASSIGNED TO A NIIN.		DLIS-SB	F	1
0938	DWG-IN-FILE DRAWING IN FILE THE STATUS AS TO WHETHER THE DRAWING HAS BEEN DIGITIZED OR NOT.	DWG_IN_FILE_0938	DLIS-SB	F CHAR	1
0939	DGTZD-DWG-NBR-LST DIGITIZED DRAWING NUMBER LIST ALPHANUMERIC LISTING OF ALL DRAWING IDENTIFICATION NUMBERS FOR NIIN-IDEN-NBR OR FIGREP-IDEN-NBR. THE 14 CHARACTER NUMBER MAY OCCUR UP TO 1200 TIMES.		DLIS-SB	F	14
0940	DWG-TO-B-DGTZD DRAWING TO BE DIGITIZED ACTUAL COUNT OF DRAWINGS WAITING TO BE DIGITIZED AFTER LINE DRAWINGS HAVE BEEN PRODUCED.		DLIS-SB	F	10
0941	TBL-VRBL-INDCTR-CD TABLE/VARIABLE INDICATOR CODE	TBL_V_IN_CT_C_0941	DLIS-VPE	F CHAR	1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE THAT DESCRIBES WHERE THE FIGREP DRAWING OR DRAWING INFORMATION IS LOCATED IN THE FIG. 1 = INFORMATION TAKEN FROM A TABLE IN APPENDIX A. X = A VARIABLE STYLE TAKEN FROM A RDG.

0943 DWG-AT-MFR DLIS-SB F 14
DRAWING AT MANUFACTURER
DRAWINGS THAT A MANUFACTURER WILL BE RESPONSIBLE FOR TURNING INTO A LINE DRAWING.

0944 DWG-FNSH-DT DWG_FNSH_DT_0944 DLIS-SB F DATE 4
DRAWING FINISH DATE
THE JULIAN DATE USED BY THE TECHNICIAN TO SHOW WHERE THE LIST OF DRAWING IDENTIFICATION NUMBERS STOP BEING EXTRACTED FOR THE PRODUCTION OF A DRAWING MANUFACTURERS LIST OR DRAWING DLIS LIST.

0945 DWG-STRT-DT DWG_STRT_DT_0945 DLIS-SB F DATE 4
DRAWING START DATE
THE JULIAN DATE USED BY THE TECHNICIAN TO START THE PRODUCTION OF A LIST OF DWG-IDEN-NBRs TO BE SENT TO THE MANUFACTURER OR DLIS FOR LINE DRAWINGS.

0946 DWG-TXT-DTL DWG_TXT_DTL_0946 DLIS-SB V CHAR 140
DRAWING TEXT DETAIL
THE DRAWING TEXT INFORMATION THAT GOES ALONG WITH THE FIGREP DRAWINGS.

0947 TOT-NBR-DWG-IN-FILE DLIS-SB F 10
TOTAL NUMBER DRAWINGS IN FILE
TOTAL NUMBER OF DRAWING IDENTIFICATION NUMBERS.

0950 DATA-REC-NBR DRN_0950 DLIS-VO F CHAR 4
DATA RECORD NUMBER
FOUR NUMERIC CHARACTERS ASSIGNED TO IDENTIFY AND CONTROL A FUNCTIONALLY ORIENTED DATA ELEMENT USED IN THE DEFENSE LOGISTICS INFORMATION SYSTEM. THESE DATA ELEMENTS ARE INPUT TO AND/OR FROM SERVICES/AGENCIES AND DEFENSE LOGISTICS INFORMATION SERVICE (DLIS)/DEFENSE REUTILIZATION AND MARKETING SERVICE (DRMS) PROGRAM MANAGER PERSONNEL.SEE VOLUME 10, TABLES 28, 34 AND 35 AND QUICK INFO ON-LINE.

0952 LMTD-RGHTS-DWG-CTR DLIS-V F 10
LIMITED RIGHTS DRAWING COUNTER
A COUNT OF LIMITED RIGHTS DRAWINGS USED IN THE NIIN AND FIGREP DRAWING XREF APPLICATIONS.

0954 DWG-BY-FIIG DLIS-S F 6
DRAWING BY FEDERAL ITEM IDENTIFICATION GUIDE
ALL DRAWINGS THAT ARE FOUND IN A PARTICULAR FIG.

0955 NBR-OF-DWG-VWS NBR_DWG_VWS_0955 DLIS-SB F SMALLINT 1
NUMBER OF DRAWINGS VIEWS
THE NUMBER OF DRAWING VIEWS USED TO DESCRIBE THE ITEM IDENTIFIED BY THE NIIN DRAWING CROSS REFERENCE IDENTIFICATION NUMBER.

0956 DWG-BY-INC DLIS-S F 5
DRAWING BY ITEM NAME CODE
A PARTICULAR DRAWING USED IN THE FIGs THAT REPRESENT A PARTICULAR INC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0957 TOT-NBR-OF-DWGS DLIS-S F 10
TOTAL NUMBER OF DRAWINGS
TOTAL NUMBER OF FIIG/LNDG DRAWINGS IN THE DIGITIZED DRAWING FILE.

0958 USER-OPTN DLIS-S F 1
USER OPTION
THIS ALLOWS THE USER DIFFERENT OPTION COMBINATIONS FOR DISPLAY ON THE SCREEN.

0961 APPNDX DLIS-S F 1
APPENDIX
USED TO ACCESS APPENDIX B AND APPENDIX C.

0964 RDG-TI RDG_TI_0964 DLIS-S V VARCHAR 160
REFERENCE DRAWING GROUP TITLE
THE TITLE USED TO IDENTIFY THE RDG IN THE FIIGS.

0965 STYL-TI DLIS-S F 80
STYLE TITLE
THE BASIC STYLE INFORMATION USED TO DESCRIBE A FIIG/LNDG DRAWING STYLE.

0966 F-DWG-DTL DLIS-S V 7966
FIIG DRAWING DETAL
DIGITIZED DRAWINGS USED IN THE FIIG/LNDG APPLICATION.

0970 TOT-NBR-NSNS-ASGND-CTR DLIS-SB F 10
TOTAL NUMBER OF NATIONAL SOCK NUMBERS ASSIGNED COUNTER
AN ACCUMULATIVE COUNT OF NSNs ASSIGNED THAT ARE USED IN XREF.

0971 LRN-C-NIIN-CAN-WKLY DLIS-BB F 2
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

0973 RQST-CD DLIS-SB F 1
REQUEST CODE
IT TELLS THE SYSTEM IF THE USER REQUIRES A TAILORED LIST, LABELS ONLY OR BOTH, FOR OUTPUT PRODUCT.

0980 MA DLIS-SB F 6
MASTER ADDRESS CODE
A SIX POSITION ALPHA NUMERIC CODE THAT IDENTIFIES A PARTICULAR ORGANIZATION, BUT NOT THE UNITS WITHIN THE ORGANIZATION. THERE ARE NO SPECIAL CHARACTERS OR BLANKS ALLOWED.

0981 SCREEN-ID-CODE SCRN_ID_0981 DLIS-SB F CHAR 6
SCREEN IDENTIFICATION CODE
A 6 CHARACTER ELEMENT WHICH CORRESPONDS TO THE SCREEN IDENTIFICATION MNEMONIC ELEMENT NAME.

0982 PRDCT-TI PRDCT_TI_0982 DLIS-SB F CHAR 20
PRODUCT TITLE
A TWENTY POSITION ALPHA NUMERIC CODE THAT DESIGNATES THE CLEAR TEXT TITLE OF A PRODUCT. THE PRODUCT TITLE IS PRINTED ON STANDARD LABELS AND ON VARIOUS REPORTS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0983	MSG MESSAGE	MSG_0983	DLIS-SB	F CHAR	66
A RESPONSE TO ANY SYSTEM REQUEST THAT REQUIRES AN ANSWER, SUCH AS IMPROPER FORMAT, FORMAT NOT FOUND, DO YOU REALLY WANT TO DELETE Y/N ()?, SYSTEM UPDATED, ETC.					
0984	DWG-TYP-2 DRAWING TYPE 2		DLIS-SB	F	1
TYPE 2 NIINS THAT HAVE A DIGITIZED DRAWING ASSIGNED IN THE NIIN-IDEN-NBR-DWG-CR FILE.					
0986	LRN-CHS-HLP-DP-SN-TIC-QT LOGRUN CHARACTERISTIC HELP DEPARTMENT STATION NAME TIC QT		DLIS-BB	F	8
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTIC SEARCH HELP BROKEN OUT BY DEPARTMENT FOR STATION NAME BY TERMINAL IDENTIFICATION CODE.					
0987	LRN-PROC-PRD-SVC-CAN-D LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER DAILY		DLIS-BB	F	6
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLIS PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.					
0988	LRN-PROC-PRD-SVC-CAN-W LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER WEEKLY		DLIS-BB	F	6
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLIS PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.					
0989	LRN-PROC-PRD-SVC-CAN-M LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER MONTHLY		DLIS-BB	F	6
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLIS PRODUCT AND SERVICES BY CUSTOMER ACCOUNT NUMBER.					
0990	LRN-PROC-PRD-SVC-CAN-Q LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER QRTLY		DLIS-BB	F	6
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLIS PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.					
0991	LRN-PROC-PRD-SVC-CAN-Y LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER YEARLY		DLIS-BB	F	6
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLIS PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.					
0992	LRN-PROC-PRD-SVC-ACTY-D LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY DAILY	LRN_STAT_CNT_0992	DLIS-BB	F INTEGER	6
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLIS PRODUCTS AND SERVICES BY ACTIVITY.					
0993	LRN-PROC-CHG-UPDT-CAN-W LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY		DLIS-BB	F	6
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR TO THE PROCEDURES BULLETIN BOARD BY CUSTPMER ACCOUNT NUMBER ON A WEEKLY BASIS.					
0994	LRN-PROC-ADD-UPDT-CAN-W		DLIS-BB	F	6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0995 LRN-PROC-DEL-UPDT-CAN-W DLIS-BB F 6
LOGRUN PROCEDURE DELETE UPDATE CUSTOMER ACCNT NMBR WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0996 LRN-PROC-PRD-SVC-ACTY-W DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLIS PRODUCTS AND SERVICES BY ACTIVITY.

0997 BRNCH-CD BRNCH_CD_0997 DLIS-CI F CHAR 1
BRANCH CODE
A CODE DESIGNATING WHICH BRANCH INCOMING TRANSACTIONS SHOULD BE ASSIGNED TO, BASED ON THE SUBMITTED CAGE CODE.

0998 BTCH-CTL-NBR BTCH_CTL_NBR_0998 DLIS-CI F CHAR 10
BATCH NUMBER TO BATCH CONTROL NUMBER
A NUMBER ASSIGNED TO A GROUPING OF INPUT CATALOGING TRANSACTIONS THAT ARE RECEIVED FROM FOREIGN GOVERNMENTS. THIS NUMBER IS MANUALLY OR MECHANICALLY GENERATED. THE FIRST TWO POSITIONS REPRESENT THE SUBMITTING COUNTRY. THE NEXT FIVE POSITIONS ARE THE JULIAN DATE OF INPUT. THE LAST THREE POSITIONS CONSIST OF A DASH AND THE OCCURRENCE OF INPUT FOR THAT COUNTRY FOR THAT DAY.

0999 CONTL-TXT CONTL_TXT_0999 DLIS-V V VARCHAR 1280
CONTINUAL TEXT
THIS DRN CONTAINS TEXTUAL DATA FROM DIDS PROCEDURES SYSTEM. THIS INFORMATION WILL BE PROVIDED ON ONE SCREEN.

1000 DOC-CTL-SER-NBR DCSN_1000 DLIS-SB F CHAR 7
DOCUMENT CONTROL SERIAL NUMBER
AN ALPHA NUMERIC NUMBER (DESKCODE) ASSIGNED TO EACH INPUT, OUTPUT AND SUSPENDED TRANSACTION FOR CONTROL PURPOSES. USED INTERNALLY BY THE DEFENSE LOGISTICS INFORMATION SERVICE AND EXTERNALLY BY FIELD ACTIVITIES.

1001 OE-LI-SEG-NBR OE_LI_SEG_NBR_1001 DLIS-SBB F CHAR 2
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER
A CODE THAT IDENTIFIES THE TYPE OF LINE SEGMENT, IN THE CLEAR TEXT, COMPRISING AN ORGANIZATIONAL ENTITY RECORD. USED FOR SEQUENCING TEXT IN PROPER CHRONOLOGICAL ORDER. NUMERIC RANGE 01-59. SEE VOLUME 10, TABLE 89 AND QUICK INFO ON-LINE.

1002 RTC-CD RTC_CD_1002 DLIS-CI F CHAR 3
RETURN TO COUNTRY CODE
A THREE POSITION CODE THAT DESIGNATES THE REASON THAT A DIC LSA TRANSACTION (REQUEST FOR NSN ASSIGNMENT) IS BEING RETURNED TO THE ORIGINATING COUNTRY. THIS CODE IS INPUT BY DLIS-SD.

1006 DT-OUT-TO-MFR DT_OUT_TO_MFR_1006 DLIS-CI F INTEGER 9
DATE OUT TO MANUFACTURER
JULIAN YEAR AND DAY THAT A REQUEST IS BEING SENT TO A MANUFACTURER FOR DATA.

1007 DT-TECH-DATA-RCVD DT_TEC_DAT_RC_1007 DLIS-CI F INTEGER 9

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DATE TECHNICAL DATA RECEIVED

JULIAN YEAR AND DAY ENTERED WHEN A REPLY HAS BEEN RECEIVED BY DLIS-SD FROM THE MANUFACTURER OR OBTAINED FROM AN ALTERNATE SOURCE.

1008 DT-PRIM-OP DT_PRIM_OP_1008 DLIS-CI F INTEGER 9

DATE PRIMARY OUTPUT

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE PRIMARY OUTPUT (RESULTING FROM LSA INPUT) IS PROCESSED THROUGH THE NATO TRACKING FILE.

1009 DT-SECD-IP DT_SECD_IP_1009 DLIS-CI F INTEGER 9

DATE SECONDARY INPUT

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE SECONDARY INPUT IS PROCESSED THROUGH THE NATO MASTER TRACKING FILE.

1010 UNQ-ITM-TRK-DESI-CD UIT_DESI_CD_1010 DLIS-SA F CHAR 3

UNIQUE ITEM TRACKING DESIGNATOR CODE

A CODE TO PROVIDE A STANDARD DOD MEANS TO SYSTEMATICALLY IDENTIFY THAT AN ITEM IS REPORTABLE IN ACCORDANCE WITH DOD 4140.1-R. VALID VALUES: AAA - DOD SMALL ARMS SERIALIZATION PROGRAM (DODSASP), AAB - CONTROLLED CRYPTOGRAPHIC ITEMS (CCI) PROGRAM, AAC - RADIATION TESTING AND TRACKING SYSTEM (RATTS) PROGRAM, AAD - NAVY DEPOT LEVEL REPAIRABLES (NDLR) PROGRAM

1011 DT-SECD-OP DT_SECD_OP_1011 DLIS-CI F INTEGER 9

DATE SECONDARY OUTPUT

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE SECONDARY OUTPUT IS PROCESSED THROUGH THE NATO MASTER TRACKING FILE.

1012 AC-NO-7 DLIS-CI V 9000

NATO AC 135 NO7 DATA

A GROUP OF DATA SUBMITTED IN SUPPORT OF A CODIFICATION REQUEST FROM A NATO/FG TO THE U.S. IT CONSISTS OF INFORMATION THAT WILL AID IN CATALOGING, SUCH AS, THE CONTRACT NUMBER OR END ITEM APPLICATION.

1013 DT-TRAN-DSK-CD-CHNG DT_DSK_CD_CHG_1013 DLIS-CI F INTEGER 9

DATE TRANSACTION DESK CODE CHANGE

JULIAN YEAR AND DAY WHEN THE DESK CODE IS CHANGED IN THE NATO MASTER TRACKING FILE.

1014 UNQ-ITM-TRK-DESI-PGM-NM UITD_PGM_NM_1014 DLIS-SA V VARCHAR 80

UNIQUE ITEM TRACKING DESIGNATOR PROGRAM NAME

THE NAME OF THE PROGRAM PROVIDING UNIQUE ITEM TRACKING DESIGNATOR INFORMATION, ASSOCIATED WITH DRN 1010, SEE VOL. 10 TABLE xxx FOR VALID VALUES.

1015 DOC-CTL-NBR DOC_CTL_NBR_1015 DLIS-SB F CHAR 16

DOCUMENT CONTROL NUMBER

A DATA CHAIN GENERATED FOR INPUT AND PERPETUATED IN OUTPUT PACKAGES. THE COMPONENTS OF THIS CHAIN ARE DRNs 4210, 3720, 2310 AND 1000. THIS COMBINATION WILL CREATE A UNIQUE IDENTIFYING NUMBER FOR IMMEDIATE IDENTIFICATION OF EACH TRANSACTION PACKAGE. THE DOCUMENT CONTROL NBR REMAINS THE SAME FOR A SINGLE PACKAGE AND SHALL NOT BE CHANGED BY THE SUBMITTING ACTIVITY WHEN THE SUBMITTER IS OTHER THAN THE ORIGINATOR. THE DOCUMENT CONTROL NBR ALWAYS REMAINS THE SAME AND STAYS WITH THE ITEM UNTIL COMPLETED.

1016 DT-RTC DT_RTC_1016 DLIS-CI F INTEGER 9

DATE RETURN TO COUNTRY

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

MODE TYPE

A CODE IN ADP GUIDE WHICH REFLECT THE IDENTIFICATION LIST (IL) PRINT POSITION OF THE REQUIREMENTS PERMISSIBLE MODE CODE VARIABLE REPLY PORTION, WHEN THE REPLY CONSTITUTES MULTIPLE DATA ELEMENTS COMPRISING A DATA CHAIN FOR MODE CODE "J" ONLY. THE ABSENCE OF THIS CODE INDICATES THAT THE VARIABLE REPLY PORTION WILL NOT BE PRINTED IN THE IL.

1036	DT-FLGD-FOR-BLNG DATE FLAGGED FOR BILLING THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION HAS BEEN COMPLETED AND SCHEDULED TO BE INCLUDED ON THE NEXT BILLING LISTING.	DT_FOR_BLNG_1036	DLIS-CI	F INTEGER	9
1041	DT-BILD DATE BILLED THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION WAS INCLUDED IN A BILLING LISTING.	DT_BILD_1041	DLIS-CI	F INTEGER	9
1042	DT-FLGD-FOR-PURGE DATE FLAGGED FOR PURGE JULIAN YEAR AND DAY THAT A CATALOGING TRANSACTION HAS BEEN COMPLETED, BILLED AND SCHEDULED TO BE DELETED FROM THE CONTROL FILE.	DT_FOR_PRG_1042	DLIS-CI	F INTEGER	9
1043	DT-DELNQNT DATE DELINQUENT THE LAST NUMERIC OF THE YEAR AND THE JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION WILL BECOME DELINQUENT.	DT_DELNQNT_1043	DLIS-CI	F INTEGER	9
1044	DT-FLGD-FOR-RTC DATE FLAGGED FOR RETURN TO COUNTRY JULIAN YEAR AND DAY A CATALOGING TRANSACTION WAS RETURNED TO THE SUBMITTING COUNTRY AND SCHEDULED FOR INCLUSION ON THE NEXT BILLING LISTING.	DT_FOR_RTC_1044	DLIS-CI	F INTEGER	9
1045	ITM-NBR ITEM NUMBER A NUMERICAL DESIGNATION ASSIGNED TO EACH ITEM ON A PUBLICATION PAGE.		DLIS-V	F	2
1047	MRC-SCTN-NON-CORE-CHARA MASTER REQUIREMENT CODE SECTION/NON-CORE CHARACTERISTICS CODE A LETTER OR NUMBER THAT IDENTIFIES THE SECTION OF THE FIGG THAT THE MRC APPLIES TO, OR IDENTIFIES WHETHER THE MRC REPRESENTS A NON-CORE CHARACTERISTIC.	SCR_KEY_CD_1047	DLIS-SC	F CHAR	1
1051	DT-PURGED DATE PURGED JULIAN YEAR AND DAY THAT A CATALOGING TRANSACTION WAS DELETED FROM THE CONTROL FILE.	DT_PURGED_1051	DLIS-CI	F INTEGER	9
1052	DIC-OP DOCUMENT IDENTIFIER CODE OUTPUT THE DOCUMENT IDENTIFIER CODE OUTPUT BY THE DEFENSE LOGISTICS INFORMATION SERVICE AS A RESULT OF A CATALOGING TRANSACTION.	DIC_OP_1052	DLIS-CI	F CHAR	3
1057	NCPC NATO CODIFICATION PROJECT CODE		DLIS-KI	F CHAR	3

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE (THE FIRST 2 POSITIONS OF WHICH ARE ASSIGNED BY THE NATO SECRETARIAT FOR NATO AGREED PROJECTS) THAT IDENTIFIES TRANSACTIONS RELATING TO THE PROJECT. NORMALLY THE FIRST TWO CHARACTERS IDENTIFY THE PROJECT ITSELF, WHILST THE THIRD CHARACTER IDENTIFIES A SPECIFIC PART OF THE PROJECT OR THE MAJOR EQUIPMENT SUPPLIER. THE VALUE OF THE FIRST CHARACTER SHALL BE IN THE RANGE "A" TO "D" INCLUSIVE WHILST THE SECOND AND THIRD CHARACTERS MAY BE ANY ALPHANUMERIC CHARACTER WITH THE EXCEPTION OF LETTERS "I" AND "O". SEE SUB-SECTION 473 FOR THE PROCEDURE TO BE FOLLOWED TO OBTAIN OR TO CANCEL A NATO CODIFICATION PROJECT CODE.

1058 DT-INTO-SYS DT_INTO_SYS_1058 DLIS-S F DATE 5
DATE INTO SYSTEM
THE YEAR AND JULIAN DATE THAT THIS ACTION ENTERED THE SYSTEM.

1061 VAR-DATA-CHAR-CTR DLIS-V F 4
VARIABLE DATA CHARACTER COUNTER
A FOUR POSITION COUNTER USED TO HOLD COUNT OF NUMBER OF CHARACTERS IN A VARIABLE FIELD OF DATA IN A GIVEN DATA RECORD.

1062 H2-H3-PUBS-ID DLIS-V F 3
H2-H3 PUBLICATIONS IDENTIFIER
THIS FIELD IS USED BY THE H2-H3 MICROFICHE FORMAT PROGRAM TO DETERMINE WHICH PUBLICATION FORMAT IS TO BE USED.

1063 AMMO-GNC-DESC-CTR DLIS-V F 4
AMMUNITION GENERIC DESCRIPTION COUNTER
A COUNT OF THE NUMBER OF CHARACTERS REFLECTED IN THE COMPLETE AMMUNITION GENERIC CHARACTER COUNTER. IT IS USED AS A CONTROL IN FORMATTING THE H3 ALPHABETIC AND H3 NUMERIC SECTION DATA FOR MICROFICHE.

1064 H3-SRTD-NMC-DATA DLIS-V F 2005
H3 SORTED NUMERIC DATA
THIS IS A RECORD CONTAINING FORMATTED H3 NUMERIC DATA SORTED IN FSC-AMMO CODE SEQUENCE.

1065 H3-ALPHA-EXTR DLIS-V V 2004
ALPHABETIC EXTRACT
THIS IS A RECORD CONTAINING DATA EXTRACTED FROM THE H2/H3 DATA FILE FOR THE ALPHABETIC SECTION OF THE H3 PUBLICATION.

1066 H3-NMC-EXTR DLIS-V V 2004
H3 NUMERIC EXTRACT
THIS IS A RECORD CONTAINING DATA EXTRACTED FROM THE H2/H3 DATA FILE FOR THE NUMERIC SECTION OF THE H3 PUBLICATION.

1067 SRT-CTL-DATA DLIS-V V 200
SORT CONTROL DATA
A DATA FIELD APPENDED TO A TRANSITORY RECORD OR MASTER FILE RECORD FOR PURPOSE OF SORT CONTROL. THIS 200 POSITION DATA ELEMENT IS FURTHER QUALIFIED BY USE OF SORT CONTROL CHARACTER OCCURRING 200 TIMES. REFERENCE PDRN 031A.

1068 TYPCL-NM-CHAR-CTR DLIS-V F 4
TYPICAL NAME CHARACTER COUNTER
A COUNT OF THE NUMBER OF CHARACTERS REFLECTED IN THE COMPLETE TYPICAL NAME AND IS USED AS A CONTROL IN FORMATTING THE H2-2 AND H2-3 DATA FOR MICROFICHE.

1070 PKG-SEQ-NBR PKG_SEQ_NBR_1070 DLIS-SC F CHAR 3
PACKAGE SEQUENCE NUMBER (PSN)

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CONTROL NUMBER USED TO SEQUENCE AND INDICATE THE NUMBER OF RECORDS IN A DIDS INPUT OR OUTPUT PACKAGE.

1071 LST-KWN-SOS LST_KWN_SOS_1071 DLIS-SBA F CHAR 3
LAST KNOWN SOURCE OF SUPPLY

A CODE WHICH IDENTIFIES THE LAST KNOWN SOURCE OF SUPPLY FOR A CANCELLED INACTIVE, OR NO USER ITEM. IT WILL CONSIST OF EITHER A SOURCE OF SUPPLY CODE OR A PSEUDO SOURCE OF SUPPLY CODE.

1076 PAS-IDEN-CD DLIS-V F 4
PASSTHROUGH IDENTIFICATION CODE

A FOUR (4) POSITION CODE THAT IDENTIFIES A TRANSACTION AS A PASSTHROUGH INFORMATION REQUEST. THE CODE WILL ALWAYS BE PAS_ WITH A BLANK IN THE LAS POSITION.

1077 PG-NBR DLIS-S F 5
PAGE NUMBER

A NUMERICAL DESIGNATION USED TO NUMBER PUBLICATION PAGES.

1078 TBL-COL-NBR TBL_COL_NBR_1078 DLIS-S V CHAR 8
TABLE COLUMN NUMBER

NUMBER FOR EACH COLUMN IN A TABLE.

1079 TBL-ELE-IDEN TABLE_TYP_DV_1079 DLIS-BB V CHAR 24
TABLE ELEMENT IDENTIFICATION

IDENTIFIES EACH ELEMENT CONTAINED IN A COLUMN OR TABLE. LINKS TABLE DEFINITION TO LOGICAL ENTITIES WHERE DATA RESIDES AND LINKS THE ELEMENTS TO THE DATA DICTIONARY.

1081 ADRS-CD ADRS_CD_1081 DLIS-VO F CHAR 9
ADDRESS CODE

KEY FOR ADDRESS ENTITY: FIRST 4 POSITIONS: DERIVED FROM OFFICE SYMBOL NEXT 2 POSITIONS: DERIVED FROM STREET ADDRESS NEXT 2 POSITIONS: DERIVED FROM ZIP CODE LAST POSITION: USED TO ASSURE UNIQUENESS

1082 ST-ADRS-1 ST_ADRS_1_1082 DLIS-V F CHAR 36
STREET ADDRESS LINE 1

FIRST LINE OF CLEAR TEXT STREET ADDRESS OR POST OFFICE BOX.

1083 ST-ADRS-2 ST_ADRS_2_1083 DLIS-V F CHAR 36
STREET ADDRESS LINE 2

SECOND LINE OF CLEAR TEXT STREET ADDRESS.

1084 CITY CITY_1084 DLIS-V F CHAR 36
CITY

CITY PORTION OF AN ADDRESS.

1085 CNTRY CNTRY_1085 DLIS-V F CHAR 36
COUNTRY

COUNTRY PORTION OF AN ADDRESS. ONLY NECESSARY FOR FOREIGN ADDRESSES.

1086 ADRS-NM-CLR-TXT ADRS_NM_C_TXT_1086 DLIS-V F CHAR 36
CLEAR TEXT NAME LINE

USED FOR INPUT OF CLEAR TEXT ADDRESS RECIPIENT NAME INFORMATION. USED IN COMBINATION WITH ADRS-NM-LN-N0.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

USER CODE

A CODE USED FOR THE PURPOSE OF IDENTIFYING AN INDIVIDUAL AND DETERMINING WHAT THAT INDIVIDUAL CAN ACCESS IN THE ONLINE ENVIRONMENT.

1102 REMOT-OTPT-DATA-REQ-CD DLIS-V F 12

REMOTE OUTPUT DATA REQUEST CODE

THIS FIELD IS USED ON INPUT TO DETERMINE WHAT INFORMATION A PARTICULAR ONLINE APPLICATION IS ASKING FOR. AN X WILL INDICATE A REQUEST FOR A PARTICULAR "SEGMENT(S)". ANY OTHER TYPE OF CHARACTER WILL INDICATE A REQUEST FOR DATA OTHER THAN THE "SEGMENTS".

1103 RESP-CD DLIS-V F 2

PASSTHROUGH RESPONSE CODE

A CODE USED IN PASSTHROUGH THAT INDICATES TO THE FIELD COMPUTER WHAT TYPE OF DATA IS COMING BACK FROM DLIS.

1104 TYP-OF-INQ-CD DLIS-V F 1

TYPE OF INQUIRY CODE

A CODE USED IN PASSTHROUGH THAT THE FIELD DATA BASE SUBMITS THAT INDICATES WHAT TYPE OF INQUIRY THAT THEY WANT TO PERFORM. N = NIIN INQUIRY, C - CAGE CODE/PART NUMBER INQUIRY, D = CAGE CODE/PARTIAL PART NUMBER INQUIRY, P = PART NUMBER INQUIRY, AND S = PARTIAL PART NUMBER INQUIRY.

1105 MSG-CD MSG_CD_1105 DLIS-S F CHAR 4

MESSAGE CODE

A CODE WHICH REFERS TO A CLEARTEXT MESSAGE SENT TO THE USER OF A SYSTEM. THE CLEARTEXT IS MESSAGE (MSG) DRN 0983.

1106 CTL-USR-CD CTL_USR_CD_1106 DLIS-BB F CHAR 8

CONTROL USER CODE

A USER CODE THAT REPRESENTS THE CONTROL OF ANOTHER USER CODE OVER ACCESS AND/OR SPECIFIC DATA WITHIN AN APPLICATION.

1107 BATCH-STAT-CNTR BTCH_STAT_CTR_1107 DLIS-SB F 9

BATCH-STATISTICS-COUNTER

THIS COUNTER IS USED FOR COUNTING REJECTS, NIINS MATCHED, OR OUTPUT DICS FOR LTI, LSN, LSR, LSF AND DAAS TRANSACTIONS.

1108 PGM-ID PGM_ID_1108 DLIS-S F CHAR 8

PROGRAM IDENTIFIER

A CODE USED TO IDENTIFY AND NAME LIBRARY AND SOFTWARE SYSTEMS. IT SPECIFIES THE PROGRAM AREA, SYSTEM, SUBSYSTEM, APPLICATION, PROGRAM AND MODULE.

1109 MOE-CUR-ADD-CT MOE_CR_ADD_CT_1109 DLIS-SBA F INTEGER 5

MORE CURRENT ADD COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF NEW MOE RULE RECORDS ADDED TO THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE ADD ACTION, FOR A PARTICULAR TIME FRAME.

1110 MOE-RULE-PROC-CMPTN-FLG M_RL_CMP_FLG_1110 DLIS-SA F CHAR 1

MOE RULE PROCESS COMPLETION FLAG CODE

A CODE INDICATING THAT THE MOE RULE HAS BEEN PROCESSED AGAINST DB2 TABLE 345. VALID VALUES: X OR SPACE.

1116 MOE-CUR-ADD-ERR-CT MOE_CR_ADD_ER_1116 DLIS-SBA F INTEGER 5

MOE CURRENT ADD ERROR COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING MOE RULE RECORDS TO THE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION FOR A PARTICULAR TIME FRAME.

1117 MOE-CUR-CHG-CT MOE_CR_CHG_CT_1117 DLIS-SBA F INTEGER 5
MOE CURRENT CHANGE COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE RECORDS CHANGED ON THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE CHANGE PROCESSING ACTION FOR A PARTICULAR TIME FRAME.

1118 MOE-CUR-CHG-ERR-CT MOE_CR_CHG_ER_1118 DLIS-SBA F INTEGER 5
MOE CURRENT CHANGE ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF CHANGING MOE RULE RECORDS ON THE MOE RULE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION, FOR A PARTICULAR TIME FRAME.

1119 MOE-CUR-DEL-CT MOE_CR_DEL_CT_1119 DLIS-SBA F INTEGER 5
MOE CURRENT DELETE COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE RECORDS DELETED FROM THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE DELETE PROCESSING ACTION, FOR A PARTICULAR TIME FRAME.

1120 SUBMR-CTL-NBR SUBMR_CTL_NBR_1120 DLIS-SB F CHAR 17
SUBMITTER CONTROL NUMBER

A NUMBER PECULIAR TO PROVISIONING AND OTHER PREPROCUREMENT SCREENING REQUESTS WHICH IS USED TO CONTROL AND SEQUENCE TRANSACTIONS IN A SCREENING INPUT/OUTPUT SUBMITTAL PACKAGE. THE LETTERS Y OR Z MAY NOT BE USED IN THE FIRST POSITION OF THE SUBMITTERS CONTROL NUMBER.

1121 LRN-NIIN-INQ-DLY-TOT LRN_STAT_CNT_1121 DLIS-BB F INTEGER 8
LOGRUN NIIN INQUIRY DAILY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1122 LRN-NIIN-INQ-WKLY-TOT DLIS-BB F 8
LOGRUN NIIN INQUIRY WEEKLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1123 LRN-NIIN-INQ-MTHLY-TOT DLIS-BB F 8
LOGRUN NIIN INQUIRY MONTHLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1124 LRN-NIIN-INQ-QTRLY-TOT DLIS-BB F 8
LOGRUN NIIN INQUIRY QUARTERLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER.

1125 LRN-NIIN-INQ-YRLY-TOT DLIS-BB F 8
LOGRUN NIIN INQUIRY YEARLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1126 LRN-PROC-CAN-DLY DLIS-BB F 6

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER DAILY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

1127 LRN-RNL-CAN-DLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1128 LRN-FSG-FSC-ITM-NM-CAN-D DLIS-BB F 8

LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR DAILY

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC-ITEM NAME IS ACCESSED DAILY BY CUSTOMER ACCOUNT NUMBER.

1129 LRN-RNL-CAN-MTHLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1130 LRN-RNL-CAN-QTRLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1131 LRN-RNL-CAN-YRLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1132 LRN-RNL-ACTY-DLY LRN_STAT_CNT_1132 DLIS-BB F INTEGER 8

LOGRUN REF NBR LOG INQ ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFEERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1133 LRN-RNL-ACTY-WKLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ ACTIVITY WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1134 LRN-RNL-ACTY-MTHLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ ACTIVITY MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1135 LRN-RNL-ACTY-QTRLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ ACTIVITY QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1136 LRN-RNL-ACTY-YRLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ ACTIVITY YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRY BY ACTIVITY.

1137 LRN-RNL-DEPT-DLY LRN_STAT_CNT_1137 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN REF NBR LOG INQ DEPARTMENT DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1138 LRN-RNL-DEPT-WKLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ DEPARTMENT WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1139 LRN-RNL-DEPT-MTHLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ DEPARTMENT MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1140 LRN-RNL-DEPT-QTRLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ DEPARTMENT QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1141 LRN-RNL-DEPT-YRLY DLIS-BB F 8

LOGRUN REF NBR LOG INQ INQ DEPARTMENT YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1142 LRN-RNL-DLY-TOT LRN_STAT_CNT_1142 DLIS-BB F INTEGER 8

LOGRUN REF NBR LOG INQ DAILY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1143 LRN-RNL-WKLY-TOT DLIS-BB F 8

LOGRUN REF NBR LOG INQ WEEKLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1144 LRN-RNL-MTHLY-TOT DLIS-BB F 8

LOGRUN REF NBR LOG INQ MONTHLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1145 LRN-RNL-QTRLY-TOT DLIS-BB F 8

LOGRUN REF NBR LOG INQ QUARTERLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1146 LRN-RNL-YRLY-TOT DLIS-BB F 8

LOGRUN REF NBR LOG INQ YEARLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1147 LRN-PROC-CAN-WKLY DLIS-BB F 6

LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER WEEKLY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1148 LRN-P-RNL-CAN-DLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1149 LRN-P-RNL-CAN-WKLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1150 LRN-P-RNL-CAN-MTHLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1151 LRN-P-RNL-CAN-QTRLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1152 LRN-P-RNL-CAN-YRLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1153 LRN-P-RNL-ACTY-DLY LRN_STAT_CNT_1153 DLIS-BB F INTEGER 8
 LOGRUN PTL REF NBR LOG INQ ACTIVITY DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1154 LRN-P-RNL-ACTY-WKLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ ACTIVITY WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS BY ACTIVITY.

1155 LRN-P-RNL-ACTY-MTHLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ ACTIVITY MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1156 LRN-P-RNL-ACTY-QTRLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ ACTIVITY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1157 LRN-P-RNL-ACTY-YRLY DLIS-BB F 8
 LOGRUN PTL REF NBR LOG INQ ACTIVITY YEARLY
 THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1158 LRN-P-RNL-DEPT-DLY LRN_STAT_CNT_1158 DLIS-BB F INTEGER 8
 LOGRUN PTL REF NBR LOG INQ DEPARTMENT DAILY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1159 LRN-P-RNL-DEPT-WKLY DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1160 LRN-P-RNL-DEPT-MTHLY DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1161 LRN-P-RNL-DEPT-QTRLY DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1162 LRN-P-RNL-DEPT-YRLY DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1163 LRN-P-RNL-DLY-TOT LRN_STAT_CNT_1163 DLIS-BB F INTEGER 8
LOGRUN PTL REF NBR LOG INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1164 LRN-P-RNL-WKLY-TOT DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1165 LRN-P-RNL-MTHLY-TOT DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1166 LRN-P-RNL-QTRLY-TOT DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1167 LRN-P-RNL-YRLY-TOT DLIS-BB F 8
LOGRUN PTL REF NBR LOG INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1168 LRN-NM-NIIN-CAN-DLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR DAILY

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1169 LRN-NM-NIIN-CAN-WKLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1170 LRN-NM-NIIN-CAN-MTHLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1171 LRN-NM-NIIN-CAN-QTRLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1172 LRN-NM-NIIN-CAN-YRLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1173 LRN-NM-NIIN-ACTY-DLY LRN_STAT_CNT_1173 DLIS-BB F INTEGER 8
LOGRUN NAME TO NIIN INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1174 LRN-NM-NIIN-ACTY-WKLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1175 LRN-NM-NIIN-ACTY-MTHLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1176 LRN-NM-NIIN-ACTY-QTRLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1177 LRN-NM-NIIN-ACTY-YRLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1178 LRN-NM-NIIN-DEPT-DLY LRN_STAT_CNT_1178 DLIS-BB F INTEGER 8
LOGRUN NAME TO NIIN INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1179 LRN-NM-NIIN-DEPT-WKLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1180 LRN-NM-NIIN-DEPT-MTHLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT MONTHLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1181 LRN-NM-NIIN-DEPT-QTRLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1182 LRN-NM-NIIN-DEPT-YRLY DLIS-BB F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1183 LRN-NM-NIIN-DLY-TOT LRN_STAT_CNT_1183 DLIS-BB F INTEGER 8
LOGRUN NAME TO NIIN INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1184 LRN-NM-NIIN-WKLY-TOT DLIS-BB F 8
LOGRUN NAME TO NIIN INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1185 LRN-NM-NIIN-MTHLY-TOT DLIS-BB F 8
LOGRUN NAME TO NIIN INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1186 LRN-NM-NIIN-QTRLY-TOT DLIS-BB F 8
LOGRUN NAME TO NIIN INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1187 LRN-NM-NIIN-YRLY-TOT DLIS-BB F 8
LOGRUN NAME TO NIIN INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1188 LRN-CHS-CAN-DLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSES DAILY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1189 LRN-CHS-CAN-WKLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1190 LRN-CHS-CAN-MTHLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER MONTH
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1191 LRN-CHS-CAN-QTRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NO. QUARTERLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1192 LRN-CHS-CAN-YRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1193 LRN-CHS-ACTY-DLY LRN_STAT_CNT_1193 DLIS-BB F INTEGER 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY DAILY

THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY ACTIVITY.

1194 LRN-CHS-ACTY-WKLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY WEEKLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1195 LRN-CHS-ACTY-MTHLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY MONTHLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1196 LRN-CHS-ACTY-QTRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY QUARTERLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1197 LRN-CHS-ACTY-YRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY YEARLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1198 LRN-CHS-DEPT-DLY LRN_STAT_CNT_1198 DLIS-BB F INTEGER 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT DAILY

THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1199 LRN-CHS-DEPT-WKLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT WEEKLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1200 LRN-CHS-DEPT-MTHLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT MONTHLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1201 LRN-CHS-DEPT-QTRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUARTERLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1202 LRN-CHS-DEPT-YRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT YEARLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1203 LRN-CHS-TOT-DLY LRN_STAT_CNT_1203 DLIS-BB F INTEGER 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL DAILY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1204 LRN-CHS-TOT-WKLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1205 LRN-CHS-TOT-MTHLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1206 LRN-CHS-TOT-QTRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1207 LRN-CHS-TOT-YRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1208 LRN-CHS-H-CAN-DLY DLIS-BB F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1209 LRN-CHS-H-CAN-WKLY DLIS-BB F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1210 LRN-CHS-H-CAN-MTHLY DLIS-BB F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1211 LRN-CHS-H-CAN-QTRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACERTISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1212 LRN-CHS-H-CAN-YRLY DLIS-BB F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1213 LRN-CHS-H-ACTY-DLY LRN_STAT_CNT_1213 DLIS-BB F INTEGER 8
LOGRUN CHARACTERISTIC HELP ACTIVITY DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1214 LRN-CHS-H-ACTY-WKLY DLIS-BB F 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN CHARACTERISTIC HELP ACTIVITY WEEKLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1215 LRN-CHS-H-ACTY-MTHLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP ACTIVITY MONTHLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1216 LRN-CHS-H-ACTY-QTRLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP ACTIVITY QUARTERLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1217 LRN-CHS-H-ACTY-YRLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP ACTIVITY YEARLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1218 LRN-CHS-H-DEPT-DLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP DEPARTMENT DAILY

THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMNET.

1219 LRN-CHS-H-DEPT-WKLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP DEPARTMENT WEEKLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1220 LRN-CHS-H-DEPT-MTHLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP DEPARTMENT MONTHLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1221 LRN-CHS-H-DEPT-QTRLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP DEPARTMENT QUARTERLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1222 LRN-CHS-H-DEPT-YRLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP DEPARTMENT YEARLY

THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1223 LRN-CHS-H-TOT-DLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP TOTAL DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1224 LRN-CHS-H-TOT-WKLY DLIS-BB F 8

LOGRUN CHARACTERISTICS HELP TOTAL WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1225 LRN-CHS-H-TOT-MTHLY DLIS-BB F 8

LOGRUN CHARACTERISTIC HELP TOTAL MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1226 LRN-CHS-H-TOT-QTRLY DLIS-BB F 8
 LOGRUN CHARACTERISTIC HELP TOTAL QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1227 LRN-CHS-H-TOT-YRLY DLIS-BB F 8
 LOGRUN CHARACTERISTIC HELP TOTAL YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISITICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1228 TYPE-II-1A-B33 DLIS-SBA F 8
 TYPE ITEM IDENTIFICATION 1A-B33
 TYPE II 1A FOR DRN 1226, QUANTITY NSNS FSC DEPARTMENT ACTIVITY TYPE II-B33.

1229 LRN-FSG-FSC-ITM-NM-CAN-W DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY CUSTOMER ACCOUNT NUMBER.

1230 LRN-FSG-FSC-ITM-NM-CAN-M DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY CUSTOMER ACCOUNT NUMBER.

1231 LRN-FSG-FSC-ITM-NM-CAN-Q DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR QTR
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY CUSTOMER ACCOUNT NUMBER.

1232 LRN-FSG-FSC-ITM-NM-CAN-Y DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY CUSTOMER ACCOUNT NUMBER.

1233 LRN-FSG-FSC-ITM-NM-ACT-D LRN_STAT_CNT_1233 DLIS-BB F INTEGER 8
 LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY ACTIVITY.

1234 CORR-FLAG-CD CORR_FLAG_1234 DLIS-SB F CHAR 1
 CORRESPONDENCE FLAG CODE
 THE CODE THAT REPRESENTS THE PREFERRED CORRESPONDENCE TYPE. VALID VALUES: M = U.S. MAIL, F = FAX, E = E-MAIL

1236 MSTR-IDEN-NBR-DWG-CR DLIS-V F 14
 MASTER IDENTIFICATION NUMBER DRAWING CROSS REFERENCE
 THE NUMBER THAT HAS BEEN ASSIGNED TO A DRAWING. THE NATIONAL STOCK NUMBER IS A PART OF THIS NUMBER.

1237 MSTR-FSC-DWG-CR DLIS-V F 5
 MASTER FEDERAL SUPPLY CLASS DRAWING CROSS REFERENCE
 THE FEDERAL SUPPLY CLASS IS THE CODE USED FOR CLASSIFYING AND GROUPING RELATED ITEMS OF SUPPLY WHICH IS PART OF THE DRAWING IDENTIFICATION NUMBER.

1238 MSTR-IDEN-CT-DWG-CR DLIS-V F 1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

MASTER IDENTIFICATION COUNT, DRAWING CROSS-REFERENCE
THE VARIABLE QUANTITY OF DRAWING ILLUSTRATING THE ITEM IDENTIFIED BY THE MASTER IDENTIFICATION NUMBER.

1239 MSTR-NIIN-DWG-CR DLIS-V F 9

MASTER NIIN DRAWING CROSS REFERENCE
THE NATIONAL ITEM IDENTIFICATION NUMBER IS THE UNIQUE NUMBER THAT IS USED WITH A DRAWING IDENTIFICATION NUMBER TO ESTABLISH IT TO THE FILE.

1240 SEQ-NBR-DWG-CR DLIS-V F 2

SEQUENCE NUMBER, DRAWING CROSS REFERENCE
A TWO DIGIT NUMBER INDICATING THE NUMBER OF DRAWINGS THAT ARE APPLICABLE TO A NIIN.

1241 RPLM-IDEN-NBR-DWG-CR DLIS-V F 14

REPLACEMENT IDENTIFICATION NUMBER, DRAWING CROSS-REFERENCE
THIS IS THE IDENTIFICATION NUMBER THAT HAS BEEN ASSIGNED TO A DRAWING.

1242 DWG-DTL DLIS-SB V 7966

DRAWING DETAIL
THE REPRESENTATION OF A LINE DRAWING IN DIGITIZED FORM.

1243 IDEN-NBR-PRFX-DWG-CR DLIS-V F 1

IDENTIFICATION NUMBER PREFIX DRAWING CROSS-REFERENCE
DDR-NIIN-XREF-MASTER-FILE CONTAINS NIIN DRAWINGS AND FIIG DRAWINGS. THIS FIELD INDICATES THE TYPE OF DRAWING.

1244 MAINT-CD-DWG-CR DLIS-V F 1

MAINTENANCE CODE, DRAWING CROSS-REFERENCE
THIS CODE IDENTIFIES THE TYPE OF MAINTENANCE ACTION BEING DONE. E=ESTABLISHMENT OF DRAWING ON CROSS-REFERENCE FILE. D=DELETION OF DRAWING ON CROSS-REFERENCE FILE. C=CHANGE ON DRAWING FILE. R=REPLACEMENT OF DRAWING ID NUMBER. L=DELETION ON DRAWING FILE.

1245 REPT-TITLE-TRANS-QTY DLIS-BB F 8

REPOSITORY TITLE TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS BROKEN OUT BY REPOSITORY.

1246 REPT-TITLE-ERR-TRANS-QTY DLIS-BB F 8

REPOSITORY TITLE ERROR TRANSACTION QUANTITY
THE NUMBER OF REPOSITORY TITLE TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY REPOSITORY.

1247 REPT-TITLE-ADD-TRANS-QTY DLIS-BB F 8

REPOSITORY TITLE ADD TRANSACTIONS QUANTITY
THE NUMBER OF TITLE ADD TRANSACTIONS BROKEN OUT BY REPOSITORY.

1248 REPT-TITLE-DEL-TRANS-QTY DLIS-BB F 8

REPOSITORY TITLE DELETE TRANSACTION QUANTITY
THE NUMBER OF TITLE DELETE TRANSACTIONS BROKEN OUT BY REPOSITORY.

1249 REPT-TITLE-PREV-QTY DLIS-BB F 8

REPOSITORY TITLE PREVIOUS QUANTITY
THE NUMBER OF TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY REPOSITORY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1250 REPT-TITLE-CUR-QTY DLIS-BB F 8
REPOSITORY TITLE CURRENT QUANTITY
THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY REPOSITORY.

1251 REPT-TITLE-PCT-OF-CHG DLIS-BB F 8
REPOSITORY TITLE PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT.
THESE COUNTS ARE BROKEN OUT BY REPOSITORY.

1252 REPT-UNDEFN-MAINT-QTY DLIS-BB F 8
REPOSITORY UNDEFINED MAINTENANCE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS, PART NUMBER, NIIN AND TITLE. THESE TRANSACTION COUNTS ARE BROKEN OUT BY REPOSITORY.

1253 MDLS-REPT-FILE-FMT-CT MDLS_STAT_CNT_1253 DLIS-VP F INTEGER 9
MEDALS REPOSITORY FILE FORMAT COUNT
THE TOTAL NUMBER OF FILE FORMATS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1254 MDLS-FILE-FMT-ERR-CT MDLS_STAT_CNT_1254 DLIS-VP F INTEGER 8
MEDALS FILE FORMAT ERROR COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE FILE FORMAT TRANSACTIONS THAT CONTAINED ERRORS.

1255 MDLS-ADD-FILE-FMT-CT MDLS_STAT_CNT_1255 DLIS-VP F INTEGER 9
MEDALS ADD FILE FORMAT COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD FILE FORMAT TRANSACTIONS.

1256 MDLS-DEL-FILE-FMT-CT MDLS_STAT_CNT_1256 DLIS-VP F INTEGER 8
MEDALS DELETE FILE FORMAT COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE FILE FORMAT TRANSACTIONS.

1258 MDLS-REP-DA-COUNT MDLS_R_DA_CT_1258 DLIS-VP F INTEGER 9
MEDALS REPOSITORY DATA ASSET COUNT
THE TOTAL NUMBER OF DATA ASSETS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1259 MDLS-REP-PN-COUNT MDLS_R_PN_CT_1259 DLIS-VP F INTEGER 9
MEDALS REPOSITORY PART NUMBER COUNT
THE TOTAL NUMBER OF PART NUMBERS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1260 MDLS-REP-NIIN-COUNT MDLS_R_NIINCT_1260 DLIS-VP F INTEGER 9
MEDALS REPOSITORY NIIN COUNT
THE TOTAL NUMBER OF NIINS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1261 MDLS-REP-TITLE-COUNT MDLS_R_TITLCT_1261 DLIS-VP F INTEGER 9
MEDALS REPOSITORY TITLE COUNT
THE TOTAL NUMBER OF TITLES RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1265 TIME-RANGE-1-10-2 DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1264, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1266 TIME-RANGE-11-30-2 DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS 2
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1264, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1267 TIME-RANGE-OVER-30-2 DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS 2
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1264, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1268 SA-AVG-IQY-RETM DLIS-BB F 8
SERVICE/AGENCY AVERAGE INQUIRY RESPONSE TIME
THE AVERAGE RESPONSE TIME FOR AN INQUIRY BY SERVICE/AGENCY.

1271 TIME-RANGE-1-10-3 DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS 3
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1270, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1272 TIME-RANGE-11-30-3 DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS 3
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1270, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1273 TIME-RANGE-OVER-30-3 DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS 3
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1270, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1274 REPT-AVG-IQY-RETM DLIS-BB F 8
REPOSITORY AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BROKEN OUT BY REPOSITORY.

1276 T-TERMINAL-IQY-RETM DLIS-BB F 8
TOTAL TERMINAL INQUIRY RESPONSE TIME
THE TOTAL NUMBER OF INQUIRIES THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES CAN BE 1 TO 10 SECONDS, 11 TO 30 SECONDS AND OVER 30 SECONDS.

1277 TIME-RANGE-1-10-4 DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS 4
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1278 TIME-RANGE-11-30-4 DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS 4
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1279 TIME-RANGE-OVER-30-4 DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS 4
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1280 TRML-AVG-IQY-RETM DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TERMINAL AVERAGE INQUIRY RESPONSE TIME
THE AVERAGE RESPONSE TIME FOR AN INQUIRY BROKEN OUT BY TERMINAL.

1281	T-TRML-INQUIRIES		DLIS-BB	F	8
------	------------------	--	---------	---	---

TOTAL TERMINAL INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BROKEN OUT BY TERMINAL.

1286	ORG-TI		DLIS-SB	F	48
------	--------	--	---------	---	----

OGANIZATIONAL TITLE
FIRST LINE OF IN-THE-CLEAR-MAILING-ADDRESS. NAME OF ORGANIZATION RECEIVING PRODUCTS.

1288	DIDS-NOTE-NBR	DIDS_NOTE_NBR_1288	DLIS-V	F INTEGER	8
------	---------------	--------------------	--------	-----------	---

DIDS NOTE NUMBER
A DESIGNATION ASSIGNED TO THE TABLE NUMBER AND TABLE NAME IN THE RESTRICTED TABLE ACCESS DATA FILE. THIS RESTRICTS ON-LINE USER INQUIRY ACCESS ONLY TO SPECIFIC TABLES, OR CATEGORIES OF TABLES, IN THE MASTER TABLE REPOSITORY.

1290	TBL-ACCS-CT-BY-USR-ID	TBL_STAT_CNT_1290	DLIS-V	F INTEGER	8
------	-----------------------	-------------------	--------	-----------	---

TABLE ACCESS COUNT BY USER IDENTIFICATION
THE NUMBER OF TIMES EACH TABLE IN THE MASTER TABLE REPOSITORY IS ACCESSED BY EACH ON-LINE MTR INQUIRY SUBMITTER OR USER (ALSO SEE TABLE ACCESS DATE).

1291	TBL-ACCS-DT	TBL_ACCS_DT_1291	DLIS-V	F DATE	5
------	-------------	------------------	--------	--------	---

TABLE ACCESS DATE
THE YEAR AND JULIAN DAY (E.G., 88018) OF TABLE ACCESS COUNT BY PROGRAM ID OR BY USER ID MADE TO EACH TABLE IN THE MASTER TABLE REPOSITORY.

1292	TBL-COL-HDRS	TBL_COL_HDRS_1292	DLIS-V	V VARCHAR	660
------	--------------	-------------------	--------	-----------	-----

TABLE COLUMN HEADERS
THE TITLES OR NAMES THAT IDENTIFY THE DATA IN THE COLUMNS OF A TABLE. TABLE COLUMN HEADERS MAY BE STACKED, I.E., MORE THAT ONE LINE OF HEADING ABOVE THE DATA IN A COLUMN.

1293	TBL-ENTR		DLIS-V	F	5000
------	----------	--	--------	---	------

TABLE ENTRY
A TABLE ENTRY CONTAINS A TABLE ARGUMENT AND ONE OR MORE TABLE FUNCTIONS. ALSO MAY BE A LINE OR PORTION OF A TABLE.

1294	TBL-ENTR-DT	TBL_EN_DT_1294	DLIS-V	F DATE	5
------	-------------	----------------	--------	--------	---

TABLE ENTRY DATE
THE YEAR AND JULIAN DAY (E.G., 88018) A TABLE-ENTRY WAS ORIGINALLY ENTERED, ADDED, CHANGED AND DELETED IN A GIVEN TABLE. THIS PROVIDES AN AUDIT TRAIL OF ALL CHANGES TO EACH TABLE ENTRY.

1295	TBL-ENTR-EFF-DT	TBL_EN_EFF_DT_1295	DLIS-V	F DATE	5
------	-----------------	--------------------	--------	--------	---

TABLE ENTRY EFFECTIVE DATE
THE YEAR AND JULIAN DAY (E.G., 88078) ON OR AFTER WHICH A TABLE ENTRY IS AUTHORIZED FOR USE (ALSO SEE TABLE ENTRY DATE). THE EFFECTIVE DATE BEGINS AT 2400:00 HOURS (MIDNIGHT) AND CONTINUES TO 2359:59 HOURS ON THE SPECIFIED JULIAN DAY.

1296	TBL-FMT-PARM	TBL_FMT_PARM_1296	DLIS-V	V VARCHAR	500
------	--------------	-------------------	--------	-----------	-----

TABLE FORMAT PARAMETERS
LAYOUT PICTURE FOR TABLES. USED TO EDIT ELEMENTS OR PARTS OF TABLES BEFORE INPUT TO MASTER TABLE REPOSITORY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1298 TBL-NBR TBL_NBR_1298 DLIS-V F INTEGER 3
TABLE NUMBER
THE DESIGNATOR ASSIGNED TO A TABLE NAME.

1300 DIDS-NOTE-NAR DIDS_NOTE_NAR_1300 DLIS-V V VARCHAR 1200
DIDS NOTE NARRATIVE
ONE OR MORE STATEMENTS PLACED AFTER THE LAST TABLE ENTRY OR TEXT OF A TABLE. MAY INCLUDE EXPLANATIONS, FOOTNOTES, ASTERISK NOTES, ETC. (ALSO SEE TABLE INTRODUCTION.)

1301 TBL-COL-WDTH TBL_COL_WDTH_1301 DLIS-V V CHAR 3
TABLE COLUMN WIDTH
MAXIMUM WIDTH OF EACH COLUMN IN A TABLE.

1302 TBL-ROW-CT TBL_ROW_CT_1302 DLIS-V F CHAR 8
TABLE ROW COUNT
QUANTITY OF ROWS IN A TABLE OR ARRAY.

1303 TBL-VLDTY-CRITE-DATA TBL_VLD_CRITE_1303 DLIS-V V VARCHAR 100
TABLE VALIDITY CRITERIA DATA
USED IN CONJUNCTION WITH LENGTH OF COLUMN ENTRY AND VALIDITY DESCRIPTION TYPE CODE TO DETERMINE THE VALIDITY OF AN ENTRY WHEN UPDATING. LENGTH WILL BE DETERMINED BY THE AFOREMENTIONED FIELDS.

1304 TBL-VLDTY-DESC-TYP-CD DLIS-V F 2
TABLE VALIDITY DESCRIPTION TYPE CODE
A CODE UTILIZED TO IDENTIFY THE TYPE OF VALIDITY CHECKS REQUIRED.

1318 CTDF-CRIT-ITM-CD CTDF_CRIT_ITM_1318 DLIS-SBA F CHAR 1
CONTRACT TECHNICAL DATA FILE CRITICAL ITEM CODE
THE CODE DISPLAYED ON THE PR (PURCHASE REQUEST) TRAILER TO IDENTIFY ITEMS WHICH HAVE BEEN DETERMINED TO HAVE CRITICAL APPLICATION IN ACCORDANCE WITH DSAR 3200.3. THESE ITEMS ARE ESSENTIAL TO THE PRESERVATION OF LIFE IN EMERGENCIES OR ESSENTIAL TO END ITEM OR SYSTEM PERFORMANCE, THE FAILURE OF WHICH WOULD ADVERSELY AFFECT THE SUCCESSFUL ACCOMPLISHMENT OF A MILITARY OPERATION. AN NSN DESIGNATED AS A CRITICAL ITEM REQUIRES SPECIAL CONSIDERATION IN THE DATA REVIEW PROCESS IN DETERMINING THE AVAILABILITY OF DATA REQUIRED FOR THE PREPARATION OF A PR. VALID VALUES: 'Y' - ITEM REVIEWED IS DESIGNATED CRITICAL, 'N' - ITEM REVIEWED IS DESIGNATED NOT CRITICAL, ' ' - ITEM NOT REVIEWED

1348 DM-MAINT-SUP-CST-ORGC-FD DLIS-SB F 8
MAINTENANCE SUPPORT COSTS ORGANIC FUNDED
A DEPOT MAINTENANCE CODE. MAINTENANCE SUPPORT COSTS ORGANIC FUNDED. FIELD N0 43, PART OF LABOR HOUR AND COST DATA.

1349 DM-MANT-SP-CST-ORGC-UNFD DLIS-SB F 8
MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED
A DEPOT MAINTENANCE CODE. MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED. FIELD N0. 44, PART OF LABOR HOUR AND COST DATA.

1355 CTY-STA-LOC DLIS-SC F 36
CITY AND STATE LOCATION
THE CITY AND STATE LOCATION OF A COMMERCIAL AND GOVERNMENT ENTITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1356 MASS-CHNG-IND DLIS-SC F 1
 MASS CHANGE INDICATOR
 AN INDICATOR USED TO DENOTE CAGE RECORDS THAT HAVE BEEN CANCELLED OR REPLACED, HAVING REFERENCE NUMBERS/NIINS UNDERGOING MASS CHANGE PROCESS.

1357 AUTHZD-USR-NM AUTHZD_USR_NM_1357 DLIS-SC F CHAR 30
 AUTHORIZED USER NAME
 THE NAME OF AN AUTHORIZED USER OF THE DEFENSE INTEGRATED DATA SYSTEM OR ONE OF ITS SUBSYSTEMS.

1358 CO-NM CO_NM_1358 DLIS-SC F CHAR 36
 COMPANY NAME
 THE NAME OF A COMMERCIAL AND GOVERNMENT ENTITY THAT PROVIDES A SERVICE OR PRODUCT TO THE U.S. GOVERNMENT, NATO MEMBER NATIONS AND/OR FOREIGN GOVERNMENTS.

1359 TEL-NBR TEL_NBR_1359 DLIS-SC F CHAR 20
 TELEPHONE NUMBER
 THE TELEPHONE NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY. THIS ALSO INCLUDES THE AREA CODE.

1361 POBOX POBOX_1361 DLIS-SC F CHAR 36
 POST OFFICE BOX
 THE POST OFFICE BOX OF A COMMERCIAL AND GOVERNMENT ENTITY.

1362 FRST-FMR-NM-LOC DLIS-SC F 36
 FIRST FORMER NAME OR LOCATION
 THE FIRST FORMER NAME OR LOCATION OF A COMMERCIAL OR GOVERNMENT ENTITY.

1363 SECN-FMR-NM-LOC DLIS-SC F 36
 SECOND FORMER NAME OR LOCATION
 THE SECOND FORMER NAME OR LOCATION OF A COMMERCIAL AND GOVERNMENT ENTITY.

1364 SZ-OF-BUS-CD SZ_OF_BUS_CD_1364 DLIS-SC F CHAR 1
 SIZE OF BUSINESS CODE
 THE CODE RECORDED IN THE CAGE MASTER FILE WHICH INDICATES THE NUMBER OF EMPLOYEES OF A PARTICULAR BUSINESS OR CORPORATE COMPLEX. SEE [VOLUME 10, TABLE 199](#) AND QUICK INFO ON-LINE.

1365 PRIM-BUS-CTGY-CD PR_BUS_CAT_CD_1365 DLIS-SC F CHAR 1
 PRIMARY BUSINESS CATEGORY CODE
 A CODE RECORDED IN THE CAGE MASTER FILES DENOTING THE PRIME BUSINESS CATEGORY OF A PARTICULAR BUSINESS OR CORPORATION. SEE [VOLUME 10, TABLE 200](#) AND QUICK INFO ON-LINE.

1366 TYP-OF-BUS-CD TYP_BUS_CD_1366 DLIS-SC F CHAR 1
 TYPE OF BUSINESS CODE
 A CODE IN THE CAGE MASTER FILE THAT DEFINES THE DISADVANTAGED STATUS OF A BUSINESS. SEE [VOLUME 10, TABLE 201](#) AND QUICK INFO ON-LINE.

1367 WMN-OWND-BUS-CD WMN_OWND_BUS_1367 DLIS-SC F CHAR 1
 WOMAN OWNED BUSINESS CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL NUMBER OF CAGE RECORDS BY STATUS CODE

THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR STATUS CODE.

1391 TOT-CAGE-RCDS-ADD DLIS-SC F 9

TOTAL NUMBER OF CAGE RECORDS ADDED

THE TOTAL NUMBER OF CAGE RECORDS ADDED DURING A PARTICULAR PERIOD OF TIME.

1392 TOT-CAGE-RCDS-CHNGD DLIS-SC F 9

TOTAL NUMBER OF CAGE RECORDS CHANGED

THE TOTAL NUMBER OF CAGE RECORDS CHANGED DURING A PARTICULAR PERIOD OF TIME.

1393 CONTR-CRTFN-ADD-COUNT CON_CRT_ADD_1393 DLIS-SC F INTEGER 5

CONTRACTOR CERTIFICATION ADD COUNT

USED TO ACCUMULATE DAILY COUNT OF ADD TRANSACTIONS.

1394 CONTR-CRTFN-CHG-COUNT CON_CRT_CHG_1394 DLIS-SC F INTEGER 5

CONTRACTOR CERTIFICATION CHANGE COUNT

USED TO ACCUMULATE DAILY COUNT OF CHANE TRANSACTIONS.

1395 CONTR-CRTFN-DEL-COUNT CON_CRT_DEL_1395 DLIS-SC F INTEGER 5

CONTRACTOR CERTIFICATION DELETE COUNT

USED TO ACCUMULATE DAILY COUNT OF DELETE TRANSACTIONS.

1396 REJT-MSG DLIS-V V 43

REJECT MESSAGE

A ONE LINE NARRATIVE STATING THE REASON FOR REJECTING THE TRANSACTION.

1397 TST-PROD-MODE-IND-CD DLIS-V F 1

TEST/PRODUCTION MODE IDENTIFICATION CODE

AN INPUT CODE WHICH INDICATES IF THE INFORMATION DISSEMINATION PROCESSING SYSTEM IS TO BE IN THE TEST OR PRODUCTION MODE.

1398 REEL-SEQ REEL_SEQ_1398 DLIS-V F 3

REEL SEQUENCE

THE SEQUENCE OF REELS SUCH AS 1 = FIRST REEL, 2 = SECOND REEL, ETC.

1406 RCD-DELD-CT-PER-ACTY-FSC DLIS-V F 4

RECORDS DELETED COUNT PER ACTIVITY/FSC

THE TOTAL NUMBER OF DELETED RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).

1407 RCD-IMG DLIS-V F 80

RECORD IMAGE

AN INTERNAL DLIS DOCUMENT IDENTIFIER CODE IMAGE CONSISTING OF 15 DIFFERENT ELEMENTS. IT IS A PICTURE OF A TRANSACTION WHICH HAS PROVED TO BE INVALID, WHICH HAS NOT PASSED ONE OR MORE EDITS.

1408 RCD-CT-PER-ACTY DLIS-V F 6

RECORD COUNT PER ACTIVITY

THE NUMBER OF RECORDS BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
1409	RCD-CT-PER-DOC-NBR		DLIS-V	F 6
	RECORD COUNT PER DOCUMENT NUMBER THE NUMBER OF RECORDS BY DOCUMENT NUMBER.			
1410	RCD-ADD-CT-PER-ACTY-FSC		DLIS-V	F 4
	RECORDS ADDED COUNT PER ACTIVITY/FSC THE TOTAL NUMBER OF NEW RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).			
1411	RCD-CHNG-CT-PER-ACTY-FSC		DLIS-V	F 4
	RECORDS CHANGED COUNT PER ACTIVITY/FSC THE TOTAL NUMBER OF CHANGED RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).			
1412	PRPRTY-NIIN-EXCL-CT		DLIS-V	F 8
	PROPRIETARY NIINs EXCLUDED COUNT THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) WITH PROPRIETARY (LIMITED RIGHTS) DESIGNATION THAT WERE EXCLUDED FROM EACH INFORMATION DISSEMINATION, AS APPLICABLE.			
1413	PUB-UNIT-CT		DLIS-V	F 3
	PUBLICATION UNITS COUNT THE QUANTITY OF UNIT NUMBERS UNIQUELY ASSIGNED TO EACH PUBLICATION.			
1414	PHRS		DLIS-V	V 20
	PHRASE AN EXPRESSION USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/ORR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA (E.G., TECHNICAL DOCUMENT NUMBER, QUANTITATIVE EXPRESSION, ETC.)			
1415	PRCSG-TIM-PER-MACH		DLIS-V	F 6
	PROCESSING TIME PER MACHINE THE QUANTITY OF TIME (HOURS:MINUTES:SECONDS) USED BY EACH MACHINE INVOLVED IN THE PREPARATION OF MAGNETIC TAPES FOR EACH INFORMATION DISSEMINATION.			
1416	PCT-DATA-CHNG		DLIS-V	F 5
	PERCENT DATA CHANGE THE PERCENT OF CHANGE FOR DATA COMPRISING A SPECIFIC INFORMATION DISSEMINATION OUTPUT PRODUCT ON OR AFTER THE DATA CHANGE DATE.			
1417	PCT-NIIN-CHNG		DLIS-V	F 6
	PERCENT NIIN CHANGE THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) ADDED, CHANGED, AND DELETED COMPARED TO THE TOTAL QUANTITY OF NIINs IN EACH INFORMATION DISSEMINATION.			
1418	OP-RCD-CT		DLIS-V	F 9
	OUTPUT RECORD COUNT THE QUANTITY OF RECORDS OUTPUT IN AN INFORMATION DISSEMINATION.			
1419	PCT-CRTFN-NBR-CHNG		DLIS-V	F 5
	PERCENT CERTIFICATION NUMBER CHANGE THE PERCENT OF CHANGE IN THE TOTAL CERTIFIED CONTRACTOR NUMBERS (CODES) COUNT IN THE LATEST ISSUE COMPARED TO THE PREVIOUS ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).			

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1420	NONMFR-CD-CT		DLIS-V	F	6
NONMANUFACTURES CODE COUNT					
THE TOTAL NUMBER OF NONMANUFACTURES CODE APPEARING IN THIS RUN.					
1421	NSN-CT		DLIS-V	F	9
NATIONAL STOCK NUMBER (NSN) COUNT					
THE TOTAL NUMBER OF EXTRACTED NATIONAL STOCK NUMBERS (NSNs).					
1422	NON-PRCR-ITM-CANC-CT-FSC		DLIS-V	F	4
NON-PROCURED ITEMS CANCELLED COUNT PER FSC					
THE NUMBER OF NON-PROCURED CANCELLED ITEMS WITHIN A FEDERAL SUPPLY CLASS (FSC).					
1423	NON-PRCRD-ITM-CT-PER-FSC		DLIS-V	F	4
NON PROCURED ITEM COUNT PER FSC					
THE NUMBER OF NON-PROCURED ITEMS WITHIN A FEDERAL SUPPLY CLASS (FSC).					
1424	NIIN-DELD-CT		DLIS-V	F	6
NIINS DELETED COUNT					
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) DELETED SINCE THE LAST INFORMATION DISSEMINATION WAS PRODUCED.					
1425	NIIN-DWG-CT		DLIS-V	F	6
NIIN DRAWING COUNT					
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) TYPE DRAWINGS THAT APPEAR IN EACH INFORMATION DISSEMINATION, IF APPLICABLE.					
1426	NIIN-CT		DLIS-V	F	8
NIIN COUNT					
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) IN EACH INFORMATION DISSEMINATION, IF APPLICABLE.					
1427	NIIN-CT-PER-TRAN		DLIS-V	F	6
NIIN COUNT PER TRANSACTION					
THE NUMBER OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) PER TRANSACTION.					
1428	NIIN-ADD-CT		DLIS-V	F	6
NIINS ADDED COUNT					
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) ADDED SINCE THE LAST INFORMATION DISSEMINATION WAS PROVIDED.					
1429	NIIN-CHNGD-CT		DLIS-V	F	6
NIINS CHANGED COUNT					
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) WITH CHANGES SINCE THE LAST INFORMATION DISSEMINATION WAS PROVIDED.					
1430	MO-DWG-CT		DLIS-SB	F	6
MONTHLY DRAWING COUNT					
A MONTHLY ACCOUNT OF HOW MANY TIMES A DRAWING OCCURRED.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1431 MSTR-NSN-CT DLIS-V F 7
 MASTER NATIONAL STOCK NUMBER (NSN) COUNT
 A TOTAL COUNT OF THE NATIONAL STOCK NUMBERS (NSNs) DETERMINED BY THE RESEARCH TO BE THE MOST DESIRABLE AND/OR SATISFACTORY IN MEETING A SPECIFIC REQUIREMENT. IT IS PROCURABLE, AUTHORIZED FOR PURCHASE, AND SUITABLE FOR USE IN LIEU OF ANY OTHER ITEM WITHIN ITS INTERCHANGEABILITY AND SUBSTITUTABILITY (I&S) FAMILY.

1432 MCFCH-FRME-CT-PER-FSC DLIS-V F 7
 MICROFICHE FRAME COUNT PER FSC
 THE NUMBER OF MICROFICHE FRAMES PER FEDERAL SUPPLY CLASS (FSC).

1433 MFR-CD-CT DLIS-V F 7
 MANUFACTURERS CODE COUNT
 THE NUMBER OF MANUFACTURERS CODES IN THE FILE.

1434 LMT-RGHT-DWG-CT DLIS-V F 6
 LIMITED RIGHTS DRAWING COUNT
 THE QUANTITY OF LIMITED RIGHTS DRAWINGS IN THE MASTER DRAWING FILE.

1435 MCFCH-CT-PER-FSC DLIS-V F 6
 MICROFICHE COUNT PER FSC
 THE NUMBER OF MICROFICHE PER FEDERAL SUPPLY CLASS (FSC).

1436 ITM-CT-PER-FSC DLIS-V F 6
 ITEM COUNT PER FSC
 THE TOTAL NUMBER OF ITEMS PER FEDERAL SUPPLY CLASS (FSC). THE ADDING OF WHITE, GREEN, AND YELLOW ITEMS.

1437 LBL-NM DLIS-V F 13
 LABEL NAME
 A FILE LABEL MADE UP OF THREE ELEMENTS (FILE NAME, LTM, AND ACTIVITY OR MODE/MEDIA CODE).

1438 ITM-CHNGD-CT DLIS-V F 6
 ITEMS CHANGED COUNT
 THE NUMBER OF CHANGED ITEMS.

1439 ITM-CT DLIS-V F 6
 ITEM COUNT
 THE NUMBER OF ITEMS ON A MICROFICHE.

1440 ITM-AVG-PER-MCFCH-FRME DLIS-V F 6
 ITEM AVERAGE PER MICROFICHE FRAME
 THE AVERAGE NUMBER OF ITEMS IN 2 DECIMAL PLACES PER MICROFICHE FRAME IN EACH FEDERAL SUPPLY CLASS.

1441 ITM-CANC-DELD-CT DLIS-V F 6
 ITEMS CANCELLED/DELETED COUNT
 THE NUMBER OF CANCELLED AND/OR DELETED ITEMS.

1442 INVLD-TYP-DATA-CD-CT DLIS-V F 6
 INVALID TYPE DATS CODE COUNT
 THE QUANTITY OF ERREOS IN THE DATA TYPE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1443 ITM-ADD-CT DLIS-V F 6
ITEMS ADDED COUNT
THE NUMBER OF NEW ITEMS.

1444 INC-ERR-CT DLIS-V F 6
ITEM NAME CODE ERROR COUNT
THE QUANTITY OF TIMES INCOMPATIBILITIES BETWEEN THE ITEM NAME CODE (INC) AND THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) ARE DETECTED, AND THE INC IS IN ERROR, IN AN INFORMATION DISSEMINATION. ALSO SEE FIIG-ERR-CT.

1445 INVLD-PHRS-CD DLIS-V F 1
INVALID PHRASE CODE
A CODE THAT DOES NOT MATCH THE CODE ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA (E.G., TECHNICAL DOCUMENT, NUMBER, QUANTITATIVE EXPRESSION, ETC.).

1446 FMT-ERR-CT DLIS-V F 6
FORMAT ERROR COUNT
THE QUANTITY OF TIMES THE LENGTH OF A REPLY EXCEEDS THE ESTABLISHED OR ALLOWED SPACES FOR EACH INFORMATION DISSEMINATION. THE ALLOWED REPLY LENGTH MAY VARY DEPENDING ON THE MASTER REQUIREMENT CODE (MRC).

1447 FSN DLIS-V F 13
FEDERAL SUPPLY NUMBER
THE NUMBER USED TO IDENTIFY THE FIRST AND LAST RECORD ON A MICROFICHE.

1448 FIIG-DWG-CT DLIS-V F 6
FIIG DRAWING COUNT
THE QUANTITY OF FIIG TYPE DRAWINGS THAT APPEAR IN EACH INFORMATION DISSEMINATION PRODUCT. IF APPLICABLE, A FIIG TYPE DRAWING INCLUDES A STYLE NUMBER. ALSO SEE NIIN-DWG-CT.

1449 FIIG-ERR-CT DLIS-V F 6
FIIG ERROR COUNT
THE QUANTITY OF TIMES INCOMPATIBILITIES BETWEEN FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE ITEM NAME CODE (INC) ARE DETECTED, AND THE FIIG IS IN ERROR, IN AN INFORMATION DISSEMINATION. ALSO SEE INC-ERR-CT.

1450 DRIVE-NM DLIS-V F 4
DRIVE NAME
THE NAME OF THE TAPE DRIVE ON WHICH THE REEL WAS PROCESSED.

1451 DWG-CT DLIS-V F 7
DRAWING COUNT
QUANTITY OF ALL DRAWING OR ILLUSTRATIONS (FIIG, NIIN, TYPE 2, ETC.) THAT APPEAR IN EACH INFORMATION DISSEMINATION PRODUCT.

1452 CRTFN-NBR-DELD-CT DLIS-V F 5
CERTIFICATION NUMBERS DELETED COUNT
THE QUANTITY OF DISQUALIFIED/REVOKED AND INACTIVE/EXPIRED CERTIFIED CONTRACTOR NUMBERS (CODES) DELETED FROM THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR LIST (CCAL).

1453 DCOD-ERR-CT DLIS-V F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

DECODE ERROR COUNT

THE QUANTITY OF TIMES AN INVALID, INCOMPLETE TABLE, TABLE REPLY APPEARS IN AN INFORMATION DISSEMINATION.

1454 CRTFN-NBR-ADD-CT DLIS-V F 5
CERTIFICATION NUMBERS ADDED COUNT
THE QUALITY OF NEW CERTIFIED CONTRACTOR NUMBERS (CODES) ADDED IN THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1455 CRTFN-NBR-CT DLIS-V F 5
CERTIFICATION NUMBER COUNT
THE QUANTITY OF CERTIFIED CONTRACTOR NUMBERS (CODES) IN THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1456 ASGND-NATO-CD-CT DLIS-V F 7
ASSIGNED NATO CODE COUNT
THE NUMBER OF CODES ASSIGNED TO THE NORTH ATLANTIC TREATY ORGANIZATION (NATO).

1457 CAGE-PARNT-CO-CT DLIS-V F 6
CAGE PARENT COMPANY COUNT
THE TOTAL NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY (CAGE) PARENT COMPANY NAMES IN THE FILE.

1458 APRVD-ITM-NM-CT-PER-FSG DLIS-V F 4
APPROVED ITEM NAME (AIN) COUNT PER FSG
THE NUMBER OF APPROVED ITEM NAMES (AINs) WITHIN A FEDERAL SUPPLY GROUP (FSG).

1459 ASGND-CAGE-CD-CT DLIS-V F 4
ASSIGNED CAGE CODE COUNT
THE NUMBER OF NEW ASSIGNED COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODES IN THE JOB RUN.

1460 AFF-CAGE-CD-CT DLIS-V F 4
AFFILIATE CAGE CODE COUNT
THE NUMBER OF AFFILIATE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODES APPEARING IN THE FILE.

1461 APRVD-ITM-NM-CT-PER-FSC DLIS-V F 4
APPROVED ITEM NAME (AIN) COUNT PER FSC
THE NUMBER OF APPROVED ITEM NAMES (AINs) WITHIN A FEDERAL SUPPLY CLASS (FSC).

1462 TYPE-2-DWG-CT DLIS-V F 6
TYPE 2 DRAWING COUNT
THE QUANTITY OF DRAWINGS FOR TYPE 2 NSNs THAT APPEAR IN EACH INFORMATION DISSEMINATION IF APPLICABLE.

1463 MOVMT-PRI-DESI DLIS-V F 2
MOVEMENT PRIORITY DESIGNATOR
A TWO (2) POSITION CODE THAT INDICATES THE PRIORITY TO BE USED FOR RETURNING UNSERVICEABLE REPAIRABLE MATERIAL.

1464 NIIN-NICN-ACFT-ENG-NBR DLIS-V F 13
NIIN/NAVY ITEM CONTROL NUMBER/AIRCRAFT ENGINE MODEL NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A THIRTEEN DIGIT NUMBER ASSIGNED TO AN ITEM OF SUPPLY. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC) AND THE NINE DIGIT NIIN. NAVY ITEM CONTROL NUMBER (NICN) IS A THIRTEEN DIGIT NUMBER, WHICH CONTAINS ALPHA CHARACTERS WITHIN THE FINAL NINE DIGITS. IT'S USED TO IDENTIFY AN ITEM OF SUPPLY THAT HAS NOT YET BEEN ASSIGNED A NSN/NIIN. MODEL CONSISTS OF ALPHANUMERIC CHARACTERS ASSIGNED TO AIRCRAFT ENGINES.

1465 REP-MAINT-CD DLIS-V F 1
REPAIR MAINTENANCE CODE

THIS CODE INDICATES THE LOWEST MAINTENANCE ECHELON POTENTIALLY CAPABLE OF REPAIRING AN ITEM AND IS PROVIDED TO ASSIST MAINTENANCE AND SUPPLY PERSONNEL IN MAKING DECISIONS ABOUT WHETHER TO ATTEMPT REPAIR AT THE LEVEL PRIOR TO RETURNING THE ITEM TO THE OVERHAUL POINT.

1466 SCHS-RMVL-CMPNT-CRD-CD DLIS-V F 1
SCHEDULES REMOVAL COMPONENT CARD CODE COUNT

BLANK IN THIS POSITION INDICATES NO SRC CARD REQUIRED. A "Y" IN THIS POSITION INDICATES AN SRC CARD IS REQUIRED FOR AVIATION REPAIRABLE, SELECTED COMPONENT RECORD (SRC) CARD REQUIRED FOR SHIP REPAIRABLE.

1467 LNG-SUP-CRED-IND DLIS-V F 1
LONG SUPPLY/CREDIT INDICATOR

PRESENCE OF AN ASTERISK (*) IN THIS POSITION INDICATES THAT RFI LONG SUPPLY ASSETS EXIST FOR THAT NIIN AND AN RFI REPLACEMENT SHOULD BE REQUISITIONED VICE LOCAL REPAIR. THE PRESENCE OF THIS INDICATOR DOES NOT PRECLUDE LOCAL REPAIR IF A RFI REPLACEMENT IS NEEDED FOR INSTALLATION AND IS NOT AVAILABLE LOCALLY. NORMAL RETROGRADE SHIPMENT FOR NON-RFI COMPONENTS TO THE ACTIVITY INDICATED IS REQUIRED FOR LONG SUPPLY REPAIRABLES. DISPOSAL IS NOT AUTHORIZED UNLESS OTHERWISE INDICATED.

1468 ADDNL-IDEN DLIS-V F 4
ADDITIONAL IDENTIFICATION

A FOUR (4) POSITION FIELD IS COMPOSED OF TWO SEPARATE CODES, THE DEPARTMENT OF DEFENSE IDENTIFICATION CODE (DODIC) AND THE SUBSISTENCE USAGE MANAGEMENT CODE (SUMC).

1469 AUTO-RTN-ITM-CD DLIS-V F 1
AUTOMATIC RETURN ITEM CODE

A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES ITEMS IN A CRITICAL STOCK POSITION THAT MAY BE RETURNED TO CONUS DEPOTS WITHOUT DISPOSITION INSTRUCTIONS. THE ARI CODE IS AUTHORIZED BY AR 710-1, CHAPTER 3.

1470 AIR-ELGBL-CTGY-CD DLIS-V F 1
AIR ELIGIBLE CATEGORY CODE

A ONE (1) POSITION NUMERIC CODE THAT IDENTIFIES ITEMS ELIGIBLE FOR SHIPMENT BY AIR AND THOSE THAT MUST BE SHIPPED BY AIR. THE AEC CODE MUST BE APPLIED TO SHIPMENTS OF CLASS 9 MATERIEL TO EUROPE AND KOREA. USE OF THE AEC FOR OTHER DESTINATIONS OR CLASSES IS OPTIONAL. THE AEC IS AUTHORIZED BY AR 708-1, TABLE 7-3, AIR ELIGIBLE CATEGORY CODE.

1471 LI-ITM-NBR DLIS-V F 6
LINE ITEM NUMBER

A LINE ITEM NUMBER CONSISTS OF ONE ALPHA CHARACTER FOLLOWED BY FIVE NUMERIC CHARACTERS (E.G. E94536). LINS ARE ASSIGNED TO A SPECIFIC NAME (GENERIC NOMENCLATURE) OF AN ITEM WHICH IS NOT CONSUMED OR DESTROYED WHEN USED. THEY ARE USED FOR ACCOUNTING PURPOSES AND ALL ACTIVE LINS ARE LISTED IN THE SEMI-ANNUAL SB 700-20 PUBLICATION.

1472 SUB-USG-MGMT-CD DLIS-V F 1
SUBSISTENCE USAGE MANAGEMENT CODE (SUMC)

A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES TO WHOM AND UNDER WHAT CONDITIONS A SUBSISTENCE ITEM WILL BE ISSUED. THE SUMC APPLIES ONLY TO ITEMS IN FSG 89. THERE CAN BE AS MANY AS FOUR SUMC CODES ASSIGNED TO A SINGLE CODE, ALL OF WHICH WILL BE DISPLAYED IN THE DODIC/SUMC FIELD. THE SUMC IS AUTHORIZED BY AR 708-1, TABLE 7-8.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A TWO (2) POSITION ALPHANUMERIC CODE. THE FIRST POSITION DIVIDES SUPPLIES AND EQUIPMENT INTO 10 CLASSES OF SUPPLY, AS AUTHORIZED BY AR 700-9, APPENDIX B, CLASSES OF SUPPLY. THE SECOND POSITION PROVIDES THE MEANS OF IDENTIFYING ITEMS BY COMMODITY OR WEAPONS SYSTEMS, AS AUTHORIZED BY FM 704-28, FIGURE 2-2, SUBCLASSIFICATIONS OF SUPPLY LEGEND.

1482 RM-IN-PL-IND DLIS-V F 1
REMAIN IN PLACE INDICATOR

A ONE (1) POSITION CODE THAT IDENTIFIES AN ITEM FOR WHICH AN UNSERVICEABLE UNIT WILL BE TURNED-IN ON AN EXCHANGE BASIS AFTER RECEIPT OF A SERVICEABLE UNIT.

1483 SUPMTL-SRC-CD DLIS-V F 1
SUPPLEMENTAL SOURCE CODE

A ONE (1) POSITION ALPHANUMERIC CODE THAT EQUATES TO THE NAVY DATA ELEMENT NUMBER (DEN) 012A. THIS CODE IS USED TO CLARIFY AND/OR MODIFY THE MAINTENANCE AND RECOVERABILITY CODES. THESE CODES ARE ASSIGNED BY HSC/PMs AND COORDINATED FOR PUBLICATION BY NAVSUP TO PREVENT CONFLICTS OR REDUNDANCIES AMONG THE HSCs. NOTE: SEE NAVSU-PINST 4423.14B.

1484 NOTES DLIS-V F 1
NOTES

THIS COLUMN CONTAINS VARIOUS MISCELLANEOUS INFORMATION, SUCH AS THE NIIN OF APPLICABLE SHIPPING CONTAINER, TO FACILITATE PREPARATION AND SHIPMENT OF TURN-INS.

1485 SHLF-LIF-ACTN-CDS DLIS-V F 2
SHELF LIFE ACTION CODES

A TWO (2) POSITION CODE DENOTING THE ACTION TO BE TAKEN FOR AN ITEM AT THE EXPIRATION OF THE SHELF LIFE PERIOD INDICATED BY THE SHELF LIFE CODE.

1486 RL-CD DLIS-V F 1
RELATIONSHIP CODE

A SINGLE POSITION ALPHANUMERIC CODE, APPLICABLE TO THE D043 X-FILE ONLY ARE USED BY THE I&S TECHNICIAN TO INDICATE THE RELATIONSHIP CONDITION BETWEEN THE II (ITEM IDENTIFIER) AND RI (RELATED ITEM) ITEMS.

1487 INCMPAT-CDS DLIS-V F 1
INCOMPATIBILITY CODES

A SINGLE POSITION NUMERIC CODE, APPLICABLE TO THE D043 X-FILE ONLY ARE USED BY THE I&S TECHNICIAN TO INDICATE THE INCOMPATIBLE CONDITION BETWEEN THE II (ITEM IDENTIFIER) AND RI (RELATED ITEMS) ITEMS.

1488 NMC-PTS-PREF-CDS DLIS-V F 1
NUMERIC PARTS PREFERENCE CODES

EACH ITEM WITHIN A SUBGROUP IS ASSIGNED A PARTS PREFERENCE CODE. SUITABLE ITEMS ARE ASSIGNED A SINGLE POSITION ALPHABETICAL CODE TO INDICATE THE ORDER OF PREFERENCE WITHIN THE SUBGROUP. UNSUITABLE ITEMS ARE ASSIGNED A NUMERICAL PARTS PREFERENCE CODE BASED UPON THE CONDITION THAT CAUSED THE ITEM TO BE MADE UNSUITABLE.

1489 PRM-NSN-MCN DLIS-V F 13
PRIME NSN MCN

THE NSN/MCN OF AN ITEM IN A I&S FAMILY WHICH IS COMMONLY REGARDED BY THE MANAGING AND USING SERVICE/AGENCY AS A SUITABLE SUBSTITUTE FOR ALL OTHER ITEMS IN THE FAMILY AND AS THE PREFERRED (PRIME) ITEM FOR ACQUISITION PURPOSES. WITHIN A FAMILY HEADED BY A GENERIC SUBGROUP, THE GENERIC NSN/MCN IS ALWAYS DESIGNATED AS THE MASTER (PRIME) NSN/MCN.

1490 FD-CD-ARMY DLIS-V F 1
FUND CODE ARMY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A ONE (1) POSITION NUMERIC CODE THAT PROVIDES DATA FOR SUPPLY AND FINANCIAL MANAGEMENT. THE FUND CODE IS AUTHORIZED BY AR 708-1, TABLE 7-11, FUND CODE. NOTE: FUND CODE VALUES ARE VALID ONLY FOR ITEMS MANAGED BY THE USA TROSCOM, USA SUPPORT ACTIVITY (ASA), PHILADELPHIA. THESE ITEMS ARE IDENTIFIED BY A FIRST POSITION MATERIEL CATEGORY STRUCTURE CODE OF F AND S. DELETION OF THE FUND CODE FOR ALL OTHER ITEMS WILL BE COMPLETED BY MARCH 1988. IF THE CODE IS OUTPUT ON ANY ITEM OTHER THAN ASAP ITEMS, IT SHOULD BE IGNORED.

1492 MOE-CUR-DEL-ERR-CT MOE_CR_DEL_ER_1492 DLIS-SBA F INTEGER 5
MOE CURRENT DELETE ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF DELETING MOE RULE RECORDS FROM THE MOE RULE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION, FOR A PARTICULAR TIME FRAME.

1493 MOE-EFF-DT-ADD-CT MOE_ED_ADD_CT_1493 DLIS-SBA F INTEGER 5
MOE EFFECTIVE DATE ADD COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED ADD MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1494 MOE-EFF-DT-ADD-ERR-CT MOE_ED_ADD_ER_1494 DLIS-SBA F DATE 5
MOE EFFECTIVE DATE ADD ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED ADD MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME

1495 MOE-EFF-DT-CHG-CT MOE_ED_CHG_CT_1495 DLIS-SBA F INTEGER 5
MOE EFFECTIVE DATE CHANGE COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED CHANGE MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE FOR A PARTICULAR TIME FRAME.

1496 MOE-EFF-DT-CHG-ERR-CT MOE_ED_CHG_ER_1496 DLIS-SBA F DATE 5
MOE EFFECTIVE DATE CHANGE ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED CHANGE MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1497 MOE-EFF-DT-DEL-CT MOE_ED_DEL_CT_1497 DLIS-SBA F INTEGER 5
MOE EFFECTIVE DATE DELETE COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED DELETE MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE FOR A PARTICULAR TIME FRAME.

1498 MOE-EFF-DT-DEL-ERR-CT MOE_ED_DEL_ER_1498 DLIS-SBA F DATE 5
MOE EFFECTIVE DATE DELETE ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED DELETE MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1499 MOE-MOE-MSTR-INQ-CT MOE_MST_INQ_C_1499 DLIS-SBA F INTEGER 5
MOE MOE MASTER INQUIRY COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE MASTER RECORD INQUIRIES DURING A SPECIFIED TIME FRAME.

1500 DAYS-INTVL-CTR-TM DAYS_INTVL_TM_1500 DLIS-SBB F CHAR 3
DAYS INTERVAL COUNTER TIME
A COUNTER (IN NUMBER OF DAYS) OF AN INTERVAL OF TIME, NOT TO EXCEED 365 DAYS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1501	GC-PICA-LAR-CNT GIRDER PICA LAR COUNT COUNT OF LAR TRANSACTIONS WITHIN A GIRDER CODE BY MANAGING ACTIVITY.	GC_PICA_LAR_1501	DLIS-CI	F INTEGER	6
1502	GC-PICA-LCR-CNT PICA LCR COUNT COUNT OF LCR TRANSACTIONS WITHIN A GIRDER CODE BY MANAGING ACTIVITY.	GC_PICA_LCR_1502	DLIS-CI	F INTEGER	6
1503	GC-LAR-TRANS-SUBTOTAL GIRDER LAR SUBTOTAL COUNT OF ALL LAR TRANSACTIONS WITHIN A GIRDER CODE.		DLIS-CI	F	7
1504	GC-LCR-TRANS-SUBTOTAL GIRDER LCR SUBTOTAL COUNT OF ALL LCR TRANSACTIONS WITHIN A GIRDER CODE.		DLIS-CI	F	7
1505	GC-PICA-TRANS-TOTAL GIRDER PICA TRANS TOTAL TOTAL OF LAR AND LCR TRANSACTIONS BY A MANAGING ACTIVITY WITHIN A GIRDER CODE.		DLIS-V	F	7
1506	GIRDER-TRANS-SUBTOTAL GIRDER-TRANS-SUBTOTAL TOTAL OF ALL LCR AND LAR TRANSACTIONS WITHIN A GIRDER CODE.		DLIS-CI	F	8
1507	GIRDER-LAR-TRANS-TOTAL GIRDER LAR TRANS TOTAL TOTAL OF ALL THE LAR TRANSACTIONS FOR ALL GIRDER CODES.		DLIS-CI	F	9
1508	GIRDER-LCR-TRANS-TOTAL GIRDER LCR TRANS TOTAL TOTAL OF ALL THE LCR TRANSACTIONS FOR ALL GIRDER CODES.		DLIS-CI	F	9
1509	GIRDER-TRANS-GRAND-TOTAL GIRDER TRANS GRAND TOTAL TOTAL OF ALL LCR AND LAR TRANSACTIONS FOR ALL THE GIRDER CODES.		DLIS-CI	F	10
1511	TOT-NBR-ADRS-PSMAT-CNT TOTAL ADDRESSES ON PSMAT COUNTER COUNT OF ADDRESSES ON THE PSMAT FILE.		DLIS-CI	F	6
1512	SVC-CONTR-IDEN-CD-1-CNT COUNT OF CONTRACTOR CODE 1 COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 1.		DLIS-CI	F	5
1513	SVC-CONTR-IDEN-CD-2-CNT COUNT OF CONTRACTOR CODE 2 COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 2.		DLIS-CI	F	5

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FEDERAL SUPPLY GROUP CHANGED COUNTS

THE QUANTITY OF FEDERAL SUPPLY GROUPS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1551 FSC-ACT-RCD-CT DLIS-SCB F 6

FEDERAL SUPPLY CLASS ACTIVE RECORDS COUNT

THE QUANTITY OF ACTIVE FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1552 FSC-DELD-RCD-CT DLIS-SCB F 6

FEDERAL SUPPLY CLASS DELETED RECORDS COUNT

THE QUANTITY OF FSC RECORDS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1553 CIMM-ACTY-FSC-CT DLIS-SBA F 4

COMMODITY INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT

THE QUANTITY OF CIMM-ACTY-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1554 WIMM-FSC-CT DLIS-SBA F 4

WEAPONS INTEGRATED MATERIEL MANAGER FSC COUNT

THE QUANTITY OF WIMM-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1555 WIMM-ACTY-FSC-CT DLIS-SBA F 4

WEAPONS INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT

THE QUANTITY OF WIMM-ACTY-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1556 SIN-SUBM-FSC-CT DLIS-SBA F 4

SINGLE SUBMITTER FEDERAL SUPPLY CLASS COUNT

THE QUANTITY OF SIN-SUBM-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1557 SIN-SUBM-ACTY-FSC-CT DLIS-SBA F 4

SINGLE SUBMITTER ACTIVITY AND FEDERAL SUPPLY CLASS COUNT

THE QUANTITY OF SIN-SUBM-ACTY-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1558 STDZN-FSC-CT DLIS-SBA F 4

STANDARDIZATION FEDERAL SUPPLY CLASS COUNT

THE QUANTITY OF STDZN-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1559 MGMT-FSC-ADD-CT DLIS-SBA F 4

MANAGEMENT FEDERAL SUPPLY CLASS ADD COUNT

THE QUANTITY OF MGMT-FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1566 TRFR-ODP-TRFR-TOT-NSN TRFR_STAT_CNT_1566 DLIS-BB F INTEGER 8

TRANSFER ORIGINATING DEPARTMENT TRANSFER TOTAL NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

1573 TRFR-OAC-TRFR-TOT-NSN TRFR_STAT_CNT_1573 DLIS-BB F INTEGER 8

TRANSFER ORIGINATING ACTIVITY TRANSFER TOTAL NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1580 TRFR-OAC-FYD-TRFR-T-NSN TRFR_STAT_CNT_1580 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TRFR TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

1587 TRFR-ODP-FYD-TRFR-T-NSN TRFR_STAT_CNT_1587 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TRFR TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

1588 M3AC-D-MG M3AC_STAT_CNT_1588 DLIS-BB F INTEGER 8
M3AC DEPARTMENT MANAGED
THE DEPARTMENT TOTAL NSN COUNT. ONLY POCA LOAS ARE INCLUDES IN THIS COUNT. FIG A239 ITEMS INC 7777 ARE EXCLUDED.

1589 M3AC-D-DM M3AC_STAT_CNT_1589 DLIS-BB F INTEGER 8
M3AC DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1590 M3AC-D-DM-G M3AC_STAT_CNT_1590 DLIS-BB F 8
M3AC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1591 M3AC-D-DM-P DLIS-BB F 8
M3AC DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1592 M3AC-D-DM-DIF DLIS-BB F 8
M3AC DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1593 M3AC-D-AIN M3AC_STAT_CNT_1593 DLIS-BB F INTEGER 8
M3AC DEPARTMENT APPROVED ITEM NAME
THE DEPARTMENT TOTAL ACCOUNT OF NSNS WITH APPROVED ITEM NAMES. ONLY PICA LOAS ARE INCLUDED IN THIE COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1594 M3AC-D-AIN-G M3AC_STAT_CNT_1594 DLIS-BB F 8
M3AC DEPARTMENT APPROVED ITEM NAME GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

1595 M3AC-D-AIN-P DLIS-BB F 8
M3AC DEPARTMENT APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

1596 M3AC-D-AIN-DIF DLIS-BB F 8
M3AC DEPARTMENT APPROVED ITEM NAME DIFFERENCE
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR THE DEPARTMENTS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1597 M3AC-D-RN M3AC_STAT_CNT_1597 DLIS-BB F INTEGER 8
M3AC DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1598 M3AC-D-RN-G M3AC_STAT_CNT_1598 DLIS-BB F 8
M3AC DEPARTMENT REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR THE DEPARTMENT.

1599 M3AC-D-RN-R DLIS-BB F 8
M3AC DEPARTMENT REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

1600 M3A-D-RN-DIF DLIS-BB F 8
M3A DEPARTMENT REFERENCE NUMBER DIFFERENCE
THE DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

1601 M3A-D-LOA-MG M3A_STAT_CNT_1601 DLIS-BB F INTEGER 8
M3A DEPARTMENT LOA MANAGED
THE DEPARTMENT TOTAL NSN COUNT BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1602 M3A-D-LOA-DM M3A_STAT_CNT_1602 DLIS-BB F INTEGER 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1603 M3A-D-LOA-DM-G M3A_STAT_CNT_1603 DLIS-BB F 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENT FOR DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1604 M3A-D-LOA-DM-P DLIS-BB F 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT
THE PERCENT OF DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1605 M3A-D-LOA-DM-DIF DLIS-BB F 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1606 M3A-D-LOA-AIN M3A_STAT_CNT_1606 DLIS-BB F INTEGER 8
M3A DEPARTMENT LOA APPROVED ITEM NAME
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1607 M3A-D-LOA-AIN-G M3A_STAT_CNT_1607 DLIS-BB F 8
M3A DEPARTMENT LOA APPROVED ITEM NAME GOAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1608 M3A-D-LOA-AIN-P DLIS-BB F 8
M3A DEPARTMENT LOA APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1609 M3A-D-LOA-AIN-DIF DLIS-BB F 8
M3A DEPARTMENT LOA APPROVED ITEM NAME DIFFERENCE
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1610 M3A-D-LOA-RN M3A_STAT_CNT_1610 DLIS-BB F INTEGER 8
M3A DEPARTMENT LEVEL OF AUTHORITY REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1611 M3A-D-LOA-RN-G M3A_STAT_CNT_1611 DLIS-BB F 8
M3A DEPARTMENT LOA REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN BY LOA FOR THE DEPARTMENT.

1612 M3A-D-LOA-RN-R DLIS-BB F 8
M3A DEPARTMENT LOA REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO BY LOA FOR THE DEPARTMENT.

1613 M3A-D-LOA-RN-DIF DLIS-BB F 8
M3A DEPARTMENT LOA REFERENCE NUMBER DIFFERENCE
THE DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO BY LOA FOR THE DEPARTMENT.

1614 M3BC-FSC-D-MG M3BC_STAT_CNT_1614 DLIS-BB F INTEGER 8
MCBC FSC DEPARTMENT MANAGED
THE DEPARTMENT TOTAL NSN COUNT FOR THE FSC. ONLY PICA LOAS ARE INCLUDES IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1615 M3BC-FSC-D-DM M3BC_STAT_CNT_1615 DLIS-BB F INTEGER 8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION FOR AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1616 M3BC-FSC-D-DM-G M3BC_STAT_CNT_1616 DLIS-BB F 8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC.

1617 M3BC-FSC-D-DM-P DLIS-BB F 8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR A SEPARTMENT WITHIN AN FSC.

1618 M3BC-FSC-D-AIN M3BC_STAT_CNT_1618 DLIS-BB F INTEGER 8
M3BC FSC DEPARTMENT APPROVED ITEM NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1619 M3BC-FSC-D-AIN-G M3BC_STAT_CNT_1619 DLIS-BB F 8
M3BC FSC DEPARTMENT APPROVED ITEM NAME GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC.

1620 M3BC-FSC-D-AIN-P DLIS-BB F 8
M3BC FSC-DEPARTMENT APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC. SUBMITTING DEPARTMENT.

1621 M3BC-FSC-D-RN M3BC_STAT_CNT_1621 DLIS-BB F INTEGER 8
M3BC FSC DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBER AGAINST NSNS WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1622 M3BC-FSC-D-RN-G M3BC_STAT_CNT_1622 DLIS-BB F 8
M3BC FSC DEPARTMENT REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBER PER NSN FOR A DEPARTMENT WITHIN AN FSC.

1623 M3BC-FSC-D-RN-R DLIS-BB F 8
M3BC FSC DEPARTMENT REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR A DEPARTMENT WITHIN AN FSC.

1624 M3B-FSC-D-LOA-MG M3B_STAT_CNT_1624 DLIS-BB F INTEGER 8
M3B FSC DEPARTMENT LOA MANAGED
THE DEPARTMENT TOTAL NSN COUNT FOR AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1625 M3B-FSC-D-LOA-DM M3B_STAT_CNT_1625 DLIS-BB F INTEGER 8
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1626 M3B-FSC-D-LOA-DM-G M3B_STAT_CNT_1626 DLIS-BB F 8
M3B FSC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENT FOR DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1627 M3B-FSC-D-LOA-DM-P DLIS-BB F 8
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT
THE PERCENT OF DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1628 M3B-FSC-D-LOA-AIN M3B_STAT_CNT_1628 DLIS-BB F INTEGER 8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1629 M3B-FSC-D-LOA-AIN-G M3B_STAT_CNT_1629 DLIS-BB F 8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME GOAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1630 M3B-FSC-D-LOA-AIN-P DLIS-BB F 8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1631 M3B-FSC-D-LOA-RN M3B_STAT_CNT_1631 DLIS-BB F INTEGER 8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1632 M3B-FSC-D-LOA-RN-G M3B_STAT_CNT_1632 DLIS-BB F 8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1633 M3B-FSC-D-LOA-RN-R DLIS-BB F 8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1634 M3C1-D-AT-MG M3C1_STAT_CNT_1634 DLIS-BB F INTEGER 8
M3C1 DEPARTMENT ACTIVITY MANAGED
THE ACTIVITY TOTAL NSN COUNT WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIF A239 ITEMS WITH INC 77777 ARE EXCLUDED. REFERENCE METHOD BY SUBMITTING DEPARTMENT.

1635 M3C1-D-AT-DM M3C1_STAT_CNT_1635 DLIS-BB F INTEGER 8
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD
THE ACTIVITY TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE INCLUDED.

1636 M3C1-D-AT-DM-G M3C1_STAT_CNT_1636 DLIS-BB F 8
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT.

1637 M3C1-D-AT-DM-P DLIS-BB F 8
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT.

1638 M3C1-D-AT-AIN M3C1_STAT_CNT_1638 DLIS-BB F INTEGER 8
M3C1 DEPARTMENT ACTIVITY AIN
THE ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1639 M3C1-D-AT-AIN-G M3C1_STAT_CNT_1639 DLIS-BB F 8
M3C1 DEPARTMENT ACTIVITY AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT.

1640 M3C1-D-AT-AIN-P DLIS-BB F 8
M3C1 DEPARTMENT ACTIVITY AIN PERCENT
THE PERCENT OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1641 M3C1-D-AT-RN M3C1_STAT_CNT_1641 DLIS-BB F INTEGER 8
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER
THE ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1642 M3C1-D-AT-RN-G M3C1_STAT_CNT_1642 DLIS-BB F 8
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR AN ACTIVITY WITHIN A DEPARTMENT.

1643 M3C1-D-AT-RN-R DLIS-BB F 8
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY WITHIN A DEPARTMENT.

1644 M3C2-FSC-D-AT-MG M3C2_STAT_CNT_1644 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY MANAGED
THE ACTIVITY TOTAL NSN COUNT WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1645 M3C2-FSC-D-AT-DM M3C2_STAT_CNT_1645 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD
THE ACTIVITY TOTAL NSN TOTAL COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS INC 7777 ARE EXCLUDED.

1646 M3C2-FSC-D-AT-DM-G M3C2_STAT_CNT_1646 DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

1647 M3C2-FSC-D-AT-DM-P DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

1648 M3C2-FSC-D-AT-AIN M3C2_STAT_CNT_1648 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY AIN
THE ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1649 M3C2-FSC-D-AT-AIN-G M3C2_STAT_CNT_1649 DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITH A DEPARTMENT, WITHIN AN FSC.

1650 REP-ACTY-LOA-NSN REP_STAT_CNT_1650 DLIS-SB F INTEGER 8
REPARABILITY ACTIVITY LOA NSN
THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY ACTIVITY BY LOA.

1651 REP-ACTY-NSN REP_STAT_CNT_1651 DLIS-SBA F INTEGER 8
REPARABILITY ACTIVITY NSN
THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1663 LRN-NIIN-INQ-CAN-WKLY DLIS-BB F 8

LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1664 LRN-NIIN-INQ-CAN-MTHLY DLIS-BB F 8

LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1665 LRN-NIIN-INQ-CAN-QTRLY DLIS-BB F 8

LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1666 LRN-NIIN-INQ-CAN-YRLY DLIS-BB F 8

LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1667 LRN-NIIN-INQ-ACTY-DLY LRN_STAT_CNT_1667 DLIS-BB F INTEGER 8

LOGRUN NIIN INQUIRY ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY ACTIVITY.

1668 LRN-NIIN-INQ-ACTY-WKLY DLIS-BB F 8

LOGRUN NIIN INQUIRY ACTIVITY WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY ACTIVITY.

1669 LRN-NIIN-INQ-ACTY-MTHLY DLIS-BB F 8

LOGRUN NIIN INQUIRY ACTIVITY MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY ACTIVITY.

1670 LRN-NIIN-INQ-ACTY-QTRLY DLIS-BB F 8

LOGRUN NIIN INQUIRY ACTIVITY QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR INQUIRIES BY ACTIVITY.

1671 LRN-NIIN-INQ-ACTY-YRLY DLIS-BB F 8

LOGRUN NIIN INQUIRY ACTIVITY YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY ACTIVITY.

1672 LRN-NIIN-INQ-DEPT-DLY LRN_STAT_CNT_1672 DLIS-BB F INTEGER 8

LOGRUN NIIN INQUIRY DEPARTMENT DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY DEPARTMENT.

1673 PC-NSN-REF-II-NACL DLIS-V F 8

PERCENT NSNS REFERENCE TYPE II NON-ASSIGNED CLASSES

PERCENT OF NSNS THAT ARE REFERENCE METHOD TYPE II IN NON-ASSIGNED CLASSES.

1674 LRN-NIIN-INQ-DEPT-MTHLY DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN NIIN INQUIRY DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY DEPARTMENT.

1675 LRN-NIIN-INQ-DEPT-QTRLY DLIS-BB F 8

LOGRUN NIIN INQUIRY DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY DEPARTMENT.

1676 LRN-NIIN-INQ-DEPT-YRLY DLIS-BB F 8

LOGRUN NIIN INQUIRY DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY DEPARTMENT.

1677 QLTY-CTL-CMPTN-DT DLIS-V F 9

QUALITY CONTROL COMPLETION DATE
THE DAY, MONTH, AND YEAR (E.G., 8 JAN 88) BY WHICH THE MASTER FOR AN INFORMATION DISSEMINATION MUST BE PRODUCED AND READY FOR QUALITY REVIEW.

1678 EDIT-PROD-CMPTN-DT DLIS-V F 9

EDIT PRODUCTION COMPLETION DATE
THE DAY, MONTH, AND YEAR (e.g., 18 JAN 88) BY WHICH THE MASTER FOR AN INFORMATION DISSEMINATION MUST BE PRODUCED AND READY FOR QUALITY REVIEW.

1680 SCR-NM DLIS-V V 6

SCREEN NAME
AN ABBREVIATED NAME PERTAINING TO SPECIFIC SCREENS. THOSE NAMES ARE USED IN CALLING/RETRIEVING THOSE SCREENS FROM STORAGE AND BRINGING THEM TO THE CRT FOR VIEWER USE.

1682 FUNC-CD DLIS-SB F 2

FUNCTION CODE
IDENTIFIES THE EDIT FUNCTIONS PERFORMED IN ON-LINE PROCESSING.

1696 DP-ACTY-CC-END-BAL DLIS-SBA F 8

DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE ENDING BALANCE
THE NUMBER OF NSNS AT THE ENDING POINT OF TIME BY AMC WITHIN COMMODITY CATEGORY CODE BY ACTIVITY WITHIN DEPARTMENT.

1697 PRCSG-CMPTN-DT DLIS-V F 9

PROCESSING COMPLETION DATE
THE DAY, MONTH, AND YEAR (e.g., 18 JAN 88) BY WHICH PROCESSING MUST BE COMPLETED.

1698 DP-ORIG-NSN-TOTAL-7 DLIS-SBA F 8

DEPARTMENT ORIGINAL NSN TOTAL 7
THE NUMBER OF ORIGINAL NSNS (AN ITEM IDENTIFICATION APPROVED BY DLIS AND ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) FOR UNITED STATES GOVERNMENT DEPARTMENTS. TOTALS ARE BROKEN OUT FOR THE FOLLOWING TYPES OF ITEM IDENTIFICATION: FULL DESCRIPTIVE 1, 1A, 1B. PARTIAL DESCRIPTIVE 4, 4A, 4B AND REFERENCE 2.

1699 FULL-DESCRIPTIVE-MTHD-7 DLIS-SBA F 8

FULL DESCRIPTIVE METHOD 7
FULL DESCRIPTIVE METHOD TOTAL FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1700 PARTIAL-DESCRIPTIVE-7
PARTIAL DESCRIPTIVE 7
PARTIAL DESCRIPTIVE METHOD FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

DLIS-SBA F 8

1701 REFERENCE-METHOD-7
REFERENCE METHOD 7
REFERENCE METHOD FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

DLIS-SBA F 8

1702 LRN-C-NIIN-CAN-DLY
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

DLIS-BB F 8

1703 INFO-DISEM-NM
INFORMATION DISSEMINATION NAMES
THE NAME OF A SPECIFIC INFORMATION DISSEMINATION SYSTEM OUTPUT PRODUCT. THE NUMBER OF LINES IS VARIABLE.

DLIS-V F 80

1704 DATA-ELE-NM
DATA ELEMENT NAMES
THE NAME OF A DATA ELEMENT.

DE_NM_1704

DLIS-BB F CHAR 60

1706 EXTRN-PARM
EXTRACTION PARAMETERS
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF EXTRACTION INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

DLIS-V F 80

1707 FMT-PARM
FORMAT PARAMETERS
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF FORMAT INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

DLIS-V F 80

1708 INFO-DISEM-NAR-DATA
INFORMATION DISSEMINATION NARRATIVE DATA
DATA IN THE FORM OF NARRATIVES USED AS INPUT TO THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 132 CHARACTERS. THE NUMBER OF LINES IS VARIABLE.

DLIS-V F 132

1709 NAR-IDEN-NBR
NARRATIVE IDENTIFICATION NUMBER
A NUMBER IDENTIFYING SPECIFIC INFORMATION DISSEMINATION NARRATIVE DATA.

DLIS-V F 9

1710 INFO-DISEM-DT
INFORMATION DISSEMINATION DATE
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) FOR WHICH THE INFORMATION DISSEMINATION IS EFFECTIVE.

DLIS-V F 9

1711 RPRODTN-CMPTN-DT
REPRODUCTION COMPLETION DATE
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) BY WHICH THE INFORMATION DISSEMINATION MASTERS MUST BE REPRODUCED AND SENT TO THE CUSTOMERS.

DLIS-V F 9

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE ZONE IMPROVEMENT PROGRAM (ZIP) CODE PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

1724 CRTFD-CONTR-CTY-STA DLIS-SC V 36
CERTIFIED CONTRACTOR CITY/STATE
THE CITY AND STATE PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

1725 CRTFD-CONTR-CAGE-CD DLIS-SC F 5
CERTIFIED CONTRACTOR COMMERCIAL AND GOVERNMENT ENTITY CODE
THE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE ASSIGNED TO CERTAIN MANUFACTURERS AND NON-MANUFACTURERS WHO HAVE DONE BUSINESS WITH THE GOVERNMENT.

1726 CON-DPT-OTH-DIC-TOT-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT OTHER DIC NSN TOTAL
THE TOTAL NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLIS AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT.

1727 LRN-COMB-CAN-QTRLY DLIS-BB F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER QUARTERLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY CUSTOMER ACCOUNT NUMBER.

1728 LRN-COMB-CAN-YRLY DLIS-BB F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER YEARLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY CUSTOMER ACCOUNT NUMBER.

1729 LRN-COMB-ACTY-DLY LRN_STAT_CNT_1729 DLIS-BB F INTEGER 8
LOGRUN COMBINATION ACTIVITY DAILY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY ACTIVITY.

1730 LRN-COMB-ACTY-WKLY DLIS-BB F 8
LOGRUN COMBINATION ACTIVITY WEEKLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY ACTIVITY.

1731 LRN-COMB-ACTY-MTHLY DLIS-BB F 8
LOGRUN COMBINATION ACTIVITY MONTHLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY ACTIVITY.

1732 LRN-COMB-ACTY-QTRLY DLIS-BB F 8
LOGRUN COMBINATION ACTIVITY QUARTERLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY ACTIVITY.

1733 LRN-COMB-ACTY-YRLY DLIS-BB F 8
LOGRUN COMBINATION ACTIVITY YEARLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1744 LRN-PROC-QCK-INFO-CAN-D DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1745 LRN-PROC-QCK-INFO-CAN-W DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1746 LRN-PROC-QCK-INFO-CAN-M DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1747 LRN-PROC-QCK-INFO-CAN-Q DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER QUARTER
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1748 LRN-PROC-QCK-INFO-CAN-Y DLIS-BB F 6
 LOGRUN PROCEDURES QUICJ INFO CUSTOMER ACCOUNT NUMBER YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1749 LRN-PROC-QCK-INFO-ACTY-D LRN_STAT_CNT_1749 DLIS-BB F INTEGER 6
 LOGRUN PROCEDURES QUICK INFO ACTIVITY DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY ACTIVITY.

1750 LRN-PROC-QCK-INFO-ACTY-W DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO ACTIVITY WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY ACTIVITY.

1751 LRN-PROC-QCK-INFO-ACTY-M DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO ACTIVTY MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY ACTIVITY.

1752 LRN-PROC-QCK-INFO-ACTY-Q DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY ACTIVITY.

1753 LRN-PROC-QCK-INFO-ACTY-Y DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO ACTIVITY YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY ACTIVITY.

1754 LRN-PROC-QCK-INFO-DEPT-D DLIS-BB F 6
 LOGRUN PROCEDURES QUICK INFO DEPARTMENT DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1755	LRN-PROC-QCK-INFO-DEPT-W		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO DEPARTMENT WEEKLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY DEPARTMENT.				
1756	LRN-PROC-QCK-INFO-DEPT-M		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO DEPARTMENT MONTHLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY DEPARTMENT.				
1757	LRN-PROC-QCK-INFO-DEPT-Q		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO DEPARTMENT QUARTERLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY DEPARTMENT.				
1758	LRN-PROC-QCK-INFO-DEPT-Y		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO DEPARTMENT YEARLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY DEPARTMENT.				
1759	LRN-PROC-QCK-INFO-TOT-D		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO TOTAL DAILY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
1760	LRN-PROC-QCK-INFO-TOT-W		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO TOTAL WEEKLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
1761	LRN-PROC-QCK-INFO-TOT-M		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO TOTAL MONTHLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
1762	LRN-PROC-QCK-INFO-TOT-Q		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO TOTAL QUARTERLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
1763	LRN-PROC-QCK-INFO-TOT-Y		DLIS-BB	F	6
	LOGRUN PROCEDURES QUICK INFO TOTAL YEARLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
1764	LRN-PROC-CAI-CAN-D		DLIS-BB	F	6
	LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER DAILY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.				
1765	LRN-PROC-CAI-CAN-W		DLIS-BB	F	6
	LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER WEEKLY				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1766 LRN-PROC-CAI-CAN-M DLIS-BB F 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1767 LRN-PROC-CAI-CAN-Q DLIS-BB F 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1768 LRN-PROC-CAI-CAN-Y DLIS-BB F 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1769 LRN-PROC-CAI-ACTY-D LRN_STAT_CNT_1769 DLIS-BB F INTEGER 6
LOGRUN PROCEDURES CAI ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1770 LRN-PROC-CAI-ACTY-W DLIS-BB F 6
LOGRUN PROCEDURES CAI ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1771 LRN-PROC-CAI-ACTY-M DLIS-BB F 6
LOGRUN PROCEDURES CAI ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1772 LRN-PROC-CAI-ACTY-Q DLIS-BB F 6
LOGRUN PROCEDURES CAI ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1773 LRN-PROC-CAI-ACTY-Y DLIS-BB F 6
LOGRUN PROCEDURES CAI ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1774 LRN-PROC-CAI-DEPT-D DLIS-BB F 6
LOGRUN PROCEDURES CAI DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1775 LRN-PROC-CAI-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES CAI DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INFORMATION BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1776 LRN-PROC-CAI-DEPT-M DLIS-BB F 6
 LOGRUN PROCEDURES CAI DEPARTMENT MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1777 LRN-PROC-CAI-DEPT-Q DLIS-BB F 6
 LOGRUN PROCEDURES CAI DEPARTMENT QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1778 LRN-PROC-CAI-DEPT-Y DLIS-BB F 6
 LOGRUN PROCEDURES CAI DEPARTMENT YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1779 LRN-PROC-CAI-TOT-D DLIS-BB F 6
 LOGRUN PROCEDURES CAI TOTAL DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1780 LRN-PROC-CAI-TOT-W DLIS-BB F 6
 LOGRUN PROCEDURES CAI TOTAL WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1781 LRN-PROC-CAI-TOT-M DLIS-BB F 6
 LOGRUN PROCEDURES CAI TOTAL MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1782 LRN-PROC-CAI-TOT-Q DLIS-BB F 6
 LOGRUN PROCEDURES CAI TOTAL QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1783 LRN-PROC-CAI-TOT-Y DLIS-BB F 6
 LOGRUN PROCEDURES CAI TOTAL YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1784 LRN-PROC-ADMN-CAN-D DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1785 LRN-PROC-ADMN-CAN-W DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR WKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1786 LRN-PROC-ADMN-CAN-M DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR MTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1787 LRN-PROC-ADMN-CAN-Q DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR QRTL
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1788 LRN-PROC-ADMN-CAN-Y DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR YRLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1789 LRN-PROC-ADMN-ACTY-D LRN_STAT_CNT_1789 DLIS-BB F INTEGER 6
 LOGRUN PROCEDURES ADMINISTRATION ACTIVITY DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY ACTIVITY.

1790 LRN-PROC-ADMN-ACTY-W DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION ACTIVITY WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY ACTIVITY.

1791 LRN-PROC-ADMN-ACTY-M DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION ACTIVITY MONTHLY
 THE TOTAL NUMBER OF TIMES LOGTUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY ACTIVITY.

1792 LRN-PROC-ADMN-ACTY-Q DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY ACTIVITY.

1793 LRN-PROC-ADMN-ACTY-Y DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION ACTIVITY YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY ACTIVITY.

1794 LRN-PROC-ADMN-DEPT-D DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY DEPARTMENT.

1795 LRN-PROC-ADMN-DEPT-W DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY DEPARTMENT.

1796 LRN-PROC-ADMN-DEPT-M DLIS-BB F 6
 LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY DEPARTMENT.

1797 LRN-PROC-ADMN-DEPT-Q DLIS-BB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY DEPARTMENT.

1798 LRN-PROC-ADMN-DEPT-Y DLIS-BB F 6

LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY DEPARTMENT.

1799 LRN-PROC-ADMN-TOT-D DLIS-BB F 6

LOGRUN PROCEDURES ADMINISTRATION TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1800 LRN-PROC-ADMN-TOT-W DLIS-BB F 6

LOGRUN PROCEDURES ADMINISTRATION TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1801 LRN-PROC-ADMN-TOT-M DLIS-BB F 6

LOGRUN PROCEDURES ADMINISTRATION TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1802 LRN-PROC-ADMN-TOT-Q DLIS-BB F 6

LOGRUN PROCEDURES ADMINISTRATION TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMEBR.

1803 LRN-PROC-ADMN-TOT-Y DLIS-BB F 6

LOGRUN PROCEDURES ADMINISTRATION TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1804 LRN-PROC-TRN-PRCS-CAN-D DLIS-BB F 6

LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

1805 LRN-PROC-TRN-PRCS-CAN-W DLIS-BB F 6

LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

1831 ACT-AMMO-CD-TOT-CT DLIS-SIC F 6

ACTIVE AMMO CODE TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE AMMO CODES RECORDED IN THE NAME MASTER LOGISTIC DATA STORE.

1832 ACT-APRVD-ITM-NM-TOT-CT DLIS-SCA F 6

ACTIVE APPROVED ITEM NAME TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE APPROVED ITEM NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1833	ACT-BSC-NM-TOT-CT ACTIVE BASIC NAME TOTAL COUNT THE TOTAL QUANTITY OF ACTIVE BASIC NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1834	ACT-COLLOQ-NM-TOT-CT ACTIVE COLLOQUIAL NAME TOTAL COUNT THE TOTAL QUANTITY OF ACTIVE COLLOQUIAL NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1835	ACT-FSC-TOT-CT ACTIVE FSC TOTAL COUNT THE TOTAL QUANTITY OF ACTIVE FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1836	ACT-FSC-MOD-TOT-CT ACTIVE FSC MODIFIER TOTAL COUNT THE TOTAL QUANTITY OF ACTIVE FSC MODIFIERS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1837	ACT-INDX-ENTRY-TOT-CT ACTIVE INDEX ENTRY TOTAL COUNT THE TOTAL QUANTITY OF ACTIVE INDEX ENTRIES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1838	AMMO-CD-ADD-CT AMMO CODE ADD COUNT THE QUANTITY OF AMMO CODES ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.	DLIS-SIC	F	6
1839	AMMO-CD-DELD-CT AMMO CODE DELETED COUNT THE QUANTITY OF AMMO CODES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SIC	F	6
1840	AMMO-CD-CHNGD-CT AMMO CODE CHANGED COUNT THE QUANTITY OF AMMO CODES CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SIC	F	6
1841	AMMO-CD-NIIN-QTY AMMO-CODE NIIN QUANTITY THE QUANTITY OF NIINs THAT THE SPECIFIC AMMO CODE IS RECORDED AGAINST IN THE LOGISTICS DATA STORE.	DLIS-SIC	F	6
1842	APPLB-KEY-CD-FIIG-TOT-CT APPLICABILITY KEY CODE FIIG TOTAL COUNT THE TOTAL QUANTITY OF APPLICABILITY KEYS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1843	CLAS-ASST-MOD-H3-TOT-CT CLASSIFICATION ASSISTANCE MODIFIER H3 TOTAL COUNT THE TOTAL QUANTITY OF H3 MODIFIER RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SIC	F	6
1844	DELD-AMMO-CD-TOT-CT DELETED AMMO CODE TOTAL COUNT THE TOTAL QUANTITY OF AMMO CODES WHICH WERE DELETED FROM THE NAME MASTER DATA BASE.	DLIS-SIC	F	6

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1845	DELD-APRVD-ITM-NM-TOT-CT DELETED APPROVED ITEM NAME TOTAL COUNT THE TOTAL QUANTITY OF APPROVED ITEM NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTIC DATA STORE.	DLIS-SCA	F	6
1846	DELD-BSC-NM-TOT-CT DELETED BASIC NAME TOTAL COUNT THE TOTAL QUANTITY OF BASIC NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTIC DATA STORE.	DLIS-SCA	F	6
1847	DELD-COLLOQ-NM-TOT-CT DELETED COLLOQUIAL NAME TOTAL COUNT THE TOTAL QUANTITY OF COLLOQUIAL NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1848	DELD-INDX-ENTRY-TOT-CT DELETED ITEM ENTRY TOTAL COUNT THE TOTAL QUANTITY OF INDEX ENTRIES WHICH WERE DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1849	ITM-NM-DEF-DLIM-TOT-CT ITEM NAME DEFINITION DELIMITATION TOTAL COUNT THE TOTAL QUANTITY OF NAME DEFINITIONS RECORDED IN THE NAME MASTER LOGISTIC DATA STORE.	DLIS-SCA	F	6
1850	MGMT-FSC-TOT-CT MANAGEMENT FSC TOTAL COUNT THE TOTAL COUNT OF MANAGEMENT FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCA	F	6
1869	STOP-TIME STOP TIME A POINT IN TIME MARKING THE END OF AN EVENT OR PROCESS, OR A SERIES OF EVENTS OR PROCESSES. ITS FORMAT IS YYDDDDHHMMSSTT WHERE Y = YEAR, D = DAY, H = HOUR, M = MINUTE, S = SECOND, T = HUNDREDTH-SECOND.	DLIS-S	F	13
1870	START-TIME START TIME A POINT IN TIME MARKING THE BEGINNING OF AN EVENT OR PROCESS, OR A SERIES OF EVENTS OR PROCESSES. ITS FORMAT IS YYDDDDHHMMSSTT WHERE Y = YEAR, D = DAY, H = HOUR, M = MINUTE, S = SECOND, T = HUNDREDTH-SECOND.	DLIS-S	F	13
1871	SIX-DIGIT-TIME SIX DIGIT TIME AN EXPRESSION OF TIME IN THE FORM HHMMSS WHERE H = HOURS, M = MINUTES AND S = SECONDS.	SIX_DIGIT_TIM_1871 DLIS-S	F	6 INTEGER
1872	FIVE-DIGIT-SERIAL-NUMBER FIVE DIGIT SERIAL NUMBER A SERIAL NUMBER USED IN THE IDENTIFICATION OF A SPECIFIC TRANSACTION. IT IS ASSIGNED BY TRANSACTION MANAGEMENT.	FIV_DIG_S_NBR_1872 DLIS-S	F	5 CHAR
1873	RECOVERY-CODE RECOVERY CODE A CODE INDICATING THAT A TRANSACTION HAS BEEN RECOVERED FOR REPROCESSING.	RECOVERY_CODE_1873 DLIS-S	F	1 CHAR
1874	REPROCESSING-ENTRY-POINT REPROCESSING ENTRY POINT	DLIS-S	F	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE INDICATING AT WHAT POINT RECOVERED TRANSACTIONS ARE TO BE RE-INTRODUCED INTO THE PROCESSING FLOW.

1875	ABR ABBREVIATION DATA ELEMENT NAME ABBREVIATED.		DLIS-BB	V		24
1876	ALI ALIAS A NAME ATTRIBUTED TO A DATA ELEMENT OTHER THAN THE PRIMARY OR PREFERRED NAME.		DLIS-BB	V		60
1877	DATA-CHN DATA CHAIN COMPONENT DRNs WHICH MAKE UP A CHAIN.		DLIS-S	F		4
1878	DATA-DEF DATA DEFINITION CLEAR TEXT INFORMATION WHICH DESCRIBES THE DATA ELEMENT.		DLIS-BB	V		571
1879	DATA-LNK DATA LINK DATA ELEMENT CODES THAT THIS DATA ELEMENT IS A PART OF.		DLIS-BB	F		4
1880	FXD-VAR FIXED/VARIABLE SPECIFIES F FOR FIXED OR V FOR VARIABLE FIELD LENGTH.		DLIS-S	F		1
1881	HOMON HOMONYM THE SAME NAME TO LABEL DISTINCTLY DIFFERENT DATA ELEMENTS.		DLIS-BB	V		60
1882	DATA-ELE-LGTH DATA ELEMENT LENGTH DEFINES THE LENGTH (NUMBER OF CHARACTERS) OF THE DATA ELEMENT.	DE_LENGTH_1882	DLIS-BB	F	SMALLINT	4
1883	REF REFERENCE CLEAR TEXT DATA WHICH DEFINES OR STATES THE AUTHORITATIVE MANUAL OR HANDBOOK FOR THE SPECIFIC DATA ELEMENT.		DLIS-BB	F		23
1885	VAL-SRC VALUE SOURCE CLEAR TEXT REFERENCE INDICATING WHERE THE PERMISSIBLE DATA CODE VALUES ARE LISTED AND EXPLAINED.		DLIS-S	V		64
1886	DT-DE-WAS-CRTD-OR-MODF DATE DE WAS CREATED/MODIFIED A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A DATA ELEMENT WAS CREATED OR MODIFIED.		DLIS-BB	F		5
1887	ID-OF-PER-WHO-CRTD-DE IDEN OF PERSON WHO CREATED DE		DLIS-BB	V		26

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

CLEAR TEST NAME OF THE PERSON WHO CREATED THE DATA ELEMENT.

1888 ID-OF-PE-WHO-LST-MOD-DE DLIS-BB V 26
IDEN OF PER WHO LAST MODIF DE
CLEAR TEXT NAME OF PERSON WHO LAST MODIFIED THE DATA ELEMENT.

1889 TOT-NBR-OF-MODF-TO-DE DLIS-BB F 8
TOAL NUMBER OF MODIF TO DE
THE TOTAL NUMBER OF MODIFICATIONS TO A DATA ELEMENT.

1890 TOT-NBR-OF-ACT-DE DLIS-BB F 8
TOTAL NUMBER OF ACTIVE DATA EL
THE TOTAL NUMBER OF ACTIVE DATA ELEMENTS.

1891 TOT-NBR-OF-ADD-TRAN DLIS-S F 8
TOTAL NUMBER OF ADD TRAN
THE TOTAL NUMBER OF ADD TRANSACTIONS PROCESSED.

1892 TOT-NBR-OF-CANC-DE DLIS-BB F 8
TOTAL NUMBER OF CANCELLED DE
THE TOTAL NUMBER OF CANCELLED DATA ELEMENTS.

1893 TOT-NBR-OF-CHNG-TRAN DLIS-S F 8
TOTAL NUMBER OF CHANGE TRAN
THE TOTAL NUMBER OF CHANGE TRANSACTIONS PROCESSED.

1894 TOT-NBR-OF-DEL-TRAN DLIS-S F 8
TOTAL NUMBER OF DELETE TRAN
THE TOTAL NUMBER OF DELETE TRANSACTIONS PROCESSED.

1895 TOT-NBR-OF-IP-TRAN DLIS-S F 8
TOTAL NUMBER OF INPUT TRAN
THE TOTAL NUMBER OF INPUT TRANSACTION PROCESSED.

1896 RPT-RQST-CD DLIS-S F 3
REPORT REQUEST CODE
A CODE TO INDICATE WHAT TYPE OF REPORT THE SUBMITTER REQUIRES.

1898 MGMT-FSC-CHNGD-CT DLIS-SBA F 4
MANAGEMENT FEDERAL SUPPLY CLASS CHANGED COUNT
THE QUANTITY OF MGMT-FSCs CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1899 DOD-MMC-FSC-EA-CD-CT DLIS-SBA F 4
DOD MATERIEL MANAGEMENT CODE FSC AND EACH CODE COUNT
THE QUANTITY OF DOD-MMC-FSC AND EACH CODE RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1900 MGMT-FSC-DELD-CT DLIS-SBA F 4
MANAGEMENT FEDERAL SUPPLY CLASS DELETED COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF MGMT-FSCs DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1901 STDZN-ACTY-FSC-CT DLIS-SBA F 4
STANDARDIZATION ACTIVITY AND FEDERAL SUPPLY CLASS COUNT
THE QUANTITY OF STDZN-ACTY-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1902 H-DLR-BRKOT-FSC-EA-CD-CT DLIS-SBA F 4
HI-DOLLAR BREAKOUT FEDERAL SUPPLY CLASS AND EACH CODE COUNT
THE QUANTITY OF HI-DLR-BRKOT-FSC AND EACH CODE RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1903 CIMM-FSC-CT DLIS-SBA F 4
COMMODITY INTEGRATED MATERIEL MANAGER FSC COUNT
THE QUANTITY OF CIMM-FSCs COUNTS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1905 LRN-PROC-BB-UPDT-CAN-W DLIS-BB F 6
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUSTOMER ACCT NMBR WKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

1906 PSN-ZONE-OR-DECIMAL PSN_ZONE_DEC_1906 DLIS-S F CHAR 1
PSN ZONE OR DECIMAL
A DATA ELEMENT INDICATING WHETHER ONE OF THE LAST TWO POSITIONS OF PKG-SEQ-NBR IS TO BE CONVERTED TO AN ALPHA CHARACTER.

1907 DRN-POSITION-OUT DLIS-S F 3
DRN POSITION OUT
A DATA ELEMENT THAT GIVES THE LOCATION IN AN OUTPUT FORMAT OF A DATA RECORD NUMBER.

1908 IMAGE-NUMBER DLIS-S F 1
IMAGE NUMBER
A COMPONENT OF AUDIT-REQUEST WHICH SPECIFIES WHICH IMAGE(S) ARE TO BE EXTRACTED FOR REVIEW.

1909 GENERATE-LTI-INDICATOR DLIS-S F 1
GENERATTE LTI INDICATOR
AN INDICATOR USED BY TRANSACTION MANAGEMENT WHEN PROCESSING LFU TRANSACTIONS TO INDICATE THAT AN LTI INPUT TRANSACTION IS TO BE GENERATED.

1911 MOE-USER-RQST DLIS-SBA F 1
MOE USER REQUEST
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE USER'S REQUEST FOR THE EFFECTIVE DATED ACTIONS ON THE EFFECTIVE DATE MOE RULE FILE TO BE PROCESSED.

1912 GDE-NBR-FIIG-SRCH DLIS-SCB F 6
GUIDE NUMBER FIIG SEARCH
THE FIIG NUMBER WILL BE USED TO SEARCH FOR ALL ITEM NAMES WITHIN THE SPECIFIED FIIG (I.E. A003A0)

1913 ITM-NM-CD-SRCH DLIS-SCB F 5
ITEM NAME CODE SEARCH
THE ITEM NAME CODE WILL BE USED TO SEARCH DATA BEGINNING WITH THE SPECIFIED INC (I.E. 18257).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1914 ITM-NM-KEYWRD-SRCH DLIS-SCB V 250
ITEM NAME KEY WORD SEARCH
A SIGNIFICANT WORD OF AN ITEM NAME WHICH WILL BE USED TO SEARCH ALL ITEM NAMES THAT CONTAIN THE KEY WORD (I.E. CRANK)

1915 NM-MSTR-DT-RNG-SRCH DLIS-SCB V 17
NAME MASTER DATE RANGE SEARCH
THE DATE RANGE THAT WILL BE USED TO SEARCH FOR ALL ACTIONS FROM A BEGINNING DATE TO AN END DATE THE DATES WILL BE INPUT MONTH, DAY AND YEAR (I.E. 10-05-89-11-05-89)

1916 ITM-NM-FSC-FIND-SRCH DLIS-SCB V 250
ITEM NAME INC FEDERAL ITEM NAME DIRECTORY SEARCH
THE ITEM NAME OR ITEM NAME CODE WILL BE USED TO SEARCH FOR THE SPECIFIED NAME OR INC AS SHOWN IN THE FEDERAL ITEM NAME DIRECTORY (H6 SECTION A) (I.E. SCREW DRIVE OR 15762)

1917 ITM-NM-CHNGD-CT DLIS-SCB F 6
ITEM NAME CHANGED COUNT
THE QUANTITY OF ITEM NAMES CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1918 ITM-NM-ADD-CT DLIS-SCB F 6
ITEM NAME ADD COUNT
THE QUANTITY OF ITEM NAMES ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1919 ITM-NM-DELD-CT DLIS-SCB F 6
ITEM NAME DELETED COUNT
THE QUANTITY OF ITEM NAMES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1920 NM-DEF-DLIM-ADD-CT DLIS-SBA F 6
NAME DEFINITION DELIMINATION ADD COUNT
THE QUANTITY OF NAME DEFINITION DELIMITATIONS ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1921 NM-DEF-DLIM-CHNGD-CT DLIS-SCB F 6
NAME DEFINITION DELIMINATION CHANGED COUNT
THE QUANTITY OF NAME DEFINITION DELIMITATIONS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1922 NM-DEF-DLIM-DELD-CT DLIS-SCB F 6
NAME DEFINITION DELIMINATION DELETED COUNT
THE QUANTITY OF NAME DEFINITION DELIMITATIONS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1923 EFF-DTD-FSC-MOD-DELD-CT DLIS-SCB F 6
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER DELETED COUNT
THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIERS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1924 ITM-NM-DEF-ADD-CT DLIS-SCB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ITEM NAME DEFINITION ADD COUNT

THE QUANTITY OF ITEM NAME DEFINITIONS ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1925 ITM-NM-DEF-CHNGD-CT DLIS-SCB F 6

ITEM NAME DEFINITION CHANGED COUNT

THE QUANTITY OF ITEM NAME DEFINITIONS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1926 ITM-NM-DEF-DELD-CT DLIS-SCB F 6

ITEM NAME DEFINITION DELETED COUNT

THE QUANTITY OF ITEM NAME DEFINITIONS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1927 DELD-AMMO-CD-CT DLIS-SIC F 6

DELETED AMMUNITION CODE COUNT

THE QUANTITY OF AMMUNITION CODES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1928 FSC-DEL-EFF-DT-CT DLIS-SCB F 6

FEDERAL SUPPLY CLASS DELETE EFFECTIVE DATE COUNT

THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS DELETES IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1929 DELD-FSC-MOD-CT DLIS-SCB F 6

DELETED FEDERAL SUPPLY CLASS MODIFIER COUNT

THE QUANTITY OF FEDERAL SUPPLY CLASS MODIFIERS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1930 EFF-DTD-FSC-MOD-CHG-CT DLIS-SB F 6

EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER CHANGE COUNT

THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIERS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1931 MGMT-FSC-OP-CT DLIS-SCB F 6

MANAGEMENT FEDERAL SUPPLY CLASS OUTPUT COUNT

THE QUANTITY OF MGMT-FSC OUTPUT TRANSACTIONS WHICH WERE PROCESSED THROUGH THE NAME MASTER PROCESSES.

1932 ITM-NM-NIIN-CT DLIS-SCB F 6

ITEM NAME NATIONAL ITEM IDENTIFICATION NUMBER COUNT

THE QUANTITY OF NIINS THAT THE SPECIFIC ITEM NAME IS RECORDED AGAINST IN THE LOGISTICS DATASTORE.

1933 FSC-ESTB-EFF-DT-CT DLIS-SCB F 6

FEDERAL SUPPLY CLASS ESTABLISHED EFFECTIVE DATE COUNT

THE QUANTITY OF FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE THAT WERE EFFECTIVE DATED.

1934 ITM-NM-IP-CT DLIS-SCB F 6

ITEM NAME INPUT COUNT

THE QUANTITY OF ITEM NAME INPUT TRANSACTIONS WHICH WERE INPUT TO THE NAME MASTER PROCESSES

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1935	ITM-NM-OP-CT ITEM NAME OUTPUT COUNT THE QUANTITY OF ITEM NAME TRANSACTIONS OUTPUT FROM THE NAME MASTER PROCESSES.	DLIS-SCB	F	6
1936	MGMT-FSC-IP-CT MANAGEMENT FEDERAL SUPPLY CLASS INPUT COUNT THE QUANTITY OF MGMT-FSC INPUT TRANSACTIONS WHICH WERE INPUT TO THE NAME MASTER PROCESSES.	DLIS-SCB	F	6
1937	NIIN-FSC-CT NATIONAL ITEM IDENTIFICATION NUMBER FSC COUNT THE QUANTITY OF NIINS THAT THE SPECIFIC FSC IS RECORDED AGAINST IN THE LOGISTICS DATA BASE.	DLIS-SCB	F	6
1938	ITM-NM-MSTR-TOT-RCD-CT ITEM NAME MASTER TOTAL RECORD COUNT THE TOTAL COUNT OF ITEM NAME RECORDS IN THE NAME MASTER LOGISTICS DATA BASE.	DLIS-SCB	F	6
1939	FSG-TI-SRCH FEDERAL SUPPLY GROUP TITLES SEARCH THIS SEARCH WILL DISPLAY THE FSG AND TITLES AS SHOWN IN THE INDEX OF CATALOGING HANDBOOK H2-2.	DLIS-SCB	F	2
1940	ALPHA-ITM-NM-SRCH ALPHABETIC ITEM NAME SEARCH AN ITEM NAME WHICH WILL BE USED TO APLPABETICALLY SEARCH ALL ITEM NAMES FOR THE ITEM NAME ENTERED (I.E., CRANK).	DLIS-SCB	V	250
1941	FSG-FSC-DESC-SRCH FSG FSC DESCRIPTION SEARCH THE GROUP OR CLASSIFICATION WILL BE USED TO SEARCH FOR THE DESCRIPTION OF THE FSG OR FSC ENTERED (I.E. 59 OR 5910).	DLIS-SCB	F	4
1942	FSG-TOT-RCD-CT FSG TOTAL RECORD COUNT THE TOTAL COUNT OF FSG RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.	DLIS-SCB	F	6
1943	FSC-ALPH-ACT-ITM-NM-SRCH FSC ALPHA ACTIVE ITEM NAME SEARCH THE FSC AND AN ALPHA WILL BE USED TO SEARCH FOR ALL ITEM NAMES THAT START WITH THE ALPHA UNDER THE SPECIFIED FSC (I.E., 5315 S).	DLIS-SCB	F	5
1944	FSC-CANC-ITM-NM-SRCH FSC CANCELED ITEM NAME SEARCH THE FSC WILL BE USED TO SEARCH FOR ALL ITEM NAMES CANCELED UNDER THE SPECIFIED FSC (I.E., 5315).	DLIS-SCB	F	4
1945	PRIM-FUNCL-AREA PRIMARY FUNCTIONAL AREA IDENTIFIES THE FUNCTIONAL AREA WHICH HAS PRIMARY INTERST IN THE DATA ELEMENT.	DLIS-S	F	1
1946	INTRD-FUNCL-AREA INTERESTED FUNCTIONAL AREA	DLIS-BB	F	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

IDENTIFIES THE FUNCTIONAL AREA WHICH HAS ASSOCIATED INTEREST IN THE DATA ELEMENT.

1947 CANC-REIN-CD DLIS-S F 1
CANCEL REINSTATE CODE
A CODE USED TO INDICATE THE REASON A DATA ELEMENT WAS CANCELLED OR REINSTATED.

1948 PRM-DRN DLIS-S F 4
PRIME DRN
REFERENCES THE DRN AND ABBREVIATION OF THE DATA ELEMENT OR DATA USER IDENTIFIER.

1949 DMS-TRAN-CD DLIS-S F 1
DMS TRANSACTION CODE
A CODE USED TO INDICATE THE TYPE OF TRANSACTION BEING SUBMITTED (U FOR UPDATE, I FOR INQUIRIES, AND R FOR REPORTS).

1950 FRT-DCODED-LST-DATE FRT_DCD_DT_L_1950 DLIS-SBA F INTEGER 5
FREIGHT DECODED LAST DATE
THIS DATE REFLECTS THE LAST CHANGE TO THE CODED DESCRIPTIVE FREIGHT SEGMENT.

1952 FRT-MSTR-INQ-DATE FR_MST_INQ_DT_1952 DLIS-SBA F DATE 5
FREIGHT MASTER INQUIRY DATE
THIS DATE IS THE KEY THAT WILL BE USED TO ACCESS THE FREIGHT STAT FILE.

1954 FRT-MSTR-DELETE-CT FR_MST_DEL_CT_1954 DLIS-SBA F INTEGER 5
FREIGHT MASTER DELETE COUNT
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE DELETE ROUTINE.

1955 FRT-EXTND-DESC-ADD-ER-CT FR_EXD_ADD_ER_1955 DLIS-SBA F INTEGER 5
FREIGHT EXTENDED DESCRIPTION ADD ERROR COUNT
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION ADD ROUTINE.

1957 FRT-EXTND-DESC-DEL-ER-CT FR_EXD_DEL_ER_1957 DLIS-SBA F INTEGER 5
FREIGHT EXTENDED DESCRIPTION DELETE ERROR COUNT
THIS COUND IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION DELETE ROUTINE.

1959 FRT-MSTR-CHG-CT FR_MST_CHG_CT_1959 DLIS-SBA F INTEGER 5
FREIGHT MASTER CHANGE COUNT
THIS COUNT IS USED TO RECORD ADD ACTIONS.

1960 FRT-EXTND-DESC-ADD-CT FR_EXD_ADD_CT_1960 DLIS-SBA F INTEGER 5
FREIGHT EXTENDED DESCRIPTION ADD COUNT
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION ADD ACTIONS

1961 FRT-EXTND-DESC-CHG-CT FR_EXD_CHG_CT_1961 DLIS-SBA F INTEGER 5
FREIGHT EXTENDED DESCRIPTION CHANGE COUNT
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION CHANGE ACTIONS.

1962 FRT-EXTND-DESC-DEL-CT FR_EXD_DEL_CT_1962 DLIS-SBA F INTEGER 5
FREIGHT EXTENDED DESCRIPTION DELETE COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION DELETE ACTIONS.

1963 LSA-GRND-T DLIS-CI V 6
LSA GRAND TOTAL
TOTAL NUMBER OF TRANSACTIONS ASSIGNED FOR REPORTING DATE.

1964 NBR-OF-DAYS DLIS-CI V 4
NUMBER OF DAYS
TOTAL NUMBER OF DAYS A LSA TRANSACTION WAS COMPLETED IN, OR RETURNED TO COUNTRY.

1965 BR-LSA-T DLIS-CI V 6
BRANCH LSA TOTAL
TOTAL NUMBER OF TRANSACTION ASSIGNED TO BRANCH FOR REPORTING DATE.

1966 CNTRY-NM CNTRY_NM_1966 DLIS-CI V CHAR 26
COUNTRY NAME
A NATO/FG COUNTRY NAME

1967 DT-PR-EFF DT_PR_EFF_1967 DLIS-CI F INTEGER 9
DATE PRICE EFFECTIVE
DATE THAT ANY TRANSACTIONS SUBMITTED BY NATO AND FOREIGN GOVERNMENTS ARE CHARGED A DIFFERENT PRICE, OR NEW PRICE.

1968 KNA-PCT DLIS-CI V 3
KNA PERCENT
PERCENTAGE OF TRANSACTIONS COMPLETED FOR A SPECIFIC PERIOD OF TIME.

1969 KNA-PCT-T DLIS-CI F 3
KNA PERCENT TOTAL
TOTAL PERCENTAGE OF TRANSACTIONS COMPLETED FOR REPORTING PERIOD

1970 KNA-QTY DLIS-CI V 4
KNA QUANTITY
QUANTITY OF TRANSACTIONS COMPLETED FOR A SPECIFIC PERIOD OF TIME.

1971 KNA-QTY-T KNA_QTY_T_1971 DLIS-CI F CHAR 6
KNA QUANTITY TOTAL
TOTAL NUMBER OF TRANSACTIONS COMPLETED FOR REPORTING PERIOD.

1972 NATO-FG-OLD-TRAN-PR NATO_O_TR_PR_1972 DLIS-CI F DECIMAL 7
NATO FOREIGN GOVERNMENTS OLD TRANSACTION PRICE
THE PRICE CHARGE TO TRANSACTIONS WHEN THERE IS A PRICE CHANGE. THIS PRICE IS EFFECTIVE UNTIL A DATE IS PASSED.

1973 NATO-TRAN-PR-CD NATO_TRAN_PR_1973 DLIS-CI F CHAR 2
NATO-FOREIGN GOVERNMENT TRANSACTION PRICE CODE
A CODE USED TO PRICE AND COST NATO AND FOREIGN GOVERNMENT TRANSACTIONS SUBMITTED TO DLIS FOR ADDITION TO THE TIR. A "DS" DIRECT SUBMITTED IS A TRANSACTION THAT IS POCESSED AUTOMATICALLY. AN "II" SUBMITTAL IS A TRANSACTION THAT HAS TO BE WORKED MANUALLY. A "RI" IS A RESUBMITTAL TRANSACTION WORKED MANUALLY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

1974 RTN-TO-CTRY-PCT DLIS-CI V 3
RETURN TO COUNTRY PERCENT
PERCENTAGE OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.

1975 RTN-TO-CTRY-PCT-T DLIS-CI V 3
RETURN TO COUNTRY PERCENT TOTAL
TOTAL PERCENTAGES OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR THE REPORTING PERIOD.

1976 RTN-TO-CTRY-QTY DLIS-CI V 6
RETURN TO COUNTRY QUANTITY
QUANTITY OF TRANSACTIONS RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.

1977 RTN-TO-CTRY-QTY-T DLIS-CI V 6
RETURN TO COUNTRY QUANTITY TOTAL
TOTAL NUMBER OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR THE REPORTING PERIOD.

1978 PCT-KNA-N-RTN-TO-CTRY DLIS-CI V 2
PERCENT KNA AND RETURN TO COUNTRY
PERCENTAGE OF TRANSACTIONS THAT WERE COMPLETED OR WERE RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.

1979 KNA-N-RTN-TO-CTRY-PCT-T DLIS-CI V 3
KNA AND RETURN TO COUNTRY PERCENT TOTAL
TOTAL PERCENTAGE OF TRANSACTIONS COMPLETED AND RETURNED TO COUNTRY FOR A REPORTING PERIOD.

1980 UNK-LSA-T DLIS-CI V 6
UNKNOWN LSA TOTAL
TOTAL NUMBER OF TRANSACTIONS ASSIGNED TO A CODE NOT ASSOCIATED WITH A SPECIFIC TECHNICIAN FOR A REPORTING DATE.

1982 NBR-RCVD-IN-BCH DLIS-CI F 6
NUMBER RECEIVED IN BATCH
THE NUMBER OF TRANSACTIONS RECEIVED IN A SPECIFIED BATCH CONTROL NUMBER.

1983 NBR-PURG-FROM-BCH DLIS-CI F 6
NUMBER PURGED FROM BATCH
THE NUMBER OF TRANSACTIONS PURGED FROM A SPECIFIED BATCH CONTROL NUMBER.

1984 NBR-PRCS-BLD-IN-BCH DLIS-CI F 6
NUMBER PROCESSED BILLED IN BATCH
THE NUMBER OF TRANSACTIONS PROCESSED AND BILLED IN A SPECIFIED BATCH CONTROL NUMBER.

1985 NBR-IN-PRCS-IN-BCH DLIS-CI F 6
NUMBER IN PROCESS IN BATCH
THE NUMBER OF TRANSACTIONS IN PROCESS IN A SPECIFIED BATCH CONTROL NUMBER.

1986 MFR-IND DLIS-CI F 3
MANUFACTURER INDICATOR
A CODE THAT INDICATES THAT MANUFACTURERS DATA FOLLOWS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1987	TM-CD TEAM CODE	TM_CD_1987	DLIS-CI	F CHAR	1
A CODE USED TO ASSOCIATE A PAST OR PRESENT TRANSACTION WORKLOAD WITH A TEAM.					
1990	T-IN-PRCS-IN-BCH TOTAL IN PROCESS IN BATCH		DLIS-CI	F	6
THE TOTAL NUMBER OF TRANSACTIONS IN PROCESS WITHIN A SPECIFIED BATCH CONTROL NUMBER.					
1991	GT-RCVD-IN-BCH GRAND TOTAL RECEIVED IN BATCH		DLIS-CI	F	6
THE GRAND TOTAL OF TRANSACTIONS RECEIVED IN A SPECIFIED BATCH CONTROL NUMBER.					
1992	GT-PURG-FROM-BCH GRAND TOTAL PURGED FROM BATCH		DLIS-CI	F	6
THE GRAND TOTAL OF TRANSACTIONS PURGED FROM A SPECIFIED BATCH CONTROL NUMBER.					
1993	GT-PRCSD-BLD-IN-BCH GRAND TOTAL PROCESSED BILLED IN BATCH		DLIS-CI	F	6
THE GRAND TOTAL OF TRANSACTIONS PROCESSED AND BILLED IN A SPECIFIED BATCH CONTROL NUMBER.					
1994	GT-IN-PRCS-IN-BCH GRAND TOTAL IN PROCESS IN BATCH		DLIS-CI	F	6
THE GRAND TOTAL OF TRANSACTIONS PROCESSED IN A SPECIFIED BATCH CONTROL NUMBER.					
1995	RPTG-PER REPORTING PERIOD		DLIS-CI	F	14
THE PERIOD OF TIME COVERED BY THE INFORMATION IN A REPORT OR STATISTIC.					
1996	RPTG-DT REPORTING DATE		DLIS-CI	F	5
THE SPECIFIC DATE COVERED BY THE INFORMATION CONTAINED IN A REPORT OR STATISTIC.					
1997	DOC-ID-CD-CT DOCUMENT IDENTIFIER CODE COUNT	DOC_ID_CD_CT_1997	DLIS-CI	F INTEGER	5
THE NUMERIC REPRESENTATION OF THE DOCUMENT IDENTIFIER CODES AS SHOWN ON A REPORT OR STATISITIC.					
1998	RTN-CD-CT RETURN CODE COUNT	RTN_CD_CT_1998	DLIS-CI	F CHAR	3
A COUNT THAT INDICATES THE NUMBER OF DATA ELEMENTS/RECORDS RETURNED TO THE SUBMITTER.					
1999	RTN-TO-CTRY-T RETURN TO COUNTRY TOTAL	RTN_TO_CTRY_T_1999	DLIS-CI	F INTEGER	5
THE TOTAL NUMBER OF TRANSACTIONS RETURNED TO COUNTRY AS UNPROCESSED.					
2000	RTN-TO-TRNEE-CD RETURN TO TRAINEE CODE	RTN_TRNEE_CD_2000	DLIS-SBD	F CHAR	1
THE CODE (DESIGNATED BY THE LETTER "X") WHICH INDICATES THAT THE ITEM UNDER REVIEW IS BEING RETURNED TO THE TRAINEE FOR CORRECTION.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2001	L-DOC-ID-CD-T		DLIS-CI	F	5
	L DOCUMENT IDENTIFIER CODE TOTAL THE TOTAL NUMBER OF L DOCUMENT IDENTIFIER CODES PROCESSED WITHIN THE REPORTING PERIOD.				
2002	DOC-ID-CD-T		DLIS-CI	F	5
	DOCUMENT IDENTIFIER CODE TOTAL THE TOTAL NUMBER OF DOCUMENT IDENTIFIER CODES PROCESSED WITHIN THE REPORTING PERIOD.				
2003	DOC-ID-CD-HORIZ-T		DLIS-CI	F	5
	DOCUMENT IDENTIFIER CODE HORIZONTAL TOTAL THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A HORIZONTAL TOTAL.				
2004	MO		DLIS-CI	F	3
	MONTH THE MONTH REPRESENTED ON THE REPORT OR STATISTIC IN WHICH AN INDICATED ACTION TOOK PLACE.				
2005	DOC-ID-CD-VERT-T		DLIS-CI	F	5
	DOCUMENT IDENTIFIER CODE VERTICAL TOTAL THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A VERTICAL TOTAL.				
2006	DOC-ID-CD-VERT-GRND-T		DLIS-CI	F	5
	DOCUMENT IDENTIFIER CODE VERTICAL GRAND TOTAL THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A VERTICAL GRAND TOTAL.				
2007	DOC-ID-CD-MO-T		DLIS-CI	F	5
	DOCUMENT IDENTIFIER CODE MONTH TOTAL THE NUMBER OF DOCUMENT IDENTIFIER CODES PROCESSED FOR THE INDICATED MONTH.				
2008	L-DIC-N-RTN-YR-T		DLIS-CI	F	5
	L DIC AND RETURN TO COUNTRY YEAR TO DATE TOTAL THE TOTAL NUMBER OF TRANSACTIONS PROCESSED PLUS THOSE RETURNED TO COUNTRY AS UNPROCESSED FROM BEGINNING OF CALENDAR YEAR TO REPORTING DATE.				
2009	DOC-CTL-NBR-T		DLIS-CI	F	5
	DOCUMENT CONTROL NUMBER TOTAL THE TOTAL NUMBER OF DOCUMENT CONTROL NUMBERS PROCESSED WITHIN THE INDICATED REPORTING PERIOD.				
2011	AVE-NBR-DAY-IN-NATO-B-BR		DLIS-CI	F	3
	AVERAGE NUMBER OF DAYS IN NATO B BRANCH THE AVERAGE NUMBER OF DAYS REQUIRED BY NATO B BRANCH TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.				
2012	AVE-NBR-DAY-IN-NATO-C-BR		DLIS-CI	F	3
	AVERAGE NUMBER OF DAYS IN NATO C BRANCH THE AVERAGE NUMBER OF DAYS REQUIRED BY NATO C BRANCH TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.				
2013	AVE-NBR-DAYS-IN-NATO-T		DLIS-CI	F	3

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

AVERAGE NUMBER OF DAYS IN NATO TOTAL

THE AVERAGE NUMBER OF DAYS REQUIRED BY BOTH NATO BRANCHEES TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.

2014 DOC-ID-CD-GRND-T DLIS-CI F 6

DOCUMENT IDENTIFIER CODE GRAND TOTAL

THE GRAND TOTAL OF DOCUMENT IDENTIFIER CODES DISPLAYED ON A REPORT OR STATISITIC.

2015 TECH-DOC-CTL-NBR-T DLIS-CI F 6

TECHNICAN DOCUMENT CONTROL NUMBER TOTAL

THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER AND ASSIGNED A TECHNICIAN THAT HAVE NOT BEEN PROCESSED.

2016 BCH-DOC-CTL-NBR DLIS-CI F 6

BATCH DOCUMENT CONTROL NUMBER TOTAL

THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2017 BCH-DOC-CTL-NBR-GRND-T DLIS-CI F 6

BATCH DOCUMENT CONTROL NUMBER TOTAL

THE NUMBER OF TRANSACTIONS CONTAINED IN BATCH CONTROL NUMBERS THAT HAVE NOT BEEN PROCESSED

2018 BCH-PRCSG-STATUS-NEG-MSG DLIS-CI F 52

BATCH PROCESSING STAUS NEGATIVE MESSAGE

THE NEGATIVE MESSAGE CITES A BATCH CONTROL NUMBER AND STATES THAT NO RECORDS FOUND FOR THE CITED BATCH CONTROL NUMBER E.G., NO RECORDS FOUND FOR BATCH CONTROL NUMBER ZK89103-03.

2019 TRANS-STATUS-DT DLIS-CI F 5

TRANSACTION STATUS DATE

THE DATE ASSOCIATED WITH THE LATEST STATUS OF A TRANSACTION CONTAINED IN A REPORT.

2021 ERR-LSTG-NEG-MSG DLIS-CI F 27

ERROR LISTING NEGATIVE MESSAGE

THE NEGATIVE MESSAGE THAT APPEARS ON THE UNKNOWN BRANCH TEAM ERROR LISTING THAT READS AS FOLLOWS: NO ACTION KNE, KNI, KNU TRANS.

2022 REF-NBR-T-OTM DLIS-CI F 5

REFERENCE NUMBER TOTAL OUT TO MANUFACTURER

THE TOTAL NUMBER OF REFERENCE NUMBERS ASSOCIATED WITH A TECHNICIAN THAT HAVE BEEN OUT TO MANUFACTURE WITH A REQUEST FOR TECH DATA FOR OVER 30 DAYS.

2023 REF-NBR-GRND-T-OTM DLIS-CI F 6

REFERENCE NUMBER GRAND TOTAL OUT TO MANUFACTURER

THE TOTAL NUMBER OF REFERENCE NUMBERS ASSOCIATED WITH ALL TECHNICIANS THAT HAVE BEEN OUT TO MANUFACTURER WITH A REQUEST FOR TECH DATA OVER 30 DAYS.

2024 WRKLD-LOCK-OT-CD WRKLD_LOCK_OT_2024 DLIS-CI F CHAR 1

WORK LOAD LOCK OUT CODE

A CODE USED TO DENY FURTHER ASSIGNMENT OF TRANSACTIONS TO A TEAM OR TECHNICAN, I.E. (ASTERISK).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2026 T-DIC-DOLLAR-AMT DLIS-CI F 12
TOTAL DIC DOLLAR AMOUNT
THE DOLLAR AMOUNT ARRIVED AT BY MULTIPLYING THE NATO FOREIGN GOVERNMENT TRANSACTION PRICE TIME THE NUMBER OF TRANSACTIONS PROCESSED FOR THE GOVERNMENT.

2027 DOLLAR-AMT-GRND-T-CNTRY DLIS-CI F 12
DOLLAR AMOUNT GRAND TOTAL COUNTRY
THE DOLLAR AMOUNT ARRIVED AT BY MULTIPLYING THE NATO FOREIGN GOVERNMENT TRANSACTION PRICE TIMES THE NUMBER OF TRANSACTIONS PROCESSED FOR THE GOVERNMENT AND THEN ADDING THE SUMS TO PRODUCE A COUNTRY TOTAL.

2028 DOC-CTL-NBR-GRND-T DLIS-CI F 6
DOCUMENT CONTROL NUMBER GRAND TOTAL
THE TOTAL NUMBER OF DOCUMENT CONTROL NUMBERS PROCESSED BY ALL TECHNICIANS WITHIN THE INDICATED REPORTING PERIOD.

2029 FRT-MSTR-CHG-ER-CT FR_MST_CHG_ER_2029 DLIS-SBA F INTEGER 5
FREIGHT MASTER CHANGE ERROR COUNT
THIS COUNT REPRESENTS THE NUMBER OF TIMES AN ERROR IS ENCOUNTERED DURING A CHANGE ACTION TO THE MASTER FREIGHT FILE.

2031 ITM-NM-DATA-EFF-DT DLIS-SCA F 5
ITEM NAME DATA EFFECTIVE DATE
A JULIAN DATE USED ON ALL ADDITIONS, CHANGES, OR DELETIONS OF ITEM NAME RELATED DATA TRANSACTIONS, TO SHOW EITHER PRESENT OR FUTURE EFFECTIVE DATES.

2032 FSG-FSC-DATA-EFF-DT DLIS-SCA F 5
FEDERAL SUPPLY GROUP, FEDERAL SUPPLY CLASS DATA EFF DATE
A JULIAN DATE USED ON ALL ADDITIONS, CHANGES, OR DELETIONS OF FSG/FSC RELATED DATA TRANSACTIONS, TO SHOW EITHER PRESENT OR FUTURE EFFECTIVE DATES.

2033 KEYWRD-MODIFIER-STMT KEYWRD_MOD_ST_2033 DLIS-SCA V VARCHAR 108
KEYWORD MODIFIER STATEMENT
CONSISTS OF THE REQUIREMENT STATEMENT FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC) ARRANGED IN AN INVERTED SEQUENCE BY THE KEYWORD OF THE STATEMENT FOLLOWED BY MODIFIER(S). IT IS CONTAINED IN THE MASTER REQUIREMENT DIRECTORY (MRD) AND WILL BE USED TO ESTABLISH AN INDEX FROM THE REQUIREMENT STATEMENT TO THE MRC.

2034 KEYWRD-GRP-CD KEYWRD_GRP_CD_2034 DLIS-SCA F CHAR 2
KEYWORD GROUP CODE
THE NUMBER WHICH IDENTIFIES THE GROUP THE KEYWORD REQUIREMENT STATEMENT USES.

2035 DCOD-DTA-FILE-ID DLIS-SCA F 1
DECODE DATA FILE IDENTIFIER
THIS DRN WOULD BE USED IN THE DECODE GUIDE UPDATE SYSTEM TO IDENTIFY THE DIFFERENCE BETWEEN THE "LGR" ISAC DATA AND THE FORMAT 3 REPLY DATA.

2036 INT-DRN-POSITION INT_DRN_PSTN_2036 DLIS-S F CHAR 5
INTERNAL DRN POSITION
A DATA ELEMENT INDICATING THE POSITION ON ANY OTHER INTERNAL DATA ELEMENT.

2037 OUT-DRN-POSITION DLIS-S F 5

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

OUTPUT DRN POSITION

A DATA ELEMENT INDICATING THE POSITION OF ANY OTHER OUTPUT DATA ELEMENT.

2039 FRT-MSTR-NIIN-CT DLIS-SBA F 7

FREIGHT MASTER NIIN COUNT

A COUNT THAT IINDICATES THE NUMBER OF RECORDS FOR THE FREIGHT CODE (KEY) THAT ARE STILL RECORDED ON THAT NUMBER OF NIINS.

2041 DEC-RPLY-ZERO-SUPPRSN DLIS-VO V 6

DECIMAL REPLY ZERO SUPPRESSION

THIS SIGNIFIES THE SUPPRESSION OF NONSIGNIFICANT ZEROES WHICH ARE NOT CONSIDERED TO BE USEFUL INFORMATION IN THE PUBLICATIONS.

2042 NUC-HARDND-CRIT-ITM DLIS-V F 1

NUCLEAR HARDENED CRITICAL ITEM (NHCI)

A CODE THAT INDICATES WHAT FEATURE(S) THE ITEM HAS IN REGARDS TO NUCLEAR HARDNESS OR OTHER CRITICAL FEATURES SUCH AS TOLERANCE, FIT RESTRICTIONS, OR APPLICATIONS. SEE [VOLUME 10, TABLE 181](#).

2043 ESD-EMI-CD ESD_EMI_CD_2043 DLIS-S F CHAR 1

ELECTROSTATIC DISCHARGE/ELECTROMAGNETIC INTERFERENCE CODE

A ONE POSITION CODE USED TO INDICATE WHETHER AN ITEM IS SUSCEPTIBLE TO ELECTROSTATIC DISCHARGE OR ELECTROMAGNETIC INTERFERENCE DAMAGE. ELECTROSTATIC DISCHARGE DAMAGE OCCURS WHEN AN ACCUMULATION OF STATIC ELECTRICITY GENERATED BY THE RELATIVE MOTION OR SEPARATION OF MATERIALS IS RELEASED TO ANOTHER ITEM BY DIRECT CONTACT. ELECTROMAGNETIC INTERFERENCE DAMAGE OCCURS WHEN AN ITEM COMES INTO PROXIMITY WITH AN ELECTROSTATIC OR MAGNETIC FIELD. SEE [VOLUME 10, TABLE 189](#) AND QUICK INFO ON-LINE.

2044 IL-GDE-TBL-NBR DLIS-SB F 1

IL GUIDE TABLE NUMBER

THE NUMBER OF A TABLE ENTRY ON A SPECIFIC LINE OF AN IL GUIDE. UP TO EIGHT SEPARATE TABLES MAY BE USED IN THE DESCRIPTION OF A CHARACTERISTIC THIS TABLE NUMBER IS USED DURING FORMATTING THE DISPLAY TO ARRANGE THE DECODED INFORMATION.

2046 ACTY-CD ACTY_CD_2046 DLIS-V F CHAR 6

ACTIVITY CODE

CORPORATE ACTIVITY CODE FOR USE WITHIN DLIS. IT IS VARIABLE FROM TWO TO SIX CHARACTERS. AN ACTIVITY CODE IS ASSIGNED TO EACH ACTIVITY WITHIN THE LOGISTICS MANAGEMENT FUNCTION. THIS DATA ELEMENT HAS MULTIPLE ALIASES BECAUSE OF VARIED USAGE THROUGHOUT THE FLIS AUTOMATED SYSTEM.

2047 LRN-DEPT-QTR-3-TOT DLIS-BB F 6

LOGRUN DEPARTMENT QUARTER 3 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2048 LRN-GRD-TOT-WKLY-TOT DLIS-BB F 6

LOGRUN GRAND TOTAL WEEKLY TOTAL

THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED FOR A WEEK.

2049 LRN-GRD-TOT-QTR-4-TOT DLIS-BB F 6

LOGRUN GRAND TOTAL QUARTER 4 TOTAL

THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. GRAND TOTAL FISCAL QUARTER 1 IS EQUAL TO LRN-GRD-TOT-QTR-4-TOT OF THE PREVIOUS YEAR.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2050 DT-LST-CHNG-RCD-DIDS
DATE, LAST CHANGE TO RECORD, DIDS
THE YEAR AND JULIAN DAY OF THE LAST CHANGE TO A SPECIFIC RECORD SUCH AS SURPLUS SALES BIDDER, ADDRESS, NAME, ETC.,
E.G. 71007.

2051 KRT-IND-CD
KRT INDICATOR CODE
THE CODE THAT INDICATES WHETHER A COUNTRY USES THE DIC KRT PROCESS.

2052 DIC-I-O-TYPE
DIC INPUT OUTPUT TYPE
A CODE TO INDICATE IF A DIC IS INPUT OR OUTPUT.

2053 LMD-COMB-NBR
LMD COMBINATION NUMBER
A DATA ELEMENT USED TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES AUTHORIZED FOR A
PARTICULAR SUBMITTING ACTIVITY CODE.

2054 LMD-COMB-TYPE
LMD COMBINATION TYPE
A DATA ELEMENT USED IN CONJUNCTION WITH LMD-COMB-NBR TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT
IDENTIFIER CODES WHEN A LMD TRANSACTION IS A SUBORDINATE PART OF OR NOT A SUBORDINATE PART OF ANOTHER DOCUMENT
IDENTIFIER CODE (E.G. LMX).

2055 LMX-COMB-NBR
LMX COMBINATION NUMBER
A DATA ELEMENT USED TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES AUTHORIZED FOR A
PARTICULAR SUBMITTING ACTIVITY CODE.

2056 TRML-BCH-DNCG-OFRD-QTY
TERMINAL BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH
INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

2057 TRANS-TI
TRANSACTION TITLE
A DESCRIPTION OF A TRANSACTION (DIC) TITLE.

2061 EQPT-MGMT-CD
EQUIPMENT MANAGEMENT CODE
A SINGLE-DIGIT CODE IN AIR FORCE CATALOGING SYSTEMS TO INDICATE TYPE OF MANAGEMENT REQUIRED FOR EQUIPMENT
ITEMS.

2062 STK-FD-CRED-IND
STOCK FUND CREDIT INDICATOR
A ONE (1) POSITION CODE THAT IDENTIFIES THE DEGREE OF STOCK FUND CREDIT AUTHORIZED FOR ASSET TURN-IN.

2063 PRCMT-SRC-CD

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

PROCUREMENT SOURCE CODE

A ONE (1) POSITION CODE THAT DESIGNATES AN ITEM'S PROCUREMENT SOURCE.

2064	ARLFT-CD AIRLIFT CODE	DLIS-V	F	1
------	--------------------------	--------	---	---

A ONE (1) POSITION CODE THAT IDENTIFIES THE PREMIUM TRANSPORTATION (AIRLIFT) FOR AN ITEM OF SUPPLY.

2066	PREV-UI PREVIOUS UNIT OF ISSUE	DLIS-V	F	2
------	-----------------------------------	--------	---	---

A PREVIOUS CODE INDICATIONG THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSE OF REQUISITIONING BY, AND ISSUE TO, THE END USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICED IS ASCRIBED.

2067	CRIT-ITM-CD-EFF-DT CRITICAL ITEM CODE EFFECTIVE DATE	DLIS-V	F	5
------	---	--------	---	---

THE JULIAN EFFECTIVE DATE OF THE CRITICAL ITEM CODE.

2068	CRIT-ITM-CD CRITICAL ITEM CODE	DLIS-V	F	1
------	-----------------------------------	--------	---	---

A ONE (1) POSITION CODE IDENTIFYING AN ITEM AS CRITICAL IN THE SUPPLY SYSTEM.

2069	TRNSP-DATA-EFF-DT TRANSPORTATION DATA EFFECTIVE DATE	DLIS-V	F	5
------	---	--------	---	---

THE JULIAN EFFECTIVE DATE OF THE APPLICABLE TRANSPORTATION DATA.

2072	TRANS-TYP-CGO-CD TRANSPORTATION TYPE CARGO CODE	DLIS-V	F	2
------	--	--------	---	---

A TWO (2) POSITION CODE THAT IDENTIFIES TRANSPORTATION CHARACTERISTICS OF STOCK ITEMS AND DENOTES ANY SPECIAL HANDLING AND MARKINGS REQUIRED.

2073	AIR-LOG-CTR-PRM-SITE AIR LOGISTICS CENTER PRIME SITE	DLIS-V	F	1
------	---	--------	---	---

AIR LOGISTICS CENTER PRIME SITE CODE.

2074	SP-PK-INST-DT SPECIAL PACKING INSTRUCTION DATE	DLIS-V	F	5
------	---	--------	---	---

THE JULIAN DATE OF A SPECIAL PACKAGING INSTRUCTION.

2076	SP-PK-INST-IND SPECIAL PACKING INSTRUCTION INDICATOR	DLIS-V	F	1
------	---	--------	---	---

A ONE (1) POSITION CODE THAT INDICATES ANY SPECIAL PACKAGING INSTRUCTION FOR A PARTICULAR ITEM OF SUPPLY.

2078	DT-CUR-PRCSG-PRFM DATE, CURRENT PROCESSING PERFORMANCE	DLIS-SB	F	5
------	---	---------	---	---

THE YEAR AND JULIAN DAY THAT PROCESSING IS PERFORMED, E.G., 70328. APPLIES SPECIFICALLY TO THE DATE OF THE INPUT OR OUTPUT.

2081	SP-PK-INST-NBR SPEICAL PACKING INSTRUCTION NUMBER	DLIS-V	F	9
------	--	--------	---	---

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A ONE (1) POSITION CODE THAT IS DETERMINED FROM THE NMFC DESCRIPTION APPLIED TO THE ITEM . IT DENOTES THE PERCENTAGE OF THE FIRST CLASS RATE APPLICABLE FOR THE MOVEMENT OF THE ITEM BY MOTOR CARRIER.

2093	TIR-OP-MED-CD TIR OUTPUT MEDIA CODE	TIR_OP_MED_CD_2093	DLIS-SB	F CHAR	1
	THE PRIMARY MEDIA DESIRED BY DLIS CUSTOMERS FOR ALL DATA EXCEPT SYSTEM SUPPORT RECORD (SSR), SIMPLIFIED FILE MAINTENANCE (SFM), MONTHLY CUMULATIVE AND SEMI-ANNUAL BASIC.				
2094	CT-OP-MED-CD CATALOG TOOLS OUTPUT MEDIA CODE	SSR_OP_MED_CD_2094	DLIS-SB	F CHAR	2
	THE PRIMARY MEDIA DESIRED BY DLIS CUSTOMERS FOR CATALOG TOOLS OUTPUT.				
2096	OP-DESTN OUTPUT DESTINATION	OP_DESTN_2096	DLIS-SB	V CHAR	15
	THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT.				
2097	ROLL-UP-DIC ROLL-UP DOCUMENT IDENTIFIER CODE	ROLL_UP_DIC_2097	DLIS-SB	F CHAR	3
	THE CATALOG MANAGEMENT DATA OUTPUT FORTY-FIVE (45) DAYS PRIOR TO THE EFFECTIVE DATE.				
2098	ROLL-UP-DIC-DESTN ROLL-UP DOCUMENT IDENTIFIER CODE DESTINATION	RL_UP_DIC_DES_2098	DLIS-SB	V CHAR	15
	THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT (45) FORTY-FIVE DAYS PRIOR TO THE EFFECTIVE DATE.				
2099	ED-DIC EFFECTIVE DATE DOCUMENT IDENTIFIER CODE	ED_DIC_2099	DLIS-SB	F CHAR	3
	THE CATALOG MANAGEMENT DATA OUTPUT ON THE EFFECTIVE DATE.				
2101	CAT-MGMT-IP-OP-NOTE-IND CATALOG MANAGEMENT INPUT OUTPUT NOTE INDICATOR	CM_NOTE_IND_2101	DLIS-SB	F CHAR	2
	AN INDICATION OF NOTES FOR CERTAIN CATALOG MANAGEMENT DATA INPUTS AND OUTPUTS.				
2102	ED-DIC-DESTN EFFECTIVE DAE DOCUMENT IDENTIFIER CODE DESTINATION	ED_DIC_DESTN_2102	DLIS-SB	V CHAR	15
	THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT ON THE EFFECTIVE DATE.				
2103	OP-SCHD OUTPUT SCHEDULE	OP_SCHD_2103	DLIS-SB	F CHAR	30
	A DESIGNATION OF WHEN OUTPUT IS SENT OUT FOR CONCURRENT SUBMITTAL INPUTS.				
2104	OP-RECP OUTPUT RECIPIENT	OP_RECIP_2104	DLIS-SB	V CHAR	30
	THE DATA RECIPIENTS OF OUTPUT SENT OUT FOR CONCURRENT SUBMITTAL INPUTS				
2105	DLSC-ACTN-OP-COND DLSC ACTION OUTPUT CONDITION	ACTN_OP_COND_2105	DLIS-SB	V VARCHAR	150
	AN EXPLANATION OF DLIS ACTION FOR CERTAIN OUTPUT CONDITIONS ON CONCURRENT SUBMITTAL INPUT.				
2106	SCH-B-ID-CD-ASGMT-CT-QY	SCH_B_ASGT_CT_2106	DLIS-SIC	F CHAR	2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			
2133	GLOS-TERM-DEF GLOSSARY TERM DEFINITION CLEAR TEXT EXPLANATION OF THE GLOSSARY TERM.	GLOS_TERM_DEF_2133	DLIS-V	V VARCHAR 1200
2134	GLOS-TERM-VOL-REF GLOSSARY TERM VOLUME REFERENCE THE VOLUME(S) IN WHICH THE GLOSSARY TERM OR ACRONYM CAN BE FOUND.	GLS_TRM_VL_RF_2134	DLIS-V	V CHAR 30
2135	GLOS-ACRNM GLOSSARY ACRONYM ACRONYM.	GLOS_ACRNM_2135	DLIS-V	V CHAR 20
2136	GLOS-ACRNM-TI GLOSSARY ACRONYM TITLE CLEAR TEXT OF ACRONYM.	GLOS_ACRNM_TI_2136	DLIS-V	F CHAR 90
2137	ADRS-TYP-CD ADDRESS TYPE CODE CODE THAT INDICATES TYPE OF ADDRESS: BLANK OR SPACE=PRESENT ADDRESS 1=FIRST FORMER ADDRESS 2=SECOND FORMER ADDRESS 3=TEMPORARY ADDRESS	ADRS_TYP_CD_2137	DLIS-V	F CHAR 1
2138	USR-PASSWORD USER PASSWORD AN ACCESS CODE THAT IS USED IN CONJUNCTION WITH A USERCODE TO GAIN ACCESS TO THE FEDERAL LOGISTICS INFORMATION SYSTEM OR ONE OF ITS SUBSYSTEMS. SEE USERCODE ALSO.	USR_PASSWORD_2138	DLIS-V	F CHAR 8
2139	PASSTHRU-ACTY-ID PASSTHROUGH ACTIVITY IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE TRANSACTIONS OF THE S/A. IT IS BUILT INTO THE CURRENT SUBMITTERS ID FIELD IN THE INPUT PASSTHROUGH TRANSACTION.	PSTHRU_ACT_ID_2139	DLIS-V	F CHAR 4
2140	PASSTHRU-ACTY-NM PASSTHROUGH ACTIVITY NAME THE ABBREVIATED CLEAR TEXT NAME OF THE PASSTHROUGH ACTIVITY IDENTIFIER.	PSTHRU_ACT_NM_2140	DLIS-V	F CHAR 9
2141	SICA-ACT-IND SICA ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY IS A SICA.		DLIS-V	F 1
2142	PICA-ACT-IND PICA ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY IS A PICA.		DLIS-V	F 1
2143	SUBMR-ACT-IND SUBMITTER ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY A SUBMITTER.	SUBMR_ACT_IND_2143	DLIS-V	F CHAR 1
2144	COLLAB-ACT-IND COLLABORATOR ACTIVITY INDICATOR		DLIS-V	F 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE TO INDICATE IF THE ACTIVITY IS A COLLABORATOR.

2145 RCVR-ACT-IND DLIS-V F 1
RECEIVER ACTIVITY INDICATOR
A CODE TO INDICATE IF THE ACTIVITY IS A RECEIVER.

2149 E-MAIL-MSG DLIS-V F 80
ELECTRONIC MAIL MESSAGE
THIS PROVIDES E-MAIL MESSAGES TO THE USER THROUGH THE ONLINE PROCEDURES SYSTEM BULLETIN BOARD.

2150 DEMIL-PICA-UPDT-JUL-DT PICA_UPDT_DT_2150 DLIS-SA F CHAR 7
DEMILITARIZATION PICA UPDATE JULIAN DATE
THE DATE OF THE LAST UPDATE TO THE RECORDED PICA IN FLIS, FOR THE SPECIFIED NSN. THE JULIAN FORMAT IS IN THE FORM OF CCYYDDD.

2151 E-MAIL-ADRS E_M_ADRS_2151 DLIS-SB F CHAR 30
E MAIL ADDRESS
THE ELECTRONIC ADDRESS OF THE USERS OF THE PROCEDURES E MAIL SYSTEM.

2152 E-MAIL-MSG-TTL E_M_MSG_TTL_2152 DLIS-SB V VARCHAR 120
E MAIL MESSAGE TITLE
THE TITLE OF THE MESSAGE BEING SENT AS DEFINED BY SENDER.

2153 E-MAIL-MSG-IND-CD E_M_MSG_IN_CD_2153 DLIS-SB F CHAR 3
E MAIL MESSAGE INDICATOR CODE
A CODE THAT INDICATES WHAT IS TO BE DONE WITH A PARTICULAR MESSAGE, I.E., RETURN RECEIPT, SENT, FORWARDING, ECT.

2154 E-MAIL-MSG-LN E_M_MSG_LN_2154 DLIS-SB V VARCHAR 70
E MAIL MESSAGE LINE
ONE LINE OF AN E MAIL MESSAGE. ITERATIONS OF THE E-MAIL-MSG-LN WILL BE THE E MAIL MESSAGE.

2155 E-MAIL-MSG-LN-NBR E_M_MSG_LN_NO_2155 DLIS-SB V CHAR 6
E MAIL MESSAGE LINE NUMBER
A NUMBER ASSIGNED TO AN E-MAIL-MSG-LN

2156 E-MAIL-FNCTNL-DT-TM-STMP E_M_FNC_DT_ST_2156 DLIS-SB F TIMESTMP 12
E MAIL FUNCTIONAL DATE TIME STAMP
THE DATE AND TIME THAT A SPECIFIC E MAIL TRANSACTION TOOK PLACE. CONSISTS OF YYMMDD AND HH:MM:SS.

2157 CONTL-TXT-ID CONTL_TXT_ID_2157 DLIS-SB V CHAR 10
CONTINUAL TEST IDENTIFIER
A CODE THAT WILL IDENTIFY A SPECIFIC LINE OF TEXT WITHIN THE PROCEDURES.

2158 E-MAIL-USR-IND-STAT-CD E_M_USER_STAT_2158 DLIS-SB F CHAR 3
E MAIL USER INDICATOR STAT CD
A CODE THAT INDICATES THAT A FUNCTION OF E MAIL HAS BEEN PERFORMED. I.E., IF A RETURN RECEIPT HAS BEEN SENT.

2161 AR-MCC-DESCP-USE-CD AR_MCC_USE_CD_2161 DLIS-V F CHAR 1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ARMY MATERIEL CATEGORY DESCRIPTION AND USAGE CODE

A NUMERIC CODE THAT DESIGNATES A DESCRIPTION AND USE CODE. POSITION 3

2162	AR-MCC-DESCP-USE-TXT	AR_MCC_USE_TX_2162	DLIS-V	F VARCHAR 600
------	----------------------	--------------------	--------	---------------

ARMY MATERIAL CATEGORY DESCRIPTION AND USE TEXT

A TEXT FIELD THAT DESCRIBES THE DESCRIPTION AND USE CODE.

2163	AR-MCC-APPROP-SUBGRP	AR_MCC_AP_SUB_2163	DLIS-V	F CHAR 1
------	----------------------	--------------------	--------	----------

ARMY MATERIAL CATEGORY APPROPRIATION AND SUBGROUP CODE

AN ALPHANUMERIC CODE DESIGNATING APPROPRIATION AND SUBGROUPING. POSITION 2

2164	AR-MCC-APPROP-SUBGRP-TXT	AR_MCC_AP_TXT_2164	DLIS-V	F VARCHAR 100
------	--------------------------	--------------------	--------	---------------

ARMY MATERIEL CATEGORY APPROPRIATION AND SUBGROUP TEXT

A TEXT FIELD THAT DESCRIBES THE APPROPRIATION AND SUBGROUP CODE.

2165	AR-MCC-SUB-GRP-CD	AR_MCC_SG_CD_2165	DLIS-V	F CHAR 1
------	-------------------	-------------------	--------	----------

ARMY MATERIEL CATEGORY SUBGROUP CODE

A ALPHANUMERIC CODE THAT DESIGNATES A SUBGROUP. POSITION 4

2166	AR-MCC-SUB-GRP-TXT	AR_MCC_SG_TX_2166	DLIS-V	F CHAR 80
------	--------------------	-------------------	--------	-----------

ARMY MATERIEL CATEGORY SUBGROUP

A TEXT FIELD THAT DESCRIBES SUBGROUP POSITION 4

2167	AR-MCC-SUB-GRP-CD1	AR_MCC_SG_CD1_2167	DLIS-V	F CHAR 2
------	--------------------	--------------------	--------	----------

ARMY MATERIEL CATEGORY SUBGROUP CODE ONE

AN ALPHANUMERIC CODE THAT DESIGNATES A SUBGROUP. POSITIONS 4 AND 5.

2168	AR-MCC-SUB-GRP-TXT1	AR_MCC_SG_TX1_2168	DLIS-V	F VARCHAR 210
------	---------------------	--------------------	--------	---------------

ARMY MATERIEL CATEGORY SUBGROUP TEXT ONE

A TEXT FIELD THAT DESCRIBES SUBGROUP POSITIONS 4 AND 5.

2169	SCRNG-KEY-INDS		DLIS-S	F 1
------	----------------	--	--------	-----

SCREENING KEY INDICATORS

INDICATES WHETHER THE UNIQUE NIIN IDENTIFIER WAS DERIVED FROM 2-STEP, PARAMETRIC OR NON-PARAMETRIC SCREENING.

2171	LRN-COMB-CAN-MTHLY		DLIS-BB	F 8
------	--------------------	--	---------	-----

LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER MONTHLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY CUSTOMER ACCOUNT NUMBER.

2172	LRN-COMB-TOT-MTHLY		DLIS-BB	F 8
------	--------------------	--	---------	-----

LOGRUN COMBINATION TOTAL MONTHLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

2173	LRN-NIIN-INQ-DEPT-WKLY		DLIS-BB	F 8
------	------------------------	--	---------	-----

LOGRUN NIIN INQUIRY DEPARTMENT WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2174 MUL-BCH-DOC-NBR-GRND-T DLIS-CI F 6
MULTIPLE BATCH DOCUMENT CONTROL NUMBER GRAND TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN MULTIPLE BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2175 BCH-DOC-CTL-NBR-T DLIS-CI F 6
BATCH DOCUMENT CONTROL NUMBER TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2176 QDIC-ALL-OAC-RECVD DLIS-BB F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RECEIVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY

2177 ITM-NM-NON-APRVD-RMDR NAIN_RMDR_2177 DLIS-SC V VARCHAR 971
ITEM NAME NON APPROVED REMAINDER
A FULL CLEAR TEXT NAME FOR INC 77777, GIVEN AS A REPLY WHEN DRN 3445-MRC="NAME". THIS FULL CLEAR TEXT NAME DOES NOT MEET THE CRITERIA FOR AN APPROVED ITEM NAME. LESS THE FIRST NINETEEN (19) CHARACTERS (WHICH IS CONTAINED IN NON-APRVD-ITM-NM (DRN 5020)).

2179 RQST-CDFN-RGSN-USER-CD DLIS-CI F 3
REQUEST FOR CODIFICATION AND REGISTRATION OF USER CODE
FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. A THREE POSITION NUMERIC CODE INDICATING A SPECIFIC QUESTION AND THE PERTAINING REPLY NEEDED AS COMPLEMENTARY INFORMATION TO BE SENT TOGETHER WITH ONE OR A GROUP OF LOGICALLY RELATED REQUESTS FOR CODIFICATION AND REGISTRATION OF USER (LSA) UNDER DIC L07 INPUT TRANSACTION.

2180 DT-NIIN-ASGMT DT_NIIN_ASGMT_2180 DLIS-SB F INTEGER 5
DATE, NIIN ASSIGNMENT
THE YEAR AND JULIAN DAY WHEN A NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ WAS ASSIGNED, E.G., 71237. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2183 ID-MLC-PCT-CHG DLIS-BB F 8
INFO DISSEM MANAGEMENT LIST CONSOLIDATED PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST CONSOLIDATED FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2186 ID-MLN-PCT-CHG DLIS-BB F 8
INFO DISSEM MANAGEMENT LIST NAVY PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2189 ID-MCRL-PCT-CHG DLIS-BB F 8
INFO DISSEM AMSTER CROSS REFERENCE LIST PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2193 CHAR-EXCP-IND CHAR_EXCP_IND_2193 DLIS-S F CHAR 1
CHARACTERISTICS EXCEPTION INDICATOR
IDENTIFIES TYPE OF MATCH FOR THE ITEM AND IS BASED UPON THE PRESENCE OF PROPRIETARY DATA, E MODE CODE(S), AND EXCEPTION REQUIREMENTS WITHIN THE CHARACTERISTICS.

2197 ID-MLMC-PCT-CHG DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE ALTERNATE CUSTODIAN FOR A TABLE. USUALLY LAST NAME AND FIRST INITIAL.

2232 TBL-CSTDN TBL_CSTDN_2232 DLIS-V F CHAR 15
TABLE CUSTODIAN

FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE PRIMARY CUSTODIAN FOR A TABLE. USUALLY LAST NAME AND FIRST INITIAL.

2233 TBL-RSPNSBL-DRCTRT TBL_RSP_DIR_2233 DLIS-V F CHAR 6
TABLE RESPONSIBLE DIRECTORATE

FIELD CONTAINS DIRECTORATE OFFICE SYMBOL RESPONSIBLE FOR CONTENTS OF A TABLE. MORE THAN ONE DIRECTORATE MAY BE RESPONSIBLE FOR THE CONTENTS OF A TABLE.

2234 IANDS-FAMILY-SIZE IANS_SIZE_2234 DLIS-BB F INTEGER 4
INTERCHANGEABILITY SUBSTITUTABILITY FAMILY SIZE

THIS REPRESENTS THE GROUPING FOR EACH I AND S FAMILY SIZE THAT IS USED IN STATISTICS.

2237 CHARAS-A-MODE-RPLY DLIS-SCA V 990
CHARACTERISTICS A MODE REPLY

THE RESPONSE TO AN A MODE CODE OR A J MODE CODE WITH AN A MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS CLEAR TEXT CONSISTING OF ANY COMBINATION OF WORDS, NUMERALS AND/OR SYMBOLS.

2238 CHARAS-B-MODE-RPLY DLIS-SCA V 11
CHARACTERISTICS B MODE REPLY

THE RESPONSE TO A B MODE CODE OR A J MODE CODE WITH A B MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS IN NUMERIC DECIMAL FORM WITH A MINIMUM OF ONE DIGIT PRECEDING AND SUCCEEDING THE DECIMAL. NEGATIVE VALUES WILL BE PRECEDED BY AN "M".

2239 CHARAS-F-MODE-RPLY DLIS-SCA V 23
CHARACTERISTICS F MODE REPLY

THE RESPONSE TO A F MODE CODE OR A J MODE CODE WITH A F MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS A RANGE SHOWN IN NUMERIC DECIMAL FORM WITH A MINIMUM OF ONE DIGIT PRECEDING AND SUCCEEDING THE DECIMAL WITH A SLASH MARK SEPARATING THE RANGE VALUES. EACH VALUE IS PRECEDED BY EITHER AN "M" OR "P".

2240 DT-CANC-NIIN DLIS-SB F 5
DATE, CANCELLATION, NATIONAL ITEM IDENTIFICATION NUMBER

THE YEAR AND JULIAN DAY THAT A NATIONAL ITEM IDENTIFICATION NUMBER WAS CANCELLED, E.G. 71011

2241 GEN-INFO-NBR DLIS-SC V 2
GENERAL INFORMATION NUMBER

THE NUMBER CONTAINED IN A FILE WHICH IDENTIFIES THE SPECIFIC GENERAL INFORMATION INTRODUCTION NECESSARY FOR PROCESSING THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2242 RPLY-INST DLIS-SC V 9999
REPLY INSTRUCTION

A NARRATIVE WHICH CONTAINS THE INSTRUCTIONS REQUIRED TO STRUCTURE AND FORMAT THE MILITARY STANDARD ITEM CHARACTERISTICS CODING STRUCTURE (MILSTICCS) ENCODED DATA FOR THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2243 TECH-DATA-TBL-NBR DLIS-SC V 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TECHNICAL DATA TABLE NUMBER

THE NUMBER CONTAINED IN A FILE WHICH IDENTIFIES THE SPECIFIC TECHNICAL DATA TABLE NECESSARY FOR PROCESSING THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2244	ENG-NBR ENGINE NUMBER A UNIQUE IDENTIFIER FOR NAVY AIRCRAFT ENGINES.		DLIS-SC	F		13
2245	SUPLR-NM SUPPLIER NAME THE NAME OF ESTABLISHMENTS WHICH EITHER FABRICATES ITEMS OF PRODUCTION AND/OR HAVE DESIGN CONTROL OF ITEMS PROCURED BY THE FEDERAL GOVERNMENT.		DLIS-V	F		32
2246	INQ-NBR INQUIRY NUMBER THE NUMBER IDENTIFYING A SPECIFIC FEDERAL LOGISTICS BATCH INQUIRY.		DLIS-V	F		3
2247	SVC-AGCY SERVICE AGENCY THE NAME OF THE SERVICE OR AGENCY.		DLIS-V	F		9
2248	BTCH-NM BATCH NAME THE NAME ASSIGNED BY THE REQUESTER FOR A FEDERAL LOGISTICS BATCH INQUIRY.		DLIS-V	F		11
2249	SHPG-CD SHIPPING CODE A CODE THAT UNIQUELY IDENTIFIES THE ACTIVITY TO WHICH A REPAIRABLE ITEM SHOULD BE SHIPPED.		DLIS-V	F		6
2254	COCO-NBR CONVERSION CONSTANT NUMBER THE COCO-NBR IS AN ASSIGNED VALUE USED TO RETRIEVE THE CONVERSION CONSTANT (COCO) WHICH IS THE NUMERIC VALUE USED TO CONVERT THE NUMERIC PORTION OF A UNIT OF MEASUREMENT'S REPLY BY MATHEMATICAL COMPUTATIONS.	COCO_NBR_2254	DLIS-SB	F	SMALLINT	3
2257	RNG-MAT-CRITE RANGE AND MATERIAL CRITERIA THIS DATA IS USED BY THE SECTION II APPLICATION IN ITS DECISION PROCESS TO IDENTIFY LIKE ITEMS WITHIN THE FLIS SYSTEM CHARACTERISTICALLY. MAX LENGTH IS 63,000 CHARACTERS.		DLIS-SCA	V		9999
2259	MDLS-PN PART NUMBER FOR MEDALS AN IDENTIFYING NUMBER ASSIGNED BY AN ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO AN ITEM WHOSE ENGINEERING DATA DOCUMENT IS ENTERED INTO MEDALS. (NOTE: THIS NUMBER MAY OR MAY NOT HAVE A RELATIONSHIP TO AN "ITEM OF SUPPLY" OR "ITEM OF PRODUCTION", AS THE PART NUMBER MAY NOT NECESSARILY BE STOCKLISTED OR ASSOCIATED IN ANY WAY WITH A STOCK NUMBER.)	MDLS_PN_2259	DLIS-VP	V	CHAR	32
2260	DT-LST-MOE-RULE-NBR-WTHD DATE, LAST MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	DT_LST_MRN_2260	DLIS-SB	F	INTEGER	7

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE YEAR AND JULIAN DAY THAT THE LAST MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE NUMBER WAS WITHDRAWN FROM AN ITEM ETC., E.G. 65234. REQUIRED FOR REPORTING AND SUSPENSE FILE PURGE ACTIONS. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2262 DT-OE-RCD-ESTB DT_OE_RCD_EST_2262 DLIS-SC F INTEGER 7
DATE, ORGANIZATIONAL ENTITY RECORD ESTABLISHED

THE YEAR AND JULIAN DAY THAT THE CAGE/NCAGE RECORD WAS ESTABLISHED IN THE CAGE MASTER FILE. THIS DATE IS PERMANENTLY RETAINED IN THE FILE. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD. E.G. 2000329

2272 MDLS-CAGE-CD MDLS_CAGE_CD_2272 DLIS-VP F CHAR 5
CAGE CODE FOR MEDALS

A FIVE POSITION ALPHA/NUMERIC CODE ISSUED BY THE FEDERAL GOVERNMENT TO IDENTIFY AN ENTITY, AND WHICH IS PERMANENTLY ASSIGNED BY AN ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO A DOCUMENT THAT IS INPUT TO MEDALS. IT IS USED WITH A MEDALS-DOC-NBR TO FORM A TWO PART COMBINATION OF NUMBERS THAT ESTABLISHED A UNIQUE, PERMANENT DRAWING OR DOCUMENT IDENTIFICATION IAW MIL-STD-100 AND INDUSTRY STANDARDS. IN CASE OF CONFLICT WITH A CAGE SHOWN IN THE STOCK LIST, THE ASSIGNED DOCUMENT OR DRAWING CAGE CODE SHALL PREVAIL FOR IDENTIFICATION.

2274 MDLS-ASGND-NIIN MDLS_ASG_NIIN_2274 DLIS-VP F CHAR 9
ASSIGNED NIIN FOR MEDALS

A NINE DIGIT NUMBER ASSIGNED TO EACH APPROVED ITEM, WHICH MAY OR MAY NOT BE IDENTICAL TO THE NUMBER ASSIGNED UNDER THE FEDERAL CATALOGING PROGRAM, INPUT TO MEDALS TO AID IN LOCATING DATA ASSETS.

2279 MOE-BATCH-DEL-ERR-CT DLIS-S F 5
MOE BATCH DELETE ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE MOE RULE FROM THE MOE RULE MSTR FILE AS A RESULT OF EFFECTIVE DATED DELETE PROCESSING ACTION, FOR A PARTICULAR TIME FRAME.

2281 SUBSTUT-INC DLIS-SB F 5
SUBSTITUTE ITEM NAME CODE

THIS DATA IS USED IN THE GUIDE UPDATE SYSTEM TO IDENTIFY ALL ITEM NAME CODES WITH JUST ONE VALUE.

2282 SEQ-INSRT-CD DLIS-SB F 1
SEQUENCING INSERT CODE

THIS ALPHA CODE IS USED IN CONJUNCTION WITH THE CARD-SEQUENCE-CODE. THIS CODE ALLOWS UP TO 24 ADDITIONAL LINES OF DATA TO BE INSERTED BETWEEN CARD-SEQUENCE-CODES CURRENTLY RESIDING ON THE SECTION II GUIDE.

2283 MAJ-MCC-AR-EXPLN MAJ_MCC_AR_EX_2283 DLIS-SB V VARCHAR 200
MAJOR MATERIEL CATEGORY CODE, ARMY

A CLRTXT DEFINITION OF THE MAJOR MATERIEL CATEGORY CODE, ARMY (DRN 9256)

2284 SHPG-CTNR-CU DLIS-VO F 4
SHIPPING CONTAINER CUBE

THE VOLUME (IN CUBIC FEET) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST TENTH OF A CUBIC FOOT.

2286 RPTY-ID-TI RPTY_ID_TI_2286 DLIS-VP F CHAR 3
REPOSITORY IDENTIFIER FOR TITLE

A CODE INDICATING THE REPOSITORY RECORDED ON A MEDALS TITLE OF A DATA ASSET IDENTIFIER. THERE CAN BE ONLY ONE TITLE RECORDED ON A DATA ASSET IDENTIFIER.

2287 MDLS-CAGE-CD-PN MDLS_CAGE_PN_2287 DLIS-VP F CHAR 5

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

MEDALS CAGE CODE FOR PART NUMBER

THE CAGE CODE PERMANENTLY ASSIGNED BY THE ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO A PART OR ITEM. THIS NUMBER MUST AGREE WITH THE "CAGE CODE FOR MEDALS" ASSIGNED TO DOCUMENTS IAW WITH MIL-STD-100C, MIL-STD-100E, MIL-STD-1915, AND ASMEY14.100.

2288 MDLS-PREF-MED-CD MDLS_PRF_MD_C_2288 DLIS-VP F CHAR 2
MEDALS PREFERRED MEDIA CODE
A CODE USED TO IDENTIFY THE PREFERRED MODE/MEDIA OF DATA ASSET OUTPUT AVAILABLE AT THE REPOSITORY FOR MEDALS USERS.

2289 MDLS-MED-CD MDLS_MED_CD_2289 DLIS-V F CHAR 2
MEDALS MEDIA CODE
A CODE INDICATING THE FORMS OF MEDIA PREFERRED BY THE TECHNICAL DATA REPOSITORY PROVIDING DRAWING REPRINTS. ONLY TWO CODES ARE USED IN THE MEDALS, "AC" FOR APERTURE CARD AND "HC" FOR HARDCOPY.

2291 FIIG-INC-INPUT-WK FIIG_STAT_CNT_2291 DLIS-SBA F INTEGER 8
FIIG INC INPUT WEEKLY
WEEKLY QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE.

2292 FIIG-INC-P-MTCH-WK FIIG_STAT_CNT_2292 DLIS-SBA F INTEGER 8
FIIG INC POSSIBLE MATCH WEEK
WEEKLY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

2293 FIIG-INC-A-MTCH-WK FIIG_STAT_CNT_2293 DLIS-SBA F INTEGER 8
FIIG INC ACTUAL MATCH WEEK
WEEKLY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

2294 FIIG-INC-MTCH-WK DLIS-SBA F 8
FIIG INC MATCH WORK
TOTAL QUANTITY OF ACTUAL AND POSSIBLE MATCHES BY FIIG FOR A WEEK.

2295 FIIG-INC-NEW-INPUT-WK FIIG_STAT_CNT_2295 DLIS-SBA F INTEGER 8
FIIG INC NEW INPUT WEEK
WEEKLY QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION.

2296 FIIG-INC-NEW-MTCH-WK FIIG_STAT_CNT_2296 DLIS-SBA F INTEGER 8
FIIG INC NEW MATCH WEEK
WEEKLY QUANTITY OF REQUESTS FOR A NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION.

2297 FIIG-INC-MAINT-INPUT-WK FIIG_STAT_CNT_2297 DLIS-SBA F INTEGER 8
FIIG INC MAINTENANCE INPUT WEEK
WEEKLY QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2298 FIIG-INC-MAINT-MTCH-WK FIIG_STAT_CNT_2298 DLIS-SBA F INTEGER 8
 FIIG INC MAINTENANCE MATCH WEEK
 WEEKLY QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

2299 FIIG-INC-9001-USAGE-WK FIIG_STAT_CNT_2299 DLIS-SBA F INTEGER 8
 FIIG INC 9001 USAGE WEEK
 WEEKLY QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG AND INC COMBINATION.

2300 DT-STDZN-DEC DT_STDZN_DEC_2300 DLIS-SB F INTEGER 7
 DATE, STANDARDIZATION DECISION
 THE LAST RECORDED YEAR AND JULIAN DAY WHEN STANDARDIZATION WAS APPLIED TO AN ITEM UNDER THE DEPARTMENT OF DEFENSE STANDARDIZATION PROGRAM, E.G., 71019. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2301 SHRT-NM SHRT_NM_2301 DLIS-SB F CHAR 19
 SHORT NAME
 A SHORTENED VERSION OF APPROVED, COLLOQUIAL, NON-APPROVED NAME USED FOR COMPARISON PURPOSES.

2303 NM-CD NM_CD_2303 DLIS-SB F CHAR 5
 NAME CODE
 GENERIC CODE FOR APPROVED, COLLOQUIAL, BASIC OR INDEX ENTRY NAMES. ITM-NM-TYP-CD WILL BE USED TO DIFFERENTIATE NAMES.

2304 NM-FLD DLIS-SB V 1762
 NAME FIELD
 A GENERIC FIELD USED TO DESCRIBE APPROVED, COLLOQUIAL, BASIC OR INDEX ENTRY NAMES.

2308 DCODD-ISAC-RPLY-STMT DCOD_ISAC_RPY_2308 DLIS-SC V VARCHAR 379
 DECODED ISAC REPLY STATEMENT
 A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR IDENTIFIED SECONDARY ADDRESS CODE (ISAC) REPLY CODE. USED TO PRINT REPLY CODES FOR ISAC IN CLEAR TEXT FORM IN A DD FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

2309 DCODD-STYL-RPLY-STMT DCOD_STYL_RPY_2309 DLIS-SC V VARCHAR 379
 DECODED STYLE REPLY STATEMENT
 A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR STYLE REPLY CODE. USED TO PRINT REPLY CODES FOR STYLES IN CLEAR TEXT FORM IN A DD FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

2310 DT-TRAN DT_TRAN_2310 DLIS-SB F INTEGER 5
 DATE, TRANSACTION
 THE YEAR AND JULIAN DAY AN ORGANIZATIONAL ENTITY (OE) GENERATES A TRANSACTION TO THE FEDERAL LOGISTICS INFORMATION SYSTEM DATA BANK OR TO ANOTHER OE, E.G. 71019. THIS DATE MAY DIFFER FROM THE DATE THE TRANSACTION IS FORWARDED TO OR RECEIVED BY A COMMUNICATIONS SYSTEM OR ACTUALLY TRANSMITTED. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2311 CLBRTN-MKR DLIS-CI F 1
 CALIBRATION MARKER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A ONE ALPHANUMERIC CODE IDENTIFYING WHERE AN ITEM REQUIRED TO BE CALIBRATED (SEE SUB-SECTION 553, PAGE V-238Z101). FOR NATO USE.

2312 CTGY-MAT DLIS-CI F 1
CATEGORY OF MATERIAL
A ONE NUMERIC CODE IDENTIFYING STANDARD HARDWARE ITEMS, CONSUMABLES OR RAW AND SEMI-FABRICATED MATERIALS (SEE SUB-SECTION 553, PAGE V-238Z102). FOR NATO USE.

2313 WT-PKG-UNIT DLIS-CI F 7
WEIGHT OF PACKAGED UNIT
A 7 ALPHANUMERIC CODE SHOWING THE WEIGHT UNIT AND GROSS WEIGHT OF AN ITEM WITH PACKAGING (SEE SUB-SECTION 553, PAGE V-238Z103). FIRST 2 POSITIONS - WEIGHT UNIT USED. NEXT 5 POSITIONS - GROSS WEIGHT (RIGHT JUSTIFIED). FOR NATO USE.

2314 WT-UNPKG-UNIT DLIS-CI F 7
WEIGHT OF UNPACKAGED UNIT
A 7 ALPHANUMERIC CODE SHOWING THE WEIGHT UNIT AND GROSS WEIGHT OF AN ITEM WITHOUT PACKAGING (SEE SUB-SECTION 553, PAGE V-238Z104). FIRST 2 POSITIONS - WEIGHT UNIT USED. NEXT 5 POSITIONS - GROSS WEIGHT (RIGHT JUSTIFIED). FOR NATO USE.

2315 INIT-PRCSG-DT DLIS-V F 8
INITIAL PROCESSING DATE
THIS DATE REPRESENTS THE SCHEDULED PROCESSING DAY OF AN IL PUBLICATION. IT IS CONTROLLED BY THE PROGRAM MANAGER THROUGH THE UTILIZATION OF DIC LGH AND APPEARS IN FILENAME LDLASCHD. THIS INFORMATION IS ALSO DISPLAYED ON THE MICROFICHE EYE READABLE HEADER PORTION OF AN IL PUBLICATION.

2316 BSC-OR-CHNG-BULTN-IND DLIS-V F 3
BASIC OR CHANGE BULLETIN INDICATOR
THE FIRST TWO POSITIONS INDICATE THE TYPE OF IL PUBLICATION BEING PRODUCED, BASIC (BA) OR CHANGE BULLETIN (CB). THE LAST POSITION TELLS THE NUMBER OF BA OR CB WHICH HAVE BEEN PRODUCED DURING A PUBLICATION CYCLE. IT IS CONTROLLED BY THE PROGRAM MANAGER THROUGH THE UTILIZATION OF DIC LGH AND APPEARS IN FILENAME LDLASCHD. THIS INFORMATION IS ALSO DISPLAYED ON THE MICROFICHE EYE READABLE HEADER PORTION OF AN IL PUBLICATION.

2317 EDIT-NARRATIVE-DATA DLIS-V V 113
EDIT NARRATIVE DATA
THE EDIT NARRATIVE DATA IS CONTAINED WITHIN DOCUMENT IDENTIFIER CODE LGZ, FILENAME LDOLILDF (IDENTIFICATION LIST GUIDES). THIS DRN CAN CONTAIN ALPHAS, NUMERICS, SPECIAL CHARACTERS, AND DRN 0510 (REPLY TABLE DECODE SEQUENCE NUMBER). THE PURPOSE OF THIS DRN IS TO PRODUCE A CLEAR TEXT NARRATIVE STATEMENT DURING DECODE PROCESSING.

2318 CONV-GD-SKLTN-BDY CONV_SLTN_BDY_2318 DLIS-S F VARCHAR 57
CONVERSION GUIDE SKELETON BODY
THIS DATA IS THE MAIN PORTION OF THE STANDARD FORMULAS USED BY THE SECTION II APPLICATION TO CONVERT ENCODED DATA.

2319 SKELETON-CODE SKEL_CODE_2319 DLIS-S F CHAR 2
SKELETON CODE
THIS DATA IS USED AS THE ACCESS KEY TO THE CONVERSION GUIDE SKELETONS.

2322 SHPG-CTNR-LGTH DLIS-VO F 6
SHIPPING CONTAINER LENGTH
THE OVERALL LENGTH (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF OF AN INCH.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2326 CLS-OF-SUP-INTGTY-CD COSIC_2326 DLIS-SIC F CHAR 2
CLASS OF SUPPLY INTEGRITY CODE (COSIC)

THE CODE THAT INDICATES THE DEGREE OF CONFIDENCE FOR THE ACCURACY OF A CLASS OF SUPPLY CODE. VALID VALUES: FIRST POSITION (SOURCE) -- A = AMDF, E = EXTRAPOLATED, M = MANUALLY ASSIGNED BY DLIS, T = TAMMS BUSINESS RULES; SECOND POSITION (PERCENTAGE RANGE OF ACCURACY) -- 4 = 40%, 5 = 50-59%, 6 = 60-69%, 7 = 70-79%, 8 = 80-89%, 9 = 90-99%; BLANK = TAKEN DIRECTLY FROM THE AMDF FILE.

2344 MDLS-TI MDLS_TI_2344 DLIS-VP V CHAR 40
MEDALS TITLE

A CLEAR TEXT WORD OR PHRASE THAT DESCRIBES A DATA ASSET IDENTIFIER (DAI). ONLY ONE TITLE IS ALLOWED PER DAI ON THE MEDALS DATA BASE AND THE REPOSITORY IDENTIFIER RECORDED AGAINST THE MDLS-TI IS THE ONLY ONE THAT CAN MAKE CHANGES TO THE MDLS-TI.

2345 RPTY-ID-CAGE-PN RPTY_ID_CG_PN_2345 DLIS-VP F CHAR 3
REPOSITORY IDENTIFIER FOR CAGE CODE AND PART NUMBER

A CODE INDICATING THE REPOSITORY RECORDED ON A MDLS-CAGE-CD-PN NUMBER OF A DATA ASSET IDENTIFIER. A REPOSITORY MUST BE RECORDED ON A MDLS-CAGE-CD-PN ASSOCIATED WITH A DAI IN ORDER TO MAKE ANY CHANGES TO THAT MDLS-CAGE-CD-PN.

2346 RPTY-ID-NIIN RPTY_ID_NIIN_2346 DLIS-VP F CHAR 3
REPOSITORY IDENTIFIER FOR NIIN

A CODE INDICATING A REPOSITORY RECORDED ON A MDLS-ASGND-NIIN OF A DATA ASSET IDENTIFIER (DAI). A REPOSITORY MUST BE RECORDED ON A MDLS-ASGND-NIIN ASSOCIATED WITH A DAI IN ORDER TO MAKE ANY CHANGES TO THAT MDLS-ASGND-NIIN.

2347 UNIT-MEAS-TRM UNIT_MEAS_TRM_2347 DLIS-SB F CHAR 20
UNIT MEASURE TERM

CLEAR TEXT WORD REPRESENTED BY UNIT-MEAS-CD (DRN 0107) AS USED IN VOL 10 TABLE 81.

2348 ISAC-PRES-CD ISAC_PRES_CD_2348 DLIS-SC F CHAR 1
ISAC PRESENCE CODE

A CODE WHICH DESIGNATES THE MANDATORY USAGE OF ISAC. IT FORCES COMPATIBILITY BETWEEN RELATIONSHIP MRC(S) AND MUST BE PRESENT MRC(S). THE VALID VALUES ARE I = ISAC IS PRESENT, BLANK = ISAC IS NOT PRESENT.

2349 MMC-GSA MMC_GSA_2349 DLIS-SBA F CHAR 2
MATERIEL MANAGEMENT CODE FOR GSA

A GSA CODE USED TO CLASSIFY ITEMS INTO CATEGORY(S) BY MATERIEL COMMODITY CODE FOR GSA MANAGEMENT PURPOSES. A TWO POSITION ALPHABETIC CODE USED AS A MATERIEL MANAGEMENT CODE FOR GSA. CODES IDENTIFY MANAGERS OF SPECIFIC ITEMS AND NATIONAL STOCK NUMBERS, AND APPLY TO SYSTEMS, PROGRAMS, AGGREGATION OF RELATED EQUIPMENT, AND SELECTED FEDERAL SUPPLY CLASSES.

2350 NSN-HI-LVL-ROLL-UP-IND HI_ROLL_UP_CD_2350 DLIS-SBA F CHAR 1
WEAPON SYSTEM NATIONAL STOCK NUMBER HIGHEST LEVEL ROLL UP INDICATOR CODE

THE CODE THAT INDICATES THE ROLL UP OF THE HIGHEST LEVEL WEAPON SYSTEM (WPN_SYS_ID_3881) WHEN MULTIPLE WSICs EXIST FOR THE SAME NSN IN THE WEAPON_SYSTEM_NIIN TABLE. VALID VALUES: F, G, H, J, K, L, M, P, R, S, T, W, X, Y, Z

2385 ITM-PER-PLT DLIS-VO F 7
ITEMS PER PALLET

THE TOTAL NUMBER OF ITEMS ON/IN THE PALLETIZED OR UNITIZED LOAD.

2386 UN-ORG-SER-NBR DLIS-VO F 4
UNITED NATIONS ORGANIZATION SERIAL NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE, INTERNATIONALLY RECOGNIZED, ASSIGNED WITHIN THE UNITED NATIONS ORGANIZATION RECOMMENDATIONS TO DESIGNATE THE ITEM. (CFR-49, PART 172-101)

2387 DOT-CL DLIS-VO F 1
DEPARTMENT OF TRANSPORTATION CLASS

A SINGLE POSITION PSEUDO CODE THAT CORRELATES TO THE DOT CLASS ASSIGNED IN ACCORDANCE WITH THE HAZARDOUS MATERIALS REGULATION OF THE DOT. TWO CLASS MAY APPLY TO A SINGLE ITEM.

2388 DOT-LBL DLIS-VO F 1
DEPARTMENT OF TRANSPORTATION LABEL

A SINGLE POSITION PSEUDO CODE THAT CORRELATES TO THE DOT LABEL APPEARING ON THE SHIPPING CONTAINER AS REQUIRED BY THE DOT. MORE THAN ONE LABEL MAY APPLY TO A SINGLE ITEM.

2389 DOT-MKG DLIS-VO F 2
DEPARTMENT OF TRANSPORTATION MARKING

A TWO POSITION PSEUDO CODE THAT CORRELATES TO THE REQUIRED DOT MARKING AND PROPER SHIPPING NAME ASSIGNED TO A SPECIFIC ITEM.

2390 SHPG-CTNR-PER-PLT DLIS-VO F 2
SHIPPING CONTAINERS PER PALLET

THE TOTAL NUMBER OF SHIPPING/STORAGE CONTAINERS ON/IN THE PALLETIZED OR UNITIZED LOAD.

2391 PLT-WT DLIS-VO F 5
PALLET WEIGHT

THE TOTAL WEIGHT (IN POUNDS) OF THE PALLETIZED OR UNITIZED LOAD TO THE NEAREST POUND.

2392 PLT-LGTH DLIS-VO F 6
PALLET LENGTH

THE OVERALL LENGTH (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2393 PLT-WDTH DLIS-VO F 6
PALLET WIDTH

THE OVERALL WIDTH (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2394 PLT-HT DLIS-VO F 6
PALLET HEIGHT

THE OVERALL HEIGHT (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2395 PLT-CU DLIS-VO F 4
PALLET CUBE

THE VOLUME (IN CUBIC FEET) OF THE PALLET AND ITS CONTENTS TO THE NEAREST TENTH OF A CUBIC FEET.

2398 CG-CL DLIS-VO F 4
COAST GUARD CLASS

A FOUR POSITION CODE ASSIGNED FOR WATER TRANSPORTATION OF MILITARY EXPLOSIVE OR HAZARDOUS MUNITION ITEMS (SEE CFR 46, PART 146, RULES AND REGULATIONS FOR MILITARY EXPLOSIVES AND HAZARDOUS MATERIALS).

2399 LD-STWG-CD DLIS-VO F 2
LOAD STOWAGE CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. ACTIVITY FISCAL QUARTER 1 IS EQUAL TO LRN-ACT-QTR-4-TOT OF THE PREVIOUS YEAR.

2433 LRN-DEPT-WKLY-TOT DLIS-BB F 6
LOGRUN DEPARTMENT WEEKLY TOTAL
THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A WEEK.

2434 LRN-DEPT-MTHLY-TOT DLIS-BB F 6
LOGRUN DEPARTMENT MONTHLY TOTAL
THE SUM OFF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A MONTH.

2435 LRN-DEPT-QTR-1-TOT DLIS-BB F 6
LOGRUN DEPARTMENT QUARTER 1 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.

2436 LRN-DEPT-QTR-2-TOT DLIS-BB F 6
LOGRUN DEPARTMENT QUARTER 2 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF APRIL, MAY AND JUNE.

2437 FIRFT-GP DLIS-VO F 4
FIREFIGHTING GROUP
A CODE INDICATING THE COMMODITY GROUP TO WHICH THE ITEM IS ASSIGNED FOR FIREFIGHTING PURPOSES.

2438 PRRTD-WT-LBS DLIS-VO F 9
PRORATED WEIGHT (POUNDS)
THE WEIGHT (IN POUNDS) OF AN ITEM WITH ITS PACKAGING AND/OR PRORATED SHARE OF THE TOTAL PACKAGING/PALLET, TO THE NEAREST THOUSANDTH OF A POUND (PALLETIZED WEIGHT/ITEMS PER PALLET).

2439 PRRTD-CU-FT DLIS-VO F 7
PRORATED CUBE (FEET)
THE VOLUME (IN CUBIC FEET) OF AN ITEM WITH ITS PACKAGING AND/OR PRORATED SHARE OF THE TOTAL PACKAGING/PALLET TO THE NEAREST THOUSANDTH OF A CUBIC FOOT. (PALLETIZED CUBE/ITEMS PER PALLET)

2440 DODIC DLIS-VO F 4
DEPARTMENT OF DEFENSE (DOD) IDENTIFICATION CODE
A FOUR POSITION CODE CONSISTING OF A ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS, ASSIGNED TO THE ITEMS COVERED BY THE GENERIC DESCRIPTIONS.

2441 NALC DLIS-VO F 4
NAVY AMMUNITION LOGISTICS CODE
A FOUR POSITION NAVY ASSIGNED CODE USED IN PLACE OF A DODIC.

2442 ITM-NET-EXPL-WT DLIS-VO F 8
ITEM NET EXPLOSIVE WEIGHT
TRANSPORTATION (TRANS) - THE TOTAL WEIGHT OF EXPLOSIVES (IN POUNDS) IN ONE ROUND OF THE ITEM LISTED REGARDLESS OF THE TYPE OF CONTAINER AND NUMBER OF ROUNDS CONTAINED THEREIN. STORAGE - THE WEIGHT (IN POUNDS) TO BE USED BY THE NAVY WHEN CALCULATING NEW'S INVOLVED IN EXPLOSIVE STORAGE. WATERFRONT - SHIPYARD (W/F-S/B) - THE WEIGHT (IN POUNDS) TO BE USED BY THE NAVY WHEN CALCULATING NEW'S INVOLVED IN WATERFRONT AND SHIPBOARD OPERATIONS.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TABLE ALLOCATION

THIS FIELD STORES THE PROGRAMS INITIAL SPACE ALLOCATION FOR EACH TABLE.

2472	TRFR-SAC-FYD-TRFR-T-NSN	TRFR_STAT_CNT_2472	DLIS-BB	F INTEGER	8
	TRANSFER SUBMITTING ACTY FISCAL YTD TRANSFER TOTAL NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.				
2473	TBL-VOLUME	TBL_VOLUME_2473	DLIS-SBA	F CHAR	6
	TABLE VOLUME THIS FIELD STORES THE VOLUME EACH TABLE IS STORED ON FOR INITIALIZING THE TABLES.				
2479	TRFR-SDP-FYD-TRFR-T-NSN	TRFR_STAT_CNT_2479	DLIS-BB	F INTEGER	8
	TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TRANSFER TOTAL NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.				
2480	SACC-HTY-UC-AC		DLIS-BB	F	8
	STAT ACCESS HISTORY USER CODE ACTIVITY THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.				
2481	SACC-CUR-UC-AC		DLIS-BB	F	8
	STAT ACCESS CURRENT USER CODE ACTIVITY THE NUMBER OF TIMES CURRENT DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.				
2482	SACC-TOT-UC-AC		DLIS-SBA	F	8
	STAT ACCESS TOTAL USER CODE ACTIVITY THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.				
2483	SACC-HTY-AC-DP		DLIS-BB	F	8
	STAT ACCESS HISTORY ACTIVITY DEPARTMENT THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.				
2484	SACC-CUR-AC-DP		DLIS-BB	F	8
	STAT ACCESS CURRENT ACTIVITY DEPARTMENT THE NUMBER OF TIMES CURRENT DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.				
2485	SACC-TOT-AC-DP		DLIS-BB	F	8
	STAT ACCESS TOTAL ACTIVITY DEPARTMENT THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.				
2486	SACC-HTY-DP-ST		DLIS-BB	F	8
	STAT ACCESS HISTORY DEPARTMENT STAT THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC DEPARTMENT BY STAT.				
2487	SACC-TOT-DP-ST		DLIS-SBA	F	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

STAT ACCESS TOTAL DEPARTMENT STAT
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC DEPARTMENT BY STAT.

2488 SACC-HTY-ST DLIS-BB F 8

STAT ACCESS HISTORY STAT
TOTAL NUMBER OF ACCESSES TO HISTORY DATA BY STAT.

2489 SACC-CUR-ST DLIS-BB F 8

STAT ACCESS CURRENT STAT CODE ACTIVITY
TOTAL NUMBER OF ACCESSES TO CURRENT DATA BY STAT.

2490 SACC-TOT-ST DLIS-SBA F 8

STAT ACCESS TOTAL STAT
TOTAL NUMBER OF ACCESSES TO STAT DATA BY STAT.

2491 SACC-GTOT-HTY DLIS-BB F 8

STAT ACCESS GRAND TOTAL HISTORY
GRAND TOTAL ACCESSES TO ALL STAT HISTORY DATA.

2492 SACC-GTOT-CUR DLIS-BB F 8

STAT ACCESS GRAND TOTAL CURRENT
GRAND TOTAL ACCESSES TO STAT ALL HISTORY DATA.

2493 SACC-GTOT-TOT DLIS-BB F 8

STAT ACCESS GRAND TOTAL
GRAND TOTAL ACCESSES TO ALL STAT DATA.

2495 CIIC-CLS-CD-TI CIIC_CLS_TI_2495 DLIS-SBA V CHAR 24

CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE
TITLE OF THE CODE (DRN 5255) CLASSIFICATION.

2496 CIIC-CLS-CD-TI-EX CIIC_CLS_EX_2496 DLIS-SBA V VARCHAR 320

CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE EXPLANATN
EXPANDED DEFINITION OF THE TITLE OF THE CODE (DRN 5255) CLASSIFICATION.

2497 AIR-CMDTY-CD AIR_CMDTY_CD_2497 DLIS-SB F CHAR 1

AIR COMMODITY CODE
AIR COMMODITY CODE AS IDENTIFIED IN THE FIRST PART OF TABLE 85 IN FLIS PROCEDURES VOL 10.

2498 RPLY-STAT-IND RPLY_STAT_IND_2498 DLIS-SCA F CHAR 1

REPLY TABLE STATUS INDICATOR
A CODE USED IN THE MRD TO INDICATE THE STATUS OF THE REPLY STATEMENT. CODE /D/ FOLLOWING THE REPLY STATEMENT
CONTAINED IN A REPLY TABLE INDICATES A REPLY IS NOT AUTHORIZED FOR USE IN FUTURE FIIG DEVELOPMENT.

2499 LKD-LKU-RPLM-IND LKD_LKU_RPLM_2499 DLIS-SBA F CHAR 5

CANCEL-DUPE CANCEL-USE REPLACEMENT INDICATOR
A CODE WHICH INDICATES THAT THIS NSN IS THE REPLACEMENT NSN IN A CANCEL-DUPLICATE OR CANCEL-USE RELATIONSHIP FOR
AN NSN WHICH IS BEING CANCELLED, BUT THE EFFECTIVE DATE OF THE CANCELLATION HAS NOT BEEN REACHED. THE VALUE OF
THIS CODE WILL BE EQUAL TO THE JULIAN DATE THAT THE CANCELLATION IS EFFECTIVE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2501 MASS-CHG-CRITL-CHG DLIS-SC F 1
MASS CHANGE CRITICALITY CHANGE
USED TO INDICATE IF CRITICALITY CODE HAS CHANGED FOR ITEM DURING MASS CHANGE.

2502 MASS-CHG-ITM-SEG DLIS-SC V 9999
MASS CHANGE ITEM SEGMENT
CONTAINS THE ITEM IDENTIFICATION AND CODED CHARACTERISTICS FOR AN ITEM CURRENTLY UNDERGOING REVISION DUE TO A MASS CHANGE/GUIDE REVISION OR PAGE CHANGE.

2503 MASS-CHG-GDE-NBR DLIS-SC F 22
MASS CHANGE GUIDE NUMBER
CONTAINS THE CURRENT AND REVISED GDE-NBR-FIIG AND INC WHICH WILL BE USED IN RETRIEVING MASS CHANGE ITEM SEGMENTS. THIS FIELD WILL BE USED TO MINIMIZE USER INTERFACE REQUIREMENTS.

2504 MASS-CHG-TYP-CHG DLIS-SC F 1
MASS CHANGE TYPE CHANGE
WILL BE USED TO INDICATE IF TYPE OF ITEM DESCRIPTION HAS CHANGED FOR ITEM DURING MASS CHANGE ACTIVITY.

2506 STAT-MANAGER STAT_MANAGER_2506 DLIS-S F CHAR 7
STATISTICS MANAGER
STAT-MANAGER IS A TERM DEVELOPED TO FACILITATE THE MANAGEMENT STATS SYSTEM WHICH IS SYNONYMOUS WITH THE TERM INTEGRATED MATERIAL MANAGER. IT IS THE MATERIAL MANAGER RESPONSIBLE FOR THE EXECUTION OF ASSIGNED MATERIAL MANAGEMENT FUNCTIONS FOR SELECTED ITEMS OR SELECTED FEDERAL SUPPLY CLASS. THIS FIELD CONTAINS THE ABBREVIATED CENTER NAME AND OR ACTIVITY ASSIGNED TO THAT CENTER.

2507 ACQ-AD-CD AAC_2507 DLIS-SBA F CHAR 1
ACQUISITION ADVICE CODE (AAC)
A CODE DENOTING HOW, AS DISTINGUISHED FROM WHERE, AND UNDER WHAT RESTRICTIONS AN ITEM WILL BE ACQUIRED. SHORT TITLE, AAC. SEE VOLUME 10, TABLES 58, 97, 113, AND 143 AND QUICK INFO ON-LINE.

2508 ESD-EMI-CD-EX ESD_EMI_CD_EX_2508 DLIS-SB F VARCHAR 125
ELECTROSTATIC DISCHARGE ELECTROMAGNETIC INTERFACE CD EXPLA
THIS FIELD CONTAINS THE EXPLANATION FOR A MATCHING ESD-EMI-CD (DRN 2043). THIS DATA ELEMENT TOGETHER WITH ESD-EMI-CD (DRN 2043) FORM LINE ENTRIES FOR THE ELECTROSTATIC DISCHARGE CODE TABLE WHICH WILL APPEAR IN DIDS PROCEDURES VOL 10 AFTER IMPLEMENTATION OF SCR OF2657 (REVISED).

2509 FSC-REQ-ESD-CD FSC_RQ_ESD_CD_2509 DLIS-SB F CHAR 4
FSC REQUIRING ELECTROSTATIC DISCHARGE CODE
THIS FIELD CONTAINS A FEDERAL SUPPLY CLASS THAT REQUIRES AN ELECTROSTATIC DISCHARGE CODE BE ASSOCIATED WITH ANY ITEM OF SUPPLY WITHIN THE FSC SPECIFIED. THIS DATA ELEMENT FORMS THE BASIS FOR ENTRIES TO THE FSCs REQUIRING ESD CODES WHICH WILL APPEAR IN FLIS PROCEDURES VOL 10 AFTER IMPLEMENTATION OF SCR OF2657 (REVISED).

2511 UNIT-MEAS DLIS-S V 75
UNIT OF MEASURE
THE NARRATIVE INDICATING THE RECOGNIZABLE PHYSICAL MEASUREMENTS USED IN THE APPLICATION OF CONVERSION CRITERIA.

2512 TAIL-CHAR-IND TAIL_CHAR_IND_2512 DLIS-S F CHAR 2
TAILORED CHAR INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE WHICH DENOTES WHETHER TAILORED CHARACTERISTIC DATA WILL BE OUTPUT TO CENTERS. THE LETTER "A-O" WILL BE USED FOR THIS PURPOSE. ALL OTHERS WILL CONTAIN AN "X" OR " ".

2513 TAIL-ACT-CD TAIL_ACT_CD_2513 DLIS-S F CHAR 2
TAILORED ACT CODE

A TWO POSITION CODE WHICH DENOTES THE CENTER WHICH IS TO RECEIVE TAILORED CHARACTERISTIC OUTPUT.

2514 PROP-CHAR-CD PROP_CHAR_CD_2514 DLIS-SC F CHAR 1
PROPORTION CHAR CD

THE CODE USED TO VALIDATE SPECIAL CHARACTERS THAT ARE USED SPECIFICALLY TO APPLY A PROPORTION EDIT.

2516 NM-PREFIX NM_PREFIX_2516 DLIS-SB V CHAR 10
NAME PREFIX

THE NAME "PREFIX" PRECEDES THE NOUN PORTION OF THE ITEM NAME. IT IS OFTEN ASSOCIATED WITH CARBON COMPOUNDS AND/OR MEDICAL NAMES. IT'S SCIENTIFIC SEQUENCING SCROLLING PROCEDURES.

2517 NM-ROOT-RMDR NM_ROOT_RMDR_2517 DLIS-SB V VARCHAR 1743
NAME ROOT REMAINDER

THE NAME "ROOT" MUST ALWAYS BE PRESENT IN THE NM-FLD AND IS ALWAYS USED IN THE PUBLICATION OF THE ITEM NAME FILE. LESS THE FIRST NINETEEN (19) CHARACTERS (WHICH IS CONTAINED IN SHRT-NM (DRN 2301)).

2521 SEG-X-NATO-ITM-APP-DATA DLIS-CI F 120
SEGMENT X - NATO ITEM APPLICATION DATA

NATO USE ONLY. NOT TO BE USED IN DLIS. THIS SEGMENT, USED AS INPUT TO NCBs/NAMSA AND OUTPUT FROM NCBs, CONSISTS OF THE DRNs 2524 (RELATED END ITEM/WEAPON SYSTEM) AND/OR 2522 (RELATED ASSEMBLY) OR 2523 (RELATED SKO) AND THEIR VALUES IDENTIFIED BY THE NSNs OF THE END ITEMS/WEAPON SYSTEMS, ASSEMBLIES OR SKOs TO WHICH THE ITEM OF SUPPLY IS RELATED.

2522 REL-ASBLY DLIS-CI F 13
RELATED ASSEMBLY

NATO USE ONLY. NOT TO BE USED IN DLIS. THIS DATA ELEMENT IDENTIFIES THE NSN OF AN ASSEMBLY TO WHICH THE ITEM OF SUPPLY IS RELATED.

2523 REL-SKO DLIS-CI F 13
RELATED SKO

NATO USE ONLY. NOT TO BE USED IN DLIS. THIS DATA ELEMENT IDENTIFIES THE NSN OF A SET, KIT OR OUTFIT (SKO) TO WHICH THE ITEM OF SUPPLY IS RELATED.

2524 REL-END-ITM-WPN-SYS DLIS-CI F 13
RELATED END ITEM WEAPON SYSTEM

NATO USE ONLY. NOT TO BE USED IN DLIS. THIS DATA ELEMENT IDENTIFIES THE NSN OF AN END ITEM/WEAPON SYSTEM TO WHICH THE ITEM OF SUPPLY IS RELATED.

2525 INT-CD-SEG-A-X DLIS-CI F 4
INTERROGATION CODE SEGMENT A AND X

NATO USE ONLY. NOT TO BE USED IN DLIS. A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES A COMBINATION OF SEGMENTS A (DRN 9100) AND X (DRN 2521) DATA (SEE SUB-SECTION 533 TABLE 03).

2531 AUTHZD-II-DATA-COLLBR-CD AUTH_II_COLBR_2531 DLIS-SBA F CHAR 2
AUTHORIZED ITEM IDENTIFICATION DATA COLLABORATOR CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

AN ACTIVITY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO ITEM IDENTIFICATION DATA FOR ALL NATIONAL ITEM IDENTIFICATION NUMBERS WITH A MOE RULE ON WHICH THE ACTIVITY IS RECORDED.

2532 AUTHZD-II-DATA-RCVR-CD AUTH_II_RCVR_2532 DLIS-SBA F CHAR 2
AUTHORIZED ITEM IDENTIFICATION DATA RECEIVER CODE

AN ACTIVITY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR ALL NATIONAL ITEM IDENTIFICATION NUMBERS WITH A MOE RULE ON WHICH THE ACTIVITY IS RECORDED.

2533 SUPPLM-COLLBR SUPPLM_COLLBR_2533 DLIS-SB F CHAR 2
SUPPLEMENTARY COLLABORATOR

AN ACTIVITY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO THE ITEM IDENTIFICATION DATA OF A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2534 SUPPLM-RCVR SUPPLM_RCVR_2534 DLIS-SB F CHAR 2
SUPPLEMENTARY RECEIVER

AN ACTIVITY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2535 AUTHZD-II-DATA-SUBMR-CD AUTH_II_SUBMR_2535 DLIS-SB F CHAR 2
AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER CODE

A CODE IDENTIFYING THE SINGLE ACTIVITY AUTHORIZED TO SUBMIT ITEM IDENTIFICATION DATA FOR A SPECIFIC ITEM OF SUPPLY TO THE DEFENSE LOGISTICS INFORMATION SERVICE.

2538 FRST-MNTH-JUL FRST_MNTH_JUL_2538 DLIS-SBA F CHAR 3
FIRST OF THE MONTH JULIAN

A NUMERIC INDICATION OF THE JULIAN NUMBER THAT CORRELATES TO THE FIRST DAY OF A PARTICULAR MONTH. THE NUMBER IS ESTABLISHED FOR ONLY NON-LEAP YEARS.

2539 NUMERIC-MONTH NUMERIC_MONTH_2539 DLIS-SBA F CHAR 2
NUMERIC MONTH

A NUMERIC INDICATION OF THE MONTH. FOR EXAMPLE, 01 FOR JANUARY, 02 FOR FEBRUARY.

2541 L07-TRANS-SENT-QTY L07_TRAN_SENT_2541 DLIS-CI F INTEGER 9
L07 TRANSACTIONS SENT QUANTITY

NUMBER OF L07 TRANSACTIONS SENT BY THE SUBMITTING COUNTRY.

2542 L07-TRANS-RCVD-QTY L07_TRAN_RCVD_2542 DLIS-CI F INTEGER 9
L07 TRANSACTIONS RECEIVED QUANTITY

NUMBER OF L07 TRANSACTIONS RECEIVED FROM THE SUBMITTING COUNTRY.

2544 CASE-NBR CASE_NBR_2544 DLIS-CI F CHAR 2
CASE NUMBER

CASE NUMBER IS A TWO CHARACTER ID OF A REPORT FOR THE NATO CODIFICATION SYSTEM.

2546 NATO-BTCH-CTL-DT N_BTCH_CTL_DT_2546 DLIS-CI F INTEGER 9
NATO BATCH CONTROL DATE

NATO BATCH JULIAN DATE IN (CCYYDDD) FORMAT.

2549 POS-ZONE POS_ZONE_2549 DLIS-SB F CHAR 10

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

POSTAL ZONE
AN OPTIONAL CODE USED BY FOREIGN COUNTRIES IN PLACE OF A ZIP CODE.

2551 IMC-NW-D-AT-IMC-CIC-FY DLIS-BB F INTEGER 8
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY.

2552 IMC-NW-D-AT-IMC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT ACT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY.

2553 IMC-NW-D-AT-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT ACT CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2554 IMC-NW-D-AT-IMC-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2555 IMC-NW-D-IMC-CIC-FY DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

2556 IMC-NW-D-IMC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR DEPARTMENT.

2557 IMC-NW-D-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2558 IMC-NW-D-IMC-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2559 IMC-NW-C-IMC-CIC-FY DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2561 REF-NBR-DEC-CTGY-CD RN_DEC_CAT_CD_2561 DLIS-SBA F CHAR 1
REFERENCE NUMBER DECISION CATEGORY CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A TWO-DIGIT ALPHANUMERIC CODE DEVELOPED PRIMARILY FOR STORAGE PURPOSES TO ASSURE THAT INCOMPATIBLE HAZARDS ARE NOT STORED NEXT TO ONE ANOTHER. THE HCC THAT IS VISIBLE IN FLIS ONLY PERTAINSTO THE LATEST FORMULATION FOR THIS CAGE/PART NUMBER. USER NEEDSTO BE AWARE THAT ADDITIONAL INFORMATION MAY RESIDE IN THE HAZARDOUSMATERIAL INFORMATION SYSTEM (HMIS) FOR A DIFFERENT FORMULATION OFTHE SAME CAGE/PART NUMBER. THE TECHNICAL DEFINITIONS ARE PROVIDEDIN THE AGENCY AND SERVICES STORAGE MANUALS (DLAM 4145.11, ARMY TM38-410, NAVSUP PUB 573, AFR 69-9, AND MCO 4450-12. THESE MANUALSARE BEING REPLACED BY DOD 4145.19-R-2). SEE [VOLUME 10, TABLE 214](#)AND QUICK INFO ON-LINE.

2581 IMC-NW-C-IMC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR CLASS MANAGER.

2582 IMC-NW-CM-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE FYD TOTL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFI- CATION CODE (CIC) FOR CLASS MANAGER.

2583 IMC-NW-CM-IMC-CIC-FY-T DLIS-BB F 8
ITEM MGMT CODE NEW CLASS MANAGER IMC CARD ID CODE FYD TOTL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGERS.

2584 IMC-AL-D-AT-IMC-CIC-FY IMC_STAT_CNT_2584 DLIS-BB F INTEGER 8
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2585 IMC-AL-D-AT-IMC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT ACT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) ASSIGNED BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2586 IMC-AL-D-AT-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT ACT CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2587 IMC-AL-D-AT-IMC-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CIC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2588 IMC-AL-D-IMC-CIC-FY DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

2589 IMC-AL-D-IMC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR DEPARTMENT.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2591 IMC-AL-D-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) FOR THE DEPARTMENT.

2592 IMC-AL-D-IMC-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE FY TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2593 IMC-AL-CM-IMC-CIC-FY DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2594 IMC-AL-CM-IMC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR CLASS MANAGER.

2595 IMC-AL-CM-CIC-FY-T DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2596 IMC-AL-CM-IMC-CIC-FY-T DLIS-BB F 8
ITEM MGMT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2597 SURCHG-PRCSG-YR SUR_PRC_YR_2597 DLIS-S F SMALLINT 2
SURCHARGE PROCESSING YEAR
THIS REPRESENTS THE YEAR THAT THE SURCHARGE PRICE WAS APPLIED AGAINST THE ITEM.

2598 SURCHG-ERR-IND DLIS-S F CHAR 1
SURCHARGE ERROR INDICATOR
A CODE APPLIED BY THE DEFENSE LOGISTICS INFORMATION SERVICE TO INDICATE THE REASON WHY THE SUBMITTED SURCHARGE RECORD WAS RETURNED TO THE SUBMITTER.

2599 SURCHG-PRCSG-UNIT-PR SUR_PRC_UN_PR_2599 DLIS-S F CHAR 9
SURCHARGE PROCESSING UNIT PRICE
THE SURCHARGE PRICE IS ESTABLISHED BY THE MANAGING ACTIVITY. THIS PRICE IS USED TO MASS CHANGE THE UNIT PRICE ON ALL USERS OF THE ITEM. THIS SURCHARGE PRICE IS USED TO OVERLAY THE SUBMITTED PRICE DURING SURCHARGE SPECIAL PROCESSING.

2601 LNG-NM LNG_NM_2601 DLIS-SCB F CHAR 50
ITEM LONG NAME
THE FIRST 50 CHARACTERS OF AN APPCOURD, COLLOQUIAL, OR BASIC ENTRY USED TO CHECK FOR POSSIBLE DUPLICATION DURING 'NAME' ASSIGNMENT. FOR KEYING (INDEX) PURPOSES ALL CHARACTERS WILL BE UPPER CASE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FOR A REPOSITORY, A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO ADDRESSES IN A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF. THE CODE IS ALSO USED FOR FORMATTING ADDRESS LABELS IN ZIP CODE SEQUENCE.

2624	RPTY-E-MAIL-ADRS REPOSITORY E MAIL ADDRESS THE ELECTRONIC ADDRESS OF THE USERS OF THE PROCEDURES E MAIL SYSTEM OF A REPOSITORY.	RPTY_E_ML_ADR_2624	DLIS-VP	F CHAR	30
2625	RPTY-CLR-TXT2 REPOSITORY CLEAR TEXT - 2 SECOND OF UP TO FOUR LINES OF CLEAR TEXT DATA.	RPTY_CLR_TXT2_2625	DLIS-VP	V VARCHAR	60
2626	RPTY-CLR-TXT3 REPOSITORY CLEAR TEXT - 3 THE THIRD OF UP TO FOUR LINES OF CLEAR TEXT DATA.	RPTY_CLR_TXT3_2626	DLIS-VP	V VARCHAR	60
2627	RPTY-CLR-TXT4 REPOSITORY CLEAR TEXT - 4 THE FOURTH OF UP TO FOUR LINES OF CLEAR TEXT DATA.	RPTY_CLR_TXT4_2627	DLIS-VP	V VARCHAR	60
2628	TM-TRANS-OP-ADRS-ID TM TRANSACTION OUTPUT ADDRESS IDENTIFIER THE UNIQUE IDENTIFIER THAT DENOTES A TM TRANSACTION OUTPUT ADDRESS FORPROVISIONING OR MAINTENANCE/NOTIFICATION.	TM_OP_ADRS_ID_2628	DLIS-VP	F CHAR	3
2631	DAI DATA ASSET IDENTIFIER AN ELEMENT IN THE MEDALS DATABASE CONSISTING OF DOCUMENT NUMBER, CAGE CODE, DOCUMENT TYPE AND REVISION LEVEL THAT UNIQUELY IDENTIFIES A SPECIFIC ENGINEERING DRAWING.		DLIS-V	V	25
2632	MEDALS-DOC-NBR MEDALS DOCUMENT NUMBER A NUMBER ASSIGNED BY THE ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITYOF A DOCUMENT TO IDENTIFY THAT DOCUMENT.	MDLS_DOC_NBR_2632	DLIS-VP	F CHAR	32
2633	DOC-TYP DOCUMENT TYPE A CODE ASSIGNED TO ENGINEERING DRAWINGS IAW MIL-STD-100 INDICATING THE TYPE OF DRAWING IT IS. SEE MIL-STD-804 FOR DEFINITION OR CONTACT THE TECHNICAL DATA REPOSITORY WHERE THE ENGINEERING DRAWING IS MAINTAINED.	DOC_TYP_2633	DLIS-V	F CHAR	3
2634	DRC DATA RIGHTS CODE A CODE ASSIGNED TO TECHNICAL DATA INDICATING THE RIGHTS TO USE,DUPLICATE, RELEASE, OR DISCLOSE TECHNICAL DATA.	DRC_2634	DLIS-V	F CHAR	1
2635	DRC-VAL-TX DATA RIGHTS CODE VALUE TEXT THE DEFINITION TEXT OF THE DISTRIBUTION REQUIREMENTS INDICATED BY THEASSIGNED DATA RIGHTS CODE (DRC).	DRC_VAL_2635	DLIS-VP	F CHAR	15
2636	ERR-MSG-1 ERROR MESSAGE 1		DLIS-V	V	78

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2833 MOE-CD MOE_CD_2833 DLIS-SBA F CHAR 2
 MAJOR ORGANIZATIONAL ENTITY (MOE) CODE
 A CODE REPRESENTING THE SUBDIVISION OF A U.S. GOVERNMENTAL ORGANIZATION OR AN AGENCY OF THE NORTH ATLANTIC TREATY ORGANIZATION NATIONS, OTHER FRIENDLY GOVERNMENTS AND INTERNATIONAL ORGANIZATIONS PARTICIPATING IN THE FEDERAL CATALOG PROGRAM. SEE VOLUME 10, TABLES [51](#) AND [174](#) AND QUICK INFO ON-LINE.

2834 SP-MAT-IDEN-CD SMIC_NVY_2834 DLIS-SBA F CHAR 2
 SPECIAL MATERIAL IDENTIFICATION CODE
 A CODE EMPLOYED BY THE NAVY TO CLASSIFY ITEMS INTO CATEGORIES BY SYSTEMS OR COMPONENTS OF SYSTEMS. SEE [VOLUME 10, TABLE 60](#) AND QUICK INFO ON-LINE.

2835 COND-CD-FED DLIS-SBA F 2
 CONDITION CODE, FEDERAL
 A CODE THAT INDICATES THE CURRENT PHYSICAL CONDITION OF THE SPECIFIC PROPERTY BEING REPORTED FOR SCREENING. SEE [VOLUME 10, TABLE 151](#) AND QUICK INFO ON-LINE.

2836 MAT-MGMT-AG-CD-AF MMAC_AF_2836 DLIS-SBA F CHAR 2
 MATERIEL MANAGEMENT AGGREGATION CODE (MMAC), AIR FORCE
 A TWO POSITION ALPHABETIC CODE /AA THROUGH ZZ/ AUTHORIZED TO IDENTIFY SPECIFIC ITEMS /NATIONAL STOCK NUMBER/ TO BE MANAGED BY A SPECIFIC MANAGER. THESE CODES APPLY TO /1/ SYSTEMS /2/ PROGRAMS /3/ AGGREGATION OF RELATED EQUIPMENT AND /4/ SELECTED FEDERAL SUPPLY CLASSES. SEE [VOLUME 10, TABLE 66](#) AND QUICK INFO ON-LINE.

2841 ERRC-CNDM-LV-AF ERRC_CNDM_LV_2841 DLIS-SB F CHAR 15
 EXPEND RECOVER REPAIR CATEGORY CONDEMN LVL AIR FORCE
 REPRESENTS THE LOWEST MAINTENANCE LEVEL AT WHICH CONDEMNATION IS NORMALLY ACCOMPLISHED. DOES NOT PRECLUDE CONDEMNATION AT A LOWER LEVEL WHEN THE ITEM MEETS THE CONDITION CONDEMNED CRITERIA. THE LOWEST CONDEMNATION LEVEL WILL ALSO REPRESENT THE HIGHEST MAINTENANCE LEVEL AT WHICH REPAIR IS NORMALLY ACCOMPLISHED. POSSIBLE CONDEMNATION LEVELS ARE DEPOT, INTERMEDIATE, AND USER. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2842 ERRC-DSG-AF ERRC_DSG_AF_2842 DLIS-SB F CHAR 3
 EXPEND RECOVER REPAIR CATEGORY DESIGNATOR AIR FORCE
 A THREE-POSITION ERRC DESIGNATOR, COMPLETELY INTERCHANGEABLE WITH A ONE-POSITION ERRC CODE ERRC-CD-AF (DRN 2655), GENERALLY USED IN CORRESPONDENCE AND PUBLICATIONS. THE FIRST POSITION, N (NONEXPENDABLE) OR X (EXPENDABLE), HAS A SPECIAL MEANING AND REFERENCE MUST BE SECURED FROM THE REGULATION. THE SECOND POSITION IDENTIFIES RECOVERABLE ITEMS THROUGH REPAIRS AND THE LOWEST MAINTENANCE REPAIR LEVEL TO CONDEMNING AN ITEM. THE THIRD POSITION, EXCEPT FOR CATEGORY 1 (SCARS), IS MEANINGFUL ONLY WHEN USED WITH THE FIRST TWO POSITIONS.

2843 ERRC-EXP-Y-N-AF ERRC_EXP_Y_N_2843 DLIS-SB F CHAR 3
 EXPEND RECOVER REPAIR CATEGORY EPEND YES OR NO AIR FORCE
 THIS IS A SPECIAL AF TERM DEALING WITH MATERIEL ACCOUNTABILITY. (SEE AFM 67-1, VOL. 1, PART FOUR, ATTACHMENT 27.) POSSIBLE EXPENDABLE ENTRIES ARE YES AND NO. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2844 ERRC-REP-Y-N-AF ERRC_REP_Y_N_2844 DLIS-SB F CHAR 3
 EXPEND RECOVER REPAIR CATEGORY REPBL AIR FORCE
 THIS IS A SPECIAL AF TERM DENOTING THE REPARABILITY CATEGORY EMPLOYED IN MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE AIR FORCE. POSSIBLE REPARABLE ENTRIES ARE YES AND NO. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE INDICATING WHETHER OR NOT THE ITEM HAS REPARABLE CHARACTERISTICS AND WHETHER OR NOT THE ITEM HAS BEEN SUBJECTED TO REPARABLE CHARACTERISTICS REVIEW. THIS CODE IS APPLICABLE TO DLA MANAGED ITEMS ONLY. NOTE: ITEMS IN THIS CODE CATEGORY ARE NOT "REPARABLE" AS DEFINED IN DOD 4100.26-M, VOLUME 1, WHICH WOULD QUALIFY THEM FOR SERVICE RETENTION RATHER THAN COMMODITY INTEGRATED MATERIEL MANAGEMENT, BUT THEY ARE SYNONYMOUS WITH THE DEFINITION OF "RECOVERABLE" AS CONTAINED IN PARAGRAPH 1-3W OF DLAM 4151.1. SEE [VOLUME 10, TABLE 130](#) AND QUICK INFO ON-LINE.

2936 FMR-SUPPLM-RCVR DLIS-SBA F 2
FORMER SUPPLEMENTARY RECEIVER
AN ACTIVITY FORMERLY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2938 SICA-CD SICA_2938 DLIS-SB F CHAR 2
SECONDARY INVENTORY CONTROL ACTIVITY (SICA)
A CODE THAT IDENTIFIES A SUPPLY CONTROL ACTIVITY RESPONSIBLE FOR CONTROLLING STOCK LEVELS AND MAINTAINING ITEM ACCOUNTABILITY WHEN SUPPLY SUPPORT IS FURNISHED BY A DIFFERENT SERVICE OR AGENCY OR, IN THE CASE OF DEFENSE SUPPLY CENTERS, RESPONSIBLE FOR RESIDUAL SUPPLY MANAGEMENT ACTIONS NOT TRANSFERRED TO THE GENERAL SERVICES ADMINISTRATION /GSA/. SHORT TITLE-SICA. FORMERLY-THE RETAIL MANAGER.

2943 SHLF-LIF-CD SLC_2943 DLIS-SBA F CHAR 1
SHELF LIFE CODE
A CODE INDICATING THE STORAGE TIME PERIOD OR PERISHABILITY OF AN ITEM. *THIS DATA IS CODIFIED BY ONE CHARACTER WHICH MAY BE AN ALPHA OR A NUMERIC. SEE [VOLUME 10, TABLES 50 AND 143](#) AND QUICK INFO ON-LINE.

2948 SOS-MOD-CD SOSM_CD_2948 DLIS-SBA F CHAR 3
SOURCE OF SUPPLY MODIFIER (SOSM) CODE
A CODE DENOTING ROUTING INFORMATION FOR REQUISITIONS WHICH CANNOT BE ADDRESSED TO A SINGLE MILSTRIP /MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES/ ROUTING IDENTIFIER OR WHEN A SINGLE ROUTING IDENTIFIER CANNOT BE ASSIGNED. SHORT TITLE - SOSM.SEE [VOLUME 10, TABLES 59 AND 113](#) AND QUICK INFO ON-LINE.

2959 STRS-ACCT-MC STRS_ACT_MC_2959 DLIS-SBA F CHAR 1
STORES ACCOUNT-MARINE CORPS
A CODE USED TO INDICATE THE TYPE OF FUNDS EMPLOYED WITHIN THE MARINE CORPS IN SUPPLY SUPPORT OPERATIONS.SEE [VOLUME 10, TABLE 55](#) AND QUICK INFO ON-LINE.

2980 TECH-DATA-SPT-CD DLIS-SB F 1
TECHNICAL DATA SUPPORT CODE
AN INTERNAL CODE DERIVED FROM THE DOCUMENT AVAILABILITY CODE DENOTING WHAT DOCUMENTATION WAS AVAILABLE AT THE TIME A NATIONAL ITEM IDENTIFICATION NUMBER WAS ASSIGNED.

3006 ENV-PREF-PROD-CTGY-NM ENAC_CTGY_NM_3006 DLIS-SBA F CHAR 100
ENVIRONMENTALLY PREFERRED PRODUCT CATEGORY NAME
A CLEAR TEXT NAME THAT DEFINES THE PRODUCT CATEGORY WITHIN AN ENVIRONMENTAL ATTRIBUTE AS APPROVED BY THE JOINT GROUP ON ENVIRONMENTAL ATTRIBUTES THAT IS USED TO PROVIDE A MEANS OF IDENTIFYING ITEMS OF SUPPLY THAT HAVE ENVIRONMENTALLY PREFERRED CHARACTERISTICS. (A SUBGROUP OF A QUALIFYING PRODUCT, GROUP, OR CLASS OF PRODUCTS THAT A SPECIFIC ATTRIBUTE APPLIES TO.)

3007 ENV-PREF-ATTR-CLAS-NM ENAC_ATTR_NM_3007 DLIS-SBA F CHAR 100
ENVIRONMENTALLY PREFERRED ATTRIBUTE CLASS NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CLEAR TEXT NAME THAT DEFINES THE ENVIRONMENTAL ATTRIBUTE AS APPROVED BY THE JOINT GROUP ON ENVIRONMENTAL ATTRIBUTES THAT IS USED TO PROVIDE A MEANS OF IDENTIFYING ITEMS OF SUPPLY THAT HAVE ENVIRONMENTALLY PREFERRED CHARACTERISTICS. (A POSITIVE ENVIRONMENTAL CHARACTERISTIC OR TRAIT THAT, WHEN APPLIED TO A QUALIFYING PRODUCT, GROUP, OR CLASS OF PRODUCTS, IDENTIFIES THOSE PRODUCTS AS HAVING A LESS NEGATIVE IMPACT UPON THE ENVIRONMENT THAN OTHER SIMILAR PRODUCTS.)

3009 ENVRNMTL-DATA-CHN DLIS-SBA F CHAR 6
ENVIRONMENTAL DATA CHAIN

A CHAIN OF UP TO THREE ENVIRONMENTAL ATTRIBUTE CODES (DRN 3025) USED FOR OUTPUT PURPOSES. (NOTE: WHEN FOUR OR MORE CODES ARE USED THE LAST CODE IN THE CHAIN WILL BE REPLACED WITH THE CHARACTERS 'ZZ'.)

3010 ENVRNMTL-ATTR-DEF-TX ENAC_DEF_3010 DLIS-SB V VARCHAR 100
ENVIRONMENTAL ATTRIBUTE DEFINITION TEXT

THE CLEAR TEXT DEFINITION OF THE ENVIRONMENTAL ATTRIBUTE CODE (ENAC_3025). SEE [VOLUME 10, TABLE 194](#).

3025 ENVRNMTL-ATTR-CD ENAC_3025 DLIS-SBA F CHAR 2
ENVIRONMENTAL ATTRIBUTE CODE

A CODE THAT IS USED TO PROVIDE A MEANS OF IDENTIFYING ITEMS OF SUPPLY THAT HAVE ENVIRONMENTALLY PREFERRED CHARACTERISTICS. SEE [VOLUME 10, TABLE 194](#) AND QUICK INFO ON-LINE.

3040 UFC-CD-MODF UFC_CD_MODF_3040 DLIS-SBA F CHAR 5
UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED)

A CODE THAT DIVIDES ARTICLES INTO GROUPS OR CLASSES ACCORDING TO PHYSICAL CHARACTERISTICS. FIRST STEP IN ESTABLISHING CHARGES FOR THE MOVEMENT OF MATERIAL BETWEEN SPECIFIED POINTS. THE CLASSIFICATION IS BASED ON CARLOAD VERSUS LESS THAN CARLOAD. THE UNIFORM FREIGHT CLASSIFICATION PUBLISHES RATINGS FROM CLASS 13 TO 400 /4 TIMES FIRST CLASS/. USED EXTENSIVELY BY THE RAIL CARRIERS AND BY SOME MOTOR CARRIERS.

3041 OLD-UI-CD OLD_UI_CD_3041 DLIS-SB F CHAR 2
OLD UNIT OF ISSUE CODE

THIS FIELD CONTAINS THE OLD UNIT OF ISSUE CODE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 079.

3042 NEW-UI-CD NEW_UI_CD_3042 DLIS-SB F CHAR 2
NEW UNIT OF ISSUE CODE

THIS FIELD CONTAINS THE NEW UNIT OF ISSUE CODE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3043 SEQ-KEY SEQ_KEY_3043 DLIS-SB F CHAR 1
SEQUENCE KEY

THIS FIELD CONTAINS A SINGLE ALPHABETIC SEQUENCE (STARTING WITH A) CHARACTER WHICH ALLOWS FOR SUBCATEGORIES UNDER UNIT OF ISSUE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3044 OLD-QUANT-EXP OLD_QUANT_EXP_3044 DLIS-SB F CHAR 13
OLD QUANTITATIVE EXPRESSION

THIS FIELD CONTAINS THE OLD QUANTITATIVE EXPRESSION (USED IN COMPUTATIONS). THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3045 NEW-QUANT-EXP NEW_QUANT_EXP_3045 DLIS-SB F CHAR 13
NEW QUANTITATIVE EXPRESSION

THIS FIELD CONTAINS THE NEW QUANTITATIVE EXPRESSION (USED IN COMPUTATIONS). THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

3046 OLD-UI-TEXT OLD_UI_TEXT_3046 DLIS-SB V VARCHAR 50
 OLD UNIT OF ISSUE TEXT
 THIS FIELD CONTAINS THE OLD UNIT OF ISSUE TEXT. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3047 NEW-UI-TEXT NEW_UI_TEXT_3047 DLIS-SB V VARCHAR 50
 NEW UNIT OF ISSUE TEXT
 THIS FIELD CONTAINS THE NEW UNIT OF ISSUE TEXT. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3048 FRST-PHRS-CD FRST_PHRS_CD_3048 DLIS-SB F CHAR 1
 FIRST PHRASE CODE
 THIS FIELD CONTAINS A PHRASE CODE (DRN 2862) WHICH IS BEING MATCHED WITH A SECOND PHRASE CODE (DRN 3049) IN THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3049 SCND-PHRS-CD SCND_PHRS_CD_3049 DLIS-SB F CHAR 1
 SECOND PHRASE CODE
 THIS FIELD CONTAINS A PHRASE CODE (DRN 2862) WHICH IS BEING MATCHED WITH A FIRST PHRASE CODE (DRN 3048) IN THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3050 UI UI_3050 DLIS-SBA F CHAR 2
 UNIT OF ISSUE
 A CODE INDICATING THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSES OR REQUISITIONING BY, AND ISSUE TO, THE END-USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICE IS ASCRIBED. SEE VOLUME 10, TABLES 53, 79 AND 143 AND QUICK INFO ON-LINE.

3051 PHRS-CD-COMB-NT-IND PH_CD_NT_IND_3051 DLIS-SB F CHAR 1
 PHRASE CODE COMBINATION NOTE INDICATOR
 THIS FIELD CONTAINS THE SINGLE CHARACTER NOTE CODE REFERENCE TO THE NOTES FOR THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3053 UI-CONV-FAC UI_CONV_FAC_3053 DLIS-SBA F CHAR 5
 UNIT OF ISSUE CONVERSION FACTOR
 THE QUANTITATIVE VALUE BY WHICH THE PROPER QUANTITY PER UNIT OF ISSUE MUST BE MULTIPLIED TO ARRIVE AT AN EQUAL QUANTITY OF THE NEW UNIT OF ISSUE. SEE VOLUME 10, TABLE 79 AND QUICK INFO ON-LINE.

3054 SNA-REMOT-SYS-ID SNA_REMOT_ID_3054 DLIS-SBA F CHAR 4
 SNA REMOTE SYSTEM IDENTIFIER
 THE IDENTIFIER THAT REPRESENTS THE REMOTE SYSTEM CONNECTED TO IN A SNA LU6.2 CONNECTION.

3058 MRC-NUM-VALUE DLIS-SB F 2
 MRC NUMERIC VALUE
 COUNT OF MRCs WITH A OR B REPLYs.

3059 TMSTMP TMSTMP_3059 DLIS-SB F TIMESTAMP 26
 TIME STAMP
 TIME STAMP USED FOR EFFECTIVE DATE YYYY - YEAR YYYY-MM-DD-HH.MM.SS.NNNNNN MM - MONTH EXAMPLE: 1990-10-27-03.30.00 DD - DAY HH - HOUR MM - MINUTES SS - SECONDS NN - MICROSECONDS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
3060	AND-OR-IND AND OR INDICATOR USED TO INDICATE WHETHER TO USE 'AND' OR 'OR' AS THE CONNECTOR OF TEXT FROM 'CODED/CLEAR REPLY'.	AND_OR_IND_3060	DLIS-SB	F CHAR	1
3063	TEXT-KEYWORD TEXT KEYWORD TEXT FOR A KEYWORD SEARCH OF BYWORDS OF A SET OF TEXT DATA USED BY CHARACTERISTIC SEARCH.		DLIS-SB	F	35
3065	STAT-LVL-AUTH-CD1 STATISTICS LEVEL OF AUTHORITY CODE1 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA1_3065	DLIS-SBA	F CHAR	2
3066	STAT-LVL-AUTH-CD STATISTICS LEVEL OF AUTHORITY CODE A CODE THAT INCLUDES BOTH PRIMARY INVENTORY CONTROL ACTIVITY (PICA) (DRN 3505) OR SECONDARY INVENTORY CONTROL ACTIVITY (SICA) (DRN 9547) FOR STATISTICAL USE ONLY.	STAT_LOA_3066	DLIS-SBA	F CHAR	2
3067	STAT-LVL-AUTH-CD2 STATISTICS LEVEL OF AUTHORITY CODE2 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA2_3067	DLIS-SBA	F CHAR	2
3068	STAT-LVL-AUTH-CD3 STATISTICS LEVEL OF AUTHORITY CODE3 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA3_3068	DLIS-SBA	F CHAR	2
3069	STAT-LVL-AUTH-CD4 STATISTICS LEVEL OF AUTHORITY CODE4 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA4_3069	DLIS-SBA	F CHAR	2
3070	STAT-LVL-AUTH-CD5 STATISTICS LEVEL OF AUTHORITY CODE5 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA5_3070	DLIS-SBA	F CHAR	2
3071	STAT-LVL-AUTH-CD6 STATISTICS LEVEL OF AUTHORITY CODE6 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA6_3071	DLIS-SBA	F CHAR	2
3073	J-TBL-REPLY J TABLE REPLY THE REPLY CODE PORTION(S) FOR A J MODE CODE MRC.	J_TBL_REPLY_3073	DLIS-SC	F CHAR	12
3074	MRC-VALUE-MAX MRC VALUE MAXIMUM MAXIMUM VALUE OF AN MRC IN CHARACTERISTIC SEARCH.		DLIS-SC	F	4
3075	MRC-VALUE-MIN MRC VALUE MINIMUM MINIMUM MRC FOR CHARACTERISTIC SEARCH.		DLIS-SC	F	4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3076	MRC-VALUE-NOM MRC VALUE NOMINAL NOMINAL VALUE OF AN MRC IN CHARACTERISTIC SEARCH.		DLIS-SC	F		4
3077	H-TBL-VALUE H TABLE VALUE VALUE OF AN H MODE REPLY.	H_TBL_VALUE_3077	DLIS-SC	F	VARCHAR	48
3078	F-MIN-VALUE F MINIMUM VALUE MINIMUM VALUE OF AN F MODE REPLY.	F_MIN_VALUE_3078	DLIS-SC	F	DECIMAL	15
3079	F-NOM-VALUE F NOMINAL VALUE NOMINAL VALUE OF AN F MODE REPLY.	F_NOM_VALUE_3079	DLIS-SC	F	INTEGER	15
3084	PINC PSEUDO INC ITEM NAME CODE PSEUDO ITEM NAME CODE USED TO IDENTIFY EITHER AN APPROVED ITEM NAME (SEE INC, DRN 4080) OR A NON-APPROVED ITEM NAME (SEE NAIN-CD, DRN 3237).	PINC_3084	DLIS-SC	F	CHAR	7
3087	PC-DN-LD-LINE PC DOWNLOAD LINE A LINE OF TEXT DOWNLOADED FROM SCREEN DISPLAYS IN LOLA TO A PC.	PC_DN_LD_LINE_3087	DLIS-SB	F	VARCHAR	80
3088	CLRTXT-KEY CLEAR TEXT REPLY CLEAR TEXT CHARACTER STRING USED TO PERFORM A KEYWORD SEARCH WITHIN A SELECTED MRC IN THE CHARACTERISTICS SEARCH APPLICATION.	CLRTXT_KEY_3088	DLIS-SC	F	CHAR	35
3090	STAT-LVL-AUTH-COMB STATISTICS LEVEL OF AUTHORITY COMBINATION THIS ELEMENT IS A CONCATENATION OF DRNs 3065, 3067, 3068, 3069, 3070, 3071.	STAT_LOA_COMB_3090	DLIS-SB	F	CHAR	12
3101	REF-SCRN-IND REFERENCE SCREENING INDICATOR A CODE USED TO ESTABLISH THE TYPE OF MATCH CODE RESULTING ON CONDITIONS REVEALED BY REFERENCE NUMBER SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) ASSIGNMENT.	REF_SCRN_IND_3101	DLIS-V	V	CHAR	8
3102	CHAR-SCRN-IND CHARACTERISTIC SCREENING INDICATOR A CODE USED TO ESTABLISH THE TYPE OF MATCH CODE RESULTING ON CONDITIONS REVEALED BY CHARACTERISTIC SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) ASSIGNMENT.	CHAR_SCRN_IND_3102	DLIS-V	V	CHAR	8
3103	TYP-MATCH TYPE MATCH THE TYPE OF MATCH RESULTS BASED ON CONDITIONS REVEALED BY REFERENCE NUMBER AND/OR CHARACTERISTICS SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER (NIIN).	TYP_MATCH_3103	DLIS-V	V	CHAR	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3104	RESULT-ACTN	RESULT_ACTN_3104	DLIS-V	V CHAR	30
RESULT ACTION					
THE RESULTING ACTION BASED ON CONDITIONS REVEALED BY REFERENCE NUMBER AND/OR CHARACTERISTIC SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) ASSIGNMENT.					
3105	RNCC-MUST-HAVE-RNG	RNCC_MS_H_RNG_3105	DLIS-V	F CHAR	1
REFERENCE NUMBER CATEGORY CODE MUST HAVE RANGE					
THE ACCEPTABLE MUST HAVE RANGE FOR RNCC FOR EACH TYPE OF ITEM IDENTIFICATION.					
3106	RNVC-MUST-HAVE-RNG	RNVC_MS_H_RNG_3106	DLIS-V	F CHAR	1
REFERENCE NUMBER VARIATION CODE MUST HAVE RANGE					
THE ACCEPTABLE MUST HAVE RANGE FOR RNVC FOR EACH TYPE OF ITEM IDENTIFICATION.					
3107	DAC-MUST-HAVE-RNG	DAC_MUST_RNG_3107	DLIS-V	F CHAR	1
DOCUMENT AVAILABILITY CODE MUST HAVE RANGE					
THE ACCEPTABLE MUST RANGE FOR DAC FOR EACH TYPE OF ITEM IDENTIFICATION.					
3108	VLD-REF-MST-HV-NOTE-IND	VLD_REF_MST_3108	DLIS-V	F CHAR	1
VALID REFERENCE MUST HAVE NOTE INDICATOR					
ONE ASTERISK TO INDICATE THAT THIS COMBINATION MUST ALWAYS HAVE ONE ADDITIONAL REFERENCE NUMBER CODED RNCC 3.					
3109	RNCC-MAY-HAVE-RNG	RNCC_MA_H_RNG_3109	DLIS-V	F CHAR	1
REFERENCE NUMBER CATEGORY CODE MAY HAVE RANGE					
THE ACCEPTABLE MAY HAVE RANGE FOR RNCC FOR EACH TYPE OF ITEM IDENTIFICATION.					
3110	RNVC-MAY-HAVE-RNG	RNVC_MA_H_RNG_3110	DLIS-V	F CHAR	1
REFERENCE NUMBER VARIATION CODE MAY HAVE RANGE					
THE ACCEPTABLE MAY HAVE RANGE FOR RNVC FOR EACH TYPE OF ITEM IDENTIFICATION.					
3111	DAC-MAY-HAVE-RNG	DAC_MAY_RNG_3111	DLIS-V	F CHAR	1
DOCUMENT AVAILABILITY CODE MAY HAVE RANGE					
THE ACCEPTABLE MAY HAVE RANGE FOR DAC FOR EACH TYPE OF ITEM IDENTIFICATION.					
3112	VLD-REF-MAY-HV-NOTE-IND	VLD_REF_MAY_3112	DLIS-V	V CHAR	10
VALID REFERENCE MAY HAVE NOTE INDICATOR					
TWO OR THREE ASTERISKS TO INDICATE NOTES APPLICABLE TO THESE COMBINATIONS.					
3113	FMT-REF-NBR-GOVT-CAGE	FMT_R_NBR_CAG_3113	DLIS-V	V CHAR	15
FORMAT REFERENCE NUMBER GOVT COMMERCIAL AND GOVT ENTITY					
THE ACCEPTABLE FORMAT REQUIRED FOR A SPECIFIC GOVERNMENT COMMERCIAL AND GOVERNMENT ENTITY CODE REFERENCE NUMBER.					
3114	FMT-EXAMPLE	FMT_EXAMPLE_3114	DLIS-V	V CHAR	11
FORMAT EXAMPLE					
AN EXAMPLE OF THE ACCEPTABLE FORMAT REQUIRED FOR A SPECIFIC GOVERNMENT COMMERCIAL AND GOVERNMENT ENTITY CODE REFERENCE NUMBER.					
3115	SCRN-RNCC	SCRN_RNCC_3115	DLIS-V	F CHAR	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

SCREENING REFERENCE NUMBER CATEGORY CODE

THE ACCEPTABLE REFERENCE NUMBER CATEGORY CODE COMBINATION FOR ITEM OF SUPPLY CONCEPT TYPE OF SCREENING, CODE P REFERENCE NUMBER SEARCH PROCESS.

3116 SCRN-RNVC SCRN_RNVC_3116 DLIS-V F CHAR 1

SCREENING REFERENCE NUMBER VARIATION CODE

THE ACCEPTABLE REFERENCE NUMBER VARIATION CODE COMBINATION FOR ITEM-OF-SUPPLY CONCEPT, TYPE OF SCREENING CODE P REFERENCE NUMBER SEARCH PROCESS.

3117 REF-NBR-DUP-DEC-IND R_N_DUP_DEC_I_3117 DLIS-V V CHAR 4

REFERENCE NUMBER DUPLICATION DECISION NOTE INDICATOR

ONE OR MORE ASTERISKS TO INDICATE THAT A NOTE FURTHER DEFINES THIS DUPLICATION DECISION.

3118 OP-MODE-MED-CD-DESC OP_MOD_MED_EX_3118 DLIS-V F VARCHAR 90

OUTPUT MODE/MEDIA CODE DESCRIPTION

DESCRIPTION OF CODES TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT.

3119 FIXED-VAR-LEN-MED-IND F_V_LEN_IND_3119 DLIS-V F CHAR 2

FIXED VARIABLE LENGTH MEDIA INDICATOR

A CODE USED TO IDENTIFY THE MODE/MEDIA OF DIDS OUTPUT AS TO VARIABLE LENGTH OR FIXED (80-COLUMN).

3120 EAM-CARD-INTERP-IND EAM_CRD_INTRP_3120 DLIS-V F CHAR 2

ELECTRICAL ACCOUNTING MACHINE (EAM) CARD INTERPRETED INDIC

A CODE USED TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT OF EAM CARDS.

3121 LISTIN-PART-PAPER-IND LST_PRT_P_IND_3121 DLIS-V F CHAR 2

LISTING PART PAPER INDICATOR

A CODE USED TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM AS TO THE NUMBER OF PART PAPER USED.

3122 MAG-TAPE-TRCKS-ENCOD-IND MT_TRC_ENCD_I_3122 DLIS-V V VARCHAR 90

MAGNETIC TAPE TRACKS ENCODED INDICATOR

A CODE USED TO IDENTIFY THE MODE/MEDIA OF FEDERAL LOGISTICS INFORMATION SYSTEM AS TO THE NUMBER TRACKS ON THE MAGNETIC TAPE.

3123 MAG-TAPE-USAGE-NOTE MT_USG_NOTE_3123 DLIS-V V VARCHAR 90

MAGNETIC TAPE USAGE NOTE

A NOTE USED TO EXPLAIN THE ACCEPTABLE USAGE FOR MAGNETIC TAPES.

3124 MAG-TAPE-DENSITY-IND MT_DNSTY_IND_3124 DLIS-V V CHAR 4

MAGNETIC TAPE DENSITY INDICATOR

A NUMBER INDICATING THE DENSITY OF A MAGNETIC TAPE IN BITS PER INCH.

3125 MAG-TAPE-PARITY-IND MT_PRTY_IND_3125 DLIS-V V CHAR 4

MAGNETIC TAPE PARITY INDICATOR

A CODE USED TO DESCRIBE IF THE PARITY OF THE MAGNETIC TAPE IS EVEN OR ODD.

3126 MAG-TAPE-BLCKNG-FAC-IND MT_BLK_FAC_3126 DLIS-V V CHAR 24

MAGNETIC TAPE BLOCKING FACTOR INDICATOR

A NUMBER USED TO IDENTIFY THE BLOCKING FACTOR FOR MAGNETIC TAPES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3127 MAG-TAPE-LAB-IND MT_LAB_IND_3127 DLIS-V V CHAR 8
MAGNETIC TAPE LABEL INDICATOR
A CODE USED TO IDENTIFY IF A MAGNETIC TAPE IS STANDARD LABEL OR NO LABEL PRESENT.

3128 RNCC-IN RNCC_IN_3128 DLIS-V F CHAR 1
REFERENCE NUMBER CATEGORY CODE RNCC INCOMING
AN INCOMING CODE (RNCC) DESIGNATING THE RELATIONSHIP OF THE REFERENCE NUMBER TO THE ITEM OF SUPPLY TO DETERMINE A REFERENCE NUMBER DUPLICATION

3129 RNV-IN RNV_IN_3129 DLIS-V F CHAR 1
REFERENCE NUMBER VARIATION CODE RNV INCOMING
AN INCOMING CODE (RNV) INDICATING THAT A CITED REFERENCE NUMBER IS OR IS NOT ITEM IDENTIFYING , OR IS FOR INFORMATION ONLY TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3130 RNCC-DB RNCC_DB_3130 DLIS-V F CHAR 1
REFERENCE NUMBER CATEGORY CODE (RNCC) DATA BASE
THE CODE IN THE DATA BASE THAT IS CHECKED AGAINST THE INCOMING RNCC CODE TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3131 RNV-DB RNV_DB_3131 DLIS-V F CHAR 1
REFERENCE NUMBER VARIATION CODE (RNV) DATA BASE
THE CODE IN THE DATABASE THAT IS CHECKED AGAINST THE INCOMING RNV CODE TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3132 UNMATCHED-RNCC UNMTCH_RNCC_3132 DLIS-V V CHAR 12
UNMATCHED REFERENCE NUMBER CATEGORY CODE
THE CODE IN THE DATABASE OF AN ADDITIONAL REFERENCE NUMBER WHICH DOES NOT MATCH THE INCOMING REFERENCE NUMBER.

3133 REF-NBR-DUP-DEC R_N_DUP_DEC_3133 DLIS-V F CHAR 8
REFERENCE NUMBER DUPLICATION DECISION
THE DUPLICATION DECISION AS TO AN ACTUAL OR POSSIBLE MATCH FOR REFERENCE NUMBER CATEGORY CODE 2ND REFERENCE NUMBER VARIATION CODE.

3134 CIIM-RTN-ACTN-CD CIIM_RTN_CD_3134 DLIS-V F CHAR 2
COMMODITY INTEGRATED MATERIEL MGR RETURN ACTION CODE
A RETURN CODE USED TP INDICATE THE REASON ITEM MANAGEMENT CODING DATA WAS RETURNED TO THE SUBMITTER.

3135 OP-DIC DLIS-SB F 3
DIC OUTPUT
FIELD CONTAINS DIC GENERATED BY INPUT DIC. AN INPUT DIC MAY GENERATE ONE OR MORE OUTPUT DIC'S.

3136 NO-Q8-RTN-CD-ED NO_Q8_ED_3136 DLIS-SC F CHAR 1
NO Q8 RETURN CODE EDIT
FIELD THAT WILL INDICATE WHETHER OR NOT QB EDIT IS TO BE PERFORMED. BLANK MEANS DO EDIT, ANYTHING ELSE MEANS DON'T EDIT.

3137 CIIM-RTN-ACTN-CD-DEF-INS CIIM_RTN_DEF_3137 DLIS-V V VARCHAR 450

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

COMMODITY INTEGRATED MATERIAL MGR RETURN ACTION CODE
THE DEFINITION OF 2 RETURN CODE AS TO WHY ITEM MANAGEMENT CODING DATA WAS RETURNED TO THE SUBMITTER.

3138 CIIM-INPUT-FILE-IND CIIM_IN_IND_3138 DLIS-V V CHAR 15

COMMODITY INTEGRATED MATERIEL MANAGER INPUT FILE INDICATOR
CLEAR TEXT EXPRESSION INDICATING TYPE OF DATA: EITHER "FILE DATA" OR "INPUT DATA".

3139 CIIM-ACTN-RTN-TO CIIM_RTN_TO_3139 DLIS-V V CHAR 15

COMMODITY INTEGRATED MATERIEL MANAGER ACTION RETURN TO
THE PERSON TO WHOM THE RETURN CODE IS SENT FOR ITEM MANAGEMENT CODING DATA THAT REJECTED.

3140 RTN-CD-DEF-INST RTN_DEF_INST_3140 DLIS-V V VARCHAR 1400

RETURN CODE DEFINITION AND INSTRUCTION
THE DEFINITION OF A RETURN ACTION CODE DESCRIBING WHY A TRANSACTION WAS RETURNED.

3141 FU-STAT-CD-DEF FU_STAT_DEF_3141 DLIS-V V VARCHAR 125

FOLLOW-UP STATUS CODE DEFINITION
FOLLOW-UP STATUS CODE DEFINITION (TEXT).

3142 FU-STAT-CD-INST FU_STAT_INST_3142 DLIS-V V VARCHAR 125

FOLLOW-UP STATUS CODE INSTRUCTION
FOLLOW-UP STATUS CODE INSTRUCTION (TEXT)

3143 SEG-R-WITH-OP-DIC SGR_W_OP_DIC_3143 DLIS-V F CHAR 1

SEGMENT R WITH OUTPUT DOCUMENT IDENTIFIER CODE
INDICATES WHETHER SEGMENT R IS WITH OUTPUT

3144 SEG-R-W-O-OP-DIC SGR_WO_OP_DIC_3144 DLIS-V F CHAR 1

SEGMENT R WITHOUT OUTPUT DOCUMENT IDENTIFIER CODE
INDICATES SEGMENT R WITHOUT ANY OUTPUT DIC'S.

3145 CURR-TIR-SEG CURR_TIR_SEG_3145 DLIS-V F CHAR 1

CURRENT TOTAL ITEM RECORD SEGMENTS
INDICATOR FOR CURRENT TIR SEGMENTS.

3146 ADDNTL-R-P-Q-SEG ADD_R_P_Q_SEG_3146 DLIS-V F CHAR 1

ADDITIONAL R P Q SEGMENTS
INDICATES WHICH ADDITIONAL SEGMENTS ARE PROVIDED.

3147 USI-SVC-CD-EXPLN USI_SVC_CD_X_3147 DLIS-SB V VARCHAR 80

USING SERVICE CODE EXPLANATION
EXPLANATION OF VALID USING SERVICE CODES (TEXT)

3148 MAT-CAT-MC MAT_CAT_MC_3148 DLIS-SB V VARCHAR 80

MATERIEL CATEGORY MARINE CORPS
THE MATERIAL DESIGNATED BY THE MATERIEL MANAGEMENT CODE, MARINE CORPS.

3149 MGMT-AGNCY-GRP-OR-CLS-MC MGT_AG_G_C_MC_3149 DLIS-SB V VARCHAR 400

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MANAGEMENT AGENCY GROUP OR CLASS MARINE CORPS

THE MANAGEMENT AGENCY RESPONSIBLE FOR THE ALPHA MATERIEL MANAGEMENT CODE MARINE CORPS OR THE FEDERAL SUPPLY GROUP OR CLASS RESPONSIBLE FOR THE NUMERIC MATERIEL MANAGEMENT CODE.

3150 ECH-CD-MC ECH_CD_MC_3150 DLIS-SB F CHAR 1

ECHELON CODE MARINE CORPS

A CODE WHICH FURTHER DEFINES THE MATERIEL MANAGEMENT CODE MARINE CORPS. SEE [VOLUME 10, TABLE 54](#) AND QUICK INFO ON-LINE.

3151 ECH-ACQ-STK-MC EC_ACQ_STK_MC_3151 DLIS-SB V CHAR 40

ECHELON ACQUIRING STOCK MARINE CORPS

THE ECHELON ACQUIRING STOCK DESIGNATED BY THE ECHELON CODE MARINE CORPS.

3152 ECH-REM-MC ECH_REM_MC_3152 DLIS-SB V VARCHAR 350

ECHELON REMARKS MARINE CORPS

A REMARK WHICH FURTHER DEFINES THE ECHELON ACQUIRING STOCK MARINE CORPS.

3153 STRS-ACCT-EXPLN-MC STRS_ACT_MC_X_3153 DLIS-SB V CHAR 80

STORES ACCOUNT EXPLANATION MARINE CORPS

EXPLANATION OF VALID STORES ACCOUNT CODES (TEXT).

3154 RECOV-CD-EXPLN-MC RECOV_EX_MC_3154 DLIS-SB V VARCHAR 320

RECOVERABILITY CODE EXPLANATION MARINE CORPS

EXPLANATION OF VALID RECOVERABILITY CODES MARINE CORPS (TEXT).

3155 SP-MAT-APL-ITEM-OR-KIT SP_MAT_APL_IK_3155 DLIS-SB V VARCHAR 560

SPECIAL MATERIAL APPLICATION ITEM OR KIT

THE PREDOMINANT APPLICATION IDENTIFIED BY THE SPECIAL MATERIEL IDENTIFICATION CODE.

3156 MAT-CTL-CD-DEF-NVY MCC_NVY_EX_3156 DLIS-SB V VARCHAR 300

MATERIEL CONTROL CODE DEFINITION NAVY

THE DEFINITION OF VALID MATERIEL CONTROL CODES, NAVY.

3157 ACCTG-RQMTS-CD-EXPLN-AR ACT_RQM_BR_EX_3157 DLIS-SB V VARCHAR 400

ACCOUNTING REQUIREMENTS CODE EXPLANATION ARMY

EXPLANATION OF VALID ACCOUNTING REQUIREMENTS CODES, ARMY (TEXT).

3158 MAT-MGMT-AG-CD-DEF-AF MMAC_DEF_AF_3158 DLIS-SB V VARCHAR 640

MATERIAL MANAGEMENT AGGREGATION CODE DEFINITION AIR FORCE

THE DEFINITION OF VALID MATERIAL MANAGEMENT AGGREGATION CODES, AIR FORCE

3159 AF-BDGT-PGM AF_BDGT_PGM_3159 DLIS-SB V CHAR 3

AIR FORCE BUDGET PROGRAM

THE BUDGET PROGRAM IDENTIFIED BY THE AIR FORCE BUDGET CODE.

3160 AF-BDGT-APPRP AF_BDGT_APPRP_3160 DLIS-SB F CHAR 7

AIR FORCE BUDGET APPROPRIATION

THE APPROPRIATION IDENTIFIED BY THE AIR FORCE BUDGET CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
3161	AF-BDGT-CD-MDL-DEF	BDGT_CD_AF_EX_3161	DLIS-SB	V VARCHAR	280
AIR FORCE BUDGET CODE MANAGEMENT DATA LIST DEFINITION THE DEFINITION OF VALID AIR FORCE BUDGET CODES.					
3162	AF-BDGT-STK-FD-DIV	AF_BGT_STK_FD_3162	DLIS-SB	V CHAR	18
AIR FORCE BUDGET STOCK FUND DIVISION THE RESPONSIBLE STOCK FUND DIVISION FOR CERTAIN AIR FORCE BUDGET CODES.					
3163	FD-CD-DEF-AF	FD_CD_DEF_AF_3163	DLIS-SB	V VARCHAR	240
FUND CODE DEFINITION AIR FORCE THE DEFINITION OF VALID AIR FORCE FUND CODES.					
3164	ERRC-CD-EXPLN-AF	ERRC_EX_AF_3164	DLIS-SB	V VARCHAR	80
EXPEND RECOVER REPAR CATEGORY CODE EXPLANATION AIR FORCE EXPLANATION OF VALID EXPENDABILITY-RECOVERABILITY-REPARABILITY-CATEGORY CODES, AIR FORCE (TEXT).					
3165	CMBT-ESNTL-CD-EXPLN-MC	CMBT_MC_EXP_3165	DLIS-SB	V VARCHAR	320
COMBAT ESSENTIALITY CODE EXPLANATION MARINE CORPS EXPLANATION OF VALID COMBAT ESSENTIALITY CODES, MARINE CORPS.					
3166	MAT-IDEN-CD-EXPLN	MAT_ID_MC_EX_3166	DLIS-SB	V VARCHAR	80
MATERIAL IDENTIFICATION CODE EXPLANATION EXPLANATION OF VALID MATERIAL IDENTIFICATION CODES.					
3167	MAT-IDEN-CD-NOTE-IND	MAT_ID_MC_NOT_3167	DLIS-SB	F CHAR	1
MATERIAL IDENTIFICATION CODE NOTE INDICATOR AN INDICATION OF A NOTE EXCLUSIVE TO A PARTICULAR MATERIAL IDENTIFICATION CODE.					
3168	SP-HDLG-CD-EXPLN	SP_HDLG_CD_EX_3168	DLIS-SB	V VARCHAR	80
SPECIAL HANDLING CODE EXPLANATION EXPLANATION OF VALID SPECIAL HANDLING CODES (TEXT).					
3169	AIR-SP-HDLG-CD	AIR_S_HDLG_3169	DLIS-SB	F CHAR	1
AIR SPECIAL HANDLING CODE A CODE DENOTING AIR CARGO REQUIRING SPECIAL HANDLING OR REPORTING.					
3170	AIR-SP-HDLG-CD-EXPLN	AIR_S_HDLG_EX_3170	DLIS-SB	V VARCHAR	500
AIR SPECIAL HANDLING CODE EXPLANATION EXPLANATION OF VALID AIR SPECIAL HANDLING CODES (TEXT).					
3171	TYP-OF-OE-CD-EXPLN	TYP_OE_CD_EXP_3171	DLIS-SC	V VARCHAR	80
TYPE OF ORGANIZATIONAL ENTITY CODE EXPLANATION EXPLANATION OF VALID TYPE OF ORGANIZATIONAL ENTITY CODES (TEXT).					
3172	SP-MAT-CONT-CD-EXPLN	SP_MAT_CON_EX_3172	DLIS-SB	V VARCHAR	120
SPECIAL MATERIAL CONTENT CODE EXPLANATION EXPLANATION OF VALID SPECIAL MATERIAL CONTENT CODES.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
3173	FILE-MAINT-ACTN-CD-EXPLN	FILE_MAINT_EX_3173	DLIS-V	V VARCHAR 250
FILE MAINTENANCE ACTION CODES EXPLANATION EXPLANATION OF THE VALID FILE MAINTENANCE ACTION CODES (TEXT).				
3174	SEG-CD-SUPMTL-EXPLN	SEG_CD_SUP_EX_3174	DLIS-V	V VARCHAR 80
SEGMENT CODE SUPPLEMENTAL EXPLANATION EXPLANATION OF THE VALID CODES (TEXT).				
3175	DIDS-SEG-CD-EXPLN	DIDS_SEG_EX_3175	DLIS-V	F VARCHAR 80
DEFENSE INTEGRATED DATA SYSTEM SEGMENT CODE EXPLANATION EXPLANATION OF THE VALID SEGMENT CODES (TEXT).				
3176	OPRTNL-TST-CD-EXPLN	OPRTL_T_MC_EX_3176	DLIS-V	V VARCHAR 700
OPERATIONAL TEST CODE EXPLANATION EXPLANATION OF THE VALID TEST CODES (TEXT).				
3177	PHY-CTGY-CD-EXPLN	PHY_CTGY_MC_X_3177	DLIS-V	V VARCHAR 60
PHYSICAL CATEGORY CODE EXPLANATION EXPLANATION OF VALID PHYSICAL CATEGORY CODES (TEXT).				
3178	TYP-OF-SP-PRCSG-IND-CD-E	TYP_SP_PRC_E_3178	DLIS-V	V VARCHAR 360
TYPE OF SPECIAL PROCESSING INDICATOR CODE EXPLANATION EXPLANATION OF VALID SPECIAL PROCESSING INDICATOR CODES (TEXT).				
3179	INV-ACCT-CD-CG-EXPLN	INV_ACT_CG_EX_3179	DLIS-V	V VARCHAR 270
INVENTORY ACCOUNTING CODE COAST GUARD EXPLANATION EXPLANATION OF COAST GUARD INVENTORY ACCOUNT CODES (TEXT).				
3180	REPBL-CD-CG-EXPLN	REP_CD_CG_EX_3180	DLIS-V	V VARCHAR 180
REPARABILITY CODE COAST GUARD EXPLANATION EXPLANATION OF VALID REPARABILITY CODES.				
3181	NO-Q8-RTN-CD-ED-NVY	NO_Q8_ED_NVY_3181	DLIS-V	F CHAR 1
NO Q8 RETURN CODE EDIT NAVY FIELD THAT WILL INDICATE WHETHER OR NOT Q8 EDIT IS TO BE PERFORMED. BLANK MEANS DO EDIT, ANYTHING ELSE MEANS DON'T EDIT.				
3182	SER-NBR-CTL-CD-CG-EXPLN	SRN_CTL_CG_EX_3182	DLIS-SB	V VARCHAR 80
SERIAL NUMBER CONTRO CODE EXPLANATION EXPLANATION OF VALID CODES FOR SERIAL NUMBER CONTROL (TEXT).				
3185	REIMB-CD-EXPLN	REIMB_CD_EX_3185	DLIS-SB	V VARCHAR 125
REIMBURSEMENT CODE EXPLANATION CLEAR TEXT EXPLANATION OF REIMBURSEMENT CODE (2930).				
3186	TRAN-STAT-CD-DEF	TRAN_STAT_DEF_3186	DLIS-SBA	V VARCHAR 150
TRANSACTION STATUS CODES CLEAR TEXT DISPOSITION OF THE TRANSACTION.				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3187	TRAN-STAT-CD-INST TRANSACTION STATUS CODES INSTRUCTIONS INSTRUCT THE SUBMITTER ON WHAT ACTIONS ARE TO BE INITIATED.	TRAN_STAT_INS_3187	DLIS-SBA	V VARCHAR	150
3188	TRAN-STAT-CD-OP TRANSACTION STATUS CODE OUTPUT A LISTING OF OUTPUT DIC RESULTING FROM NATO FOLLOW-UP INTERROGATION.	TRAN_STAT_OP_3188	DLIS-SBA	V VARCHAR	150
3189	TRAN-STAT-CD-NOTE-IND TRANSACTION STATUS CODES TSC NOTE INDICATOR INSTRUCTION TO THE SUBMITTER UNDER WHAT CONDITION A PARTICULAR OUTPUT DIC WILL BE GENERATED.	TRAN_STAT_NOT_3189	DLIS-SBA	F CHAR	1
3191	PR-VLDTN-CD-AF-DEF PRICE VALIDATION CODE AIR FORCE DEFINITION CLEAR TEXT DEFINITION OF PROCE VALIDATION CODE , AIR FORCE (0858)	PVC_AF_DEF_3191	DLIS-SB	V VARCHAR	1200
3193	DOD-DBRMT-PPSL-INITR DOD DEBARMENT PROPOSAL INITIATORS A TABLE OF MILITARY SERVICE, AGENCY, OR OTHER DOD AUTHORIZED TO INITIATE PROPOSAL.	DBR_PRO_INIT_3193	DLIS-SC	V VARCHAR	90
3205	SUBMTR-USERID SUBMITTER RACF USERID RACF USERID OF PERSON WHO MADE THE REQUEST.	SUBMTR_USERID_3205	DLIS-S	F CHAR	8
3236	FCP-DP-PICA-MGD-FD-NN FCP DEPT PICA MANAGED FULL DESCRIPTIVE NET NSNs THE NET QUANTITY OF NSNs THAT ARE FULLY DESCRIBED AND ARE PICA MANAGED BY A SPECIFIC DEPARTMENT.		DLIS-S	F INTEGER	8
3237	NAIN-CD NON-APPROVED ITEM NAME CODE A CODE USED TO UNIQUELY IDENTIFY A NON-APPROVED ITEM NAME.	NAIN_CD_3237	DLIS-S	F CHAR	7
3238	ACTY-NM-LINE1 ACTIVITY NAME LINE - 1 THE FIRST OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE1_3238	DLIS-SBA	V VARCHAR	60
3239	ACTY-NM-LINE2 ACTIVITY NAME LINE - 2 THE SECOND OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE2_3239	DLIS-SBA	V VARCHAR	60
3240	ACTY-NM-LINE3 ACTIVITY NAME LINE - 3 THE THIRD OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE3_3240	DLIS-SBA	V VARCHAR	60
3241	ACTY-NM-LINE4 ACTIVITY NAME LINE - 4 THE FOURTH OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE4_3241	DLIS-SBA	V VARCHAR	60

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3242	ACTY-NM-LINE5 ACTIVITY NAME LINE - 5 THE FIFTH OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE5_3242	DLIS-SBA	V VARCHAR	60
3243	ACTY-OFC-SYM ACTIVITY OFFICE SYMBOL ACTIVITY OFFICE SYMBOL OR OTHER ATTENTION INFORMATION SUCH AS THE BUILDING NUMBER.	ACTY_OFC_SYM_3243	DLIS-SBA	V VARCHAR	60
3244	ACTY-ST-ADRS1 ACTIVITY STREET ADDRESS - 1 THE FIRST OF UP TO TWO LINES OF THE STREET NAME AND ASSOCIATED NUMBER PORTION OF AN ACTIVITYs ADDRESS.	ACTY_ST_ADRS1_3244	DLIS-SBA	V VARCHAR	60
3245	ACTY-ST-ADRS2 ACTIVITY STREET ADDRESS - 2 THE SECOND OF UP TO TWO LINES OF THE STREET NAME AND ASSOCIATED NUMBER PORTION OF AN ACTIVITYs ADDRESS.	ACTY_ST_ADRS2_3245	DLIS-SBA	V VARCHAR	60
3246	ACTY-CITY ACTIVITY CITY THAT PART OF AN ADDRESS REFLECTING THE CITY OF AN ACTIVITY.	ACTY_CITY_3246	DLIS-SBA	V VARCHAR	60
3247	ACTY-STA-US-POS-ABR ACTIVITY STATE/U.S. POSSESSION ABBREVIATION A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION OF AN ACTIVITY.	ACTY_ST_US_AB_3247	DLIS-SBA	F CHAR	2
3248	ACTY-ZIP-CD ACTIVITY ZIP CODE FOR AN ACTIVITY, A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO ADDRESSES IN A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF. THE CODE IS ALSO USED FOR FORMATTING ADDRESS LABELS IN ZIP CODE SEQUENCE.	ACTY_ZIP_CD_3248	DLIS-SBA	F CHAR	9
3251	TRFR-FSC-OAC-M-T1-2-NSN TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 2 NSN THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTION TO REFERENCE METHOD BY FSC BY ORIGINATING ACTIVITY.	TRFR_STAT_CNT_3251	DLIS-BB	F INTEGER	8
3252	TRFR-FSC-OAC-M-T1-4-NSN TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 4 NSN THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.	TRFR_STAT_CNT_3252	DLIS-BB	F INTEGER	8
3253	TRFR-FSC-OAC-M-T2-1-NSN TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 1 NSN THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.	TRFR_STAT_CNT_3253	DLIS-BB	F INTEGER	8
3254	TRFR-FSC-OAC-M-T2-4-NSN TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	TRFR_STAT_CNT_3254	DLIS-BB	F INTEGER	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3255 TRFR-FSC-OAC-M-T4-1-NSN TRFR_STAT_CNT_3255 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 1 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3256 TRFR-FSC-OAC-M-T4-2-NSN TRFR_STAT_CNT_3256 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 2 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY FSC BY ORIGINATING ACTIVITY.

3257 TRFR-FSC-SAC-M-T1-2-NSN TRFR_STAT_CNT_3257 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 2 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3258 TRFR-FSC-SAC-M-T1-4-NSN TRFR_STAT_CNT_3258 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 4 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3259 TRFR-FSC-SAC-M-T2-1-NSN TRFR_STAT_CNT_3259 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 1 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3260 TRFR-FSC-SAC-M-T2-4-NSN TRFR_STAT_CNT_3260 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 4 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3261 TRFR-FSC-SAC-M-T4-1-NSN TRFR_STAT_CNT_3261 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 1 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3262 TRFR-FSC-SAC-M-T4-2-NSN TRFR_STAT_CNT_3262 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 2 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY FSC BY SUBMITTING ACTIVITY.

3263 TRFR-FSC-SAC-MTH-T2-NSN TRFR_STAT_CNT_3263 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3264 TRFR-FSC-SAC-MTH-T1-NSN TRFR_STAT_CNT_3264 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 NSN

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3265 TRFR-FSC-SAC-MTH-T4-NSN TRFR_STAT_CNT_3265 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3266 TRFR-FSC-OAC-MTH-T2-NSN TRFR_STAT_CNT_3266 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3267 TRFR-FSC-OAC-MTH-T1-NSN TRFR_STAT_CNT_3267 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3268 TRFR-FSC-OAC-MTH-T4-NSN TRFR_STAT_CNT_3268 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3301 STATS-PROC-DAY-ACCUM-DT DAY_ACCUM_3301 DLIS-BB F INTEGER 8
STATISTICS PROCESS DAY ACCUMULATION DATE

THE DAY (AND MONTH, YEAR, AND CENTURY) THAT REPRESENTS THE TIME PERIOD FOR WHICH THE STATISTICS COUNTS ARE ACCUMULATED. FORMAT IS MMDDCCYY.

3302 STATS-PROC-MO-ACCUM-DT MO_ACCUM_3302 DLIS-BB F INTEGER 6
STATISTICS PROCESS MONTH ACCUMULATION DATE

THE MONTH (AND YEAR AND CENTURY) THAT REPRESENTS THE TIME PERIOD FOR WHICH THE STATISTICS COUNTS ARE ACCUMULATED. FORMAT IS MMCCYY.

3303 STATS-PROC-YR-ACCUM-DT YR_ACCUM_3303 DLIS-BB F INTEGER 4
STATISTICS PROCESS YEAR ACCUMULATION DATE

THE YEAR (AND CENTURY) THAT REPRESENTS THE TIME PERIOD FOR WHICH THE STATISTICS COUNTS ARE ACCUMULATED. FORMAT IS CCYY.

3304 STATS-PROC-CT-QY STATS_PROC_CT_3304 DLIS-BB F INTEGER 8
STATISTICS PROCESS COUNT QUANTITY

THE NUMBER OF TIMES, FOR A SPECIFIED PERIOD, THAT THE SUBJECT PROCESS OCCURRED.

3305 STATS-PRCSG-TYP-CD STAT_PRCS_TYP_3305 DLIS-BB F CHAR 2
STATISTICS PROCESSING TYPE CODE

THE CODE THAT DENOTES THE COMPUTER PROCESS BEING PERFORMED BY THE SUBJECT APPLICATION. VALID VALUES ARE: IQ = INQUIRY, UP = UPDATE

3306 LOLA-REQUEST-DATE LOLA_REQ_DATE_3306 DLIS-SBA F DATE 8
LOLA REQUEST DATE

DATE FIELD USED TO IDENTIFY STORED LOLA REQUESTS. PART OF TABLE LOLA_INQ_STATS KEY. FORMAT OF DATE IS MMDDCCYY.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

EXCESS REPORT DATE AND SERIAL NUMBER

THE JULIAN DATE AND SERIAL NUMBER OF A PROPERTY DISPOSAL OFFICE DECLARED EXCESS DOCUMENT NUMBER.

3342 RI-CD-DPDO RI_CD_DPDO_3342 DLIS-SB F CHAR 3

ROUTING IDENTIFIER CODE, DEFENSE PROPERTY DISPOSAL OFFICE

A CODE WHICH IDENTIFIES THE PROPERTY DISPOSAL OFFICE/HOLDING ACTIVITY WHICH REPORTS DEPARTMENT OF DEFENSE EXCESS/SURPLUS PROPERTY FOR UTILIZATION SCREENING/DISPOSAL.

3351 OFC-NM-LI-TX OFC_NM_LI_3351 DLIS-VOA F CHAR 50

OFFICE NAME LINE TEXT

THE FIRST LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. CONTAINS THE OFFICE NAME. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3352 OPTNL-NM-LI-TX OPTNL_NM_LI_3352 DLIS-VOA F CHAR 50

OPTIONAL NAME LINE TEXT

THE SECOND LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. IT IS AN EXTENSION OF THE FIRST LINE. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3353 ACTY-NM-LI-TX ACTY_NM_LI_3353 DLIS-VOA F CHAR 50

ACTIVITY NAME LINE TEXT

THE THIRD LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. CONTAINS THE NAME OF THE ACTIVITY. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3354 DLVR-ADRS-LI-TX DLVR_ADRS_LI_3354 DLIS-VOA F CHAR 50

DELIVERY ADDRESS LINE TEXT

THE FOURTH LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT IS A REQUIRED FIELD. IT CONTAINS STREET ADDRESS, SUITE AND/OR PO BOX. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER WITH EXCEPTION OF SPECIAL CHARACTERS.

3355 DLVR-PNT-BARCODE-ID DPBC_3355 DLIS-VOA F CHAR 2

DELIVERY POINT BARCODE IDENTIFIER

CONFORMS TO POSTAL REQUIREMENTS FOR THE DELIVERY POINT BARCODE (DPBC). IT IS PART OF THE EXTENDED ZIP CODE BUT IT IS NOT NORMALLY VISIBLE ON AN ENVELOPE. IT DEFINES THE CARRIER ROUTE AND IS REFLECTED IN THE BAR CODE. MAY NOT CONTAIN A VALUE IF THE LAST 4 CHARACTERS OF POSTAL_ZONE_2549 IS BLANK.

3360 CCR-CO-SBA-USR-ID SBA_USR_ID_3360 DLIS-S F CHAR 10

CENTRAL CONTRACTOR REGISTRATION COMPANY SMALL BUSINESS ADMINISTRATION USER IDENTIFIER

THE SMALL BUSINESS ADMINISTRATION'S USER IDENTIFIER ASSIGNED TO EACH COMPANY.

3361 CCR-CO-SBA-USR-PSWRD-ID SBA_USR_PSWRD_3361 DLIS-S F CHAR 50

CENTRAL CONTRACTOR REGISTRATION COMPANY SMALL BUSINESS ADMINISTRATION USER PASSWORD IDENTIFIER

THE SMALL BUSINESS ADMINISTRATION'S INITIAL USER PASSWORD ASSIGNED TO EACH COMPANY.

3362 CCR-SBA-CO-TRANS-ACCT-CD TRAN_ACCT_TYP_3362 DLIS-S F CHAR 10

CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS ADMINISTRATION COMPANY TRANSACTION ACCOUNT TYPE CODE

THE CODE THAT REPRESENTS THE COMPANY'S ACCOUNT STATUS TYPE WITH THE SMALL BUSINESS ADMINISTRATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
3363	CCR-IP-DATA-TX	CCR_IP_DATA_3363	DLIS-S	F CHAR 10000
CENTRAL CONTRACTOR REGISTRATION INPUT DATA TEXT THE TEXT OF INPUT DATA RECEIVED TO CENTRAL CONTRACTOR REGISTRATION.				
3364	CCR-OP-DATA-TX	CCR_OP_DATA_3364	DLIS-S	F CHAR 10000
CENTRAL CONTRACTOR REGISTRATION OUTPUT DATA TEXT THE TEXT OF OUTPUT DATA SENT FROM CENTRAL CONTRACTOR REGISTRATION.				
3365	CCR-TRANS-TMSTMP-TM	TRAN_TMSTMP_3365	DLIS-S	F TIMESTMP 26
CENTRAL CONTRACTOR REGISTRATION TRANSACTION TIMESTAMP TIME THE TIMESTAMP FOR THE TRANSACTION TO TAKE PLACE.				
3366	TYPE-CAGE-NCAGE-AFFL-CD-DEF	CAGE_AFFL_DEF_3366	DLIS-SB	F CHAR 50
TYPE OF CAGE/NCAGE AFFILIATION CODE DEFINITION DEFINITION OF TYPE-CAGE-NCAGE-AFFL-CD (DRN 0250).				
3367	SZ-OF-BUS-CD-DEF	SZ_OF_BUS_DEF_3367	DLIS-SB	F CHAR 50
SIZE OF BUSINESS CODE DEFINITION DEFINITION OF SZ-OF-BUS-CD (DRN 1364).				
3368	PRIM-BUS-CAT-DEF	BUS_CAT_DEF_3368	DLIS-SB	F CHAR 50
PRIMARY BUSINESS CATEGORY DEFINITION DEFINITION OF PRIM-BUS-CTGY-CD (DRN 1365).				
3369	TYP-OF-BUS-DEF	TYP_BUS_DEF_3369	DLIS-SB	F CHAR 50
TYPE OF BUSINESS DEFINITION DEFINITION OF TYP-OF-BUS-CD (DRN 1366).				
3373	VND-RGSTR-RNWL-DT	RGSTR_RNWL_DT_3373	DLIS-SBB	F INTEGER 7
VENDOR REGISTRATION RENEWAL DATE THIS ELEMENT WILL CONTAIN THE DATE OF RENEWAL REQUIRED BY THE CCR. THISDATE WILL BE THE EXPIRATION OF THE VENDOR REGISTRATION.				
3374	CAGE-PNT-OF-CNTCT-NM	CNTCT_NM_3374	DLIS-SBB	F CHAR 35
CAGE POINT OF CONTACT NAME THIS ELEMENT WILL CONTAIN THE POINT OF CONTACT NAME WITHIN A CORPORATION. THIS IS THE NAME OF THE PERSON TO CALL WITH ANY QUESTIONS PERTAINING TO THE CAGE ADDRESS FILE.				
3375	EMAIL-ADRS-TX	EMAIL_ADRS_3375	DLIS-SBB	F CHAR 80
EMAIL ADDRESS TEXT THIS ELEMENT WILL CONTAIN AN E-MAIL ADDRESS FOR THE COMPANY. THIS WILL PROVIDE FOR AN ELECTRONIC METHOD OF COMMUNICATION.				
3376	RCD-ON-LINE-PRCS-CAGE-CD	PRCS_CAGE_CD_3376	DLIS-SBB	F CHAR 5
CENTRAL CONTRACTOR REGISTRATION RECORD ON-LINE PROCESS CAGE CODE THE CAGE CODE ASSIGNED BY THE TECHNICIAN AFTER PROCESSING THE CCR RECORD ON-LINE. VALID VALUES: A-Z, 0-9				
3377	CCR-CAGE-CD-IP-RCD-TX	CCR_IP_RCD_TX_3377	DLIS-SBB	F CHAR 530
CENTRAL CONTRACTOR REGISTRATION CAGE CODE INPUT RECORD TEXT				

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TEXT OF THE COMPLETE CAGE CODE DATA INCOMING VIA TDQ FROM THE AS400 TO THE MAINFRAME FOR CCR PROCESSING.

3378 CCR-CAGE-CD-OP-RCD-TX CCR_OP_RCD_TX_3378 DLIS-SBB F CHAR 530
CENTRAL CONTRACTOR REGISTRATION CAGE CODE OUTPUT RECORD TEXT
THE TEXT OF THE COMPLETE CAGE CODE DATA OUTGOING VIA TDQ FROM THE MAINFRAME TO THE AS400 AFTER TECHNICIAN PROCESSES THE CCR DATA.

3379 RCD-TBL070-IP-EDIT-CAGE EDIT_CAGE_CD_3379 DLIS-SBB F CHAR 5
CENTRAL CONTRACTOR REGISTRATION RECORD TABLE070 INPUT EDIT CAGE CODE
THE CAGE CODE THAT WILL BE ASSIGNED TO INCOMING CCR RECORD AND STORED ON TABLE070 BY THE INCOMING TDQ EDITING PROGRAM. VALID VALUES: A-Z, 0-9.

3380 CCR-IP-RCD-CAGE-CD CCR_CAGE_CD_3380 DLIS-SBB F CHAR 5
CENTRAL CONTRACTOR REGISTRATION INPUT RECORD CAGE CODE
THE CAGE CODE PROVIDED BY THE INCOMING CCR RECORD VIA TDQ FROM THE AS400. VALID VALUES: A-Z, 0-9

3381 USR-ACCS-LVL-SUBSYS-CD USR_ACCS_SUB_3381 DLIS-B F CHAR 1
USER ACCESS LEVEL SUBSYSTEM CODE
THE CODE THAT DENOTES THE SUBSYSTEM THAT REQUIRES OF ON-LINE USER ACCESS LEVEL CONTROL. VALID VALUES ARE: C - CAGE, M - MEDALS,L - GUI APPLICATION (LOLA97).

3399 TXNMY-ORIG-CD TXNMY_ORIG_CD_3399 DLIS-SIC F CHAR 1
TAXONOMY ORIGINATOR CODE
THE CODE THAT INDICATES WHETHER DLIS (D) OR DLIS's CUSTOMER (C) WAS RESPONSIBLE FOR THE SCHEDULE-B (EXPORT CODE) ASSIGNMENT AGAINST AN ITEM OF SUPPLY. VALID VALUES: D = DLIS, C = CUSTOMER

3401 TAXPYR-ID TAX_PYR_ID_3401 DLIS-SB F CHAR 9
TAXPAYER IDENTIFIER
A UNIQUE ID CODE ASSIGNED BY THE TREASURY DEPARTMENT TO ALL BUSINESSES.

3403 PARNT-TAXPYR-ID PARNT_TAXPYR_3403 DLIS-SB F CHAR 9
PARENT TAXPAYER IDENTIFIER
THE TAXPAYER IDENTIFIER BELONGING TO THE PARENT TAXPAYING ORGANIZATION.

3405 DUNS DUNS_3405 DLIS-SB F CHAR 9
DUN AND BRADSTREET DATA UNIVERSAL NUMBERING SYSTEM
A PROPRIETARY CODE WHICH REPRESENTS A BASIC BUSINESS ORGANIZATION (INCLUDES A CHECK DIGIT).

3408 CNTRY-CD CNTRY_CD_3408 DLIS-SB F CHAR 3
COUNTRY CODE
A CODE WHICH REPRESENTS A FOREIGN COUNTRY.

3409 CNTY-NM CNTY_NM_3409 DLIS-SB F CHAR 21
COUNTY-NM
THE NAME OF A COUNTY. THIS IS AN OPTIONAL FIELD.

3410 CNGRSL-DSTRCT-CD CNGRSL_DSTRCT_3410 DLIS-SB F CHAR 3
CONGRESSIONAL DISTRICT CODE
A CODE WHICH REPRESENTS A CONGRESSIONAL DISTRICT. THIS IS AN OPTIIONAL FIELD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

3413 TEL-NBR-TYP-CD-DEF TEL_TYP_DEF_3413 DLIS-SB F CHAR 20
PHONE NUMBER TYPE CODE DEFINITION
DEFINITION OF THE TYPE OF PHONE NUMBER CODE (DRN 1088), SEE VOLUME 10.

3414 FRM-ZIP-CD FRM_ZIP_CD_3414 DLIS-SB F CHAR 10
FROM ZIP CODE
THE BEGINNING OF THE ZIP CODE RANGE UTILIZED TO AUTOMATICALLY GENERATE THE AUTOMATIC DATA PROCESSING POINT (ADP) CODE AND CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHENEVER THE ZIP CODE IS INPUT/RECORDED IN THE CAGE MASTER FILE.

3415 TO-ZIP-CD TO_ZIP_CD_3415 DLIS-SB F CHAR 10
TO ZIP CODE
THE END OF THE ZIP CODE RANGE UTILIZED TO AUTOMATICALLY GENERATE THE AUTOMATIC DATA PROCESSING POINT (ADP) CODE AND CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHENEVER THE ZIP CODE IS INPUT/RECORDED IN THE CAGE MASTER FILE.

3417 EC-EDI-CPBLTY-IND-CD EC_EDT_CPBLTY_3417 DLIS-SB F CHAR 1
ELECTRONIC COMMERCE / DATA INTERCHANGE CAPABILITY IND CD
INDICATES WHETHER A CONTRACTOR HAS THE CAPABILITY OF DOING BUSINESS ELECTRONICALLY (ELECTRONIC COMMERCE - EC) USING THE TRADING PARTNER PROFILE TRANSACTION SET (838) WITHIN THE CONTEXT OF AN ELECTRONIC DATA INTERCHANGE (EDI) ENVIRONMENT. THIS IS AN OPTIONAL FIELD. VALID VALUES ARE: Y = YES AND N = NO.

3418 MDLS-FTP-CMMD-CPBLTY-CD CMMD_CPBLTY_3418 DLIS-VP F CHAR 1
MEDALS FTP COMMAND CAPABILITY CODE
A CODE TO DETERMINE AS TO WHETHER A REPOSITORY HAS "FTP SITE COMMAND" CAPABILITY. THE CODES WILL BE "Y" = YES, "N" = NO.

3421 STAT-RQST-TYP-ID STAT_RQST_TYP_3421 DLIS-SBA F CHAR 6
STATISTICS REQUEST TYPE IDENTIFIER
THE TYPE OF ON-LINE STATISTICS A USER VIEWS. THIS DRN IS USED IN CONCERT WITH VALID-DEPT TO PROVIDE THE USER A CROSS REFERENCE OF VALID DEPARTMENTS TO TYPE OF STATISTICS. VALID VALUES ARE ON-LINE SCREEN IDS.

3422 STAT-VLD-DEPT-ID STAT_VLD_DEPT_3422 DLIS-SBA F CHAR 40
STATISTICS VALID DEPARTMENT IDENTIFIER
THE VALID DEPARTMENTS FOR THE TYPE OF ON-LINE STATISTICS THAT CAN BE DISPLAYED TO A USER. VALID VALUES ARE A STRING OF UP TO 20 OCCURRENCES OF STAT_DEPT_0897.

3424 STAT-EXCP-DPT-ID STAT_EXCP_DPT_3424 DLIS-SBA F CHAR 40
STATISTIC EXCEPTION DEPARTMENT IDENTIFIER
AN ELEMENT DEFINING TO THE STATISTICS SYSTEM THOSE DEPARTMENTS THAT HAVE NO DETAIL DATA TO SUPPORT THEIR TOTALS. USED WITH STAT_RQST_TYP_3421 TO GIVE THE USER AND PROGRAMMER THE VALID VALUES OF DEPARTMENTS. REFERENCE DB2 TABLE STAT_DEPT_NME_CD (GP 698) FOR VALID VALUES.

3428 HI-DLR-BRKOT-CMDTY-CTG H_D_BRK_CMDTY_3428 DLIS-SBA F CHAR 1
HI-DOLLAR BREAKOUT COMMODITY CATEGORY
A CODE USED BY DEPARTMENT OF DEFENSE ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS. INCLUDES COMPONENTS AND RELATED SPARES/ PROCUREMENT BY HI-DOLLAR BREAKOUT COMMODITY CATEGORY. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

3445 MRC MRC_3445 DLIS-SC F CHAR 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3467 CRITL-CD-FIIG-EXPLN CRT_CD_FIG_EX_3467 DLIS-SBA V VARCHAR 250
CRITICALITY CODE FIIG EXPLANATION

THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF A CRITICALITY CODE FIIG (DRN 3843). THIS DATA ELEMENT IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOLUME 10 CHAP 4 TABLE 181.

3474 MOE-RULE-STAT-DT MR_STAT_DT_3474 DLIS-SIA F INTEGER 4
MOE RULE STATUS DATE

THE DATE OF THE MOE RULE STATUS.

3479 SVC-NM SVC_NM_3479 DLIS-V F CHAR 13
SERVICE NAME

THIS FIELD WILL CONTAIN A CLEARTEXT SERVICE NAME. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3480 NM-LINE-1 NM_LINE1_3480 DLIS-V F CHAR 60
NAME LINE 1

THIS FIELD WILL CONTAIN THE CLEARTEXT FIRST NAME LINE OF AN ADDRESS. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3481 NM-LINE-2 NM_LINE2_3481 DLIS-V F CHAR 60
NAME LINE 2

THIS FIELD WILL CONTAIN THE CLEARTEXT SECOND NAME LINE OF AN ADDRESS, IF REQUIRED. THE FIELD WILL BE BLANK (SPACE FILLED) IF NOT REQUIRED. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3482 ATTN-LINE ATTN_LINE_3482 DLIS-V F CHAR 36
ATTENTION LINE

THIS FIELD WILL CONTAIN THE CLEARTEXT ATTENTION LINE OR OFFICE SYMBOL FOR AN ADDRESS WHEN REQUIRED. THE FIELD WILL BE BLANK (SPACE FILLED) WHEN NOT REQUIRED. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3483 DSOR-ACTY-NM DSOR_ACTY_NM_3483 DLIS-V F CHAR 150
DEPOT SOURCE OF REPAIR ACTIVITY NAME

THIS FIELD WILL CONTAIN THE CLEARTEXT DEPOT SOURCE OF REPAIR ACTIVITY NAME. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 1.

3484 DSOR-STMT DSOR_STMT_3484 DLIS-V F CHAR 10
DEPOT SOURCE OF REPAIR STATEMENT

THIS FIELD WILL CONTAIN THE CLEARTEXT COMPATABILITY INDICATION FOR DEPOT SOURCE OF REPAIR FOR A GIVEN SERVICE AND A GIVEN NIMSC (NONCONSUMABLE ITEM MANAGEMENT SUPPORT CODE). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 126.

3485 INC-FIIG-CORL INC_FIIG_CORL_3485 DLIS-V F CHAR 50
ITEM NAME TO FIIG CORRELATION CONDITION

THIS FIELD CONTAINS THE CLEARTEXT DESCRIPTION OF THE CORRELATION CONDITION BETWEEN THE ITEM NAME AND A FIIG. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3486 TYP-II-2 TYPE_II_2_3486 DLIS-V F CHAR 20
TYPE ITEM IDENTIFICATION 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3495 SLC-NOTE SLC_NOTE_3495 DLIS-V F CHAR 25
SLC NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SHELF LIFE CODE (DRN 2943). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3496 SOSM-NOTE SOSM_NOTE_3496 DLIS-V F CHAR 25
SOSM NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SOURCE OF SUPPLY MODIFIER CODE (DRN 2948). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3497 UI-NOTE UI_NOTE_3497 DLIS-V F CHAR 25
UI NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE UNIT OF ISSUE (DRN 3050). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3498 SOS-NOTE SOS_NOTE_3498 DLIS-V F CHAR 25
SOS NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SOURCE OF SUPPLY CODE (DRN 3690). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3499 QUP-NOTE QUP_NOTE_3499 DLIS-V F CHAR 25
QUP NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE QUANTITY PER UNIT PACK CODE (DRN 6106). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3505 PICA-LVL-AUTH-CD PICA_LOA_3505 DLIS-SBA F CHAR 2
PRIMARY INVENTORY CONTROL ACTY LEVEL OF AUTHORITY (PICA L

A CODE THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A PRIMARY INVENTORY CONTROL ACTIVITY /PICA/. THE CODE INDICATES /1/ LOGISTICS MATERIEL MANAGEMENT, /2/ LEVEL OF RESPONSIBILITY AND /3/ BASIS OF CATEGORIZATION. THE CODES WILL BE USED INTERNALLY WITHIN THE SYSTEM FOR STATISTICS AND GENERAL MANAGEMENT DATA BASED ON MATERIEL MANAGEMENT RESPONSIBILITIES ASSIGNED BY SERVICES/AGENCIES DIRECTIVES. SEE [VOLUME 10, TABLE 74](#) AND QUICK INFO ON-LINE.

3561 ASGN-ISAC-RPLY-STAT-IND ASGN_ISAC_RPY_3561 DLIS-S F CHAR 1
ASSIGN ISAC REPLY STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF ISAC REPLY TABLE ON THEASSIGN_ISAC_RPLY TABLE.

3562 AUD-ISAC-RPLY-STAT-IND AUD_ISAC_RPY_3562 DLIS-S F CHAR 1
AUDIT ISAC REPLY STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF ISAC REPLY AUDIT DATA.

3563 AUD-STYL-RPLY-STAT-IND AUD_STYL_RPY_3563 DLIS-S F CHAR 1
AUDIT STYLE REPLY STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF STYLE REPLY AUDIT DATA.

3565 REF-DWG-GP-DES REF_DWG_GP_DS_3565 DLIS-SC V CHAR 2
REFERENCE DRAWING GROUP DESIGNATION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A REFERENCE DRAWING GROUP CONSISTS OF ONE OR MORE REFERENCE DRAWINGS. WHEN APPROPRIATE, A REFERENCE DRAWING GROUP IS SUBDIVIDED INTO SECTIONS. A REFERENCE DRAWING GROUP OR SECTION IS SUBDIVIDED INTO STYLES. THEREFORE, AN EXAMPLE OF A REFERENCE DRAWING GROUP WHICH IS SUBDIVIDED INTO SECTIONS WOULD BE CITED AS REFERENCE DRAWING GROUP A, SECTION AC, STYLE NUMBER 19A.

3570 REF-NBR-LOG REF_NBR_3570 DLIS-SBA F CHAR 32
REFERENCE NUMBER, LOGISTICS

A NUMBER, OTHER THAN AN ACTIVITY STOCK NUMBER, USED TO IDENTIFY AN ITEM OF PRODUCTION OR, EITHER BY ITSELF OR IN CONJUNCTION WITH OTHER REFERENCE NUMBERS, TO IDENTIFY AN ITEM OF SUPPLY (WHEN USED IN CONJUNCTION WITH THE CAGE CODE). INCLUDES MANUFACTURERS PART, DRAWING, MODEL, TYPE, SOURCE-CONTROLLING NUMBERS, SPECIFICATION-CONTROLLING NUMBERS, THE MANUFACTURERS TRADE NAME WHEN THE MANUFACTURER IDENTIFIES THE ITEM BY TRADE NAME ONLY, NATO STOCK NUMBERS, SPECIFICATION OR STANDARD PART, DRAWING, OR TYPE NUMBERS. SEE VOLUME 10, TABLE 21 AND QUICK INFO ON-LINE.

3571 CONV-REF-NBR CONV_REF_NBR_3571 DLIS-SBA F CHAR 32
CONVERTED REFERENCE NUMBER

THE VALUE OF REFERENCE NUMBER, LOGISTICS AFTER IT HAS BEEN SUBJECTED TO THE REFERENCE NUMBER FORMAT CONVERSION CRITERIA. THIS VALUE IS USED IN ALL REFERENCE NUMBER SCREENING, INCLUDING NEW ITEMS, MAINTENANCE TRANSACTIONS, AND PROVISIONING SCREENING. THE CONVERTED REFERENCE NUMBER VALUE MAY OR MAY NOT BE EQUAL TO THE "IN-THE-CLEAR" REFERENCE NUMBER, LOGISTICS VALUE.

3572 PMIC-CDD-REPLY PMIC_CDD_RPLY_3572 DLIS-SBA F CHAR 6
PRECIOUS METAL INDICATOR CODE CODED REPLY

ONE TO SIX ALPHA AND OR NUMERIC CHARACTERS WHICH IDENTIFY THE CONTENT OF A PRECIOUS METAL REPLY TO A PRECIOUS METAL MRC IN CODED FORM.

3573 PMIC-MRC PMIC_MRC_3573 DLIS-SBA F CHAR 4
PRECIOUS METAL INDICATOR CODE MRC

AN MRC USED TO DESCRIBE PRECIOUS METAL CONTAINED IN AN ITEM OF SUPPLY.

3574 PMIC-TBL-TYPE PMIC_TBL_TYPE_3574 DLIS-SBA F CHAR 1
PRECIOUS METAL INDICATOR CODE TABLE TYPE

A ONE POSITION CODE ASSIGNED TO AN MRC CONTAINING PRECIOUS METAL. VALID TABLE TYPE CODES ARE A, B, C, D, E, F, AND G.

3595 RPLM-CAGE-CD RPLM_CAGE_CD_3595 DLIS-SC F CHAR 5
REPLACEMENT COMMERCIAL AND GOVERNMENT ENTITY CODE

A COMMERCIAL AND GOVERNMENT ENTITY CODE (CAGEC) WHICH REPLACES A CANCELLED CAGE CODE OR A NATO COMMERCIAL AND GOVERNMENT ENTITY CODE (NCAGE).

3596 SOS-SOS-MOD-ID SOS_SOSM_3596 DLIS-VO F CHAR 3
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER IDENTIFIER

THE CODE IDENTIFYING A SPECIFIC SUPPLY AND DISTRIBUTION ORGANIZATION OR REQUISITION PROCESSING POINT. IT COULD ALTERNATELY CONTAIN A CODE WHICH DENOTES ROUTING INFO FOR REQUISITIONS WITHOUT AN ASSIGNED IDENTIFIER.

3597 SOS-SOS-MOD-EXPLN-TX SOS_SOSM_EX_3597 DLIS-VO V VARCHAR 500
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER EXPLANATION TX

AN ADDRESS USED FOR ROUTING SUPPLY OR REQUISITION DATA, OR A DESCRIPTION OF THE ROUTING REQUIREMENTS FOR A SUPPLY SOURCE.

3598 LST-KWN-SOS-CHG-IND-CD DLIS-SIA F CHAR 1
LAST KNOWN SOURCE OF SUPPLY (SOS) CHANGE INDICATOR CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE CODE THAT INDICATES THAT THE LAST KNOWN SOS REQUIRES CHANGE. VALID VALUES: Y AND BLANK.

3612 RPLY-DATA-DESCR-COL-IL DLIS-V V 16

REPLY DATA DESCRIPTIVE COLUMNAR IDENTIFICATION LIST

A DATA FIELD IN THE MASTER REQUIREMENT AND REPLY DIRECTORY WHICH CONTAINS, BY MASTER REQUIREMENT CODE, PRINTING CRITERIA FOR COLUMNAR IDENTIFICATION LIST FOR CLEAR TEXT OR CODED REPLIES AFTER THE CODED REPLIES ARE DECODED THROUGH THE USE OF THE MASTER REPLY DECODE TABLE. FOR ADDITIONAL INFORMATION REFER TO HSI 4100.2 .

3613 ABBRE-RQMT-STMT ABRV_RQM_STMT_3613 DLIS-SCA V VARCHAR 65

ABBREVIATED REQUIREMENT STATEMENT

A VARIABLE LENGTH DATA FIELD WHICH GIVES THE ABBREVIATED REQUIREMENT STATEMENT FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC). IT IS CONTAINED IN THE MASTER REQUIREMENTS DIRECTORY. IT IS USED TO PRINT THE ABBREVIATED CLEAR TEXT REQUIREMENT STATEMENT IN AN IDENTIFICATION LIST.

3614 RQMT-STMT RQMT_STMT_3614 DLIS-SC V VARCHAR 110

REQUIREMENT STATEMENT

A DATA FIELD WHICH GIVES THE REQUIREMENT STATEMENT IN STRAIGHT FORWARD SEQUENCE FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC). IT WILL BE STORED IN THE MASTER REQUIREMENTS DIRECTORY AND WILL BE USED IN THE DECODING AND PRINTING OF DATA GROUPS ON A DD FORM 146 (FILDR) AND MAY BE USED IN OTHER PUBLICATIONS AS REQUIRED.

3615 ABBRE-RPLY-STMT ABRV_RPY_STMT_3615 DLIS-SCA V VARCHAR 133

ABBREVIATED REPLY STATEMENT

A DATA FIELD WHICH REFLECTS THE DECODED ABBREVIATED REPLY STATEMENT FOR A PARTICULAR REPLY CODE. IT IS CONTAINED IN THE MASTER REQUIREMENTS DIRECTORY. IT IS USED TO PRINT THE ABBREVIATED CLEAR TEXT REPLY STATEMENT IN AN IDENTIFICATION LIST.

3616 REPLY-DATA-DESCR-PARA-IL DLIS-V V 50

REPLY DATA DESCRIPTIVE PARAGRAPH IDENTIFICATION LIST

A DATA FIELD IN THE MASTER REQUIREMENT AND REPLY DIRECTORY WHICH CONTAINS, BY MASTER REQUIREMENTS CODE, THE FIXED OR CONSTANT PORTION OF THE REPLY WHICH WILL BE PRINTED IN A PARAGRAPHIC TYPE IDENTIFICATION LIST. IN ADDITION, IT CONTAINS PRINTING CRITERIA FOR CLEAR AND/OR CODED REPLIES AFTER THE CODED REPLIES ARE DECODED. IF THE DD146 OR COMMERCIAL ITEM DESCRIPTION EXPRESSION IS ADEQUATE FOR THE IL AN INDICATION OF THIS CONDITION WILL BE FOUND IN THIS FIELD. FOR ADDITIONAL INFORMATION SEE HSI 4100.2 .

3631 MASS-CHG-DEL-CDG-CD MC_DEL_CDG_3631 DLIS-SCB F CHAR 1

MASS CHANGE DELETED CDG CODE

THE PURPOSE OF THIS DRN IS TO DETERMINE IF A CDG IN AN ITEM IS VALID OR INVALID. THE VALUES A "I" OR " ". "I" = INVALID CDG. " " = VALID CDG.

3661 FIIG-TI-DATA-SEG DLIS-SC F CHAR 110

FEDERAL ITEM IDENTIFICATION GUIDE TITLE DATA SEGMENT

A GROUP OF INPUT DATA USED TO ESTABLISH AND MAINTAIN THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) TITLE IN THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

3662 NM-INC-FIIG-EFF-DT-DATA DLIS-SB V 2004

NAME/INC/FIIG/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT ITEM NAME CODES, NAMES AND RELATED DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3663 INC-NM-DEF-EFF-DT-DATA DLIS-SB V 2004

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

INC/NAME DEFINITION/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT ITEM NAME DEFINITION/DELIMITATION INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3664 INC-REL-INC-EFF-DT-DATA DLIS-SB V 2004

INC/RELATED INC/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT THE RELATED ITEM NAME CODE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3665 INC-FSC-MOD-EFF-DT-DATA INC_FSC_MOD_D_3665 DLIS-SC V VARCHAR 2004

INC/FSC/MODIFIER/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT THE NAME MODIFIER AND RESPECTIVE FEDERAL SUPPLY CLASS(ES) INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3666 FMT-EDIT-DATA-GP DLIS-SC F 80

FORMAT EDIT DATA GROUP

A GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) FORMAT EDIT DATA, APPLICABLE TO A GIVEN ITEM NAME CODE FOR A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD (SSR) SECTOR. ALSO USED TO ENTER THE DUPLICATION SCREENING KEY INDICATOR INTO THE SSR SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3668 TECH-EDIT-DATA-GP DLIS-SC V 9999

TECHNICAL EDIT DATA GROUP

AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) TECHNICAL EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR, A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3673 RL-EDIT-DATA-GP DLIS-SC V 9999

RELATIONSHIP EDIT DATA GROUP

AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) RELATIONSHIP EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3680 SIN-MGR-ACTY-CD DLIS-SB F 2

SINGLE MANAGER ACTIVITY CODE

AN ACTIVITY DESIGNATED TO BE RESPONSIBLE FOR MANAGEMENT OF SPECIFIED COMMODITIES OR COMMON SERVICE ACTIVITIES ON A DEPARTMENT OF DEFENSE-WIDE BASIS.

3690 SOS-CD SOS_CD_3690 DLIS-SBA F CHAR 3

SOURCE OF SUPPLY (SOS) CODE

A CODE/MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) ROUTING IDENTIFIER CODE/ WHICH IDENTIFIES THE ACTIVITY AS A POTENTIAL SOURCE OF SUPPLY USED IN THE AUTOMATIC DIGITAL NETWORK TO AUTOMATICALLY ROUTE MILSTRIP REQUISITIONS. THE FIELD IS REFLECTED IN 3 PARTS OF THE RECORD, FOR THE ARMY, NAVY AND AIR FORCE. SEE VOLUME 10, TABLES 103 AND 113 AND QUICK INFO ON-LINE.

3708 STATL-IND-CD STATL_IND_CD_3708 DLIS-SBA F CHAR 1

STATISTICAL INDICATOR CODE

A CODE USED TO DIFFERENTIATE BETWEEN AND TO IDENTIFY THE TYPES OF SCREENING BEING REQUESTED. SEE VOLUME 10, TABLE 37 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3720 SUBMG-ACTY-CD SUBMG_ACTY_CD_3720 DLIS-SBA F CHAR 2
SUBMITTING ACTIVITY CODE

ANY PARTICIPATING ACTIVITY WHICH SUBMITS PROPOSED DATA DIRECTLY TO THE DEFENSE LOGISTICS INFORMATION SERVICE (DLIS) FOR APPROVAL. THE SUBMITTING ACTIVITY MAY BE THE ACTIVITY WHICH ORIGINATES THE DATA, OR AN INTERMEDIATE MONITORING ACTIVITY, E.G., DEFENSE SUPPLY CENTER, DEFENSE ATOMIC SUPPORT AGENCY, THROUGH WHICH THE ORIGINATING ACTIVITY IS REQUIRED TO SUBMIT ITS PROPOSALS TO DLIS. SEE [VOLUME 10, TABLE 104](#) AND QUICK INFO ON-LINE.

3735 SCN DLIS-SB F CHAR 9
SYSTEM CONTROL NUMBER (SCN)

NUMBER FOR CONTROL PURPOSES TO RECORD ERROR CONDITIONS LOCATED DURING PROCESSING. THE NUMBER WILL BE CONSTRUCTED AS FOLLOWS - NNAAANNN. THE LEFTMOST TWO POSITIONS WILL CONTAIN THE NATIONAL CODIFICATION BUREAU CODE FOR THE UNITED STATES. AN /S/ IN THE THIRD POSITION SIGNIFIES THAT IT IS A SYSTEM CONTROL NUMBER /SCN/ OF A TERMPORARY NATURE.

3738 CATLG-ACTY-CD CATLG_ACTY_CD_3738 DLIS-SB F CHAR 2
CATALOGING ACTIVITY CODE

A CODE IDENTIFYING A CATALOGING ACTIVITY IN ANY SERVICE, BUREAU, COMMAND, CIVIL ESTABLISHMENT, OR ANY SUBDIVISION THEREOF, ENGAGED IN CATALOGING UNDER THE FEDERAL CATALOGING PROGRAM.

3740 OP-MODE-MED-CD OP_MOD_MED_CD_3740 DLIS-SBA F CHAR 2
OUTPUT MODE/MEDIA CODE

IDENTIFIES THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT. SEE [VOLUME 10, TABLE 10](#) AND QUICK INFO ON-LINE.

3741 LRN-APPL-HELP-ACTY-DLY LRN_STAT_CNT_3741 DLIS-BB F INTEGER 4
LOGRUN APPLICATION HELP ACTIVITY DAILY

TOTAL OF APPLICATION HELP QUERIES BY ACTIVITY.

3742 LRN-APPL-HELP-DEPT-DLY LRN_STAT_CNT_3742 DLIS-BB F INTEGER 4
LOGRUN APPLICATION HELP DEPARTMENT DAILY

TOTAL OF APPLICATION HELP QUERIES BY DEPARTMENT.

3743 LRN-APPL-HELP-TOT-DLY LRN_STAT_CNT_3743 DLIS-BB F INTEGER 4
LOGRUN APPLICATION HELP TOTAL DAILY

GRAND TOTAL OF APPLICATION HELP QUERIES.

3765 AF-BDGT-CD-MDL BDGT_CD_AF_3765 DLIS-SBA F CHAR 1
AIR FORCE BUDGET CODE-MANAGEMENT DATA LIST

A CODE EMPLOYED BY THE AIR FORCE TO CLASSIFY ITEMS INTO CATEGORIES BY BUDGET ACCOUNT FOR MANAGEMENT INFORMATION PURPOSES. SEE [VOLUME 10, TABLE 67](#) AND QUICK INFO ON-LINE.

3767 DODAC DLIS-SC F 9
DEPARTMENT OF DEFENSE AMMUNITION CODE

THE DEPARTMENT OF DEFENSE AMMUNITION CODE IS A NINE CHARACTER SEMISIGNIFICANT NUMBER. THE FIRST FOUR POSITIONS ARE NUMERIC AND REPRESENT THE FSC ASSIGNED TO THE APPROVED ITEM NAME. THE FIFTH POSITION IS A HYPHEN. THE LAST FOUR POSITIONS MAY BE ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERIC AND REPRESENT THE AMMUNITION CODE ASSIGNED TO THE ITEMS COVERED BY GENERIC DESCRIPTIONS.

3768 SVC-AGCY-DODAAC-CD DODAAC_3768 DLIS-VPO F CHAR 6
SERVICE AGENCY DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A UNIQUE CODE WHICH IDENTIFIES A SPECIFIC ACTIVITY OR ACCOUNT AUTHORIZED TO REQUISITION OR RECEIVE MATERIEL. THE FIRST POSITION DESIGNATES THE MILITARY SERVICE OR OTHER GOVERNMENT ELEMENT OF OWNERSHIP OR SPONSORSHIP. THE REMAINING 5-POSITIONS ARE ASSIGNED IN ACCORDANCE WITH PROCEDURES ESTABLISHED BY THE SERVICE POINT (SP) OF THE PARTICIPATING MILITARY SERVICE OR AGENCY. RECORDING OF UP TO THREE TYPES OF CLEAR-TEXT ADDRESSES FOR EACH ACTIVITY IS ALLOWED.

3769 AMMO-GNC-DESC DLIS-SIC V 1975
AMMUNITION GENERIC DESCRIPTION

EACH DIFFERENT GENERIC DESCRIPTION MUST CONSIST OF AN APPROVED ITEM NAME WHICH IS REFERENCED TO A DESCRIPTION PATTERN, PLUS THE COMMON CHARACTERISTICS OF SEVERAL SPECIFIC ITEMS OF SUPPLY WHICH ARE FUNCTIONALLY INTERCHANGEABLE AND THEREFORE TREATED COLLECTIVELY IN NORMAL SUPPLY OPERATIONS IN FEDERAL SUPPLY GROUP 13, E.G., PROJECTILE, 155 MILLIMETER-HOWITZER, SMOKE, GREEN - HOWITZER, SMOKE, HC, ETC.

3790 CANCEL-NSN DLIS-SB F 13
CANCELED NATIONAL STOCK NUMBER

A NATIONAL STOCK NUMBER WHICH IS NO LONGER AUTHORIZED FOR USE TO IDENTIFY AN ITEM OF SUPPLY.

3843 CRITL-CD-FIIG CRITL_CD_FIIG_3843 DLIS-SC F CHAR 1
CRITICALITY CODE, FEDERAL ITEM IDENTIFICATION GUIDE

A CODE WHICH INDICATES WHEN AN ITEM IS TECHNICALLY CRITICAL, BY REASON OF TOLERANCE, FIT, APPLICATION, NUCLEAR HARDNESS PROPERTIES OR OTHER CHARACTERISTIC WHICH AFFECTS IDENTIFICATION OF THE ITEM. SEE VOLUME 10, TABLE 181 AND QUICK INFO ON-LINE.

3844 STATS-SVC-AGCY-PREF-CD STATS_SA_PREF_3844 DLIS-SBA F SMALLINT 4
STATISTICS SERVICE AGENCY PREFERENCE CODE

THE LEVEL OF PREFERENCE FOR A SERVICE/AGENCY FOR DEMIL. THE FOLLOWING ARE THE VALID VALUES: 1 = DLA, 2 = MIL, 3 = NSA, 4 = DNA, 5 = GSA, 6 = VA, 7 = FAA, 8 = NATO, 99 = OTHER.

3845 RPLY-TBL-CD-FIIG-DCOD-GD RPLY_TBL_DCOD_3845 DLIS-SC F CHAR 4
REPLY TABLE CODE, FIIG DECODE GUIDES

A CODE ASSIGNED TO EACH ISAC REPLY TABLE FOR IDENTIFICATION PURPOSES IN THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) DECODE GUIDES. EACH ISAC TABLE CONTAINS THE REPLY CODES AND THE ASSOCIATED CLEAR TEXT REPLIES THAT HAVE BEEN APPROVED AND AUTHORIZED FOR USE WITH REQUIREMENTS COVERED BY THE TABLE.

3860 DCODD-CHARAS-DATA DLIS-SC V 5000
DECODED CHARACTERISTICS DATA

A DATA FIELD WHICH REFLECTS THE CLEAR TEXT COMPUTER DECODED OUTPUT OF THE DATA GROUP /DRN 3317/. IT INCLUDES THE MASTER REQUIREMENTS CODE /DRN 3445/, THE REQUIREMENT STATEMENT /DRN 3614/, THE REPLY FIELD, AND WHEN APPLICABLE THE ASSOCIATED STORED TEXT IN CLEAR TEXT FOR THE PRINTING OF DD FORMS 146 AND OTHER PUBLICATIONS.

3864 DCODD-RPLY-STMT DCOD_RPLY_ST_3864 DLIS-SC V VARCHAR 379
DECODED REPLY STATEMENT

A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR REPLY CODE. USED TO PRINT REPLY CODES IN CLEAR TEXT FORM IN A FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

3870 DSK-CD-CATLG DSK_CD_CATLG_3870 DLIS-S F CHAR 1
DESK CODE, CATALOGING

A CODE WHICH IDENTIFIES THE LOCATION OF THE TECHNICIAN RESPONSIBLE FOR MANUALLY PROCESSING CATALOGING ITEM IDENTIFICATIONS. USED AS A KEY TO COMPUTER SORT DD146 DESCRIPTIONS AND GROUP THEM BY DESK CODE TO PRECLUDE HANDSORTING.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

3880 DEST-ACTY-CD-OP DEST_ACTY_OP_3880 DLIS-SB F 2
DESTINATION ACTIVITY CODE, OUTPUT
A CODE USED TO IDENTIFY AN ACTIVITY AND MAILING ADDRESS FOR PURPOSES OF IDENTIFYING THE ACTIVITY TO WHICH OUTGOING DATA IS FORWARDED. EXCLUDES PROVISIONING SCREENING DATA.

3881 WPN-SYS-ID WPN_SYS_ID_3881 DLIS-SBA F CHAR 2
WEAPON SYSTEM IDENTIFIER
A NONSIGNIFICANT IDENTIFIER ASSIGNED BY DLA TO DIFFERENTIATE WEAPON SYSTEMS AND WEAPON SUPPORT SYSTEMS USED BY A MILITARY SERVICE. SEE WPN-SYS-SVC-CD (DRN 3882) AND WPN-SYS-DESI (DRN 3888). VALID VALUES: ANY ALPHANUMERIC CHARACTER.

3882 WPN-SYS-SVC-CD WPN_SYS_SVC_3882 DLIS-SBA F CHAR 1
WEAPON SYSTEM SERVICE CODE
THE CODE ASSIGNED BY DLA TO THE MILITARY SERVICE THAT MANAGES THE WEAPON SYSTEM OR WEAPON SUPPORT SYSTEM. SEE WPN-SYS-ID (DRN 3881) AND WPN-SYS-DESI (DRN 3888). VALID VALUES ARE: A = ARMY, F = AIR FORCE, N = NAVY, M = MARINE CORPS.

3883 WPN-SYS-IND-CD WPN_SYS_IND_3883 DLIS-SBA F CHAR 1
WEAPON SYSTEM INDICATOR CODE
A ONE POSITION CODE THAT INDICATES THE COMBINATION OF WPN-SYS-ESNTL-CD (DRN 3885) AND WPN-SYS-CRIT-GP-CD (DRN 3884). VALID VALUES ARE (WPN-SYS-CRIT-GP-CD/WPN-SYS-ESNTL-CD): F = (A/1), G = (A/5), H = (A/6), J = (A/7), K = (A/3), L = (B/1), M = (B/5), P = (B/6), R = (B/7), S = (B/3), T = (C/1), W = (C/5), X = (C/6), Y = (C/7), Z = (C/3).

3884 WPN-SYS-CRIT-GP-CD DLIS-SBA F CHAR 1
WEAPON SYSTEM CRITICAL GROUP CODE
THE CODE THAT REPRESENTS THE GROUPING OF WEAPON SYSTEM DETERMINED BY HOW CRITICAL THEY ARE TO THE MILITARY SERVICES MISSIONS. THE VALID VALUES: A = MOST CRITICAL, B = CRITICAL, C = LEAST CRITICAL

3885 WPN-SYS-ESNTL-CD WPN_SYS_ESNTL_3885 DLIS-SBA F CHAR 1
WEAPON SYSTEM ESSENTIALITY CODE
A ONE POSITION NUMERIC CODE USED TO ESTABLISH THAT AN ITEM IS ESSENTIAL TO THE OPERATIONAL READINESS OF A WEAPON SYSTEM OR THE CONDUCT OF A MILITARY MISSION, OR THAT A FUNCTIONAL PART CONTRIBUTES TO THE TACTICAL AND ESSENTIAL OPERATIONS OF AN END ITEM COMPONENT OR ASSEMBLY AND ITS FAILURE WOULD RENDER THE END ITEM INOPERABLE OR INCAPABLE OF FULFILLING ITS MISSION; OR THAT A REPAIR OR SECONDARY DEPOT REPAIRABLE COMPONENT IS REQUIRED FOR THE SAFETY AND HEALTH OF PERSONNEL, OR IS REQUIRED BY STATE OR LOCAL LAWS. VALID VALUES ARE NUMERIC 1 - 7.

3886 DLA-CTR-CD DLA_CTR_CD_3886 DLIS-SBA F CHAR 1
DLA CENTER CODE
A ONE POSITION ALPHA CODE INDICATING THE DLA CENTER THAT MANAGES THE ITEM. THE FOLLOWING ARE VALID CODES: G = DGSC OR DEFENSE SUPPLY CENTER, RICHMOND, I = DISC, DEFENSE INDUSTRIAL SUPPLY CENTER, C = DCSCOR DEFENSE SUPPLY CENTER, COLUMBUS, E = DESC OR DEFENSE SUPPLY CENTER, COLUMBUS.

3887 WPN-SYS-NM WPN_SYS_NM_3887 DLIS-SBA F CHAR 75
WEAPON SYSTEM NAME
THE IDENTIFICATION, LABEL, TITLE, OR TYPE DESIGNATOR OF A SPECIFIC WEAPON SYSTEM, SUPPORT SYSTEM, OR END ITEM. IT DOES NOT OFFICIALLY DESCRIBE PHYSICAL OR PERFORMANCE CHARACTERISTICS OF THE SYSTEM. ALL ALPHANUMERIC CHARACTERS ARE VALID.

3888 WPN-SYS-DESI-CD DLIS-SBA F CHAR 3
WEAPON SYSTEM DESIGNATOR CODE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE DOCUMENT IDENTIFIER CODE SUBMITTED TO THE DEFENSE LOGISTICS INFORMATION SERVICE WHICH IS PERPETUATED IN RESULTANT OUTPUTS TO IDENTIFY THE INPUT TRANSACTION.

3922 DIC-ORIG-IP DLIS-V F 3
DOCUMENT IDENTIFIER CODE, ORIGINAL INPUT
THE SUBMITTED DOCUMENT IDENTIFIER CODE USED TO INDICATE THE SPECIFIC TYPE OF ACTION WHICH CAUSED THE DATA ELEMENT(S) TO BE EFFECTIVE DATED.

3923 LCU-ODIC LCU_ODIC_3923 DLIS-SB F CHAR 3
LCU OUTPUT DOCUMENT IDENTIFIER CODE
A DIC FIELD CONTAINING THE VALUE OF THE OUTPUT DIC WHICH GIVES THE PROCESSING RESULTS OF AN LCU TRANSACTION FOR THE ITEM TRANSFER. WHEN AN LCU IS PROCESSED AND APPROVED, THE VALUE WILL BE KNA. WHEN AN LCU IS PROCESSED AND REJECTS WITH OUTPUT DIC KRE, THE VALUE WILL BE KRE. USED ON THE AIR FORCE SUSPENSE FILE.

3960 ASGND-NSN NSN_3960 DLIS-SB F CHAR 13
ASSIGNED NATIONAL STOCK NUMBER (NSN)
A NUMBER ASSIGNED UNDER THE FEDERAL CATALOGING PROGRAM TO EACH APPROVED UNITED STATES FEDERAL ITEM IDENTIFICATION. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC) AND THE NINE DIGIT ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN).

3963 CG-CMDTY-USR-IND-CD CG_USR_IND_3963 DLIS-X F CHAR 1
COAST GUARD COMMODITY USER INDICATOR CODE
THE CODE THAT INDICATES THE COAST GUARD AS A USER OF A SPECIFIC COMMODITY. VALID VALUES: 1 = MOE RULE PRESENT, 0 = MOE RULE NOT PRESENT

3970 FSC-APPL DLIS-SC F 4
FEDERAL SUPPLY CLASSES APPLICABLE
THE FEDERAL SUPPLY CLASSES APPLICABLE TO A SPECIFIC ITEM NAME CODE

3971 OLD-NEW-PHRS-IND-CD OLD_NEW_PHRS_3971 DLIS-X F CHAR 1
OLD/NEW PHRASE INDICATOR CODE
THE CODE THAT PROVIDES THE VISIBILITY OF THE OLD PHRASE CODE DATA AND THE NEW PHRASE CODE DATA. IF PHRASE CODE DATA IS BEING ADDED FOR THE FIRST TIME, THERE WILL NOT BE "OLD" PHRASE CODE RECORD(S) PROVIDED, ONLY "NEW" PHRASE CODE RECORDED(S). IF THE PHRASE CODE DATA IS BEING DELETED, ONLY "OLD" (NOT "NEW") PHRASE RECORD(S) WILL BE PROVIDED. VALID VALUES: O = OLD PHRASE CODE DATA, N = NEW PHRASE CODE DATA

3972 PKT-TYP-CD PKT_TYP_CD_3972 DLIS-X F CHAR 1
PACKET TYPE CODE
THE CODE THAT INDICATES THE TYPE OF PROCESS OR ACTION TO BE TAKEN BY THE FIXED RECORD FORMAT DATA PACKET IDENTIFIER. SEE VOLUME 10, TABLE ? AND QUICK INFO ON-LINE.

3973 PKT-TYP-TX PKT_TYP_TX_3973 DLIS-X V VARCHAR 200
PACKET TYPE TEXT
AN EXPLANATION FOR A CODE (DRN 3972) THAT IDENTIFIES THE PROCESS OR ACTION TO BE TAKEN BY THE FIXED RECORD FORMAT DATA PACKET IDENTIFIER. SEE VOLUME 10, TABLE ? AND QUICK INFO ON-LINE.

3974 AR-CMDTY-USR-IND-CD AR_USR_IND_3974 DLIS-X F CHAR 1
ARMY COMMODITY USER INDICATOR CODE
THE CODE THAT INDICATES THE ARMY AS A USER OF A SPECIFIC COMMODITY. VALID VALUES: 1 = MOE RULE PRESENT, 0 = MOE RULE NOT PRESENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE USED TO GROUP LIKE FSCS TOGETHER FOR STATISTICAL REPORTING ON ACQUISITION METHOD CODE / ACQUISITION METHOD SUFFIX CODES STATS.

3996 ASGND-FSC-WI-FSG FSC_WI_FSG_3996 DLIS-SIC F CHAR 2
ASSIGNED FEDERAL SUPPLY CLASS WITHIN FEDERAL SUPPLY GROUP

THE FEDERAL SUPPLY CLASSIFICATION ALLOWS THE FEDERAL SUPPLY GROUP TO BE SUBDIVIDED INTO 99 CLASSES. THE CLASSES WITHIN ANY GROUP ARE CONSIDERED TO BE CLOSELY RELATED. THE COMBINATION OF THE FEDERAL SUPPLY GROUP AND THE SPECIFIC CLASS WITHIN THE SPECIFIED GROUP CONSTITUTES THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION. THIS ELEMENT IS INPUT WITH ITS ASSOCIATED FSG, BUT MAY BE USED AS A SORT KEY WITHIN THE SYSTEM BY DESIGN.

4000 ASGND-NIIN NIIN_4000 DLIS-SB F CHAR 9
ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN)

A NUMBER ASSIGNED TO EACH APPROVED ITEM IDENTIFICATION UNDER THE FEDERAL CATALOGING PROGRAM. IT CONSISTS OF NINE NUMERIC CHARACTERS, THE FIRST TWO OF WHICH ARE THE NATIONAL CODIFICATION BUREAU /NCB/ CODE. THE REMAINING POSITIONS CONSIST OF A SEVEN DIGIT NONSIGNIFICANT NUMBER.

4020 FRT-DESC FRT_DESC_4020 DLIS-SBA V CHAR 35
FREIGHT DESCRIPTION

A BRIEF STANDARDIZED DESCRIPTION ASSIGNED TO A RECORDED ITEM UNDER WHICH INDIVIDUAL ITEMS ARE GROUPED FOR THE PURPOSE OF ASSESSING CLASS AND COMMODITY RATES.

4061 ILL-RTN-DT ILL_RTN_DT_4061 DLIS-V F CHAR 5
ILLUSTRATION RETURN DATE

THE DATE THE ILLUSTRATION WAS RETURNED AS A COMPLETED PHOTO MECHANICAL TRANSFER. THE DRAWING IS NOW READY FOR DIGITIZATION AND UPLOADING TO MAINFRAME.

4062 ILL-START-DT ILL_START_DT_4062 DLIS-V F CHAR 5
ILLUSTRATION START DATE

THE DATE THE ILLUSTRATION IS SENT FOR PREPARATION AS A PHOTO MECHANICAL TRANSFER.

4063 ILL-ACPT-IND ILL_ACPT_IND_4063 DLIS-V F CHAR 1
ILLUSTRATION ACCEPTANCE INDICATOR

AN INDICATOR CODE THAT TELLS WHETHER THE DRAWING IS ACCEPTABLE OR NOT. VALID VALUES - Y OR N.

4065 GDE-NBR-FIIG FIIG_4065 DLIS-SC F CHAR 6
GUIDE NUMBER, FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)

A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY RECORDED AGAINST A MASTER REQUIREMENT CODE WHICH IDENTIFIES THE FEDERAL ITEM IDENTIFICATION GUIDE /FIIG/ IN WHICH THE MASTER REQUIREMENT CODE WILL BE USED. ALSO APPEARS IN THE SYSTEM SUPPORT RECORD ITEM NAME SECTOR DENOTING THE GUIDE WHICH IS APPLICABLE TO AN ITEM NAME.

4066 ILL-ID ILL_ID_4066 DLIS-V F CHAR 10
ILLUSTRATION IDENTIFIER

IDENTIFIES THE COMPANY INDIVIDUAL CONTRACTED TO PROVIDE THE PHOTO MECHANICAL TRANSFER. THE DRAWINGS ARE DIGITIZED FROM THESE TRANSFERS.

4069 DWG-FIIG DWG_FIIG_4069 DLIS-V F CHAR 5
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)

A 5 POSITION FIIG USED FOR IDENTIFICATION PURPOSES FOR DRAWING CROSS REFERENCE DIGITIZED DRAWINGS.

4075 IMCA IMCA_4075 DLIS-SB F CHAR 2

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ITEM MANAGEMENT CLASSIFICATION ACTIVITY (IMCA)

THE APPROPRIATE DEFENSE SUPPLY CENTER, OR THE GENERAL SERVICES ADMINISTRATION, RESPONSIBLE FOR DETERMINING THE DEPARTMENT OF DEFENSE MANAGEMENT METHOD FOR EACH ITEM IN FEDERAL SUPPLY CLASSES ASSIGNED FOR INTEGRATED MANAGEMENT. RESPONSIBILITIES ARE DEFINED IN DOD 4140.26-M, VOLUME 1.

4080 INC INC_4080 DLIS-SIC F CHAR 5
ITEM NAME CODE

A FIVE DIGIT NUMBER, ASSIGNED BY THE DEFENSE LOGISTICS INFORMATION SERVICE (DLIS), TO EACH APPROVED ITEM NAME. NAMES OTHER THAN APPROVED ITEM NAMES ARE ASSIGNED ITEM NAME CODE 77777. ITEM NAME CODE 77777 WILL BE INCLUDED IN OUTPUT FROM DLIS WHEN THE ITEM NAME IS OTHER THAN AN APPROVED ITEM NAME. SEE [VOLUME 10, TABLE 20](#) AND QUICK INFO ON-LINE.

4081 LOG-REASGMT-TRK-IND-CD LR_TRK_IND_4081 DLIS-SA F CHAR 1
LOGISTICS REASSIGNMENT TRACKING INDICATOR CODE

A CODE THAT INDICATES THE STATUS OF THE LOGISTIC REASSIGNMENT (LR). VALID VALUES: L = LOSS, G = GAIN, B = BACK-OUT, D = DENIAL, M = MIGRATION, I = INVALID (DELETE WITHIN BSM).

4082 LR-PROJ-CD PROJ_CD_4082 DLIS-SA F CHAR 6
LOGISTICS REASSIGNMENT PROJECT CODE

A CODE THAT IS ASSIGNED BY DLIS TO TRACK SPECIFIC PROJECTS WITHIN THE LOGISTICS REASSIGNMENT TRACKING TABLE.

4083 LR-APRV-DT LR_APRV_DT_4083 DLIS-SA F DATE 7
LOGISTICS REASSIGNMENT APPROVAL DATE

THE JULIAN DATE ON WHICH AN LR ACTION IS APPROVED BY DLA. THIS IS NOT A TRANSACTION OR EFFECTIVE DATE. THIS WILL BE LOADED VIA BLR TRANSACTION.

4088 EFF-MGMT-TRFR-APRV-DT EFF_TRFR_DT_4088 DLIS-SA F DATE 7
EFFECTIVE MANAGEMENT TRANSFER APPROVAL DATE

THE JULIAN DATE ON WHICH THE ACTUAL TRANSFER OF MANAGEMENT WAS APPROVED BY HQ DLA.

4091 MULT-NIIN-TRANS-LMX-LMD LMX_LMD_DT_4091 DLIS-SA F DATE 7
MULTIPLE NIIN/TRANSACTION LMX/LMD DATE

THE JULIAN DATE OF MULTIPLE NIIN OR MULTIPLE TRANSACTION LMX/LMD TRANSACTION PROCESSING.

4092 MULT-NIIN-LMX-LMD-OP-DIC LMX_LMD_ODIC_4092 DLIS-SA F CHAR 3
MULTIPLE NIIN LMX/LMD OUPUT DIC TYPE CODE

THE CODE THAT REPRESENTS THE MULTIPLE NIIN DOCUMENT IDENTIFYING TYPE OF OUTPUT.

4096 LDZ-DELT-OP-DIC-TYP-ID LDZ_ODIC_4096 DLIS_SA F CHAR 3
LDZ DELETION OUTPUT DIC TYPE IDENTIFIER

THE CODE THAT REPRESENTS A DELETE ACTION DOCUMENT IDENTIFYING TYPE OF OUTPUT.

4115 MFR-PT-NBR-EDIT-IDEN DLIS-SC F 1
MANUFACTURER PART NUMBER EDIT IDENTIFICATION

A CODE WHICH INDICATES THAT ALL INCOMING ITEM IDENTIFICATION REFERENCE NUMBERS BEARING THE TYPE A O.E. CODE SHOWN IN THE OUTPUT TRANSACTION ARE SUBJECT TO EDIT/VALIDATION SCREENING IN CONFORMANCE WITH THE SPECIFICATIONS CITED IN CATALOGING HANDBOOK H7. SEE [VOLUME 10, TABLE 21](#) AND QUICK INFO ON-LINE.

4120 MTCHD-NSN DLIS-SB F 13
MATCHED NATIONAL STOCK NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE EXISTING NATIONAL STOCK NUMBER /NSN/ WHICH IS FOUND TO BE AN ACTUAL OR POSSIBLE DUPLICATE OF A SUBMITTED PROPOSAL WHEN A MATCH IS REVEALED CHARACTERISTICALLY OR BY REFERENCE NUMBER. THE SUBMITTER IS NOTIFIED OF THIS MATCH THROUGH THE USE OF THIS NSN AND APPROPRIATE OUTPUT CODE NOTIFICATION.

4126 MAT-IDEN-CD MAT_IDEN_MC_4126 DLIS-SBA F CHAR 1
MATERIEL IDENTIFICATION CODE

A CODE EMPLOYED BY THE MARINE CORPS TO IDENTIFY THE METHOD OF ACCOUNTING, DEGREE AND TYPE CONTROL TO BE MAINTAINED FOR THE ITEM UNDER THE SUPPORTED ACTIVITIES SUPPLY SYSTEM AND TO IDENTIFY MATERIEL BY SPECIFIC PURPOSE, TYPE OR CLASSIFICATION FOR THE WAR RESERVE SUB SYSTEM. SEE [VOLUME 10, TABLE 73](#) AND QUICK INFO ON-LINE.

4128 CDD-CLR-RPLY CDD_CLR_RPLY_4128 DLIS-SCA V VARCHAR 990
CODED AND OR CLEAR TEXT REPLY

THE REPLY FIELD REPRESENTS A CODED AND/OR CLEAR TEXT DESCRIPTION AS DESIGNATED BY THE MODE CODE. THE REPLY FIELD WILL BEGIN IN THE POSITION FOLLOWING THE MODE CODE, FOR EACH MASTER REQUIREMENT CODE, AND WILL CONTINUE UNTIL A DATA ELEMENT TERMINATOR (*) IS ENCOUNTERED. IT INCLUDES THE SECONDARY ADDRESS CODE AND THE SECONDARY ADDRESS CODE INDICATOR WHEN THERE IS MORE THAN ONE REPLY WITHIN A MASTER REQUIREMENT CODE AND MAY INCLUDE EITHER OF THE AND/OR SYMBOLS.

4129 EDIT-CRITE-STMT ED_CRITE_STMT_4129 DLIS-SCA V VARCHAR 14750
EDIT CRITERIA STATEMENT

A FIELD USED TO ENTER THE VALID REPLY TO THE RELATED MASTER REQUIREMENTS CODE (MRC). THE REPLY WILL CONSIST OF EITHER PROPORTION, TECHNICAL OR RELATIONSHIP EDIT CRITERIA STATEMENT SYMBOLOGY USED TO EDIT THE STRUCTURE OF THE MRCs CODED REPLIES. REFERENCE THE LENGTH FIELD, THE ACTUAL VALUE IS 14750.

4130 NCB-CD NCB_CD_4130 DLIS-SB F CHAR 2
NATIONAL CODIFICATION BUREAU CODE

A TWO-DIGIT CODE NUMBER INDICATING THE COUNTRY WHICH ORIGINALLY CATALOGED THE ITEM. SEE [VOLUME 10, TABLE 9](#) AND QUICK INFO ON-LINE.

4131 I-I-NBR I_I_NBR_4131 DLIS-SBA F CHAR 7
ITEM IDENTIFICATION NUMBER

THE LAST SEVEN POSITIONS OF THE ASSIGNED-NIIN

4140 NATO-NSCM-CD NSCM_4140 DLIS-SBB F CHAR 5
NATO COMMERCIAL AND GOVERNMENT ENTITY CODE

A FIVE-POSITION ALPHANUMERIC CODE WITH AN ALPHA CHARACTER IN THE FIRST AND/OR LAST POSITION. THE NCAGE PREFIX AND SUFFIX ALPHA CHARACTER(S) DESIGNATES A SPECIFIC COUNTRY OR CODIFICATION BUREAU (SEE FLIS PROCEDURES MANUAL, [VOLUME 10, TABLE 131](#)).

4150 NATO-SN DLIS-CI F 13
NORTH ATLANTIC TREATY ORGANIZATION STOCK NUMBER

A NUMBER ASSIGNED BY A NATO COUNTRY PARTICIPATING IN THE FCS UNDER STANDARDIZATION AGREEMENTS (STANAG) 3150 AND 3151 TO EACH ITEM OF SUPPLY. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION, THE TWO DIGIT NATIONAL CODIFICATION BUREAU CODE AND A SEVEN DIGIT NON-SIGNIFICANT NUMBER ASSIGNED BY EACH NATO COUNTRY. THE SAME SEVEN DIGIT NUMBER MAY BE ASSIGNED BY MORE THAN ONE NATO COUNTRY. THE NATIONAL CODIFICATION BUREAU CODE WILL MAKE THE NATO STOCK NUMBER UNIQUE.

4151 IDS-EXTN-FILE-NM EXTN_FILE_NM_4151 DLIS-VPE F CHAR 8
IDS EXTERNAL FILE NAME

THE WORDS THAT EXPRESS THE DESIGNATION OF THE EXTERNAL FILE NAME REQUIRED DURING THE CREATION OF AN IDS PRODUCT. THIS NAME REPRESENTS THE THIRD LEVEL OF QUALIFICATION AS FOLLOWS: 1 = DEFAULT TO LPDV, 2 = DEFAULT TO DATAFILE, 3 = THE SPECIFIED FILENAME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4152 IDS-EXTN-FILE-OFFST-NBR FILE_OFST_NBR_4152 DLIS-VPE F INTEGER 5
IDS EXTERNAL FILE OFFSET NUMBER
THE UNIQUE VALUE OF THE STARTING POSITION (RELATIVE TO ZERO) OF A FIELD WITHIN AN EXTERNAL FILE THAT IS BEING INPUT TO THE IDS INTERFACE (REFER TO IDS EXTERNAL FILE NAME). VALID ENTRIES: 00000 - 00999.

4153 IDS-PARM-STNG-TXT PARM_STNG_TXT_4153 DLIS-VPE F CHAR 40
IDS PARAMETER STRING TEXT
AN OPTIONAL PARAMETER STRING PASSED FROM CALLING TO CALLED PROGRAM USED TO MODIFY THE INTERFACE SERVICE ROUTINES.

4154 IDS-PRDCT-PT-NBR PRDCT_PT_NBR_4154 DLIS-VPE F SMALLINT 3
IDS PRODUCT PART NUMBER
THE UNIQUE VALUE THAT REPRESENTS THE PART OF A IDS PRODUCT THAT A GIVEN RECORD TYPE IS ASSOCIATED WITH. VALID VALUES ARE 000 - 999. DEFAULT IS ZERO.

4155 IDS-EDIT-MBR-TXT EDIT_MBR_TXT_4155 DLIS-VPE F CHAR 17
IDS EDIT MEMBER TEXT
THE PDS MEMBER NAME(S) OF THE EDIT ROUTINE THAT PERFORMS FINAL EDITS ON DATA, E.G., HYPHENS IN THE NSN, IN THE OUTPUT FILE. UP TO TWO 8 CHARACTER NAMES MAY BE SPECIFIED SEPARATED BY A COMMA.

4156 IDS-MARKUP-TXT MARKUP_TXT_4156 DLIS-VPE V VARCHAR 79
IDS MARKUP TEXT
THE SGML MARKUP ASSOCIATED WITH EACH DATA ELEMENT EXTRACTED FOR USE IN IDS PRODUCT.

4157 IDS-DCOD-SVC-IND DCOD_SVC_IND_4157 DLIS-VPE F CHAR 1
IDS DECODE SERVICE INDICATOR
A CHARACTER SPECIFYING WHETHER ALL MRCS OR A SPECIFIED SET OF MRCS ARE TO BE PROCESSED. VALID INPUT VALUES ARE: A = ALL, S = SPECIFIED.

4158 IDS-EXTN-FILE-LGTH-NBR EX_FILE_LGTH_4158 DLIS-VPE F INTEGER 5
IDS EXTERNAL FILE LENGTH NUMBER
THE UNIQUE VALUE THAT IDENTIFIES THE LENGTH OF A FILE COMPONENT BEING SPECIFIED FOR EXTERNAL FILES. VALID ENTRIES: 00001 - 01000.

4159 IDS-XFILE-RPETD-DATA-NBR XFILE_RPETD_4159 DLIS-VPE F SMALLINT 3
IDS EXTERNAL FILE REPEATED DATA NUMBER
THE UNIQUE VALUE FOR THE NUMBER OF TIMES A DATA FIELD IS REPEATED ON AN EXTERNAL FILE. VALID VALUES ARE 001 - 999. DEFAULT IS 001.

4160 IDS-CMPNT-NBR IDS_CMPNT_NBR_4160 DLIS-VPE F SMALLINT 2
IDS COMPONENT NUMBER
THE UNIQUE VALUE FOR THE ORDER OF THE DB2 COLUMNS OR FILE FIELDS IN A GIVEN IDS PRODUCT. VALID VALUES ARE 01 - 50. DEFAULT IS 01.

4161 IDS-DB2-CMPNT-ELE-NM CMPNT_ELE_NM_4161 DLIS-VPE F CHAR 18
IDS DB2 COMPONENT ELEMENT NUMBER
THE WORD THAT EXPRESSES THE DESIGNATION OF THE DB2 TABLE COLUMNS.

4162 IDS-ACCS-CMPNT-BLN-IND CMPNT_BLN_4162 DLIS-VPE F CHAR 1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

IDS ACCESS COMPONENT BLANK INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT TO PUT SGML MARKUP INTO THE DATA STREAM EVEN IF DATA IS NOT FOUND. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

4163 IDS-ACCS-CMPNT-OMIT-IND CMPNT_OMIT_4163 DLIS-VPE F CHAR 1

IDS ACCESS COMPONENT OMIT INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT TO LEAVE OUT SGML MARKUP IF DATA IS NOT FOUND. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

4164 IDS-ACCS-CMPNT-FAIL-IND CMPNT_FAIL_4164 DLIS-VPE F CHAR 1

IDS ACCESS COMPONENT FAIL INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT, IF ANY PART OF A RECORD TYPE IS NOT FOUND THEN ALL DATA FOR THE RECORD TYPE IS OMITTED. VALID VALUES: Y = YES, N = NO (DEFAULT).

4165 IDS-ACCS-CMPNT-MANY-IND CMPNT_MANY_4165 DLIS-VPE F CHAR 1

IDS ACCESS COMPONENT MANY INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT MANY ROWS ARE EXPECTED FROM A PARTICULAR ACCESS. VALID VALUES ARE: Y=YES, N=NO.

4166 IDS-EXTR-RCD-TYP-SEQ-NBR EXTR_TYP_SEQ_4166 DLIS-VPE F SMALLINT 2

IDS EXTRACT RECORD TYPE SEQUENCE NUMBER

THE UNIQUE VALUE THAT DETERMINES THE ORDER IN WHICH THE RECORD TYPES THE IDS 3090 INTERFACE ARE TO BE INCLUDED IN A IDS PRODUCT. VALID VALUES: 03 - 99.

4167 IDS-SRT-SEQ-TXT SRT_SEQ_TXT_4167 DLIS-VPE F CHAR 110

IDS SORT SEQUENCE TEXT

THE SORT SEQUENCE FOR EACH PART OF THE IDS PRODUCTS. THE FORMAT IS RNN,ANN,CNN,S,RNN,ANN,CNN,S... WHERE R = RECORD TYPE, A = ACCESS NUMBER, C = COMPONENT NUMBER, AND S = SPECIFIER (A = ASCENDING AND D = DESCENDING).

4168 IDS-ACCS-CMPNT-FILE-NM CMPNT_FILE_NM_4168 DLIS-VPE F CHAR 8

IDS ACCESS COMPONENT FILE NAME

THE NAME OF A USER SPECIFIED IBM FILE NAME. THIS FILE NAME SPECIFIES AN OUTPUT FILE DURING PROCESSING FOR THE STORAGE OF PARTICULAR PRODUCTS.

4169 IDS-RCD-TYP-ORDR-NBR RCD_TYP_ORDR_4169 DLIS-VPE F SMALLINT 2

IDS RECORD TYPE ORDER NUMBER

THE UNIQUE VALUES THAT DETERMINE THE POSITION OF THE RECORD TYPES IN A IDS PRODUCT IN RELATION TO THE OTHER RECORD TYPES. VALID VALUES: 01 - 99.

4171 IDS-ACCS-CMPNT-DSCRD-IND CMPNT_DSCRD_4171 DLIS-VPE F CHAR 1

IDS ACCESS COMPONENT DISCARD INDICATOR

THE UNIQUE VALUE THAT DETERMINES WHETHER THE COMPONENT IS TO BE KEPT FOR FINAL OUTPUT PROCESSING OR IS TO BE DISCARDED. VALID VALUES ARE Y=YES, N=NO.

4172 IDS-ACCS-CMPNT-SEQ-NBR CMPNT_SEQ_4172 DLIS-VPE F SMALLINT 2

IDS ACCESS COMPONENT SEQUENCE NUMBER

THE UNIQUE VALUE THAT DETERMINES THE SEQUENCE OF THE COMPONENTS. VALID VALUES ARE: 01 - 50.

4173 IDS-ACCS-CMPNT-CATNT-IND CMPNT_CATNT_4173 DLIS-VPE F CHAR 1

IDS ACCESS COMPONENT CATENATE INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

DETERMINES IF THE COMPONENT IS TO BE CATENATED WITH THE PREVIOUS COMPONENT. VALID VALUES ARE: Y=YES, N=NO (DEFAULT).

4174 IDS-ACCS-CMPNT-LGTH-NBR CMPNT_LGTH_4174 DLIS-VPE F SMALLINT 5
IDS ACCESS COMPONENT LENGTH NUMBER
THE WIDTH OF THE FIELD WHICH IS TO CONTAIN THE DATA FOR THIS COMPONENT. A POSITIVE INTEGER IS ALLOWED.

4175 IDS-ACCS-CMPNT-TYP-NBR CMPNT_TYP_4175 DLIS-VPE F SMALLINT 3
IDS ACCESS COMPONENT TYPE NUMBER
A UNIQUE VALUE THAT SPECIFIES THE COLUMN DATA TYPE (FOR A DB2 TABLE) OR THE NUMBER OF OCCURRENCES OF THE DATA ELEMENT (FOR FILES). VALID VALUES ARE 001 - 999.

4176 IDS-DATA-STRM-BRK-IND DATA_STRM_BRK_4176 DLIS-VPE F CHAR 1
IDS DATA STREAM BREAK INDICATOR
A VALUE THAT DETERMINES WHETHER DUPLICATE COMPONENT FIELDS ARE TO BE DISPLAYED IN OUTPUT OR NOT. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

4177 IDS-A-CMPNT-SRT-ORDR-IND CMPNT_SRT_4177 DLIS-VPE F CHAR 1
IDS ACCESS COMPONENT SORT ORDER INDICATOR
A VALUE THAT SPECIFIES THE ORDER OF THE ACCESS COMPONENT. VALID VALUES ARE: A = ASCENDING, D = DESCENDING.

4178 IDS-ACCS-CMPNT-MRKP-TXT CMPNT_MRKP_4178 DLIS-VPE F CHAR 40
IDS ACCESS COMPONENT MARKUP TEXT
THE SGML MARKUP THAT IS TO BE INSERTED IN THE DATA STREAMS.

4179 IDS-MRKP-DSRPTR-FLD-NBR MRKP_DSRPTR_4179 DLIS-VPE F SMALLINT 3
IDS MARKUP DESCRIPTOR FIELD NUMBER
A UNIQUE NUMBER VALUE USED TO SET THE INDEX OF THE PROCESSING ARRAY FOR THE COMPONENTS OF THE RECORD TYPE. VALID VALUES ARE: 000 - 999.

4180 NCAGE-PRFX-CDFN-BUR-CD NCG_PFX_CD_BR_4180 DLIS-SBB F CHAR 1
NCAGE PREFIX CODIFICATION BUREAU CODE
THIS CODE PREFIXES THE FOUR CHARACTERS ASSIGNED TO A NORTH ATLANTIC TREATY ORGANIZATION (NATO) CODE BY A RESPECTIVE CODIFICATION BUREAU. SEE [VOLUME 10, TABLE 131](#) AND QUICK INFO ON-LINE.

4181 NSN-MRKP-HPHN-IND MRKP_HPHN_4181 DLIS-VPE F CHAR 1
NSN MARKUP HYPHEN INDICATOR
A VALUE THAT DETERMINES IF A HYPHEN IS TO BE PLACED FOLLOWING THE THIRD DIGIT OF THE LI_NBR_4131. VALID VALUES: BLANK = DO NOT INSERT HYPHEN, H = INSERT HYPHEN.

4182 IDS-MRKP-CPTLZTN-IND MRKP_CPTLZTN_4182 DLIS-VPE F CHAR 1
IDS MARKUP CAPITALIZATION INDICATOR
A VALUE THAT DETERMINES THE CAPITALIZATION REQUIREMENTS. VALID VALUES: M = MIXED, U = UPPER CASE, L = LOWER CASE.

4183 IDS-CLBL-ACCS-SUBRTN-NM ACCS_SUBRTN_4183 DLIS-VPE F CHAR 8
IDS CALLABLE ACCESS SUBROUTINE NAME
THE WORD THAT EXPRESSES THE IBM PDS MEMBER NAME OF A COBOL COMPILED SUBROUTINE.

4184 IDS-C-ACCS-PASD-PARM-TXT PASD_PARM_4184 DLIS-VPE F CHAR 160

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

IDS CALLABLE ACCESS PASSED PARAMETER TEXT

THE NARRATIVE THAT DESCRIBES THE PARAMETERS TO BE PASSED TO THE CALLABLE ACCESS, DELIMITED BY COMMAS.

4185 IDS-CLBL-ACCS-PARM-TXT ACCS_PARM_4185 DLIS-VPE F CHAR 160

IDS CALLABLE ACCESS PARAMETER TEXT

THE NARRATIVE THAT DESCRIBES THE PARAMETERS THAT ALLOW THE CALLABLE ACCESS TO ACCESS THE CORRECT RECORD TYPE, ACCESS NUMBER, AND COMPONENT NUMBER, DELIMITED BY COMMAS.

4186 IDS-ACCS-CMPNT-LTH-NBR CMPNT_LTH_4186 DLIS-VPE F SMALLINT 5

IDS ACCESS COMPONENT LENGTH NUMBER

THE UNIQUE VALUE THAT SPECIFIES THE COMPONENT LENGTH THAT WILL BE PASSED TO THE SQLDA.

4187 IDS-ACCS-CMPNT-OFST-NBR CMPNT_OFST_4187 DLIS-VPE F SMALLINT 5

IDS ACCESS COMPONENT OFFSET NUMBER

THE UNIQUE VALUE THAT SPECIFIES THE OFFSET FROM WHICH THE COMPONENT STARTS.

4188 IDS-NXT-PUB-DT NXT_PUB_DT_4188 DLIS-VPE F CHAR 9

IDS NEXT PUBLICATION DATE

THIS IS A REQUIRED FIELD THAT SPECIFIES THE EFFECTIVE DATE OF THE DATA TO BE INCLUDED IN A PUBLICATION. VALID VALUES: VALID JULIAN DATE.

4189 IDS-LST-PUB-UPDT-DT LST_UPDT_DT_4189 DLIS-VPE F CHAR 9

IDS LAST PUBLICATION UPDATE DATE

THE SPECIFIC PERIOD OF TIME THAT IS OBTAINED FROM THE IBM 3090 WHEN A ID PRODUCT DEFINITION IS UPDATED THROUGH THE LPDV100U CICS ON-LINE INTERACTIVE PROGRAM. VALID VALUES: IBM DATE IN FORM DD-MMM-YY.

4191 IDS-LST-PUB-DT LST_PUB_DT_4191 DLIS-VPE F CHAR 9

IDS LAST PUBLISHED DATE

THIS IS THE LAST EFFECTIVE DATE THAT WAS UTILIZED FOR THE GENERATION OF THE LAST PUBLICATION. VALID VALUES: VALID JULIAN DATE.

4192 IDS-PRDCT-DEF-ESTB-DT DEF_ESTB_DT_4192 DLIS-VPE F CHAR 9

IDS PRODUCT DEFINITION

THE SPECIFIC PERIOD OF TIME WHEN THE IDS PRODUCT DEFINITION IS ADDED THROUGH THE INTERACTIVE PROGRAM. VALID VALUES: SYSTEM SUPPLIED DATE OF THE FORM DD-MMM-YY.

4193 IDS-DEF-STAT-CD DEF_STAT_CD_4193 DLIS-VPE F CHAR 1

IDS DEFINITION STATUS CODE

THE SPECIFIC VALUE THAT DENOTES THE CURRENT STATUS OF THE ID PRODUCT DEFINITION BEING PROCESSED. VALID INPUT VALUES ARE: B=BUILD, M=MODIFY. OTHER VALID VALUES: C=DECODE PROCESSING, F=BUILD FAILURE.

4194 IDS-PUB-CYCL-TM PUB_CYCL_TM_4194 DLIS-VPE F CHAR 13

IDS PUBLICATION (OR PRODUCT) CYCLE TIME

THE SPECIFIC CHRONOLOGICAL POINT IN TIME THAT DESIGNATES THE OCCURRENCE OF THE PRODUCTION OF IDS PRODUCTS.

4195 IDS-FUNC-MNEM-NM FUNC_MNEM_NM_4195 DLIS-VPE F CHAR 6

IDS FUNCTION MNEMONIC NAME

THE WORD THAT REPRESENTS THE FUNCTION MNEMONIC FOR ANY OF THE VALID IDS 3090 INTERFACE ON-LINE PROGRAMS THAT AN IDS 3090 INTERFACE USER LAST USED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE SPECIFIC VALUE THAT REPRESENTS WHETHER OR NOT A GIVEN ACCESS MAY RETURN MORE THAN ONE ROW. VALID VALUES ARE:
O = ONE, M = MANY.

4206 IDS-COND-TXT COND_TXT_4206 DLIS-VPE V VARCHAR 1120
IDS CONDITION TEXT

USER INPUT CONDITIONS THAT LIMIT THE VALUES RETURNED BY A TABLE ACCESS WITHIN THE IDS 3090 INTERFACE.

4207 IDS-TBL-QRY-STNG-TXT TBL_QRY_STNG_4207 DLIS-VPE V VARCHAR 2048
IDS TABLE QUERY STRING TEXT

AN SQL QUERY FOR A TABLE ACCESS OR THE NAME OF A FILE FOR A FILE ACCESS OR THE DECODE SERVICE FOR A DECODE ACCESS.

4208 IDS-LINK-PARM-STNG-TXT LINK_PARM_4208 DLIS-VPE V VARCHAR 160
IDS LINK PARAMETER STRING TEXT

PARAMETER STRINGS THAT SPECIFY RECORD TYPE, ACCESS NUMBER, AND COMPONENT NUMBER. EACH PARAMETER STRING RT[1-2]A[]C[] IS DELIMITED FROM OTHER STRINGS BY COMMAS. THIS FIELD LINKS THE ACCESS DESCRIPTOR TABLE TO THE CORRECT COMPONENTS SPECIFIED IN THE ACCESS RECORD DESCRIPTOR TABLE.

4209 IDS-EXTR-DATA-ITM-QY EXTR_ITM_QY_4209 DLIS-VPE F INTEGER 8
IDS EXTRACT DATA ITEM QUANTITY

THE TOTAL NUMBER OF ITEMS FOR WHICH DATA HAS BEEN EXTRACTED FOR AN IDS PRODUCT. VALID VALUES ARE 0-99,999,999.

4210 ORIG-ACTY-CD ORIG_ACTY_CD_4210 DLIS-SBA F CHAR 2
ORIGINATING ACTIVITY CODE

A CODE WHICH IDENTIFIES AN ACTIVITY AUTHORIZED TO INPUT LOGISTICAL TOOLS AND/OR DATA DIRECTLY OR INDIRECTLY TO THE DEFENSE LOGISTICS INFORMATION SERVICE. SEE [VOLUME 10, TABLE 104](#) AND QUICK INFO ON-LINE.

4211 KVI-DECR-CTR KVI_DECR_CTR_4211 DLIS-SBA V VARCHAR 11
KVI DECREMENT COUNTER

THIS FIELD CONTAINS A WORKLOAD BALANCING COUNTER ESTABLISHED FOR EACH MILITARY SERVICE ACTIVITY PARTICIPATING IN THE ITEM TRANSFER. THE DECREMENT COUNTER VALUE FOR EACH ACTIVITY IS INITIALLY ESTABLISHED BY THE DLIS PROGRAM MANAGER FOR ITEM TRANSFER. IT IS SUBSEQUENTLY UPDATED (DECREMENTED) BY LVA TRANSACTIONS WHICH ARE PROCESSED MORE THAN 65 DAYS BEYOND THE ESTABLISHED DATE FOR THE NIIN IN THE KVI SUSPENSE FILE. IT IS ALSO AUTOMATICALLY RESET TO EQUAL THE ORIGINAL COUNTER VALUE FOR THE ACTIVITY ON THE 6TH DAY OF EVERY MONTH.

4212 KVI-ORIG-CTR KVI_ORIG_CTR_4212 DLIS-SBA V VARCHAR 11
KVI ORIGINAL COUNTER

THIS FIELD CONTAINS A WORKLOAD BALANCING COUNTER ESTABLISHED FOR EACH MILITARY SERVICE ACTIVITY PARTICIPATING IN THE ITEM TRANSFER. THE ORIGINAL COUNTER VALUE FOR EACH ACTIVITY IS ESTABLISHED AND MAINTAINED BY THE DLIS PROGRAM MANAGER FOR ITEM TRANSFER.

4213 ITM-TRNSFR-RJCT-CD DLIS-SBA F CHAR 1
ITEM TRANSFER REJECT CODE

THIS FIELD CONTAINS A ONE POSITION ERROR CODE WHICH IDENTIFIES THE SPECIFIC ERROR CONDITION FOUND WITH A CANDI-
DATE NSN SUBMITTED AS PART OF THE ITEM TRANSFER.

4214 KVI-SUSPNS-ESTB-DT KVI_SPNS_E_DT_4214 DLIS-SBA F CHAR 5
KVI SUSPENSE ESTABLISHED DATE

THIS FIELD CONTAINS THE JULIAN DATE THAT A KVI SUSPENSE RECORD IS INITIALLY GENERATED AND ADDED TO THE KVI SUSPENSE FILE.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

REPLACEMENT NATIONAL ITEM IDENTIFICATION NUMBER

AN EXISTING NATIONAL ITEM IDENTIFICATION NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL ITEM IDENTIFICATION NUMBER.

4307 FYD DLIS-SBA F CHAR 1

FISCAL YEAR TO DATE

FISCAL YEAR TO DATE REPRESENTS A PERIOD OF TIME BEGINNING OCTOBER 1 OF AGIVEN CALENDER YEAR AND RUNNING TO A SPECIFIC DATE OR END OF A REPORTINGPERIOD PRIOR TO 30 SEPTEMBER OF THE FOLLOWING CALENDER YEAR. THIS FIELDIS USED TO SELECT FISCAL YEAR TO DATE.

4311 IDS-JOB-JCL-ID JOB_JCL_4311 DLIS-VPE F CHAR 7

IDS JOB JCL IDENTIFIER

JOB IDENTIFICATION USED IN JCL. VALID ENTRIES INCLUDE LPDV902, LPDV910, LPDV930, LPDV950, LPDV955.

4312 IDS-STEP-JCL-ID STEP_JCL_4312 DLIS-VPE F CHAR 1

IDS STEP JCL IDENTIFIER

CODE INDICATING JOB STEP. VALID ENTRIES INCLUDE A THROUGH Z & BLANK.

4313 IDS-JCL-TYP-CD JCL_TYP_4313 DLIS-VPE F CHAR 1

IDS JCL TYPE CODE

TYPE OF JCL INFORMATION. VALID VALUES FOR OBJECT TYPE INCLUDE: 0 - /** (COMMENT LINE), 1 - JOB INFO (JOB CARD, INFORMATION SUCH AS JOB NAME, MESSAGE CLASS, NOTIFY INFORMATION, ETC), 2 - PROC INFO (NAME OF PROCEDURE TO RUN, SYMBOLICS TO PASS TO THE PROC, ETC), 3 - DD OVERRIDES (OVERRIDES OF DD STATEMENTS IN THE PROC), 4 - DSN (DSN UTILITY TO RUN A DB2 PROGRAM), 5 - IDCAMS (AN IBM UTILITY TO PERFORM VARIOUS TASKS SUCH AS GDG DEFINITIONS AND MEMBER DELETIONS), 6 - CICS TRAN (TX0049P -- A UTILITY PROGRAM THAT LAUNCHES A CICS TRANSACTION), 7 - LPDV999 LRECL (A FIXED RECORD LENGTH SUPPORTED BY PROGRAM LPDV999B).

4314 IDS-STEP-SEQ-ID STEP_SEQ_4314 DLIS-VPE F SMALLINT 4

IDS STEP SEQUENCE IDENTIFIER

A SEQUENCE NUMBER WITHIN OBJECT TYPE. VALID ENTRIES INCLUDE NUMERIC 1 - 10.

4315 IDS-JCL-TX JCL_TX_4315 DLIS-VPE F CHAR 72

IDS JCL TEXT

TEXT OF JCL STATEMENT.

4316 IDS-FILE-TYP-CD FILE_TYP_4316 DLIS-VPE F CHAR 1

IDS FILE TYPE CODE

INDICATES TYPE OF FILE. VALID FILE TYPE CODES INCLUDE I - ITEM LIST, D - DATA FILE, S - SORTED DATA, F - FORMATTED DATA, O - CUSTOMER OUTPUT, R - REFORMATTED DATA FROM CUSTOMER OUTPUT, M - MASTER FILE.

4317 IDS-PRIM-SPC-ALOC-QY PRIM_SPC_ALOC_4317 DLIS-VPE F CHAR 3

IDS PRIMARY SPACE ALLOCATION QUANTITY

PRIMARY SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR PRIMARY ALLOCATION OF DASD.

4318 IDS-SECD-SPC-ALOC-QY SECD_SPC_ALOC_4318 DLIS-VPE F CHAR 3

IDS SECONDARY SPACE ALLOCATION QUANTITY

SECONDARY SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR SECONDARY ALLOCATION OF DASD.

4319 IDS-PRIM-WS-ALOC-QY PRIM_WS_ALOC_4319 DLIS-VPE F CHAR 3

IDS PRIMARY SORT WORK SPACE ALLOCATION QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRIMARY SORT WORK SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR PRIMARY ALLOCATION OF DFSORT WORK AREA.

4320 IDS-SECD-WS-ALOC-QY SECD_WS_ALOC_4320 DLIS-VPE F CHAR 3
IDS SECONDARY SORT WORK SPACE ALLOCATION QUANTITY
SECONDARY SORT WORK SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR SECONDARY ALLOCATION OF DFSORT WORK AREA.

4321 IDS-STOR-UNIT-TYP-TX STOR_UNIT_TYP_4321 DLIS-VPE F CHAR 5
IDS STORAGE UNIT TYPE TEXT
TYPE OF STORAGE (DISK, TAPE, CART). VALID VALUES ARE SYSDA, CART, MANL (MANUALLY MOUNTED CARTRIDGES), TP8MM, TAPE.

4322 IDS-FILE-RET-TIME-QY FILE_RET_TIME_4322 DLIS-VPE F CHAR 3
IDS FILE RETENTION TIME QUANTITY
LENGTH OF TIME TO RETAIN FILE IN DAYS. VALID ENTRIES ARE 0 - 365.

4323 IDS-FXD-OP-LRECL-QY FXD_LRECL_4323 DLIS-VPE F CHAR 5
IDS FIXED OUTPUT LOGICAL RECORD LENGTH QUANTITY
RECORD LENGTH FOR FIXED OUTPUT. VALID VALUES ARE 18 - 32764.

4324 IDS-FXD-OP-BLCKSZ-QY FXD_BLCKSZ_4324 DLIS-VPE F CHAR 5
IDS FIXED OUTPUT BLOCK SIZE QUANTITY
BLOCKSIZE FOR FIXED OUTPUT. VALID VALUES ARE 0 - 32768.

4325 IDS-ASCII-IND-CD ASCII_IND_4325 DLIS-VPE F CHAR 1
IDS ASCII INDICATOR CODE
AN INDICATOR IF OUTPUT IS TO BE IN ASCII FORMAT (Y/N).

4326 IDS-PRFL-PRFX-TX PRFL_PRFX_TX_4326 DLIS-VPE F CHAR 8
IDS PROFILE PREFIX TEXT
DB2 HLQ. VALID ENTRIES ARE ANY DB2 PROFILE PREFIX, I.E. DLCDBAP, DLCITX, ETC.

4327 IDS-PRFX-JCL-MBR-NM PRFX_JCL_MBR_4327 DLIS-VPE F CHAR 6
IDS PREFIX JCL MEMBER NAME
PREFIX OF JCL MEMBER NAMES. VALID ENTRIES MUST BEGIN WITH AN ALPHA CHARACTER AND INCLUDE ONLY CHARACTERS ALLOWED FOR MEMBER NAMES BY MVS.

4328 IDS-FILEAID-MBR-NM FILEAID_MBR_4328 DLIS-VPE F CHAR 8
IDS FILEAID MEMBER NAME
THE NAME OF PARMLIB MEMBER WHICH CONTAINS USER-DEVELOPED FILEAID CONTROL STATEMENTS.

4329 IDS-CANC-ITM-IND-CD CANC_ITm_IND_4329 DLIS-VPE F CHAR 1
IDS CANCELLED ITEM INDICATOR CODE
CODE WHICH CONSISTS OF VALUES "Y" OR "N" AND INDICATES WHETHER CANCELLED ITEMS SHOULD BE INCLUDED IN A PUBLICATION UPDATE AND MASTER FILE.

4330 USR-PRFL-ID USR_PRFL_ID_4330 DLIS-TS F CHAR 8
USER PROFILE IDENTIFIER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4367	CCR-CO-FSCL-END-DT	CO_FSCL_END_4367	DLIS-SB	F CHAR	4
CENTRAL CONTRACTOR REGISTRATION COMPANY FISCAL END DATE THE ACCOUNTING PERIOD CLOSE DATE, IN THE FORM OF MMDD.					
4368	CCR-PREV-GOVT-ID	PREV_GOVT_4368	DLIS-SB	F CHAR	30
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT IDENTIFIER A PRIOR IDENTIFICATION NUMBER ASSIGNED BY A GOVERNMENT DEPARTMENT OR AGENCY.					
4369	CCR-PREV-GOVT-ISS-ID	PREV_GOVT_ISS_4369	DLIS-SB	F CHAR	45
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT ISSUE IDENTIFIER THE GOVERNMENT ISSUING DEPARTMENT OR AGENCY HAVING ASSIGNED A PRIOR FEDERAL ID NUMBER.					
4370	CCR-CO-SEC-LVL-NM	CO_SEC_LVL_4370	DLIS-SB	F CHAR	2
CENTRAL CONTRACTOR REGISTRATION COMPANY SECURITY LEVEL NAME THE NAME OF THE SECURITY LEVEL OF THE COMPANY.					
4371	CCR-EMPL-SEC-LVL-NM	EMPL_SEC_LVL_4371	DLIS-SB	F CHAR	2
CENTRAL CONTRACTOR REGISTRATION EMPLOYEE SECURITY LEVEL NAME THE HIGHEST SECURITY LEVEL OF AN EMPLOYEE AT THE FACILITY USED BY THIS COMPANY.					
4372	CCR-SEC-LVL-NM	SEC_LVL_4372	DLIS-SB	F CHAR	15
CENTRAL CONTRACTOR REGISTRATION SECURITY LEVEL NAME THE HIGHEST SECURITY LEVEL OF THE FACILITY.					
4374	CCR-ORG-TYP-CD	CCR_ORG_TYP_4374	DLIS-SB	F CHAR	2
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE A CODE WHICH REPRESENTS THE TYPE OF BUSINESS STRUCTURE.					
4375	CCR-TYP-BUS-ID	CCR_TYP_BUS_4375	DLIS-SB	F CHAR	2
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS IDENTIFIER A CODE SPECIFYING THE STATUS, FORM, STRUCTURE, OR TYPE OF A BUSINESS. VALID VALUES ARE ANY COMBINATION OF LETTERS A THRU Z AND NUMBERS 0-9. THE CLEAR TEXT DEFINITION DATA ELEMENT IS CCR-TYP-BUS-DEF-TX (DRN 4391).					
4376	CCR-CRED-CRD-BUS-CD	CRED_CRD_BUS_4376	DLIS-SB	F CHAR	1
CENTRAL CONTRACTOR REGISTRATION GOVERNMENT CREDIT CARD BUSINESS CODE A CODE THAT INDICATES WHETHER THIS COMPANY CAN DO BUSINESS USING GOVERNMENT CREDIT CARD. VALID VALUES: Y=YES N=NO					
4377	CCR-ST-ADRS-TX	CCR_ST_ADRS_4377	DLIS-SB	F CHAR	55
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS TEXT THE STREET ADDRESS OF THE REGISTERING PARTY.					
4378	CCR-ST-ADRS-ADD-ON-TX	ST_ADRS_ADD_4378	DLIS-SB	F CHAR	55
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS ADD-ON TEXT A CONTINUATION OF CCR-ST-ADRS-TX (DRN 4377).					
4379	CCR-CO-NM	CCR_CO_NM_4379	DLIS-SB	F CHAR	120
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE LEGAL BUSINESS NAME OF A COMPANY.

4380 EDI-TRAN-SET-NBR-ID EDI_TRAN_NBR_4380 DLIS-SB F CHAR 3
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION SET NUMBER IDENTIFIER
A 3 POSITION NUMBER ASSIGNED TO AN ELECTRONIC DATA INTERCHANGE (EDI) TRANSACTION SET BY THE AMERICAN NATIONAL STANDARD INSTITUTE (ANSI), USING X12. VALID VALUES: 001-999

4381 EDI-STD-VRSN-RELE-NBR-ID EDI_VRSN_RELE_4381 DLIS-SB F CHAR 6
CENTRAL CONTRACTOR REGISTRATION EDI STANDARD VERSION RELEASE NUMBER IDENTIFIER
A VERSION RELEASE NUMBER ASSIGNED BY ANSI ASCX12 TO ANEDI STANDARD RELEASE.

4382 CCR-EDI-INDUST-IDEN-ID EDI_INDUST_ID_4382 DLIS-SB F CHAR 10
CENTRAL CONTRACTOR REGISTRATION EDI INDUSTRY IDENTIFIER
THE INDUSTRY IDENTIFIER ASSIGNED TO CCR-EDI-TRAN-SET-NBR-ID (DRN 4380).

4383 CCR-DOING-BUS-AS-NM DBA_NM_4383 DLIS-SB F CHAR 60
CENTRAL CONTRACTOR REGISTRATION DOING BUSINESS AS NAME
A NAME USED BY THE REGISTERING PARTY OTHER THAN THE INCORPORATED OR REGISTERED NAME.

4384 CCR-DUNS-CO-DIV-NM DUNS_CO_DIV_4384 DLIS-SB F CHAR 60
CENTRAL CONTRACTOR REGISTRATION DUNS COMPANY DIVISION NAME
THE NAME OF THE DIVISION OF THE PARENT COMPANY THAT A SPECIFIC DUNS NUMBER IS ASSIGNED TO.

4385 CCR-CO-DIV-NBR-ID CO_DIV_NBR_4385 DLIS-SB F CHAR 10
CENTRAL CONTRACTOR REGISTRATION COMPANY DIVISION NUMBER IDENTIFIER
AN IDENTIFIER ASSIGNED TO A DIVISION OF A COMPANY.

4386 CCR-CO-PMT-MTHD-ID CO_PMT_MTHD_4386 DLIS-SB F CHAR 7
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT METHOD IDENTIFIER
AN IDENTIFIER THAT DESCRIBES THE METHOD OF PAYMENT(S) ALLOWED BY THE COMPANY.

4387 CCR-CO-PMT-DESC-TX PMT_DESC_4387 DLIS-SB F CHAR 80
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT DESCRIPTION TEXT
THE DESCRIPTION OF CCR-CO-PMT-MTHD-ID (DRN 4386) USED BY THE COMPANY.

4388 CCR-CO-NM-SEQ-NBR-ID CO_NM_SEQ_NBR_4388 DLIS-SB F INTEGER 1
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME SEQUENTIAL NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS A SEQUENTIAL NUMBER ASSIGNED TO A COMPANY NAME. THIS NUMBER IS USED TO KEEP THE ORDER OF THE COMPANY NAME (3 LINES OF NAME).

4389 CCR-DUNS-LST-ACTN-CD DUNS_LST_ACTN_4389 DLIS-SB F CHAR 1
CENTRAL CONTRACTOR REGISTRATION DUNS LAST ACTION CODE
AN INTERNAL CODE USED TO DISPLAY THE TYPE OF ACTION LAST DONE TO A DUNS NUMBER RECORD. VALID VALUES: A=ADD, U=UPDATE, R=REPLACED, C=CANCELLED

4390 CCR-RCD-LST-ACTN-TM RCD_LST_ACTN_4390 DLIS-SB F TIMESTAMP 26
CENTRAL CONTRACTOR REGISTRATION RECORD LAST ACTION TIME
THE TIME WHEN THE LAST ACTION TO A RECORD TOOK PLACE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
4391	CCR-TYP-BUS-DEF-TX	CCR_TYP_DEF_4391	DLIS-SB	F CHAR 50
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS DEFINITION TEXT THE CLEAR TEXT DEFINITION OF CCR-TYP-BUS-ID (DRN 4375).				
4392	CCR-TEL-NBR-TYP-CD	CCR_TEL_TYP_4392	DLIS-SB	F CHAR 2
CENTRAL CONTRACTOR REGISTRATION TELEPHONE NUMBER TYPE CODE THE CODE THAT DESCRIBES THE TYPE OF TELEPHONE NUMBER BEING USED. VALID VALUES ARE: TE - U.S. NUMBER, IT - INTERNATIONAL NUMBER, FX - FAX, DN - DSN, AND FT - FTS.				
4393	CCR-EFT-REC-NBR-ID	EFT_REC_NBR_4393	DLIS-SB	F CHAR 2
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER RECORD NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS A NUMBER ASSIGNED TO A UNIQUE EFT RECORD. THIS NUMBER IS USED TO ALLOW FOR MULTIPLE EFT RECORDS PER CAGE CODE.				
4394	CCR-EFT-ACCT-LCKBX-ID	EFT_LCKBX_4394	DLIS-SB	F CHAR 20
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER ACCOUNT LOCKBOX IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE BANKING LOCKBOX OF THE ELECTRONIC FUNDS TRANSFER ACCOUNT USED FOR TRANSFERS.				
4395	CCR-EFT-WAVR-FLG-ID	EFT_WAVR_FLG_4395	DLIS-SB	F CHAR 1
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER WAIVER FLAG IDENTIFIER THE IDENTIFIER THAT REPRESENTS A FLAG TO DETERMINE WHETHER A REGISTRANT HAS APPLIED FOR AN EFT WAIVER OR NOT. IF YES(Y) THEN THE WAIVER OF EFT HAS BEEN APPLIED FOR ALLOWING A PHYSICAL REMIT TO ADDRESS IN LIEU OF AN EFT ADDRESS. VALID VALUES: Y = YES N = NO				
4396	CCR-EFT-ACCT-AUTH-DT	EFT_ACCT_AUTH_4396	DLIS-SB	F INTEGER 8
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER ACCOUNT AUTHORITY DATE THE DATE THAT THE REGISTRANT WAS AUTHORIZED TO USE THE EFT ACCOUNT.				
4397	PER-SSN-ID	PER_SSN_4397	DLIS-SB	F CHAR 9
PERSON SOCIAL SECURITY NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS A NONQUANTITATIVE NUMERIC VALUE ASSIGNED BY THE SOCIAL SECURITY ADMINISTRATION WHICH UNIQUELY IDENTIFIES A PERSON. VALID VALUES: ASCII CHARACTERS 0-9.				
4398	ZIP-ADD-ON-CD	ZIP_ADD_ON_4398	DLIS-SB	F CHAR 4
ZIP ADD-ON CODE A POST OFFICE ASSIGNED CODE WHICH FURTHER SUBDIVIDES THE ZIP CODE. THIS CODE FOLLOWS THE ZIP CODE.				
4399	ZIP-PLUS-FOUR-CD	ZIP_PLUS_FOUR_4399	DLIS-SB	F CHAR 10
ZIP PLUS FOUR CODE A POST OFFICE ASSIGNED CODE WHICH IDENTIFIES A SMALL GEOGRAPHIC DELIVERY AREA THAT IS SERVICEABLE BY A SINGLE CARRIER. IT IS A COMBINATION OF ZIP CODE AND ZIP PLUS FOUR CODE SEPARATED BY A DASH.				
4400	ZIP-CD	ZIP_CD_4400	DLIS-SB	F CHAR 5
ZIP CODE A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF.				
4402	TMSTMP2	TMSTMP2_4402	DLIS-SB	F TIMESTMP 26
TIME STAMP 2				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME STAMP FOR A DLIS EFFECTIVE DATED ITEM.

4403	TAIL-SEQ-NO TAIL SEQUENCE NUMBER SEQUENCE IN WHICH THE MRCS ARE TO BE OUTPUT FOR TAILORED CHARACTERISTICS	TAIL_SEQ_NO_4403	DLIS-SB	F SMALLINT	4
4404	GDE-NBR-FIIG-SEQ-NO FIIG SEQUENCE NUMBER DESIGNATES THE SEQUENCE OF MRCS ON THE EDIT GUIDE AS DETERMINED BY THE FIIG	FIIG_SEQ_NO_4404	DLIS-SB	F SMALLINT	4
4405	INC-APPLIC-IND INC APPLICATION INDICATOR DETERMINES IF A PROGRAM HAS TO ACCESS AN INDIVIDUAL FORMAT GUIDE FOR A PARTICULAR INC OR 5 BALLER INC. A '5 BALLER' MEANS THAT ALL THE MRCS ARE THE SAME FOR ALL OF THE INCS UNDER A PARTICULAR FIIG. VALID VALUES: 'Y' - ACCESS THE 5 BALLER INC OF '00000', 'N' - ACCESS THE INDIVIDUAL INC.	INC_APPL_IND_4405	DLIS-SB	F CHAR	1
4407	MRC-SEQ-NBR MASTER REQUIREMENT CODE SEQUENCE NUMBER A SEQUENTIAL NUMBER INDICATING THE OUTPUT SEQUENCE OF MASTER REQUIREMENTCODES (MRCS). THIS DRN WILL APPEAR IN TABLES 115 AND 116.	MRC_SEQ_NBR_4407	DLIS-S	F SMALLINT	4
4408	RPLY-SEQ-NBR REPLY SEQUENCE NUMBER A SEQUENTIAL NUMBER INDICATING THE OUTPUT SEQUENCE OF A REPLY CODE FOR APARTICULAR MASTER REQUIREMENT CODE (MRC). THIS DRN WILL APPEAR IN TABLES 115 AND 116.	RPLY_SEQ_NBR_4408	DLIS-S	F SMALLINT	4
4409	PRPY-IND PROPRIETARY INDICATOR AN INDICATOR CODE THAT DESIGNATES IF A MASTER REQUIREMENT CODE (MRC) IS PROPRIETARY. CODE Y INDICATES THE MRC IS PROPRIETARY, CODE N INDICATES THE MRC IS NOT PROPRIETARY.	PRPY_IND_4409	DLIS-S	F CHAR	1
4410	AND-OR AND OR USED TO INDICATE WHETHER TO USE AND OR OR AS THE CONNECTOR OF TEXT FROM CODED CLEAR REPLY.	AND_OR_4410	DLIS-SCA	F CHAR	2
4411	UNIT-MEAS-DES UNIT OF MEASURE DESIGNATION THE NARRATIVE INDICATING THE RECOGNIZABLE PHYSICAL MEASUREMENTS USED IN THE APPLICATION OF CONVERSION CRITERIA.	UNIT_MEAS_DES_4411	DLIS-SCA	V VARCHAR	2000
4412	SKIP-COUNT SKIP COUNT INDICATES THE NUMBER OF POSITIONS TO BE SKIPPED BEFORE THE UNIT OF MEASURE COMPUTATION IS REACHED.	SKIP_CNT_4412	DLIS-SC	F CHAR	1
4413	CHNG-RPLY-FRM CHANGE REPLY FROM THE UNIT OF MEASURE THAT IS CHANGED (E.G., MILLIMETERS CHANGED TO INCHES).	CHNG_RPLY_FRM_4413	DLIS-SC	V CHAR	6
4414	CHNG-RPLY-TO	CHNG_RPLY_TO_4414	DLIS-SB	V CHAR	6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
4429	H-TAB1-VALUE H TAB1 VALUE THE REPLY CODE FOR THE 1ST TABLE IN AN H MODE CODE MRC.	H_TAB1_VAL_4429	DLIS-SB	F CHAR	6
4430	H-TAB2-VALUE H TAB2 VALUE THE REPLY CODE FOR THE 2ND TABLE IN AN H MODE CODE MRC.	H_TAB2_VAL_4430	DLIS-SB	F CHAR	6
4431	H-TAB3-VALUE H TAB3 VALUE THE REPLY CODE FOR THE 3RD TABLE IN AN H MODE CODE MRC.	H_TAB3_VAL_4431	DLIS-SB	F CHAR	6
4432	H-TAB4-VALUE H TAB4 VALUE THE REPLY CODE FOR THE 4TH TABLE IN AN H MODE CODE MRC.	H_TAB4_VAL_4432	DLIS-SB	F CHAR	6
4433	H-TAB5-VALUE H TAB5 VALUE THE REPLY CODE FOR THE 5TH TABLE IN AN H MODE CODE MRC.	H_TAB5_VAL_4433	DLIS-SB	F CHAR	6
4434	H-TAB6-VALUE H TAB6 VALUE THE REPLY CODE FOR THE 6TH TABLE IN AN H MODE CODE MRC.	H_TAB6_VAL_4434	DLIS-SB	F CHAR	6
4435	H-TAB7-VALUE H TAB7 VALUE THE REPLY CODE FOR THE 7TH TABLE IN AN H MODE CODE MRC.	H_TAB7_VAL_4435	DLIS-SB	F CHAR	6
4436	H-TAB8-VALUE H TAB8 VALUE THE REPLY CODE FOR THE 8TH TABLE IN AN H MODE CODE MRC.	H_TAB8_VAL_4436	DLIS-SB	F CHAR	6
4437	H-J-TEXT H J TEXT THE CLEAR TEXT REPLY PORTION OF A J MODE CODE MRC, STORED IN THE H-J TEXT TABLE.	H_J_TEXT_4437	DLIS-SB	V VARCHAR	990
4438	OP-FLIS-SEG-V-ID OUTPUT FLIS SEGMENT V IDENTIFIER A CHARACTER IDENTIFYING WHETHER OR NOT A FLIS SEGMENT V WILL BE OUTPUT. VALID VALUES ARE V = SEGMENT WILL BE OUTPUT, BLANK = SEGMENT WILL NOT BE OUTPUT.	OP_SEG_V_ID_4438	DLIS-CI	F CHAR	1
4439	MRC-VALUE-COUNT MASTER REQUIREMENT CODE VALUE COUNT COUNT OF MRCs FOR CHARACTERISTIC SEARCH.	MRC_COUNT_4439	DLIS-SC	F INTEGER	7
4445	PRT-SKLTN-1 PRINT SKELTON CODE 1	PRT_SKLTN_1_4445	DLIS-SC	F CHAR	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
	CLEAR TEXT HOST/COBOL NAME				
	DRN DEFINITION				
4457	EMAIL-ADRS-TX-2 EMAIL ADDRESS TEXT 2 THE ALTERNATE E-MAIL ADDRESS FOR A POC, SERVICE, AGENCY, OR COMPANY.	EMAIL_ADRS_2_4457	DLIS-S	F CHAR	80
4458	DIV-SCTN-NM DIVISION/SECTION NAME A GENERIC BASED DIVISION OR SECTION NAME OF A SERVICE, AGENCY, OR COMPANY.	DIV_SCTN_NM_4458	DLIS-S	F CHAR	60
4459	POC-NM-2 POINT OF CONTACT NAME 2 THE SECONDARY POINT OF CONTACT NAME.	POC_NM_2_4459	DLIS-S	F CHAR	60
4460	TEL-NBR-ID-2 TELEPHONE NUMBER IDENTIFIER 2 THE IDENTIFIER THAT REPRESENTS THE SECONDARY TELEPHONE NUMBER OF A POC, SERVICE, AGENCY, OR COMPANY.	TEL_NBR_ID_2_4460	DLIS-S	F CHAR	20
4461	FAX-NBR-ID FAX NUMBER IDENTIFIER AN ALTERNATE FAX NUMBER (IDENTIFIER) FOR A POC, SERVICE, AGENCY, OR COMANY.	FAX_NBR_ID_4461	DLIS-S	F CHAR	20
4463	STOP-WORD-CDM STOP WORD CDM THIS FIELD CONTAINS THE WORDS THAT ARE EXCLUDED FROM ANY CLEAR TEXT KEYWORD SEARCH TABLES.	STOP_WORD_CDM_4463	DLIS-SB	F CHAR	35
4464	CAGE-CO-NM-STOP-WORD-TX CAGE COMPANY NAME STOP-WORD TEXT THE TEXT OF A VALUE THAT IS IGNORED IN BUILDING OF THE COMPANY NAME STOP-WORD TABLE. THESE NAMES WILL NOT BE USED IN THE GENERATION OF KEYWORDS USED IN SEARCHING THE COMPANY NAME FILE. VALID VALUES: THE, BY, BYE, WHICH, OF, IS	CAGE_STOP_WRD_4464	DLIS-SBB	F CHAR	25
4465	DB2-TBL-NAME DB2 TABLE NAME THIS FIELD CONTAINS THE NAME OF AN IBM DB2 TABLE.	DB2_TBL_NAME_4465	DLIS-V	F CHAR	18
4467	FLIS-SUB-PART FLIS SUBSECTION PART THIS FIELD CONTAINS THE SUBSECTION NUMBER IF A TABLE CONTAINS MORE THAN ONE SECTION. USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES VOLUME 10.	DIDS_SUB_PART_4467	DLIS-V	F CHAR	3
4469	DRN-FULL-VALUE DRN FULL VALUE THE CONTENTS OF THE SPECIFIED DRN INPUT TO THE CATALOGING TOOLS APPLICATION WITHIN A GIVEN TRANSACTION. USED IN THE CATALOG TOOLS EFFECTIVE DATED PROCESSES.	DRN_FULL_VAL_4469	DLIS-SBA	V VARCHAR	1978
4470	HISTORY-DATE HISTORY DATE THE DATE THE ROW WAS ADDED TO THE HISTORY TABLE. IT WILL BE USED TO PURGE OLD ROWS FROM THE HISTORY FILE.	HISTORY_DT_4470	DLIS-SB	F INTEGER	5
4471	CAGE-KEYWORD CAGE KEY WORD	CAGE_KEYWORD_4471	DLIS-S	F CHAR	25

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE DATE A DATABASE DB2 RECORD WILL BECOME OBSOLETE AND NO LONGER VALID AS CURRENT DATA.

4490 STATE-NAME STATE_NAME_4490 DLIS-V F CHAR 36
STATE NAME

THE CLEAR TEXT NAME OF A STATE OR PROVINCE FOR U.S. AND CANADA.

4491 HLP-PRC-PGMNM HLP_PRC_PGMNM_4491 DLIS-V F CHAR 8
HELP PROCEDURE PROGRAM NAME

AN 8 CHARACTER ELEMENT THAT IDENTIFIES THE PROGRAM WHICH WOULD PROCESS THIS TABLE NUMBER WITHIN THE PROCEDURES APPLICATION OF LOLA.

4492 DB2-GRP-NUM DB2_GRP_NUM_4492 DLIS-V F CHAR 3
DB2 GROUP NUMBER

THE DB2 GROUP NUMBER IS AN ARBITRARY NUMBER ASSOCIATED WITH EACH DB2 TABLE.

4495 FST-POS-MR FST_POS_MR_4495 DLIS-SBA F CHAR 1
FIRST POSITION MOE RULE

THE FIRST POSITION OF THE MOE RULE IS VALIDATED AGAINST THE MOE_CD_2833.

4497 INCL-EXCL-CD INCL_EXCL_CD_4497 DLIS-SBA F CHAR 1
INCLUSIVE EXCLUSIVE CODE

A CODE SHOWING WHETHER A FSC OR FSG IS TO BE INCLUDED OR EXCLUDED FROM A MOE RULE NUMBER. I = INCLUSIVE E = EXCLUSIVE

4499 AUTH-INPUT-DIC DLIS-V V VARCHAR 200
AUTHORIZED INPUT DIC

CLEAR TEXT VALUES OF AUTHORIZED INPUT DICs IN A STRING USED IN FLIS VOL 10.3.104.

4503 DOD-CAT-ACT-SGL-SUB CAT_SGL_SUB_4503 DLIS-V F CHAR 30
DOD CATALOG ACTION SINGER SUBMITTER

THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 26. THIS FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.

4504 FSC-MOE-RL-CHG-IND-CD-TI FSC_M_RL_C_TI_4504 DLIS-V F CHAR 9
FSC MOE RULE CHANGE INDICATOR CODE TITLE

THIS FIELD CONTAINS THE SINGLE WORD TITLE FOR THE FSC-MOE-RULE-CHNG-IND (DRN 0122) IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 166.

4505 DRP-NOTIF-OR-MAINT-IND DRP_N_OR_M_4505 DLIS-V F CHAR 1
DROP NOTIFICATION OR MAINTENANCE INDICATOR

THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR N FOR NOTIFICATION M FOR MAINTENANCE AND SUPPORT FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 104.

4506 AUTH-INTEROG-SUB AUTH_INT_SUB_4506 DLIS-V F CHAR 30
AUTHORIZED INTERROGATION SUBMITTER

THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 26. THE FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.

4507 AUTH-FL-UPDT-RCVRS AUTH_UPD_RCVR_4507 DLIS-V F CHAR 30

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AUTHORIZED FILE UPDATE RECEIVERS

THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 20. THIS FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.

4508 SEG-IP-TRAN SEG_IP_TRAN_4508 DLIS-SBA F CHAR 80

SEGMENT INPUT TRANSACTIONS
SEGMENT-RELATED INPUT TRANSACTION FORMATTED AS EXTERNAL INPUT.

4509 BSM-MSG-TX BSM_MSG_TX_4509 DLIS-SA V VARCHAR 22000

BSM MESSAGE TEXT
THE TEXT OF A FIELD CONTAINING CONTENTS OF DATA WITHIN A BSM MESSAGE. DATA CAN CONSIST OF CATALOGING, PROVISIONING SCREENING, ETC.

4510 BSM-DB2-PARTITION-QY BSM_DB2_PART_4510 DLIS-SA F SMALLINT 4

BSM DB2 PARTITION QUANTITY
THE NUMERIC VALUE OF A DB2 PARTITION BASED ON CURRENT BSM TRAFFIC FROM 1 THROUGH 20.

4511 FMT-REMARKS FMT_REMARKS_4511 DLIS-V V VARCHAR 200

FORMAT REMARKS
REFERENCE NUMBER FORMAT CRITERIA FOR SPECIFIC CAGEs (FLIS VOL 10.3.21) REMARKS.

4515 CRS-LOLA-KEY-CD CRS_LOLA_KEY_4515 DLIS-SA F CHAR 1

CRS LOLA KEY CODE
THE IDENTIFIER THAT REPRESENTS THE DISTINCTION BETWEEN TRANSACTIONS SUBMITTED ONLINE THROUGH THE CRS SYSTEM AND THOSE SUBMITTED THROUGH LOLA ONLINE UPDATE. VALID VALUES: C - CRS, L - LOLA

4516 CRS-MSG-TX CRS_MSG_TX_4516 DLIS-SA V VARCHAR 22000

CRS MESSAGE TEXT
THE TEXT OF A FIELD CONTAINING CONTENTS OF DATA WITHIN A CRS MESSAGE. DATA CAN CONSIST OF CATALOGING, PROVISIONING SCREENING, ETC.

4517 CRS-DB2-PARTITION-QY CRS_DB2_PART_4517 DLIS-SA F SMALLINT 4

CRS DB2 PARTITION QUANTITY
THE NUMERIC VALUE OF A DB2 PARTITION BASED ON CURRENT CRS TRAFFIC FROM 1 THROUGH 20.

4518 ROW-NBR ROW_NBR_4518 DLIS-V F INTEGER 5

ROW NUMBER
THIS FIELD CONTAINS A NUMBER WHICH IS USED TO ORDER THE ROWS OR LINES OF TEXTUAL DATA FROM TEXT TABLE.

4519 TEXT-LINE TEXT_LINE_4519 DLIS-V F CHAR 78

TEXTUAL LINE
THIS FIELD CONTAINS A FORMATTED LINE OF TEXT FROM A TEXT TABLE.

4520 LGCL-ROW-KEY-VAL-ID LGCL_ROW_KEY_4520 DLIS-V F CHAR 10

LOGICAL ROW KEY VALUE IDENTIFIER
THE IDENTIFIER THAT REPRESENTS ANY STRING THAT WOULD BE USED AS A UNIQUE VALUE CONTAINING A LOGICAL ROW KEY WITHIN A TABLE.

4521 AIR-SP-HDLG-PT-1 AIR_S_HDLG_P1_4521 DLIS-S F CHAR 1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

4531 RPD MRC-KFP-FU-IND RPD MRC_FU_IND_4531 DLIS-SBA F CHAR 1
RPD MRC KFP FOLLOW UP INDICATOR

THIS IS A NUMERIC 1 POSITION INDICATOR. IT IS USED TO TELL THE PROGRAM LOGIC WHEN THE 2ND, AND FINAL, KFP IS GOING OUT. WITHOUT THIS INDICATOR THE PROGRAM LOGIC WILL NOT KNOW WHEN IF TO PROCESS THE 2ND, AND FINAL, RPD MRC KFP. THIS IS AN ADDITION THAT PERTAINS TO THE RPD MRC FOLLOW UP TABLE. FOR THE 1ST KFP IT MAY CONTAIN A VALUE OF 0 OR 1. FOR THE 2ND KFP IT MAY CONTAIN ONLY A VALUE OF 2.

4532 RPD MRC-KFP-FU-DT RPD MRC_FU_DT_4532 DLIS-SBA F DATE 7
RPD MRC KFP FOLLOW UP DATE

THIS IS A NUMERIC 7 POSITION JULIAN DATE. IT IS USED IN CONJUNCTION WITH A NIIN (NCB_CD_4130 AND I_I_NBR_4131) TO ESTABLISH A SPECIFIC DATE WHEN A KFP NEEDS TO BE SENT TO THE MANAGER OF THE NIIN. IT IS ESTABLISHED WHEN A FLIS INPUT TRANSACTION REQUESTS THE ASSIGNMENT OF A NEW NIIN WITH A RPD MRC CODE (DRN 4765) OF 5, AND A NIIN IS ASSIGNED. THE TABLE CONTAINING THIS DATA ELEMENT MUST BE LOADED BY THE PROGRAM LOGIC THAT PROCESSES AND APPROVES REQUESTS FOR NEW NIINS. NOTE: IF YOU WANT TO SWITCH THE ABRV NAME AND THE ALIAS IT IS OK.

4533 CRS-ACTY-SUBM-RTND-TRAN CRS_SUBM_TRAN_4533 DLIS-SBA F CHAR 4
CRS ACTIVITY SUBMISSION/RETURNED TRANSACTION IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE TRANSACTION SUBMITTED FROM A CRS ACTIVITY, TO BE RETURNED TO A CRS ACTIVITY ONLY. VALID VALUES: A-Z, 0-9

4534 CRS-LGCY-RTND-SUBM-TRAN CRS_RTND_TRAN_4534 DLIS-SBA F CHAR 4
CRS LEGACY RETURNED/SUBMISSION TRANSACTION IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE RETURN COPY OF A TRANSACTION SUBMITTED BY LEGACY TO CRS. VALID VALUES: A-Z, 0-9

4535 SIN-MULT-OP-CD SIN_MLT_OP_CD_4535 DLIS-SBA F CHAR 1
SINGLE/MULTIPLE OUTPUT CODE

A CODE TO INDICATE THAT NOTIFICATION OF NATIONAL STOCK NUMBER FOUND THROUGH PROVISIONING SCREENING OR ASSIGNED TO NEW ITEM IDENTIFICATION IS TO BE FURNISHED TO ONE/SINGLE OUTPUT/OR MORE THAN ONE/MULTIPLE OUTPUT/ACTIVITY. INCLUDES GOVERNMENT AND CONTRACTOR ACTIVITIES. SEE [VOLUME 10, TABLE 11](#) AND QUICK INFO ON-LINE.

4538 DATA-OVRD-CD DATA_OVRD_CD_4538 DLIS-SC F CHAR 1
DATA OVERRIDE CODE

A CODE UTILIZED IN A DELETE TRANSACTION TO PERMIT DELETION OF A COMPLETE ORGANIZATIONAL ENTITY RECORD FROM THE SYSTEM SUPPORT RECORD WHEN THE DATA IS PROTECTED BY A DATA PROTECT CODE /DRN 4539/.

4539 DATA-PROT-CD DATA_PROT_CD_4539 DLIS-SC F CHAR 1
DATA PROTECT CODE

A CODE USED TO INDICATE THAT AN ORGANIZATIONAL ENTITY RECORD CANNOT BE DELETED WITHOUT THE PRESENCE OF A DATA-OVER-RIDE CODE /DRN 4538/ IN THE INPUT TRANSACTION. VALID VALUES: P = PROTECTED, BLANK = NOT PROTECTED.

4540 DELT-RSN-CD DELT_RSN_CD_4540 DLIS-SBA F CHAR 1
DELETION REASON CODE

A CODE IDENTIFYING THE PROGRAM OR FUNCTION TO BE CREDITED FOR DELETION OF A MOE RULE AND CANCELLATION TYPE ACTION. SEE [VOLUME 10, TABLE 25](#) AND QUICK INFO ON-LINE.

4541 GIRDER-CD-NEW-1 GRDR_CD_NW_1_4541 DLIS-SBA F CHAR 2
GIRDER CODE NEW NUMBER 1

A GIRDER CODE SUPPLIED BY THE MANUFACTURER TO DENOTE THE PROCESSING REQUIRED FOR THE ITEM. ONE OF TWO CODES USED IN COMBINATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
4542	GIRDER-CD-NEW-2	GRDR_CD_NW_2_4542	DLIS-SBA	F CHAR	2
GIRDER CODE NEW NUMBER 2 A GIRDER CODE SUPPLIED BY THE MANUFACTURER TO DENOTE THE PROCESSING REQUIRED FOR THE ITEM. SECOND OF TWO CODES USED IN COMBINATION.					
4543	GIRDER-SEQ-NBR	GRDR_SEQ_NBR_4543	DLIS-SBA	F INTEGER	7
GIRDER RECORD SEQUENCE NUMBER DATA RETRIEVAL, GIRDER PROCESS SEQUENTIAL NUMBER USED TO MAINTAIN THE SEQUENCE OF RECORDS WITHIN THE TABLE.					
4544	GIRDER-NEW-CAGE-CD	GRDR_NW_CG_CD_4544	DLIS-SBA	F CHAR	5
GIRDER NEW CAGE CODE A CAGE CODE SUPPLIED BY THE MANUFACTURER TO CHANGE THE EXISTING CAGE FOR AN ITEM IN THE GIRDER PROCESS.					
4545	GIRDER-NEW-REF-NBR-LOG	GRDR_NW_RN_LG_4545	DLIS-SBA	F CHAR	32
GIRDER NEW REFERENCE NUMBER LOGISTICS A REFERENCE NUMBER SUPPLIED BY THE MANUFACTURER TO BE USED IN THE TRANSACTIONS CREATED FOR THE SUBMITTED ITEM.					
4546	GIRDER-MFR-DATA	GRDR_MFR_DATA_4546	DLIS-SBA	F VARCHAR	100
GIRDER MANUFACTURER SUPPLIED DATA DATA SUPPLIED BY THE MANUFACTURER TO BE USED IN THE GIRDER PROCESS.					
4547	GIRDER-DUP-PROTECTED	GRDR_DUP_PROT_4547	DLIS-SBA	F CHAR	83
GIRDER DUPLICATE COPY PROTECTED DATA DATA USED IN THE GIRDER PROCESS THAT EXISTS ON THE DUPLICATE COPY FILE AND MAY NOT HAVE ANY CHANGES IN THE GIRDER-MFR-PROTECTED AREA.					
4548	GIRDER-MFR-PROTECTED	GRDR_MFR_PROT_4548	DLIS-SBA	F CHAR	83
GIRDER MANUFACTURER PROTECTED DATA RECORD IDENTIFICATION DATA USED IN THE GIRDER PROCESS. THE DATA MAY NOT BE ALTERED BY THE MANUFACTURER. GIRDER-DUP-PROTECTED IS USED TO VERIFY THAT NO CHANGES HAVE BEEN MADE.					
4549	PRIM-DIC	PRIM_DIC_4549	DLIS-SBA	F CHAR	3
PRIMARY DOCUMENT IDENTIFIER CODE IDENTIFIES A PRIMARY INPUT TRANSACTION TO THE SYSTEM WHEN MULTIPLE TRANSACTIONS ARE SUBMITTED UNDER THE SAME DOCUMENT NUMBER.					
4551	BUL-BRD-GEN-DT	BB_GEN_DT_4551	DLIS-V	F INTEGER	9
BULLETIN BOARD GENERATED DATE DATE THE PROCEDURES INQUIRY BULLETIN IS GENERATED.					
4552	BUL-BRD-SEQ-NBR	BB_SEQ_NBR_4552	DLIS-V	F CHAR	2
BULLETIN BOARD SEQUENCE NUMBER SEQUENCE NUMBER TO UNIQUELY IDENTIFY THE PROCEDURES INQUIRY BULLETIN IF MORE THAN ONE TEXT OF BULLETIN BOARD IS NEEDED.					
4553	BUL-BRD-AREA-TO-ID	BB_AREA_TO_ID_4553	DLIS-V	F CHAR	10
BULLETIN BOARD AREA TO IDENTIFICATION AREA THE PROCEDURES INQUIRY BULLETIN PERTAINS TO.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
4554	BUL-BRD-AREA-FRM-ID	BB_AREA_FM_ID_4554	DLIS-V	F CHAR 10
BULLETIN BOARD AREA FROM IDENTIFICATION AREA THE PROCEDURES INQUIRY BULLETIN IS COMING FROM.				
4555	BUL-BRD-SUBJ-NM	BB_SUBJ_NM_4555	DLIS-V	V VARCHAR 70
BULLETIN BOARD SUBJECT NAME SUBJECT OF THE PROCEDURES INQUIRY BULLETIN.				
4556	BUL-BRD-TXT	BB_TXT_4556	DLIS-V	V VARCHAR 4004
BULLETIN BOARD TEXT THE TEXT OF THE PROCEDURES INQUIRY BULLETIN.				
4557	RTN-CD-DRN-CMNT	RTN_CD_DRN_CM_4557	DLIS-V	F CHAR 11
RETURN CODE DRN COMMENT THIS FIELD IS USED FOR SPECIAL DRN COMMENTS WHICH DEPEND ON RETURN CODE FOR FLIS PROCEDURES (DOD 4100.39) VOL 10, CHAPTER 10.1.				
4558	COG-CD-CMNT-NVY	COG_CD_NV_CM_4558	DLIS-V	F CHAR 50
COGNIZANCE CODE COMMENT NAVY THIS FIELD IS USED FOR SPECIAL COMMENTS RELATING TO A NAVY COGNIZANCE CODE IN FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 111.				
4559	RTN-CD-CMNT	RTN_CD_CMMT_4559	DLIS-V	F CHAR 1
RETURN CODE COMMENT THIS FIELD IS USED TO IDENTIFY WHICH SPECIAL COMMENT IS APPLICABLE FROM FLIS PROCEDURES (DOD 4100.39) VOL 10, CHAPTER 10.1.				
4562	OLD-DAI		DLIS-V	F 25
OLD DATA ASSET IDENTIFIER THIS DATA ELEMENT IS USED IN AN UPDATE MEDALS TRANSACTION TO CHANGE THE DAI. IT IDENTIFIES THE DATA ASSET IDENTIFIER (DRN 2631) WHICH IS TO BE CHANGED.				
4564	TMSTMP1	TMSTMP1_4564	DLIS-V	F TIMESTMP 26
TIME STAMP 1 TIME STAMP USED AS PART KEY TO DIFFERENTIATE YYYY - YEAR IDENTICAL ROWS IN A DB2 TABLE. MM - MONTH YYYY-MM-DD-HH.MM.SS.NNNNNN DD - DAY EXAMPLE: 1990-10-27-03.30.00 HH - HOUR MM - MINUTES SS - SECONDS NN - MICROSECONDS				
4567	BGNG-TMSTMP-TM	BEG_TMSTMP_4567	DLIS-SB	F TIMESTMP 26
BEGINNING TIMESTAMP TIME A TIMESTAMP USED BY THE EFFECTIVE DATE SUPPLEMENTAL PULL AND REPRESENTING THE BEGINNING OF THE FIRST OF THE MONTH EFFECTIVE DATE NIIN PULL.				
4568	END-TMSTMP-TM	END_TMSTMP_4568	DLIS-SB	F TIMESTMP 26
END TIMESTAMP TIME A TIMESTAMP USED BY THE EFFECTIVE DATE SUPPLEMENTAL PULL AND REPRESENTING THE END OF THE FIRST OF THE MONTH EFFECTIVE DATE NIIN PULL.				
4569	FRST-MO-TMSTMP-TM	FOM_TMSTMP_4569	DLIS-SB	F TIMESTMP 26
FIRST OF MONTH TIMESTAMP TIME				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

SUPPORT DATA INDICATOR

THIS FIELD CONTAINS AN INDICATOR X = SUPPORT DATA AS DISTINGUISHED FROM ITEM IDENTIFICATION DATA THIS FIELD WILL CONTAIN ONLY AN X OR BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4624 MAND-SEG-STNG MAND_SEG_STNG_4624 DLIS-V F CHAR 30

MANDATORY SEGMENT STRING

THIS FIELD CONTAINS A STRING OF SEGMENT IDENTIFIERS WHICH ARE CONSIDERED MANDATORY USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4625 OPTNL-SEG-STNG OPTL_SEG_STNG_4625 DLIS-V F CHAR 30

OPTIONAL SEGMENT STRING

THIS FIELD CONTAINS A STRING OF SEGMENT IDENTIFIERS WHICH ARE CONSIDERED OPTIONAL USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4626 CTGY-DIC-CMNT CTGY_DIC_CMNT_4626 DLIS-SBA V VARCHAR 50

CATEGORY DIC COMMENT

COMMENT PERTAINING TO A PARTICULAR COMBINATION OF CATEGORY AND DIC USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 104.

4645 LMT-DIST-CD LMT_DIST_CD_4645 DLIS-SBA F CHAR 1

LIMITED DISTRIBUTION CODE

A ONE DIGIT CODE WHICH CONTROLS THE DISTRIBUTION OF FILE DATA TO ACTIVITIES AUTHORIZED TO RECEIVE THE DATA BASED ON SPECIAL CONDITIONS INVOLVING PARTICULAR FILE DATA FOR WHICH DISTRIBUTION RESTRICTIONS ARE APPLICABLE. SEE [VOLUME 10, TABLE 26](#) AND QUICK INFO ON-LINE.

4672 SVC-AGCY-DESI-CD SADC_4672 DLIS-SB F CHAR 2

SERVICE/AGENCY DESIGNATOR CODE (SADC)

A CODE DESIGNATING THE MILITARY SERVICE OR AGENCY THAT MADE A DECISION TO RELATE A LOGISTICS REFERENCE NUMBER TO A NATIONAL STOCK NUMBER EVEN THOUGH THERE IS NO DIRECT RELATIONSHIP OF THE REFERENCE NUMBER TO THE NSN OTHER THAN A CROSS-REFERENCE THAT THE NSN WAS ACCEPTED AS A SUBSTITUTE FOR THE ITEM IDENTIFIED BY THE REFERENCE NUMBER. SEE [VOLUME 10, TABLE 154](#) AND QUICK INFO ON-LINE.

4675 MCFCH-FRME-NBR DLIS-V F 3

MICROFICHE FRAME NUMBER

AN ALPHANUMERIC NUMBER PROVIDED ON EACH FRAME OF A MICROFICHE FOR SEQUENCING AND CONTROL PURPOSES, E.G., A01, A02.

4690 OP-DATA-RQST-CD ODRC_4690 DLIS-SBA F CHAR 4

OUTPUT DATA REQUEST CODE

A CODE SUBMITTED WITH A TRANSACTION TO INDICATE WHAT TYPE OF DATA THE SUBMITTER, ORIGINATOR OR THE USER REQUIRES, E.G. REFERENCE DATA, MANAGEMENT DATA, DESCRIPTIVE DATA, ETC. SEE VOLUME 10, TABLES [28](#) AND [30](#) AND QUICK INFO ON-LINE.

4691 FRST-LOLA-OVERNIGHT-ODRC FIRST_ODRC_4691 DLIS-VOA F CHAR 4

FIRST LOLA OVERNIGHT OUTPUT DATA REQUEST CODE

THE FIRST POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER.

4692 SECN-LOLA-OVERNIGHT-ODRC SECOND_ODRC_4692 DLIS-VOA F CHAR 4

SECOND LOLA OVERNIGHT OUTPUT DATA REQUEST CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE SECOND POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER. THE SELECTIONS WILL ACCEPT UP TO 3 ODRCS.

4693 THRD-LOLA-OVERNIGHT-ODRC THIRD_ODRC_4693 DLIS-VOA F CHAR 4
THIRD LOLA OVERNIGHT OUTPUT DATA REQUEST CODE
THE THIRD POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER. THE SELECTIONS WILL ALLOW UP TO 3 ODRCS.

4694 LOLA-OVERNIGHT-SEG-VAL SEG_VALUES_4694 DLIS-VOA F CHAR 15
LOLA OVERNIGHT DLIS SEGMENT VALUES IDENTIFIER
THE POSSIBLE COMBINATIIONS OF FLIS SEGMENTS A LOLA USER COULD INPUT.

4695 LOLA-OVERNIGHT-TRAN-DT TRANS_DT_4695 DLIS-VOA F DATE 7
LOLA OVERNIGHT TRANSACTION DATE
THE SPECIFIC DAY ON WHICH THE LOLA OVERNIGHT TRANSACTIONS ARE SENT TO DATA RETRIEVAL FOR PROCESSING. FORMAT IS CCYYDDD.

4696 LOLA-OVERNIGHT-LSN-LTI LSN_LTI_RMDR_4696 DLIS-VOA F CHAR 57
LOLA OVERNIGHT LSN LTI REMAINDER
THE REMAINDER OF THE LSN OR LTI TRANSACTION THE LOLA OVERNIGHT PROCESS SENDS TO TM FOR PROCESSING BY DATA RETRIEVAL.

4698 SUSP-FILE-PROC-DT SUSP_PROC_DT_4698 DLIS-SBA F CHAR 7
TRANSACTION BUILDER SUSPENSE FILE PROCESS DATE
THE DATE ON WHICH EACH INDIVIDUAL TRANSACTION WAS PROCESSED IN THE TRANSACTION BUILDER. THE FORMAT IS IN THE FORM OF YYYYDDD.

4701 DNB-ST-ADRS-1-TX DNB_ST_ADRS_1_4701 DLIS-SBC F CHAR 35
DNB STREET ADDRESS 1 TEXT
THE TEXT OF THE STREET ADDRESS RETURNED TO CCR FROM DUNS AND BRADSTREET FOLLOWING AN ADDRESS VALIDATION REQUEST BY A DUNS NUMBER ENTERED.

4702 DNB-ST-ADRS-2-TX DNB_ST_ADRS_2_4702 DLIS-SBC F CHAR 35
DNB STREET ADDRESS 2 TEXT
THE TEXT OF THE SECOND STREET ADDRESS RETURNED TO CCR FROM DUNS AND BRADSTREET FOLLOWING AN ADDRESS VALIDATION REQUEST BY A DUNS NUMBER ENTERED. THIS DRN WILL BE USED IF THE FIRST STREET IS FULL AND MORE ROOM IS NEEDED TO COMPLETE THE STREET ADDRESS.

4703 DNB-CTY-NM DNB_CTY_4703 DLIS-SBC F CHAR 35
DNB CITY NAME
THE NAME OF THE CITY RETURNED TO CCR FROM DUNS AND BRADSTREET FOLLOWING AN ADDRESS VALIDATION REQUEST BY A DUNS NUMBER ENTERED.

4704 DNB-STA-PRVNC-ABR-CD DNB_STA_PRVNC_4704 DLIS-SBC F CHAR 2
DNB STATE PROVINCE ABBREVIATION CODE
THE CODE OF THE STATE OR PROVINCE NAME ABBREVIATION RETURNED TO CCR FROM DUNS AND BRADSTREET FOLLOWING AN ADDRESS VALIDATION REQUEST BY A DUNS NUMBER ENTERED.

4705 DNB-PSTL-CD DNB_PSTL_CD_4705 DLIS-SBC F CHAR 10
DNB POSTAL CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4780 RNVC RNVC_4780 DLIS-SBA F CHAR 1
REFERENCE NUMBER VARIATION CODE (RNVC)

A CODE INDICATING THAT A CITED REFERENCE NUMBER IS OR IS NOT ITEM IDENTIFYING, OR IS FOR INFORMATION ONLY. SEE VOLUME 10, TABLES 7, 31 AND 75 AND QUICK INFO ON-LINE.

4781 IN-OUT-TEL-CALL-CD IN_OUT_TEL_CD_4781 DLIS-VPO F CHAR 1
INBOUND/OUTBOUND TELEPHONE CALL CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER A TELEPHONE CALL IS INBOUND OR A CALL IS BEING MADE OUTBOUND. VALID VALUES: I FOR INBOUND, O FOR OUTBOUND

4782 FULL-UNABRV-LEGAL-BUS-CO FULL_LEGAL_CO_4782 DLIS-VPO F CHAR 60
FULL UNABBREVIATED LEGAL BUSINESS COMPANY NAME

THE FULL COMPANY NAME, CONTAINING THE FULL UNABBREVIATED LEGAL BUSINESS NAME.

4783 INDV-FULL-FRST-NM FULL_FRST_NM_4783 DLIS-VPO F CHAR 20
INDIVIDUAL FULL FIRST NAME

THE INDIVIDUAL FULL FIRST NAME AND NOT ABBREVIATIONS OR NICK NAMES.

4784 INDV-PRPR-LST-NM PRPR_LST_NM_4784 DLIS-VPO F CHAR 20
INDIVIDUAL PROPER LAST NAME

THE INDIVIDUAL PROPER LAST NAME.

4785 INDV-POS-TI-NM POS_TI_NM_4785 DLIS-VPO F CHAR 20
INDIVIDUAL POSITION/TITLE NAME

THE NAME OF ANY VALID POSITION OR TITLE THE INDIVIDUAL HOLDS, SUCH AS PROGRAM MANAGER OR DOCTOR.

4786 TEL-CALL-TM-LGTH-MIN-QY TEL_TM_MIN_QY_4786 DLIS-VPO F CHAR 5
TELEPHONE CALL TIME LENGTH MINUTE QUANTITY

THE APPROXIMATE LENGTH OF TIME (RECORDED IN MINUTES) A TELEPHONE CALL TOOK PLACE.

4787 TEL-CALL-CNVRSTN-SUBJ-TX TEL_CALL_SUBJ_4787 DLIS-VPO F CHAR 100
TELEPHONE CALL CONVERSATION SUBJECT TEXT

THE BRIEF DESCRIPTION TEXT OF THE SUBJECT OF A TELEPHONE CALL CONVERSATION THAT TOOK PLACE.

4788 TEL-CALL-CNVRSTN-DTL-TX TEL_CALL_DTL_4788 DLIS-VPO F CHAR 1000
TELEPHONE CALL CONVERSATION DETAIL TEXT

THE DETAILED DESCRIPTION TEXT OF A TELEPHONE CALL CONVERSATION THAT TOOK PLACE.

4789 CCR-REJT-RSN-NOC-CD REJT_NOC_CD_4789 DLIS-S F CHAR 3
CENTRAL CONTRACTOR REGISTRATION REJECTION REASON NOTICE OF CHANGE CODE

THE CODE THAT REPRESENTS THE REASON FOR DFAS NOTICE OF CHANGE (NOC) REJECTION. VALID VALUES: C01 - C07, R02, R03, R04, R12, R14

4790 TAXPYR-IDEN-NOT-REQ-RSN TAXID_NREQ_CD_4790 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TAXPAYER IDENTIFICATION NOT REQUIRED REASON CODE

THE CODE THAT REPRESENTS THE REASON THAT A TAXPAYER IDENTIFICATION IS NOT REQUIRED: CODES: A = OFFEROR IS A NONRESIDENT ALIEN, B = OFFEROR IS AN AGENCY OF A FOREIGN COUNTRY, OR C = OFFEROR IS AN AGENCY OF THE FEDERAL GOVERNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
4791	CCR-CO-RGSTRN-DT	RGSTRN_DT_4791	DLIS-SB	F SMALLINT	8
CENTRAL CONTRACTOR COMPANY REGISTRATION DATE THE JULIAN DATE ON WHICH A COMPANY REGISTERED WITH THE CCR.					
4792	CCR-EDI-TRAN-CPBLTY-NM	EDI_TRAN_4792	DLIS-SB	F CHAR	20
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION CAPABILITY NAME THE NAME OF THE TYPE OF CAPABILITIES AVAILABLE WHILE USING ASPECIFIC EDI TRANSACTION.					
4793	CCR-EDI-CPBLTY-EFF-DT	EDI_CPBLTY_DT_4793	DLIS-SB	F DATE	8
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE DATE THE DATE WHEN AN EDI CAPABILITY WILL BECOME EFFECTIVE.					
4794	CCR-EDI-CPBLTY-EFF-TM	EDI_CPBLTY_TM_4794	DLIS-SB	F CHAR	5
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE TIME THE TIME THAT AN EDI CAPABILITY BECAME EFFECTIVE.					
4795	CCR-ABA-ROUT-TNST-NBR-ID	ABA_ROUT_TNST_4795	DLIS-SB	F CHAR	9
CENTRAL CONTRACTOR REGISTRATION AMERICAN BANKING ASSOCIATION ROUTING TRANSIT NUMBER IDENTIFIER THE IDENTIFICATION NUMBER THAT REPRESENTS AMERICAN BANKING ASSOCIATION (ABA) ROUTING TRANSIT.					
4796	CCR-EFT-PMT-TYP-CD	EFT_PMT_TYP_4796	DLIS-SB	F CHAR	1
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER PAYMENT TYPE CODE A CODE THAT REPRESENTS THE AMERICAN BANKING ASSOCIATION TYPE OF PAYMENT OF ELECTRONIC FUNDS TRANSFER (EFT). VALID VALUES: 1 = CHECKING, 2 = SAVINGS, 3 = LOCK BOX.					
4797	CCR-EFT-ACCT-BNKG-NBR-ID	EFT_ACCT_NBR_4797	DLIS-SB	F CHAR	30
CENTRAL CONTRACTOR REGISTRATION EFT ACCOUNT BANKING NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE BANKING NUMBER OF THEELECTRONIC FUNDS TRANSFER ACCOUNT USED FOR TRANSFERS.					
4798	CCR-EFT-FIN-INST-NM	EFT_TRAN_ACCT_4798	DLIS-SB	F CHAR	30
CENTRAL CONTRACTOR REGISTRATION EFT FINANCIAL INSTITUTION NAME THE NAME OF THE FINANCIAL INSTITUTION (BANK, CREDIT UNION, ETC.) BEING USED FOR ELECTRONIC FUNDS TRANSFER TRANSACTIONS.					
4799	CCR-PREV-RGSTR-CO-NM	PREV_RGSTR_NM_4799	DLIS-SB	F CHAR	35
CENTRAL CONTRACTOR REGISTRATION PREVIOUS REGISTERED COMPANY NAME THE COMPANY NAME OF THE REGISTERED PARTY USED PRIOR TO THECURRENT COMPANY NAME.					
4800	CCR-CNTCT-TYP-CD	CCR_CNTCT_TYP_4800	DLIS-SB	F CHAR	2
CENTRAL CONTRACTOR REGISTRATION CONTACT TYPE CODE A CODE THAT REPRESENTS THE TYPE OF AUTHORITY OF AN ADDITIONALCONTACT POINT. VALID VALUES ARE: A1 = AUTH FIN CONTACT, A2 =AUTH SIGN, A3 = CERTIFIER, A4 = EDI COORD, A5 = INFO CNTCT,A6 = OWNER, A7 = ACH COORD.					
4801	CCR-STA-PRVNC-CD	STA_PRVNC_4801	DLIS-SB	F CHAR	4
CENTRAL CONTRACTOR REGISTRATION STATE PROVINCE CODE THE ABBREVIATION OF THE STATE OR PROVINCE.					
4802	CCR-SM-BUS-AUTH-OFC-NM	SM_BUS_OFC_4802	DLIS-SB	F CHAR	50

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORITY OFFICE NAME
THE NAME OF THE SMALL BUSINESS AUTHORITY OFFICE.

4803 CCR-MIL-SPEC-NBR-ID CCR_SPEC_NBR_4803 DLIS-SB F CHAR 30
CENTRAL CONTRACTOR REGISTRATION MILITARY SPECIFICATION NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS MILITARY SPECIFICATION NUMBERS.

4804 CCR-CTY-NM CCR_CTY_4804 DLIS-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION CITY NAME
THE NAME OF THE CITY IN WHICH THE COMPANY OR POINT OF CONTACT IS LOCATED.

4805 CCR-DEPT-POC-NM DEPT_POC_4805 DLIS-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION DEPARTMENT POINT OF CONTACT NAME
THE NAME OF A DEPARTMENT OR ORGANIZATION THAT SHOULD BE CONTACTED FOR ISSUES ASSOCIATED WITH A CENTRAL CONTRACTOR REGISTRATION.

4806 CCR-POC-TEL-NBR-ID CCR_POC_TEL_4806 DLIS-SB F CHAR 30
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE PHONE NUMBER OF THE POINT OF CONTACT FOR CCR REGISTRATION ISSUES.

4807 CCR-POC-NM POC_4807 DLIS-SB F CHAR 60
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT NAME
THE NAME OF AN INDIVIDUAL TO WHICH ALL REFERENCES MUST BE MADE FOR A SPECIFIC TYPE OF REQUEST FOR THE REGISTERED PARTY.

4808 CCR-POC-ST-ADRS-TX POC_ST_ADRS_4808 DLIS-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT STREET ADDRESS TEXT
THE TEXT OF THE STREET NAME AND NUMBER FOR A POINT OF CONTACT.

4809 CCR-POC-CTY-NM CCR_POC_CTY_4809 DLIS-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT CITY NAME
THE NAME OF THE CITY OF THE POINT OF CONTACT.

4810 CCR-DUNS-PLUS-FOUR-ID DUNS_PLUS_4810 DLSC-SBC F CHAR 13
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS FOUR IDENTIFIER
THE IDENTIFIER THAT CONSISTS OF THE DUNS NUMBER PLUS AN ADDITIONAL 4 POSITIONS FOR A SPECIFIC LOCATION OTHER THAN THE MAIN LOCATION.

4811 CCR-PSTL-ID CCR_PSTL_4811 DLIS-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION POSTAL IDENTIFIER
THE INTERNATIONAL POSTAL CODE OR, FOR U.S. ADDRESSES, THE 5 OR 9 CHARACTER ZIP CODE.

4812 CCR-ANL-RNWL-DT CCR_RNWL_DT_4812 DLIS-SB F INTEGER 8
CENTRAL CONTRACTOR REGISTRATION ANNUAL RENEWAL DATE
THE DATE WHEN A COMPANY RENEWS ITS REGISTRATION WITH THE CCR. THIS RENEWAL MUST BE MADE EVERY YEAR TO MAINTAIN AN OPEN STATUS. THE FORMAT IS IN THE FORM OF YYYYMMDD.

4813 CCR-CUR-RGSN-STAT-CD CUR_RGSN_STAT_4813 DLIS-SB F CHAR 1
CENTRAL CONTRACTOR REGISTRATION CURRENT REGISTRATION STATUS CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE EXPLAINING THE CURRENT STATUS OF THE REGISTRATION OF A COMPANY.THE VALID VALUES ARE: A=ACTIVE, C=CANCELLED. I=IN-PROCESS.

4814 CCR-POC-TEL-NBR-EXT-ID CCR_TEL_EXT_4814 DLIS-SB F CHAR 10
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBER EXTENSION IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE EXTENSION OF CCR POINT OF CONTACT TELEPHONE NUMBER EXTENSION IDENTIFIER (DRN 4806).

4817 CCR-VAN-NM-ID CCR_VAN_NM_4817 DLIS-SB F CHAR 3
CENTRAL CONTRACTOR REGISTRATION VALUE ADDED NETWORK NAME IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE ABBREVIATION OF THE VALUE ADDED NETWORK (VAN) NAME.

4818 PRVT-IDEN-NBR-ID PIN_4818 DLIS-TS F CHAR 64
PRIVATE IDENTIFICATION NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS A PRIVATE IDENTIFICATION NUMBER USED FOR TELEPHONE ACCESS INTO A DLIS APPLICATION FOR VOICE QUERY.

4819 PUBL-KEY-I-STRU-SER-NBR PKI_4819 DLIS-TS F CHAR 128
PUBLIC KEY INFRASTRUCTURE (PKI) SERIAL NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS A PUBLIC KEY INFRASTRUCTURE SERIAL NUMBER USED FOR WEB VALIDATION.

4820 TYP-OF-II-CD TYP_II_4820 DLIS-SBA F CHAR 1
TYPE OF ITEM IDENTIFICATION CODE
A DESCRIPTION CODE WHICH INDICATES THE TYPE OF FEDERAL ITEM IDENTIFICATION. SEE [VOLUME 10, TABLE 2](#) AND QUICK INFO ON-LINE.

4821 CCR-POC-INTL-TEL-NBR-ID CCR_INTL_TEL_4821 DLIS-SB F CHAR 30
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT INTERNATIONAL TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE INTERNATIONAL PHONE NUMBER OF THEPOINT OF CONTACT FOR CCR REGISTRATION ISSUES.

4822 CCR-POC-FAX-NBR-ID POC_FAX_NBR_4822 DLIS-SB F CHAR 30
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT FAX NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE FAX NUMBER OF THE POINT OF CONTACTFOR CCR REGISTRATION ISSUES.

4823 CCR-POC-EMAIL-NBR-ID POC_EMAIL_NBR_4823 DLIS-SB F CHAR 80
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT EMAIL NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE EMAIL ADDRESS OF THE POINT OF CONTACTFOR CCR REGISTRATION ISSUES.

4824 EDI-TRAN-MEDIA-CPBLTY-ID EDI_MEDIA_4824 DLIS-SB F CHAR 2
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION MEDIA CAPABILITY IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE EDI SYSTEMS MEDIA CAPABILITY OF THEREGISTERING PARTY FOR GENERATING EDI TRANSACTIONS.

4825 EDI-TRAN-EMAIL-ADRS-ID EDI_EMAIL_ADR_4825 DLIS-SB F CHAR 80
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION EMAIL ADDRESS IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE EDI SYSTEMS E-MAIL ADDRESS OF THEREGISTERING PARTY FOR GENERATING EDI TRANS-ACTIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4826 CCR-EDI-VAN-NM EDI_VAN_4826 DLIS-SB F CHAR 45
CENTRAL CONTRACTOR REGISTRATION EDI VALUE ADDED NETWORK NAME
THE NAME OF THE VALUE ADDED NETWORK (VAN) OF THE REGISTERING PARTY ORVAs WHERE THE EDI TRANSACTION IS SENT.

4827 CCR-EDI-SFTWR-VRSN-NM EDI_SFTWR_4827 DLIS-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION EDI SOFTWARE VERSION NAME
THE NAME OF THE EDI SOFTWARE AND VERSION OF THE REGISTERING PARTY.

4829 STD-INDUST-CLAS-SECD-CD SIC_SECD_4829 DLIS-SB F CHAR 4
STANDARD INDUSTRIAL CLASSIFICATION SECONDARY CODE
THE CODE THAT REPRESENTS A FURTHER EXPLANATION OF THE SIC CODEDESCRIPTION.

4830 CCR-PSC-FSC-ID PSC_FSC_4830 DLIS-SB F CHAR 4
CENTRAL CONTRACTOR REGISTRATION PSC FSC IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE PRODUCT SERVICE CODE OR THE FEDERALSUPPLY CLASS USED BY THE REGISTERING PARTY.

4831 CCR-OTRCH-SITE-ACTY-ID OTRCH_ACTY_4831 DLIS-SB F CHAR 8
CENTRAL CONTRACTOR REGISTRATION OUTREACH SITE ACTIVITY IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE SITE (LOCATION) ACTIVITY CODE/NUMBERASSIGNED TO EACH OUT-REACH SITE THAT CAN ENTER CCR INFORMATION.

4832 CCR-RQST-SNT-DT CCR_RQST_SNT_4832 DLIS-SB F CHAR 8
CENTRAL CONTRACTOR REGISTRATION REQUEST SENT DATE
THE DATE WHEN A CCR REQUEST WAS SENT TO DLIS FROM AN OUT-REACH SITE.THIS FORMAT IS IN THE FORM OF MM/DD/YY.

4833 CCR-RQST-CMPLTD-DT CCR_RQST_CMP_4833 DLIS-SB F CHAR 8
CENTRAL CONTRACTOR REGISTRATION REQUEST COMPLETED DATE
THE DATE A CCR REQUEST WAS COMPLETED BY DLIS AND THE CCR PROCESS. THIS DATE WILL BE USED TO RETURN INFORMATION BACK TO THE OUT-REACH SITES.THE FORMAT IS IN THE FORM OF MM/DD/YY.

4834 CCR-SITE-RQST-STAT-CD RQST_STAT_CD_4834 DLIS-SB F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS CODE
THE CODE THAT REPRESENTS THE CURRENT STATUS OF A TRANSACTIONREQUEST AFTER BEING INITIATED BY THE OUT-REACH SITE. VALID VALUES:A=REQUEST FOR NEW CAGE, B=UPDATE INFO TO AN EXISTING CAGE, C=CANCEL OF AN EXISTING CAGE CODE, D=VENDOR DEBARRED FROM DOING BUSINESS,E=NEW ASSIGNMENT COMPLETED, F=REQUEST REJECTED(SEE COMMENTS),I=INPROCESS.

4835 CCR-SITE-RQST-STAT-TX RQST_STAT_TX_4835 DLIS-SB F CHAR 80
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS TEXT
A TEXTUAL COMMENT ON THE CURRENT STATUS OF A TRANSACTION REQUEST AFTER BEING INITIATED BY THE OUT-REACH SITE.

4836 CCR-ORG-TYP-CD-DEF-TX CCR_ORG_DEF_4836 DLIS-SB F CHAR 50
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE DEFINITION TEXT
THE TEXT DEFINING CCR-ORG-TYP-CD (DRN 4374).

4837 CCR-PROD-SVC-TI-TX PROD_SVC_TI_4837 DLIS-SB F CHAR 100
CENTRAL CONTRACTOR REGISTRATION PRODUCT SERVICE TITLE TEXT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TEXT OF THE TITLE OF A PRODUCT AND OR SERVICE.

4838 STD-INDUST-CD-TI-TX SIC_TI_4838 DLIS-SB F CHAR 100
STANDARD INDUSTRIAL CODE TITLE TEXT
THE TEXT OF THE TITLE OF A STANDARD INDUSTRIAL CODE.

4839 CCR-FSG-TI-TX CCR_FSG_TI_4839 DLIS-SB F CHAR 100
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY GROUP TITLE TEXT
THE TEXT OF A TITLE WHICH REPRESENTS A FEDERAL SUPPLY GROUP (FSG) OFRELATED ITEMS. THIS TITLE IS A TRUNCATED VERSION OF THE FSG_TI_4972VERSION.

4840 CCR-FSC-TI-TX CCR_FSC_TI_4840 DLIS-SB F CHAR 100
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY CLASSIFICATION TITLE TEXT
THE TEXT OF A TITLE WHICH REPRESENTS A FEDERAL SUPPLY CLASSIFICATION(FSC) OF ITEMS WITHIN A FEDERAL SUPPLY GROUP. THIS TITLE IS ATRUNCATED VERSION OF THE FSC_TI_4970 TITLE.

4841 CCR-EDI-TRAN-NBR-NM EDI_TRAN_NM_4841 DLIS-SB F CHAR 50
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION NUMBER NAME
THE TEXTUAL NAME OF THE EDI TRANSACTION NUMBER.

4842 CCR-SITE-RGSTRN-NBR-ID CCR_SITE_NBR_4842 DLIS-SB F CHAR 8
CENTRAL CONTRACTOR REGISTRATION SITE REGISTRATION NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE DLIS ASSIGNED NUMBER TO A SITE ORACTIVITY WHICH IS ALLOWED TO REGISTER COMPANIES WHO WISH TO DO BUSINESSWITH THE GOVERNMENT.

4843 CCR-CNFRM-ID CCR_CNFRM_4843 DLIS-SB F CHAR 6
CENTRAL CONTRACTOR REGISTRATION CONFIRMATION IDENTIFIER
THE IDENTIFIER THAT REPRESENTS A SPECIFIC CONFIRMATION, USED INCONJUNCTION WITH THE DUNS, THAT THE USER IS WHO HE SAYS HE IS. VALID VALUES: CHARACTERS 0-9 AND/OR A-Z.

4844 TRDNG-PRTNR-IDEN-NBR-ID TPIN_4844 DLIS-SB F CHAR 11
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER IDENTIFICATION NUMBER IDENTIFIER
THE IDENTIFIER THAT WILL BE ASSIGNED TO A SUCCESSFUL REGISTRATION OF A TRADING PARTNER WITH THE CENTRAL CONTRAC-TOR REGISTRATION SYSTEM. THE IDENTIFIER WILL BE USED BY REGISTERED PARTIES IN ALL TRANSMISSIONS SUBSEQUENT TO THE INITIAL REGISTRATION TO IDENTIFY THEMSELVES AS SUCCESSFUL REGISTRANTS.

4845 CCR-EDI-TRAN-REF-NBR-ID EDI_TRAN_REF_4845 DLIS-SB F CHAR 30
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION REFERENCE NUMBER IDENTIFIER
THE IDENTIFIER THAT IS USED TO INDICATE A UNIQUE NUMBER,ASSIGNED BY THE ORIGINATOR OF THE EDI TRANSACTION SET,THAT CAN BE USED AS A REFERENCE IN A SUBSEQUENT TRANSACTION SET.THIS NUMBER WILL BE SYSTEM GENERATED.SEE X12 EDI 838 V3070 TRANSACTION SET BTP10 AND BTP06.

4846 CCR-EDI-TRAN-TYP-CD EDI_TRAN_TYP_4846 DLIS-SB F CHAR 2
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION TYPE CODE
THE CODE THAT IDENTIFIES THE TYPE OF TRANSACTION SET.SEE X12 EDI 838 V3070 TRANSACTION SET BTP10 AND BTP06.

4847 CCR-EDI-TRAN-PRPS-CD EDI_TRAN_PRPS_4847 DLIS-SB F CHAR 2
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION PURPOSE CODE
THE CODE THAT IDENTIFIES THE PURPOSE OF A TRANSACTION SET.THIS ELEMENT IS USED ONLY WHEN CCR-EDI-TRAN-TYP-CD ISEITHER '00' OR '07' ONLY.SEE X12 EDI 838 V3070 TRANSACTION SET BTP10 AND BTP06.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

4848 DWG-XREF-SYS-STAT-CD DWG_XREF_STAT_4848 DLIS-S F CHAR 1
DRAWING CROSS REFERENCE SYSTEM STATUS CODE

A SINGLE CHARACTER CODE REPRESENTING THE CURRENT STATUS OF A DRAWING FOUND WITHIN THE DRAWING CROSS REFERENCE SYSTEM. THIS STATUS CODE WILL CONTAIN ONE OF THREE LETTERS (A, C, R). WHERE 'A' EQUALS AN ACTIVE AND CURRENT DRAWING, A CANCELLED DRAWING WOULD HAVE A 'C' STATUS CODE, WHILE A DRAWING THAT HAS BEEN REPLACED BY ANOTHER WOULD CONTAIN AN 'R' CODE.

4849 RPLD-DGTZD-DWG-NBR-ID RPLD_DWG_NBR_4849 DLIS-VPE F CHAR 15
REPLACED DIGITIZED DRAWING NUMBER IDENTIFIER

THE IDENTIFIER THAT IS A REPLACEMENT FOR DGTZD-DWG-NBR. SEE DRN 0772.

4851 PUBL-KEY-I-STRU-ISSR-NBR PKI_ISSR_4851 DLIS-TS F CHAR 128
PUBLIC KEY INFRASTRUCTURE (PKI) ISSUER NUMBER IDENTIFIER

THE IDENTIFIER THAT REPRESENTS A PUBLIC KEY INFRASTRUCTURE ISSUER NUMBER USED TO MAKE A UNIQUE KEY WITH PKI_4819 FOR WEB VALIDATION.

4852 DB2-TBL-DRN-USG-CD DRN_USG_4852 DLIS-SB F CHAR 3
DB2 TABLE DRN USAGE CODE

CODE IDENTIFYING THE USAGE OF A SPECIFIC DRN WITHIN A SPECIFIC DB2 TABLE. THIS CODE REPRESENTS THE RELATIONSHIP BETWEEN THE DRN AND ITS DB2 TABLE.

4853 DRN-BEF-IMG-TX DRN_BEF_IMG_4853 DLIS-SB F CHAR 80
DRN BEFORE IMAGE TEXT

THE IMAGE OF A DATA ELEMENT BEFORE IT IS CHANGED. THIS DATA IS STORED TO DISPLAY PREVIOUS DATA OF A GIVEN FIELD.

4854 DRN-AFT-IMG-TX DRN_AFT_IMG_4854 DLIS-SB F CHAR 80
DRN AFTER IMAGE TEXT

THE IMAGE OF A DATA ELEMENT AFTER IT IS CHANGED. THIS DATA IS STORED TO DISPLAY NEW DATA OF A GIVEN FIELD AND SHOULD BE USED WITH DRN_BEF_IMG_4853.

4855 CCR-PROC-TYP-CD PROC_TYP_4855 DLIS-SB F CHAR 2
CENTRAL CONTRACTOR REGISTRATION PROCESS TYPE CODE

THE CODE THAT REPRESENTS THE TYPE OF PROCESS TO BE PERFORMED. THIS CODE DIRECTS OTHER PROGRAMMING JOBS TO PERFORM A SPECIFIC FUNCTION. VALID VALUES: 'EM' - USED FOR EXPIRED RECORD LETTER MUST BE MAILED, 'EP' - EXPIRED MAILING HAS BEEN PROCESSED.

4955 COLLOQ-NM DLIS-SC V 1762
COLLOQUIAL NAME

A COLLOQUIAL NAME IS ANY NAME, OTHER THAN THE APPROVED ITEM NAME, THAT HAS BEEN USED FOR AN ITEM OF SUPPLY FOR WHICH AN APPROVED ITEM NAME HAS BEEN DEVELOPED.

4962 FSC-NOTE FSC_NOTE_4962 DLIS-SC V VARCHAR 1978
FEDERAL SUPPLY CLASSIFICATION NOTE

A CONDENSED OR INFORMAL COMMENT OR EXPLANATION DEFINING THE CONTENT OF A FEDERAL SUPPLY CLASSIFICATION (FSC), AND SPECIFYING WHAT PARTICULAR ITEMS ARE EITHER INCLUDED OR EXCLUDED FROM THE FSC TO ASSIST IN IDENTIFYING AND CLASSIFYING NEW ITEMS OF SUPPLY.

4965 FSG-NOTE FSG_NOTE_4965 DLIS-SC V VARCHAR 1978
FEDERAL SUPPLY GROUP NOTE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CONDENSED OR INFORMAL COMMENT OR EXPLANATION DEFINING THE CONTENT OF A FEDERAL SUPPLY GROUP /FSG/, AND IDENTIFYING SIMILAR ITEMS WHICH ARE INCLUDED OR EXCLUDED FROM THE FSG TO ASSIST IN IDENTIFYING AND CLASSIFYING NEW ITEMS OF SUPPLY.

4968 FSC-INCL-DIRCT-DATA DLIS-SB V 2004
FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

4970 FSC-TI FSC_TI_4970 DLIS-SC V VARCHAR 1978
FEDERAL SUPPLY CLASSIFICATION TITLE
A TITLE WHICH REPRESENTS A NARROW FEDERAL SUPPLY CLASSIFICATION /FSC/ OF ITEMS WITHIN A FEDERAL SUPPLY GROUP /FSG/, E.G. FSG 51 WOULD ENCOMPASS FSC 5110-HAND TOOLS, EDGED, NON-POWERED, FSC 5120-HAND TOOLS, NON-EDGED, NON-POWERED, FSC 5130-HAND TOOLS, POWER DRIVEN, ETC.

4972 FSG-TI FSG_TI_4972 DLIS-SC V VARCHAR 1978
FEDERAL SUPPLY GROUP TITLE
A TITLE WHICH REPRESENTS A FEDERAL SUPPLY GROUP /FSG/ OF RELATED ITEMS, E.G. FSG 10-WEAPONS, FSG 39-MATERIALS HANDLING EQUIPMENT, FSG 53- HARDWARE AND ABRASIVES, ETC.

4975 KEYWRD-RQMT-STMT DLIS-SC V 110
KEYWORD REQUIREMENT STATEMENT
A VARIABLE LENGTH RECORD WHICH GIVES THE REQUIREMENT STATEMENT /FOR AN ASSIGNED MASTER REQUIREMENT CODE/ ARRANGED IN AN INVERTED MANNER BY THE KEYWORD OF THE STATEMENT. IT WILL BE STORED IN THE MASTER REQUIREMENT DIRECTORY /MRD/ GUIDE AND WILL BE USED IN THE PUBLICATION OF SECTION I OF THE MRD TO ESTABLISH A KWIC INDEX FROM THE KEY WORD OF THE REQUIREMENT STATEMENT TO THE ASSIGNED MASTER REQUIREMENT CODE /MRC/.

4981 DR-ODRC-REC-CD DR_ODRC_REC_4981 DLIS-SBA F CHAR 1
DATA RETRIEVAL ODRC CODE
A CODE USED IN CONJUNCTION WITH THE DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) TO FORM A UNIQUE KEY TO A TABLE USED TO VALIDATE DATA REQUESTS WITHIN THE DATA RETRIEVAL PROCESS AND SPECIFY SEGMENT OUTPUT REQUIRED FOR THE REQUEST.

4982 DR-SEG-A-CD DR_SEG_A_4982 DLIS-SBA F CHAR 1
DATA RETRIEVAL SEGMENT A CODE
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED OP-DATA-RQST-CD (DRN 4690) AND DIC (DRN 3920) WITHIN THE DATA RETRIEVAL PROCESS.

4983 DR-SEG-B-CD DR_SEG_B_4983 DLIS-SBA F CHAR 1
DATA RETRIEVAL SEGMENT B CODE
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4984 DR-SEG-C-CD DR_SEG_C_4984 DLIS-SBA F CHAR 1
DATA RETRIEVAL SEGMENT C CODE
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4985 DR-SEG-E-CD DR_SEG_E_4985 DLIS-SBA F CHAR 1
DATA RETRIEVAL SEGMENT E CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS IS THE SEQUENCE NUMBER FOR A DRAWING AS PLACED IN A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.

5062 FIG-DWG-TI FIG_DWG_TI_5062 DLIS-VPE V VARCHAR 120
FIG DRAWING TITLE TEXT
THIS IS A TITLE FOR A DRAWING WITHIN A FIG PUBLICATION.

5063 DWG-TYP DWG_TYP_5063 DLIS-S F CHAR 1
DRAWING TYPE
THE DRAWING TYPE INDICATES THE FORMAT THE DRAWING WAS DIGITIZED AS - V BIT OR TIFF.

5065 PUB-FIIG-DATE PUB_FIIG_DATE_5065 DLIS-S F INTEGER 7
PUBLICATION FIG DATE
THIS IS THE PUBLICATION DATE OF A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.

5066 PRPRTY-IND PRPRTY_IND_5066 DLIS-S F CHAR 1
PROPRIETARY INDICATOR
INDICATES THAT THE DATA IS PROPRIETARY. IT RESIDES IN BOTH THE FIG_DRAWING_DATA TABLE AND THE NSN_MED TABLE.

5067 FIG-INITR-CD FIG_INITR_CD_5067 DLIS-SC F CHAR 4
FIG INITIATOR CODE
THE CODE THAT REPRESENTS THE GOVERNMENT ACTIVITY ASSIGNED RESPONSIBILITY FOR PREPARATION OF THE FIG. VALID VALUES: ARMY, GSA, DLIS

5068 FIG-SB-SC-TI FIG_SB_SC_TI_5068 DLIS-S V VARCHAR 120
FIG SUB SECTION TITLE TEXT
THIS IS THE SUB SECTION TITLE OF A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.

5069 FIG-SCTN-ID FIG_SCTN_ID_5069 DLIS-S F CHAR 1
FIG SECTION IDENTIFIER
THIS IS A SECTION OF A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.

5070 FIG-SEC-TI FIG_SEC_TI_5070 DLIS-S V VARCHAR 120
FIG SECTION TITLE TEXT
THIS IS THE TITLE OF A SECTION OF A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.

5071 FIG-SB-SC-ID FIG_SB_SC_ID_5071 DLIS-S F CHAR 2
FIG SUB SECTION IDENTIFIER
THIS IS THE SUB SECTION OF A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.

5073 DWG-STAT-DT DWG_STAT_DT_5073 DLIS-S F INTEGER 5
DRAWING STATUS DATE
INDICATES THE DATE A CHANGE WAS MADE TO A DRAWING. FORMAT IS CCYYDDD.

5074 PHYS-TYP-IND PHYS_TYP_IND_5074 DLIS-S F CHAR 1
PHYSICAL TYPE INDICATOR
THE TYPE OF GRAPHIC. IT RESIDES IN BOTH THE MASTER_DRAW_FILE AND THE MASTER_DRAW_WORK_FILE.

5081 LVA-RTN-CD LVA_RTN_CD_5081 DLIS-SIA F CHAR 2

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LVA RETURN CODE

A CODE APPLIED BY THE DEFENSE LOGISTICS INFORMATION SERVICE TO INDICATE THE REASON AN LVA PARTICULAR DATA ELEMENT/RECORD WAS RETURNED TO THE SUBMITTER.

5082 LVA-CTL-DRN-VAL-ID LVA_DRN_ID_5082 DLIS-SIA F CHAR 4

LVA CONTROL DRN VALUE IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE DRN VALUE FOR THE DATA ELEMENT CAUSING THE ERROR/REJECT AND CONTROL OF AN LVA FUNCTIONALLY ORIENTED DATA ELEMENT USED IN THE DEFENSE LOGISTICS INFORMATION SYSTEM. THE DATA ELEMENT IDENTIFIERS ARE INPUT TO AND/OR FROM SERVICE/AGENCIES AND DEFENSE LOGISTICS INFORMATION SERVICE (DLIS) / DEFENSE REUTILIZATION AND MARKETING SERVICE (DRMS) PROGRAM MANAGER PERSONNEL.

5083 LVA-DOC-CTL-SER-NBR LVA_DCSN_5083 DLIS-SIA F CHAR 7

LVA DOCUMENT CONTROL SERIAL NUMBER

AN ALPHA NUMERIC NUMBER (DESKCODE) ASSIGNED TO EACH LVA INPUT, OUTPUT AND SUSPENDED TRANSACTION FOR CONTROL PURPOSES.

5084 LIM-SA-ACTY-CD LIM_ACTY_CD_5084 DLIS-SA F CHAR 2

LOSING ITEM MANAGEMENT SERVICE/AGENCY ACTIVITY CODE

THE CODE THAT REPRESENTS THE ACTIVITY OF THE SERVICE/ACTIVITY LOSING MANAGEMENT OF THE ITEM.

5085 LIM-SA-SOS-CD LIM_SOS_CD_5085 DLIS-SA F CHAR 3

LOSING ITEM MANAGEMENT SERVICE/AGENCY SOURCE OF SUPPLY CODE

THE CODE THAT REPRESENTS THE SOURCE OF SUPPLY OF THE SERVICE/AGENCY LOSING MANAGEMENT OF THE ITEM.

5086 GIM-SA-ACTY-CD GIM_ACTY_CD_5086 DLIS-SA F CHAR 2

GAINING ITEM MANAGEMENT SERVICE/AGENCY ACTIVITY CODE

THE CODE THAT REPRESENTS THE ACTIVITY OF THE SERVICE/ACTIVITY GAINING MANAGEMENT OF THE ITEM.

5087 GIM-SA-SOS-CD GIM_SOS_CD_5087 DLIS-SA F CHAR 3

GAINING ITEM MANAGEMENT SERVICE/AGENCY SOURCE OF SUPPLY CODE

THE CODE THAT REPRESENTS THE SOURCE OF SUPPLY OF THE SERVICE/AGENCY GAINING MANAGEMENT OF THE ITEM.

5088 LMX-LMD-RTN-CD LMXLMD_RTN_CD_5088 DLIS-SIA F CHAR 2

LMX/LMD RETURN CODE

A CODE APPLIED BY THE DEFENSE LOGISTICS INFORMATION SERVICE TO INDICATE THE REASON AN LMX/LMD PARTICULAR DATA ELEMENT/RECORD WAS RETURNED TO THE SUBMITTER.

5089 LMX-LMD-CTL-DRN-VAL-ID LMXLMD_DRN_ID_5089 DLIS-SIA F CHAR 4

LMX/LMD CONTROL DRN VALUE IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE DRN VALUE FOR THE DATA ELEMENT CAUSING THE ERROR/REJECT AND CONTROL OF AN LMX/LMD FUNCTIONALLY ORIENTED DATA ELEMENT USED IN THE DEFENSE LOGISTICS INFORMATION SYSTEM. THE DATA ELEMENT IDENTIFIERS ARE INPUT TO AND/OR FROM SERVICE/AGENCIES AND DEFENSE LOGISTICS INFORMATION SERVICE (DLIS) / DEFENSE REUTILIZATION AND MARKETING SERVICE (DRMS) PROGRAM MANAGER PERSONNEL.

5090 LMX-LMD-DOC-CTL-SER-NBR LMX_LMD_DCSN_5090 DLIS-SIA F CHAR 7

LMX/LMD DOCUMENT CONTROL SERIAL NUMBER

AN ALPHA NUMERIC NUMBER (DESKCODE) ASSIGNED TO EACH LMX/LMD INPUT, OUTPUT AND SUSPENDED TRANSACTION FOR CONTROL PURPOSES.

5091 LDZ-RTN-CD LDZ_RTN_CD_5091 DLIS-SIA F CHAR 2

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LDZ RETURN CODE

A CODE APPLIED BY THE DEFENSE LOGISTICS INFORMATION SERVICE TO INDICATE THE REASON AN LDZ PARTICULAR DATA ELEMENT/RECORD WAS RETURNED TO THE SUBMITTER.

5092 LDZ-CTL-DRN-VAL-ID LDZ_DRN_ID_5092 DLIS-SIA F CHAR 4

LDZ CONTROL DRN VALUE IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE DRN VALUE FOR THE DATA ELEMENT CAUSING THE ERROR/REJECT AND CONTROL OF AN LDZ FUNCTIONALLY ORIENTED DATA ELEMENT USED IN THE DEFENSE LOGISTICS INFORMATION SYSTEM. THE DATA ELEMENT IDENTIFIERS ARE INPUT TO AND/OR FROM SERVICE/AGENCIES AND DEFENSE LOGISTICS INFORMATION SERVICE (DLIS) / DEFENSE REUTILIZATION AND MARKETING SERVICE (DRMS) PROGRAM MANAGER PERSONNEL.

5093 I-S-STAT-IND-CD I_S_STAT_IND_5093 DLIS-SA F CHAR 1

I & S STATUS INDICATOR CODE

THE CODE THAT DENOTES THE STATUS OF INTERCHANGEABILITY AND SUBSTITUTABILITY THAT DETERMINES WHETHER THE ITEM OF SUPPLY IS A MASTER OR A RELATED ITEM. VALID VALUES: M OR R

5095 LDZ-TRANS-DT LDZ_DT_5095 DLIS-SA F DATE 7

LDZ TRANSACTION DATE

THE JULIAN DATE ON WHICH AN LDZ TRANSACTION WAS PROCESSED.

5096 LDZ-DOC-CTL-SER-NBR LDZ_DCSN_5096 DLIS-SIA F CHAR 7

LDZ DOCUMENT CONTROL SERIAL NUMBER

AN ALPHA NUMERIC NUMBER (DESKCODE) ASSIGNED TO EACH LDZ INPUT, OUTPUT AND SUSPENDED TRANSACTION FOR CONTROL PURPOSES.

5097 LDZ-BACK-OUT-APRV-DT LDZ_BO_APR_DT_5097 DLIS-SA F DATE 7

LDZ BACK-OUT APPROVAL DATE

THE JULIAN DATE ON WHICH AN LR BACK-OUT ACTION IS APPROVED BY HEAD QUARTERS DLA. THIS IS NOT A TRANSACTION OR EFFECTIVE DATE. THIS WILL BE MANUALLY LOADED BY DLIS-SA PERSONNEL VIA LOLA-ONLINE.

5099 PICA-SICA-IND-CD PICA_SICA_IND_5099 DLIS-SBA F CHAR 1

PRIMARY/SECONDARY INVENTORY CONTROL ACTIVITY CODE

A CODE THAT IDENTIFIES WHICH LEVEL OF INVENTORY CONTROL IS RESPONSIBLE FOR THE OVERALL PACKAGING DATA REQUIREMENTS ASSIGNED A SPECIFIC NSN. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5100 GIRDER-CD-EXPLN GIRDER_CD_EX_5100 DLIS-CI V VARCHAR 1000

GIRDER CODE EXPLANATION

AN EXPLANATION OF AN ACTION CODE *DRN 0808* FURNISHED BY THE MANUFACTURER IN ACCORDANCE WITH CHAPTER 19, VOLUME 4, DOD 4100.39-M.

5101 NATL-CDFN-BUR-CD-CTRY NCB_CD_CTRY_5101 DLIS-CI F CHAR 20

NATIONAL CODIFICATION BUREAU CODE COUNTRY

A LIST IDENTIFYING THE NAME OF NORTH ATLANTIC TREATY ORGANIZATION (NATO) OR OTHER COUNTRIES ASSOCIATED WITH THE VARIOUS VALUES OF NATIONAL CODIFICATION BUREAU CODE (DRN 4130). SEE [VOLUME 10, TABLE 9](#) AND QUICK INFO ON-LINE.

5102 NATL-CDFN-BUR-CD-NOTE NCB_CD_NOTE_5102 DLIS-CI F CHAR 1

NATIONAL CODIFICATION BUREAU CODE NOTE

A SET OF ONE OR TWO DIGIT NUMERIC CODE INDICATING IF THE COUNTRY CATALOGING AN ITEM IS A NORTH ATLANTIC TREATY ORGANIZATION (NATO) COUNTRY OR IF THE CODE IS ACCEPTED INTERNATIONALLY AS A STANDARD ITEM. SEE [VOLUME 10, TABLE 9](#) AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5104 FLW-UP-COND-CD-DEF FU_COND_DEF_5104 DLIS-SBA V VARCHAR 500
FOLLOW-UP CONDITION CODE DEFINITION
NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF THE FOLLOW-UP CONDITION CODE (DRN 0155). IT INDICATES THE FOLLOW-UP ACTION REQUIRED BY THE SUBMITTING SERVICE/AGENCY.

5105 FLW-UP-COND-CD-INST FU_COND_INST_5105 DLIS-SBA V VARCHAR 300
FOLLOW-UP CONDITION CODE INSTRUCTION
THE INSTRUCTIONS FOR THE FOLLOW-UP CONDITION CODE (DRN 0155) INDICATES WHAT ACTION IS REQUIRED BY THE RECIPIENT OF THE FOLLOW-UP.

5106 LMT-DIST-CD-EXPLN LMT_DIST_EX_5106 DLIS-SBA V VARCHAR 1200
LIMITED DISTRIBUTION CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 4645) WHICH CONTROLS THE DISTRIBUTION OF FILE DATA TO ACTIVITIES AUTHORIZED TO RECEIVE THE DATA BASED ON SPECIAL CONDITIONS INVOLVING PARTICULAR FILE DATA FOR WHICH DISTRIBUTION RESTRICTIONS ARE APPLICABLE. SEE [VOLUME 10, TABLE 26](#) AND QUICK INFO ON-LINE.

5107 LMT-DIST-CD-NOTE LMT_DIST_NOTE_5107 DLIS-SBA V VARCHAR 1200
LIMITED DISTRIBUTION CODE NOTE
A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES A LIMITED DISTRIBUTION CODE (DRN 4645). SEE [VOLUME 10, TABLE 26](#) AND QUICK INFO ON-LINE.

5108 SVC-ACTY-AND-ADRS-SOS-CD SA_ADD_SOS_CD_5108 DLIS-SBA V VARCHAR 500
SERVICE/ACTIVITY & ADDRESS, SOURCE OF SUPPLY CODE
THE SERVICE/ACTIVITY AND ADDRESS IDENTIFIED BY A DESIGNATED SOURCE OF SUPPLY CODE (DRN 3690). SEE [VOLUME 10, TABLE 103](#) AND QUICK INFO ON-LINE.

5109 SOS-CD-CONDL-NOTE DLIS-SBA V 9999
SOURCE OF SUPPLY CODE CONDITIONAL NOTE
A COMMENT AND /OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE SOURCE OF SUPPLY CODE (DRN 3690). SEE [VOLUME 10, TABLE 103](#) AND QUICK INFO ON-LINE.

5110 CONF-NOTI-CD-EXPLN CONF_NOTI_EX_5110 DLIS-SBA V VARCHAR 9999
CONFLICT NOTIFICATION CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0095) WHICH IS USED TO IDENTIFY A SPECIFIC CONFLICT CONDITION RECORDED AGAINST AND ASSOCIATED WITH AN APPROVED FILE MAINTENANCE ACTION. SEE [VOLUME 10, TABLE 109](#) AND QUICK INFO ON-LINE.

5111 CONF-NOTI-CD-RMK CONF_NOT_CDRK_5111 DLIS-SBA V VARCHAR 9999
CONFLICT NOTIFICATION CODE REMARK
A REMARK WHICH FURTHER DEFINES THE CONFLICT NOTIFICATION CODE EXPLANATION (DRN 5110). SEE [VOLUME 10, TABLE 109](#) AND QUICK INFO ON-LINE.

5112 CONF-NOTI-CD-NOTE DLIS-SBA V 9999
CONFLICT NOTIFICATION CODE NOTE
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONFLICT NOTIFICATION CODE (DRN 0095). SEE [VOLUME 10, TABLE 109](#) AND QUICK INFO ON-LINE.

5113 PSDO-SOS-CD-DESC PSDO_SOS_DESC_5113 DLIS-SBA V VARCHAR 1000
PSEUDO SOURCE OF SUPPLY CODE DESCRIPTION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN EXPLANATION FOR A CODE (DRN 4540) IDENTIFYING THE PROGRAM OR FUNCTION TO BE CREDITED FOR DELETION OF A MOE RULE AND CANCELLATION ACTION. SEE [VOLUME 10, TABLE 25](#) AND QUICK INFO ON-LINE.

5133 STATL-IND-CD-EXPLN STATL_I_CD_EX_5133 DLIS-SBA V VARCHAR 100
STATISTICAL INDICATOR CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 3708 USED TO DIFFERENTIATE BETWEEN AND TO IDENTIFY THE TYPES OF SCREENING BEING REQUESTED. SEE [VOLUME 10, TABLE 37](#) AND QUICK INFO ON-LINE.

5134 ITM-STDZN-CD-EXPLN ITM_STDZN_EX_5134 DLIS-SBA V VARCHAR 1000
ITEM STANDARDIZATION CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 2650 REPRESENTING THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS. SEE [VOLUME 10, TABLE 91](#) AND QUICK INFO ON-LINE.

5135 DATA-TRNSMSN-CTL-CD-EXPL D_TRN_CTL_EX_5135 DLIS-SBA V VARCHAR 250
DATA TRANSMISSION CONTROL CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 0756 USED TO PROVIDE SERVICE/AGENCIES OPTIONS TO INFORM DLIS OF THEIR INTEREST IN RECEIVING KWA NOTIFICATIONS TO VERIFY RECEIPT OF ALL FLIS DATA TRANSMITTED VIA AUTODIN. SEE [VOLUME 10, TABLE 101](#) AND QUICK INFO ON-LINE.

5136 DEMIL-CD-EXPLN DEMIL_CD_EX_5136 DLIS-SBA V VARCHAR 9999
DEMILITARIZATION CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 0167 USED TO IDENTIFY EACH ITEM REQUIRING DEMILITARIZATION AND THE TYPE OF DEMILITARIZATION REQUIRED. SEE [VOLUME 10, TABLE 38](#) AND QUICK INFO ON-LINE.

5137 DEMIL-CD-NOTE DLIS-SBA V 9999
DEMILITARIZATION CODE NOTE

A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES AN APPLICABLE DEMILITARIZATION CODE 0167. SEE [VOLUME 10, TABLE 38](#) AND QUICK INFO ON-LINE.

5138 ITM-STDZN-CD-RPLD-NSN DLIS-SBA F CHAR 1
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER

THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS NOT AUTHORIZED FOR FUTURE PROCUREMENT. SEE VOLUME 10, TABLES [91](#) AND [92](#) AND QUICK INFO ON-LINE.

5139 DEMIL-QC-REVW-PROC-CD DEMIL_QC_REVW_5139 DLIS-SF F CHAR 1
DEMILITARIZATION QC REVIEW PROCESS CODE

THE CODE THAT IDENTIFIES AN ITEM ON TABLE 712 (DEMIL_AUTOMATION) AS HAVING BEEN THROUGH THE DEMIL QC REVIEW PROCESS. VALID VALUES: "X" OR BLANK

5140 DEMIL-TECHN-AVLB-CD TECHN_AVLB_5140 DLIS-SF F CHAR 1
DEMILITARIZATION TECHNICIAN AVAILABILITY CODE

THE CODE THAT SIGNIFIES WHETHER THE DEMIL TECHNICIAN IS AVAILABLE TO RECEIVE WORK ASSIGNMENTS. VALID VALUES: "Y" OR "N"

5141 DEMIL-WRK-MOVE-IND-CD WRK_MOVE_IND_5141 DLIS-SF F CHAR 1
DEMILITARIZATION WORK MOVE INDICATOR CODE

THE CODE THAT INDICATES THAT A TRAINEE'S WORK HAS BEEN REVIEWED, ACCEPTED BY THE TRAINER AND LOADED TO THE DEMIL AUTOMATION TABLE. VALID VALUES: "M" OR BLANK ONLY

5142 DEMIL-REVW-TRNR-USR-CD TRNR_USR_CD_5142 DLIS-SF F CHAR 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

DEMILITARIZATION REVIEW TRAINER USER CD

THE USER CODE THAT REPRESENTS THE TRAINER REVIEWING THE DEMIL TRAINEE'S WORK. VALID VALUES: 0-9, A-Z

5143 DEMIL-TRNEE-NIIN-RTN-CTR TRNEE_RTN_CTR_5143 DLIS-SF F CHAR 1

DEMILITARIZATION TRAINEE NIIN RETURN COUNTER QUANTITY

THE COUNTER THAT REPRESENTS THE NUMBER OF TIMES A NIIN IS RETURNED TO A TRAINEE FOR RE-WORK. VALID VALUES: 0-9

5144 DEMIL-DELT-ADMIN-USR-CD ADMIN_USR_CD_5144 DLIS-SF F CHAR 8

DEMILITARIZATION DELETION ADMINISTRATOR USER CD

THE USER CODE THAT REPRESENTS THE ADMINISTRATOR DELETING THE TRAINEE'S WORK FROM TABLE 379. VALID VALUES: 0-9, A-Z

5145 DEMIL-TRNEE-WRK-DELT-DT WRK_DELT_DT_5145 DLIS-SF F CHAR 7

DEMILITARIZATION TRAINEE WORK DELETION DATE

THE DATE ON WHICH THE DEMIL ADMINISTRATOR DELETED THE TRAINEE'S WORK FROM TABLE 379. THE JULIAN FORMAT IS IN THE FORM OF CCYYDDD.

5146 DSS-UP-WT DSS_UP_WT_5146 DLIS-SA F DECIMAL 12

DSS UNIT PACK WEIGHT

A DATA FIELD INDICATING THE MAXIMUM GROSS WEIGHT OF THE UNIT PACK AS RECORDED BY DSS. FORMAT: 9(7).9999

5148 PKG-DATA-SRC-CD PK_DTA_SRC_CD_5148 DLIS-SBA F CHAR 1

PACKAGING DATA SOURCE CODE

THE CODE THAT IDENTIFIES THE SOURCE FROM WHICH PACKAGING DATA IS OBTAINED OR RECEIVED. VALID VALUES: 'P' - PICA, 'S' - SICA, 'C' - DEPOT COSIS (CARE OF SUPPLIES IN STORAGE), 'R' - DEPOT RECEIVING, 'X' - VALIDATED CORRECTION, 'M' - MANUFACTURER/CONTRACTOR (THIS CODE IS RESTRICTED TO DLIS INPUT ONLY), 'U' - CONSUMABLE ITEM (THIS CODE IS RESTRICTED TO SICA INPUT ONLY)

5149 PKG-REF DLIS-SBA F 10

PACKAGING REFERENCE

A DATA FIELD THAT INDICATES THE APPLICABLE TYPE OF PACKAGING REFERENCE, PACKAGING DATA SHEETS, SPECIAL PACKAGING INSTRUCTIONS (SPI) APERTURE CARD, PACKAGING STANDARDS, MASTER PACKAGING SHEETS, FEDERAL AND MILITARY SPECIFICATIONS, PURCHASE DESCRIPTIONS AND DRAWINGS.

5150 DT-EFF-LOG-ACTN-CANC DLIS-SCA F 5

DATE, EFFECTIVE, LOGISTICS ACTION CANCELLED

THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS CANCELLATION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS SYSTEM. THIS DATE WILL ALWAYS BE THE FIRST DAY OF THE MONTH. USED IN CONJUNCTION WITH DRN 4000 AND DRN 3790.

5151 LVL-PROTN-CD LOP_CD_5151 DLIS-SBA F CHAR 1

LEVEL OF PROTECTION CODE

A CODE THAT INDICATES THE LEVEL OF PROTECTION WHICH THE PACKAGE REQUIREMENT PROVIDES THE ITEM DURING SHIPMENT, HANDLING AND STORAGE. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5152 INTMED-CTNR-QTY INTMD_CTN_QTY_5152 DLIS-SBA F CHAR 3

INTERMEDIATE CONTAINER QUANTITY

A DATA FIELD INDICATING THE QUANTITY OF UNIT PACKS CONTAINED IN THE INTERMEDIATE CONTAINER. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5153 UP-WT UP_WT_5153 DLIS-SBA F CHAR 5

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

UNIT PACK WEIGHT

DATA FIELD INDICATING THE MAXIMUM GROSS WEIGHT OF THE UNIT PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5154	UP-SZ	UP_SZ_5154	DLIS-SBA	F CHAR	12
------	-------	------------	----------	--------	----

UNIT PACK SIZE

DATA FIELD INDICATING THE MAXIMUM OUTSIDE LENGTH, WIDTH AND DEPTH OF THE UNIT PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5155	UP-CU	UP_CU_5155	DLIS-SBA	F CHAR	7
------	-------	------------	----------	--------	---

UNIT PACK CUBE

A DATA FIELD INDICATING THE MAXIMUM CUBE OF THE UNIT PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5156	ITM-TYP-STOR-CD	ITM_TYP_STOR_5156	DLIS-SBA	F CHAR	1
------	-----------------	-------------------	----------	--------	---

ITEM TYPE STORAGE CODE

A CODE THAT INDICATES THE TYPE OF STORAGE SPACE AND ENVIRONMENT CONDITIONS TO BE MAINTAINED FOR AN ITEM DURING STORAGE AND SHIPMENT. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5157	UNPKG-ITM-WT	UNPKG_ITM_WT_5157	DLIS-SBA	F INTEGER	5
------	--------------	-------------------	----------	-----------	---

UNPACKAGED ITEM WEIGHT

A DATA FIELD INDICATING THE ACTUAL WEIGHT OF THE NUMBER (MULTIPLES) OF BARE (UNPACKAGED) ITEMS TO BE CONTAINED IN THE UNIT PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5158	UNPKG-ITM-DIM	UNPKG_ITM_DIM_5158	DLIS-SBA	F CHAR	12
------	---------------	--------------------	----------	--------	----

UNPACKAGED ITEM DIMENSIONS

A DATA FIELD INDICATING THE LENGTH, WIDTH AND DEPTH OF THE NUMBER (MULTIPLE) OF BARE (UNPACKAGED) ITEMS TO BE CONTAINED IN THE PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5159	PKG-CTGY-CD	PKG_CTGY_CD_5159	DLIS-SBA	F CHAR	4
------	-------------	------------------	----------	--------	---

PACKAGING CATEGORY CODE

A CODE USED TO GROUP ITEMS (CLASSIFIED INTO THREE TYPES OF ITEMS, NAMELY, COMMON ITEMS, SELECTIVE ITEMS OR SPECIAL ITEMS), BY PHYSICAL AND CHEMICAL CHARACTERISTICS, WEIGHT/FRAGILITY, AND PRESERVATIVE GROUP. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5160	MTHD-PRES-CD	MTHD_PRSRV_CD_5160	DLIS-SBA	F CHAR	2
------	--------------	--------------------	----------	--------	---

METHOD OF PRESERVATION CODE

A CODE THAT DEFINES THE PREVENTIVE MEASURES TO FORESTALL DETERIORATION RESULTING FROM EXPOSURE TO ATMOSPHERIC CONDITIONS DURING STORAGE AND SHIPMENT. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5161	CLNG-DRYNG-PRO-CD	CLNG_DRY_PRC_5161	DLIS-SBA	F CHAR	1
------	-------------------	-------------------	----------	--------	---

CLEANING AND DRYING PROCEDURE CODE

A CODE THAT DEFINES THE PROCEDURE FOR REMOVING SOIL/FOREIGN MATTER FROM PARTS, AND THE PROCEDURES TO ACCOMPLISH THE SUBSEQUENT DRYING OF THE CLEANED PART ITEM. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5162	PRES-CD	PRSRV_MAT_CD_5162	DLIS-SBA	F CHAR	2
------	---------	-------------------	----------	--------	---

PRESERVATION MATERIAL CODE

A CODE THAT IDENTIFIES THE MATERIAL USED TO PREVENT OR INHIBIT CORROSION OR DETERIORATION OF AN ITEM. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5163	WRAP-MAT-CD	WRAP_MAT_CD_5163	DLIS-SBA	F CHAR	2
------	-------------	------------------	----------	--------	---

WRAPPING MATERIAL CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE USED TO IDENTIFY THE TYPE OF WRAPPING MATERIAL TO BE USED ON AN ITEM. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5164 CUSH-DUN-MAT-CD CUSH_DUN_MAT_5164 DLIS-SBA F CHAR 2
CUSHIONING AND DUNNAGE MATERIAL CODE

A CODE USED TO IDENTIFY RESILIENT MATERIAL OR DEVICES USED TO ABSORB AND DISSIPATE ENERGY FROM SHOCK AND VIBRATION TO ADEQUATELY PROTECT THE CONTENTS AND PACKAGING COMPONENTS FROM PHYSICAL DAMAGE DURING HANDLING SHIPMENT AND STORAGE. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5165 THK-CUSH-DUN-CD THK_CUSH_DUN_5165 DLIS-SBA F CHAR 1
THICKNESS OF CUSHIONING OR DUNNAGE CODE

A CODE THAT IDENTIFIES THE MINIMUM THICKNESS OF MATERIAL USED TO CUSHION THE ITEM. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5166 UNIT-CTNR-CD UNIT_CTNR_CD_5166 DLIS-SBA F CHAR 2
UNIT CONTAINER CODE

A CODE THAT IDENTIFIES THE CONTAINER USED TO HOLD THE QUANTITY UNIT PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5167 INTMED-CTNR-CD INTMD_CTNR_CD_5167 DLIS-SBA F CHAR 2
INTERMEDIATE CONTAINER CODE

A CODE THAT INDICATES A CONTAINER WHICH HOLDS TWO OR MORE UNIT PACKS OF IDENTICAL ITEMS. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5168 UNIT-CTNR-LVL-CD UNIT_CTNR_LVL_5168 DLIS-SBA F CHAR 1
UNIT CONTAINER LEVEL CODE

A CODE THAT INDICATES IF THE UNIT CONTAINER IS AN ACCEPTABLE SHIPPING CONTAINER AND IF SO, THE HIGHEST LEVEL OF PACKING PROTECTION PROVIDED BY THE CONTAINER. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5169 SP-MKG-CD SP_MKG_CD_5169 DLIS-SBA F CHAR 2
SPECIAL MARKING CODE

A CODE USED TO IDENTIFY THE SPECIAL MARKINGS APPLIED TO THE CONTAINER ACCORDING TO MIL-STD-129 THAT ARE REQUIRED AS AN INTEGRAL PART OF THE TOTAL PACK TO PROTECT THE CONTAINED ITEM DURING PRESERVATION, PACKING, STORAGE, TRANSIT AND REMOVAL FROM THE PACK. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5170 LVL-A-PKG-RQMT-CD LVL_A_PKG_CD_5170 DLIS-SBA F CHAR 1
LEVEL A PACKING REQUIREMENT CODE

A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL A MAXIMUM PACKING PROTECTION. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5171 LVL-B-PKG-RQMT-CD LVL_B_PKG_CD_5171 DLIS-SBA F CHAR 1
LEVEL B PACKING REQUIREMENT CODE

A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL B INTERMEDIATE PACKING PROTECTION. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE.

5172 MINM-PKG-RQMT-CD MINM_PK_RQ_CD_5172 DLIS-SBA F CHAR 1
MINIMUM PACKAGING REQUIREMENT CODE

THE CODE THAT IDENTIFIES THE SOURCE FROM WHICH PACKAGING DATA, INCLUDING UNIT PACK WEIGHT (UP_WT_5153) AND UNIT PACK CUBE (UP_CU_5155) WERE OBTAINED OR RECEIVED. SEE [VOLUME 10, TABLE 182](#) AND QUICK INFO ON-LINE. NOTE: THIS DATA ELEMENT, PREVIOUSLY NAMED LVL_C_PKG_CD_5172, WAS CHANGED PER SCR 052019.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5173 OPTNL-PRO-IND-CD OPTNL_PRO_IND_5173 DLIS-SBA F CHAR 1
 OPTIONAL PROCEDURE INDICATOR CODE
 A CODE THAT INDICATES ALLOWABLE DEVIATIONS FROM PRESCRIBED REQUIREMENTS. SEE VOLUME 10, TABLE 182 AND QUICK INFO ON-LINE.

5174 SUPMTL-INST SUPMTL_INST_5174 DLIS-SBA F VARCHAR 59
 SUPPLEMENTAL INSTRUCTIONS
 A DATA FIELD THAT PROVIDES ADDITIONAL, IN-THE-CLEAR, PACKAGING INSTRUCTIONS, RECORDED IN A NARRATIVE FORM, IN ADDITION TO THAT SHOWN IN THE PRESERVATION AND PACKING DATA AREA. SEE VOLUME 10, TABLE 182 AND QUICK INFO ON-LINE.

5175 SPI-NBR SPI_NBR_5175 DLIS-SBA F CHAR 10
 SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER
 A NUMBER, PROVIDED BY THE PACKAGING DESIGN ACTIVITY, THAT IDENTIFIES A SPECIFIC SPECIAL PACKAGING INSTRUCTION (SPI).

5176 SPI-REV SPI_REV_5176 DLIS-SBA F CHAR 1
 SPECIAL PACKAGING INSTRUCTION (SPI) REVISION
 A CODE (BEGINNING WITH AN 'A' FOR THE FIRST REVISION, THEN PROCEEDING THROUGH THE ALPHABET FOR EACH SUCCEEDING REVISION) THAT IDENTIFIES THE VERSION OF THE SPECIAL PACKAGING INSTRUCTION (SPI). SEE VOLUME 10, TABLE 182 AND QUICK INFO ON-LINE.

5177 SPI-DT SPI_DT_5177 DLIS-SBA F DATE 5
 SPECIAL PACKAGING INSTRUCTION (SPI) DATE
 A DATA FIELD (TWO POSITION ORDINAL DATE AND THREE POSITION DAY) THAT INDICATES THE DATE OF THE SPECIAL PACKAGING INSTRUCTION (SPI). SEE VOLUME 10, TABLE 182 AND QUICK INFO ON-LINE.

5178 CTNR-NSN CTNR_NSN_5178 DLIS-SBA F CHAR 13
 CONTAINER NATIONAL STOCK NUMBER (NSN)
 A DATA FIELD THAT IDENTIFIES THE NATIONAL STOCK NUMBER (NSN) ASSIGNED TO A LONG-LIFE REUSABLE CONTAINER. SEE VOLUME 10, TABLE 182 AND QUICK INFO ON-LINE.

5179 PKG-DSGN-ACTY-CD PKG_DSGN_ACTY_5179 DLIS-SBA F CHAR 5
 PACKAGING DESIGN ACTIVITY CODE
 A CODE (THE 5-DIGIT NUMERICAL CAGE CODE ASSIGNED IN CONFORMANCE WITH CATALOGING HANDBOOK H4/8) THAT IDENTIFIES THE PACKAGING DESIGN ACTIVITY. SEE VOLUME 10, TABLE 182 AND QUICK INFO ON-LINE.

5180 NAPRD-CLAS-ASST-MOD-H2 DLIS-SCA V 1762
 NON-APPROVED CLASSIFICATION ASSISTANCE MODIFIER, H2
 A MODIFYING WORD OR PHRASE USED TO QUALIFY A NON-APPROVED ITEM NAME AS TO THE APPLICABLE/AUTHORIZED FEDERAL SUPPLY CLASS(ES) TO BE REFLECTED IN CATALOGING HANDBOOK H2.

5181 NAPRD-DT-ETB-CAN-RD-DIDS DLIS-SCA F 5
 NON-APPROVED DATE ESTABLISHED, CANCELLED RECORD DIDS
 A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE NON-APPROVED ITEM NAME/FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES.

5182 FSC-DT-ESB-CANC-RCD-DIDS FSC_DT_E_C_RC_5182 DLIS-SCA F INTEGER 7
 FSC DATE ESTABLISHED, CANCELLED RECORD DIDS
 A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE FEDERAL SUPPLY CLASS. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5183 FSG-DT-ESB-CANC-RCD-DIDS FSG_DT_E_C_RC_5183 DLIS-SCA F INTEGER 7
FSG DATE ESTABLISHED, CANCELLED RECORD DIDS
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

5184 NON-APRVD-ITM-NM-DEF-DLI DLIS-SCA V 1762
NON-APPROVED ITEM NAME DEFINITION DELIMITATION
A NON-APPROVED ITEM NAME DEFINITION CLEARLY EXPLAINS THE CHARACTERISTICS INVOLVED IN THE ITEM CONCEPT TO WHICH IT APPLIES, AND SERVES TO DISTINGUISH THE ITEM CONCEPT FROM OTHER SIMILAR OR CLOSELY RELATED CONCEPTS. A DELIMITATION IS THE DEMARCATION OF ITEM CONCEPTS INHERENT IN NON-APPROVED BASIC NAMES AND NON-APPROVED ITEM NAMES IN ORDER TO DISTINGUISH BETWEEN DIFFERENT ITEM CONCEPTS IN THE SAME NAME OR BETWEEN SIMILAR ITEM CONCEPTS IN DIFFERENT NAMES.

5185 CDD-RPLY-STMT DLIS-SCA V 379
CODED REPLY STATEMENT
A DATA FIELD IN THE MASTER REPLY MRD/DECODE TABLE WHICH REFLECTS THE REPLY CODE FOR A PARTICULAR DECODED REPLY STATEMENT.

5186 NON-APRVD-BSC-NM DLIS-SCA V 1762
NON-APPROVED BASIC NAME
A BASIC NOUN WORD/PHRASE THAT ESTABLISHES A BASIC CONCEPT OF A NON-APPROVED ITEM OF SUPPLY AS ESTABLISHED/DEFINED IN CATALOGING HANDBOOK H6-1 AND FEDERAL MANUAL FOR SUPPLY CATALOGING M1-2.

5187 NON-APRVD-FSC-COND-CD DLIS-SCA F 1
NON-APPROVED FSC CONDITION CODE
THE FOLLOWING CODES ARE UTILIZED IN THE H2 SERIES CATALOGING HANDBOOKS TO DENOTE THE RESTRICTIONS FOR CLASSIFYING NON-APPROVED ITEM NAMES (NAIN). FOR CODE '1', THE NAIN MAY BE CLASSIFIED IN ONLY ONE SPECIFIC FSC, FOR CODE '2' THE NAIN MAY BE CLASSIFIED IN TWO OR MORE SPECIFIC FSC'S, AND FOR CODE '3' THE NAIN MAY BE CLASSIFIED IN ANY LOGICAL FSC BY VIRTUE OF MULTI-APPLICATION OR SPECIAL DESIGN.

5188 DSS-UP-CU-VL DSS_UP_CU_5188 DLIS-SA F DECIMAL 12
DSS UNIT PACK CUBE VOLUME
A DATA FIELD INDICATING THE MAXIMUM CUBE OF THE UNIT PACK AS RECORDED BY DSS. FORMAT: 9(5).999999

5189 NON-APRVD-OLD-FSC DLIS-SCA F 4
NON-APPROVED OLD FEDERAL SUPPLY CLASSIFICATION
THE FEDERAL SUPPLY CLASSIFICATION (FSC) WHICH WAS ORIGINALLY ASSIGNED TO A NON-APPROVED ITEM IDENTIFICATION AND THEN CANCELLED IN PREFERENCE TO A DIFFERENT FEDERAL SUPPLY CLASSIFICATION.

5190 NON-APRVD-COLLOQ-NM DLIS-SCA V 1762
NON-APPROVED COLLOQUIAL NAME
A COLLOQUIAL NAME IS ANY NAME, OTHER THAN THE NON-APPROVED ITEM NAME, THAT HAS BEEN USED FOR AN ITEM OF SUPPLY FOR WHICH A NON-APPROVED ITEM NAME HAS BEEN DEVELOPED.

5191 NON-APRVD-ITEM-NM-DLI DLIS-SCA V 1762
NON-APPROVED ITEM NAME DELIMITER

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A NAME WHICH HAS BEEN SELECTED AND DELIMITED WHERE NECESSARY TO ESTABLISH A BASIC CONCEPT OF THE NON-APPROVED ITEM OF SUPPLY TO WHICH THE ITEM BELONGS. IT MAY BE A BASIC NOUN, OR NOUN-PHRASE, FOLLOWED BY THOSE MODIFIERS NECESSARY TO DIFFERENTIATE BETWEEN ITEM CONCEPTS FOR ITEMS HAVING THE SAME BASIC NOUN. (SEE DRN 3308-ITEM NAME TYPE CODE 0).

5192 NON-APRVD-INDX-ENTR DLIS-SCA F 1762
NON-APPROVED INDEX ENTRY

NAMES OF NON-APPROVED ITEMS OF PERSONAL PROPERTY NOT CURRENTLY LISTED IN THE FEDERAL ITEM NAME DICTIONARY FOR SUPPLY CATALOGING, INCLUDING STANDARDIZED NAMES, PART NAMES, NAMES OF COMMODITIES NOT CARRIED AS ITEMS OF SUPPLY IN THE FEDERAL GOVERNMENT, AND NAMES ENTERED IN STRAIGHT FORWARD SEQUENCE.

5193 MRC-RQMT-STMT-DEF DLIS-SCA F 5
MRC REQUIREMENT STATEMENT DEFINITION

A CLEAR TEXT EXPLANATION OF THE MEANING OF THE REQUIREMENT STATEMENT. USED IN CONJUNCTION WITH DRN 3445.

5196 EFF-DT-MOE-RULE-TRAN DLIS-SBA F 5
EFFECTIVE DATE, MOE RULE TRANSACTIONS

THIS IS THE DATE THAT THE MOE RULE WAS ESTABLISHED ON THIS ITEM.

5197 DSS-WT-CU-LST-UPD-JUL-DT DSS_WC_UPD_DT_5197 DLIS-SA F INTEGER 8
DSS WEIGHT & CUBE LAST UPDATE JULIAN DATE

A DATA FIELD INDICATING THE JULIAN DATE OF THE LAST UPDATE TO THE DSS WEIGHT & CUBE DATA. THE FORMAT IS IN THE FORM OF CCYYDDD.

5198 DSS-WT-CU-QLTY-CD DSS_WC_QLT_CD_5198 DLIS-SA F CHAR 2
DSS WEIGHT & CUBE QUALITY CODE

A DATA FIELD INDICATING THE QUALITY OF WEIGHT & CUBE DATA OF THE UNIT PACK AS RECORDED BY DSS. VALID CODES: 'AM' = MEASURED, TOP 100 PROGRAM; 'BE' = DORRA DATA, MEDIAN VALUE OF MULTIPLE DEPOTS; 'CD' = SINGLE DEPOT DATA; 'DL' = LOCAL (SITE) VARIANCE DISAGREEMENT.

5199 DSS-WT-CU-SRC-CD DSS_WC_SRC_CD_5199 DLIS-SA F CHAR 2
DSS WEIGHT & CUBE SOURCE CODE

A DATA FIELD INDICATING THE SITE AT WHICH MEASURED WEIGHT & CUBE DATA ORIGINATED. VALID VALUES (EXCEPTIONS): 'ZZ' = DDC, SPACES = DORRA. OTHERWISE, THE CODE WILL EQUAL THE FACILITY IDENTIFICATION OF THE SITE ENTERING DATA.

5201 NIIN-ST-CD-DEF-INST NIIN_STAT_DEF_5201 DLIS-SBA V VARCHAR 100
NIIN STATUS CODE DEFINITION AND INSTRUCTIONS

A NARRATIVE PROVIDING THE DEFINITION OF THE VARIOUS VALUES OF NIIN AND THE INSTRUCTIONS FOR THE USE OF THIS CODE. SEE [VOLUME 10, TABLE 18](#) AND QUICK INFO ON-LINE.

5202 NIIN-ST-CD-NOTE DLIS-SBA V VARCHAR 9999
NIIN STATUS CODE NOTE

COMMENTS FURTHER EXPLAINING THE CONDITIONS FOR THE USE OF NIIN STATUS CODE (DRN 2670). SEE [VOLUME 10, TABLE 18](#) AND QUICK INFO ON-LINE.

5203 NIIN-ST-CD-CON-NOTE NIIN_STAT_NOT_5203 DLIS-SBA V VARCHAR 1000
NIIN STATUS CODE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE NIIN. SEE [VOLUME 10, TABLE 18](#) AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5204 ACQ-MTHD-CD-EXP AMC_EX_5204 DLIS-SBA V VARCHAR 9999
ACQUISITION METHOD CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2871) REFLECTING THE DECISION OF THE PRIMARY INVENTORY CONTROL ACTIVITY (PICA) AS TO TECHNIQUE OF PURCHASING TO BE EMPLOYED FROM A PLANNED PROCUREMENT REVIEW. SEE [VOLUME 10, TABLE 71](#) AND QUICK INFO ON-LINE.

5205 ACQ-MTHD-SUF-CD-EXPLN AMSC_EX_5205 DLIS-SBA V VARCHAR 9999
ACQUISITION METHOD SUFFIX CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2876) USED TO INDICATE THE PRIMARY REASON WHY THE NUMERIC CODE (ACQUISITION METHOD CODE) WAS ASSIGNED FOR PROCUREMENT. SEE [VOLUME 10, TABLE 71](#) AND QUICK INFO ON-LINE.

5206 ACQ-MTHD-CD-NOTE DLIS-SBA V 9999
ACQUISITION METHOD CODE NOTE
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISITION METHOD CODE (DRN 2871). SEE [VOLUME 10, TABLE 71](#) AND QUICK INFO ON-LINE.

5207 ACQ-MTHD-SUF-CD-NOTE DLIS-SBA V 9999
ACQUISITION METHOD SUFFIX CODE NOTE
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISITION METHOD SUFFIX CODE (DRN 2876). SEE [VOLUME 10, TABLE 71](#) AND QUICK INFO ON-LINE.

5208 IMC-TI IMC_TI_5208 DLIS-SBA V VARCHAR 100
ITEM MANAGEMENT CODE TITLE
A TITLE FOR A CODE (DRN 2744). SEE [VOLUME 10, TABLE 77](#) AND QUICK INFO ON-LINE.

5209 IMC-DEF IMC_DEF_5209 DLIS-BB V VARCHAR 1000
ITEM MANAGEMENT CODE DEFINITION
AN EXPLANATION FOR A CODE (DRN 2744) DENOTING WHETHER ITEMS OF SUPPLY SHALL BE SUBJECT TO INTEGRATED MANAGEMENT UNDER THE DEFENSE SUPPLY AGENCY OR RETAINED BY THE INDIVIDUAL MILITARY SERVICE OR OTHER DEPARTMENT OF DEFENSE COMPONENTS FOR THEIR MANAGEMENT. SEE [VOLUME 10, TABLE 77](#) AND QUICK INFO ON-LINE.

5210 NIMSC-EXPLN NIMSC_EXPLN_5210 DLIS-SBA V VARCHAR 200
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0076) DESIGNATING THE DEGREE OF SUPPORT RECEIVED BY AN INDIVIDUAL SECONDARY INVENTORY CONTROL ACTIVITY OR TO IDENTIFY THE SERVICE(S) PERFORMING DEPOT MAINTENANCE FOR A LEAD SERVICE. SEE [VOLUME 10, TABLE 107](#) AND QUICK INFO ON-LINE.

5211 CRD-IDEN-CD-TI CRD_ID_CD_TI_5211 DLIS-SBA V VARCHAR 9999
CARD IDENTIFICATION CODE TITLE
A TITLE FOR A CODE (DRN 0099) WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. SEE [VOLUME 10, TABLE 137](#) AND QUICK INFO ON-LINE.

5212 CRD-IDEN-CD-EXPLN CRD_ID_CD_EX_5212 DLIS-SBA V VARCHAR 600
CARD IDENTIFICATION CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0099) WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. SEE [VOLUME 10, TABLE 137](#) AND QUICK INFO ON-LINE.

5213 NORM-SRC-PRCMT-CD-TI NRM_SRC_PR_TI_5213 DLIS-SBA V VARCHAR 100
NORMAL SOURCE OF PROCUREMENT CODE TITLE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5223 HMC-COND-NOTE DLIS-SBA V 9999
HAZARDOUS MATERIAL CODE CONDITIONAL NOTE
A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUNSTANCES TO FURTHER DEFINE THE HAZARDOUS MATERIAL CODES, (DRN 2720). SEE [VOLUME 10, TABLE 49](#) AND QUICK INFO ON-LINE.

5224 TYP-CGO-CD-EXPLN TYP_CGO_EXP_5224 DLIS-SBA V VARCHAR 1000
TYPE OF CARGO CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 9260) USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY THE TYPE OF CARGO INCLUDED WITHIN THE SHIPMENT UNIT. SEE [VOLUME 10, TABLE 82](#) AND QUICK INFO ON-LINE.

5225 TYP-SP-HDLG-CGO DLIS-SBA V 9999
TYPE OF SPECIAL HANDLING CARGO
A CODE USE TO IDENTIFY THE TYPE OF CARGO REQUIRING SPECIAL HANDLING WITHIN THE SHIPMENT UNIT. SEE [VOLUME 10, TABLE 83](#) AND QUICK INFO ON-LINE.

5226 SIN-HDLG-COND-CD DLIS-SBA V 9999
SINGLE HANDLING CONDITION CODE
A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY SINGLE HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE [VOLUME 10, TABLE 83](#) AND QUICK INFO ON-LINE.

5227 HVY-LIFT-HDLG-RQMT-CD DLIS-SBA V 9999
HEAVY LIFT HANDLING REQUIREMENT CODE
A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY HEAVY LIFT HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE [VOLUME 10, TABLE 83](#) AND QUICK INFO ON-LINE.

5228 OTSZD-DIM-HDLG-RQMT-CD DLIS-SBA V 9999
OUTSIZED DIMENSIONS HANDLING REQUIREMENT CODE
A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY OUTSIZED DIMENSIONS HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE [VOLUME 10, TABLE 83](#) AND QUICK INFO ON-LINE.

5229 HL-OTSZD-DIM-HDLG-RQM-CD DLIS-SBA V 9999
HEAVY LIFT & OUTSIZED DIMENSIONS HANDLING REQUIREMENTS CO
A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY HEAVY LIFT AND OUTSIZED DIMENSIONS HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE [VOLUME 10, TABLE 83](#) AND QUICK INFO ON-LINE.

5230 SP-HDLG-CD-COND-NOTE DLIS-SBA V 9999
SPECIAL HANDLING CODE CONDITIONAL NOTE
A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE SPECIAL HANDLING CODE, DRN 9240. SEE [VOLUME 10, TABLE 83](#) AND QUICK INFO ON-LINE.

5231 AIR-DIM-CD-EXPLN AIR_DIM_CD_EX_5231 DLIS-SBA V VARCHAR 9999
AIR DIMENSION CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 9220) THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. SEE [VOLUME 10, TABLE 84](#) AND QUICK INFO ON-LINE.

5232 AIR-CMDTY-CD-EXPLN AIR_CMTY_EX_5232 DLIS-SBA V VARCHAR 350
AIR COMMODITY CODE EXPLANATION
EXPLANATION OF VALID AIR COMMODITY CODES (TEXT). SEE [VOLUME 10, TABLE 85](#) AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
5233	LS-THN-CRLD-RTNG-CD-EXPL	LCL_EX_5233	DLIS-SBA	F CHAR 20
LESS THAN CARLOAD RATING CODE EXPLANATION AN EXPLANATION FOR A CODE (DRN 2760) DENOTING THE LESS THAN CARLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER UNIFORM FREIGHT CLASSIFICATION. SEE VOLUME 10, TABLE 215 AND QUICK AND INFO ON-LINE.				
5234	NMF-CLAS-RTNG-CD-EXPLN	CLAS_RTNG_EX_5234	DLIS-SBA	F CHAR 20
NATIONAL MOTOR FREIGHT CLASS RATING CODE EXPLANATION AN EXPLANATION FOR A CODE (DRN 2770) DENOTING THE CLASSRATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER- THE NATIONAL MOTOR FREIGHT CLASSIFICATION SYSTEM.SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.				
5235	REP-NET-PR	REP_NET_PR_5235	DLIS-SBA	F INTEGER 9
REPAIR NET PRICE A CODE WHICH INDICATES THAT AN ITEM MUST BE REQUISITIONED WITH END USE FUNDS AT THE 'NET PRICE'.				
5236	SVC-CONTR-IDEN-CD-EXPLN	SVC_CNTR_CD_X_5236	DLIS-SBA	F CHAR 42
SERVICE/CONTRACTOR IDENTIFICATION CODE EXPLANATION EXPLANATION OF VALID SERVICE/CONTRACTOR IDENTIFICATION CODES (TEXT).				
5237	STR-TM-PED	STR_TM_PED_5237	DLIS-SBA	V VARCHAR 200
STORAGE TIME PERIOD THE SHELF LIFE STORAGE TIME PERIOD ASSOCIATED WITH A GIVEN SHELF LIFE CODE (DRN 2943). SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.				
5238	TYP-SHLF-LIF-CD-NOTE		DLIS-SBA	V 9999
TYPE OF SHELF LIFE CODE NOTE A DEFINITION WHICH IS USED TO FURTHER EXPLAIN THE DIFFERENCES BETWEEN TYPE I AND TYPE II SHELF LIFE CODES. SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.				
5239	SHLF-LIF-CD-NOTE		DLIS-SBA	V 9999
SHELF LIFE CODE NOTE A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES THE APPLICABLE SHELF LIFE CODE, DRN 2943. SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.				
5240	PHRS-CD-PHRS	PHRS_CD_PHRS_5240	DLIS-SBA	F CHAR 100
PHRASE CODE PHRASE THE PHRASE ASSIGNED TO A GIVEN PHRASE CODE, DRN 2862. SEE VOLUME 10, TABLE 52 AND QUICK INFO ON-LINE.				
5241	PHRS-CD-EXPLN	PHRS_CD_EXPLN_5241	DLIS-SBA	V VARCHAR 1000
PHRASE CODE EXPLANATION AN EXPLANATION FOR A CODE (DRN 2862) ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/OR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS (NSN) AND REFERENCE DATA. SEE VOLUME 10, TABLE 52 AND QUICK INFO ON-LINE.				
5242	UI-TRM	UI_TRM_5242	DLIS-SBA	F CHAR 20
UNIT OF ISSUE TERM THE TERM WHICH APPLIES TO A GIVEN UNIT OF ISSUE, DRN 3050. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.				
5243	UI-DEF	UI_DEF_5243	DLIS-SBA	V VARCHAR 1000
UNIT OF ISSUE DEFINITION				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5253 SOS-MOD-CD-NOTE DLIS-SBA V 9999
SOURCE OF SUPPLY MODIFIER CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE SOURCE OF SUPPLY MODIFIER CODE, DRN 2948. SEE [VOLUME 10, TABLE 59](#) AND QUICK INFO ON-LINE.

5254 CTLD-INV-ITM-CD-EXPLN CII_CTGY_EX_5254 DLIS-SBA V VARCHAR 9999

CONTROLLED INVENTORY ITEM CODE EXPLANATION

AN EXPLANATION OF A CODE (DRN 2863) INDICATING THE SECURITY RISK OR PILFERAGE CONTROLS FOR STORAGE AND TRANSPORTATION OF DEPARTMENT OF DEFENSE ASSETS. SEE [VOLUME 10, TABLE 61](#) AND QUICK INFO ON-LINE.

5255 CIIC-CLS-CD CIIC_CLS_CD_5255 DLIS-SBA V CHAR 1

CONTROLLED INVENTORY ITEM CODE CATEGORY CODE

THE APPLICABLE CATEGORY FOR A GIVEN CONTROLLED INVENTORY ITEM CODE (DRN 2863). SEE [VOLUME 10, TABLE 61](#) AND QUICK INFO ON-LINE.

5256 COG-CD-NVY-DEF COG_CD_NVY_EX_5256 DLIS-SBA V VARCHAR 9999

COGNIZANCE CODE, NAVY DEFINITION

AN EXPLANATION FOR A CODE (DRN 2608) EMPLOYED BY THE UNITED STATES NAVY TO CLASSIFY ITEMS BY TECHNICAL PROGRAM, TYPE OF FUND, AND TO INDICATE THE COGNIZANT INVENTORY CONTROL POINT (ICP) AND TECHNICALLY RESPONSIBLE COMMAND. SEE [VOLUME 10, TABLE 62](#) AND QUICK INFO ON-LINE.

5257 COG-CD-INV-MGR-RETL-OFC COG_RETL_OFC_5257 DLIS-SBA V VARCHAR 9999

COGNIZANCE CODE INVENTORY MANAGER OR RETAIL OFFICE

THE INVENTORY MANAGER OR RETAIL OFFICE TECHNICALLY RESPONSIBLE FOR THE APPLICABLE COGNIZANT INVENTORY ITEMS. SEE [VOLUME 10, TABLE 62](#) AND QUICK INFO ON-LINE.

5258 QNTV-EXPRSN-TRM DLIS-SBA V 9999

QUANTITATIVE EXPRESSION TERM

THE TERM FOR AN EXPRESSION WHICH SPECIFIES THE CONTENT OF THE NONDEFINITIVE UNIT OF ISSUE ASSIGNED TO AN ITEM OF SUPPLY.

5259 RECOV-CD-EXPLN-AR RECOV_EX_AR_5259 DLIS-SBA V VARCHAR 250

RECOVERABILITY CODE EXPLANATION, ARMY

AN EXPLANATION FOR A CODE (DRN 2892) EMPLOYED WITHIN THE UNITED STATES ARMY DENOTING THE RECOVERABILITY CATEGORY UNDER WHICH AN ITEM OF SUPPLY IS MANAGED. SEE [VOLUME 10, TABLE 87](#) AND QUICK INFO ON LINE.

5260 ISS-REP-RQNG-RSTRN-CD-DE IRRC_NVY_DEF_5260 DLIS-SBA V VARCHAR 200

ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE DEF

AN EXPLANATION FOR A CODE (DRN 0132) THAT INDICATES RESTRICTIONS ON ISSUING OR INSTRUCTIONS FOR REQUISITIONING, ITEM REPAIR/OVERHAUL, TURN-IN, EXCHANGE OR DISPOSAL. SEE [VOLUME 10, TABLE 95](#) AND QUICK INFO ON-LINE.

5261 REPBL-CHAR-IND-CD-DLA-DE REP_CD_DLA_EX_5261 DLIS-SBA V VARCHAR 1000

REPARABLE CHARACTERISTICS INDICATOR CODE, DLA DEFINITION

A DEFINITION FOR A CODE (DRN 2934) INDICATING WHETHER OR NOT THE ITEM HAS BEEN SUBJECTED TO REPARABLE CHARACTERISTICS. SEE [VOLUME 10, TABLE 130](#) AND QUICK INFO ON-LINE.

5262 ADPE-IDEN-CD-DEF ADPEC_DEF_5262 DLIS-SBA V VARCHAR 9999

ADPE IDENTIFICATION CODE DEFINITION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5277 DATA-RECI-NM DATA_RECI_NM_5277 DLIS-SC F CHAR 36
DATA RECIPIENT NAME

THE NAME OF A SPECIFIC INDIVIDUAL WITHIN A CORPORATION OR OTHER ORGANIZATION DESIGNATED TO RECEIVE AND CONTROL MILITARY CRITICAL TECHNICAL INFORMATION.

5278 DATA-RECI-TI DATA_RECI_TI_5278 DLIS-SC F CHAR 36
DATA RECIPIENT TITLE

THE POSITION TITLE OF THE DATA RECIPIENT.

5279 DATA-RECI-ADRS DLIS-SCA F 118
DATA RECIPIENT ADDRESS

THE ADDRESS FOR A DATA RECIPIENT WHICH INCLUDES THE P.O. BOX IF REQUIRED, STREET AND NUMBER, CITY, STATE AND ZIP CODE.

5280 DATA-RECI-ST DLIS-SC F 36
DATA RECIPIENT STREET

THE STREET NAME AND ASSOCIATED NUMBER PORTION OF THE DATA RECIPIENT ADDRESS (DRN 5279).

5281 DATA-RECI-PO-BOX DLIS-SC F 36
DATA RECIPIENT POST OFFICE BOX

THE POST OFFICE BOX PORTION OF THE DATA RECIPIENT ADDRESS.

5282 DATA-RECI-CTY-STA DLIS-SC F 36
DATA RECIPIENT CITY/STATE

THE CITY AND STATE PORTION OF THE DATA RECIPIENT ADDRESS (DRN 5279).

5283 DESC-RELVT-BUS-ACTY D_REL_BUS_ACT_5283 DLIS-SC F VARCHAR 1392
DESCRIPTION OF RELEVANT BUSINESS ACTIVITY

BRIEF STATEMENT(S) DESCRIBING THE BUSINESS ACTIVITY OF THE FIRM TO BE CERTIFIED JUSTIFYING EITHER THE NEED TO BE CERTIFIED OR THE REQUEST FOR MILITARY CRITICAL TECHNICAL DATA.

5284 DATA-RECI-ZIP-CD DLIS-SC F 10
DATA RECIPIENT ZIP CODE

THE ZONE IMPROVEMENT PROGRAM (ZIP) CODE PORTION OF THE DATA RECIPIENT ADDRESS.

5285 DATA-RECI-PHN-NBR DLIS-SC F 12
DATA RECIPIENT PHONE NUMBER

THE TELEPHONE NUMBER (INCLUDING THE AREA CODE) OF A DATA RECIPIENT.

5286 OE-DESI-CD-EXPLN-NOTE DLIS-SBA V 99
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ORGANIZATIONAL ENTITY DESIGNATOR CODE (DRN 2620). SEE [VOLUME 10, TABLE 88](#) AND QUICK INFO ON-LINE.

5287 OE-DESI-CD-EXPLN OE_DESI_EX_5287 DLIS-SBB V VARCHAR 50
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 2620) WHICH SPECIFIES THAT ONE OR MORE CONDITIONS APPLY TO AN ORGANIZATIONAL ENTITY. SEE [VOLUME 10, TABLE 88](#) AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5335	DIC-ALL-OAC-DEPT-RECVD	DIC_STAT_CNT_5335	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RECEIVED THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5336	DIC-ALL-OAC-DEPT-PRCSD		DLIS-BB	F	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT PROCESSED THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5337	DIC-ALL-OAC-DEPT-APRVD	DIC_STAT_CNT_5337	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT APPROVED THE COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5338	DIC-ALL-OAC-DEPT-RETRND		DLIS-BB	F	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RETURNED THE COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5339	DIC-ALL-OAC-DEPT-ADUPS	DIC_STAT_CNT_5339	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPT ACTUAL DUPLICATES THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5340	DIC-ALL-OAC-DEPT-PDUPS	DIC_STAT_CNT_5340	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPT POSSIBLE DUPLICATE THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5341	DIC-ALL-OAC-DEPT-CLRCL	DIC_STAT_CNT_5341	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT CLERICAL THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5342	DIC-ALL-OAC-DEPT-RULES	DIC_STAT_CNT_5342	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RULES THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5343	DIC-ALL-OAC-DEPT-NIINST	DIC_STAT_CNT_5343	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT NIIN STATUS THE COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY FOR DEPARTMENT.					
5344	DIC-ALL-OAC-GTOT-RECVD		DLIS-BB	F	8
DIC ALL OAC GRAND TOTAL RECEIVED THE GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY					
5345	DIC-ALL-OAC-GTOT-PRCSD		DLIS-BB	F	8
DIC ALL OAC GRAND TOTAL PROCESSED THE GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.					
5346	DIC-ALL-OAC-GTOT-APRVD		DLIS-BB	F	8
DIC ALL OAC GRAND TOTAL APPROVED THE GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5347	DIC-ALL-OAC-GTOT-RETRND		DLIS-BB	F		8
	DIC ALL OAC GRAND TOTAL RETURNED THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.					
5348	AAC-Y-1		DLIS-BB	F		8
	ACQUISITION ADVICE CODE Y 1 ACQUISITION ADVICE CODE Y FOR DRN 5323, DEPARTMENT TOTAL ACQUISITION ADVICE CODE NSN QUANTITY 1.					
5350	AAC-FSC-ACTY-NSN		DLIS-BB	F		8
	ACQUISITION ADVICE CODE FSC ACTIVITY NSN TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.					
5351	DIC-ALL-OAC-GTOT-PDUPS		DLIS-BB	F		8
	DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.					
5352	DIC-ALL-OAC-GTOT-CLRCL		DLIS-BB	F		8
	DIC ALL OAC GRAND TOTAL CLERICAL THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.					
5353	DIC-ALL-OAC-GTOT-RULES		DLIS-BB	F		8
	DIC ALL OAC GRAND TOTAL RULES THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.					
5354	DIC-ALL-OAC-GTOT-NIINST		DLIS-BB	F		8
	DIC ALL OAC GRAND TOTAL NIIN STATUS THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.					
5355	DIC-OAC-DEPT-TOT-RECVD	DIC_STAT_CNT_5355	DLIS-BB	F	INTEGER	8
	DIC OAC DEPARTMENT TOTAL RECEIVED THE COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.					
5356	DIC-OAC-DEPT-TOT-PRCSD		DLIS-BB	F		8
	DIC OAC DEPARTMENT TOTAL PROCESSED THE COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.					
5357	DIC-OAC-DEPT-TOT-APRVD	DIC_STAT_CNT_5357	DLIS-BB	F	INTEGER	8
	DIC OAC DEPARTMENT TOTAL APPROVED THE COUNT TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.					
5358	DIC-OAC-DEPT-TOT-RETRND		DLIS-BB	F		8
	DIC OAC DEPARTMENT TOTAL RETURNED THE COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ACTIVITY.					
5359	DIC-OAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_5359	DLIS-BB	F	INTEGER	8
	DIC OAC DEPARTMENT TOTAL ACTUAL DUPLICATES					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC DEPARTMENT BY ORIGINATING ACTIVITY.

5360 DIC-OAC-DEPT-TOT-PDUPS DIC_STAT_CNT_5360 DLIS-BB F INTEGER 8
DIC OAC DEPARTMENT TOTAL POSSIBLE DUPLICATES

THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5361 DIC-OAC-DEPT-TOT-CLRCL DIC_STAT_CNT_5361 DLIS-BB F INTEGER 8
DIC OAC DEPARTMENT TOTAL CLERICAL

THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5362 DIC-OAC-DEPT-TOT-RULES DIC_STAT_CNT_5362 DLIS-BB F INTEGER 8
DIC OAC DEPARTMENT TOTAL RULES

THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5363 DIC-OAC-DEPT-TOT-NIINST DIC_STAT_CNT_5363 DLIS-BB F INTEGER 8
DIC OAC DEPARTMENT TOTAL NIIN STATUS

THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5364 DIC-OAC-GTOT-RECVD DLIS-BB F 8
DIC OAC GRAND TOTAL RECEIVED

THE GRAND TOTAL OF TRANSACTIONS RECEIVED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5365 DIC-OAC-GTOT-PRCSD DLIS-BB F 8
DIC OAC GRAND TOTAL PROCESSED

THE GRAND TOTAL OF TRANSACTIONS PROCESSED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5366 DIC-OAC-GTOT-APRVD DLIS-BB F 8
DIC OAC GRAND TOTAL APPROVED

THE GRAND TOTAL OF TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5367 DIC-OAC-GTOT-RETRND DLIS-BB F 8
DIC OAC GRAND TOTAL RETURNED

THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5368 DIC-OAC-GTOT-ADUPS DLIS-BB F 8
DIC OAC GRAND TOTAL ACTUAL DUPLICATES

THE GRAND TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5369 DIC-OAC-GTOT-PDUPS DLIS-BB F 8
DIC OAC GRAND TOTAL POSSIBLE DUPLICATES

THE GRAND TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5370 DIC-OAC-GTOT-CLRCL DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DIC OAC GRAND TOTAL CLERICAL

THE GRAND TOTAL TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5371 DIC-OAC-GTOT-RULES DLIS-BB F 8

DIC OAC GRAND TOTAL RULES

THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5372 DIC-OAC-GTOT-NIINST DLIS-BB F 8

DIC OAC GRAND TOTAL NIIN STATUS

THE GRAND TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5373 QDIC-ALL-SAC-RECVD DLIS-BB F 8

QUARTERLY DIC ALL SAC RECEIVED

THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY

5374 QDIC-ALL-SAC-PRCSD DLIS-BB F 8

QUARTERLY DIC ALL SAC PROCESSED

THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY

5375 QDIC-ALL-SAC-APRVD DLIS-BB F 8

QUARTERLY DIC ALL SAC APPROVED

THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

5376 QDIC-ALL-SAC-RETRND DLIS-BB F 8

QUARTERLY DIC ALL SAC RETURNED

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.

5377 AAC-FSC-ACTY-GP-NSN DLIS-BB F 8

ACQUISITION ADVICE CODE FSC ACTIVITY GROUP NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.

5379 QDIC-ALL-SAC-ADUPS DLIS-BB F 8

QUATERLY DIC ALL SAC ACTUAL DUPLICATES

THE QUARTERLY COUNT OF ALL TRANSACTION RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.

5380 QDIC-ALL-SAC-PDUPS DLIS-BB F 8

QUARTERLY DIC ALL SAC POSSIBLE DUPLICATES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.

5381 QDIC-ALL-SAC-CLRCL DLIS-BB F 8

QUATERLY DIC ALL SAC CLERICAL

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.

5382 QDIC-ALL-SAC-RULES DLIS-BB F 8

QUARTELY DIC ALL SAC RULES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5383 QDIC-ALL-SAC-NIINST DLIS-BB F 8
 QUARTERLY DIC ALL SAC NIIN STATUS
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

5384 QDIC-ALL-SAC-DEPT-RECVD QDIC_STAT_CNT_5384 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT RECEIVED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5385 QDIC-ALL-SAC-DEPT-PRCSD DLIS-BB F 8
 QUARTERLY DIC ALL SAC DEPARTMENT PROCESSED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5386 QDIC-ALL-SAC-DEPT-APRVD QDIC_STAT_CNT_5386 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT APPROVED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5387 QDIC-ALL-SAC-DEPT-RETRND DLIS-BB F 8
 QUARTERLY DIC ALL SAC DEPARTMENT RETURNED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5388 QDIC-ALL-SAC-DEPT-ADUPS QDIC_STAT_CNT_5388 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT ACTUAL DUPLICATES
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5389 QDIC-ALL-SAC-DEPT-PDUPS QDIC_STAT_CNT_5389 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT POSSIBLE DUPLICATES
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5390 QDIC-ALL-SAC-DEPT-CLRCL QDIC_STAT_CNT_5390 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT CLERICAL
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5391 QDIC-ALL-SAC-DEPT-RULES QDIC_STAT_CNT_5391 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT RULES
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5392 QDIC-ALL-SAC-DEPT-NIINST QDIC_STAT_CNT_5392 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL SAC DEPARTMENT NIIN STATUS
 THE QUARTERLY COUNT FOR ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5393 QDIC-ALL-SAC-GTOT-RECVD DLIS-BB F 8
 QUARTERLY DIC ALL SAC GRAND TOTAL RECEIVED
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY.

5394 QDIC-ALL-SAC-GTOT-PRCSD DLIS-BB F 8
 QUARTERLY DIC ALL SAC GRAND TOTAL PROCESSED

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY.

5395	QDIC-ALL-SAC-GTOT-APRVD		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

QUARTERLY DIC ALL SAC GRAND TOTAL APPROVED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

5396	QDIC-ALL-SAC-GTOT-RETRND		DLIS-BB	F	8
------	--------------------------	--	---------	---	---

QUARTERLY DIC ALL SAC GRAND TOTAL RETURNED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.

5397	QDIC-ALL-SAC-GTOT-ADUPS		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

QUARTERLY DILC ALL SAC GRAND TOTAL ACTUAL DUPLICATES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.

5398	QDIC-ALL-SAC-GTOT-PDUPS		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

QUARTERLY DIC ALL SAC GRAND TOTAL POSSIBLE DUPLICATES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.

5399	QDIC-ALL-SAC-GTOT-CLRCL		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

QUARTERLY DIC ALL SAC GRAND TOTAL CLERICAL
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.

5400	QDIC-ALL-SAC-GTOT-RULES		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

QUARTERLY DIC ALL SAC GRAND TOTAL RULES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.

5401	QDIC-ALL-SAC-GTOT-NIINST		DLIS-BB	F	8
------	--------------------------	--	---------	---	---

QUARTERLY ALL SAC GRAND TOTAL NIIN STATUS
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

5402	QDIC-SAC-TOT-RECVD	QDIC_STAT_CNT_5402	DLIS-BB	F INTEGER	8
------	--------------------	--------------------	---------	-----------	---

QUARTERLY DIC SAC TOTAL RECEIVED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RECEIVED.

5403	AAC-FSC-DEPT-LOA-NSN		DLIS-BB	F	8
------	----------------------	--	---------	---	---

ACQUISITION ADVICE CODE FSC DEPARTMENT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5404	AAC-FSC-DEPT-LOA-GP-NSN		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

ACQUISITION ADVICE CODE FSC DEPARTMENT LOA GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.

5405	QDIC-SAC-TOT-PRCSD		DLIS-BB	F	8
------	--------------------	--	---------	---	---

QUARTERLY DIC SAC TOTAL PROCESSED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS PROCESSED.

5406	QDIC-SAC-TOT-APRVD	QDIC_STAT_CNT_5406	DLIS-BB	F INTEGER	8
------	--------------------	--------------------	---------	-----------	---

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

QUARTERLY DIC SAC TOTAL APPROVED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS APPROVED.

5407 QDIC-SAC-TOT-RETRND DLIS-BB F 8

QUARTERLY DIC SAC TOTAL RETURNED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED.

5408 QDIC-SAC-TOT-ADUPS QDIC_STAT_CNT_5408 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC TOTAL ACTUAL DUPLICATES
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.

5409 QDIC-SAC-TOT-PDUPS QDIC_STAT_CNT_5409 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC TOTAL POSSIBLE DUPLICATES
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.

5410 QDIC-SAC-TOT-CLRCL QDIC_STAT_CNT_5410 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC TOTAL CLERICAL
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.

5411 QDIC-SAC-TOT-RULES QDIC_STAT_CNT_5411 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC TOTAL RULES
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED FOR RULES ERRORS.

5412 QDIC-SAC-TOT-NIINST QDIC_STAT_CNT_5412 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC TOTAL NIIN STATUS
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION.

5413 AAC-I-4 DLIS-BB F 8

ACQUISITION ADVICE CODE I4
ACQUISITION ADVICE CODE I FOR DRN 5404, IM DEPARTMENT LOA ACQUISITION ADVICE CODE QUANTITY 4.

5414 QDIC-ALL-OAC-PRCSD DLIS-BB F 8

QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE PROCESSED
THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

5415 QDIC-ALL-OAC-APRVD DLIS-BB F 8

QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE APPROVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

5416 QDIC-ALL-OAC-RETRND DLIS-BB F 8

QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RETURNED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

5417 QDIC-ALL-OAC-ADUPS DLIS-BB F 8

QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATE
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5418 QDIC-ALL-OAC-PDUPS DLIS-BB F 8
 QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLIC
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5419 QDIC-ALL-OAC-CLRCL DLIS-BB F 8
 QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE CLERICAL
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5420 QDIC-ALL-OAC-RULES DLIS-BB F 8
 QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RULES
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5421 QDIC-ALL-OAC-NIINST DLIS-BB F 8
 QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5422 QDIC-ALL-OAC-DEPT-RECVD QDIC_STAT_CNT_5422 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT RECEIVED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5423 QDIC-ALL-OAC-DEPT-PRCSD DLIS-BB F 8
 QUARTERLY DIC ALL OAC DEPARTMENT PROCESSED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5424 QDIC-ALL-OAC-DEPT-APRVD QDIC_STAT_CNT_5424 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT APPROVED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5425 QDIC-ALL-OAC-DEPT-RETRND DLIS-BB F 8
 QUARTERLY DIC ALL OAC DEPARTMENT RETURNED
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5426 QDIC-ALL-OAC-DEPT-ADUPS QDIC_STAT_CNT_5426 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT ACTUAL
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5427 QDIC-ALL-OAC-DEPT-PDUPS QDIC_STAT_CNT_5427 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT POSSIBLE DUPLICATES
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5428 QDIC-ALL-OAC-DEPT-CLRCL QDIC_STAT_CNT_5428 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT CLERICAL
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED WITH CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5429 QDIC-ALL-OAC-DEPT-RULES QDIC_STAT_CNT_5429 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT RULES
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5430 QDIC-ALL-OAC-DEPT-NIINST QDIC_STAT_CNT_5430 DLIS-BB F INTEGER 8
 QUARTERLY DIC ALL OAC DEPARTMENT NIIN STATUS
 THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY
 ORIGINATING ACTIVITY FOR DEPARTMENT.

5432 AAC-FSC-DEPT-NSN DLIS-BB F 8
 ACQUISITION ADVICE CODE FSC DEPARTMENT NSN
 TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5433 QDIC-ALL-OAC-GTOT-RECVD DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL RECEIVED
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

5434 QDIC-ALL-OAC-GTOT-PRCSD DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL PROCESSED
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

5435 QDIC-ALL-OAC-GTOT-APRVD DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL APPROVED
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

5436 QDIC-ALL-OAC-GTOT-RETRND DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL RETURNED
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

5437 QDIC-ALL-OAC-GTOT-ADUPS DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

5438 QDIC-ALL-OAC-GTOT-PDUPS DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5439 QDIC-ALL-OAC-GTOT-CLRCL DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL CLERICAL
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5440 QDIC-ALL-OAC-GTOT-RULES DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL RULES
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5441 QDIC-ALL-OAC-GTOT-NIINST DLIS-BB F 8
 QUARTERLY DIC ALL OAC GRAND TOTAL NIIN STATUS
 THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICA-
 TION BY ORIGINATING ACTIVITY.

5442 QDIC-OAC-TOT-RECVD QDIC_STAT_CNT_5442 DLIS-BB F INTEGER 8
 QUARTERLY DIC OAC TOTAL RECEIVED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RECEIVED.

5443 QDIC-OAC-TOT-PRCSD DLIS-BB F 8
QUARTERLY DIC OAC TOTAL PROCESSED
THE QUARTERLY TOTAL OF TRANSACTIONS PROCESSED.

5444 QDIC-OAC-TOT-APRVD QDIC_STAT_CNT_5444 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC TOTAL APPROVED
THE QUARTERLY TOTAL OF TRANSACTIONS APPROVED.

5445 QDIC-OAC-TOT-RETRND DLIS-BB F 8
QUARTERLY DIC OAC TOTAL RETURNED
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED.

5446 QDIC-OAC-TOT-ADUPS QDIC_STAT_CNT_5446 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC ACTUAL DUPLICATES
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.

5447 QDIC-OAC-TOT-PDUPS QDIC_STAT_CNT_5447 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC TOTAL POSSIBLE DUPLICATES
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.

5448 QDIC-OAC-TOT-CLRCL QDIC_STAT_CNT_5448 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC TOTAL CLERICAL
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.

5449 QDIC-OAC-TOT-RULES QDIC_STAT_CNT_5449 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC TOTAL RULES
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS.

5450 QDIC-OAC-TOT-NIINST QDIC_STAT_CNT_5450 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC TOTAL NIIN STATUS
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION.

5451 SCN-PRE-REF-DP-CUR-MTH PRER_STAT_CNT_5451 DLIS-BB F INTEGER 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT MATCH
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5452 SCN-PRE-REF-DP-CUR-NMTH PRER_STAT_CNT_5452 DLIS-BB F INTEGER 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT NOT MATCHED
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5453 SCN-PRE-REF-DP-CUR-REJ PRER_STAT_CNT_5453 DLIS-BB F INTEGER 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT REJECTS
THE QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

5454 SCN-PRE-REF-DP-CUR-RECVD DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT RECEIVED
THE CURRENT QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER RECEIVED FOR DEPARTMENT.

5455 SCN-PRE-REF-DP-YTD-MTH DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE MATCHED
THE PREVIOUS YEAR TO DATE OF NSNS THAT MATCHED IN THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5456 SCN-PRE-REF-DP-YTD-NMTH DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YR TO DATE NOT MATCH
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5457 AAC-FSC-DEPT-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE FSC DEPARTMENT GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.

5459 SCN-PRE-REF-DP-YTD-REJ DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE REJECT
THE YEAR-TO-DATE QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

5460 SCN-PRE-REF-DP-YTD-RECVD DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE RECVD
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

5461 SCN-PRE-REF-DP-PYD-MTH DLIS-BB F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5462 SCN-PRE-REF-DP-PYD-NMTH DLIS-BB F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PREPROCUREMENT SCREENING BY REFERENCE NUMBER FOR DEPARTMENT.

5463 SCN-PRE-REF-DP-PYD-REJ DLIS-BB F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE REJECTED
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

5464 SCN-PRE-REF-DP-PYD-RECVD DLIS-BB F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE RECEIVED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF PREPROCUREMENT NIINS RECEIVED FOR REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5465 SCN-PRE-REF-TOT-MTH DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL MATCHED
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5466 SCN-PRE-REF-TOT-NMTH DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL NOT MATCHED
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS.
THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE
TOTALS.

5467 SCN-PRE-REF-TOT-REJ DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL REJECTED
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED.

5468 SCN-PRE-REF-TOT-RECD DLIS-BB F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL RECEIVED
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS RECEIVED.

5469 SCN-LSN-NSN-DP-CUR-MTH LSND_STAT_CNT_5469 DLIS-BB F INTEGER 8
SCREENING LSN NSN DEPARTMENT CURRENT MATCHED
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN
PROVISIONING AND PREPROCUREMENT.

5470 SCN-LSN-NSN-DP-CUR-NMTH LSND_STAT_CNT_5470 DLIS-BB F INTEGER 8
SCREENING LSN NSN DEPARTMENT CURRENT NSNS NOT MATCHED
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER
THAN PROVISIONING AND PREPROCUREMENT.

5471 SCN-LSN-NSN-DP-CUR-REJ LSND_STAT_CNT_5471 DLIS-BB F INTEGER 8
SCREENING LSN NSN DEPARTMENT CURRENT REJECTS
THE CURRENT QUANTITY OF TRANSACTIONS THAT REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR
OTHER THAN PROVISIONING AND PREPROCUREMENT.

5472 SCN-LSN-NSN-DP-CUR-RECD DLIS-BB F 8
SCREENING LSN NSN DEPARTMENT CURRENT RECEIVED QUANTITY
THE CURRENT QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN
PROVISIONING AND PREPROCUREMENT.

5473 SCN-LSN-NSN-DP-YTD-MTH DLIS-BB F 8
SCREENING LSN NSN DEPARTMENT YEAR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER
FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5474 SCN-LSN-NSN-DP-YTD-NMTH DLIS-BB F 8
SCREENING LSN NSN DEPARTMENT YEAR TO DATE NOT MATCHED
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR
OTHER THAN PROVISIONING AND PREPROCUREMENT.

5475 SCN-LSN-NSN-DP-YTD-REJ DLIS-BB F 8
SCREENING LSN NSN DEPARTMENT YEAR TO DATE REJECT
THE YEAR-TO-DATE QUANTITY OF NSNS REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN
PROVISIONING AND PREPROCUREMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5476 SCN-LSN-NSN-DP-YTD-RECVD DLIS-BB F 8
 SCREENING LSN NSN DEPARTMENT YEAR TO DATE RECEIVED
 THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5477 SCN-LSN-NSN-DP-PYD-MTH DLIS-BB F 8
 SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE MATCHED
 THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THOUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5478 SCN-LSN-NSN-DP-PYD-NMTH DLIS-BB F 8
 SCREENING LSN NSN DEPT PREVIOUS YEAR TO DATE NOT MATCHED
 THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5479 SCN-LSN-NSN-DP-PYD-REJ DLIS-BB F 8
 SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE REJECTS
 THE QUANTITY OF PREVIOUS YEAR-TO-DATE TRANSACTIONS THAT REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5480 SCN-LSN-NSN-DP-PYD-RECVD DLIS-BB F 8
 SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE RECEIVED
 THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5481 SCN-LSN-NSN-TOT-MTH DLIS-BB F 8
 SCREENING LSN NSN TOTAL MATCHED
 THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5482 SCN-LSN-NSN-TOT-NMTH DLIS-BB F 8
 SCREENING LSN NSN TOTAL NOT MATCHED
 THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5483 SCN-LSN-NSN-TOT-REJ DLIS-BB F 8
 SCREENING LSN NSN TOTAL REJECT
 THE TOTAL QUANTITY OF NSNS REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5484 SCN-LSN-NSN-TOT-RECVD DLIS-BB F 8
 SCREENING LSN NSN TOTAL RECEIVED
 THE TOTAL QUANTITY OF NSNS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5485 AAC-ACTY-LOA-NSN DLIS-BB F 8
 ACQUISITION ADVICE CODE ACTIVITY LOA NSN
 TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE.

5486 AAC-ACTY-LOA-GP-NSN DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ACQUISITION ADVICE CODE ACTIVITY LOA GROUP NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.

5487 M8A1-DP-LOA-BB-NSN M8A1_STAT_CNT_5487 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT LOA BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY LOA.

5488 M8A1-DP-LOA-ADD-NSN M8A1_STAT_CNT_5488 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT LOA ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY LOA.

5489 M8A1-DP-LOA-DLT-NSN M8A1_STAT_CNT_5489 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT LOA DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY LOA.

5490 M8A1-DP-LOA-EB-NSN M8A1_STAT_CNT_5490 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT LOA ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY LOA.

5491 M8A1-DP-LOA-NET-CHG DLIS-BB F 8

M8A1 DEPARTMENT LOA NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY LOA.

5492 M8A1-DP-LOA-PCT DLIS-BB F 8

M8A1 DEPARTMENT LOA PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY LOA.

5493 M8A1-DP-BB-NSN M8A1_STAT_CNT_5493 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT.

5494 M8A1-DP-ADD-NSN M8A1_STAT_CNT_5494 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT.

5495 M8A1-DP-DLT-NSN M8A1_STAT_CNT_5495 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT.

5496 M8A1-DP-EB-NSN M8A1_STAT_CNT_5496 DLIS-BB F INTEGER 8

M8A1 DEPARTMENT ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF THE REPORTING PERIOD BY DEPARTMENT.

5497 M8A1-DP-NET-CHG DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M8A1 DEPARTMENT NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT.

5498 M8A1-DP-PCT DLIS-BB F 8
M8A1 DEPARTMENT PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT.

5499 M8C1-DP-AT-LOA-BB-NSN M8C1_STAT_CNT_5499 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5500 M8C1-DP-AT-LOA-ADD-NSN M8C1_STAT_CNT_5500 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5501 M8C1-DP-AT-LOA-DLT-NSN M8C1_STAT_CNT_5501 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5502 M8C1-DP-AT-LOA-EB-NSN M8C1_STAT_CNT_5502 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5503 M8C1-DP-AT-LOA-NET-CHG DLIS-BB F 8
M8C1 DEPARTMENT ACTIVITY LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5504 M8C1-DP-AT-LOA-PCT DLIS-BB F 8
M8C1 DEPARTMENT ACTIVITY LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5505 M8C1-DP-AT-BB-NSN M8C1_STAT_CNT_5505 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5506 M8C1-DP-AT-ADD-NSN M8C1_STAT_CNT_5506 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY ACTIVITY.

5507 M8C1-DP-AT-DLT-NSN M8C1_STAT_CNT_5507 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY ACTIVITY.

5508 M8C1-DP-AT-EB-NSN M8C1_STAT_CNT_5508 DLIS-BB F INTEGER 8
M8C1 DEPARTMENT ACTIVITY ENDING BALANCE NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5509 M8C1-DP-AT-NET-CHG DLIS-BB F 8
M8C1 DEPARTMENT ACTIVITY NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5510 M8C1-DP-AT-PCT DLIS-BB F 8
M8C1 DEPARTMENT ACTIVITY PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5512 AAC-ACTY-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE ACTIVITY NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE.

5513 M8B1-IM-DP-LOA-BB-NSN M8B1_STAT_CNT_5513 DLIS-BB F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA BEGINNING

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5514 M8B1-IM-DP-LOA-ADD-NSN M8B1_STAT_CNT_5514 DLIS-BB F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5515 M8B1-IM-DP-LOA-DLT-NSN M8B1_STAT_CNT_5515 DLIS-BB F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5516 M8B1-IM-DP-LOA-EB-NSN M8B1_STAT_CNT_5516 DLIS-BB F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5517 M8B1-IM-DP-LOA-NET-CHG DLIS-BB F 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5518 M8B1-IM-DP-LOA-PCT DLIS-BB F 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5519 M8B1-IM-DP-BB-NSN M8B1_STAT_CNT_5519 DLIS-BB F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5520	M8B1-IM-DP-ADD-NSN	M8B1_STAT_CNT_5520	DLIS-BB	F INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMENT ADD NSN					
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT.					
5521	M8B1-IM-DP-DLT-NSN	M8B1_STAT_CNT_5521	DLIS-BB	F INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMENT DELETE NSN					
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT.					
5522	M8B1-IM-DP-EB-NSN	M8B1_STAT_CNT_5522	DLIS-BB	F INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMENT ENDING BALANCE NSN					
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.					
5523	M8B1-IM-DP-NET-CHG		DLIS-BB	F	8
M8B1 INTEGRATED MANAGER DEPARTMENT NET CHANGE					
THE NET QUANTITY OF ADDITIONS AND DELETIONS ON NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.					
5524	M8B1-IM-DP-PCT		DLIS-BB	F	8
M8B1 INTEGRATED MANAGER DEPARTMENT PERCENT					
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.					
5525	M8B2-IM-AT-LOA-BB-NSN	M8B2_STAT_CNT_5525	DLIS-BB	F INTEGER	8
M8B2 INTEGRATED MANAGER ACTIVITY LOA BEGINNING BALANCE NSN					
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.					
5526	M8B2-IM-AT-LOA-ADD-NSN	M8B2_STAT_CNT_5526	DLIS-BB	F INTEGER	8
M8B2 INTEGRATED MANAGER ACTIVITY LOA ADD NSN					
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.					
5527	M8B2-IM-AT-LOA-DLT-NSN	M8B2_STAT_CNT_5527	DLIS-BB	F INTEGER	8
M8B2 INTEGRATED MANAGER ACTIVITY LOA DELETE NSN					
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.					
5528	M8B2-IM-AT-LOA-EB-NSN	M8B2_STAT_CNT_5528	DLIS-BB	F INTEGER	8
M8B2 INTEGRATED MANAGER ACTIVITY LOA ENDING BALANCE NSN					
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.					
5529	M8B2-IM-AT-LOA-NET-CHG		DLIS-BB	F	8
M8B2 INTEGRATED MANAGER ACTIVITY LOA NET CHANGE					
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.					
5530	M8B2-IM-AT-LOA-PCT		DLIS-BB	F	8
M8B2 INTEGRATED MANAGER ACTIVITY LOA PERCENT					

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5531 M8B2-IM-AT-BB-NSN M8B2_STAT_CNT_5531 DLIS-BB F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5532 M8B2-IM-AT-ADD-NSN M8B2_STAT_CNT_5532 DLIS-BB F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY ADD NSN
THE NET QUANTITY OF NSNS THAT DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5533 M8B2-IM-AT-DLT-NSN M8B2_STAT_CNT_5533 DLIS-BB F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IN DELETED FROM AS MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5534 M8B2-IM-AT-EB-NSN M8B2_STAT_CNT_5534 DLIS-BB F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5535 M8B2-IM-AT-NET-CHG DLIS-BB F 8
M8B2 INTEGRATED MANAGER ACTIVITY NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5536 M8B2-IM-AT-PCT DLIS-BB F 8
M8B2 INTEGRATED MANAGER ACTIVITY PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5537 M8B3-CLM-DP-LOA-BB-NSN M8B3_STAT_CNT_5537 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5538 M8B3-CLM-DP-LOA-ADD-NSN M8B3_STAT_CNT_5538 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY LOA.

5539 AAC-ACTY-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE ACTIVITY GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S

5541 M8B3-CLM-DP-LOA-DLT-NSN M8B3_STAT_CNT_5541 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5542 M8B3-CLM-DP-LOA-EB-NSN M8B3_STAT_CNT_5542 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5543 M8B3-CLM-DP-LOA-NET-CHG DLIS-BB F 8
M8B3 CLASS MANAGER DEPARTMENT LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5544 M8B3-CLM-DP-LOA-PCT DLIS-BB F 8
M8B3 CLASS MANAGER DEPARTMENT LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5545 M8B3-CLM-DP-BB-NSN M8B3_STAT_CNT_5545 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5546 M8B3-CLM-DP-ADD-NSN M8B3_STAT_CNT_5546 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT.

5547 M8B3-CLM-DP-DLT-NSN M8B3_STAT_CNT_5547 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT.

5548 M8B3-CLM-DP-EB-NSN M8B3_STAT_CNT_5548 DLIS-BB F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5549 M8B3-CLM-DP-NET-CHG DLIS-BB F 8
M8B3 CLASS MANAGER DEPARTMENT NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS BY DEPARTMENT.

5550 M8B3-CLM-DP-PCT DLIS-BB F 8
M8B3 CLASS MANAGER DEPARTMENT PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5551 M8B4-CLM-AT-LOA-BB-NSN M8B4_STAT_CNT_5551 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA BEGINNING BALANCE
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5552 M8B4-CLM-AT-LOA-ADD-NSN M8B4_STAT_CNT_5552 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA ADD NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5553 M8B4-CLM-AT-LOA-DLT-NSN M8B4_STAT_CNT_5553 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5554 M8B4-CLM-AT-LOA-EB-NSN M8B4_STAT_CNT_5554 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5555 M8B4-CLM-AT-LOA-NET-CHG DLIS-BB F 8
M8B4 CLASS MANAGER ACTIVITY LOA NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5556 M8B4-CLM-AT-LOA-PCT DLIS-BB F 8
M8B4 CLASS MANAGER ACTIVITY LOA PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5557 M8B4-CLM-AT-BB-NSN M8B4_STAT_CNT_5557 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5558 M8B4-CLM-AT-ADD-NSN M8B4_STAT_CNT_5558 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5559 M8B4-CLM-AT-DLT-NSN M8B4_STAT_CNT_5559 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5560 M8B4-CLM-AT-EB-NSN M8B4_STAT_CNT_5560 DLIS-BB F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5561 M8B4-CLM-AT-NET-CHG DLIS-BB F 8
M8B4 CLASS MANAGER ACTIVITY NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5562 M8B4-CLM-AT-PCT DLIS-BB F 8
M8B4 CLASS MANAGER ACTIVITY PERCENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5563 M8B5-FSC-DP-LOA-BB-NSN M8B5_STAT_CNT_5563 DLIS-BB F INTEGER 8
M8B5 FSC DEPARTMENT LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5564 M8B5-FSC-DP-LOA-ADD-NSN M8B5_STAT_CNT_5564 DLIS-BB F INTEGER 8
M8B5 FSC DEPARTMENT LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY LOA.

5565 AAC-DEPT-LOA-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE DEPARTMENT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE.

5566 AAC-DEPT-LOA-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE DEPARTMENT LOA GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS A PART OF A GROUP OF AACs.

5567 M8B5-FSC-DP-LOA-DLT-NSN M8B5_STAT_CNT_5567 DLIS-BB F INTEGER 8
M8B5 FSC DEPARTMENT LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY LOA.

5568 M8B5-FSC-DP-LOA-EB-NSN M8B5_STAT_CNT_5568 DLIS-BB F INTEGER 8
M8B5 FSC DEPARTMENT LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5569 M8B5-FSC-DP-LOA-NET-CHG DLIS-BB F 8
M8B5 FSC DEPARTMENT LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5570 M8B5-FSC-DP-LOA-PCT DLIS-BB F 8
M8B5 FSC DEPARTMENT LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5571 M8B5-FSC-DP-BB-NSN M8B5_STAT_CNT_5571 DLIS-BB F INTEGER 8
M8B5 FSC DEPARTMENT BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT.

5572 M8B5-FSC-DP-ADD-NSN M8B5_STAT_CNT_5572 DLIS-BB F INTEGER 8
M8B5 FSC DEPARTMENT ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT.

5573 M8B5-FSC-DP-DLT-NSN M8B5_STAT_CNT_5573 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M8B5 FSC DEPARTMENT DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT.

5574 M8B5-FSC-DP-EB-NSN M8B5_STAT_CNT_5574 DLIS-BB F INTEGER 8

M8B5 FSC DEPARTMENT ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT.

5575 M8B5-FSC-DP-NET-CHG M8B5_STAT_CHG_5575 DLIS-BB F INTEGER 8

M8B5 FSC DEPARTMENT NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT.

5576 M8B5-FSC-DP-PCT M8B5_STAT_PCT_5576 DLIS-BB F INTEGER 8

M8B5 FSC DEPARTMENT PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT.

5577 M8B6-FSC-AT-LOA-BB-NSN M8B6_STAT_CNT_5577 DLIS-BB F INTEGER 8

M8B6 FSC ACTIVITY LOA BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5578 M8B6-FSC-AT-LOA-ADD-NSN M8B6_STAT_CNT_5578 DLIS-BB F INTEGER 8

M8B6 FSC ACTIVITY LOA ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5579 M8B6-FSC-AT-LOA-DLT-NSN M8B6_STAT_CNT_5579 DLIS-BB F INTEGER 8

M8B6 FSC ACTIVITY LOA DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5580 AAC-N-10 DLIS-BB F 8

ACQUISITION ADVICE CODE N 10

ACQUISITION ADVICE CODE N FOR DRN 5566, TOTAL NON-ASSIGNED FSC DEPARTMENT ACTIVITY LOA AAC QUANTITY 10.

5581 M8B6-FSC-AT-LOA-NET-CHG DLIS-BB F 8

M8B6 FSC ACTIVITY LOA NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5582 M8B6-FSC-AT-LOA-PCT DLIS-BB F 8

M8B6 FSC ACTIVITY LOA PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5583 M8B6-FSC-AT-BB-NSN M8B6_STAT_CNT_5583 DLIS-BB F INTEGER 8

M8B6 FSC ACTIVITY BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5584	M8B6-FSC-AT-ADD-NSN	M8B6_STAT_CNT_5584	DLIS-BB	F INTEGER	8
M8B6 FSC ACTIVITY ADD NSN THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY.					
5585	M8B6-FSC-AT-DLT-NSN	M8B6_STAT_CNT_5585	DLIS-BB	F INTEGER	8
M8B6 FSC ACTIVITY DELETE NSN THE QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY.					
5586	M8B6-FSC-AT-EB-NSN	M8B6_STAT_CNT_5586	DLIS-BB	F INTEGER	8
M8B6 FSC ACTIVITY ENDING BALANCE NSN THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.					
5587	M8B6-FSC-AT-NET-CHG		DLIS-BB	F	8
M8B6 FSC ACTIVITY NET CHANGE THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.					
5588	M8B6-FSC-AT-PCT		DLIS-BB	F	8
M8B6 FSC ACTIVITY PERCENT THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.					
5589	POP-FSC-AAIN-MG-FU	POP_STAT_CNT_5589	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED FULL THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.					
5590	POP-FSC-AAIN-MG-PA	POP_STAT_CNT_5590	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED PARTIAL THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.					
5591	POP-FSC-AAIN-MG-RE	POP_STAT_CNT_5591	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED REFERENCE THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.					
5592	POP-FSC-AAIN-MG-AC	POP_STAT_CNT_5592	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED ACTIVITY THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.					
5594	AAC-DEPT-NSN		DLIS-BB	F	8
ACQUISITION ADVICE CODE DEPARTMENT NSN TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE.					
5595	POP-FSC-FIIG-AAIN-MG	POP_STAT_CNT_5595	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED THE QUANTITY OF NSNS MANAGED ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.					
5596	POP-FSC-FIIG-AAIN-MG-FU	POP_STAT_CNT_5596	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED FULL THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.					

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5597	POP-FSC-FIIG-AAIN-MG-PA	POP_STAT_CNT_5597	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.					
5598	POP-FSC-FIIG-AAIN-MG-RE	POP_STAT_CNT_5598	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.					
5599	POP-FSC-FIIG-AAIN-MG-AC	POP_STAT_CNT_5599	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.					
5600	POP-FSC-FIIG-AIN-MG		DLIS-BB	F	8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED THE QUANTITY OF NSNS MANAGED AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.					
5601	POP-FSC-FIIG-AIN-MG-FU	POP_STAT_CNT_5601	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED FULL THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.					
5602	POP-FSC-FIIG-AIN-MG-RE	POP_STAT_CNT_5602	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED REFERENCE THE QUANTITY OF REFERENCE METHOD MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.					
5603	POP-FSC-FIIG-AIN-MG-AC	POP_STAT_CNT_5603	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED ACTIVITY THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.					
5604	POP-FSC-AAIN-NMG	POP_STAT_CNT_5604	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED THE NONMANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM CODES WITHIN AN FSC.					
5605	POP-FSC-AAIN-NMG-FU	POP_STAT_CNT_5605	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED FULL THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.					
5606	POP-FSC-AAIN-NMG-PA	POP_STAT_CNT_5606	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED PARTIAL THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.					
5607	POP-FSC-AAIN-NMG-RE	POP_STAT_CNT_5607	DLIS-BB	F INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED REFERENCE THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.					
5608	POP-FSC-FIIG-AAIN-NMG	POP_STAT_CNT_5608	DLIS-BB	F INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED THE QUANTITY OF NSNS NONMANAGED ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5609 POP-FSC-FIIG-AAIN-NMG-FU POP_STAT_CNT_5609 DLIS-BB F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5610 POP-FSC-FIIG-AAIN-NMG-PA POP_STAT_CNT_5610 DLIS-BB F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5611 POP-FSC-FIIG-AAIN-NMG-RE POP_STAT_CNT_5611 DLIS-BB F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED REFER
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5612 POP-FSC-FIIG-AIN-NMG DLIS-BB F 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED
THE QUANTITY OF NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5613 POP-FSC-FIIG-AIN-NMG-FU POP_STAT_CNT_5613 DLIS-BB F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5614 POP-FSC-FIIG-AIN-NMG-PA POP_STAT_CNT_5614 DLIS-BB F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5615 POP-FSC-FIIG-AIN-NMG-RE POP_STAT_CNT_5615 DLIS-BB F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5617 POP-FSC-FIIG-AIN-MG-PA POP_STAT_CNT_5617 DLIS-BB F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5618 NAIN-TOTAL-RCVD-ACTY-NSN DLIS-SBA F 8
NONAPPROVED ITEM NAME TOTAL RECEIVED ACTITIVY NSN
THE TOTAL AMOUNT OF NEW ITEMS ASSIGNED WITH A NON-APPROVED ITEM NAME BY ACTIVITY.

5619 NAIN-ACTY-CAGE-NSN NAIN_STAT_CNT_5619 DLIS-SBA F INTEGER 8
NONAPPROVED ITEM NAME ACTIVITY CAGE NSN
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND CAGE CODE.

5620 AAC-DEPT-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE DEPARTMENT GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.

5622 NAIN-ACTY-CAGE-PCT DLIS-SBA F 8
NONAPPROVED ITEM NAME ACTIVITY CAGE PERCENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND CAGE CODE.

5623 NAIN-ACTY-FSC-NSN NAIN_STAT_CNT_5623 DLIS-SBA F INTEGER 8
NONAPPROVED ITEM NAME ACTIVITY FSC NSN
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND FSC.

5624 NAIN-ACTY-FSC-PCT DLIS-SBA F 8
NONAPPROVED ITEM NAME ACTIVITY FSC PERCENT
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND FSC.

5625 NAIN-ACTY-RPDMRC-NSN NAIN_STAT_CNT_5625 DLIS-SBA F INTEGER 8
NONAPPROVED ITEM NAME ACTIVITY RPDMRC NSN
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND RPDMRC.

5626 NAIN-ACTY-RPDMRC-PCT DLIS-SBA F 8
NONAPPROVED ITEM NAME ACTIVITY RPDMRC PERCENT
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND RPDMRC.

5627 DAC-DEPT-TYPE-II-QTY DLIS-SBA F 8
DOCUMENT AVAILABILITY CODE DEPARTMENT TYPE II QUANTITY
THE QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE BROKEN OUT BY TYPE ITEM IDENTIFICATION FOR DEPARTMENT.

5628 DAC-DEPT-NSN-TOT DLIS-SBA F 8
DOCUMENT AVAILABILITY CODE DEPARTMENT NSN TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR ALL TYPES ITEM IDENTIFICATION FOR DEPARTMENT.

5629 DAC-TYPE-II-1-TOT DAC_STAT_CNT_5629 DLIS-SBA F INTEGER 8
DOCUMENT AVAILABILITY CODE TYPE II 1 TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILTY CODE FOR TYPE 1 ITEM IDENTIFICATION.

5630 DAC-TYPE-II-1A-TOT DAC_STAT_CNT_5630 DLIS-SBA F INTEGER 8
DOCUMENT AVAILABILITY CODE TYPE II 1A TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 1A ITEM IDENTIFICATION.

5631 DAC-TYPE-II-1B-TOT DAC_STAT_CNT_5631 DLIS-SBA F INTEGER 8
DOCUMENT AVAILABILITY CODE TYPE II 1B TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 1B ITEM IDENTIFICATION.

5632 DAC-TYPE-II-4-TOT DAC_STAT_CNT_5632 DLIS-SBA F INTEGER 8
DOCUMENT AVAILABILITY CODE TYPE II 4 TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4 ITEM IDENTIFICATION.

5633 DAC-TYPE-II-4A-TOT DAC_STAT_CNT_5633 DLIS-SBA F INTEGER 8
DOCUMENT AVAILABILITY CODE TYPE II 4A TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4A ITEM IDENTIFICATION.

5634 DAC-TYPE-II-4B-TOT DAC_STAT_CNT_5634 DLIS-SB F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5645 IMC-NW-DP-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

5646 IMC-NW-DP-IMC-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC CARD ID CODE TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

5647 IMC-NW-CLM-IMC-CIC DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5648 AAC-IM-ACTY-LOA-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5649 AAC-IM-ACTY-LOA-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY LOA GP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5650 IMC-NW-CLM-IMC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR CLASS MANAGER.

5651 IMC-NW-CLM-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5652 IMC-NW-CLM-IMC-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC CARD ID CODE TOTL
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGERS.

5654 IMC-AL-DP-AT-IMC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) ASSIGNED BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5655 IMC-AL-DP-AT-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY CARD ID CODE TOTAL
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5656 IMC-AL-DP-AT-IMC-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CIC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5657 IMC-AL-DP-IMC-CIC DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT CARD IDENTIFICATION CODE
THE QUANTITY OF ALL CHANGED AND NEWLY ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

5658 IMC-AL-DP-IMC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT IMC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR DEPARTMENT.

5659 IMC-AL-DP-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITH THE DEPARTMENT.

5660 IMC-AL-DP-IMC-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE TOTAL
ACQUISITION ADVICE CODE L FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5661 IMC-AL-CLM-IMC-CIC DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5662 IMC-AL-CLM-IMC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR CLASS MANAGER.

5663 IMC-AL-CLM-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5664 IMC-AL-CLM-IMC-CIC-TOT DLIS-BB F 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGER.

5665 AAC-Q-13 DLIS-BB F 8
ACQUISITION ADVICE CODE Q13
ACQUISITION ADVICE CODE Q FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5666 STAT-RETURN-CATEGORY STAT_RETN_CAT_5666 DLIS-SBA F CHAR 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

STATISTICS RETURN CATEGORY

A CATEGORY WHICH REPRESENTS A GROUP OF LIKE RETURN REASON CODES.

5667	AAC-S-13		DLIS-BB	F	8
ACQUISITION ADVICE CODE S13					
ACQUISITION ADVICE CODE S FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.					
5668	STAT-NAME		DLIS-SBA	F	50
STATISTICS NAME					
A TITLE WHICH REPRESENTS A GROUP OF STATISTICAL COUNTS.					
5669	PRI-IND-CD-TM-FRAME		DLIS-SBA	F	4
PRIORITY INDICATOR CODE TIME FRAME					
THE MAXIMUM TIME FRAME ALLOWED FOR A PRIORITY INDICATOR CODE TO PROCESS, IN MINUTES.					
5670	LRN-PROC-BB-UPDT-CAN-D		DLIS-BB	F	6
LOGRUN PROCEDURES BULLETIN BRD UPDT CUSTOMER ACCNT NMBR DAIL					
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5671	LRN-PROC-CHG-UPDT-CAN-D		DLIS-BB	F	6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY					
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5672	LRN-PROC-ADD-UPDT-CAN-D		DLIS-BB	F	6
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCNT NMBR DAILY					
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5673	LRN-PROC-DEL-UPDT-CAN-D		DLIS-BB	F	6
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCNT NMBR DAILY					
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5675	AAC-IM-ACTY-NSN		DLIS-BB	F	8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY NSN					
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.					
5676	LRN-PROC-BB-UPDT-DEPT-D		DLIS-BB	F	6
LOGRUN PROCEDURES BULLETIN UPDATE DEPARTMENT DAILY					
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.					
5677	LRN-PROC-CHG-UPDT-DEPT-D		DLIS-BB	F	6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT DAILY					
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5678 LRN-PROC-ADD-UPDT-DEPT-D DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE DEPARTMENT DAILY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.

5679 LRN-PROC-DEL-UPDT-DEPT-D DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT DAILY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.

5680 LRN-PROC-BB-UPDT-ACTY-D LRN_STAT_CNT_5680 DLIS-BB F INTEGER 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY DAILY
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5681 LRN-PROC-CHG-UPDT-ACTY-D LRN_STAT_CNT_5681 DLIS-BB F INTEGER 6
 LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY DAILY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5682 LRN-PROC-ADD-UPDT-ACTY-D LRN_STAT_CNT_5682 DLIS-BB F INTEGER 6
 LOGRUN PROCEDURES ADD UPDATE ACTIVITY DAILY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5683 LRN-PROC-DEL-UPDT-ACTY-D LRN_STAT_CNT_5683 DLIS-BB F INTEGER 6
 LOGRUN PROCEDURES DELETE UPDATE ACTIVITY DAILY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEST OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5684 LRN-PROC-BB-UPDT-TOT-D DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL DAILY
 THE TOTAL NUMBER OF UPDATE MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

5685 LRN-PROC-CHG-UPDT-TOT-D DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE TOTAL DAILY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5686 LRN-PROC-ADD-UPDT-TOT-D DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE TOTAL DAILY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5687 LRN-PROC-DEL-UPDT-TOT-D DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE TOTAL DAILY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5688 LRN-PROC-BB-UPDT-ACTY-W DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY WEEKLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5689 LRN-PROC-CHG-UPDT-ACTY-W DLIS-BB F 6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5690 LRN-PROC-ADD-UPDT-ACTY-W DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5691 LRN-PROC-DEL-UPDT-ACTY-W DLIS-BB F 6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5692 LRN-PROC-BB-UPDT-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT WEEKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5693 LRN-PROC-CHG-UPDT-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT WEEKLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5694 LRN-PROC-ADD-UPDT-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5695 LRN-PROC-DEL-UPDT-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT NUMBER WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5696 LRN-PROC-BB-UPDT-TOT-W DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5697 LRN-PROC-CHG-UPDT-TOT-W DLIS-BB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5698 LRN-PROC-ADD-UPDT-TOT-W DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5699 LRN-PROC-DEL-UPDT-TOT-W DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE TOTAL WEEKLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5700 LRN-PROC-BB-UPDT-CAN-M DLIS-BB F 6
 LOGRUN PROCEDURES BLLTN BOARD UPDATE CSTMR ACCNT NMBR MTHLY
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5701 LRN-PROC-CHG-UPDT-CAN-M DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR MONTHLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5702 AAC-IM-ACTY-GP-NSN DLIS-BB F 8
 ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY GROUP NSN
 TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5704 LRN-PROC-ADD-UPDT-CAN-M DLIS-BB F 6
 LOGRUN PROCEDURES AND UPDATE CUSTOMER ACCT NUMBER MONTHLY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5705 LRN-PROC-DEL-UPDT-CAN-M DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR MONTHLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5706 LRN-PROC-BB-UPDT-ACTY-M DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY MONTHLY
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5707 LRN-PROC-CHG-UPDT-ACTY-M DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY MONTHLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5708 LRN-PROC-ADD-UPDT-ACTY-M DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE ACTIVITY MONTHLY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5709 LRN-PROC-DEL-UPDT-ACTY-M DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE ACTIVITY MONTHLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5710 LRN-PROC-BB-UPDT-DEPT-M DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT MONTHLY

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5711 LRN-PROC-CHG-UPDT-DEPT-M DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT MONTHLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5712 LRN-PROC-ADD-UPDT-DEPT-M DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE DEPARTMENT MONTHLY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5713 LRN-PROC-DEL-UPDT-DEPT-M DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT MONTHLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5714 LRN-PROC-BB-UPDT-TOT-M DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL MONTHLY
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5715 LRN-PROC-CHG-UPDT-TOT-M DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE TOTAL MONTHLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5716 LRN-PROC-ADD-UPDT-TOT-M DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE TOTAL MONTHLY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS

5717 LRN-PROC-DEL-UPDT-TOT-M DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE TOTAL MONTHLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5718 LRN-PROC-BB-UPDT-CAN-Q DLIS-BB F 6
 LOGRUN PROCEDURES BLLTN BOARD UPDATE CUSTOMER ACCT NMBR QRTL
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5719 LRN-PROC-CHG-UPDT-CAN-Q DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR QTRLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5720 LRN-PROC-ADD-UPDT-CAN-Q DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCT NMBR QUARTERLY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5721 LRN-PROC-DEL-UPDT-CAN-Q DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR QUARTERLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5722 LRN-PROC-BB-UPDT-ACTY-Q DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5723 LRN-PROC-CHG-UPDT-ACT-Q DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5724 LRN-PROC-ADD-UPDT-ACTY-Q DLIS-BB F 6
 LOGRUN PROCEDURES ADD UPDATE ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5725 LRN-PROC-DEL-UPDT-ACTY-Q DLIS-BB F 6
 LOGRUN PROCEDURES DELETE UPDATE ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5726 LRN-PROC-BB-UPDT-DEPT-Q DLIS-BB F 6
 LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT QRTL
 THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

5727 LRN-PROC-CHG-UPDT-DEPT-Q DLIS-BB F 6
 LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT QUARTERLY
 THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

5728 AAC-IM-DEPT-LOA-NSN DLIS-BB F 8
 ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT LOA NSN
 TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5729 AAC-IM-DEPT-LOA-GP-NSN DLIS-BB F 8
 ACQUISITION ADVICE CODE IM DEPARTMENT LOA GROUP NSN
 TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5730 ISC-NSN DLIS-SBA F 8
 ITEM STANDARDIZATION CODE NSN
 QUANTITY OF NSNS WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5731 ISC-WMGR-NSN DLIS-SBA F 8
 ITEM STANDARDIZATION CODE WITH MANAGER NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

QUANTITY OF NSNS WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5732 ISC-USGOVT-NSN DLIS-SBA F 8
ITEM STANDARDIZATION CODE US GOVERNMENT NSN
QUANTITY OF NSNS MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5733 ISC-DOD-NSN DLIS-BB F 8
ITEM STANDARDIZATION CODE DOD NSN
QUANTITY OF NSNS MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5734 ISC-WOMGR-NSN DLIS-SBA F 8
ITEM STANDARDIZATION CODE WITHOUT MANAGER NSN
QUANTITY OF NSNS WITHOUT MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5735 ISC-FSG-NSN-TOT DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5736 ISC-FSG-WMGR-NSN-TOT DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5737 ISC-FSG-USGOVT-NSN-TOT DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5738 ISC-FSG-DOD-NSN-TOT DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG DOD NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY DOD IN THE SYSTEM WITH AN ITEM STANDARDIZATION.

5739 ISC-FSG-WOMGR-NSN-TOT DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITHOUT A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5740 ISC-FSG-NSN ISC_STAT_CNT_5740 DLIS-BB F INTEGER 8
ITEM STANDARDIZATION CODE FSG NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5741 ISC-FSG-WMGR-NSN DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5742 ISC-FSG-USGOVT-NSN DLIS-BB F 8
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5753	MOE-FSG-NSN	MOE_STAT_CNT_5753	DLIS-SBA	F INTEGER	8
MOE FEDERAL SUPPLY GROUP NSN THE NUMBER OF NSNS WITHIN A SPECIFIC FSC FOR A SPECIFIC MOE CODE.					
5754	MOE-FSC-NSN	MOE_STAT_CNT_5754	DLIS-SBA	F INTEGER	8
MOE FEDERAL SUPPLY CLASS NSN THE NUMBER OF NSNS WITHIN A SPECIFIC FSC FOR A SPECIFIC MOE CODE.					
5755	ICWS-ALL-MNGD-MM	ICWS_STAT_CNT_5755	DLIS-BB	F INTEGER	8
ICWS ALL MANAGED MULTI MANAGED THE TOTAL NUMBER OF MANAGER NSNS THAT HAVE MULTIPLE MANAGERS.					
5756	ICWS-ALL-MNGD-MMPC		DLIS-BB	F	8
ICWS ALL MANAGED MULTI-MANAGED PERCENT THE PERCENTAGE OF MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.					
5757	ICWS-ALL-DOD-MM	ICWS_STAT_CNT_5757	DLIS-BB	F INTEGER	8
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER THE TOTAL NUMBER OF DOD MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.					
5758	ICWS-ALL-DOD-MMPC		DLIS-BB	F	8
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER PERCENT THE PERCENTAGE OF DOD MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.					
5759	ICWS-ALL-CI-MM	ICWS_STAT_CNT_5759	DLIS-BB	F INTEGER	8
ICWS ALL CIVIL MULTI-MANAGED THE TOTAL NUMBER OF CIVIL MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.					
5760	ICWS-ALL-CI-MMPC		DLIS-BB	F	8
ICWS ALL CIVIL MULTI-MANAGED PERCENT THE PERCENTAGE OF CIVIL MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.					
5761	ICWS-ALL-OGOV-MM	ICWS_STAT_CNT_5761	DLIS-BB	F INTEGER	8
ICWS ALL OTHER GOVERNMENT MULTI-MANAGED THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENTS THAT HAVE MULTIPLE MANAGERS.					
5762	ICWS-ALL-OGOV-MMPC		DLIS-BB	F	8
ICWS ALL OTHER GOVERNMENT MULTI-MANAGER PERCENT THE PERCENTAGE OF NSNS MANAGED BY OTHER GOVERNMENTS THAT HAVE MULTIPLE MANAGERS.					
5763	ICWS-IM-ALL-MNGD-MM	ICWS_STAT_CNT_5763	DLIS-BB	F INTEGER	8
ICWS INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5764	ICWS-IM-ALL-MNGD-MMPC		DLIS-BB	F	8
ICES INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED PERCENT THE PERCENTAGE OF NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5765 ICWS-IM-ALL-DOD-MM ICWS_STAT_CNT_5765 DLIS-BB F INTEGER 8
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MANADEC NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.

5766 ICWS-IM-ALL-DOD-MMPC DLIS-BB F 8
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGER PERCENT
THE PERCENTAGE OF DOD MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.

5767 ICWS-IM-ALL-CI-MM ICWS_STAT_CNT_5767 DLIS-BB F INTEGER 8
ICWS INTEGRATED MANAGERS ALL CIVIL MULTI-MANAGED
THE TOTAL NUMBER OF CIVIL MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.

5768 ICWS-IM-ALL-CI-MMPC DLIS-BB F 8
ICWS INTEGRATED MANAGER ALL CIVIL MULTI-MANAGER PERCENT
THE PERCENTAGE OF CIVIL MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.

5769 ICWS-IM-ALL-OGOV-MM ICWS_STAT_CNT_5769 DLIS-BB F INTEGER 8
ICWS INTEGRATED MANAGERS ALL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENTS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.

5770 ICWS-IM-ALL-OGOV-MMPC DLIS-BB F 8
ICWS INTEGRATED MANAGER ALL OTHER GOVERNMENT MULTI-MANAGED P
THE PERCENTAGE OF OTHER GOVERNMENT MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.

5771 ICWS-LA-ALL-MNGD-MM ICWS_STAT_CNT_5771 DLIS-BB F INTEGER 8
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED
THE TOTAL NUMBER OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.

5772 ICWS-LA-ALL-MNGD-MMPC DLIS-BB F 8
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED PERCENT
THE PERCENTAGE OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.

5773 ICWS-LA-ALL-DOD-MM ICWS_STAT_CNT_5773 DLIS-BB F INTEGER 8
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF ALL DOD MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS. B, C, E.

5774 ICWS-LA-ALL-DOD-MMPC DLIS-BB F 8
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT
THE PERCENTAGE OF ALL DOD MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.

5775 ICWS-LA-ALL-CI-MM ICWS_STAT_CNT_5775 DLIS-BB F INTEGER 8
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED
THE TOTAL NUMBER OF ALL CIVIL MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.

5776 ICWS-LA-ALL-CI-MMPC DLIS-BB F 8
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED PERCENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENTAGE OF ALL CIVIL MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.

5777 ICWS-LA-ALL-OGOV-MM ICWS_STAT_CNT_5777 DLIS-BB F INTEGER 8
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MANAGED
THE TOTAL NUMBER OF OTHER GOVERNMENT MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT
(ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.

5778 ICWS-LA-ALL-OGOV-MMPC DLIS-BB F 8
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MNGD PC
THE PERCENTAGE OF OTHER GOVERNMENT MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE
MANAGERS.

5779 ICWD-ALL-DOD-CI-OGOV ICWD_STAT_CNT_5779 DLIS-BB F INTEGER 8
ICWD ALL DOD CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT

5780 ICWD-ALL-DOD-CI ICWD_STAT_CNT_5780 DLIS-BB F INTEGER 8
ICWD ALL DOD CIVIL
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5781 ICWD-ALL-DOD-OGOV ICWD_STAT_CNT_5781 DLIS-BB F INTEGER 8
ICWD ALL DOD OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENTS.

5782 ICWD-ALL-DOD ICWD_STAT_CNT_5782 DLIS-BB F INTEGER 8
ICWD ALL DEPARTMENT OF DEFENSE
THE TOTAL NUMBER OF NSNS MANAGED BY DOD ONLY.

5783 ICWD-ALL-CI-OGOV ICWD_STAT_CNT_5783 DLIS-BB F INTEGER 8
ICWD ALL CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5784 ICWD-ALL-CI ICWD_STAT_CNT_5784 DLIS-BB F INTEGER 8
ICWD ALL CIVIL
THE TOTAL NUMBER OF NSNS MANAGED BY CIVIL ONLY.

5785 ICWD-ALL-OGOV ICWD_STAT_CNT_5785 DLIS-BB F INTEGER 8
ICWD ALL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENT ONLY.

5786 ICWD-IM-ALL-DOD-CI-OGOV ICWD_STAT_CNT_5786 DLIS-BB F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERN-
MENT.

5787 ICWD-IM-ALL-DOD-CI ICWD_STAT_CNT_5787 DLIS-BB F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD CIVIL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
5788	ICWD-IM-ALL-DOD-OGOV	ICWD_STAT_CNT_5788	DLIS-BB	F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD OTHER GOVERNMENT THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.				
5789	ICWD-IM-ALL-DOD	ICWD_STAT_CNT_5789	DLIS-BB	F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY DOD ONLY.				
5790	ICWD-IM-ALL-CI-OGOV	ICWD_STAT_CNT_5790	DLIS-BB	F INTEGER 8
ICWD INTEGRATED MANAGER ALL CIVIL OTHER GOVERNMENT THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.				
5791	ICWD-IM-ALL-CI	ICWD_STAT_CNT_5791	DLIS-BB	F INTEGER 8
ICWD INTEGRATED MANAGER ALL CIVIL THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY CIVIL ONLY.				
5792	ICWD-IM-ALL-OGOV	ICWD_STAT_CNT_5792	DLIS-BB	F INTEGER 8
ICWD INTEGRATED MANAGER ALL OTHER GOVERNMENT THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY OTHER GOVERNMENT ONLY.				
5793	ICWD-LA-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5793	DLIS-BB	F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL OTHER GOVERNMENT THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.				
5794	ICWD-LA-ALL-DOD-CI	ICWD_STAT_CNT_5794	DLIS-BB	F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THST SHARE MANAGEMENT BETWEEN DOD AND CIVIL.				
5795	ICWD-LA-ALL-DOD-OGOV	ICWD_STAT_CNT_5795	DLIS-BB	F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD OTHER GOVERNMENT THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.				
5796	ICWD-LA-ALL-DOD	ICWD_STAT_CNT_5796	DLIS-BB	F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY DOD ONLY.				
5797	ICWD-LA-ALL-CI-OGOV	ICWD_STAT_CNT_5797	DLIS-BB	F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL CIVIL OTHER GOVERNMENT THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.				
5798	ICWD-LA-ALL-CI	ICWD_STAT_CNT_5798	DLIS-BB	F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL CIVIL THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY CIVIL ONLY.				
5799	ICWD-LA-ALL-OGOV	ICWD_STAT_CNT_5799	DLIS-BB	F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ICWD LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY OTHER GOVERNMENT ONLY.

5800 ICWD-LA-FSC-DOD-CI-OGOV ICWD_STAT_CNT_5800 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL OTHER GOVERNMENT

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.

5801 ICWD-LA-FSC-DOD-CI ICWD_STAT_CNT_5801 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5802 ICWD-LA-FSC-DOD-OGOV ICWD_STAT_CNT_5802 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC DOD OTHER GOVERNMENT

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.

5803 ICWD-LA-FSC-DOD ICWD_STAT_CNT_5803 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC DOD

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC MANAGED BY DOD ONLY.

5804 ICWD-LA-FSC-CI-OGOV ICWD_STAT_CNT_5804 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC CIVIL OTHER GOVERNMENT

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5805 ICWD-LA-FSC-CI ICWD_STAT_CNT_5805 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC CIVIL

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTIC ASSIGNMENT BY FSC MANAGED BY CIVIL ONLY.

5806 ICWD-LA-FSC-OGOV ICWD_STAT_CNT_5806 DLIS-BB F INTEGER 8

ICWD LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT

THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTIC ASSIGNMENT BY FSC MANAGED BY OTHER GOVERNMENT ONLY.

5807 ICWS-LA-FSC-MNGD-MM ICWS_STAT_CNT_5807 DLIS-BB F INTEGER 8

ICWS LOGISTICS ASSIGNMENT FSC MANAGED

THE NUMBER OF MANAGED NSN WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC THAT HAVE MULTIPLE MANAGERS.

5808 ICWS-LA-FSC-MNGD-MMPC DLIS-BB F 8

ICWS LOGISTICS ASSIGNMENT FSC MANAGED

THE PERCENTAGE OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC THAT HAVE MULTIPLE MANAGERS.

5809 ICWS-LA-FSC-DOD-MM ICWS_STAT_CNT_5809 DLIS-BB F INTEGER 8

ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED

THE NUMBER OF DOD MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5810 ICWS-LA-FSC-DOD-MMPC DLIS-BB F 8

ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENTAGE OF DOD MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5811 ICWS-LA-FSC-CI-MM ICWS_STAT_CNT_5811 DLIS-BB F INTEGER 8
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED
THE NUMBER OF CIVIL MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5812 ICWS-LA-FSC-CI-MMPC DLIS-BB F 8
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED PERCENT
THE PERCENTAGE OF CIVIL MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5813 ICWS-LA-FSC-OGOV-MM ICWS_STAT_CNT_5813 DLIS-BB F INTEGER 8
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT MULTI-MANAGED
THE TOTAL NUMBER OF OTHER GOVERNMENT MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5814 ICWS-LA-FSC-OGOV-MMPC DLIS-BB F 8
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVT MULTI-MGD PERCENT
THE PERCENTAGE OF OTHER GOVERNMENT MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5815 PIC-ACTY-DIC-PRICD-ZER PIC_STAT_CNT_5815 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ZERO
THE QUANTITY OF PRIORITY INDICATOR CODE ZERO TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

5816 PIC-ACTY-DIC-STD-PCT-ZER DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD
THE ESTABLISHED STANDARD PERCENT FOR PIC 1 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY

5817 PIC-ACTY-DIC-ACL-PCT-ZER DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ZERO
THE ACTUAL PERCENT OF PIC O TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

5818 PIC-ACTY-DIC-DEV-PCT-ZER DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ZERO
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC O STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

5819 PIC-ACTY-PRICD-ZER PIC_STAT_CNT_5819 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC CODE ZERO
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY CODE OF ZERO FOR A SPECIFIC ACTIVITY.

5820 PIC-ACTY-STD-PCT-ZER DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ZERO
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ZERO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

5821 PIC-ACTY-ACL-PCT-ZER DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ZERO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ZERO FOR A SPECIFIC ACTIVITY.

5822 PIC-ACTY-DEV-PCT-ZER DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF OTHER DOD MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5834 ICDS-FSC-ALL-OD-MMPC DLIS-BB F 8
ICDS FSC ALL OTHER DOD MULTI-MANAGED PERCENT
THE PERCENT OF OTHER DOD MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5835 ICDS-FSC-ALL-LC-DOD-MM ICDS_STAT_CNT_5835 DLIS-BB F INTEGER 8
ICDS FSC ALL LEVEL OF AUTHORITY COMBINATION DOD MULTI-MGD
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF DOD MULTIPLE MANAGED NSNS.

5836 ICDS-FSC-ALL-LC-DOD-MMPC DLIS-BB F 8
ICDS FSC ALL LEVEL OF AUTH COMBINATION DOD MULTI-MGD PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5837 ICDS-FSC-ALL-LC-MS-MM ICDS_STAT_CNT_5837 DLIS-BB F INTEGER 8
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF MILITARY MULTIPLE MANAGED NSNS.

5838 ICDS-FSC-ALL-LC-MS-MMPC DLIS-BB F 8
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MGD PCT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5839 ICDS-FSC-ALL-LC-IM-MM ICDS_STAT_CNT_5839 DLIS-BB F INTEGER 8
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS.

5840 ICDS-FSC-ALL-LC-IM-MMPC DLIS-BB F 8
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MGD PCT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5841 ICDS-FSC-ALL-LC-OD-MM ICDS_STAT_CNT_5841 DLIS-BB F INTEGER 8
ICDS FSC ALL LEVEL OF AUTHORITY COMB OTHER DOD MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF OTHER DOD MULTI-MANAGED NSNS.

5842 ICDS-FSC-ALL-LC-OD-MMPC DLIS-BB F 8
ICDS FSC ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD PERCENT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5843 ICDS-IM-ALL-DOD-MM ICDS_STAT_CNT_5843 DLIS-BB F INTEGER 8
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5844 ISC-FSC-NSN-QTY-12 DLIS-BB F 8
ITEM STANDARDIZATION CODE FSC NSN QUANTITY 12
THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES BROKEN OUT BY ITEMS WITHOUT MANAGERS, ITEMS WITH MANAGERS U.S. GOVERNMENT, AND DOD.

5845 ITEMS-W-O-MANAGERS-12 DLIS-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ITEMS WITHOUT MANAGERS 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES WITHOUT MANAGERS FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5846 ITEMS-WITH-MANAGERS-12 DLIS-SBA F 8

ITEMS WITH MANAGERS 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES WITH MANAGERS FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5847 US-GOVERNMENT-12 DLIS-SBA F 8

UNITED STATES GOVERNMENT 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES FOR U.S. GOVERNMENT FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5848 DOD-12 DLIS-SBA F 8

DEPARTMENT OF DEFENSE 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES FOR DEPARTMENT OF DEFENSE FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5849 ICMD-LA-ALL-LC-ANM ICMD_STAT_CNT_5849 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5850 ICMD-LA-ALL-LC-AN ICMD_STAT_CNT_5850 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY BROKEN OUT BY LOA CODE COMBINATION.

5851 ICMD-LA-ALL-LC-AFM ICMD_STAT_CNT_5851 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5852 ICMD-LA-ALL-LC-AF ICMD_STAT_CNT_5852 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5853 ICMD-LA-ALL-LC-AM ICMD_STAT_CNT_5853 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5854 ICMD-LA-ALL-LC-A ICMD_STAT_CNT_5854 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY ARMY ONLY BROKEN OUT BY LOA CODE COMBINATIONS.

5855 ICMD-LA-ALL-LC-NFM ICMD_STAT_CNT_5855 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5856 ICMD-LA-ALL-LC-NF ICMD_STAT_CNT_5856 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5857 ICMD-LA-ALL-LC-NM ICMD_STAT_CNT_5857 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MARINE CO
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5858 ICMD-LA-ALL-LC-N ICMD_STAT_CNT_5858 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY NAVY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5859 ICDS-IM-ALL-DOD-MMPC DLIS-BB F 8

ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5860 ICDS-IM-ALL-MS-MM ICDS_STAT_CNT_5860 DLIS-BB F INTEGER 8

ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5861 ICMD-LA-ALL-LC-FM ICMD_STAT_CNT_5861 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5862 ICMD-LA-ALL-LC-F ICMD_STAT_CNT_5862 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY AIR FORCE ONLY BROKEN OUT BY LOA CODE COMBINATION.

5863 ICMD-LA-ALL-LC-M ICMD_STAT_CNT_5863 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY BROKEN OUT BY LOA CODE COMBINATION.

5864 ICMD-LA-FSC-ALL-ANFM ICMD_STAT_CNT_5864 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

5865 ICMD-LA-FSC-ALL-ANF ICMD_STAT_CNT_5865 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AIR FORCE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

5866 ICMD-LA-FSC-ALL-ANM ICMD_STAT_CNT_5866 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

5867 ICMD-LA-FSC-ALL-AN ICMD_STAT_CNT_5867 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

5869 ICMD-LA-FSC-ALL-AFM ICMD_STAT_CNT_5869 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASGMT FSC ALL ARMY AIR FORCE MARINE CORP

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

5870 ICMD-LA-FSC-ALL-AF ICMD_STAT_CNT_5870 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

5871 ICMD-LA-FSC-ALL-AM ICMD_STAT_CNT_5871 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

5872 ICMD-LA-FSC-ALL-A ICMD_STAT_CNT_5872 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY ARMY ONLY.

5873 ICMD-LA-FSC-ALL-NFM ICMD_STAT_CNT_5873 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIRFORCE MARINE C

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

5874 ICMD-LA-FSC-ALL-NF ICMD_STAT_CNT_5874 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

5875 ICMD-LA-FSC-ALL-NM ICMD_STAT_CNT_5875 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY MARINE CORPS

THE TOTAL NUMBER ON MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

5876 ICMD-LA-FSC-ALL-N ICMD_STAT_CNT_5876 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY.

5877 ICMD-LA-FSC-ALL-FM ICMD_STAT_CNT_5877 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

5878 ICMD-LA-FSC-ALL-F ICMD_STAT_CNT_5878 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY AIR FORCE.

5879 ICMD-LA-FSC-ALL-M ICMD_STAT_CNT_5879 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY MARINE CORPS.

5880 ICMD-LA-FSC-LC-ANFM ICMD_STAT_CNT_5880 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASIGNMENT FSC LOA COMBINATION ARMY NVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5881 ICMD-LA-FSC-LC-ANF ICMD_STAT_CNT_5881 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5882 ICMD-LA-FSC-LC-ANM ICMD_STAT_CNT_5882 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBIANTION ARMY NAVY MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5883 ICMD-LA-FSC-LC-AN ICMD_STAT_CNT_5883 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY BROKEN OUT BY LOA CODE COMBINATION.

5884 ICMD-LA-FSC-LC-AFM ICMD_STAT_CNT_5884 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5885 ICMD-LA-FSC-LC-AF ICMD_STAT_CNT_5885 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASGMT FSC LOA COMBINATION ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5886 ICMD-LA-FSC-LC-AM ICMD_STAT_CNT_5886 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MARINE CO

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5887 ICMD-LA-FSC-LC-A ICMD_STAT_CNT_5887 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY

THE TOTAL NUMBER ON MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY ARMY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5888 ICMD-LA-FSC-LC-NFM ICMD_STAT_CNT_5888 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5889 ICMD-LA-FSC-LC-NF ICMD_STAT_CNT_5889 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASGMT FSC LOA COMBINATION NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5890 ICMD-LA-FSC-LC-NM ICMD_STAT_CNT_5890 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBIANTION NAVY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5891 ICMD-LA-FSC-LC-N ICMD_STAT_CNT_5891 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5892 ICMD-LA-FSC-LC-FM ICMD_STAT_CNT_5892 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5893 ICMD-LA-FSC-LC-F ICMD_STAT_CNT_5893 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY AIR FORCE ONLY BROKEN OUT BY LOA CODE COMBINATION.

5894 ICMD-LA-FSC-LC-M ICMD_STAT_CNT_5894 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBINATION MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY MARINE CORPS ONLY BROKEN OUT BY LOA CODE COMBINATION.

5895 ICFS-FAA-ALL-MNGD-TOT ICFS_STAT_CNT_5895 DLIS-BB F INTEGER 8
ICFS FEDERAL AVIATION ADMINISTRATION ALL MULTI-MANAGED

THE TOTAL NUMBER OF NSNS MANAGED BY FEDERAL AVIATION ADMINISTRATION.

5896 ICFS-FAA-ALL-MNGD-MM ICFS_STAT_CNT_5896 DLIS-BB F INTEGER 8
ICFS FAA ALL MANAGED MULTI-MANAGED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF NSNS THAT FEDERAL AVIATION ADMINISTRATION MANAGES IN COMMON WITH DEFENSE LOGISTICS AGENCY, DEPARTMENT OF DEFENSE AND GENERAL SERVICES ADMINISTRATION.

5897 ICFS-FAA-ALL-MNGD-MMPC DLIS-BB F 8
ICFS FAA ALL MANAGED MULTI-MANAGED PERCENT
THE PERCENTAGE OF NSNS THAT FEDERAL AVIATION ADMINISTRATION MANAGES IN COMMON WITH DEFENSE LOGISTICS AGENCY, DEPARTMENT OF DEFENSE AND GENERAL SERVICES ADMINISTRATION.

5898 ICFS-DLA-ALL-MM ICFS_STAT_CNT_5898 DLIS-BB F INTEGER 8
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT DEFENSE LOGISTICS AGENCY MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5899 ICFS-DLA-ALL-MMPC DLIS-BB F 8
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT DEFENSE LOGISTICS AGENCY MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5900 DOD-A2C DLIS-SBA F 8
DOD A2C
DOD TOTAL FOR DRN 5896, NON ASSIGNED FSC MULTI MANAGED DEPARTMENT NSN QUANTITY A2C.

5901 ICFS-DOD-ALL-MM ICFS_STAT_CNT_5901 DLIS-BB F INTEGER 8
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT DEPARTMENT OF DEFENSE MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5902 ICFS-DOD-ALL-MMPC DLIS-BB F 8
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT DEPARTMENT OF DEFENSE MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5903 ICFS-GSA-ALL-TOTAL DLIS-BB F 8
ICFS GENERAL SERVICES ADMINISTRATION ALL TOTAL
THE TOTAL NUMBER OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5904 ICDS-IM-ALL-MS-MMPC DLIS-BB F 8
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MGD PCT
THE PERCENT OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5905 ICDS-IM-ALL-IM-MM ICDS_STAT_CNT_5905 DLIS-BB F INTEGER 8
ICDS INTEGRATED MANAGER ALL INTEGRATED MANAGER MULTI-MANAGED
THE TOTAL NUMBER OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5906 ICDS-IM-ALL-IM-MMPC DLIS-BB F 8
ICDS INTEGRATED MANAGER ALL INTEGRATED MGR MULTI-MGD PERCENT
THE PERCENT OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5907 ICDS-IM-ALL-OD-MM ICDS_STAT_CNT_5907 DLIS-BB F INTEGER 8
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

5908 ICDS-IM-ALL-OD-MMPC DLIS-BB F 8
 ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED PERCENT
 THE PERCENT OF OTHER DOD NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5909 ICDS-IM-ALL-LC-DOD-MM ICDS_STAT_CNT_5909 DLIS-BB F INTEGER 8
 ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED
 THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5910 ICDS-IM-ALL-LC-DOD-MMPC DLIS-BB F 8
 ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MGD PCT
 THE PERCENT OF DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5911 ICDS-IM-ALL-LC-MS-MM ICDS_STAT_CNT_5911 DLIS-BB F INTEGER 8
 ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD
 THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF MILITARY MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5912 ICDS-IM-ALL-LC-MS-MMPC DLIS-BB F 8
 ICDS INTEGRATED MGR ALL LOA COMB MILITARY SVC MULTI-MGD PCT
 THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5913 ICDS-IM-ALL-LC-IM-MM ICDS_STAT_CNT_5913 DLIS-BB F INTEGER 8
 ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD
 THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5914 ICDS-IM-ALL-LC-IM-MMPC DLIS-BB F 8
 ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD PT
 THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5915 ICDS-IM-ALL-LC-OD-MM ICDS_STAT_CNT_5915 DLIS-BB F INTEGER 8
 ICDS IM ALL LOA COMBINATION OTHER DOD MULTI-MANAGED
 THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF OTHER DOD MANAGED NSNS WITHIN ASSIGNED CLASSES.

5916 ICDS-IM-ALL-LC-OD-MMPC DLIS-BB F 8
 ICDS IM ALL LOA COMBINATION OTH DOD MULTI-MANAGED PERCENT
 THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS OF EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5917 ICDS-LA-ALL-DOD-MM ICDS_STAT_CNT_5917 DLIS-BB F INTEGER 8
 ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED
 TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5918 ICDS-LA-ALL-DOD-MMPC DLIS-BB F 8
 ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT
 THE PERCENT OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5919 ICDS-LA-ALL-MS-MM ICDS_STAT_CNT_5919 DLIS-BB F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5920 ICDS-LA-ALL-MS-MMPC DLIS-BB F 8
ICDS LOGISTICS ASSIGNMENT ALL MIL SVC MULTI-MANAGED PERCENT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5921 ICDS-LA-ALL-IM-MM ICDS_STAT_CNT_5921 DLIS-BB F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MANAGED
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5922 ICDS-LA-ALL-IM-MMPC DLIS-BB F 8
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MGND PCT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5923 ICDS-LA-ALL-OD-MM ICDS_STAT_CNT_5923 DLIS-BB F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5924 ICDS-LA-ALL-OD-MMPC DLIS-BB F 8
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MGD PERCENT
THE PERCENT OF OTHER DOD MULTIPLE NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5925 ICDS-LA-ALL-LC-DOD-MM ICDS_STAT_CNT_5925 DLIS-BB F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5926 ICDS-LA-ALL-LC-DOD-MMPC DLIS-BB F 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MGD PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS, WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5927 ICDS-LA-ALL-LC-MS-MM ICDS_STAT_CNT_5927 DLIS-BB F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5928 ICDS-LA-ALL-LC-MS-MMPC DLIS-BB F 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS, WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5929 ICDS-LA-ALL-LC-IM-MM ICDS_STAT_CNT_5929 DLIS-BB F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTEGRTD MGR MULTI-MG
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5930 ICDS-LA-ALL-LC-IM-MMPC DLIS-BB F 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTG MGR MM PERCENT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5931 ICDS-LA-ALL-LC-OD-MM ICDS_STAT_CNT_5931 DLIS-BB F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5932 ICDS-LA-ALL-LC-OD-MMPC DLIS-BB F 8
ICDS-LOG ASSIGN ALL LEVEL OF AUTH COMB OTH DOD MULTI-MGD PCT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5933 ICDS-LA-FSC-ALL-DOD-MM ICDS_STAT_CNT_5933 DLIS-BB F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5934 ICDS-LA-FSC-ALL-DOD-MMPC DLIS-BB F 8
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED PERCENT
THE TOTAL NUMBER OF DOD MULTIPLE NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5935 ICDS-LA-FSC-ALL-MS-MM ICDS_STAT_CNT_5935 DLIS-BB F INTEGER 8
ICDS LOG ASSIGN FSC ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5936 ICDS-LA-FSC-ALL-MS-MMPC DLIS-BB F 8
ICDS LOG ASSIGN FSC ALL MIL SVC MULTI-MANAGED PERCENT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5937 ICDS-LA-FSC-ALL-IM-MM ICDS_STAT_CNT_5937 DLIS-BB F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MGR MULTI-MGD
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5938 ICDS-LA-FSC-ALL-IM-MMPC DLIS-BB F 8
ICDS LOGISTICS ASSIGN FSC ALL INTEGRATED MGR MULTI-MGD PCT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5939 ICDS-LA-FSC-ALL-OD-MM ICDS_STAT_CNT_5939 DLIS-BB F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5940 ICDS-LA-FSC-ALL-OD-MMPC DLIS-BB F 8
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MGD PCT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5941 ICDS-LA-FSC-LC-DOD-MM ICDS_STAT_CNT_5941 DLIS-BB F INTEGER 8
 ICDS LOGISTICS ASSIGNMENT FSC LEVEL OF AUTH COMB DOD MM
 THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC, WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5942 ICDS-LA-FSC-LC-DOD-MMPC DLIS-BB F 8
 ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB DOD MULTI-MGD PCT
 THE PERCENT OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5943 ICDS-LA-FSC-LC-MS-MM ICDS_STAT_CNT_5943 DLIS-BB F INTEGER 8
 ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD
 THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION WITHIN A SPECIFIC FSC, WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5944 ICDS-LA-FSC-LC-MS-MMPC DLIS-BB F 8
 ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT
 THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5945 ICDS-LA-FSC-LC-IM-MM ICDS_STAT_CNT_5945 DLIS-BB F INTEGER 8
 ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB INTGRD MGR MULTI-MGD
 THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5946 ICDS-LA-FSC-LC-IM-MMPC DLIS-BB F 8
 ICDS LOG ASSIGN FSC LOA INTEGRATED MGR MULTI-MGD PERCENT
 THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5947 ICDS-LA-FSC-LC-OD-MM ICDS_STAT_CNT_5947 DLIS-BB F INTEGER 8
 ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB OTHER DOD MULTI-MGD
 THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC, WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5948 ICDS-LA-FSC-LC-OD-MMPC DLIS-BB F 8
 ICDS LOG ASSIGN FSC LOA COMB OTHER DOD MULTI-MGD PERCENT
 THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5949 ICDD-FSC-ALL-MS-IM-OD ICDD_STAT_CNT_5949 DLIS-BB F INTEGER 8
 ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY, INTEGRATED MANAGER AND OTHER DOD.

5950 ICDD-FSC-ALL-MS-IM ICDD_STAT_CNT_5950 DLIS-BB F INTEGER 8
 ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER
 THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY AND INTEGRATED MANAGER.

5951 ICDD-FSC-ALL-MS-OD ICDD_STAT_CNT_5951 DLIS-BB F INTEGER 8
 ICDD FSC ALL MILITARY SERVICE OTHER DOD

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY AND OTHER DOD.

5952 ICDD-FSC-ALL-MS ICDD_STAT_CNT_5952 DLIS-BB F INTEGER 8
ICDD FSC ALL MILITARY SERVICE
THE TOTAL NUMBER DOD NSNS MANAGED BY THE MILITARY ONLY.

5953 ICDD-FSC-ALL-IM-OD ICDD_STAT_CNT_5953 DLIS-BB F INTEGER 8
ICDD FSC ALL INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

5954 ICDD-FSC-ALL-IM ICDD_STAT_CNT_5954 DLIS-BB F INTEGER 8
ICDD FSC ALL INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS THAT ARE MANAGED BY THE INTEGRATED MANAGER ONLY.

5955 ICDD-FSC-ALL-OD ICDD_STAT_CNT_5955 DLIS-BB F INTEGER 8
ICDD FSC ALL OTHER DOD
THE TOTAL NUMBER OF DOD NSNS THAT ARE MANAGED BY OTHER DOD ONLY.

5956 ICDD-FSC-ALL-LC-MS-IM-OD ICDD_STAT_CNT_5956 DLIS-BB F INTEGER 8
ICDD FSC ALL LOA COMB MIL SVC INTEGRATED MGR OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT OF MILITARY,
INTEGRATED MANAGER AND OTHER DOD.

5957 ICDD-FSC-ALL-LC-MS-IM ICDD_STAT_CNT_5957 DLIS-BB F INTEGER 8
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY AND
INTEGRATED MANAGER.

5958 ICDD-FSC-ALL-LC-MS-OD ICDD_STAT_CNT_5958 DLIS-BB F INTEGER 8
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY AND
OTHER DOD.

5959 ICDD-FSC-ALL-LC-MS ICDD_STAT_CNT_5959 DLIS-BB F INTEGER 8
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE MILITARY SERVICES
ONLY.

5960 ICDD-FSC-ALL-LC-IM-OD ICDD_STAT_CNT_5960 DLIS-BB F INTEGER 8
ICDD-FSC ALL LOA COMBINATION INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED
MANAGER AND OTHER DOD.

5961 ICDD-FSC-ALL-LC-IM ICDD_STAT_CNT_5961 DLIS-BB F INTEGER 8
ICDD FSC ALL LOA COMBINATION INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

5962 ICDD-FSC-ALL-LC-OD ICDD_STAT_CNT_5962 DLIS-BB F INTEGER 8
ICDD FSC ALL LOA COMBINATION OTHER DOD

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY OTHER DOD ONLY.

5963 ICDD-IM-ALL-MS-IM-OD ICDD_STAT_CNT_5963 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL MIL SVC INTEGRATED MGR OTHER DOD
THE TTOAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES, INTE-
GRATED MANAGER AND OTHER DOD.

5964 ICDD-IM-ALL-MS-IM ICDD_STAT_CNT_5964 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL MILITARY SVCS INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND
INTEGRATED MANAGER.

5965 ICDD-IM-ALL-MS-OD ICDD_STAT_CNT_5965 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND OTHER
DOD.

5966 ICDD-IM-ALL-MS ICDD_STAT_CNT_5966 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY MILITARY SERVICES ONLY.

5967 ICDD-IM-ALL-IM-OD ICDD_STAT_CNT_5967 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND
OTHER DOD.

5968 ICDD-IM-ALL-IM ICDD_STAT_CNT_5968 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE INTEGRATED MANAGER ONLY.

5969 ICDD-IM-ALL-OD ICDD_STAT_CNT_5969 DLIS-BB F INTEGER 8
ICDD INTEGRATED MANAGER ALL OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY OTHER DOD ONLY.

5970 LGRN-INQRY-DEPT-QTY DLIS-SBA F 8
LOGRUN INQUIRY DEPARTMENT QUANTITY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED FOR INQUIRIES FOR DEPARTMENT.

5971 LGRN-INQRY-DEPT-PCT DLIS-V F 8
LOGRUN INQUIRY DEPARTMENT PERCENT
THE PERCENT OF LOGRUN INQUIRIES FOR DEPARTMENT.

5972 LRN-C-NIIN-CAN-MTHLY DLIS-BB F 8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5973 LRN-C-NIIN-CAN-QTRLY DLIS-BB F 8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5974	LRN-C-NIIN-CAN-YRLY		DLIS-BB	F		8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR YEARLY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.						
5975	LRN-C-NIIN-ACTY-DLY	LRN_STAT_CNT_5975	DLIS-BB	F	INTEGER	8
LOGRUN CAGE NIIN INQ ACTIVITY DAILY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.						
5976	LRN-C-NIIN-ACTY-WKLY		DLIS-BB	F		8
LOGRUN CAGE NIIN INQ ACTIVITY WEEKLY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.						
5977	LGRN-CAGE-OL-INQRY-DP-QT		DLIS-SBA	F		8
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT QUANTITY						
THE NUMBER OF TIMES THE LOGRUN HAS BEEN ACCESSED FOR CAGE CODES INQUIRIES FOR DEPARTMENT.						
5978	LRN-C-NIIN-ACTY-MTHLY		DLIS-BB	F		8
LOGRUN CAGE NIIN INQ ACTIVITY MONTHLY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.						
5979	LRN-C-NIIN-ACTY-QTRLY		DLIS-BB	F		8
LOGRUN CAGE NIIN INQ ACTIVITY QUARTERLY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.						
5980	LGRN-CHAR-UPDT-DEPT-QTY		DLIS-SBA	F		8
LOGRUN CHARACTERISTICS UPDATE DEPARTMENT QUANTITY						
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS DATA INQUIRIES FOR DEPARTMENT.						
5981	LGRN-CHS-INQRY-DEPT-QTY		DLIS-V	F		8
LOGRUN CHARACTERISTICS INQUIRY DEPARTMENT QUANTITY						
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS SEARCH INQUIRIES WITH LESS THAN 100 NIINS RETURNED FOR DEPARTMENT FOR ACTIVITY.						
5982	LGRN-CST-INQRY-DEPT-QTY		DLIS-SBA	F		8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUANTITY						
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS SEARCH INQUIRIES WITH OVER 100 NIINS RETURNED FOR DEPARTMENT FOR ACTIVITY.						
5983	LRN-C-NIIN-DEPT-DLY	LRN_STAT_CNT_5983	DLIS-BB	F	INTEGER	8
LOGRUN CAGE NIIN INQ DEPARTMENT DAILY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.						
5984	LRN-C-NIIN-DEPT-WKLY		DLIS-BB	F		8
LOGRUN CAGE NIIN DEPARTMENT WEEKLY						
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.						
5985	LGRN-TEST-ACCESS-DEPT-QT		DLIS-SBA	F		8
LOGRUN TEST ACCESS DEPARTMENT QUANTITY						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE NUMBER OF TIMES THE TEST DATA BASE IS ACCESSED THROUGH LOGRUN FOR DEPARTMENT FOR ACTIVITY.

5986 LRN-C-NIIN-DEPT-MTHLY DLIS-BB F 8
LOGRUN CAGE NIIN INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5987 LRN-C-NIIN-DEPT-QTRLY DLIS-BB F 8
LOGRUN CAGE NIIN INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5988 LRN-C-NIIN-DEPT-YRLY DLIS-BB F 8
LOGRUN CAGE NIIN INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5989 LRN-C-NIIN-DLY-TOT LRN_STAT_CNT_5989 DLIS-BB F INTEGER 8
LOGRUN CAGE NIIN INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5990 LRN-C-NIIN-WKLY-TOT DLIS-BB F 8
LOGRUN CAGE NIIN INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITIES AND CUSTOMER ACCOUNT NUMBER.

5991 LRN-C-NIIN-MTHLY-TOT DLIS-BB F 8
LOGRUN CAGE NIIN INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5992 LRN-C-NIIN-QTRLY-TOT DLIS-BB F 8
LOGRUN CAGE NIIN INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5993 LRN-C-NIIN-YRLY-TOT DLIS-BB F 8
LOGRUN CAGE NIIN INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5994 L-CAGE-OL-IQY-DP-ACT-QTY DLIS-SBA F 8
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT ACTIVITY QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CAGE CODES FOR DEPARTMENT FOR ACTIVITY.

5995 LRN-PROC-CAN-MTHLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER MNTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

5996 LRN-C-RNL-CAN-DLY DLIS-BB F 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5997 LRN-C-RNL-CAN-WKLY DLIS-BB F 8

LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5998 LRN-C-RNL-CAN-MTHLY DLIS-BB F 8

LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5999 LRN-C-RNL-CAN-QTRLY DLIS-BB F 8

LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6000 AGCY-LOCA-CD AGCY_LOCA_CD_6000 DLIS-S F CHAR 8

AGENCY LOCATOR CODE (ALC)
THE INTERNAL FEDERAL GOVERNMENT PAYMENT CODE USED TO LOCATE INTER-AGENCY TRANSACTIONS.

6001 CCR-AIR-WTR-CRTFN-CD AIR_WTR_CRTFN_6001 DLIS-SBC F CHAR 1

CENTRAL CONTRACTOR REGISTRATION AIR WATER CERTIFICATION CODE
THE CODE THAT REPRESENTS A FLAG THAT CERTIFIES WHETHER THE TRADING PARTNER PERFORMANCE IS LISTED ON THE ENVIRONMENTAL PROTECTION AGENCY LIST OF VIOLATING FACILITIES. VALID VALUES: Y = YES, N = NO

6002 AM-DLR-THRESHLD-CNTR-TYP AM_CNTR_TYP_6002 DLIS-SBC F CHAR 1

CENTRAL CONTRACTOR REGISTRATION AMOUNT DOLLAR THRESHOLD CONTRACT TYPE CODE
THE CODE THAT REPRESENTS THE DOLLAR THRESHOLDS AND CONTRACT TYPES THAT BEST REPRESENT THE TYPE OF SOLICITATIONS A COMPANY WILL RESPOND TO WITHIN A GIVEN YEAR. CODES: A = UNDER \$2,500, B = \$2,500 TO \$100,000, C = OVER \$100,000 COMMERCIAL ITEMS ONLY, D = OVER \$100,000 COMPETITIVE, E = ALL OF THE ABOVE

6003 CCR-SM-BUS-AUTH-ADRS-CD AUTH_ADRS_CD_6003 DLIS-SBC F CHAR 1

CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORIZATION ADDRESS CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE SMALL BUSINESS CONCERN IS LOCATED IN A REGION FOR WHICH A SMALL DISADVANTAGED BUSINESS PROCUREMENT MECHANISM IS AUTHORIZED AND ITS ADDRESS HAS NOT CHANGED SINCE ITS CERTIFICATION. VALID VALUES: Y = YES, N = NO

6004 CCR-BCDP-TIC-CD BCDP_TIC_CD_6004 DLIS-SBC F CHAR 1

CENTRAL CONTRACTOR REGISTRATION BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM TARGETED INDUSTRY CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE SMALL BUSINESS CONCERN IS IN THE TARGETED INDUSTRY SMALL BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM. VALID VALUES: Y = YES, N = NO

6005 CCR-BCDP-TYP-CD BCDP_TYP_6005 DLIS-SBC F CHAR 1

CENTRAL CONTRACTOR REGISTRATION BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM TYPE CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE SMALL BUSINESS CONCERN IS IN THE SMALL BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM. VALID VALUES: Y = YES, N = NO

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6006 TRDNG-PRTNR-BLACK-COLG BLACK_COLG_CD_6006 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER BLACK COLLEGE CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER IS A HISTORICALLY BLACK COLLEGE OR UNIVERSITY. VALID VALUES: Y = YES, N = NO

6007 TXC-CHEM-RELE-CRTFN-CD CHEM_CRTFN_CD_6007 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TOXIC CHEMICAL RELEASE CERTIFICATION CODE
THE CODE THAT REPRESENTS A FLAG THAT CERTIFIES WHETHER THE TRADING PARTNER, IN ACCORDANCE WITH FAR 52.223-13, CERTIFICATION OF TOXIC CHEMICAL RELEASE REPORTING, AS OWNER OR OPERATOR OF FACILITIES THAT WILL BE USED IN PERFORMANCE THAT ARE SUBJECT TO THE FILING AND REPORTING REQUIREMENTS DESCRIBED IN SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986, WILL FILE AND CONTINUE TO FILE FOR SUCH FACILITIES FOR LIFE OF THE CONTRACT OF THE TOXIC CHEMICAL RELEASE INVENTORY FORM (FORM R). VALID VALUES: Y = YES, N = NO

6008 FACTY-EMPL-RQM-EXMPN-IND EMPL_EXMPN_CD_6008 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION FACILITY EMPLOYEE REQUIREMENT EXEMPTION INDICATOR CODE
THE CODE THAT REPRESENTS AN INDICATOR THAT, IF TRUE, THE TRADING PARTNER, IS EXEMPT FROM FILING FORM R AND REPORTING REQUIREMENTS BECAUSE THE FACILITY DOES NOT HAVE 10 OR MORE FULL-TIME EMPLOYEES AS SPECIFIED IN SECTION 313(b)(1)(A) OF EPCRA, 42 U.S.C. 11023(b)(1)(A). VALID VALUES: T = TRUE, F = FALSE

6009 FACTY-LOC-RQM-EXMPN-IND LOC_EXMPN_CD_6009 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION FACILITY LOCATION REQUIREMENT EXEMPTION INDICATOR CODE
THE CODE THAT REPRESENTS AN INDICATOR THAT, IF TRUE, THE TRADING PARTNER, IS EXEMPT FROM FILING FORM R AND REPORTING REQUIREMENTS BECAUSE THE FACILITY IS NOT LOCATED WITHIN ANY STATE OF THE UNITED STATES, THE DISTRICT OF COLUMBIA, THE COMMONWEALTH OF PUERTO RICO, GUAM, AMERICAN SAMOA, THE UNITED STATES VIRGIN ISLANDS, THE NORTHERN MARIANA ISLANDS, OR ANY OTHER TERRITORY OR POSSESSION OVER WHICH THE UNITED STATES HAS JURISDICTION. VALID VALUES: T = TRUE, F = FALSE

6010 FACTY-CHEM-RQM-EXMPN-IND CHEM_EXMPN_CD_6010 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION FACILITY CHEMICAL REQUIREMENT EXEMPTION INDICATOR CODE
THE CODE THAT REPRESENTS AN INDICATOR THAT, IF TRUE, THE TRADING PARTNER, IS EXEMPT FROM FILING FORM R AND REPORTING REQUIREMENTS BECAUSE THE FACILITY DOES NOT MANUFACTURE, PROCESS, OR OTHERWISE USE ANY TOXIC CHEMICALS LISTED UNDER SECTION 313 OF EPCRA, 42 U.S.C. 11023. VALID VALUES: T = TRUE, F = FALSE

6011 FACTY-SIC-RQM-EXMPN-IND SIC_EXMPN_CD_6011 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION FACILITY STANDARD INDUSTRIAL CLASSIFICATION REQUIREMENT EXEMPTION INDICATOR CODE
THE CODE THAT REPRESENTS AN INDICATOR THAT, IF TRUE, THE TRADING PARTNER, IS EXEMPT FROM FILING FORM R AND REPORTING REQUIREMENTS BECAUSE THE FACILITY DOES NOT FALL WITHIN STANDARD INDUSTRIAL CLASSIFICATION CODE (SIC) DESIGNATIONS 20 THROUGH 39 AS SET FORTH IN SECTION 19.102 OF THE FEDERAL ACQUISITION REGULATION. VALID VALUES: T = TRUE, F = FALSE

6012 FACTY-THRS-RQM-EXMPN-IND THRS_EXMPN_CD_6012 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION FACILITY THRESHOLD REQUIREMENT EXEMPTION INDICATOR CODE
THE CODE THAT REPRESENTS AN INDICATOR THAT, IF TRUE, THE TRADING PARTNER, IS EXEMPT FROM FILING FORM R AND REPORTING REQUIREMENTS BECAUSE THE FACILITY DOES NOT MEET THE REPORTING THRESHOLDS OF TOXIC CHEMICALS ESTABLISHED UNDER SECTION 313(f) OF EPCRA, 42 U.S.C. 11023(f). VALID VALUES: T = TRUE, F = FALSE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6013 CNTR-AWARD-FAF-CRTFN-CD FAF_CRTFN_CD_6013 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION CONTRACT AWARD FEDERAL APPROPRIATED FUND CERTIFI-
CATION CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER CERTIFIES TO THE BEST OF ITS KNOWLEDGE AND BELIEF THAT NO FEDERAL APPROPRIATED FUNDS HAVE BEEN PAID OR WILL BE PAID TO ANY PERSON FOR INFLUENCING OR ATTEMPTING TO INFLUENCE AN OFFICER OR EMPLOYEE OF ANY AGENCY, A MEMBER OF CONGRESS, AN OFFICER OR EMPLOYEE OF CONGRESS ON HIS OR HER BEHALF IN CONNECTION WITH THE AWARD OF ANY RESULTANT CONTRACT. VALID VALUES: Y = YES, N = NO

6014 TRDNG-PRTNR-CRIME-IND-CD CRIME_IND_CD_6014 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER CRIME INDICATOR CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER IS PRESENTLY INDICTED FOR, OR OTHERWISE CRIMINALLY OR CIVILY CHARGED BY A GOVERNMENT ENTITY WITH, COMMISSION OF ANY OF THESE OFFENSES. VALID VALUES: Y = YES, N = NO

6015 TRDNG-PRTNR-CRIME-STAT CRIME_STAT_CD_6015 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER CRIME STATUS CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER WITHIN A THREE YEAR PERIOD PRECEDING THIS OFFER, HAS BEEN CONVICTED OF OR HAD A CIVIL JUDGEMENT RENDERED AGAINST THEM. VALID VALUES: Y = YES, N = NO

6016 CCR-AWRD-CRTFN-DBRMT-CD AWRD_DBRMT_CD_6016 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION AWARD CERTIFICATION DEBARMENT CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER AND/OR ANY OF ITS PRINCIPALS ARE PRESENTLY DEBARRED, SUSPENDED, PROPOSED FOR DEBARMENT, OR DECLARED INELIGIBLE FOR THE AWARD OF CONTRACTS BY ANY FEDERAL AGENCY. VALID VALUES: Y = YES, N = NO

6017 TRDNG-PRTNR-EMRG-SMBUS EMRG_SMBUS_CD_6017 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER EMERGING SMALL BUSINESS CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER IS AN EMERGING SMALL BUSINESS. VALID VALUES: Y = YES, N = NO

6018 CCR-EO-VIOLTN-CD EO_VIOLTN_CD_6018 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY VIOLATION CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER AGREES THAT A BREACH OF THIS CERTIFICATION IS A VIOLATION OF THE EQUAL OPPORTUNITY CLAUSE. VALID VALUES: Y = YES, N = NO

6019 SOLCTN-EO-CLAUS-CNTR-CD EO_CLAUS_CNTR_6019 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SOLICITATION EQUAL OPPORTUNITY CLAUSE CONTRACT
CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER HAS PARTICIPATED IN A PREVIOUS CONTRACT OR SUBCONTRACT SUBJECT TO THE EQUAL OPPORTUNITY CLAUSE OF THIS SOLICITATION. VALID VALUES: Y = YES, N = NO

6020 CCR-EO-FACTY-SEGRGTN-IND EO_SEGRGTN_CD_6020 DLIS-SBC F CHAR 2
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY FACILITY SEGREGATION INDICATOR
CODE

THE CODE INDICATING THAT TRADING PARTNER CERTIFIES THAT IT WILL / WILL NOT MAINTAIN OR PROVIDE FOR ITS EMPLOYEES, ANY FACILITIES THAT ARE SEGREGATED ON THE BASIS OF RACE, COLOR, RELIGION, OR NATIONAL ORIGIN BECAUSE OF HABIT, LOCAL CUSTOM, OR OTHERWISE AND THAT IT DOES NOT AND WILL NOT PERMIT ITS EMPLOYEES TO PERFORM THEIR SERVICES AT ANY LOCATION WHERE SEGREGATED FACILITIES ARE MAINTAINED. VALID VALUES: YY = CERTIFIES IT WILL, YN = CERTIFIES IT WILL NOT, NY = DOES NOT CERTIFY IT WILL, NN = DOES NOT CERTIFY IT WILL NOT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6021 CCR-CNTR-RQMTS-CD CNTR_RQMTS_CD_6021 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION CONTRACT REQUIREMENTS CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER HAS PREVIOUSLY HAD CONTRACTS SUBJECT TO THE WRITTEN AFFIRMATIVE ACTION PROGRAMS REQUIREMENTS OF THE RULES AND REGULATIONS OF THE SECRETARY OF LABOR. VALID VALUES: Y = YES, N = NO

6022 CCR-EO-PGM-ESTBMT-IND-CD EO_PGM_ESTBMT_6022 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY PROGRAM ESTABLISHMENT INDICATOR CODE
THE CODE INDICATING THAT TRADING PARTNER HAS DEVELOPED AND HAS ON FILE AT EACH ESTABLISHMENT, AFFIRMATIVE ACTION PROGRAMS REQUIRED BY RULES AND REGULATIONS OF THE SECRETARY OF LABOR (41 CFR PARTS 60-1 AND 60-2). VALID VALUES: Y = YES, N = NO

6023 EO-BRD-RPT-RQMT-IND-CD EO_BRD_RPT_CD_6023 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY BOARD REPORT REQUIREMENT INDICATOR CODE
THE CODE INDICATING THAT TRADING PARTNER HAS FILED ALL REQUIRED COMPLIANCE REPORTS WITH THE EQUAL OPPORTUNITY BOARD. VALID VALUES: Y = YES, N = NO

6024 CCR-ESTCR-SALE-IND-CD ESTCR_SALE_CD_6024 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION ELECTRIC SERVICE TERRITORY COMPLIANCE REPRESENTATION SALE INDICATOR CODE
THE CODE INDICATING THAT TRADING PARTNER, IN ACCORDANCE WITH 52.241-1, ELECTRIC SERVICE TERRITORY COMPLIANCE REPRESENTATION (FEB 1995), SALE OF ELECTRICITY IS CONSISTENT WITH PUBLIC LAW 100-202, SECTION 8093. VALID VALUES: Y = YES, N = NO

6025 CCR-ESTCR-SALE-RTNL-TX ESTCR_SALE_TX_6025 DLIS-SBC F CHAR 250
CENTRAL CONTRACTOR REGISTRATION ELECTRIC SERVICE TERRITORY COMPLIANCE REPRESENTATION SALE RATIONALE TEXT
THE TEXT OF THE SUPPORTING RATIONALE FOR, IN ACCORDANCE WITH 52.241-1, ELECTRIC SERVICE TERRITORY COMPLIANCE REPRESENTATION (FEB 1995), THE SALE OF ELECTRICITY IS CONSISTENT WITH PUBLIC LAW 100-202, SECTION 8093.

6026 CCR-HUBZ-SMBUS-IND-CD HUBZ_SMBUS_CD_6026 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION HUBZone SMALL BUSINESS INDICATOR CODE
THE CODE INDICATING WHETHER OR NOT A TRADING PARTNER IS A HUBZone SMALL BUSINESS CONCERN IN ACCORDANCE WITH 13 CFR PART 126. VALID VALUES: Y = YES, N = NO

6027 HUBZ-JOINT-VNTR-SM-BUS HUBZ_JOINTBUS_6027 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION HUBZone JOINT VENTURE SMALL BUSINESS CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER OR NOT A TRADING PARTNER WHO IS A HUBZone SMALL BUSINESS CONCERN IN ACCORDANCE WITH 13 CFR PART 126 IS ALSO A JOINT VENTURE. VALID VALUES: Y = YES, N = NO

6028 HUBZ-JOINT-VNTR-SM-BUS-1 HUBZ_JOINTNM1_6028 DLIS-SBC F CHAR 60
CENTRAL CONTRACTOR REGISTRATION HUBZone JOINT VENTURE SMALL BUSINESS 1 NAME
THE NAME OF THE HUBZone SMALL BUSINESS CONCERN OR CONCERNS THAT ARE PARTICIPATING IN THE JOINT VENTURE.

6029 HUBZ-JOINT-VNTR-SM-BUS-2 HUBZ_JOINTNM2_6029 DLIS-SBC F CHAR 60
CENTRAL CONTRACTOR REGISTRATION HUBZone JOINT VENTURE SMALL BUSINESS 2 NAME
THE CONTINUATION OF, OR THE SECOND NAME OF THE HUBZone SMALL BUSINESS CONCERN OR CONCERNS THAT ARE PARTICIPATING IN THE JOINT VENTURE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6030 CCR-JOINT-VNTR-RQMTS-IND JOINT_VNTR_CD_6030 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION JOINT VENTURE REQUIREMENTS INDICATOR CODE
THE CODE INDICATING THAT THE TRADING PARTNER IS A JOINT VENTURE THAT COMPLIES WITH THE REQUIREMENTS FOUND IN 13 CFR 124.1002(F). VALID VALUES: Y = YES, N = NO

6031 JOINT-VNTR-SM-BUS-CNCRN JOINT_VNTR_NM_6031 DLIS-SBC F CHAR 60
CENTRAL CONTRACTOR REGISTRATION JOINT VENTURE SMALL BUSINESS CONCERN NAME
THE NAME OF THE SMALL DISADVANTAGED BUSINESS CONCERN THAT IS PARTICIPATING IN THE JOINT VENTURE.

6032 CCR-MFG-PROD-CST-LSA-AR LSA_6032 DLIS-SBC F CHAR 50
CENTRAL CONTRACTOR REGISTRATION MANUFACTURING PRODUCTION COST LABOR SURPLUS AREA
THE LABOR SURPLUS AREA (LSA) IN WHICH THE COSTS TO BE INCURRED ON ACCOUNT OF MANUFACTURING OR PRODUCTION AMOUNT TO MORE THAN 50 PERCENT OF THE CONTRACT PRICE FOR A SMALL BUSINESS CONCERN.

6033 TRDNG-PRTNR-MNRTY-INST MNRTY_INST_CD_6033 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER MINORITY INSTITUTION CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER IS A MINORITY INSTITUTION. VALID VALUES: Y = YES, N = NO

6034 NBR-TRDNG-PRTNR-EMPL-RNG NBR_EMPL_CD_6034 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION NUMBER TRADING PARTNER EMPLOYEES RANGE CODE
THE CODE THAT REPRESENTS THE RANGE OF THE TRADING PARTNERS NUMBER OF EMPLOYEES FOR THE PAST TWELVE MONTHS. CODES: A = 50 OR FEWER, B = 51 - 100, C = 101 - 250, D = 251 - 500, E = 501 - 750, F = 751 - 1000, G = OVER 1000

6035 CCR-PARNT-ORG-OWN-CTL-CD PARNT_CTL_CD_6035 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION PARENT ORGANIZATION OWNED CONTROLLED CODE
THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER IS OWNED OR CONTROLLED BY A PARENT ORGANIZATION. CODES: Y INDICATES YES, N INDICATES NO PARENT

6036 CCR-PARNT-CTL-TIN-ID PARNT_CTL_TIN_6036 DLIS-SBC F CHAR 9
CENTRAL CONTRACTOR REGISTRATION PARENT CONTROLLING TAXPAYER IDENTIFICATION NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE LEGAL TAXPAYER IDENTIFICATION NUMBER (TIN) OF A CONTROLLING PARENT OF A CCR TRADING PARTNER.

6037 CCR-SBA-CRTFN-IND-CD SBA_CRTFN_CD_6037 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS ADMINISTRATION CERTIFICATION INDICATOR CODE
THE CODE INDICATING THAT THE TRADING PARTNER IS CERTIFIED BY THE SMALL BUSINESS ADMINISTRATION AS A SMALL DISADVANTAGED BUSINESS CONCERN AND IS LISTED ON THE REGISTER OF SMALL BUSINESS CONCERNS. VALID VALUES: Y = YES, N = NO

6038 CCR-SM-BUS-CNCRN-IND-CD SM_BUS_CNCRN_6038 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS CONCERN INDICATOR CODE
THE CODE INDICATING WHETHER OR NOT A TRADING PARTNER IS A SMALL BUSINESS CONCERN. VALID VALUES: Y = YES, N = NO

6039 SM-DISADV-BUS-CNCRN-IND SM_DISADV_BUS_6039 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SMALL DISADVANTAGED BUSINESS CONCERN INDICATOR CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE CODE INDICATING THAT THE TRADING PARTNER IS A SMALL DISADVANTAGED BUSINESS CONCERN AS DEFINED IN 13 CFR 124.1002. VALID VALUES: Y = YES, N = NO

6040 SM-DISADV-BUS-CNCRN-TYP SM_DISADV_TYP_6040 DLIS-SBC F CHAR 2
CENTRAL CONTRACTOR REGISTRATION SMALL DISADVANTAGED BUSINESS CONCERN TYPE CODE

THE CODE INDICATING THE CATEGORY OF A SMALL DISADVANTAGED BUSINESS CONCERN AS DEFINED IN 13 CFR 124.1002. VALID VALUES: BA - BLACK AMERICAN, HA = HISPANIC AMERICAN, NA = NATIVE AMERICAN, AA = ASIAN-PACIFIC AMERICAN, SA = SUBCONTINENT ASIAN AMERICAN, IC = INDIVIDUAL CONCERN, OTHER THEN ONE OF THE PROCEEDING.

6041 TRDNG-PRTRN-TIN-APPL-CD TIN_APPL_CD_6041 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER TAXPAYER IDENTIFICATION NUMBER AP-
PLICATION CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE CCR TRADING PARTNER HAS EITHER APPLIED FOR (A TIN ALREADY EXISTS FOR THE TRADING PARTNER) OR NOT APPLIED FOR A TAXPAYER IDENTIFICATION CODE (TIN). VALID VALUES: Y = YES, N = NO

6042 TRDNG-PRTRN-RVNU-RNG-CD RVNU_RNG_CD_6042 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER REVENUE RANGE CODE

THE CODE THAT REPRESENTS A RANGE OF THE TRADING PARTNERS ANNUAL GROSS REVENUE FOR THE LAST 3 FISCAL YEARS. CODES: A = \$1 MILLION OR LESS, B = \$1,000,001 - \$2 MILLION, C = \$2,000,001 - \$3.5 MILLION, D = \$3,500,001 - \$5 MILLION, E = \$5,000,001 - \$10 MILLION, F = \$10,000,001 - \$17 MILLION, G = OVER \$17 MILLION.

6043 CCR-SUP-SEA-TRNSP-CD SEA_TRNSP_CD_6043 DLIS-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SUPPLY SEA TRANSPORTATION CODE

THE CODE THAT REPRESENTS A FLAG THAT DETERMINES WHETHER THE TRADING PARTNER, IN ACCORDANCE WITH DFARS 252.247-7022, REPRESENTATION OF EXTENT OF TRANSPORTATION BY SEA, DOES ANTICIPATE THAT SUPPLIES WILL BE TRANSPORTED BY SEA IN THE PERFORMANCE OF ANY RESULTING CONTRACT OR SUBCONTRACT. VALID VALUES: Y = YES, N = NO.

6044 NAICS-IDEN-CD NAICS_IDEN_CD_6044 DLIS-SBB F CHAR 6
NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS) IDENTIFICATION CODE

A CODE THAT IDENTIFIES NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEMS (NAICS) AND IS CATEGORIZED ON A PRODUCTION/PROCESS-ORIENTED BASIS.

6045 NAICS-DESC-CLR-TX NAICS_DESC_TX_6045 DLIS-SBB F CHAR 120
NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS) DESCRIPTION CLEAR TEXT

THE CLEAR TEXT DESCRIPTION OF NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS).

6088 IANDS-ACTY-NSN-FAMILIES IANS_STAT_CNT_6088 DLIS-BB F INTEGER 8
I & S ACTIVITY NSN FAMILY COUNT

THE NUMBER OF FAMILIES FOR A SPECIFIC ACTIVITY FOR A SPECIFIC NSN GROUPING.

6089 IANDS-DEPT-NSN-FAMILIES IANS_STAT_CNT_6089 DLIS-BB F INTEGER 8
I & S DEPT NSN FAMILY COUNT

THE NUMBER OF FAMILIES FOR A SPECIFIC DEPARTMENT FOR A SPECIFIC NSN GROUPING.

6099 IANDS-GTOT-NSN-FAMILIES IANS_STAT_CNT_6099 DLIS-BB F INTEGER 8
I & S GRAND TOTAL NSN FAMILY COUNT

THE TOTAL OF I & S NSN FAMILIES FOR THE ENTIRE FEDERAL CATALOGING SYSTEM.

6106 QUP-CD QUP_6106 DLIS-SB F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

QUANTITY PER UNIT PACK (QUP) CODE

A CODE INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACKAGE AS ESTABLISHED BY THE MANAGING ACTIVITY. SHORT TITLE, QUP. SEE [VOLUME 10, TABLE 56](#) AND QUICK INFO ON-LINE.

6168	ID-IL-NSN	ID_STAT_CNT_6168	DLIS-BB	F	INTEGER	8
INFO DISSEM IL NSN COUNT THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION IL's.						
6174	L-PN-INQY-DEPT-ACT-QTY		DLIS-SB	F		8
LOGRUN PART NUMBER INQUIRY DEPARTMENT ACTIVITY QUANTITY THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR PART NO. INQUIRIES FOR DEPARTMENT FOR ACTIVITY.						
6175	L-FSC-INQRY-DEPT-ACT-QTY		DLIS-SBA	F		8
LOGRUN FSC INQUIRY DEPARTMENT ACTIVITY QUANTITY THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR FSC INQUIRIES FOR DEPARTMENT FOR ACTIVITY.						
6176	L-TEST-ACCESS-DP-ACT-QTY		DLIS-SBA	F		8
LOGRUN TEST ACCESS DEPARTMENT ACTIVITY QUANTITY THE NUMBER OF TIMES THE TEST DATA BASE IS ACCESSED THROUGH LOGRUN FOR DEPARTMENT FOR ACTIVITY.						
6177	LRN-C-RNL-CAN-YRLY		DLIS-BB	F		8
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.						
6178	LRN-C-RNL-ACTY-DLY	LRN_STAT_CNT_6178	DLIS-BB	F	INTEGER	8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY DAILY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.						
6179	LRN-C-RNL-ACT-WKLY		DLIS-BB	F		8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY WEEKLY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.						
6180	LRN-C-RNL-ACTY-MTHLY		DLIS-BB	F		8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY MONTHLY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.						
6181	LRN-C-RNL-ACTY-QTRLY		DLIS-BB	F		8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY QUARTERLY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.						
6182	LRN-C-RNL-ACTY-YRLY		DLIS-BB	F		8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY YEARLY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.						
6183	LRN-C-RNL-DEPT-DLY	LRN_STAT_CNT_6183	DLIS-BB	F	INTEGER	8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT DAILY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6184 CAGE-ON-LINE-1 DLIS-SBA F 8
CAGE ON LINE 1
CAGE-ON-LINE FOR DRN 6178, LOGRUN INQUIRY QUANTITY 1.

6185 LRN-C-RNL-DEPT-WKLY DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ DEDPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6186 LRN-C-RNL-DEPT-MTHLY DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6187 LRN-C-RNL-DEPT-QTRLY DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6188 LRN-C-RNL-DEPT-YRLY DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6189 LRN-C-RNL-DLY-TOT LRN_STAT_CNT_6189 DLIS-BB F INTEGER 8
LOGRUN CAGE REF NBR LOG INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6190 LRN-C-RNL-WKLY-TOT DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6192 LRN-C-RNL-MTHLY-TOT DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6193 LRN-C-RNL-QTRLY-TOT DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6194 LRN-C-RNL-YRLY-TOT DLIS-BB F 8
LOGRUN CAGE REF NBR LOG INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6195 LRN-PROC-CAN-QTRLY DLIS-BB F 6
 LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER QTRLY
 THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

6196 LRN-C-P-RNL-CAN-DLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6197 LRN-C-P-RNL-CAN-WKLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6198 LRN-C-P-RNL-CAN-MTHLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6199 LRN-C-P-RNL-CAN-QTRLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTER
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6200 LRN-C-P-RNL-CAN-YRLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6201 LRN-TEST-IQY-DP-SN-TIC-QT DLIS-BB F 8
 LOGRUN TEST INQUIRY DEPARTMENT STATION NAME TERM IN CODE QTY
 THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR TEST DATA BASE INQUIRY BROKEN OUT BY DEPARTMENT FOR STATION NAME BY TERMINAL IDENTIFICATION CODE.

6202 LRN-C-P-RNL-ACTY-DLY LRN_STAT_CNT_6202 DLIS-BB F INTEGER 8
 LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6203 LRN-C-P-RNL-ACTY-WKLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6204 LRN-C-P-RNL-ACTY-MTHLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6205 LRN-C-P-RNL-ACTY-QTRLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6206 LRN-C-P-RNL-ACTY-YRLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6207 LRN-C-P-RNL-DEPT-DLY LRN_STAT_CNT_6207 DLIS-BB F INTEGER 8
 LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6208 LRN-C-P-RNL-DEPT-WKLY DLIS-BB F 8
 LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6209 SCN-PRO-NSN-DP-CUR-MTH PRON_STAT_CNT_6209 DLIS-BB F INTEGER 8
 SCREENING PROVISIONING NSN DEPARTMENT CURRENT MATCHED
 THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6210 SCN-PRO-NSN-DP-CUR-NMTH PRON_STAT_CNT_6210 DLIS-BB F INTEGER 8
 SCREENING PROVISIONING NSN DEPARTMENT CURRENT NSNS NOT MATCH
 THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6211 SCN-PRO-NSN-DP-CUR-REJ PRON_STAT_CNT_6211 DLIS-BB F INTEGER 8
 SCREENING PROVISIONING NSN DEPARTMENT CURRENT REJECTS
 THE CURRENT QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6212 SCN-PRO-NSN-DP-CUR-RECVD DLIS-BB F 8
 SCREEN PROVISIONING NSN DEPARTMENT CURRENT RECEIVED QUANTITY
 THE CURRENT QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6213 SCN-PRO-NSN-DP-YTD-MTH DLIS-BB F 8
 SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE MATCHED
 THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED IN THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6214 SCN-PRO-NSN-DP-YTD-NMTH DLIS-BB F 8
 SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE NOT MATCH
 THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6215 SCN-PRO-NSN-DP-YTD-REJ DLIS-BB F 8
 SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE REJECT

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE YEAR-TO-DATE QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6216 SCN-PRO-NSN-DP-YTD-RECVD DLIS-BB F 8
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE RECEIVED
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6217 SCN-PRO-NSN-DP-PYD-MTH DLIS-BB F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE MATCHED
THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6218 SCN-PRO-NSN-DP-PYD-NMTH DLIS-BB F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6219 SCN-PRO-NSN-DP-PYD-REJ DLIS-BB F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE REJECTS
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6220 SCN-PRO-NSN-DP-PYD-RECVD DLIS-BB F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE RECEIVED
THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6221 SCN-PRO-NSN-TOT-MTH DLIS-BB F 8
SCREENING PROVISIONING NSN TOTAL MATCHED
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS.

6222 SCN-PRO-NSN-TOT-NMTH DLIS-BB F 8
SCREENING PROVISIONING NSN TOTAL NOT MATCHED
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PROVISIONING SCREENING BY NIIN PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6223 SCN-PRO-NSN-TOT-REJ DLIS-BB F 8
SCREENING PROVISIONING NSN TOTAL REJECT
THE TOTAL QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED.

6224 SCN-PRO-NSN-TOT-RECVD DLIS-BB F 8
SCREENING PROVISIONING NSN TOTAL RECEIVED
THE TOTAL QUANTITY OF PROVISIONING SCREENING TRANSACTIONS RECEIVED.

6225 SCN-PRO-REF-DP-CUR-MTH PROR_STAT_CNT_6225 DLIS-BB F INTEGER 8
SCREENING PROVISIONING REFERENCE DEPARTMENT CURRENT MATCH
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6226 SCN-PRO-REF-DP-CUR-NMTH PROR_STAT_CNT_6226 DLIS-BB F INTEGER 8
SCREENING PROVISIONING REFERENCE DEPT CURRENT NOT MATCHED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6227 SCN-PRO-REF-DP-CUR-REJ PROR_STAT_CNT_6227 DLIS-BB F INTEGER 8
SCREENING PROVISIONING REFERENCE DEPT CURRENT REJECTS
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6228 SCN-PRO-REF-DP-CUR-RECVD DLIS-BB F 8
SCREENING PROVISIONING REFERENCE DEPT CURRENT RECEIVED
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER FOR PROVISIONING SCREENING FOR DEPARTMENT.

6229 SCN-PRO-REF-DP-YTD-MTH DLIS-BB F 8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE MATCHED
THE PREVIOUS YEAR TO DATE OF NSNS THAT MATCHED IN THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6230 SCN-PRO-REF-DP-YTD-NMTH DLIS-BB F 8
SCREENING PROVISIONING REF DEPT YEAR TO DATE NOT MATCHED
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6231 SCN-PRO-REF-DP-YTD-REJ DLIS-BB F 8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE REJECTED
THE YEAR-TO-DATE QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6232 SCN-PRO-REF-DP-YTD-RECVD DLIS-BB F 8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE RECEIVED
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6233 SCN-PRO-REF-DP-PYD-MTH DLIS-BB F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6234 SCN-PRO-REF-DP-PYD-NMTH DLIS-BB F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PROVISIONING SCREENING BY REFERENCE NUMBER FOR DEPARTMENT.

6235 SCN-PRO-REF-DP-PYD-REJ DLIS-BB F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE REJECTED
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6236 SCN-PRO-REF-DP-PYD-RECVD DLIS-BB F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE RECEIVED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR REFERENCE NUMBER PROCESS FOR DEPARTMENT.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6237 SCN-PRO-REF-TOT-MTH DLIS-BB F 8
 SCREENING PROVISIONING REFERENCE TOTAL MATCHED
 THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS.

6238 SCN-PRO-REF-TOT-NMTH DLIS-BB F 8
 SCREENING PROVISIONING REFERENCE TOTAL NOT MATCHED
 THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6239 SCN-PRO-REF-TOT-REJ DLIS-BB F 8
 SCREENING PROVISIONING REFERENCE TOTAL REJECTED
 THE TOTAL QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED.

6240 SCN-PRO-REF-TOT-RECVD DLIS-BB F 8
 SCREENING PROVISIONING REFERENCE TOTAL RECEIVED
 THE TOTAL QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS RECEIVED.

6241 SCN-PRE-NSN-DP-CUR-MTH PREN_STAT_CNT_6241 DLIS-BB F INTEGER 8
 SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT MATCHED
 THE CURRENT QUANTITY OF NSNS MATCHED THROUGH PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6242 SCN-PRE-NSN-DP-CUR-NMTH PREN_STAT_CNT_6242 DLIS-BB F INTEGER 8
 SCREENING PREPROCUREMENT NSN DEPT CURRENT NSNS NOT MATCHED
 THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6243 SCN-PRE-NSN-DP-CUR-REJ PREN_STAT_CNT_6243 DLIS-BB F INTEGER 8
 SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT REJECTS
 THE QUANTITY OF TRANSACTIONS REJECTED THROUGH THE PREPROCUREMENT SCREENING BY NIIN FOR DEPARTMENT.

6244 SCN-PRE-NSN-DP-CUR-RECVD DLIS-BB F 8
 SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT RECEIVED
 THE CURRENT QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6245 SCN-PRE-NSN-DP-YTD-MTH DLIS-BB F 8
 SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE MATCHED
 THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED IN THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6246 SCN-PRE-NSN-DP-YTD-NMTH DLIS-BB F 8
 SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE NOT MATCHED
 THE YEAR-TO DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6247 SCN-PRE-NSN-DP-YTD-REJ DLIS-BB F 8
 SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE REJECT
 THE YEAR-TO-DATE QUANTITY OF PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6248 SCN-PRE-NSN-DP-YTD-RECVD DLIS-BB F 8
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE RECEIVED
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6249 SCN-PRE-NSN-DP-PYD-MTH DLIS-BB F 8
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE MATCH
THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6250 SCN-PRE-NSN-DP-PYD-NMTH DLIS-BB F 8
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6251 SCN-PRE-NSN-DP-PYD-REJ DLIS-BB F 8
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE REJECT
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6252 SCN-PRE-NSN-DP-PYD-RECVD DLIS-BB F 8
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE RECEIVED
THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6253 SCN-PRE-NSN-TOT-MTH DLIS-BB F 8
SCREENING PREPROCUREMENT NSN TOTAL MATCHED
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS.

6254 SCN-PRE-NSN-TOT-NMTH DLIS-BB F 8
SCREENING PREPROCUREMENT NSN TOTAL NOT MATCHED
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PREPROCUREMENT SCREENING BY NIIN PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6255 SCN-PRE-NSN-TOT-REJ DLIS-BB F 8
SCREENING PREPROCUREMENT NSN TOTAL REJECT
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED.

6256 SCN-PRE-NSN-TOT-RECVD DLIS-BB F 8
SCREENING PREPROCUREMENT NSN TOTAL RECEIVED
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING TRANSACTIONS RECEIVED.

6257 FIIG-TOT-INPUT DLIS-SB F 8
FIIG TOTAL INPUT
TOTAL QUANTITY OF TRANSACTIONS RECEIVED BY FIIG FOR A NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6258 FIIG-TOT-MTCH DLIS-SBA F 8
FIIG TOTAL MATCH
TOTAL QUANTITY OF ACTUAL OR POSSIBLE MATCHES BY FIIG FOR A WEEK.

6259 FIIG-TOT-P-MTCH DLIS-SB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FIGG TOTAL POSSIBLE MATCH

TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIGG FOR A MONTH.

6260 FIGG-TOT-A-MTCH DLIS-SB F 8

FIGG TOTAL ACTUAL MATCH

TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIGG FOR MONTH.

6261 FIGG-TOT-NEW-INPUT DLIS-SB F 8

FIGG TOTAL NEW INPUT

TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIGG FOR A MONTH.

6262 FIGG-TOT-NEW-MTCH DLIS-SB F 8

FIGG TOTAL NEW MATCH

TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIGG FOR A MONTH.

6263 FIGG-TOT-MAINT-INPUT DLIS-SB F 8

FIGG TOTAL MAINTENANCE INPUT

TOTAL QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIGG FOR A MONTH.

6264 FIGG-TOT-MAINT-MTCH DLIS-SB F 8

FIGG TOTAL MAINTENANCE MATCH

TOTAL QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIGG FOR A MONTH.

6265 FIGG-TOT-9001-USAGE DLIS-SB F 8

FIGG TOTAL 9001 USAGE

TOTAL QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIGG FOR A MONTH.

6266 PIR-ACTY-DIC-DEV-PCT-ONE DLIS-SB F 8

PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE

THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 1 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

6269 ID-CAC-PCT-CHG DLIS-BB F 8

INFO DISSEM CIVIL AGNECY CATALOG PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGNECY CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6272 ID-MED-PCT-CHG DLIS-BB F 8

INFO DISSEM MEDICAL CATALOG PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6275 ID-AMMO-PCT-CHG DLIS-BB F 8

INFO DISSEM AMMO CATALOG PERCENT CHANGE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6276 ID-IL-CUM-CHG ID_STAT_CNT_6276 DLIS-BB F INTEGER 8

INFO DISSEM IL CUM CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE ILS.

6277 ID-IL-CUR-CHG ID_STAT_CNT_6277 DLIS-BB F INTEGER 8

INFO DISSEM IL CUR CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE ILS.

6278 ID-IL-PCT-CHG DLIS-BB F 8

INFO DISSEM IL PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR EACH IL FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6281 ID-FAA-PCT-CHG DLIS-BB F 8

INFO DISSEM FAA CATALOG PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6284 ID-CG-PCT-CHG DLIS-BB F 8

INFO DISSEM COAST GUARD CATALOG PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6287 ID-PIIL-PCT-CHG DLIS-BB F 8

INFO DISSEM PIIL CATALOG PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6288 ID-UNIT-NBR DLIS-SB F 8

INFO DISSEM PUB UNIT NUMBER

THIS DATA ELEMENT REFLECTS PUBLICATION NUMBER ASSIGNED TO THAT FEDERAL SUPPLY GROUP OR FEDERAL SUPPLY CLASS(S).

6289 ID-INTRO-NBR ID_INTRO_NBR_6289 DLIS-BB F CHAR 8

INFO DISSEM PUB INTRODUCTION NUMBER

THIS DATA ELEMENT REFLECTS THE PUBLICATION INTRODUCTION NUMBER THAT IS ASSIGNED TO THAT PUBLICATION UNIT NUMBER AND PUBLICATION TITLE.

6290 ID-PUB-TITLE DLIS-SB F 8

INFO DISSEM PUBLICATION TITLE

THIS DATA ELEMENT REFLECTS THE PUBLICATION TITLE ASSIGNED TO THAT PUBLICATION UNIT NUMBER AND PUBLICATION INTRODUCTION NUMBER.

6291 M3C2-FSC-D-AT-AIN-P DLIS-BB F 8

M3C2 FSC DEPARTMENT ACTIVITY AIN PERCENT

THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT, WITH AN FSC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6292 M3C2-FSC-D-AT-RN M3C2_STAT_CNT_6292 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER
THE ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6293 M3C2-FSC-D-AT-RN-G M3C2_STAT_CNT_6293 DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

6294 M3C2-FSC-D-AT-RN-R DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

6295 M3C2-FSC-D-AT-LOA-MG M3C2_STAT_CNT_6295 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOA MANAGED
THE ACTIVITY LOA TOTAL NSN COUNT WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6296 M3C2-FSC-D-AT-LOA-DM-G M3C2_STAT_CNT_6296 DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6297 M3C2-FSC-D-AT-LOA-DM-P DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6298 M3C2-FSC-D-AT-LOA-AIN M3C2_STAT_CNT_6298 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN
THE ACTIVITY LOA TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6299 M3C2-FSC-D-AT-LOA-AIN-G M3C2_STAT_CNT_6299 DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6300 M3C2-FSC-D-AT-LOA-AIN-P DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6301 M3C2-FSC-D-AT-LOA-RN M3C2_STAT_CNT_6301 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER
THE ACTIVITY LOA TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6302 M3C2-FSC-D-AT-LOA-RN-G M3C2_STAT_CNT_6302 DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER GOAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBER PER NSN FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6303 M3C2-FSC-D-AT-LOA-RN-R DLIS-BB F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6304 M3D-D-MG M3D_STAT_CNT_6304 DLIS-BB F INTEGER 8
M3D DEPARTMENT MANAGED
THE DEPARTMENT TOTAL PICS/SICA NSN COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6305 M3D-D-DM M3D_STAT_CNT_6305 DLIS-BB F INTEGER 8
M3D DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL PICA/SICA NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6306 M3D-D-DM-G M3D_STAT_CNT_6306 DLIS-BB F 8
M3D DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6307 M3D-D-DM-DIF DLIS-BB F 8
M3D DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6308 M3D-D-AIN M3D_STAT_CNT_6308 DLIS-BB F INTEGER 8
M3D DEPARTMENT AIN
THE DEPARTMENT TOTAL COUNT OF PICA/SICA NSNS WITH APPROVED ITEM NAMES. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6309 M3D-D-AIN-G M3D_STAT_CNT_6309 DLIS-BB F 8
M3D DEPARTMENT AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR PICA/SICA NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

6310 M3D-D-AIN-P DLIS-BB F 8
M3D DEPARTMENT AIN PERCENT
THE PERCENTAGE OF PICA/SICA NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

6311 M3D-D-AIN-DIF DLIS-BB F 8
M3D DEPARTMENT AIN DIFFERENCE
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR PICA/SICA NSNS FOR THE DEPARTMENT.

6312 M3D-D-RN M3D_STAT_CNT_6312 DLIS-BB F INTEGER 8
M3D DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST PICA/SICA NSNS. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6313 M3D-D-RN-G M3D_STAT_CNT_6313 DLIS-BB F 8
M3D DEPARTMENT REFERENCE NUMBER GOAL

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE ESTABLISHED PICA/SICA GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR THE DEPARTMENT.

6314 M3D-D-RN-R DLIS-BB F 8
M3D DEPARTMENT REFERENCE NUMBER RATIO
THE ACTUAL PICA/SICA REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

6315 M3D-D-RN-DIF DLIS-BB F 8
M3D DEPARTMENT REFERENCE NUMBER DIFFERENCE
THE DIFFERENCE BETWEEN THE PICA/SICA REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

6318 M3D-D-FSC-DM-G M3D_STAT_CNT_6318 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD GOAL
THE ESTABLISHED PICA/SICA GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN FSC WITHIN A DEPARTMENT.

6319 M3D-D-FSC-DM-P DLIS-BB F 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR AN FSC WITHIN A DEPARTMENT.

6320 M3D-D-FSC-DM-DIF DLIS-BB F 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR AN FSC WITHIN A DEPARTMENT.

6322 M3D-D-FSC-AIN-G M3D_STAT_CNT_6322 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC AIN GOAL
THE FSC PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

6323 M3D-D-FSC-AIN-P DLIS-BB F 8
M3D DEPARTMENT FSC AIN PERCENT
THE FSC PICA/SICA PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

6324 M3D-D-FSC-AIN-DIF DLIS-BB F 8
M3D DEPARTMENT FSC AIN DIFFERENCE
THE FSC PICA/SICA DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR NSNS WITHIN THE DEPARTMENT.

6326 M3D-D-FSC-RN-G M3D_STAT_CNT_6326 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC REFERENCE NUMBER GOAL
THE FSC PICA/SICA ESTABLISHED PERCENTAGE FOR REFERENCE NUMBERS PER NSN WITHIN A DEPARTMENT.

6327 M3D-D-FSC-RN-R DLIS-BB F 8
M3D DEPARTMENT FSC REFERENCE NUMBER RATIO
THE FSC PICA/SICA ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.

6328 M3D-D-FSC-RN-DIF DLIS-BB F 8
M3D DEPARTMENT FSC REFERENCE NUMBER DIFFERENCE
THE FSC PICA/SICA DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN THE DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6329 M3D-D-FSC-AT-MG M3D_STAT_CNT_6329 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY MANAGED
THE FSC PICA/SICA ACTIVITY NSN COUNT WITHIN A DEPARTMENT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6330 M3D-D-FSC-AT-DM M3D_STAT_CNT_6330 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD
THE FSC PICA/SICA ACTIVITY TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6331 M3D-D-FSC-AT-DM-G M3D_STAT_CNT_6331 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD GOAL
THE FSC PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS WITHIN A DEPARTMENT.

6332 M3D-D-FSC-AT-DM-P DLIS-BB F 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD PERCENT
THE FSC PICA/SICA ACTIVITY PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN A DEPARTMENT.

6333 M3D-D-FSC-AT-DM-DIF DLIS-BB F 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD DIFFERENCE
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN THE DEPARTMENT.

6334 M3D-D-FSC-AT-AIN M3D_STAT_CNT_6334 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY AIN
THE FSC PICA/SICA ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6335 M3D-D-FSC-AT-AIN-G M3D_STAT_CNT_6335 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY AIN GOAL
THE FSC PICA/SICA ACTIVITY ESTABLISHED GOAL PERCENTAGE FOR NSNS WITHIN A DEPARTMENT.

6336 M3D-D-FSC-AT-AIN-P DLIS-BB F 8
M3D DEPARTMENT FSC ACTIVITY AIN PERCENT
THE FSC PICA/SICA ACTIVITY PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

6337 M3D-D-FSC-AT-AIN-DIF DLIS-BB F 8
M3D DEPARTMENT FSC ACTIVITY AIN DIFFERENCE
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES WITHIN THE DEPARTMENT.

6338 M3D-D-FSC-AT-RN M3D_STAT_CNT_6338 DLIS-BB F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER
THE FSC PICA/SICA ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6339 M3D-D-FSC-AT-RN-G M3D_STAT_CNT_6339 DLIS-BB F 8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER GOAL
THE FSC PICA/SICA ACTIVITY ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR NSNS WITHIN A DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6340	M3D-D-FSC-AT-RN-R		DLIS-BB	F	8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER RATIO					
THE FSC PICA/SICA ACTIVITY ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.					
6341	M3D-D-FSC-AT-RN-DIF		DLIS-BB	F	8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER DIFFERENCE					
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.					
6342	M3E-FSC-D-MG	M3E_STAT_CNT_6342	DLIS-BB	F INTEGER	8
M3E FSC DEPARTMENT MANAGED					
THE DEPARTMENT PICA/SICA TOTAL NSN COUNT WITHIN AN FSC. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.					
6343	M3E-FSC-D-DM	M3E_STAT_CNT_6343	DLIS-BB	F INTEGER	8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD					
THE DEPARTMENT PICA/SICA TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION FOR NSNS WITHIN AN FSC. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.					
6344	M3E-FSC-D-DM-G	M3E_STAT_CNT_6344	DLIS-BB	F	8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD GOAL					
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS WITHIN AN FSC.					
6345	M3E-FSC-D-DM-P		DLIS-BB	F	8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT					
THE DEPARTMENT PICA/SICA PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN AN FSC.					
6346	M3E-FSC-D-AIN	M3E_STAT_CNT_6346	DLIS-BB	F INTEGER	8
M3E FSC DEPARTMENT AIN					
THE DEPARTMENT PICA/SICA TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.					
6347	M3E-FSC-D-AIN-G	M3E_STAT_CNT_6347	DLIS-BB	F	8
M3E FSC DEPARTMENT AIN GOAL					
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC.					
6348	M3E-FSC-D-AIN-P		DLIS-BB	F	8
M3D FSC DEPARTMENT AIN PERCENT					
THE DEPARTMENT PICA/SICA PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC.					
6349	M3E-FSC-D-RN	M3E_STAT_CNT_6349	DLIS-BB	F INTEGER	8
M3E FSC DEPARTMENT REFERENCE NUMBER					
THE DEPARTMENT PICA/SICA TOTAL COUNT OF REFERENCE NUMBER AGAINST NSNS WITHIN AN FSC. FIIG A239 ITESM WITH INC 77777 ARE EXCLUDED.					
6350	M3E-FSC-D-RN-G	M3E_STAT_CNT_6350	DLIS-BB	F	8
M3E FSC DEPARTMENT REFERENCE NUMBER GOAL					
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN WITHIN AN FSC.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6351 AMC-DP-ACC-MVMT-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT TOT NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6352 AMC-DP-ACC-CD-TO-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT ALL COMMODITY CATEGORY CODE TO TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6353 AMC-DP-ACC-MVMT-NSN DLIS-BB F 8
 AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT NSN
 THE QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6354 AMC-DP-CC-BBAL-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE TOT NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6355 AMC-DP-CC-BBAL-NSN AMC_STAT_CNT_6355 DLIS-BB F INTEGER 8
 AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITH A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6356 AMC-DP-CC-ADDS-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT COMMODITY CATEGORY ADDS TOTAL NSN
 THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6357 AMC-DP-CC-ADDS-NSN AMC_STAT_CNT_6357 DLIS-BB F INTEGER 8
 AMC DEPARTMENT COMMODITY CATEGORY ADDS NSN
 THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6358 AMC-DP-CC-DLTS-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT COMMODITY CATEGORY DELETES TOTAL NSN
 THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6359 AMC-DP-CC-DLTS-NSN AMC_STAT_CNT_6359 DLIS-BB F INTEGER 8
 AMC DEPARTMENT COMMODITY CATEGORY DELETES NSN
 THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6360 AMC-DP-CC-MVMT-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6361 AMC-DP-CC-CD-TO-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT COMMODITY CATEGORY CODE TO TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6362 AMC-DP-CC-CD-FR-NSN DLIS-BB F INTEGER 8
 AMC DEPARTMENT COMMODITY CATEGORY CODE FROM NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6363 AMC-DP-CC-MVMT-NSN AMC_STAT_CNT_6363 DLIS-BB F INTEGER 8
 AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT NSN
 THE QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6364 AMC-DP-CC-EBAL-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT COMMODITY CATEGORY ENDING BALANCE TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6365 AMC-DP-CC-AMC-TOT-NSN AMSC_STAT_TOT_6365 DLIS-BB F INTEGER 8
 AMC DEPARTMENT COMMODITY CATEGORY AMC TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6366 AMC-DP-ACC-BBAL-TOT-NSN DLIS-BB F 8
 AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NS
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6367 AMC-DP-ACC-BBAL-NSN AMSC_STAT_TOT_6367 DLIS-BB F INTEGER 8
 AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6368 AMC-AT-ACC-CD-TO-TOT-NSN DLIS-BB F 8
 AMC ACTIVITY ALL COMMODITY CATEGORY CODE TO TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6369 AMC-AT-ACC-MVMT-NSN DLIS-BB F 8
 AMC ACTIVITY ALL COMMODITY CATEGORY CODE MOVEMENT NSN
 THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6370 AMC-AT-CC-BBAL-TOT-NSN DLIS-BB F 8
 AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE TOTAL NSN
 THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

AMC ACTIVITY COMMODITY CATEGORY MOVEMENT NSN

THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6382 AMC-DP-ACC-DLTS-TOT-NSN DLIS-BB F 8

AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES TOTAL NSN

THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6383 AMC-DP-ACC-DLTS-NSN DLIS-BB F 8

AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES NSN

THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6384 AMC-AT-CC-EBAL-TOT-NSN DLIS-BB F 8

AMC ACTIVITY COMMODITY CATEGORY ENDING BALANCE TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6385 AMC-AT-CC-AMC-TOT-NSN AMSC_STAT_TOT_6385 DLIS-BB F INTEGER 8

AMC ACTIVITY COMMODITY CATEGORY AMC TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6386 AMSC-DP-AT-AMSC-TOT DLIS-SBA F 8

AMSC DEPARTMENT ACTIVITY AMSC TOTAL

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6387 AMSC-DP-AT-AMC-NSN AMC_STAT_CNT_6387 DLIS-SBA F INTEGER 8

AMSC DEPARTMENT ACTIVITY AMC NSN

THE TOTAL QUANTITY MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6388 AMSC-DP-AT-AMC-TOT AMSC_STAT_TOT_6388 DLIS-SBA F CHAR 8

AMSC DEPARTMENT ACTIVITY AMC TOTAL

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

6389 AMSC-DP-TOT-NSN DLIS-SBA F 8

AMSC DEPARTMENT TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODES.

6390 DP-CC-CHG-FRM-AMC-4-Q-9 DLIS-SBA F 8

DEPARTMENT COMMODITY CATEGORY CD CHANGE FROM AMC 4 QTY 9

THE NUMBER OF ACQUISITION METHOD CODES CHANGED FROM AMC 4 BY COMMODITY CATEGORY CODE BY DEPARTMENT TO AMC 1, 2, 3 OR 5.

6391 FCS-SAC-NSN DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FCS SUBMITTING ACTIVITY CODE NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL, PARTIAL OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6392 FCS-SAC-TII-1-NSN FCS_STAT_CNT_6392 DLIS-BB F INTEGER 8

FCS SUBMITTING ACTIVITY CODE TYPE II 1 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6393 FCS-SAC-TII-2-NSN FCS_STAT_CNT_6393 DLIS-BB F INTEGER 8

FCS SUBMITTING ACTIVITY CODE TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6394 FCS-SAC-TII-4-NSN FCS_STAT_CNT_6394 DLIS-BB F INTEGER 8

FCS SUBMITTING ACTIVITY CODE TYPE II 4 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6395 FCS-SAC-TII-1-PCT DLIS-BB F 8

FCS SUBMITTING ACTIVITY CODE TYPE II 1 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6396 FCS-SAC-TII-2-PCT DLIS-BB F 8

FCS SUBMITTING ACTIVITY CODE TYPE II 2 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6397 FCS-SAC-TII-4-PCT DLIS-BB F 8

FCS SUBMITTING ACTIVITY CODE TYPE II 4 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6398 AMC-DP-ACC-CD-FR-NSN DLIS-BB F INTEGER 8

AMC DEPARTMENT ALL COMMODITY CATEGORY CODE FROM NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6399 AMSC-DP-AMSC-TOT-NSN DLIS-SBA F 8

AMSC DEPARTMENT AMSC TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6400 AMSC-DP-AMC-NSN AMC_STAT_CNT_6400 DLIS-SBA F INTEGER 8

AMSC DEPARTMENT AMC NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6401 AMSC-DP-AMC-TOT-NSN AMSC_STAT_TOT_6401 DLIS-SBA F CHAR 8

AMSC DEPARTMENT AMC TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF A SPECIFIC ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

6402 FCS-C-SAC-TII-1-NSN FCS_STAT_CNT_6402 DLIS-BB F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6403 FCS-C-SAC-TII-2-NSN FCS_STAT_CNT_6403 DLIS-BB F INTEGER 8

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6404 FCS-C-SAC-TII-4-NSN FCS_STAT_CNT_6404 DLIS-BB F INTEGER 8

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM

6405 AMC-DP-ACC-EBAL-TOT-NSN DLIS-BB F 8

AMC DEPARTMENT ALL COMMODITY CATEGORIES ENDING BAL TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6406 AMC-DP-ACC-AMC-TOT-NSN DLIS-BB F 8

AMC DEPARTMENT ALL COMMODITY CATEGORIES AMC TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6407 FCS-C-SAC-TII-2-PCT DLIS-BB F 8

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6408 FCS-C-SAC-TII-4-PCT DLIS-BB F 8

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6409 FCS-SDP-NSN DLIS-BB F INTEGER 8

FCS SUBMITTING DEPARTMENT NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL, PARTIAL, OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6410 FCS-SDP-TII-1-NSN FCS_STAT_CNT_6410 DLIS-BB F INTEGER 8

FCS SUBMITTING DEPARTMENT TYPE II 1 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6411 FCS-SDP-TII-2-NSN FCS_STAT_CNT_6411 DLIS-BB F INTEGER 8

FCS SUBMITTING DEPARTMENT TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6412 FCS-SDP-TII-4-NSN FCS_STAT_CNT_6412 DLIS-BB F INTEGER 8

FCS SUBMITTING DEPARTMENT TYPE II 4 NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6413 AMC-AT-ACC-BBAL-TOT-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6414 AMC-AT-ACC-BBAL-NSN AMSC_STAT_TOT_6414 DLIS-BB F INTEGER 8
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGINNING BALANCE N
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6415 FCS-SDP-TII-1-PCT DLIS-BB F 8
FCS SUBMITTING DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6416 FCS-SDP-TII-2-PCT DLIS-BB F 8
FCS SUBMITTING DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6417 FCS-SDP-TII-4-PCT DLIS-BB F 8
FCS SUBMITTING DEPARTMENT TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6418 FCS-C-SDP-NSN DLIS-BB F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL, PARTIAL OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6419 FCS-C-SDP-TII-1-NSN FCS_STAT_CNT_6419 DLIS-BB F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6420 FCS-C-SDP-TII-2-NSN FCS_STAT_CNT_6420 DLIS-BB F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6421 AMC-AT-ACC-ADDS-TOT-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS TOTAL NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6422 AMC-AT-ACC-ADDS-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6423 FCS-C-SDP-TII-4-NSN FCS_STAT_CNT_6423 DLIS-BB F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH PARTIAL
DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6424 FCS-C-SDP-TII-1-PCT DLIS-BB F 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE
METHOD TYPE ITEM IDENTIFICATION

6425 FCS-C-SDP-TII-2-PCT DLIS-BB F 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH REFERENCE
METHOD TYPE ITEM IDENTIFICATION.

6426 FCS-C-SDP-TII-4-PCT DLIS-BB F 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH PARTIAL
DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6427 AMC-4-19 DLIS-SBA F 8
ACQUISITION METHOD CODE 4
THE QUANTITY OF ACQUISITION METHOD CODE 4 FOR DRN 6422, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE AMC NEW
NSN QUANTITY.

6428 FCS-AIN-SAC-TII-1-NSN FCS_STAT_CNT_6428 DLIS-BB F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD
TYPE ITEM IDENTIFICATION

6429 AMC-AT-ACC-DLTS-TOT-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES TOTAL NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN
THE COMMODITY CATEGORIES.

6430 AMC-AT-ACC-DLTS-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN
THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6431 FCS-AIN-SAC-TII-2-NSN FCS_STAT_CNT_6431 DLIS-BB F INTEGER 8
FCS-APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM
IDENTIFICATION

6432 FCS-AIN-SAC-TII-4-NSN FCS_STAT_CNT_6432 DLIS-BB F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE
QUANTITY OF NSN IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD
TYPE ITEM IDENTIFICATION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6433 FCS-AIN-SAC-TII-1-PCT DLIS-BB F 8
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE
ITEM IDENTIFICATION

6434 FCS-AIN-SAC-TII-2-PCT DLIS-BB F 8
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM
IDENTIFICATION

6435 FCS-AIN-SAC-TII-4-PCT DLIS-BB F 8
FCS APPROVED ITEM NAME SUBMITTING ACTY TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD
TYPE ITEM IDENTIFICATION

6436 AMC-5-20 DLIS-SBA F 8
ACQUISITION METHOD CODE 5
THE QUANTITY OF ACQUISITION METHOD CODE 5 FOR DRN 6430, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE AMC
DELETE QUANTITY.

6437 FCS-C-SAC-TII-1-PCT DLIS-BB F 8
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE
METHOD TYPE ITEM IDENTIFICA- TION.

6438 FCS-C-AIN-SAC-TII-1-NSN FCS_STAT_CNT_6438 DLIS-BB F INTEGER 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING
ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6439 FCS-C-AIN-SAC-TII-2-NSN FCS_STAT_CNT_6439 DLIS-BB F INTEGER 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING
ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

6440 FCS-C-AIN-SAC-TII-4-NSN FCS_STAT_CNT_6440 DLIS-BB F INTEGER 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING
ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6441 FCS-C-AIN-SAC-TII-1-PCT DLIS-BB F 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING
ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6442 FCS-C-AIN-SAC-TII-2-PCT DLIS-BB F 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH AN APPROVED ITEM NAME BY SUBMITTING ACTIVITY
WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6443 FCS-C-AIN-SAC-TII-4-PCT DLIS-BB F 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH AN APPROVED ITEM NAME BY THE SUBMITTING
ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6444 TO-AMC-4-7 DLIS-SBA F 8
TO ACQUISITION METHOD CODE 4
TO AMC 4 FOR DRN 6441, DEPARTMENT COMMODITY CATEGORY CODE CHANGE FROM AMC 2 QUANTITY.

6445 FCS-AIN-SDP-TII-1-NSN FCS_STAT_CNT_6445 DLIS-BB F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD
TYPE ITEM IDENTIFICATION

6446 FCS-AIN-SDP-TII-2-NSN FCS_STAT_CNT_6446 DLIS-BB F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE
ITEM IDENTIFICATION

6447 FCS-AIN-SDP-TII-4-NSN FCS_STAT_CNT_6447 DLIS-BB F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS IN THD FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE
METHOD TYPE ITEM IDENTIFICATION

6448 FCS-AIN-SDP-TII-1-PCT DLIS-BB F 8
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD
TYPE ITEM IDENTIFICATION

6449 FCS-AIN-SDP-TII-2-PCT DLIS-BB F 8
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE
ITEM IDENTIFICATION

6450 FCS-AIN-SDP-TII-4-PCT DLIS-BB F 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE
METHOD TYPE ITEM IDENTIFICATION.

6451 AMC-AT-ACC-EBAL-TOT-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORY ENDING
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN
THE COMMODITY CATEGORIES.

6452 AMC-AT-ACC-AMC-TOT-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORY AMC TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN
THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6453	FCS-C-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6453	DLIS-BB	F INTEGER	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 NSN QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6454	FCS-C-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6454	DLIS-BB	F INTEGER	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 NSN QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.					
6455	FCS-C-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6455	DLIS-BB	F INTEGER	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 NSN QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6456	FCS-C-AIN-SDP-TII-1-PCT		DLIS-BB	F	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 PERCENT PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6457	FCS-C-AIN-SDP-TII-2-PCT		DLIS-BB	F	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 PERCENT PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.					
6458	FCS-C-AIN-SDP-TII-4-PCT		DLIS-BB	F	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 PERCENT PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6459	MIM-FSC-LOA-D-MMNSN-QC1C		DLIS-SBA	F	8
MIL SVS INTEGRATED MANAGER FSC LOA DEPT MULTI MGD NSN QC1C THIS DATA ELEMENT APPLIES ONLY TO NSNS MANAGED BY MILITARY SERVICE THAT RESIDE IN ASSIGNED FSCS. THE MILITARY SERVICES MULTI-MANAGED COUNT IS THE NUMBER OF NSNS THAT SHARE MANAGEMENT WITH TWO OR MORE SERVICES. THE INDIVIDUAL SERVICE MULTI-MANAGED COUNT REFLECTS THOSE ITEMS THAT SHARE MANAGEMENT WITH ONE OR MORE OF THE OTHER SERVICES. THIS DATA ELEMENT ACCOMMODATES SUMMARY COUNTS ACROSS ALL FSCS/LOAS/IMS OR INDIVIDUAL COUNTS FOR THE SAME.					
6460	ICDD-IM-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6460	DLIS-BB	F INTEGER	8
ICDD INTEGRATED MGR ALL LOA COMB MIL SVC IM OTHER DOD THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.					
6461	ICDD-IM-ALL-LC-MS-IM	ICDD_STAT_CNT_6461	DLIS-BB	F INTEGER	8
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC IM THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.					
6462	ICDD-IM-ALL-LC-MS-OD	ICDD_STAT_CNT_6462	DLIS-BB	F INTEGER	8
ICDD INTEGRATED MGR ALL LOA COMBINATION MIL SVC OTHER DOD					

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND OTHER DOD.

6463 ICDD-IM-ALL-LC-MS ICDD_STAT_CNT_6463 DLIS-BB F INTEGER 8
 ICDD INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SERVICE
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE MILITARY SERVICES ONLY.

6464 ICDD-IM-ALL-LC-IM-OD ICDD_STAT_CNT_6464 DLIS-BB F INTEGER 8
 ICDD INTEGRATED MANAGER ALL LOA COMBINATION IM OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6465 ICDD-IM-ALL-LC-IM ICDD_STAT_CNT_6465 DLIS-BB F INTEGER 8
 ICDD INTEGRATED MANAGER ALL LOA COMBINATION INTEGRATED MGR
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE INTEGRATED MANAGER ONLY.

6466 ICDD-IM-ALL-LC-OD ICDD_STAT_CNT_6466 DLIS-BB F INTEGER 8
 ICDD INTEGRATED MANAGER ALL LOA COMBINATION OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE OTHER DOD.

6467 ICDD-LA-ALL-MS-IM-OD ICDD_STAT_CNT_6467 DLIS-BB F INTEGER 8
 ICDD LOG ASSIGN ALL MIL SVC INTEGRATED MANAGER OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY, INTEGRATED MANAGER AND OTHER DOD.

6468 ICDD-LA-ALL-MS-IM ICDD_STAT_CNT_6468 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT ALL MILITARY SVC INTEGRATED MGR
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY AND INTEGRATED MANAGER.

6469 ICDD-LA-ALL-MS-OD ICDD_STAT_CNT_6469 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY AND OTHER DOD.

6470 ICDD-LA-ALL-MS ICDD_STAT_CNT_6470 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MILITARY SERVICES ONLY.

6471 ICDD-LA-ALL-IM-OD ICDD_STAT_CNT_6471 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

6472 ICDD-LA-ALL-IM ICDD_STAT_CNT_6472 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY INTEGRATED MANAGER ONLY.

6473 ICDD-LA-ALL-OD ICDD_STAT_CNT_6473 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY OTHER DOD ONLY.

6474 ICDD-LA-ALL-LC-MS-IM-OD ICDD_STAT_CNT_6474 DLIS-BB F INTEGER 8
ICDD LOG ASSIGN ALL LOA COMB MIL SVC IM OTHER DOD

THE TOTAL NUMBER OF DOD NSN FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6475 ICDD-LA-ALL-LC-MS-IM ICDD_STAT_CNT_6475 DLIS-BB F INTEGER 8
ICDD LOG ASSIGN ALL LOA COMB MIL SVC INTEGRATED MANAGER

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6476 ICDD-LA-ALL-LC-MS-OD ICDD_STAT_CNT_6476 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMB MIL SVC OTHER DOD

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6477 ICDD-LA-ALL-LC-MS ICDD_STAT_CNT_6477 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY MILITARY SERVICES ONLY.

6478 ICDD-LA-ALL-LC-IM-OD ICDD_STAT_CNT_6478 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION IM OTHER DOD

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6479 ICDD-LA-ALL-LC-IM ICDD_STAT_CNT_6479 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASGMT ALL LOA COMBINATION INTEGRATED MGR

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

6480 ICDD-LA-ALL-LC-OD ICDD_STAT_CNT_6480 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION OTHER DOD

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFELCTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

6481 ICDD-LA-FSC-ALL-MS-IM-OD ICDD_STAT_CNT_6481 DLIS-BB F INTEGER 8
ICDD LOG ASSIGN FSC ALL MILITARY SVC IM OTHER DOD

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6482 ICDD-LA-FSC-ALL-MS-IM ICDD_STAT_CNT_6482 DLIS-BB F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE IM

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND INTEGRATED MANAGER.

6483 ICDD-LA-FSC-ALL-MS-OD ICDD_STAT_CNT_6483 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICE AND OTHER DOD.

6484 ICDD-LA-FSC-ALL-MS ICDD_STAT_CNT_6484 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MILITARY SERVICES ONLY.

6485 ICDD-LA-FSC-ALL-IM-OD ICDD_STAT_CNT_6485 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC ALL INTERGRATED MGR OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

6486 ICDD-LA-FSC-ALL-IM ICDD_STAT_CNT_6486 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MANAGER
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY INTEGRATED MANAGER ONLY.

6487 ICDD-LA-FSC-ALL-OD ICDD_STAT_CNT_6487 DLIS-BB F INTEGER 8
 ICDD LOGISTISC ASSIGNMENT FSC ALL OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY OTHER DOD.

6488 ICDD-LA-FSC-LC-MS-IM-OD ICDD_STAT_CNT_6488 DLIS-BB F INTEGER 8
 ICDD LOG ASSIGN FSC LOA COMB MIL SVC IM OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6489 ICDD-LA-FSC-LC-MS-IM ICDD_STAT_CNT_6489 DLIS-BB F INTEGER 8
 ICDD LOG ASSIGN FSC LOA COMB MIL SVC INTEGRATED MGR
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND INTEGRATED MANAGER.

6490 ICDD-LA-FSC-LC-MS-OD ICDD_STAT_CNT_6490 DLIS-BB F INTEGER 8
 ICDD LOG ASSIGN FSC LOA COMBINATION MILITARY SVC OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND OTHER DOD.

6491 ICDD-LA-FSC-LC-MS ICDD_STAT_CNT_6491 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY SVC
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY MILITARY SERVICES ONLY.

6492 ICDD-LA-FSC-LC-IM-OD ICDD_STAT_CNT_6492 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC LOA COMB IM OTHER DOD

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6493 ICDD-LA-FSC-LC-IM ICDD_STAT_CNT_6493 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION INTEGRATED MGR
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER.

6494 ICDD-LA-FSC-LC-OD ICDD_STAT_CNT_6494 DLIS-BB F INTEGER 8
 ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION OTHER DOD
 THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY OTHER DOD.

6495 ICMS-FSC-ALL-MS-MM ICMS_STAT_CNT_6495 DLIS-BB F INTEGER 8
 ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6496 ICMS-FSC-ALL-MS-MMPC DLIS-BB F 8
 ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT
 THE PERCENT OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6497 ICMS-FSC-ALL-AR-MM ICMS_STAT_CNT_6497 DLIS-BB F INTEGER 8
 ICMS FSC ALL ARMY MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS THE ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6498 ICMS-FSC-ALL-AR-MMPC DLIS-BB F 8
 ICMS FSC ALL ARMY MULTI-MANAGED PERCENT
 THE PERCENT OF NSNS THE ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6499 ICMS-FSC-ALL-NA-MM ICMS_STAT_CNT_6499 DLIS-BB F INTEGER 8
 ICMS FSC ALL NAVY MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS THE NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6500 ICMS-FSC-ALL-NA-MMPC DLIS-BB F 8
 ICMS FSC ALL NAVY MULTI-MANAGED PERCENT
 THE PERCENT OF NSNS THE NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6501 ICMS-FSC-ALL-AF-MM ICMS_STAT_CNT_6501 DLIS-BB F INTEGER 8
 ICMS FSC ALL AIR FORCE MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS THE AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6502 ICMS-FSC-ALL-AF-MMPC DLIS-BB F 8
 ICMS FSC ALL AIR FORCE MULTI-MANAGED PERCENT
 THE PERCENT OF NSNS THE AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6503 ICMS-FSC-ALL-MC-MM ICMS_STAT_CNT_6503 DLIS-BB F INTEGER 8
 ICMS FSC ALL MARINE CORPS MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS THE MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6504	ICMS-FSC-ALL-MC-MMPC		DLIS-BB	F	8
ICMS FSC ALL MARINE CORPS MULTI-MANAGED PERCENT THE PERCENT OF NSNS THE MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.					
6505	ICMS-FSC-ALL-LC-MS-MM	ICMS_STAT_CNT_6505	DLIS-BB	F INTEGER	8
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.					
6506	ICMS-FSC-ALL-LC-MS-MMPC		DLIS-BB	F	8
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MGD PERC THE PERCENT OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.					
6507	ICMS-FSC-ALL-LC-AR-MM	ICMS_STAT_CNT_6507	DLIS-BB	F INTEGER	8
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6508	ICMS-FSC-ALL-LC-AR-MMPC		DLIS-BB	F	8
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED PERCENT THE PERCENT OF NSNS THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATIONS.					
6509	ICMS-FSC-ALL-LC-NA-MM	ICMS_STAT_CNT_6509	DLIS-BB	F INTEGER	8
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6510	ICMS-FSC-ALL-LC-NA-MMPC		DLIS-BB	F	8
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED PERCENT THE PERCENT OF NSNS THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6511	ICMS-FSC-ALL-LC-AF-MM	ICMS_STAT_CNT_6511	DLIS-BB	F INTEGER	8
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6512	ICMS-FSC-ALL-LC-AF-MMPC		DLIS-BB	F	8
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED PERCENT THE PERCENT OF NSNS THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6513	ICMS-FSC-ALL-LC-MC-MM	ICMS_STAT_CNT_6513	DLIS-BB	F INTEGER	8
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6514	ICMS-FSC-ALL-LC-MC-MMPC		DLIS-BB	F	8
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED PERC THE PERCENT OF NSNS THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.					
6515	ICMS-IM-ALL-MS-MM	ICMS_STAT_CNT_6515	DLIS-BB	F INTEGER	8
ICMS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6516 ICMS-IM-ALL-MS-MMPC DLIS-BB F 8
ICMS INTEG MANAGER ALL MILITARY SVC MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6517 ICMS-IM-ALL-AR-MM ICMS_STAT_CNT_6517 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6518 ICMS-IM-ALL-AR-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6519 ICMS-IM-ALL-NA-MM ICMS_STAT_CNT_6519 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6520 ICMS-IM-ALL-NA-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6521 ICMS-IM-ALL-AF-MM ICMS_STAT_CNT_6521 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6522 ICMS-IM-ALL-AF-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6523 ICMS-IM-ALL-MC-MM ICMS_STAT_CNT_6523 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6524 ICMS-IM-ALL-MC-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED PERCE
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6525 ICMS-IM-ALL-LC-MS-MM ICMS_STAT_CNT_6525 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SVC MUL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA
CODE COMBINATION.

6526 ICMS-IM-ALL-LC-MS-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC MULT PER
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE
COMBINATION.

6527 ICMS-IM-ALL-LC-AR-MM ICMS_STAT_CNT_6527 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULTI-MANAG

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6528 ICMS-IM-ALL-LC-AR-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULT PERCT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6529 ICMS-IM-ALL-LC-NA-MM ICMS_STAT_CNT_6529 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI-MANAG
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6530 ICMS-IM-ALL-LC-NA-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI PERCT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6531 ICMS-IM-ALL-LC-AF-MM ICMS_STAT_CNT_6531 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MULTI
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6532 ICMS-IM-ALL-LC-AF-MMPC DLIS-BB F 8
ICMS INTEGRATED MGR ALL LOA COMB AIR FORCE MULT PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6533 ICMS-IM-ALL-LC-MC-MM ICMS_STAT_CNT_6533 DLIS-BB F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS MUL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6534 ICMS-IM-ALL-LC-MC-MMPC DLIS-BB F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MC MULTI PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6535 ICMS-LA-ALL-MS-MM ICMS_STAT_CNT_6535 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6536 ICMS-LA-ALL-MS-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6537 ICMS-LA-ALL-AR-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6538 ICMS-LA-ALL-NA-MM ICMS_STAT_CNT_6538 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
	CLEAR TEXT HOST/COBOL NAME				
	DRN DEFINITION				
6539	ICMS-LA-ALL-NA-MMPC		DLIS-BB	F	8
	ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED PERCENT THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
6542	DEPARTMENT-ERRC		DLIS-SBA	F	8
	DEPARTMENT EXPENDABILITY-RECOVERABILITY REPARABILITY CODE THE NUMBER OF NSNS WITH EXPENDABILITY-RECOVERABILITY-REPARABILITY CODES ASSIGNED BROKEN OUT BY CODE FOR A DEPARTMENT.				
6543	DEPT-ACTIVITY-ERRC		DLIS-SBA	F	8
	DEPT ACTY EXPENDABILITY-RECOVERABILITY REPARABILITY CODE THE NUMBER OF NSNS WITH EXPENDABILITY-RECOVERABILITY-REPARABILITY CODES ASSIGNED BROKEN OUT BY CODE FOR AN ACTIVITY WITHIN A DEPARTMENT.				
6544	I-O-IDIC-ODIC-RTNCD		DLIS-SBA	F	8
	I O INPUT DIC OUTPUT DIC RETURN CODE THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED INPUT DIC BROKEN OUT BY OUTPUT DIC AND RETURN CODE				
6545	I-O-IDIC-TOT		DLIS-SBA	F	8
	I O INPUT DIC TOTAL THE TOTAL TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC.				
6546	I-O-ACTY-IDIC-ODIC-RTNCD	IO_STAT_CNT_6546	DLIS-SBA	F INTEGER	8
	I-O-ACTIVITY INPUT DIC OUTPUT DIC RETURN CODE THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED SUBMITTING ACTIVITY BROKEN OUT BY INPUT DIC AND RETURN CODE				
6547	I-O-ACTY-IDIC-TOT		DLIS-SBA	F	8
	I O ACTIVITY INPUT DIC TOTAL THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR A SUBMITTING ACTIVITY				
6548	I-O-ODIC-RTNCD-IDIC		DLIS-SBA	F	8
	I O OUTPUT DIC RETURN CODE INPUT DIC THE QUANTITY OF TRANSACTIONS WITH A SPECIFIED OUTPUT CODE AND RETURN CODE TO INPUT CODE.				
6549	I-O-ODIC-RTNCD-TOT		DLIS-SBA	F	8
	I O OUTPUT DIC RETURN CODE TOTAL THE TOTAL QUANTITY OF TRANSACTIONS FOR A SPECIFIED OUTPUT DIC.				
6572	COMM-ADRS-ID	COMM_ADRS_ID_6572	DLSC-SBA	F CHAR	20
	COMMUNICATIONS ADDRESS IDENTIFIER AN IDENTIFIER OF A SPECIFIC DESTINATION USED TO ELECTRONICALLY TRANSFER DATA.				
6573	EXTRNL-COMM-USERID-ID	EXTRNL_USRID_6573	DLSC-SBA	F CHAR	8
	EXTERNAL COMMUNICATIONS USERID IDENTIFIER A CODE TO UNIQUELY IDENTIFY/CONTROL A USER OR SYSTEM ACCESS TO A ADP SYSTEM.				
6574	EXTRNL-COMM-PASWD-ID	EXTRNL_PASWD_6574	DLSC-SBA	F CHAR	15
	EXTERNAL COMMUNICATIONS PASSWORD IDENTIFIER				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

USED IN CONJUNCTION WITH EXTRNL_USRID_6573 TO AUTHENTICATE ACCESS TO AN ADP SYSTEM.

6575	COMM-FILE-NM COMMUNICATIONS FILE NAME A NAME ASSIGNED TO A DATA FILE.	COMM_FILE_NM_6575	DLSC-SBA	F CHAR	45
6589	NAIN-STRNG NON APPROVED ITEM NAME STRING THIS FIELD CONTAINS A CHARACTER STRING, USUALLY A WORD, WHICH IS ASSOCIATED WITH SPECIFIED FSG-FSC (FEDERAL SUPPLY GROUP AND FEDERAL SUPPLY CLASS) COMBINATIONS AND SUPPORTS EDITING FOR VALID COMBINATIONS. THIS WORD STRING WILL NORMALLY CONSIST OF ONLY A PORTION OF A TOTAL NON APPROVED ITEM NAME (NAIN), BUT IN SOME INSTANCES MAY EQUAL THE TOTAL NAIN.	NAIN_STRING_6589	DLIS-SBA	V VARCHAR	19
6591	I-O-ACTY-ODIC-RTNCD-IDIC I O ACTIVITY OUTPUT DIC RETURN CODE INPUT DIC THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED SUBMITTING ACTIVITY BROKEN OUT BY OUTPUT DIC AND RETURN CODE TO INPUT DIC.		DLIS-SBA	F	8
6592	STAT-DAC-SA STATISTICS DAC SERVICE ACTIVITY THIS DATA ELEMENT REPRESENTS THE VARIOUS CENTERS, ACTIVITIES, AND DEPARTMENTS THAT ARE DEPICTED IN DOCUMENT AVAILABILITY STATISTICS.	STAT_DAC_SA_6592	DLIS-SBA	F CHAR	7
6593	EFF-ADD-NIIN-MOERULE-QTY EFFECTIVE ADD NIIN MOE RULE QUANTITY THE NIIN COUNT OF EFFECTIVE DATED ITEMS THAT WILL BE ADDED BY MOE RULE.		DLIS-SBA	F	8
6594	EFF-DEL-NIIN-MOERULE-QTY EFFECTIVE DELETE NIIN MOE RULE QUANTITY THE NIIN COUNT OF EFFECTIVE DATED ITEMS THAT WILL BE DELETED BY MOE RULE.		DLIS-SBA	F	8
6595	ACT-NIIN-MOERULE-QTY ACTIVE NIIN MOE RULE QUANTITY THE COUNT OF NIINS FOR ACTIVE ITEMS BY MOE RULE.		DLIS-SBA	F	8
6596	FSC-MOERULE-NIIN-QTY FSC MOE RULE NIIN QUANTITY THE TOTAL NIIN COUNT BY MOE RULE NUMBER BY SPECIFIC FSC.		DLIS-SBA	F	8
6597	ALL-FSC-MOERULE-NIIN-QTY ALL FSC MOE RULE NIIN QUANTITY THE TOTAL NIIN COUNT BY ALL MOE RULE NUMBER BY FSC.		DLIS-SBA	F	8
6598	MGR-CAGE-OUTPUT-ACCESS MANAGER CAGE OUTPUT ACCESSES THE NUMBER OF USER ACCESSES FOR CAGE CODE STATS.		DLIS-SBA	F	8
6599	FREIGHT-INC-NSN FREIGHT ITEM NAME CODE NSN	FRGT_STAT_CNT_6599	DLIS-SBA	F INTEGER	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6622	FIGG-INC-NEW-MTCH FIGG INC NEW MATCH	FIGG_STAT_CNT_6622	DLIS-SB	F INTEGER	8
QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIGG AND INC COMBINATION FOR A MONTH.					
6623	FIGG-INC-MAINT-INPUT FIGG INC MAINTENANCE INPUT	FIGG_STAT_CNT_6623	DLIS-SB	F INTEGER	8
QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIGG AND INC COMBINATION FOR A MONTH.					
6624	FIGG-INC-MAINT-MTCH FIGG INC MAINTENANCE MATCH	FIGG_STAT_CNT_6624	DLIS-SB	F INTEGER	8
QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIGG AND INC COMBINATION FOR A MONTH.					
6625	FIGG-INC-9001-USAGE FIGG INC 9001 USAGE	FIGG_STAT_CNT_6625	DLIS-SB	F INTEGER	8
QUANTITY OF PAC 9001 (OVERIVE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BYFIGG AND INC COMBINATION FOR A MONTH.					
6626	FIGG-INC-MTCH-PC FIGG INC MATCH PERCENT		DLIS-SBA	F	8
PERCENT OF INPUT TRANSACTIONS WITH MATCHES BY FIGG AND INC COMBINATION FOR A MONTH.					
6627	FIGG-OVERALL-MTCH-PC FIGG OVERALL MATCH PERCENT		DLIS-SB	F	8
TOTAL PERCENT OF INPUT TRANSACTIONS WITH MATCHES BY FIGG FOR A MONTH.					
6628	FIGG-ALL-NEW-ITM-MTCH-PC FIGG ALL NEW ITEM MATCH PERCENT		DLIS-SB	F	8
PERCENT OF THE FIGG NEW INPUTS WITH A MATCH BY FIGG FOR A MONTH.					
6629	FIGG-ALL-MAINT-MTCH-PC FIGG ALL MAINTENANCE MATCH PERCENT		DLIS-SB	F	8
PERCENT OF THE FIGG MAINTENANCE INPUTS WITH A MATCH BY FIGG FOR A MONTH.					
6630	FIGG-ALL-9001-USAGE-PC FIGG ALL 9001 USAGE PERCENT		DLIS-SB	F	8
PERCENT OF FIGG TOTAL INPUTS THAT PAC 9001 WAS USED ON BY FIGG FOR A MONTH.					
6631	FIGG-INC-SCRN FIGG INC SCREENING		DLIS-SB	F	8
QUANTITY OF INCS SCREENED WITHIN A FIGG BY FIGG AND INC FOR A MONTH.					
6632	FIGG-RECORD-COUNT FIGG RECORD COUNT		DLIS-SB	F	8
THIS DATA ELEMENT REFLECTS THE TOTAL RECORD COUNT OF THE FIGG.					
6633	FIGG-GTOT-INPUT FIGG GRAND TOTAL INPUT		DLIS-SB	F	8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

GRAND TOTAL QUANTITY OF TRANSACTIONS RECEIVED FRO ALL FIIGS FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6634 FIIG-GTOT-MTCH DLIS-SB F 8
 FIIG GRAND TOTAL MATCH
 GRAND TOTAL QUANTITY OF ACTUAL OR POSSIBLE MATCHES FOR ALL FIIGS FOR A MONTH.

6635 FIIG-GTOT-P-MTCH DLIS-SB F 8
 FIIG GRAND TOTAL POSSIBLE MATCH
 GRAND TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OR ADDITION, DELETION OR CHANGE OR REFERENCE NUMBERS(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DUING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII FOR ALL FIIGS FOR A MONTH.

6636 FIIG-GTOT-A-MTCH DLIS-SB F 8
 FIIG GRAND TOTAL ACTUAL MATCH
 GRAND TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION , DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS AS RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII FOR ALL FIIGS FOR A MONTH.

6637 FIIG-GTOT-NEW-INPUT DLIS-SB F 8
 FIIG GRAND TOTAL NEW INPUT
 GRAND TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT FOR ALL FIIGS FOR A MONTH.

6638 FIIG-GTOT-NEW-MTCH DLIS-SB F 8
 FIIG GRAND TOTAL NEW MATCH
 GRAND TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSINGMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES FOR ALL FIIGS FOR A MONTH.

6639 FIIG-GTOT-MAINT-INPUT DLIS-SB F 8
 FIIG GRAND TOTAL MAINTENANCE INPUT
 GRAND TOTAL QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR ALL INCS FOR FIIGS FOR A MONTH.

6640 FIIG-GTOT-MAINT-MTCH DLIS-SB F 8
 FIIG GRAND TOTAL MAINTENANCE MATCH
 GRAND TOTAL QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR ALL INCS FOR ALL FIIGS FOR A MONTH.

6641 FIIG-GTOT-9001-USAGE DLIS-SB F 8
 FIIG GRAND TOTAL 9001 USAGE
 GRAND TOTAL QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED FOR ALL FIIGS FOR A MONTH.

6642 FIIG-GTOT-MTCH-PC DLIS-SB F 8
 FIIG GRAND TOTAL MATCH PERCENT
 GRAND TOTAL PERCENT OF INPUT TRANSACTIONS WITH MATCHES FOR ALL FIIGS FOR A MONTH.

6643 FIIG-GTOT-INC-SCRN DLIS-SB F 8
 FIIG GRAND TOTAL INC SCREENING
 GRAND TOTAL QUANTITY OF INCS SCREENED WITHIN ALL FIIGS FOR A MONTH.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6644 FIIG-GTOT-FIIG-SCRN DLIS-SB F 8
FIIG GRAND TOTAL FIIG SCREENING
GRAND TOTAL QUANTITY OF FIIGS SCREENED FOR A MONTH.

6645 DP-DM-PICA-NNSN-FY74-PCT DLIS-SBA F 8
DEPARTMENT DESCRIPTIVE METHOD PICA NEW NSN FY PERCENT
THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION APPROVED FOR NSN ASSIGNMENT FOR DEPARTMENT
FOR THE ENDING QUARTER OF FY74.

6647 MOE-FSC-TOT-NSN DLIS-SBA F 8
MOE FSC TOTAL NSN
THE TOTAL NUMBER OF MOE RULE NUMBERS RECORDED FOR ALL FEDERAL SUPPLY CLASSES.

6648 M3D-D-DM-P DLIS-BB F 8
M3D-DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OD DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6649 M3E-FSC-D-RN-R DLIS-BB F 8
M3E FSC DEPARTMENT REFERENCE NUMBER RATIO
THE DEPARTMENT PICA/SICA ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN AN FSC.

6650 M3C2-FSC-D-AT-LOA-DM M3C2_STAT_CNT_6650 DLIS-BB F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOAN DESCRIPTIVE METHOD
THE ACTIVITY LOA TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT, WITHIN AN FSC.
ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6651 CAGE-ACTY-AAC-NSN CAGE_STAT_CNT_6651 DLIS-SBA F INTEGER 8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN
A COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC ACQUISITION ADVICE CODE.

6652 CAGE-ACTY-AAC-NSN-GRP DLIS-SBA F 8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN GROUP
A COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC GROUP OF ACQUISITION ADVICE CODES.

6653 CAGE-ACTY-AAC-NSN-TOT DLIS-SBA F 8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN TOTAL
TOTAL COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC AQUISITION ADVICE CODE(S).

6654 CAGE-NSN CAGE_STAT_CNT_6654 DLIS-SBA F INTEGER 8
CAGE NSN
A COUNT OF NSNS BY A SPECIFIC CAGE CODE.

6655 CAGE-REF CAGE_STAT_CNT_6655 DLIS-SBA F INTEGER 8
CAGE REFERENCE NUMBER
A COUNT OF REFERENCE NUMBERS BY SPECIFIC CAGE CODE.

6656 CAGE-INC-NSN CAGE_STAT_CNT_6656 DLIS-SBA F INTEGER 8
CAGE ITEM NAME CODE NSN
A COUNT OF NSNS BY SPECIFIC CAGE CODE AND ITEM NAME CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6657	CAGE-FSC-NSN CAGE FSC NSN A COUNT OF NSNS BY SPECIFIC CAGE CODE AND FEDERAL SUPPLY CODE.	CAGE_STAT_CNT_6657	DLIS-SBA	F INTEGER	8
6658	PCT-RETURNED-5 PERCENT RETURNED 5 THE PERCENT RETURNED FOR DRN 6654, DEPARTMENT ACTIVITY NEW NSN DESCRIPTIVE METHOD 5.		DLIS-SBA	F	8
6659	DEPT-TOTAL-5 DEPARTMENT TOTAL 5 THE DEPARTMENT TOTAL FOR DRN 6654, DEPARTMENT ACTIVITY NEW NSN DESCRIPTIVE METHOD 5.		DLIS-SBA	F	8
6660	DEPT-ACT-NEW-NSN-RM-6 DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6 THE NUMBER OF ORIGINALS (AN ITEM IDENTIFICATION APPROVED, BY DLIS AND ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) WITH REFERENCE METHOD FOR DEPARTMENT, FOR SUBMITTING ACTIVITY BROKEN OUT BY THE NUMBER PROCESSED, APPROVED, RETURNED, PERCENT RETURNED.		DLIS-SBA	F	8
6661	PROCESSED-6 PROCESSED 6 THE NUMBER PROCESSED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.		DLIS-SBA	F	8
6662	APPROVED-6 APPROVED 6 THE NUMBER APPROVED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.		DLIS-SBA	F	8
6663	RETURNED-6 RETURNED 6 THE NUMBER RETURNED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.		DLIS-SBA	F	8
6664	PCT-RETURNED-6 PERCENT RETURNED 6 THE PERCENT RETURNED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.		DLIS-SBA	F	8
6665	DEPT-TOTAL-6 DEPARTMENT TOTAL 6 THE DEPARTMENT TOTAL FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.		DLIS-SBA	F	8
6666	DP-DM-PICA-NSN-FY74-PCT DEPARTMENT DESCRIPTIVE METHOD PICA NSN FY74 PERCENT THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT FOR THE ENDING QUARTER OF FY74.		DLIS-SBA	F	8
6667	DP-DM-PICA-NSN-FPY-PCT DEPARTMENT DESCRIPTIVE METHOD PICA NSN PREVIOUS YEAR PERCENT THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT FOR THE ENDING QUARTER OF PREVIOUS FY.		DLIS-SBA	F	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6668 DP-FD-PICA-NSN-FY-PCT-1 DLIS-SBA F 8
DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1
THE PERCENT OF FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR PICA MANAGED NSNS FOR DEPARTMENT FOR EACH QUARTER OF THE FY.

6669 FRST-QTR-CUR-FY-1 DLIS-SBA F 8
FIRST QUARTER CURRENT FISCAL YEAR 1
FIRST QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6670 SCND-QTR-CUR-FY-1 DLIS-SBA F 8
SECOND QUARTER CURRENT FISCAL YEAR 1
SECOND QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6671 THRD-QTR-CUR-FY-1 DLIS-SBA F 8
THIRD QUARTER CURRENT FISCAL YEAR 1
THIRD QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6672 FRTH-QTR-CUR-FY-1 DLIS-SBA F 8
FOURTH QUARTER CURRENT FISCAL YEAR 1
FOURTH QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6673 DP-FD-PICA-NSN-GOAL-PCT DLIS-SBA F 8
DEPARTMENT FULL DESCRIPTIVE PICA NSN GOAL PERCENT
THE PERCENT GOAL FOR FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT.

6674 DP-ORIG-NSN-PCT-2 DLIS-SBA F 8
DEPARTMENT ORIGINAL NSN PERCENT 2
THE PERCENT OF ORIGINAL NSNS (AN ITEM ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) FOR UNITED STATES GOVERNMENT DEPARTMENTS. TOTALS ARE ALSO BROKEN OUT FOR THE FOLLOWING TYPES OF ITEM IDENTIFICATION: FULL DESCRIPTIVE 1, 1A, 1B. PARTIAL DESCRIPTIVE 4, 4A, 4B AND REFERENCE 2.

6675 FULL-DESCRIPTIVE-METHOD-2 DLIS-SBA F 8
FULL DESCRIPTIVE METHOD 2
FULL DESCRIPTIVE METHOD PERCENT FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6676 PARTIAL-DESCRIPTIVE-2 DLIS-SBA F 8
PARTIAL DESCRIPTIVE 2
PARTIAL DESCRIPTIVE METHOD FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6677 REFERENCE-METHOD-2 DLIS-SBA F 8
REFERENCE METHOD 2
REFERENCE METHOD FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6678 DP-TRNSF-FULL-DESCR-FY74 DLIS-SBA F 8
DEPARTMENT TRANSFER FULL DESCRIPTIVE FISCAL YEAR 74

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE NUMBER OF NSNS TRANSFERRING FROM REFERENCE AND PARTIAL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION TO FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR DEPARTMENT FOR FY 74.

6679 DP-TRNSF-FULL-DESCRP-PFY DLIS-SBA F 8
DEPARTMENT TRANSFER FULL DESCRIPTIVE PREVIOUS FISCAL YEAR
THE NUMBER OF NSNS TRANSFERRING FROM REFERENCE AND PARTIAL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION TO FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR DEPARTMENT FOR THE PREVIOUS FISCAL YEAR.

6680 RAW-FIIG-INC-INPUT DLIS-SBA F 8
RAW FIIG INC INPUT
DAILY QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE.

6681 RAW-FIIG-INC-P-MTCH DLIS-SBA F 8
RAW FIIG INC POSSIBLE MATCH
DAILY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF A FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

6682 RAW-FIIG-INC-A-MTCH DLIS-SBA F 8
RAW FIIG INC ACTUAL MATCH
DAILY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

6683 RAW-FIIG-INC-NEW-INPUT DLIS-SBA F 8
RAW FIIG INC NEW INPUT
DAILY QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION.

6684 RAW-FIIG-INC-NEW-MTCH DLIS-SBA F 8
RAW FIIG INC NEW MATCH
DAILY QUANTITY OF REQUESTS FOR A NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION.

6685 RAW-FIIG-INC-MAINT-INPUT DLIS-SBA F 8
RAW FIIG INC MAINTENANCE INPUT
DAILY QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

6686 RAW-FIIG-INC-MAINT-MTCH DLIS-SBA F 8
RAW FIIG INC MAINTENANCE MATCH
DAILY QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

6687 RAW-FIIG-INC-9001-USAGE DLIS-SBA F 8
RAW FIIG INC 9001 USAGE
DAILY QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG AND INC COMBINATION.

6688 IN-DP-AT-AIN-NSN IN_STAT_CNT_6688 DLIS-BB F INTEGER 8
ITEM NAME DEPARTMENT ACTIVITY APPROVED ITEM NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF NSNS ON FILE HAVING AN APPROVED ITEM NAME FOR THE ACTIVITY.

6689 IN-DP-AT-NAIN-NSN IN_STAT_CNT_6689 DLIS-BB F INTEGER 8
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM
THE NUMBER OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

6690 IN-DP-AT-NAIN-PCT DLIS-BB F 8
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM NAME PERCENT
THE PERCENT OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

6691 IN-DP-AIN-NSN IN_STAT_CNT_6691 DLIS-BB F INTEGER 8
ITEM NAME DEPARTMENT APPROVED ITEM NAME NSN
THE NUMBER OF NSNS ON FILE HAVING AN APPROVED ITEM NAME FOR THE DEPARTMENT.

6692 IN-DP-NAIN-NSN IN_STAT_CNT_6692 DLIS-BB F INTEGER 8
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NSN
THE NUMBER OF NSNS ON FILE HAVING A NONAPPROVED ITEM ANME FOR THE DEPARTMENT.

6693 IN-DP-NAIN-PCT DLIS-BB F 8
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME PERCENT
THE PERCENT OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE DEPARTMENT.

6694 IN-DP-AT-TOT-NR-NSN DLIS-BB F 8
ITEM NAME DEPARTMENT ACTIVITY TOTAL NEW REINSTATED NSN
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH FOR THE ACTIVITY.

6695 IN-DP-AT-AIN-NR-NSN IN_STAT_CNT_6695 DLIS-BB F INTEGER 8
ITEM NAME DEPT ACTIVITY APPROVED ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH AN APPROVED ITEM NAME FOR THE ACTIVITY.

6696 IN-DP-AT-NAIN-NR-NSN IN_STAT_CNT_6696 DLIS-BB F INTEGER 8
ITEM NAME DEPT ACTIVITY NONAPPRVD ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH A NONAPPROVED ITEM NAME FOR ACTIVITY.

6697 IN-DP-AT-NAIN-NR-PCT DLIS-BB F 8
ITEM NAME DEPT ACTY NONAPPRVD ITEM NAME NEW REINSTATED PCT
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE CURRENT MONTH FOR THE ACTIVITY.

6698 IN-DP-TOT-NR-NSN DLIS-BB F 8
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED NSN
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH FOR THE DEPARTMENT.

6699 IN-DP-AIN-NR-NSN IN_STAT_CNT_6699 DLIS-BB F INTEGER 8
ITEM NAME DEPARTMENT APPROVED ITEM NAME NEW REINSTATED NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH AN APPROVED ITEM NAME FOR THE DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ITEM NAME DEPT ACTY NONAPPD ITEN NAME NEW REINSTD PCT 3RD Q
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6711 IN-DP-AT-NAIN-NR-PCT-4-Q DLIS-BB F 8
ITEM NAME DEPT ACTY NONAPPD ITEN NAME NEW REINSTD PCT 4TH Q
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FOURTH QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6712 IN-DP-NAIN-NR-PCT-1-Q DLIS-BB F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 1ST QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FIRST QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

6713 POP-FIIG-AAIN-MG POP_STAT_CNT_6713 DLIS-BB F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED
THE MANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6714 POP-FIIG-AAIN-MG-FU POP_STAT_CNT_6714 DLIS-BB F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6715 POP-FIIG-AAIN-MG-PA POP_STAT_CNT_6715 DLIS-BB F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6716 POP-FIIG-AAIN-MG-RE POP_STAT_CNT_6716 DLIS-BB F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6717 POP-FIIG-AAIN-MG-AC POP_STAT_CNT_6717 DLIS-BB F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN IN FIIG.

6718 POP-FIIG-AIN-ALL-MG POP_STAT_CNT_6718 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED
THE MANAGED NSN QUANTITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG

6719 POP-FIIG-AIN-ALL-MG-FU POP_STAT_CNT_6719 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6720 POP-FIIG-AIN-ALL-MG-PA POP_STAT_CNT_6720 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6721 POP-FIIG-AIN-ALL-MG-RE POP_STAT_CNT_6721 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6722 POP-FIIG-AIN-ALL-MG-AC POP_STAT_CNT_6722 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6723 POP-FIIG-AIN-FSC-MG DLIS-BB F 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED
THE QUANTITY OF MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6724 POP-FIIG-AIN-FSC-MG-FU POP_STAT_CNT_6724 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6725 POP-FIIG-AIN-FSC-MG-PA POP_STAT_CNT_6725 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6726 POP-FIIG-AIN-FSC-MG-AC POP_STAT_CNT_6726 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED ACTIVITY
THE QUASNTITY OF NSNS MANAGED BY AN ACTIVITY FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6727 POP-NAIN-ALL-FSC DLIS-BB F 8
POPULATION NONAPPROVED ITEM NAME ALL FSC
THE QUANTITY OF NSNS WITH NONAPPROVED ITEM NAMES ACROSS ALL FSCS.

6728 POP-NAIN-FSC DLIS-BB F 8
POPULATION NONAPPROVED ITEM NAME FSC
THE QUANTITY OF NSNS WITH NONAPPROVED ITEM NAMES ACROSS A SINGLE FSC.

6729 POP-NAIN-FSC-INAC POP_STAT_CNT_6729 DLIS-BB F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC INACTIVE
THE QUANTITY OF INACTIVE NSNS FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.

6730 POP-NAIN-FSC-MG POP_STAT_CNT_6730 DLIS-BB F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC MANAGED
THE QUANTITY OF MANAGED NSNS FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.

6731 POP-NAIN-FSC-AC POP_STAT_CNT_6731 DLIS-BB F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.

6732 POP-NAIN-FSC-ALL-INAC POP_STAT_CNT_6732 DLIS-BB F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC ALL INACTIVE
THE QUANTITY OF INACTIVE NSNS ACROSS ALL FSCS FOR A NONAPPROVED ITEM NAME.

6733 POP-NAIN-FSC-ALL-MG POP_STAT_CNT_6733 DLIS-BB F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC ALL MANAGED
THE QUANTITY OF MANAGED NSNS ACROSS ALL FSCS FOR A NONAPPROVED ITEM NAME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6734	POP-NAIN-FSC-ALL-AC POPULATION NONAPPROVED ITEM NAME FSC ALL ACTIVITY THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY FOR A NONAPPROVED ITEM NAME.	POP_STAT_CNT_6734	DLIS-BB	F	8
6735	POP-FIIG-AAIN-NMG POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED THE NONMANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.	POP_STAT_CNT_6735	DLIS-BB	F INTEGER	8
6736	POP-FIIG-AAIN-NMG-FU POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED FULL THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.	POP_STAT_CNT_6736	DLIS-BB	F INTEGER	8
6737	POP-FIIG-AAIN-NMG-PA POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.	POP_STAT_CNT_6737	DLIS-BB	F INTEGER	8
6738	POP-FIIG-AAIN-NMG-RE POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED RE THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.	POP_STAT_CNT_6738	DLIS-BB	F INTEGER	8
6739	POP-FIIG-AIN-ALL-NMG POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED THE NONMANAGED NSN QUANTITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.	POP_STAT_CNT_6739	DLIS-BB	F INTEGER	8
6740	POP-FIIG-AIN-ALL-NMG-FU POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED FULL THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.	POP_STAT_CNT_6740	DLIS-BB	F INTEGER	8
6741	POP-FIIG-AIN-ALL-NMG-PA POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED PARTIAL THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.	POP_STAT_CNT_6741	DLIS-BB	F INTEGER	8
6742	POP-FIIG-AIN-ALL-NMG-RE POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED REFERENCE THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.	POP_STAT_CNT_6742	DLIS-BB	F INTEGER	8
6743	POP-FIIG-AIN-FSC-NMG POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED THE QUANTITY OF NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.	POP_STAT_CNT_6743	DLIS-BB	F INTEGER	8
6747	TRFR-OAC-CUR-TOT-NSN TRANSFER ORIGINATING ACTIVITY CURRENT TOTAL NSN THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY ORIGINATING DEPARTMENT/ACTIVITY.	TRFR_STAT_CNT_6747	DLIS-BB	F INTEGER	8
6748	TRFR-OAC-CUR-DM-PCT TRANSFER ORIGINATING ACT CURRENT DESCRIPTIVE METHOD PERCENT	TRFR_STAT_CNT_6748	DLIS-BB	F INTEGER	8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6752 TRFR-OAC-FYD-TOT-NSN TRFR_STAT_CNT_6752 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT/ACTIVITY.

6753 TRFR-OAC-FYD-DM-PCT TRFR_STAT_CNT_6753 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE DESC METH PERCENT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT ACTIVITY.

6757 TRFR-ODP-CUR-TOT-NSN TRFR_STAT_CNT_6757 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING DEPARTMENT CURRENT TOTAL NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY ORIGINATING DEPARTMENT.

6758 TRFR-ODP-CUR-DM-PCT TRFR_STAT_CNT_6758 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING DEPT CURRENT DESCRIPTIVE METHOD PERCENT
PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6762 TRFR-ODP-FYD-TOT-NSN TRFR_STAT_CNT_6762 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YEAR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT.

6763 TRFR-ODP-FYD-DM-PCT TRFR_STAT_CNT_6763 DLIS-BB F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE DESC MET PERCENT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6767 TRFR-FSC-OAC-FYD-TOT-NSN TRFR_STAT_CNT_6767 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC BY ORIGINATING DEPARTMENT/ACTIVITY.

6768 TRFR-FSC-OAC-FYD-DM-PCT TRFR_STAT_CNT_6768 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE DESC METH PCT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6769 TRFR-FSC-OAC-FYD-GL-DIF TRFR_STAT_CNT_6769 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL DIFFER
THE FISCAL YEAR TO DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6770 TRFR-FSC-OAC-FYD-GOAL TRFR_STAT_CNT_6770 DLIS-BB F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL
THE FISCAL YEAR TO DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6774	TRFR-FSC-ODP-FYD-TOT-NSN	TRFR_STAT_CNT_6774	DLIS-BB	F INTEGER	8
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TOTAL NSN THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT.					
6775	TRFR-FSC-ODP-FYD-DM-PCT	TRFR_STAT_CNT_6775	DLIS-BB	F INTEGER	8
TRANSFER FSC ORIGINATING DEPT FY TO DATE DESC METH PERCENT THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.					
6776	TRFR-FSC-ODP-FYD-GL-DIF	TRFR_STAT_CNT_6776	DLIS-BB	F INTEGER	8
TRANSFER FSC ORIGINATING DEPT FY TO DATE GOAL DIFFERENCE THE FISCAL YEAR TO DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.					
6777	TRFR-FSC-ODP-FYD-GOAL	TRFR_STAT_CNT_6777	DLIS-BB	F INTEGER	8
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE GOAL THE FISCAL YEAR TO DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.					
6779	DIC-SAC-NIINST	DIC_STAT_CNT_6779	DLIS-BB	F INTEGER	8
DIC SUBMITTING ACTIVITY CODE NIIN STATUS THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.					
6780	DIC-SAC-RULES	DIC_STAT_CNT_6780	DLIS-BB	F INTEGER	8
DIC SUBMITTING ACTIVITY CODE RULES THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.					
6781	DIC-SAC-CLRCL	DIC_STAT_CNT_6781	DLIS-BB	F INTEGER	8
DIC SUBMITTING ACTIVITY CODE CLERICAL THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.					
6782	DIC-SAC-PDUPS	DIC_STAT_CNT_6782	DLIS-BB	F INTEGER	8
DIC SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.					
6783	DIC-SAC-ADUPS	DIC_STAT_CNT_6783	DLIS-BB	F INTEGER	8
DIC SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES THE COUNT OF TRANSACTIONS RETURNED AS AN ACTUAL DUPLICATE FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.					
6784	DIC-SAC-RETRND		DLIS-BB	F	8
DIC SUBMITTING ACTIVITY CODE RETURNED THE COUNT OF TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY BY DOCUMENT IDENTIFIER CODE.					
6785	IDIC-DEPT-SAC-RETD-QTY-B		DLIS-BB	F	8
INPUT DIC DEPARTMENT SUBMITTING ACTIVITY RETURNED QTY B					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6797	DIC-ALL-SAC-PRCSD	DIC_STAT_CNT_6797	DLIS-BB	F INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE PROCESSED THE COUNT OF TRANSACTIONS PROCESSED BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN DEPARTMENT.					
6798	DIC-ALL-SAC-RECVD	DIC_STAT_CNT_6798	DLIS-BB	F INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE RECEIVED THE COUNT OF TRANSACTIONS RECEIVED BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN THE DEPARTMENT.					
6799	DIC-OAC-PDUPS	DIC_STAT_CNT_6799	DLIS-BB	F INTEGER	8
DIC ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES THE COUNT OF TRANSACTION RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.					
6800	DIC-OAC-ADUPS	DIC_STAT_CNT_6800	DLIS-BB	F INTEGER	8
DIC ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.					
6801	DIC-OAC-RETRND		DLIS-BB	F	8
DIC ORIGINATING ACTIVITY CODE RETURNED THE COUNT OF TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.					
6802	IDIC-DEPT-OAC-RETD-QTY-D		DLIS-BB	F	8
INPUT DIC DEPARTMENT ORIGINATING ACTIVITY RETURNED QTY D THE COUNT OF TRANSACTIONS FOR ORIGINATING ACTIVITIES WITHIN DEPARTMENT THAT REJECT AND ARE RETURNED BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.					
6803	DIC-OAC-APRVD	DIC_STAT_CNT_6803	DLIS-BB	F INTEGER	8
DIC ORIGINATING ACTIVITY CODE APPROVED THE COUNT OF TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.					
6804	DIC-OAC-PRCSD		DLIS-BB	F	8
DIC ORIGINATING ACTIVITY CODE PROCESSED THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.					
6805	DIC-OAC-RECVD	DIC_STAT_CNT_6805	DLIS-BB	F INTEGER	8
DIC ORIGINATING ACTIVITY CODE RECEIVED THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.					
6806	DIC-ALL-OAC-NIINST	DIC_STAT_CNT_6806	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS THE COUNT AF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.					
6807	DIC-ALL-OAC-RULES	DIC_STAT_CNT_6807	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE RULES THE COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.					
6808	DIC-ALL-OAC-CLRCL	DIC_STAT_CNT_6808	DLIS-BB	F INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE CLERICAL					

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

6809 DIC-ALL-OAC-PDUPS DIC_STAT_CNT_6809 DLIS-BB F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

6810 DIC-ALL-OAC-ADUPS DIC_STAT_CNT_6810 DLIS-BB F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES
THE COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

6811 DIC-ALL-OAC-RETRND DLIS-BB F 8
DIC ALL ORIGINATING ACTIVITY CODE RETURNED
THE COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

6812 D-OAC-TRANS-RETRND-QTY-C DLIS-SBA F 8
DEPARTMENT ORIGINATING ACTIVITY TRANSACTIONS RETURNED QTY C
THE COUNT OF REJECTED TRANSACTIONS RETURNED BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6813 DIC-ALL-OAC-APRVD DIC_STAT_CNT_6813 DLIS-BB F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE APPROVED
THE COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

6814 DIC-ALL-OAC-PRCSD DIC_STAT_CNT_6814 DLIS-BB F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE PROCESSED
THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

6815 DIC-ALL-OAC-RECVD DIC_STAT_CNT_6815 DLIS-BB F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE RECEIVED
THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

6816 QDIC-OAC-DIC-NIINST QDIC_STAT_CNT_6816 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC DIC NIIN STATUS
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED ORIGINATING ACTIVITY.

6817 QDIC-OAC-DIC-RULES QDIC_STAT_CNT_6817 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC DIC RULES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED ORIGINATING ACTIVITY.

6818 QDIC-OAC-DIC-CLRCL QDIC_STAT_CNT_6818 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC DIC CLERICAL
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED ORIGINATING ACTIVITY.

6819 QDIC-OAC-DIC-PDUPS QDIC_STAT_CNT_6819 DLIS-BB F INTEGER 8
QUARTERLY DIC OAC DIC POSSIBLE DUPLICATES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED ORIGINATING ACTIVITY.

6820 QDIC-OAC-DIC-ADUPS QDIC_STAT_CNT_6820 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

QUARTERLY DIC OAC DIC ACTUAL DUPLICATES

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED ORIGINATING ACTIVITY.

6821 QDIC-OAC-DIC-RETRND DLIS-BB F 8

QUARTERLY DIC OAC DIC RETURNED

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED ORIGINATING ACTIVITY.

6822 OAC-IP-DIC-RETRND-QTY-H DLIS-SBA F 8

ORIGINATING ACTIVITY CODE INPUT DIC RETURNED QUANTITY H

THE COUNT OF TRANSACTIONS FOR ORIGINATING ACTIVITIES THAT REJECT AND ARE RETURNED BROKEN OUT AS FOLLOWS: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6823 QDIC-OAC-DIC-APRVD QDIC_STAT_CNT_6823 DLIS-BB F INTEGER 8

QUARTERLY DIC OAC DIC APPROVED

THE QUARTERLY COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED ORIGINATING ACTIVITY.

6824 QDIC-OAC-DIC-PRCSD DLIS-BB F 8

QUARTERLY DIC OAC DIC PROCESSED

THE QUARTERLY COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIC ORIGINATING ACTIVITY.

6825 QDIC-OAC-DIC-RECVD QDIC_STAT_CNT_6825 DLIS-BB F INTEGER 8

QUARTERLY DIC OAC DIC RECEIVED

THE QUARTERLY COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIC ORIGINATING ACTIVITY.

6826 QDIC-SAC-DIC-NIINST QDIC_STAT_CNT_6826 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC DIC NIIN STATUS

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED SUBMITTING ACTIVITY.

6827 QDIC-SAC-DIC-RULES QDIC_STAT_CNT_6827 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC DIC RULES

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED SUBMITTING ACTIVITY.

6828 QDIC-SAC-DIC-CLRCL QDIC_STAT_CNT_6828 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC DIC CLERICAL

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED SUBMITTING ACTIVITY.

6829 QDIC-SAC-DIC-PDUPS QDIC_STAT_CNT_6829 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC DIC POSSIBLE DUPLICATES

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED SUBMITTING ACTIVITY.

6830 QDIC-SAC-DIC-ADUPS QDIC_STAT_CNT_6830 DLIS-BB F INTEGER 8

QUARTERLY DIC SAC DIC ACTUAL DUPLICATES

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR SUBMITTING ACTIVITY.

6831 QDIC-SAC-DIC-RETRND DLIS-BB F 8

QUARTERLY DIC SAC DIC RETURNED

THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6832 SAC-INPUT-DIC-RTD-QTY-F DLIS-SBA F 8
SUBMITTING ACTIVITY CODE INPUT DIC RETURNED QUANTITY F
THE COUNT OF TRANSACTIONS FOR SUBMITTING ACTIVITIES THAT REJECT AND ARE RETURNED BROKEN OUT AS FOLLOWS: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6833 QDIC-SAC-DIC-APRVD QDIC_STAT_CNT_6833 DLIS-BB F INTEGER 8
QUARTERLY DIC SAC DIC APPROVED
THE QUARTERLY COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED SUBMITTING ACTIVITY.

6834 QDIC-SAC-DIC-PRCSD DLIS-BB F 8
QUARTERLY DIC SAC DIC PROCESSED
THE QUARTERLY COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED SUBMITTING ACTIVITY.

6835 QDIC-SAC-DIC-RECVD QDIC_STAT_CNT_6835 DLIS-BB F INTEGER 8
QUARTERLY DIC SAC DIC RECEIVED
THE QUARTERLY COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED SUBMITTING ACTIVITY.

6836 DIC-OAC-NIINST DIC_STAT_CNT_6836 DLIS-BB F INTEGER 8
DIC ORIGINATING ACTIVITY CODE NIIN STATUS
THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

6837 DIC-OAC-RULES DIC_STAT_CNT_6837 DLIS-BB F INTEGER 8
DIC ORIGINATING ACTIVITY CODE RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

6838 DIC-OAC-CLRCL DIC_STAT_CNT_6838 DLIS-BB F INTEGER 8
DIC ORIGINATING ACTIVITY CODE CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

6839 MGMTCHG-ACTY-GRS-ADD-NSN DLIS-SBA F 8
MANAGEMENT CHANGE ACTIVITY GROSS ADDITION NSN
THE GROSS QUANTITY OF NEW NSNS, NEW MANAGERS, REINSTATEMENTS AND REACTIVATIONS BY DEPARTMENT BY ACTIVITY.

6844 MGMTCHG-ACTY-GRS-DLT-NSN DLIS-SBA F 8
MANAGEMENT CHANGE ACTIVITY GROSS DELETE NSN
THE GROSS QUANTITY OF NSNS THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM BY DEPARTMENT BY ACTIVITY.

6846 MGMTCHG-ACTY-DLT-RSN-GRP DLIS-SBA F 8
MANAGEMENT CHANGE ACTIVITY DELETE REASON GROUP
THE QUANTITY OF NSN THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM AND NO DELETION REASON CODE HAS BEEN PROVIDED BY DEPARTMENT BY ACTIVITY.

6847 MGMTCHG-DP-GRS-ADD-NSN DLIS-SBA F 8
MANAGEMENT CHANGE DEPARTMENT GROSS ADD NSN
THE GROSS QUANTITY OF NEW NSNS, NEW MANAGERS, REINSTATEMENTS AND REACTIVATIONS BY DEPARTMENT.

6852 MGMTCHG-DP-GRS-DLT-NSN DLIS-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

MANAGEMENT CHANGE DEPARTMENT GROSS DELETE NSN
THE GROSS QUANTITY OF NSNS THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM BY DEPARTMENT.

6854 MGMTCHG-DP-DLT-RSN-GRP MCHG_STAT_CNT_6854 DLIS-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT DELETE REASON GROUP
THE QUANTITY OF NSNS THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM AND NO DELETION REASON CODE HAS BEEN PROVIDED BY DEPARTMENT.

6855 LRN-FSG-FSC-ITM-NM-ACT-W DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY ACTIVITY.

6856 LRN-FSG-FSC-ITM-NM-ACT-M DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY ACTIVITY.

6857 LRN-FSG-FSC-ITM-NM-ACT-Q DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY ACTIVITY.

6858 LRN-FSG-FSC-ITM-NM-ACT-Y DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY ACTIVITY.

6860 LRN-FSG-FSC-ITM-NM-DPT-D LRN_STAT_CNT_6860 DLIS-BB F INTEGER 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY DEPARTMENT.

6861 LRN-FSG-FSC-ITM-NM-DPT-W DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY DEPARTMENT.

6862 LRN-FSG-FSC-ITM-NM-DPT-M DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY DEPARTMENT.

6863 LRN-FSG-FSC-ITM-NM-DPT-Q DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY DEPARTMENT.

6864 LRN-FSG-FSC-ITM-NM-DPT-Y DLIS-BB F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY DEPARTMENT.

6865 LRN-FSG-FSC-ITM-NM-TOT-D LRN_STAT_CNT_6865 DLIS-BB F INTEGER 8
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6866 LRN-FSG-FSC-ITM-NM-TOT-W DLIS-BB F 8
 LOGRUN FSG GSC ITEM NAME INQUIRY TOTAL WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6867 LRN-FSG-FSC-ITM-NM-TOT-M DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL MONTHLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6868 LRN-FSG-FSC-ITM-NM-TOT-Q DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL QUARTERLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6869 LRN-FSG-FSC-ITM-NM-TOT-Y DLIS-BB F 8
 LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL YEARLY
 THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6870 FCS-C-REF-SAC-TII-1-PCT DLIS-BB F 8
 FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT
 PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6871 IANDS-DEPT-MTR-P-S-FAM IANS_STAT_CNT_6871 DLIS-BB F INTEGER 8
 INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER P/S F
 THE TOTAL NUMBER OF I AND S FAMILIES A DEPARTMENT IS RECORDED ON AS EITHER A PICA OR A SICA.

6872 IANDS-DEPT-AVG-NSN DLIS-BB F 8
 INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT AVERAGE NSN
 THE AVERAGE NUMBER OF NSNS PER I AND S FAMILY FOR A DEPARTMENT.

6873 IANDS-DEPT-GRP-NSN DLIS-BB F 8
 INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT GROUP NSN
 THE QUANTITY OF NSNS IN AND S FAMILIES FOR DEPARTMENT BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, AND 26-50 NSNS PER FAMILY.

6874 LRN-PROC-TRN-PRCS-TOT-D DLIS-BB F 6
 LOGRUN PROCEDURES TRANS PROCESS TOTAL DAILY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6875 LRN-PROC-TRN-PRCS-TOT-W DLIS-BB F 6
 LOGRUN PROCEDURES TRANS PROCESS TOTAL WEEKLY
 THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6876 LRN-PROC-TRN-PRCS-TOT-M DLIS-BB F 6
 LOGRUN PROCEDURES TRANS PROCESS TOTAL MONTHLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6877 LRN-PROC-TRN-PRCS-TOT-Q DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6878 LRN-PROC-TRN-PRCS-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6879 LRN-PROC-PRD-SVC-ACTY-M DLIS-BB F 6
LOGRUN RPROCEDURES DLSC PROD SVC ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLIS PRODUCTS AND SERVICES BY ACTIVITY.

6880 LRN-PROC-PRD-SVC-ACTY-Q DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLIS PRODUCTS AND SERVICES BY ACTIVITY.

6881 LRN-PROC-PRD-SVC-ACTY-Y DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLIS PRODUCTS AND SERVICES BY ACTIVITY.

6882 IANDS-DEPT-FSG-TOT-FAM IANS_STAT_CNT_6882 DLIS-BB F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG TOT FAMI
THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT FOR FSG.

6883 FCS-C-REF-SAC-TII-2-PCT DLIS-BB F 8
FCS CURRENT REFERNCE SUBMITTING ACTIVITY TYPE II 2 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WIT MORE T HAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6884 FCS-C-REF-SAC-TII-4-PCT DLIS-BB F 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6885 IANDS-DEPT-FSG-MTR-PICA IANS_STAT_CNT_6885 DLIS-BB F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER P
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA BY FSG.

6886 FCS-REF-SDP-TII-1-NSN FCS_STAT_CNT_6886 DLIS-BB F INTEGER 8
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SU BMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6887 FCS-REF-SDP-TII-2-NSN FCS_STAT_CNT_6887 DLIS-BB F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6888 FCS-REF-SDP-TII-4-NSN FCS_STAT_CNT_6888 DLIS-BB F INTEGER 8

FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN

QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6889 FCS-REF-SDP-TII-1-PCT DLIS-BB F 8

FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PERCENT

PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6890 FCS-REF-SDP-TII-2-PCT DLIS-BB F 8

FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PERCENT

PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6891 FCS-REF-SDP-TII-4-PCT DLIS-BB F 8

FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PERCENT

PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6892 TMG-PIC-DIC-TMFR TMG_STAT_CNT_6892 DLIS-SBA F INTEGER 8

TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME

THE QUANTITY OF TRANSACTIONS BY DIC WITH A SPECIFIC PRIORITY INDICATOR CODE THAT WERE PROCESSED WITHIN A SPECIFIC TIMEFRAME.

6893 TMG-PIC-DIC-TMFR-AVG-TM TMG_STAT_CNT_6893 DLIS-SBA F INTEGER 8

TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME AVERAGE TIME

THE AVERAGE PROCESSING TIME BY DIC FOR THOSE TRANSACTIONS WITH A SPECIFIC PRIORITY INDICATOR CODE THAT PROCESSED IN A SPECIFIC TIMEFRAME.

6894 TMG-PIC-DIC-TMFR-PCT DLIS-SBA F 8

TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME PERCENT

THE PERCENT OF TRANSACTIONS PROCESSED WITHIN A SPECIFIC TIMEFRAME FOR A SPECIFIED DIC AND PRIORITY INDICATOR CODE.

6895 TMG-PIC-DIC DLIS-SBA F 8

TIMING PRIORITY INDICATOR CODE DIC

THE QUANTITY OF TRANSACTIONS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE FOR A SPECIFIED DIC.

6896 TMG-PIC-DIC-PCT DLIS-SBA F 8

TIMING PRIORITY INDICATOR CODE DIC PERCENT

THE PERCENT OF TRANSACTIONS FOR A SPECIFIC DIC THAT HAVE A SPECIFIC PRIORITY INDICATOR CODE.

6897 TMG-PIC-DIC-TOT DLIS-SBA F 8

TIMING PRIORITY INDICATOR CODE DIC TOTAL

THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED WITH A SPECIFIC DIC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6898	TMG-PIC-TOT-AVG-TIME		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE TOTAL AVERAGE TIME				
	THE AVERAGE PROCESSING TIME FOR A SPECIFIC DIC AND PRIORITY INDICATOR CODE.				
6899	TMG-PIC-DIC-TOT-AVG-TIME		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE DIC TOTAL AVERAGE TIME				
	THE AVERAGE PROCESSING TIME FOR ALL PRIORITIES FOR A SPECIFIC DIC. INDICATOR CODE.				
6900	TMG-PIC-DIC-TMFR-TOT		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL				
	THE TOTAL QUANTITY OF DICS THAT PROCESSED WITHIN A SPECIFIED TIMEFRAME FOR A SPECIFIC PRIORITY INDICATOR CODE.				
6901	TMG-PIC-DIC-TMFR-TOT-PCT		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL PERCENT				
	THE PERCENT OF ALL DICS THAT PROCESSED WITHIN A SPECIFIC TIMEFRAME FOR A SPECIFIC PRIORITY INDICATOR CODE.				
6902	TMG-PIC-TOT		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE TOTAL				
	THE TOTAL QUANTITY OF DICS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE.				
6903	TMG-PIC-TOT-PCT		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE TOTAL PERCENT				
	THE PERCENT OF DICS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE.				
6904	TMG-PIC-DIC-ALL		DLIS-S	F	8
	TIMING PRIORITY INDICATOR CODE DIC ALL				
	THE TOTAL QUANTITY OF DICS PROCESSED FOR ALL PRIORITY INDICATOR CODES.				
6905	TMG-PIC-ALL-AVG-TIME		DLIS-S	F	8
	TIMING PRIORITY INDICATOR CODE ALL AVERAGE TIME				
	THE AVERAGE PROCESSING TIME FOR ALL DICS WITH A SPECIFIC PRIORITY INDICATOR CODE.				
6906	TMG-PIC-DIC-ALL-AVG-TIME		DLIS-S	F	8
	TIMING PRIORITY INDICATOR CODE DIC ALL AVERAGE TIME				
	THE AVERAGE PROCESSING TIME FOR ALL PRIORITIES.				
6907	TMG-DIC-TMFR-ALL		DLIS-S	F	8
	TIMING DIC TIMEFRAME ALL				
	THE TOTAL QUANTITY OF DICS PROCESSED WITHIN A SPECIFIC TIMEFRAME ACROSS ALL PRIORITIES.				
6908	TMG-DIC-TMFR-ALL-PCT		DLIS-SBA	F	8
	TIMING DIC TIMEFRAME ALL PERCENT				
	THE PERCENT OF THE TOTAL TRANSACTIONS THAT PREOCESSED WITHIN A SPECIFIC TIMEFRAME ACROSS ALL PRIORITIES.				
6909	TMG-PIC-QUEUE		DLIS-SBA	F	8
	TIMING PRIORITY INDICATOR CODE QUEUE				
	THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED WITH SPECIFIC QUEUE IDENTIFICATION.				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6910	TMG-PIC-QUEUE-AVG-TIME TIMING PIC QUEUE AVERAGE TIME THE AVERAGE TIME IN THE SYSTEM OF TRANSACTIONS WITH A SPECIFIC QUEUE IDENTIFICATION.	DLIS-SBA	F	8
6911	TMG-PIC-TMFR-PRC TIMING PRIORITY INDICATOR CODE TIMEFRAME PROCESSED THE QUANTITY OF TRANSACTIONS BY DIC, RECEIVED AND PROCESSED WITHIN A SPECIFIC TIMEFRAME.	DLIS-SBA	F	8
6912	TMG-PIC-TMFR-ONTIME TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME THE QUANTITY OF TRANSACTIONS BY DIC THAT PROCESSED ON TIME BASED ON THE GOAL OF THE PRIORITY INDICATOR CODE.	DLIS-SBA	F	8
6913	TMG-PIC-TMFR-ONTIME-PCT TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME PERCENT THE PERCENT OF TRANSACTIONS BY DIC THAT PROCESSED WITHIN THE TIMEFRMAE GOAL OF THE PRIORITY INDICATOR CODE.	DLIS-SBA	F	8
6914	TMG-PIC-TMFR-NOT-ONTIME TIMING PRIORITY INDICATOR CODE TIMEFRAME NOT ON TIME THE QUANITY OF TRANSACTIONS BY DIC THAT WERE NOT PROCESSED WITHIN THE TIMEFRAME OF THE PRIORITY INDICATOR CODE GOAL.	DLIS-SBA	F	8
6915	12-48-HOURS-4 12-18 HOURS 12-48 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.	DLIS-SBA	F	8
6916	48-72-HOURS-4 48-72 HOURS 48-72 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.	DLIS-SBA	F	8
6917	72-96-HOURS-4 72-96 HOURS 72-96 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.	DLIS-SBA	F	8
6918	96-120-HOURS-4 96-120 HOURS 96-120 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.	DLIS-SBA	F	8
6919	120-144-HOURS-4 120-144 HOURS 120-144 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.	DLIS-SBA	F	8
6920	OVER-144-HOURS-4 OVER 144 HOURS OVER 144 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.	DLIS-SBA	F	8
6921	PIC-TOT-PROCESSED-72-HRS PRIORITY INDICATOR CODE TOTAL PROCESSED 72 HOURS	DLIS-BB	F	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE SUMMARY OF TRANSACTIONS PROCESSED WITHIN 72 HOURS FOR A SPECIFIED PRIORITY INDICATOR CODE. PRIORITY INDICATOR CODES ARE 1, 2, 3 AND 4.

6922 PIC-PROCESSED-72-HRS-PCT DLIS-BB F 8
 PRIMARY INDICATOR CODE PROCESSED 72 HOURS PERCENT
 THE PERCENT OF TRANSACTIONS PROCESSED WITHIN 72 HOURS FOR A SPECIFIED PRIORITY. PRIORITY INDICATOR CODES ARE 1, 2, 3 AND 4.

6923 PIC-TOTAL-PROCESSED DLIS-BB F 8
 PRIORITY INDICATOR CODE TOTAL PROCESSED
 THE TOTAL NUMBER OF TRANSACTIONS PROCESSED WITHIN A SPECIFIED PRIORITY, (PRIORITY INDICATOR CODE 1, 2, 3, 4).

6924 DAAS-DLSC-DISCREP DLIS-SBA F 8
 DAAS/DLSC DISCREPANCIES QUANTITY
 THE NUMBER OF REJECTS DISCOVERED WHEN COMPARING DAAS AND DLIS FILES.

6925 DAAS-DLSC-FILES-COMP DLIS-SBA F 8
 DAAS/DLSC FILES COMPATIBILITY
 THE NUMBER OF DAAS/DLIS FILES COMPARED FOR COMPATIBILITY.

6926 DAAS-DLSC-DISCREP-PCT DLIS-SBA F 8
 DAAS/DLSC DISCREPANCIES PERCENT
 THE PERCENT OF REJECTS DISCOVERED WHEN COMPARING DAAS AND DLIS FILES.

6927 ICMS-LA-ALL-LC-MS-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC P
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTIC ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6928 ICMS-LA-ALL-LC-MS-MM ICMS_STAT_CNT_6928 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC M
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTIC ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6929 ICMS-LA-ALL-MC-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED PER
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6930 ICMS-LA-ALL-MC-MM ICMS_STAT_CNT_6930 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6931 ICMS-LA-ALL-AF-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED PERCENT
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT AIR FORCE MANAGED IN COMMON WITH OTHER MILITARY SERVICES.

6932 ICMS-LA-ALL-AF-MM ICMS_STAT_CNT_6932 DLIS-BB F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6933 FCS-DP-GLOA-TYII-PCT DLIS-BB F 8
FEDERAL CATALOG SYSTEM DEPARTMENT GROUP LOA TYPE II PERCENT
PERCENT OF NSN MANAGED BY A DEPARTMENT AT THE WHOLESALE (PICA) LEVEL BROKEN DOWN BY TYPE ITEM IDENTIFICATION.

6934 QDIC-GP-DP-TRNS-PRCSD QDIC_STAT_CNT_6934 DLIS-BB F INTEGER 8
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS PROCESSED
QUANTITY OF TRANSACTIONS REQUESTING (PROCESSED) NSN ASSIGNMENT BY TYPE ITEM IDENTIFICATION GROUP BROKEN OUT BY SUBMITTING DEPARTMENT.

6935 QDIC-GP-DP-TRNS-RTD-PCT QDIC_STAT_CNT_6935 DLIS-BB F INTEGER 8
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS RETURNED PERCENT
PERCENT OF TRANSACTIONS REQUESTING (PROCESSED) NSN ASSIGNMENT BY TYPE ITEM IDENTIFICATION GROUP THAT WERE RETURNED (REJECTED) BROKEN OUT BY SUBMITTING DEPARTMENT.

6936 8-PART-NO-PCT-6 DLIS-SBA F 8
8 PART NUMBER PERCENT
8 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6937 9-PART-NO-PCT-6 DLIS-SBA F 8
9 PART NUMBER PERCENT
9 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6938 10-PART-NO-PCT-6 DLIS-SBA F 8
10 PART NUMBER PERCENT
10 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6939 11-20-PART-NO-PCT-6 DLIS-SBA F 8
11-20 PART NUMBER PERCENT
11-20 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6940 21-30-PART-NO-PCT-6 DLIS-SBA F 8
21-30 PART NUMBER PERCENT
21-30 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6941 31-40-PART-NO-PCT-6 DLIS-SBA F 8
31-40 PART NUMBER PERCENT
31-40 PART NUMBERS PRECENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6942 41-50-PART-NO-PCT-6 DLIS-SBA F 8
41-50 PART NUMBER PERCENT
41-50 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6943 51-60-PART-NO-PCT-6 DLIS-SBA F 8
51-60 PART NUMBER PERCENT
51-60 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6944	61-70-PART-NO-PCT-6 61-70 PART NUMBER PERCENT 61-70 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6945	71-80-PART-NO-PCT-6 71-80 PART NUMBER PERCENT 71-80 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6946	81-90-PART-NO-PCT-6 81-90 PART NUMBER PERCENT 81-90 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6947	91-100-PART-NO-PCT-6 91-100 PART NUMBER PERCENT 91-100 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6948	101-200-PART-NO-PCT-6 101-200 PART NUMBER PERCENT 101-200 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6949	201-300-PART-NO-PCT-6 201-300 PART NUMBER PERCENT 201-300 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6950	301-400-PART-NO-PCT-6 301-400 PART NUMBER PERCENT 301-400 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6951	401-500-PART-NO-PCT-6 401-500 PART NUMBER PERCENT 401-500 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6952	501-600-PART-NO-PCT-6 501-600 PART NUMBER PERCENT 501-600 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6953	601-700-PART-NO-PCT-6 601-700 PART NUMBER PERCENT 601-700 PART NUMBER PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6954	701-800-PART-NO-PCT-6 701-800 PART NUMBER PERCENT 701-800 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8
6955	801-900-PART-NO-PCT-6 801-900 PART NUMBER PERCENT 801-900 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.		DLIS-SBA	F	8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

6956 901-1000-PART-NO-PCT-6 DLIS-SBA F 8
 901-1000 PART NUMBER PERCENT
 901-1000 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6957 1001-1500-PART-NO-PCT-6 DLIS-SBA F 8
 1001-1500 PART NUMBER PERCENT
 1001-1500 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6958 ICMS-LA-ALL-LC-AR-MM ICMS_STAT_CNT_6958 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI-MAN
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6959 ICMS-LA-ALL-LC-AR-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI PER
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6960 ICMS-LA-ALL-LC-NA-MM ICMS_STAT_CNT_6960 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMETN ALL LOA COMBINATION NAVY MULTI-MAN
 THE TOTAL NUMBER OF NSNS SITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6961 ICMS-LA-ALL-LC-NA-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MULT PERC
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6962 ICMS-LA-ALL-LC-AF-MM ICMS_STAT_CNT_6962 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MULT
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6963 ICMS-LA-ALL-LC-AF-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE M PE
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6964 ICMS-LA-ALL-LC-MC-MM ICMS_STAT_CNT_6964 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS M
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6965 ICMS-LA-ALL-LC-MC-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MC MULTI PERCE
 THE PERCENT OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT THA MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6966 ICMS-LA-FSC-ALL-MS-MM ICMS_STAT_CNT_6966 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULTI-MAN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6967 ICMS-LA-FSC-ALL-MS-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULT PERC
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6968 ICMS-LA-FSC-ALL-AR-MM ICMS_STAT_CNT_6968 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6969 ICMS-LA-FSC-ALL-AR-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6970 ICMS-LA-FSC-ALL-NA-MM ICMS_STAT_CNT_6970 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL NAY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6971 ICMS-LA-FSC-ALL-NA-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6972 ICMS-LA-FSC-ALL-AF-MM ICMS_STAT_CNT_6972 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6973 ICMS-LA-FSC-ALL-AF-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED PE
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6974 ICMS-LA-FSC-ALL-MC-MM ICMS_STAT_CNT_6974 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMETN FOR A SPECIFIC FSC THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6975 ICMS-LA-FSC-ALL-MC-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6976 ICMS-LA-FSC-LC-MS-MM ICMS_STAT_CNT_6976 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY MULTI

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICE.

6977 ICMS-LA-FSC-LC-MS-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MIL SVC MULT P
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6978 ICMS-LA-FSC-LC-AR-MM ICMS_STAT_CNT_6978 DLIS-BB F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULTI-MAN
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6979 ICMS-LA-FSC-LC-AR-MMPC DLIS-BB F 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULT PERC
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6989 LOG-REASGMT-ITM-RE VW-IND LR_RE VW_IND_6989 DLIS-SA F CHAR 1
LOGISTICS REASSIGNMENT ITEM REVIEW INDICATOR CODE
THE CODE THAT INDICATED AN ITEM TO BE REVIEWED FOR MANUAL PROCESSING.

6990 OTH-OP-DIC-ID OTH_ODIC_6990 DLIS-SA F CHAR 3
OTHER OUTPUT DIC IDENTIFIER
THE CODE THAT REPRESENTS OUTPUT DOCUMENT IDENTIFIERS OTHER THAN LVA, LMD, LMX, AND LDZ.

6998 NSN-CANC-PPSL-CD DLIS-CI F CHAR 1
NATIONAL STOCK NUMBER CANCELLATION PROPOSAL CODE
A CODE ASSIGNED TO NSN CANCELLATION PROPOSALS SUBMITTED ON L23 INPUT AND TO INDICATE THE REASON FOR NONCONCURRENCE TO A CANCELLATION PROPOSAL (FOR NATO USE ONLY).

6999 RPLY-CANC-PPSL-TX DLIS-CI V VARCHAR 9999
REPLY CANCELLATION PROPOSAL TEXT
A CLEAR TEXT EXPLANATION FOR PROPOSED CANCELLATION OF NATO STOCK NUMBER WHEN A CODE 'F' REPLY IS MADE TO DRN 6998 ON L23 AND FOR NONCONCURRENCE OF A CANCELLATION PROPOSAL WHEN A CODE 'Z' REPLY IS MADE TO DRN 6998 ON K23 (FOR NATO USE ONLY).

7075 DLR-VAL-UNIT-PR UNIT_PR_7075 DLIS-SBA F DECIMAL 11
DOLLAR VALUE, UNIT PRICE
THE STANDARD PRICE OF THE UNIT OF ISSUE AS ESTABLISHED BY THE MANAGING ACTIVITY. IT IS CONSTRUCTED FOR INPUT/OUTPUT TRANSACTIONS AS FOLLOWS: A) FOR UNIT PRICES BELOW TEN MILLION DOLLARS, THE FIELD IS RIGHT JUSTIFIED AND ZERO FILLED. THE LAST TWO DIGITS ARE CENTS, NO DECIMAL POINT PROVIDED. B) FOR UNIT PRICES TEN MILLION DOLLARS AND ABOVE, A LETTER (D) IS INSERTED IN THE LOW ORDER (UNIT) POSITION: NO CENTS VALUE IS ENTERED. THE UNIT PRICE IN ALL PUBLICATIONS, EXTRACTS, AND ON LINE QUERIES WILL APPEAR COMPLETELY IN DECIMAL FORMAT (11 POSITIONS INCLUDING DECIMAL POINT). SHORT TITLE: U.P. SEE [VOLUME 10, TABLE 97](#) AND QUICK INFO ON-LINE.

7080 DLR-VAL-STD-UNIT-PR DLIS-SBA F 7
DOLLAR VALUE, STANDARD UNIT PRICE
THE DOLLAR AMOUNT OF EACH UNIT OF AN ITEM AS IT IS RECORDED IN THE FINANCIAL AND ACCOUNTING RECORDS OF THE HOLDING MILITARY SERVICE. SEE [VOLUME 10, TABLE 143](#) AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7081 ICMS-LA-FSC-LC-NA-MM ICMS_STAT_CNT_7081 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULTI-MAN
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

7082 ICMS-LA-FSC-LC-NA-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULT PERC
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

7083 ICMS-LA-FSC-LC-AF-MM ICMS_STAT_CNT_7083 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MULT
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

7084 ICMS-LA-FSC-LC-AF-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AF MULTI PERCE
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

7085 ICMS-LA-FSC-LC-MC-MM ICMS_STAT_CNT_7085 DLIS-BB F INTEGER 8
 ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MARINE CORPS M
 THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

7086 ICMS-LA-FSC-LC-MC-MMPC DLIS-BB F 8
 ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MC MULTI PERCE
 THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

7087 ICMD-FSC-ALL-ANFM ICMD_STAT_CNT_7087 DLIS-BB F INTEGER 8
 ICMD FSC ALL ARMY NAVY AIR FORCE MARINE CORPS
 THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7088 ICMD-FSC-ALL-ANF ICMD_STAT_CNT_7088 DLIS-BB F INTEGER 8
 ICMD FSC ALL ARMY NAVY AIR FORCE
 THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7089 ICMD-FSC-ALL-ANM ICMD_STAT_CNT_7089 DLIS-BB F INTEGER 8
 ICMD FSC ALL ARMY NAVY MARINE CORPS
 THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7090 ICMD-FSC-ALL-AN ICMD_STAT_CNT_7090 DLIS-BB F INTEGER 8
 ICMD FSC ALL ARMY NAVY
 THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7091 ICMD-FSC-ALL-AFM ICMD_STAT_CNT_7091 DLIS-BB F INTEGER 8
 ICMD FSC ALL ARMY AIR FORCE MARINE CORPS
 THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7092	ICMD-FSC-ALL-AF ICMD FSC ALL ARMY AIR FORCE THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.	ICMD_STAT_CNT_7092	DLIS-BB	F INTEGER	8
7093	ICMD-FSC-ALL-AM ICMD FSC ALL ARMY MARINE CORPS THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.	ICMD_STAT_CNT_7093	DLIS-BB	F INTEGER	8
7094	ICMD-FSC-ALL-A ICMD FSC ALL ARMY THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY THE ARMY ONLY.	ICMD_STAT_CNT_7094	DLIS-BB	F INTEGER	8
7095	ICMD-FSC-ALL-NFM ICMD FSC ALL NAVY AIR FORCE MARINE CORPS THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.	ICMD_STAT_CNT_7095	DLIS-BB	F INTEGER	8
7096	ICMD-FSC-ALL-NF ICMD FSC ALL NAVY AIR FORCE THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.	ICMD_STAT_CNT_7096	DLIS-BB	F INTEGER	8
7097	ICMD-FSC-ALL-NM ICMD FSC ALL NAVY MARINE CORPS THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.	ICMD_STAT_CNT_7097	DLIS-BB	F INTEGER	8
7098	ICMD-FSC-ALL-N ICMD FSC ALL NAVY THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY NAVY ONLY.	ICMD_STAT_CNT_7098	DLIS-BB	F INTEGER	8
7099	ICMD-FSC-ALL-FM ICMD FSC ALL AIR FORCE MARINE CORPS THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.	ICMD_STAT_CNT_7099	DLIS-BB	F INTEGER	8
7100	ICMD-FSC-ALL-F ICMD FSC ALL AIR FORCE THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY AIR FORCE ONLY.	ICMD_STAT_CNT_7100	DLIS-BB	F INTEGER	8
7101	ICMD-FSC-ALL-M ICMD FSC ALL MARINE CORPS THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY MARINE CORPS ONLY.	ICMD_STAT_CNT_7101	DLIS-BB	F INTEGER	8
7102	ICMD-FSC-ALL-LC-ANFM ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE MARINE CORP THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.	ICMD_STAT_CNT_7102	DLIS-BB	F INTEGER	8
7103	ICMD-FSC-ALL-LC-ANF ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE	ICMD_STAT_CNT_7103	DLIS-BB	F INTEGER	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7104 ICMD-FSC-ALL-LC-ANM ICMD_STAT_CNT_7104 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7105 ICMD-FSC-ALL-LC-AN ICMD_STAT_CNT_7105 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7106 ICMD-FSC-ALL-LC-AFM ICMD_STAT_CNT_7106 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7107 ICMD-FSC-ALL-LC-AF ICMD_STAT_CNT_7107 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7108 ICMD-FSC-ALL-LC-AM ICMD_STAT_CNT_7108 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7109 ICMD-FSC-ALL-LC-A ICMD_STAT_CNT_7109 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY ARMY ONLY.

7110 ICMD-FSC-ALL-LC-NFM ICMD_STAT_CNT_7110 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7111 ICMD-FSC-ALL-LC-NF ICMD_STAT_CNT_7111 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7112 ICMD-FSC-ALL-LC-NM ICMD_STAT_CNT_7112 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7113 ICMD-FSC-ALL-LC-N ICMD_STAT_CNT_7113 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY NAVY ONLY.

7114 ICMD-FSC-ALL-LC-FM ICMD_STAT_CNT_7114 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7115 ICMD-FSC-ALL-LC-F ICMD_STAT_CNT_7115 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION AIR FORCE

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY AIR FORCE.

7116 ICMD-FSC-ALL-LC-M ICMD_STAT_CNT_7116 DLIS-BB F INTEGER 8
ICMD FSC ALL LOA COMBINATION MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY MARINE CORPS.

7117 ICMD-IM-ALL-ANFM ICMD_STAT_CNT_7117 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS, WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7118 ICMD-IM-ALL-ANF ICMD_STAT_CNT_7118 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS, WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7119 ICMD-IM-ALL-ANM ICMD_STAT_CNT_7119 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7120 ICMD-IM-ALL-AN ICMD_STAT_CNT_7120 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7121 ICMD-IM-ALL-AFM ICMD_STAT_CNT_7121 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7122 ICMD-IM-ALL-AF ICMD_STAT_CNT_7122 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7123 ICMD-IM-ALL-AM ICMD_STAT_CNT_7123 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7124 ICMD-IM-ALL-A ICMD_STAT_CNT_7124 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE ARMY ONLY.

7125 ICMD-IM-ALL-NFM ICMD_STAT_CNT_7125 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY, AIR FORCE AND MARINE CORPS.

7126 ICMD-IM-ALL-NF ICMD_STAT_CNT_7126 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY AND AIR FORCE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY AND AIR FORCE.

7127 ICMD-IM-ALL-NM ICMD_STAT_CNT_7127 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY AND MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY AND MARINE CORPS.

7128 ICMD-IM-ALL-N ICMD_STAT_CNT_7128 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE NAVY ONLY.

7129 ICMD-IM-ALL-FM ICMD_STAT_CNT_7129 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE AIR FORCE AND MARINE CORPS.

7130 ICMD-IM-ALL-F ICMD_STAT_CNT_7130 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE AIR FORCE

7131 ICMD-IM-ALL-M ICMD_STAT_CNT_7131 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY.

7132 ICMD-IM-ALL-LC-ANFM ICMD_STAT_CNT_7132 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BY LOA CODE COMBINATION.

7133 ICMD-IM-ALL-LC-ANF ICMD_STAT_CNT_7133 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AIR F
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BY LOA CODE COMBINATION.

7134 ICMD-IM-ALL-LC-ANM ICMD_STAT_CNT_7134 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY MARINE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BY LOA CODE COMBINATION.

7135 ICMD-IM-ALL-LC-AN ICMD_STAT_CNT_7135 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7136 ICMD-IM-ALL-LC-AFM ICMD_STAT_CNT_7136 DLIS-BB F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7137 ICMD-IM-ALL-LC-AF ICMD_STAT_CNT_7137 DLIS-BB F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BY LOA CODE COMBINATION.

7138 ICMD-IM-ALL-LC-AM ICMD_STAT_CNT_7138 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY MARINE CORP
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BY LOA CODE COMBINATION.

7139 ICMD-IM-ALL-LC-A ICMD_STAT_CNT_7139 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY ARMY BROKEN OUT BY LOA CODE COMBINATIONS.

7140 ICMD-IM-ALL-LC-NFM ICMD_STAT_CNT_7140 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS BY LOA CODE COMBINATION.

7141 ICMD-IM-ALL-LC-NF ICMD_STAT_CNT_7141 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7142 ICMD-IM-ALL-LC-NM ICMD_STAT_CNT_7142 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY MARINE CORP
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS BY LOA CODE COMBINATION.

7143 ICMD-IM-ALL-LC-N ICMD_STAT_CNT_7143 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY NAVY BROKEN OUT BY LOA CODE COMBINATION.

7144 ICMD-IM-ALL-LC-FM ICMD_STAT_CNT_7144 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA CONBINATION AIR FORCE MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7145 ICMD-IM-ALL-LC-F ICMD_STAT_CNT_7145 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

7146 ICMD-IM-ALL-LC-M ICMD_STAT_CNT_7146 DLIS-BB F INTEGER 8

ICMD INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7147 ICMD-LA-ALL-ANFM ICMD_STAT_CNT_7147 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE MARINE COR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7148 ICMD-LA-ALL-ANF ICMD_STAT_CNT_7148 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7149 ICMD-LA-ALL-ANM ICMD_STAT_CNT_7149 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7150 ICMD-LA-ALL-AN ICMD_STAT_CNT_7150 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7151 ICMD-LA-ALL-AFM ICMD_STAT_CNT_7151 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7152 ICMD-LA-ALL-AF ICMD_STAT_CNT_7152 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7153 ICMD-LA-ALL-AM ICMD_STAT_CNT_7153 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7154 ICMD-LA-ALL-A ICMD_STAT_CNT_7154 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL ARMY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY ARMY ONLY.

7155 ICMD-LA-ALL-NFM ICMD_STAT_CNT_7155 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7156 ICMD-LA-ALL-NF ICMD_STAT_CNT_7156 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7157 ICMD-LA-ALL-NM ICMD_STAT_CNT_7157 DLIS-BB F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL NAVY MARINE CORPS

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7158 ICMD-LA-ALL-N ICMD_STAT_CNT_7158 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY NAVY ONLY.

7159 ICMD-LA-ALL-FM ICMD_STAT_CNT_7159 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7160 ICMD-LA-ALL-F ICMD_STAT_CNT_7160 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY AIR FORCE ONLY.

7161 ICMD-LA-ALL-M ICMD_STAT_CNT_7161 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENTS ALL MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY.

7162 ICMD-LA-ALL-LC-ANFM ICMD_STAT_CNT_7162 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7163 ICMD-LA-ALL-LC-ANF ICMD_STAT_CNT_7163 DLIS-BB F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

7164 IN-DP-AT-TOT-NR-CQ-NSN DLIS-BB F 8
ITEM NAME DEPT ACTIVITY TOTAL NEW REINSTD CURRENT QTR NSN

THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER FOR THE ACTIVITY.

7165 IN-DP-AT-NAIN-NR-CQ-NSN DLIS-BB F 8
ITEM NAME DEPT ACTY NONAPPVD ITEM NAME REINSTD CUR QTR NSN

THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

7166 IN-DP-TOT-NR-CQ-NSN DLIS-BB F 8
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED CURRENT QTR NSN

THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER FOR THE DEPARTMENT.

7167 IN-DP-NAIN-NR-CQ-NSN DLIS-BB F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD CURR QTR NSN

THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER WITH A NONAPPROVED ITEM NAME FOR THE DEPARTMENT.

7168 IN-DP-NAIN-NR-PCT-2-Q DLIS-BB F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 2ND QTR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE SECOND QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7169 IN-DP-NAIN-NR-PCT-3-Q DLIS-BB F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7170 IN-DP-NAIN-NR-PCT-4-Q DLIS-BB F 8
ITEN NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7171 AMC-AT-ACC-MVMT-TOT-NSN DLIS-BB F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES MOVEMENT TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

7172 POP-FIIG-AIN-FSC-MG-RE POP_STAT_CNT_7172 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7173 T-TRML-OL-NIIN-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE NIIN INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7174 T-TRML-OL-NIIN-IMTCHD-QT DLIS-BB F 8
TOTAL TERMINAL ON-LINE NIIN INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7175 TRML-OL-NIIN-OFRD-QTY DLIS-BB F 8
TERMINAL ON-LINE NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7176 TRML-OL-NIIN-AVG-OFRD DLIS-BB F 8
TERMINAL ON-LINE NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7177 T-TRML-OL-NIIN-NMTCH-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE NIIN NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7178 TRML-OL-NIIN-IQY-PCT-MTH DLIS-BB F 8
TERMINAL ON-LINE NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7179 T-TRML-OL-DAI-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE DATA ASSET IDENTIFIER INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT PROCESSED SUCCESSFULLY.

7180 TRML-OL-DAI-IMTCHD-QTY DLIS-BB F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7181 TRML-OL-DAI-OFRD-QTY DLIS-BB F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7182 TRML-OL-DAI-AVG-OFRD DLIS-BB F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7183 T-TRML-OL-DAI-NMTCH-QTY DLIS-BB F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7184 TRML-OL-DAI-IQY-PCT-MTH DLIS-BB F 8
TERMINAL ON-LINE DATA ASSET IDENT INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7191 MDLS-TOT-INQ-D1 MDLS_STAT_CNT_7191 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES D1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1).

7192 MDLS-INPUT-MATCH-D1 MDLS_STAT_CNT_7192 DLIS-VP F INTEGER 9
MEDALS INPUTS MATCHED D1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7193 MDLS-TOT-OFFERED-D1 MDLS_STAT_CNT_7193 DLIS-VP F INTEGER 9
MEDALS TOTAL OFFERED D1
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1).

7197 MDLS-TOT-INQ-D2 MDLS_STAT_CNT_7197 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES D2
THE NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).

7198 MDLS-INPUT-MATCH-D2 MDLS_STAT_CNT_7198 DLIS-VP F INTEGER 9
MEDALS INPUTS MATCHED D2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7199 MDLS-TOT-OFFERED-D2 MDLS_STAT_CNT_7199 DLIS-VP F INTEGER 9
MEDALS TOTAL OFFERED D2

THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).

7202 MDLS-TOT-INQ-P1 MDLS_STAT_CNT_7202 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES P1

THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1).

7203 MDLS-INPUT-MATCH-P1 MDLS_STAT_CNT_7203 DLIS-VP F INTEGER 9
MEDALS INPUTS MATCHED P1

THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7204 MDLS-TOT-OFFERED-P1 MDLS_STAT_CNT_7204 DLIS-VP F INTEGER 9
MEDALS TOTAL OFFERED P1

THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER (P1).

7208 MDLS-TOT-INQ-P2 MDLS_STAT_CNT_7208 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES P2

THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2).

7209 MDLS-INPUT-MATCH-P2 MDLS_STAT_CNT_7209 DLIS-VP F INTEGER 9
MEDALS INPUTS MATCHED P2

THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7210 MDLS-TOT-OFFERED-P2 MDLS_STAT_CNT_7210 DLIS-VP F INTEGER 9
MEDALS TOTAL OFFERED P2

THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER/CAGE (P2).

7214 MDLS-TOT-INQ-NN MDLS_STAT_CNT_7214 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES NN

THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN).

7215 MDLS-INPUT-MATCH-NN MDLS_STAT_CNT_7215 DLIS-VP F INTEGER 9
MEDALS INPUTS MATCHED NN

THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7216 MDLS-TOT-OFFERED-NN MDLS_STAT_CNT_7216 DLIS-VP F INTEGER 9
MEDALS TOTAL OFFERED NN

THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY NIIN (NN).

7220 MDLS-TOT-INQ-D3 MDLS_STAT_CNT_7220 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES D3

THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7221 MDLS-INPUT-MATCH-D3 MDLS_STAT_CNT_7221 DLIS-VP F INTEGER 9
MEDALS INPUTS MATCHED D3
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT RESULTED IN DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7222 MDLS-TOT-OFFERED-D3 MDLS_STAT_CNT_7222 DLIS-VP F INTEGER 9
MEDALS TOTAL OFFERED D3
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7228 SA-BCH-TOT-OFRD DLIS-BB F 8
SERVICE AGENCY BATCH TOTAL OFFERED
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY SERVICE/AGENCY.

7229 SA-BCH-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY BATCH AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY THE "INPUTS MATCHED".

7231 SA-BCH-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY BATCH INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY SERVICE/AGENCY.

7235 SA-BCH-DOC-NO-AVG-OFRD DLIS-BB F 8
SERVICE AGENCY BATCH DOC NO AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7237 SA-BCH-DN-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY BATCH DOCUMENT NUMBER INQUIRY PCT. OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7240 SA-BCH-DOCG-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7241 SA-BCH-DOCG-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DEPARTMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7243 SA-BCH-DNCG-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY BATCH DOCUMENT NO./CAGE INQUIRY PCT. OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

7246 SA-BCH-PN-OFRD-QTY DLIS-BB F 8
 SERVICE/AGENCY BATCH PART NUMBER TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7248 SA-BCH-PN-AVG-OFRD DLIS-BB F 8
 SERVICE/AGENCY BATCH PART NUMBER AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7250 SA-BCH-PN-IQY-PCT-MTH DLIS-BB F 8
 SERVICE/AGENCY BATCH PART NUMBER INQUIRY PERCENT OF MATCH
 THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7253 SA-BCH-PNCG-OFRD-QTY DLIS-BB F 8
 SERVICE/AGENCY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER/CAGE

7254 SA-BCH-PNCG-AVG-OFRD DLIS-BB F 8
 SERVICE/AGENCY BATCH PART NUMBER/CAGE AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7256 SA-BCH-PNCG-IQY-PCT-MTH DLIS-BB F 8
 SERVICE/AGENCY BATCH PART NO./CAGE INQUIRY PERCENT OF MATCH
 THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7259 SA-BCH-NIIN-OFRD-QTY DLIS-BB F 8
 SERVICE/AGENCY BATCH NIIN TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7260 SA-BCH-NIIN-AVG-OFRD DLIS-BB F 8
 SERVICE/AGENCY BATCH NIIN AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7262 SA-BCH-NIIN-IQY-PCT-MTH DLIS-BB F 8
 SERVICE/AGENCY BATCH NIIN INQUIRY PERCENT OF MATCH
 THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7265 SA-BCH-DAI-OFRD-QTY DLIS-BB F 8
 SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7266 SA-BCH-DAI-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THE COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7268 SA-BCH-DAI-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY BATCH DATA ASSET IDENT IQY PERCENT OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7271 REPT-BCH-T-OFRD-QTY DLIS-BB F 8
REPOSITORY BATCH TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY REPOSITORY.

7272 REPT-BCH-AVG-OFRD DLIS-BB F 8
REPOSITORY BATCH AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7274 REPT-BCH-IQY-PCT-MTCH DLIS-BB F 8
REPOSITORY BATCH INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY REPOSITORY.

7277 REPT-BCH-DN-OFRD-QTY DLIS-BB F 8
REPOSITORY BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER.

7278 REPT-BCH-DN-AVG-OFRD DLIS-BB F 8
REPOSITORY BATCH DOCUMENT NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7280 REPT-BCH-DN-IQY-PCT-MTH DLIS-BB F 8
REPOSITORY BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH REPOSITORY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7283 REPT-BCH-DNCG-OFRD-QTY DLIS-BB F 8
REPOSITORY BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7284 REPT-BCH-DNCG-AVG-OFRD DLIS-BB F 8
REPOSITORY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

7286 RPT-BCH-DNCG-IQY-PCT-MTH DLIS-SB F 8
 REPOSITORY BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT MATCH
 THE PERCENT OF BATCH REPOSITORY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7289 REPT-BCH-PN-OFRD-QTY DLIS-BB F 8
 REPOSITORY BATCH PART NUMBER TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER.

7290 REPT-BCH-PN-AVG-OFRD DLIS-BB F 8
 REPOSITORY BATCH PART NUMBER AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7292 REPT-BCH-PN-IQY-PCT-MTH DLIS-BB F 8
 REPOSITORY BATCH PART NUMBER INQUIRY PERCENT OF MATCH
 THE PERCENT OF BATCH REPOSITORY INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7295 REPT-BCH-PNCG-OFRD-QTY DLIS-BB F 8
 REPOSITORY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER/CAGE.

7296 REPT-BCH-PNCG-AVG-OFRD DLIS-BB F 8
 REPOSITORY BATCH PART NUMBER/CAGE AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7298 REPT-BCH-PNCG-IQY-PCT-MT DLIS-BB F 8
 REPOSITORY BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH
 THE PERCENT OF BATCH REPOSITORY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7301 REPT-BCH-NIIN-OFRD-QTY DLIS-BB F 8
 REPOSITORY BATCH NIIN TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE NIIN.

7302 REPT-BCH-NIIN-AVG-OFRD DLIS-BB F 8
 REPOSITORY BATCH NIIN AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7304 REPT-BCH-NIIN-IQY-PCT-MT DLIS-BB F 8
 REPOSITORY BATCH NIIN INQUIRY PERCENT OF MATCH
 THE PERCENT OF BATCH REPOSITORY NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7307 REPT-BCH-DAI-OFRD-QTY DLIS-BB F 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

REPOSITORY BATCH DATA ASSETS IDENTIFIER TOTAL OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7308 REPT-BCH-DAI-AVG-OFRD DLIS-BB F 8

REPOSITORY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7310 REPT-BCH-DAI-IQY-PCT-MTH DLIS-BB F 8

REPOSITORY BATCH DATA ASSET IDENTIFIER INQUIRY PCT OF MTCH

THE PERCENT OF BATCH REPOSITORY DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7311 T-TRML-IQY-BCH-QTY DLIS-BB F 8

TOTAL TERMINAL INQUIRIES BATCH QUANTITY

THE TOTAL NUMBER OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7312 TRML-BCH-I-MTCHD-QTY DLIS-BB F 8

TOTAL TERMINAL BATCH INPUTS MATCHED QUANTITY

THE TOTAL NUMBER OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7313 TRML-BCH-T-OFRD-QTY DLIS-BB F 8

TERMINAL BATCH TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USERS AS A POTENTIAL MATCH BROKEN OUT BY TERMINAL.

7314 TRML-BCH-AVG-OFRD DLIS-BB F 8

TERMINAL BATCH AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY TERMINAL. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7315 T-TRML-BCH-NMTCH-QTY DLIS-BB F 8

TOTAL TERMINAL BATCH NOT MATCHED QUANTITY

THE TOTAL NUMBER OF BATCH INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY TERMINAL.

7316 TRML-BCH-IQY-PCT-MTCH DLIS-BB F 8

TERMINAL BATCH INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY TERMINAL.

7317 T-TRML-BCH-DN-IQY-QTY DLIS-BB F 8

TOTAL TERMINAL BATCH DOCUMENT NUMBER INQUIRY QUANTITY

THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT PROCESSED SUCCESSFULLY.

7318 T-TRML-BCH-DN-IMTCHD-QT DLIS-BB F 8

TOTAL TERMINAL BATCH DOCUMENT NUMBER INPUTS MATCHED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7329 T-TRML-BCH-PN-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL BATCH PART NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7330 T-TRML-BCH-PN-IMTCHD-QT DLIS-BB F 8
TOTAL TERMINAL BATCH PART NUMBER INPUTS MATCHED
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7331 TRML-BCH-PN-OFRD-QTY DLIS-BB F 8
TERMINAL BATCH PART NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER.

7332 TRML-BCH-PN-AVG-OFRD DLIS-BB F 8
TERMINAL BATCH PART NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7333 T-TRML-BCH-PN-NMTCH-Q DLIS-BB F 8
TOTAL TERMINAL BATCH PART NUMBER NOT MATCHED QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7334 TRML-BCH-PN-IQY-PCT-MTH DLIS-BB F 8
TERMINAL BATCH PART NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH TERMINAL PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7335 T-TRML-BCH-PNCG-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL BATCH PART NUMBER/CAGE INQUIRY QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7336 T-TRML-BCH-PNCG-IMTH-QT DLIS-BB F 8
TOTAL TERMINAL BATCH PART NUMBER/CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USERS.

7337 TRML-BCH-PNCG-OFRD-QTY DLIS-BB F 8
TERMINAL BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER/ CAGE.

7338 TRML-BCH-PNCG-AVG-OFRD DLIS-BB F 8
TERMINAL BATCH PART NUMBER/CAGE AVERAGE OFFERED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7339 T-TRML-BCH-PNCG-NMTCH-Q DLIS-BB F 8
TOTAL TERMINAL BATCH PART NUMBER/CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7340 TRML-BCH-PNCG-IQ-P-MTH DLIS-BB F 8
TERMINAL BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH TERMINAL PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7341 T-TRML-BH-NIIN-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL BATCH NIIN INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7342 T-TRML-BH-NIIN-IMTCHD-QT DLIS-BB F 8
TOTAL TERMINAL BATCH NIIN INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7343 TRML-BH-NIIN-OFRD-QTY DLIS-BB F 8
TERMINAL BATCH NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7344 TRML-BH-NIIN-AVG-OFRD DLIS-BB F 8
TERMINAL BATCH NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7345 T-TRML-BH-NIIN-NMTCH-QTY DLIS-BB F 8
TOTAL TERMINAL BATCH NIIN NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7346 TRML-BH-NIIN-IQY-PCT-MTH DLIS-BB F 8
TERMINAL BATCH NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7347 T-TRML-BH-DAI-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL BATCH DATA ASSET IDENTIFIER INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT PROCESSED SUCCESSFULLY.

7348 TRML-BH-DAI-IMTCHD-QTY DLIS-BB F 8
TERMINAL BATCH DATA ASSET IDENTIFIER INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7349 TRML-BH-DAI-OFRD-QTY DLIS-BB F 8
 TERMINAL BATCH DATA ASSET IDENTIFER TOTAL OFFERED QTY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7350 TRML-BH-DAI-AVG-OFRD DLIS-BB F 8
 TERMINAL BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7351 T-TRML-BH-DAI-NMTCH-QTY DLIS-BB F 8
 TERMINAL BATCH DATA ASSET IDENTIFIER NOT MATCHED QUANTITY
 THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7352 TRML-BH-DAI-IQY-PCT-MTH DLIS-BB F 8
 TERMINAL BATCH DATA ASSET IDENT INQUIRY PERCENT OF MATCH
 THE PERCENT OF ON-LINE TERMINAL DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7355 REPT-OL-T-OFRD-QTY DLIS-BB F 8
 REPOSITORY ON-LINE TOTAL OFFERED QUANTITY
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY REPOSITORY.

7356 REPT-OL-AVG-OFRD DLIS-BB F 8
 REPOSITORY ON-LINE AVERAGE OFFERED
 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7358 REPT-OL-IQY-PCT-MTCH DLIS-BB F 8
 REPOSITORY ON-LINE INQUIRY PERCENT OF MATCH
 THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY REPOSITORY.

7394 SA-TOT-TRANS-QTY DLIS-BB F 8
 SERVICE/AGENCY TOTAL TRANSACTION QUANTITY
 THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS INPUT BROKEN OUT BY SERVICE/AGENCY.

7395 SA-T-ERROR-TRANS-QTY DLIS-BB F 8
 SERVICE/AGENCY TOTAL ERROR TRANSACTION QUANTITY
 THE TOTAL NUMBER OF TRANSACTIONS THAT THE SYSTEM REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7396 SA-T-ADD-TRANS-QTY DLIS-BB F 8
 SERVICE/AGENCY TOTAL ADD TRANSACTION QUANTITY
 THE TOTAL NUMBER OF TRANSACTIONS THAT ADD DATA TO THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.

7397 SA-T-DEL-TRANS-QTY DLIS-BB F 8
 SERVICE/AGENCY TOTAL DELETE TRANSACTION QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF TRANSACTIONS THAT DELETE DATA FROM THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.

7398 SA-T-CHGE-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY TOTAL CHANGE TRANSACTION QUANTITY
THE TOTAL NUMBER OF TRANSACTIONS THAT CHANGE DATA IN THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.

7399 SA-DA-ERR-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSET ERROR TRANSACTION QUANTITY
THE NUMBER OF DATA ASSET TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7400 SA-DA-ADD-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSET ADD TRANSACTION QUANTITY
THE NUMBER OF DATA ASSET ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7401 SA-DA-DEL-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSET DELETE TRANSACTION QUANTITY
THE NUMBER OF DATA ASSET DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7402 SA-DA-CHG-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSET CHANGE TRANSACTIONS QUANTITY
THE NUMBER OF DATA ASSET CHANGE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7403 SA-DA-PREV-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSETS PREVIOUS QUANTITY
THE NUMBER OF REPOSITORY DATA ASSETS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7404 SA-DA-TRANS-CUR-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSET CURRENT QUANTITY
THE NUMBER OF DATA ASSETS THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7405 SA-DA-PCT-OF-CHG DLIS-BB F 8
SERVICE/AGENCY DATA ASSET PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT DATA ASSET COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7406 SA-DA-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY DATA ASSETS TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION DATA ASSET TRANSACTION BROKEN OUT BY SERVICE/AGENCY.

7407 SA-PN-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION PART NUMBER TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7408 SA-PN-ERR-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY
THE NUMBER OF PART NUMBER TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7409 SA-PN-ADD-TRANS-QTY DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY PART NUMBER ADD TRANSACTION QUANTITY
THE NUMBER OF PART NUMBER ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7410 SA-PN-DEL-TRANS-QTY DLIS-BB F 8

SERVICE/AGENCY PART NUMBER DELETE TRANSACTION QUANTITY
THE NUMBER OF PART NUMBER DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7411 SA-PN-PREV-QTY DLIS-BB F 8

SERVICE/AGENCY PART NUMBER PREVIOUS QUANTITY
THE NUMBER OF PART NUMBERS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7412 SA-PN-TRANS-CUR-QTY DLIS-BB F 8

SERVICE/AGENCY PART NUMBER CURRENT QUANTITY
THE NUMBER OF PART NUMBERS THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7413 SA-PN-PCT-OF-CHG DLIS-BB F 8

SERVICE/AGENCY PART NUMBER PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT PART NUMBER COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7414 SA-NIIN-TRANS-QTY DLIS-BB F 8

SERVICE/AGENCY NIIN TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION NIIN TRANSACTIONS

7415 SA-NIIN-ERR-TRANS-QTY DLIS-BB F 8

SERVICE/AGENCY NIIN ERROR TRANSACTION QUANTITY
THE NUMBER OF SERVICE/AGENCY NIIN TRANSACTIONS THAT REJECTED AS ERRORS.

7416 SA-NIIN-ADD-TRANS-QTY DLIS-BB F 8

SERVICE/AGENCY NIIN ADD TRANSACTION QUANTITY
THE NUMBER OF SERVICE/AGENCY NIIN ADD TRANSACTIONS.

7417 SA-NIIN-DEL-TRANS-QTY DLIS-BB F 8

SERVICE/AGENCY NIIN DELETE TRANSACTION QUANTITY
THE NUMBER OF SERVICE/AGENCY NIIN DELETE TRANSACTIONS.

7418 SA-NIIN-PREV-QTY DLIS-BB F 8

SERVICE/AGENCY NIIN PREVIOUS QUANTITY
THE NUMBER OF NIINS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7419 SA-NIIN-CUR-QTY DLIS-BB F 8

SERVICE/AGENCY NIIN CURRENT QUANTITY
THE NUMBER OF NIINS THAT RESIDE IN THE FILE TO DATE BY SERVICE/AGENCY.

7420 SA-NIIN-PCT-OF-CHG DLIS-BB F 8

SERVICE/AGENCY NIIN PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT NIIN COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7421 SA-TITLE-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY TITLE TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7422 SA-TITLE-ERR-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY TITLE ERROR TRANSACTION QUANTITY
THE NUMBER OF TITLE TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7423 SA-TITLE-ADD-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY TITLE ADD TRANSACTION QUANTITY
THE NUMBER OF TITLE ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7424 SA-TITLE-DEL-TRANS-QTY DLIS-BB F 8
SERVICE/AGENCY TITLE DELETE TRANSACTION QUANTITY
THE NUMBER OF TITLE DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7425 SA-TITLE-PREV-QTY DLIS-BB F 8
SERVICE/AGENCY TITLE PREVIOUS QUANTITY
THE NUMBER OF TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7426 SA-TITLE-CUR-QTY DLIS-BB F 8
SERVICE/AGENCY TITLE CURRENT QUANTITY
THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7427 SA-TITLE-PCT-OF-CHG DLIS-BB F 8
SERVICE/AGENCY TITLE PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT.
THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7428 SA-UNDEFN-MAINT-QTY DLIS-BB F 8
SERVICE/AGENCY UNDEFINED MAINTENANCE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS, PART
NUMBER, NIIN AND TITLE. THESE TRANSACTION COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7433 MDLS-CHANGE-DAI-CT MDLS_STAT_CNT_7433 DLIS-VP F INTEGER 9
MEDALS TOTAL DATA ASSET IDENTIFIER CHANGE COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT CHANGE DATA ASSET IDENTIFIER INFORMATION ON THE
MEDALS DATA BASE.

7435 MDLS-DAI-ERR-CT MDLS_STAT_CNT_7435 DLIS-VP F INTEGER 8
MEDALS DATA ASSET IDENTIFIER ERROR TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH DATA ASSET IDENTIFIER UPDATE TRANSACTIONS THAT CONTAINED ERRORS

7436 MDLS-ADD-DAI-CT MDLS_STAT_CNT_7436 DLIS-VP F INTEGER 9
MEDALS ADD DATA ASSET IDENTIFIER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT ADD DATA ASSET IDENTIFIERS TO THE MEDALS DATA BASE.

7437 MDLS-DEL-DAI-CT MDLS_STAT_CNT_7437 DLIS-VP F INTEGER 8
MEDALS DELETE DATA ASSET IDENTIFIER COUNT

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT DELETE DATA ASSET IDENTIFIERS FROM THE MEDALS DATA BASE.

7439 MDLS-REF-NBR-ERR-CT MDLS_STAT_CNT_7439 DLIS-VP F INTEGER 8
MEDALS REFERENCE NUMBER ERROR COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS THAT CONTAINED ERRORS.

7440 MDLS-ADD-REF-NBR-CT MDLS_STAT_CNT_7440 DLIS-VP F INTEGER 9
MEDALS ADD REFERENCE NUMBER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) ADD TRANSACTIONS.

7441 MDLS-DEL-REF-NBR-CT MDLS_STAT_CNT_7441 DLIS-VP F INTEGER 8
MEDALS DELETE REFERENCE NUMBER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) DELETE TRANSACTIONS.

7443 MDLS-NIIN-ERR-CT MDLS_STAT_CNT_7443 DLIS-VP F INTEGER 8
MEDALS NIIN ERROR COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE NIIN TRANSACTIONS THAT CONTAINED ERRORS.

7444 MDLS-ADD-NIIN-CT MDLS_STAT_CNT_7444 DLIS-VP F INTEGER 9
MEDALS ADD NIIN COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS.

7445 MDLS-DEL-NIIN-CT MDLS_STAT_CNT_7445 DLIS-VP F INTEGER 8
MEDALS DEL NIIN COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS.

7447 MDLS-TI-ERR-CT MDLS_STAT_CNT_7447 DLIS-VP F INTEGER 8
MEDALS TITLE ERROR COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TITLE TRANSACTIONS THAT CONTAINED ERRORS.

7448 MDLS-ADD-TI-CT MDLS_STAT_CNT_7448 DLIS-VP F INTEGER 9
MEDALS ADD TITLE COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS.

7449 MDLS-DEL-TI-CT MDLS_STAT_CNT_7449 DLIS-VP F INTEGER 8
MEDALS DEL TITLE COUNT
THE TOTAL NUMBER OF BATCH UPDATE DELETE TITLE TRANSACTIONS.

7450 MDLS-INVALID-TYPE-ERR-CT MDLS_STAT_CNT_7450 DLIS-VP F INTEGER 9
MEDALS INVALID TYPE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS WHICH HAD AN INVALID TYPE UPDATE AND SO THE ERROR COULD NOT BE COUNTED FOR ANY PARTICULAR TYPE OF TRANSACTION.

7469 TIME-RANGE-1-10-A1B DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A1B
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7470 TIME-RANGE-11-30-A1B DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A1B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.

7471 TIME-RNG-OVR-30-A1B DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A1B
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.

7475 TIME-RANGE-1-10-A1C DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A1C
THE RANGE FROM 1 TO 10 FOR DRN 7474, TOTAL MEDALS PART NUMBER/ CAGE INQUIRY RESPONSE TIME.

7476 TIME-RANGE-11-30-A1C DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A1C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7474, TOTAL MEDALS PART NO./CAGE INQUIRY RESPONSE TIME.

7477 TIME-RANGE-OVER-30-A1C DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A1C
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7474, TOTAL MEDALS PART NO./CAGE INQUIRY RESPONSE TIME.

7481 TIME-RANGE-1-10-A1D DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A1D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.

7482 TIME-RANGE-11-30-A1D DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A1D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.

7483 TIME-RANGE-OVER-30-A1D DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A1D
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.

7487 TIME-RANGE-1-10-A1E DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A1E
THE TOTAL RANGE FROM 1 TO 10 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7488 TIME-RANGE-11-30-A1E DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A1E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7489 TIME-RANGE-OVER-30-A1E DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A1E
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7493 TIME-RANGE-1-10-A1F DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A1F
ONE TO TEN SECONDS FOR DRN 7492, TOTAL MEDALS RECIEVED HOUR INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
7494	TIME-RANGE-11-30-SEC-A1F		DLIS-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A1F				
	ELEVEN TO THIRTY SECONDS FOR DRN 7492, TOTAL MEDALS RECEIVED HOUR INQUIRY RESPONSE TIME.				
7495	TIME-RANGE-OVER-30-A1F		DLIS-SB	F	8
	TIME RANGE OVER 30 SECONDS A1F				
	OVER 30 SECONDS FOR DRN 7492, TOTAL MEDALS RECEIVED HOUR INQUIRY RESPONSE TIME.				
7499	TIME-RANGE-1-10-A2		DLIS-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A2				
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.				
7500	TIME-RANGE-11-30-A2		DLIS-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A2				
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.				
7501	TIME-RNG-OVR-30-A2		DLIS-SB	F	8
	TIME RANGE OVER 30 SECONDS A2				
	THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.				
7505	TIME-RANGE-1-10-A2A		DLIS-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A1A				
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7504, TOTAL SERVICE/ AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.				
7506	TIME-RANGE-11-30-A2A		DLIS-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A2A				
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7504, TOTAL SERVICE/ AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.				
7507	TIME-RNG-OVR-30-A2A		DLIS-SBA	F	8
	TIME RANGE OVER 30 SECONDS A2A				
	THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7504, TOTAL SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.				
7510	T-SA-PN-INQY-RETM-A2B		DLIS-BB	F	8
	TOTAL S/A PART NUMBER INQUIRY RESPONSE TIME A2B				
	THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.				
7511	TIME-RANGE-1-10-A2B		DLIS-SBA	F	8
	TIME RANGE 1 TO 10 SECONDS A2B				
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7510, TOTAL SERVICE/ AGENCY PART NUMBER INQUIRY RESPONSE TIME.				
7512	TIME-RANGE-11-30-A2B		DLIS-SBA	F	8
	TIME RANGE 11 TO 30 SECONDS A2B				
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7510, TOTAL SERVICE/AGENCY PART NUMBER INQUIRY RESPONSE TIME.				
7513	TIME-RNG-OVR-30-A2B		DLIS-SBA	F	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME RANGE OVER 30 SECONDS A2B

THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7510, TOTAL SERVICE/AGENCY PART NUMBER INQUIRY RESPONSE TIME.

7514 T-SA-PN-AVG-INQY-RETM DLIS-BB F 8
TOTAL S/A PART NUMBER AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7515 T-SA-PN-INQUIRIES DLIS-BB F 8
TOTAL SERVICE/AGENCY PART NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7516 T-SA-PN-CG-INQY-RETM-A2C DLIS-BB F 8
TOTAL S/A PART NO/CAGE INQUIRY RESPONSE TIME A2C
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7517 TIME-RANGE-1-10-A2C DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A2C
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7518 TIME-RANGE-11-30-A2C DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A2C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7519 TIME-RANGE-OVER-30-A2C DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A2C
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7520 T-SA-PN-CG-AVG-INQY-RETM DLIS-BB F 8
TOTAL S/A PART NUMBER/CAGE AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7521 T-SA-PN-CG-INQUIRIES DLIS-BB F 8
TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER/CAGE BROKEN OUT BY SERVICE/AGENCY.

7523 TIME-RANGE-1-10-A2D DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A2D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7522, TOTAL SERVICE/ AGENCY NIIN INQUIRY RESPONSE TIME.

7524 TIME-RANGE-11-30-A2D DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A2D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7522, TOTAL SERVICE/AGENCY NIIN INQUIRY RESPONSE TIME.

7525 TIME-RNG-OVR-30-A2D DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A2D
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7522, TOTAL SERVICE/AGENCY NIIN INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7529 TIME-RANGE-1-10-A2E DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A2E
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7528, TOTAL SERVICE/ AGENCY DAI INQUIRY RESPONSE TIME.

7530 TIME-RANGE-11-30-A2E DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A2E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7528, TOTAL SERVICE/ AGENCY DAI INQUIRY RESPONSE TIME.

7531 TIME-RANGE-OVER-30-A2E DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A2E
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7528, TOTAL SERVICE/AGENCY DAI INQUIRY RESPONSE TIME.

7534 T-SA-RCT-HR-IQY-RTM-A2F DLIS-BB F 8
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE
BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7535 TIME-RANGE-1-10-SEC-A2F DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A2F
ONE TO TEN SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7536 TIME-RANGE-11-30-SEC-A2F DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A2F
ELEVEN TO THIRTY SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7537 TIME-RNG-OVER-30-SEC-A2F DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A2F
OVER 30 SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7538 T-SA-RHR-AVG-IQY-RTM DLIS-BB F 8
TOTAL SERVICE/AGENCY RECEIVED HOUR AVG IQY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY SERVICE/AGENCY.

7539 T-SA-RHR-INQUIRIES DLIS-BB F 8
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRIES
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY SERVICE/AGENCY.

7541 TIME-RANGE-1-10-A3 DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A3
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7542 TIME-RANGE-11-30-A3 DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A3
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7543 TIME-RANGE-OVER-30-A3 DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A3
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

7545 TOTAL-REPT-DOCNO-INQY DLIS-SB F 8
TOTAL REPOSITORY DOCUMENT NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY REPOSITORY.

7547 TIME-RANGE-1-10-A3A DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A3A
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7548 TIME-RANGE-11-30-A3A DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A3A
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME A3A.

7549 TIME-RANGE-OVER-30-A3A DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A3A
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7553 TIME-RANGE-1-10-A3B DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A3B
THE TIME RANGE FROM 1 TO 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.

7554 TIME-RANGE-11-30-A3B DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A3B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.

7555 TIME-RANGE-OVER-30-A3B DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A3B
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.

7556 TOT-PN-AVG-INQY-RETM DLIS-SB F 8
TOTAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY REPOSITORY.

7559 TIME-RANGE-1-10-A3C DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A3C
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7560 TIME-RANGE-11-30-A3C DLIS-SB F 8
TIME RANGE 11 TO 30 SECONDS A3C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7561 TIME-RANGE-OVER-30-A3C DLIS-SB F 8
TIME RANGE OVER 30 SECONDS A3C
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7565 TIME-RNG-1-10-A3D DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A3D

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7566 TIME-RNG-11-30-A3D DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A3D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7567 TIME-RNG-OVR-30-A3D DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A3D
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7571 TIME-RANGE-1-10-A3E DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A3E
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7572 TIME-RANGE-11-30-A3E DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A3E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7573 TIME-RANGE-OVER-30-A3E DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A3E
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7576 TIME-RANGE-1-10-A3F DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A3F
ONE TO TEN SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7577 TIME-RANGE-11-30-A3F DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A3F
ELEVEN TO THIRTY SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7578 TIME-RANGE-OVER-30-A3F DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A3F
OVER 30 SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7579 TOTAL-REPT-DAI-INQUIRIES DLIS-SBA F 8
TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY DATA ASSET IDENTIFIER BROKEN OUT BY REPOSITORY.

7582 T-TRML-DOCNO-IQY-RETM-A4 DLIS-BB F 8
TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME A4
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DOCUMENT NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. TIME RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7583 TIME-RANGE-1-10-A4 DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A4
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7584 TIME-RANGE-11-30-A4 DLIS-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TIME RANGE 11-30 SECONDS A4

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7585 TIME-RANGE-OVER-30-A4 DLIS-SBA F 8

TIME RANGE OVER 30 SECONDS A4

THE TIME RANGE FROM OVER 30 SECONDS FRO DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7586 T-TRML-DOCN-AVG-IQY-RETM DLIS-BB F 8

TOTAL TERMINAL DOC NO AVERAGE INQUIRY RESPONSE TIME

THE TOTAL AVERAGE RESPONSE TIME FOR ALL INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY TERMINAL.

7587 T-TRML-DOCNO-INQUIRIES DLIS-BB F 8

TOTAL TERMINAL DOCUMENT NUMBER INQUIRIES

THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY TERMINAL.

7588 T-TRML-DOCG-IQY-RETM-A4A DLIS-BB F 8

TOTAL TERMINAL DOC NO/CAGE INQUIRY RESPONSE TIME A4A

THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DOCUMENT NO/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7589 TIME-RANGE-1-10-A4A DLIS-SBA F 8

TIME RANGE 1 TO 10 SECONDS A4A

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7588, TOTAL TERMINAL DOC. NO/CAGE INQUIRY RESPONSE TIME.

7590 TIME-RANGE-11-30-A4A DLIS-SBA F 8

TIME RANGE 11 TO 30 SECONDS A4A

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7588, TOTAL TERMINAL DOCUMENT NO./CAGE INQUIRY RESPONSE TIME.

7591 TIME-RANGE-OVER-30-A4A DLIS-SBA F 8

TIME RANGE OVER 30 SECONDS A4A

THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7588, TOTAL TERMINAL DOC. NO/CAGE INQUIRY RESPONSE TIME.

7592 T-TRML-DOCG-AVG-IQY-RETM DLIS-BB F 8

TOTAL TERMINAL DOC. NO/CAGE AVERAGE INQUIRY RESPONSE TIME

THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY DOCUMENT NUMBER/CAGE BROKEN OUT BY TERMINAL.

7593 TOT-TRML-DOCNO-CAGE-INQY DLIS-SBA F 8

TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY

THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER/CAGE BROKEN OUT BY TERMINAL.

7594 T-TRML-PN-IQY-RETM-A4B DLIS-BB F 8

TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME A4B

THE TOTAL NUMBER OF INQUIRIES AGAINST A PART NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. TIME RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7595 TIME-RANGE-1-10-A4B DLIS-SBA F 8

TIME RANGE 1 TO 10 SECONDS A4B

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7596 TIME-RANGE-11-30-A4B DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A4B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.

7597 TIME-RANGE-OVER-30-A4B DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A4B
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.

7598 T-TRML-PN-AVG-IQY-RETM DLIS-BB F 8
TOTAL TERMINAL PART NUMBER AVERAGE INQUIRY REPOSENSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY TERMINAL.

7599 T-TRML-PN-INQUIRIES DLIS-BB F 8
TOTAL TERMINAL PART NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER BROKEN OUT BY TERMINAL.

7600 T-TRML-PNCG-IQY-RETM-A4C DLIS-BB F 8
TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME
A TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7601 TIME-RANGE-1-10-A4C DLIS-SB F 8
TIME RANGE 1 TO 10 SECONDS A4C
THE TIME RANGE FROM 1 TO 10 FOR DRN 7600, TOTAL TERMINAL PART NUMBER/ CAGE INQUIRY RESPONSE TIME.

7602 TIME-RANGE-11-30-A4C DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A4C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7600, TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7603 TIME-RANGE-OVER-30-A4C DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A4C
THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7600, TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7604 T-TRML-PNCG-AVG-IQY-RETM DLIS-BB F 8
TOTAL TERMINAL PART NO/CAGE AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER/CAGE BROKEN OUT BY TERMINAL.

7605 T-TRML-PN-CAGE-INQUIRIES DLIS-BB F 8
TOTAL TERMINAL PART NUMBER/CAGE INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER/CAGE BROKEN OUT BY TERMINAL.

7606 T-TRML-NIIN-IQY-RETM-A4D DLIS-BB F 8
TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A NIIN THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7607 TIME-RANGE-1-10-A4D DLIS-SBA F 8
TIME RANGE 1 TO 10 SECONDS A4D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

7608	TIME-RANGE-11-30-A4D TIME RANGE 11 TO 30 SECONDS A4D THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.	DLIS-SBA	F	8
7609	TIME-RANGE-OVER-30-A4D TIME RANGE OVER 30 SECONDS A4D THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.	DLIS-SBA	F	8
7610	T-TRML-NIIN-AVG-IQY-RETM TOTAL TERMINAL NIIN AVERAGE INQUIRY RESPONSE TIME THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY NIIN BROKEN OUT BY TERMINAL.	DLIS-BB	F	8
7611	T-TRML-NIIN-INQUIRIES TOTAL TERMINAL NIIN INQUIRIES THE TOTAL NUMBER OF INQUIRIES BY NIIN BROKEN OUT BY TERMINAL.	DLIS-BB	F	8
7612	T-TRML-DAI-INQY-RETM-A4E TOTAL TERMINAL DATA ASSET IDENTIFIER INQY RESPONSE TIME A4E THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DATA ASSET IDENTIFIER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.	DLIS-BB	F	8
7613	TIME-TERM-RANGE-1-10-A4E TIME TERMINAL RANGE 1 TO 10 SECONDS A4E THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFER INQUIRY RESPONSE TIME.	DLIS-SBA	F	8
7614	TIME-RANGE-11-30-A4E TIME RANGE 11 TO 30 SECONDS A4E THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.	DLIS-SBA	F	8
7615	TIME-RANGE-OVER-30-A4E TIME RANGE OVER 30 SECONDS A4E THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.	DLIS-SBA	F	8
7616	T-TRML-DAI-AVG-IQY-RETM TOT TERMINAL DATA ASSET IDENTIFIER AV INQUIRY RESPONSE TIME THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY DATA ASSET IDENTIFIER BROKEN OUT BY TERMINAL.	DLIS-BB	F	8
7617	T-TRML-DAI-INQUIRIES TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRIES THE TOTAL NUMBER OF INQUIRIES BY DATA ASSET IDENTIFIER BROKEN OUT BY TERMINAL.	DLIS-BB	F	8
7618	T-TRML-RHR-IQY-RTM-A4F TOTAL RESPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME A4F THE TOTAL NUMBER OF INQUIRIES RECEIVED IN A SPECIFIED HOUR THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, OR OVER 30 SECONDS.	DLIS-BB	F	8
7619	TIME-RANGE-1-10-A4F TIME RANGE 1 TO 10 SECONDS A4F	DLIS-SBA	F	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ONE TO TEN SECONDS FOR DRN 7618, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7620 TIME-RANGE-11-30-A4F DLIS-SBA F 8
TIME RANGE 11 TO 30 SECONDS A4F
ELEVEN TO THIRTY SECONDS FOR DRN 7618, TOTAL TERMINAL RECEIVED HOUR INQUIRY RESPONSE TIME.

7621 TIME-RANGE-OVER-30-A4F DLIS-SBA F 8
TIME RANGE OVER 30 SECONDS A4F
OVER 30 SECOND FOR DRN 7618, TOTAL TERMINAL RECEIVED HOUR INQUIRY RESPONSE TIME.

7622 T-TRML-RHR-AVG-IQY-RTM DLIS-BB F 8
TOTAL TERMINAL RECEIVED HOUR AVERAGE INQUIRY REPOSENSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY TERMINAL.

7624 T-TRML-RHR-INQUIRIES DLIS-BB F 8
TOTAL TERMINAL RECEIVED HOUR INQUIRIES
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY TERMINAL.

7625 MDLS-EDIT-ERR-D1 MDLS_STAT_CNT_7625 DLIS-VP F INTEGER 8
MEDALS EDIT ERRORS D1
THE TOTAL NUMBER OF MEDALS DOCUMENT NUMBER (D1) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7626 MDLS-EDIT-ERR-D2 MDLS_STAT_CNT_7626 DLIS-VP F INTEGER 8
MEDALS EDIT ERRORS D2
THE TOTAL NUMBER OF MEDALS DOCUMENT NUMBER/CAGE (D2) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7627 MDLS-EDIT-ERR-D3 MDLS_STAT_CNT_7627 DLIS-VP F INTEGER 8
MEDALS EDIT ERRORS D3
THE TOTAL NUMBER OF MEDALS DATA ASSET IDENTIFIER (D3) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7628 MDLS-EDIT-ERR-P1 MDLS_STAT_CNT_7628 DLIS-VP F INTEGER 8
MEDALS EDIT ERRORS P1
THE TOTAL NUMBER OF MEDALS PART NUMBER (P1) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7629 MDLS-EDIT-ERR-P2 MDLS_STAT_CNT_7629 DLIS-VP F INTEGER 8
MEDALS EDIT ERRORS P2
THE TOTAL NUMBER OF MEDALS PART NUMBER/CAGE (P2) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7630 MDLS-EDIT-ERR-NN MDLS_STAT_CNT_7630 DLIS-VP F INTEGER 8
MEDALS EDIT ERRORS NN
THE TOTAL NUMBER OF MEDALS NIIN (NN) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7632 MDLS-TOT-INQ-UNDEF MDLS_STAT_CNT_7632 DLIS-VP F INTEGER 9
MEDALS TOTAL INQUIRIES UNDEF
THE TOTAL NUMBER OF UNDEFINED MEDALS INQUIRIES. ALL OF THESE ARE ERROR TRANSACTIONS.

7635 MDLS-ORDER-ERRS MDLS_STAT_CNT_7635 DLIS-VP F INTEGER 8
MEDALS ORDER ERRORS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE NUMBER OF MEDALS ORDER TRANSACTIONS WITH ERRORS.

7636	MDLS-ASSETS-ORDERED	MDLS_STAT_CNT_7636	DLIS-VP	F	INTEGER	8
------	---------------------	--------------------	---------	---	---------	---

MEDALS ASSETS ORDERED
THE NUMBER OF VALID MEDALS ORDER TRANSACTIONS.

7637	MDLS-COPIES-ORDERED	MDLS_STAT_CNT_7637	DLIS-VP	F	INTEGER	8
------	---------------------	--------------------	---------	---	---------	---

MEDALS COPIES ORDERED
THE NUMBER OF COPIES OF MEDALS DATA ASSETS ORDERED.

7645	11-TO-30-SEC-PCT-B3		DLIS-SBA	F		8
------	---------------------	--	----------	---	--	---

ELEVEN TO THIRTY SECONDS PERCENT B3
THE ELEVEN TO THIRTY SECONDS PERCENT FOR DRN 7643, MEDALS YEAR INQUIRY RESPONSE TIME PERCENT B3.

7646	STATS-JULIAN-DATE	STAT_JUL_DATE_7646	DLIS-SBA	F	DATE	5
------	-------------------	--------------------	----------	---	------	---

STATISTICS JULIAN DATE
THE JULIAN DATE THAT THE STATISTICS DATA WAS CREATED ON.

7647	DIC-ALL-SAC-DEPT-RECVD	DIC_STAT_CNT_7647	DLIS-BB	F	INTEGER	8
------	------------------------	-------------------	---------	---	---------	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RECEIVED
THE COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7648	DIC-ALL-SAC-DEPT-PRCSD		DLIS-BB	F		8
------	------------------------	--	---------	---	--	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT PROCESSED
THE COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7649	DIC-ALL-SAC-DEPT-APRVD	DIC_STAT_CNT_7649	DLIS-BB	F	INTEGER	8
------	------------------------	-------------------	---------	---	---------	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT APPROVED
THE COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7650	DIC-ALL-SAC-DEPT-RETRND		DLIS-BB	F		8
------	-------------------------	--	---------	---	--	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RETURNED
THE COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7651	DIC-ALL-SAC-DEPT-ADUPS	DIC_STAT_CNT_7651	DLIS-BB	F	INTEGER	8
------	------------------------	-------------------	---------	---	---------	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT ACTUAL DUPLIC
THE COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.

7652	DIC-ALL-SAC-DEPT-PDUPS	DIC_STAT_CNT_7652	DLIS-BB	F	INTEGER	8
------	------------------------	-------------------	---------	---	---------	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT POSSIBLE DUPS
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.

7653	DIC-ALL-SAC-DEPT-CLRCL	DIC_STAT_CNT_7653	DLIS-BB	F	INTEGER	8
------	------------------------	-------------------	---------	---	---------	---

DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT CLERICAL
THE COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7654	DIC-ALL-SAC-DEPT-RULES	DIC_STAT_CNT_7654	DLIS-BB	F	INTEGER	8
------	------------------------	-------------------	---------	---	---------	---

DIC ALL SUBMITTING CODE DEPARTMENT RULES

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7700 T-SA-OL-IMTCHD-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER
BROKEN OUT BY SERVICE/AGENCY.

7701 SA-OL-T-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY
SERVICE/AGENCY.

7702 SA-TOT-AVG-OFRD DLIS-BB F 8
SERVICE AGENCY TOTAL ON LINE AVERAGE OFFERED
THE AVERAGE NUMBER OF TOTAL DATA ASSETS OFFERED AS A MATCH. BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED
BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7703 T-SA-OL-NMTCH-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY
SERVICE/AGENCY.

7704 SA-OL-IQY-PCT-MTCH DLIS-BB F 8
SERVICE/AGENCY ON-LINE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT
BY SERVICE/AGENCY.

7708 SA-OL-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY ON-LINE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT
IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7710 SA-OL-DN-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY ON-LINE DOCUMENT NUMBER INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING
IDENTIFIED AND RETURNED.

7711 T-SA-OL-DOCG-IQY-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESS-
FULLY.

7712 SA-OL-DOCG-IMTCHD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE DOC. NO./CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/ CAGE THAT RESULT IN ONE OR MORE DATA
ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7713 SA-OL-DOCG-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE TOTAL OFFERED QTY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7714 SA-OL-DOCG-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY ON-LINE-DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DEPARTMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7715 T-SA-OL-DNCG-NMTCHD-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE DOC. NO./CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7716 SA-OL-DNCG-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY ON-LINE DOC./CAGE INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7717 T-SA-OL-PN-IQY-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7718 T-SA-OL-PN-IMTCHD-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INPUTS MATCHED QTY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7719 SA-OL-PN-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBERS.

7720 SA-OL-PN-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY ON-LINE PART NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7721 T-SA-OL-PN-NMTCH-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7722 SA-OL-PN-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7723 T-SA-OL-PNCG-IQY-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER/CAGE INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7724 T-SA-OL-PNCG-IMTCHD-QTY DLIS-BB F 8
TOT SVC/AGNCY ON-LINE PART NO./CAGE INPUTS MTCHD QUANTITY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7725 SA-OL-PNCG-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER/ CAGE.

7726 SA-OL-PNCG-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7727 T-SA-OL-PNCG-NMTCH-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NO./CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7728 SA-OL-PNCG-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY ON-LINE PART NO./CAGE INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7729 T-SA-OL-NIIN-IQY-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE NIIN INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7730 T-SA-OL-NIIN-IMTCHD-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE NIIN INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7731 SA-OL-NIIN-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7732 SA-OL-NIIN-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY ON-LINE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7733 T-SA-OL-NIIN-NMTCH-QTY DLIS-BB F 8
TOTAL SERVICE/AGENCY ON-LINE NIIN NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7734 SA-OL-NIIN-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY ON-LINE NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7737 SA-OL-DAI-OFRD-QTY DLIS-BB F 8
SERVICE/AGENCY ON-LINE DATA ASSET IDENT TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSETS IDENTIFIER.

7738 SA-OL-DAI-AVG-OFRD DLIS-BB F 8
SERVICE/AGENCY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THE COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7740 SA-OL-DAI-IQY-PCT-MTH DLIS-BB F 8
SERVICE/AGENCY ON-LINE DATA ASSET IDENT IQY PERCENT OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7743 REPT-OL-DN-OFRD-QTY DLIS-BB F 8
REPOSITORY ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7745 REPT-OL-DN-IQY-PCT-MTH DLIS-BB F 8
REPOSITORY ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE REPOSITORY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED

7747 REPT-OL-DNCG-IMTCHD-QTY DLIS-BB F 8
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF REPOSITORY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7748 REPT-OL-DNCG-OFRD-QTY DLIS-BB F 8
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/ CAGE.

7749 REPT-OL-DNCG-AVG-OFRD DLIS-BB F 8
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7751 REPT-OL-DNCG-IQY-PCT-MTH DLIS-BB F 8
REPOSITORY ON-LINE DOC. NO/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE REPOSITORY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7754 REPT-OL-NIIN-OFRD-QTY DLIS-BB F 8
REPOSITORY ON-LINE NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7755 REPT-OL-NIIN-AVG-OFRD DLIS-BB F 8
REPOSITORY ON-LINE NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7757 REPT-OL-NIIN-IQY-PCT-MTH DLIS-BB F 8
REPOSITORY ON-LINE NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE REPOSITORY NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7760 REPT-OL-DAI-OFRD-QTY DLIS-BB F 8
REPOSITORY ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7761 REPT-OL-DAI-AVG-OFRD DLIS-BB F INTEGER 8
REPOSITORY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7765 REPT-OL-PNCG-OFRD-QTY DLIS-BB F 8
REPOSITORY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/CAGE.

7766 REPT-OL-PNCG-AVG-OFRD DLIS-BB F 8
REPOSITORY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS COMPUTED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7768 REPT-OL-PNCG-IQY-PCT-MTH DLIS-BB F 8
REPOSITORY ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE REPOSITORY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7771 REPT-OL-PN-OFRD-QTY DLIS-BB F 8
REPOSITORY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER.

7772 REPT-OL-PN-AVG-OFRD DLIS-BB F 8
REPOSITORY ON-LINE PART NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7785 TRML-OL-DN-OFRD-QTY DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7786 TRML-OL-DN-AVG-OFRD DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7787 T-TRML-OL-DN-NMTCH-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE DEPARTMENT NUMBER NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7788 TRML-OL-DN-IQY-PCT-MTH DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7789 T-TRML-OL-DNCG-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7790 T-TRML-OL-DNCG-IMTCHD-Q DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7791 TRML-OL-DNCG-OFRD-QTY DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7792 TRML-OL-DNCG-AVG-OFRD DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7793 T-TRML-OL-DNCG-NMTCH-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7794 TRML-OL-DNCG-IQY-PCT-MTH DLIS-BB F 8
TERMINAL ON-LINE DOCUMENT NO/CAGE INQUIRY PERCENT OF MATCH

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE PERCENT OF ON-LINE TERMINAL DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7795 T-TRML-OL-PN-IQY-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE PART NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7796 T-TRML-OL-PN-IMTCHD-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE PART NUMBER INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7797 TRML-OL-PN-OFRD-QTY DLIS-BB F 8
TERMINAL ON-LINE PART NUMBER OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7798 TRML-OL-PN-AVG-OFRD DLIS-BB F 8
TERMINAL ON-LINE PART NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS RETURNED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7799 T-TRML-OL-PN-MATCH-QTY DLIS-BB F 8
TOTAL TERMINAL ON-LINE PART NUMBER NOT MATCHED QUANTITY
THE TOTAL OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7800 M6B3-CLM-DP-LOA-FULL-PCT DLIS-BB F 8
M6B3 CLASS MANAGER DEPARTMENT LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7801 M6B3-CLM-DP-LOA-PART-PCT DLIS-BB F 8
M6B3 CLASS MANAGER DEPARTMENT LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7802 T-TRML-OL-PNCG-IMTCHD-QT DLIS-BB F 8
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7803 TRML-OL-PNCG-OFRD-QTY DLIS-BB F 8
TERMINAL ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/CAGE.

7804 TRML-OL-PNCG-AVG-OFRD DLIS-BB F 8
TERMINAL ON-LINE PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THE COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

7805 T-TRML-OL-PNCG-NMTCH-QTY DLIS-BB F 8
 TOTAL TERMINAL ON-LINE PART NUMBER/CAGE NOT MATCHED QUANTITY
 THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER/ CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7806 TRML-OL-PNCG-IQY-PCT-MTH DLIS-BB F 8
 TERMINAL ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH
 THE PERCENT OF ON-LINE TERMINAL PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7810 ICFS-GSA-ALL-MM ICFS_STAT_CNT_7810 DLIS-BB F INTEGER 8
 ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED
 THE TOTAL NUMBER OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGED IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

7811 ICFS-GSA-ALL-MMPC DLIS-BB F 8
 ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED PERCE
 THE PERCENT OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

7812 MOE-NSN MOE_STAT_CNT_7812 DLIS-SBA F INTEGER 8
 MOE NSN
 THE NUMBER OF NSNS HAVING A SPECIFIC MOE RULE NUMBER RECORDED.

7813 MOE-EFFDTD-DEL-NSN MOE_STAT_CNT_7813 DLIS-SBA F INTEGER 8
 MOE EFFECTIVE DATED DELETE NSN
 THE NUMBER OF NSNS WITH EFFECTIVE DATED DELETE ACTIONS FOR A SPECIFIC MOR RULE NUMBER.

7814 MOE-EFFDTD-ADD-NSN MOE_STAT_CNT_7814 DLIS-SBA F INTEGER 8
 MOE EFFECTIVE DATED ADD NSN
 THE NUMBER OF NSNS WITH EFFECTIVE DATED ADD ACTIONS FOR A SPECIFIC MOE RULE NUMBER.

7815 MOE-NSN-POS1 DLIS-SBA F 8
 MOE NSN POSITION 1
 THE NUMBER OF NSNS HAVING A SPECIFIC MOE RULE NUMBER RECORDED BY FIRST POSITION OF THE MOE RULE.

7816 MOE-EFFDTD-DEL-NSN-POS1 DLIS-SBA F 8
 MOE EFFECTIVE DATED DELETE NSN POSITION 1
 THE NUMBER OF NSNS WITH EFFECTIVE DATED DELETE ACTIONS FOR A SPECIFIC MOE RULE NUMBER BY FIRST POSITION OF THE MOE RULE.

7817 MOE-EFFDTD-ADD-NSN-POS1 DLIS-SBA F 8
 MOE EFFECTIVE DATED ADD NSN POSITION 1
 THE NUMBER OF NSNS WITH EFFECTIVE DATED ADD ACTION FOR A SPECIFIC MOE RULE NUMBER BY FIRST POSITION OF THE MOE RULE.

7818 MOE-UNSG-RSRV-POS1 DLIS-SBA F 8
 MOE UNASSIGNED RESERVED POSITION 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE UNASSIGNED/RESERVED MOE RULE NUMBERS BY THE FIRST POSITION OF THE MOE RULE NUMBER.

7819 MOE-UNSG-RSRV-TOT-POS1 DLIS-SBA F 8
MOE ASSIGNED RESERVED TOTAL POSITION 1
THE TOTAL NUMBER OF UNASSIGNED/RESERVED MOE RULE NUMBERS BY THE FIRST POSITION OF THE MOE RULE.

7820 MOE-RGSTRN-CLBR-AT MOE_STAT_CNT_7820 DLIS-SBA F INTEGER 8
MOE REGISTRATION COLLABORATOR ACTIVITY
THE TOTAL NUMBER OF SUPPLEMENTARY COLLABORATOR REGISTRATIONS BY ACTIVITY

7821 MOE-RGSTRN-RCVR-AT MOE_STAT_CNT_7821 DLIS-SBA F INTEGER 8
MOE REGISTRATION RECEIVER ACTIVITY
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER REGISTRATIONS BY ACTIVITY.

7822 MOE-RGSTRN-CLBR-RCVR-AT DLIS-SBA F 8
MOE REGISTRATION COLLABORATOR RECEIVER ACTIVITY
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER AND COLLABORATOR REGISTRATIONS BY ACTIVITY.

7823 MOE-RGSTRN-CLBR-RCVR-TOT DLIS-SBA F 8
MOE REGISTRATION COLLABORATOR RECEIVER TOTAL
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER AND COLLABORATOR REGISTRATIONS.

7824 ITEM-NAME-NSN INAM_STAT_CNT_7824 DLIS-SBA F INTEGER 8
ITEM NAME NSN
THE TOTAL NUMBER OF NSNS BY ITEM NAME.

7826 PMIC-2 DLIS-SBA F 8
PRECIOUS METAL INDICATOR CODE 2
PRECIOUS METAL INDICATOR CODE FOR DRN 7819, DEPARTMENT ACTIVITY CATALOG MANAGEMENT DATA CHANGE QUANTITY 2.

7827 ADPEC-2 DLIS-SBA F 8
AUTOMATIC DATA PROCESSING EQUIPMENT CODE 2
AUTOMATIC DATA PROCESSING EQUIPMENT CODE FOR DRN 7819, DEPARTMENT ACTIVITY CATALOG - MANAGEMENT DATA CHANGE QUANTITY 2.

7828 POP-FIIG-AIN-FSC-NMG-FU POP_STAT_CNT_7828 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7829 POP-FIIG-AIN-FSC-NMG-PA POP_STAT_CNT_7829 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7830 POP-FIIG-AIN-FSC-NMG-RE POP_STAT_CNT_7830 DLIS-BB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7831 POP-FSC-AAIN-MG POP_STAT_CNT_7831 DLIS-BB F INTEGER 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

POPULATION FSC ALL APPROVED ITEM NAME MANAGED
THE MANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

7832	M6A1-DP-LOA-T1-NSN M61A DEPARTMENT LOA TYPE T1 NSN THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7832	DLIS-BB	F INTEGER 8
7833	M6A1-DP-LOA-T1A-NSN M6A1 DEPARTMENT LOA TYPE 1A NSN THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7833	DLIS-BB	F INTEGER 8
7834	M6A1-DP-LOA-T1B-NSN M6A1 DEPARTMENT LOA TYPE 1B NSN THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7834	DLIS-BB	F INTEGER 8
7835	M6A1-DP-LOA-T4-NSN M6A1 DEPARTMENT LOA TYPE 4 NSN THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7835	DLIS-BB	F INTEGER 8
7836	M6A1-DP-LOA-T4A-NSN M6A1 DEPARTMENT LOA TYPE 4A NSN THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7836	DLIS-BB	F INTEGER 8
7837	M6A1-DP-LOA-T4B-NSN M6A1 DEPARTMENT LOA T4B NSN THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7837	DLIS-BB	F INTEGER 8
7838	M6A1-DP-LOA-T2-NSN M6A1 DEPARTMENT LOA TYPE 2 NSN THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY LOA.	M6A1_STAT_CNT_7838	DLIS-BB	F INTEGER 8
7839	M6A1-DP-LOA-FULL-PCT M6A1 DEPARTMENT LOA FULL PERCENT THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY LOA.		DLIS-BB	F 8
7840	M6A1-DP-LOA-PART-PCT M6A1 DEPARTMENT LOA PARTIAL PERCENT THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY LOA.		DLIS-BB	F 8
7841	M6A1-DP-LOA-REF-PCT M6A1 DEPARTMENT LOA REFERENCE PERCENT THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY LOA .		DLIS-BB	F 8
7842	M6A1-DP-T1-NSN M6A1 DEPARTMENT TYPE 1 NSN THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT.	M6A1_STAT_CNT_7842	DLIS-BB	F INTEGER 8
7843	M6A1-DP-T1A-NSN	M6A1_STAT_CNT_7843	DLIS-BB	F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6A1 DEPARTMENT TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT.

7844 M6A1-DP-T1B-NSN M6A1_STAT_CNT_7844 DLIS-BB F INTEGER 8

M6A1 DEPARTMENT TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT.

7845 M6A1-DP-T4-NSN M6A1_STAT_CNT_7845 DLIS-BB F INTEGER 8

M6A1 DEPARTMENT TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT.

7846 M6A1-DP-T4A-NSN M6A1_STAT_CNT_7846 DLIS-BB F INTEGER 8

M6A1 DEPARTMENT TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT.

7847 M6A1-DP-T4B-NSN M6A1_STAT_CNT_7847 DLIS-BB F INTEGER 8

M6A1 DEPARTMENT TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT.

7848 M6A1-DP-T2-NSN M6A1_STAT_CNT_7848 DLIS-BB F INTEGER 8

M6A1 DEPARTMENT TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT.

7849 M6A1-DP-FULL-PCT DLIS-BB F 8

M6A1 DEPARTMENT FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT.

7850 M6A1-DP-PART-PCT DLIS-BB F 8

M6A1 DEPARTMENT PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT.

7851 M6A1-DP-REF-PCT DLIS-BB F 8

M6A1 DEPARTMENT REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT.

7852 M6C1-AT-LOA-T1-NSN M6C1_STAT_CNT_7852 DLIS-BB F INTEGER 8

M6C1 ACTIVITY LOA TYPE 1 NSNS

THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7853 M6C1-AT-LOA-T1A-NSN M6C1_STAT_CNT_7853 DLIS-BB F INTEGER 8

M6C1 ACTIVITY LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7854 M6C1-AT-LOA-T1B-NSN M6C1_STAT_CNT_7854 DLIS-BB F INTEGER 8

M6C1 ACTIVITY LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7855 M6C1-AT-LOA-T4-NSN M6C1_STAT_CNT_7855 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6C1 ACTIVITY LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7856 M6C1-AT-LOA-T4A-NSN M6C1_STAT_CNT_7856 DLIS-BB F INTEGER 8

M6C1 ACTIVITY LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7857 M6C1-AT-LOA-T4B-NSN M6C1_STAT_CNT_7857 DLIS-BB F INTEGER 8

M6C1 ACTIVITY LOA TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7858 M6C1-AT-LOA-T2-NSN M6C1_STAT_CNT_7858 DLIS-BB F INTEGER 8

M6C1 ACTIVITY LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7859 M6C1-AT-LOA-FULL-PCT DLIS-BB F 8

M6C1 ACTIVITY LOA FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY BY LOA.

7860 M6C1-AT-LOA-PART-PCT DLIS-BB F 8

M6C1 ACTIVITY LOA PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY BY LOA.

7861 M6C1-AT-LOA-REF-PCT DLIS-BB F 8

M6C1 ACTIVITY LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY ACTIVITY BY LOA.

7862 M6C1-AT-T1-NSN M6C1_STAT_CNT_7862 DLIS-BB F INTEGER 8

M6C1 ACTIVITY TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7863 M6C1-AT-T1A-NSN M6C1_STAT_CNT_7863 DLIS-BB F INTEGER 8

M6C1 ACTIVITY TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7864 M6C1-AT-T1B-NSN M6C1_STAT_CNT_7864 DLIS-BB F INTEGER 8

M6C1 ACTIVITY TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7865 M6C1-AT-T4-NSN M6C1_STAT_CNT_7865 DLIS-BB F INTEGER 8

M6C1 ACTIVITY TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7866 M6C1-AT-T4A-NSN M6C1_STAT_CNT_7866 DLIS-BB F INTEGER 8

M6C1 ACTIVITY TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7867 M6C1-AT-T4B-NSN M6C1_STAT_CNT_7867 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6C1 ACTIVITY TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7868 M6C1-AT-T2-NSN M6C1_STAT_CNT_7868 DLIS-BB F INTEGER 8

M6C1 ACTIVITY TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7870 M6C1-AT-FULL-PCT DLIS-BB F 8

M6C1 ACTIVITY FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY.

7871 M6C1-AT-PART-PCT DLIS-BB F 8

M6C1 ACTIVITY PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY.

7872 M6C1-AT-REF-PCT DLIS-BB F 8

M6C1 ACTIVITY REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY ACTIVITY.

7873 M6B1-IM-DP-LOA-T1-NSN M6B1_STAT_CNT_7873 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7874 M6B1-IM-DP-LOA-T1A-NSN M6B1_STAT_CNT_7874 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1A
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7875 M6B1-IM-DP-LOA-T1B-NSN M6B1_STAT_CNT_7875 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7876 M6B1-IM-DP-LOA-T4-NSN M6B1_STAT_CNT_7876 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7877 M6B1-IM-DP-LOA-T4A-NSN M6B1_STAT_CNT_7877 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7878 M6B1-IM-DP-LOA-T4B-NSN M6B1_STAT_CNT_7878 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7879 M6B1-IM-DP-LOA-T2-NSN M6B1_STAT_CNT_7879 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7880 M6B1-IM-DP-LOA-FULL-PCT DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B1 INTEGRATED MANAGER DEPARTMENT LOA FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7881 M6B1-IM-DP-LOA-PART-PCT DLIS-BB F 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7882 M6B1-IM-DP-LOA-REF-PCT DLIS-BB F 8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7883 M6B1-IM-DP-T1-NSN M6B1_STAT_CNT_7883 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENTS.

7884 M6B1-IM-DP-T1A-NSN M6B1_STAT_CNT_7884 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7885 M6B1-IM-DP-T1B-NSN M6B1_STAT_CNT_7885 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7886 M6B1-IM-DP-T4-NSN M6B1_STAT_CNT_7886 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7887 M6B1-IM-DP-T4A-NSN M6B1_STAT_CNT_7887 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7888 M6B1-IM-DP-T4B-NSN M6B1_STAT_CNT_7888 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7889 M6B1-IM-DP-T2-NSN M6B1_STAT_CNT_7889 DLIS-BB F INTEGER 8

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7890 M6B1-IM-DP-FULL-PCT DLIS-BB F 8

M6B1 INTEGRATED MANAGER DEPARTMENT FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT.

7891 M6B1-IM-DP-PART-PCT DLIS-BB F 8

M6B1 INTEGRATED MANAGER DEPARTMENT PARTIAL

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT.

7892 M6B1-IM-DP-REF-PCT DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B1 INTEGRATED MANAGER DEPARTMENT REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT.

7893 M6B3-CLM-DP-LOA-T1-NSN M6B3_STAT_CNT_7893 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7894 M6B3-CLM-DP-LOA-T1A-NSN M6B3_STAT_CNT_7894 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7895 M6B3-CLM-DP-LOA-T1B-NSN M6B3_STAT_CNT_7895 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGER NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7896 M6B3-CLM-DP-LOA-T4-NSN M6B3_STAT_CNT_7896 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7897 M6B3-CLM-DP-LOA-T4A-NSN M6B3_STAT_CNT_7897 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGER NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7898 M6B3-CLM-DP-LOA-T4B-NSN M6B3_STAT_CNT_7898 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT LOA.

7899 M6B3-CLM-DP-LOA-T2-NSN M6B3_STAT_CNT_7899 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7902 M6B3-CLM-DP-T1-NSN M6B3_STAT_CNT_7902 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7903 M6B3-CLM-DP-T1A-NSN M6B3_STAT_CNT_7903 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7904 M6B3-CLM-DP-T1B-NSN M6B3_STAT_CNT_7904 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS FOR MANAGING DEPARTMENT.

7905 M6B3-CLM-DP-T4-NSN M6B3_STAT_CNT_7905 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7906 M6B3-CLM-DP-T4A-NSN M6B3_STAT_CNT_7906 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B3 CLASS MANAGER DEPARTMENT TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7907 M6B3-CLM-DP-T4B-NSN M6B3_STAT_CNT_7907 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7908 M6B3-CLM-DP-T2-NSN M6B3_STAT_CNT_7908 DLIS-BB F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7909 M6B3-CLM-DP-FULL-PCT DLIS-BB F 8

M6B3 CLASS MANAGER DEPARTMENT FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7910 M6B3-CLM-DP-PART-PCT DLIS-BB F 8

M6B3 CLASS MANAGER DEPARTMENT PARTIAL PERCENT

THE PERCENT OF MANAGER NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7911 M6B3-CLM-DP-REF-PCT DLIS-BB F 8

M6B3 CLASS MANAGER DEPARTMENT REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7912 M6B2-IM-AT-LOA-T1-NSN M6B2_STAT_CNT_7912 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7913 M6B2-IM-AT-LOA-T1A-NSN M6B2_STAT_CNT_7913 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7914 M6B2-IM-AT-LOA-T1B-NSN M6B2_STAT_CNT_7914 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7915 M6B2-IM-AT-LOA-T4-NSN M6B2_STAT_CNT_7915 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7916 M6B2-IM-AT-LOA-T4A-NSN M6B2_STAT_CNT_7916 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7917 M6B2-IM-AT-LOA-T4B-NSN M6B2_STAT_CNT_7917 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7918 M6B2-IM-AT-LOA-T2-NSN M6B2_STAT_CNT_7918 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7919 M6B2-IM-AT-LOA-FULL-PCT DLIS-BB F 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7920 M6B2-IM-AT-LOA-PART-PCT DLIS-BB F 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA PARTIAL
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7921 M6B2-IM-AT-LOA-REF-PCT DLIS-BB F 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7922 M6B2-IM-AT-T1-NSN M6B2_STAT_CNT_7922 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7923 M6B2-IM-AT-T1A-NSN M6B2_STAT_CNT_7923 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7924 M6B2-IM-AT-T1B-NSN M6B2_STAT_CNT_7924 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7925 M6B2-IM-AT-T4-NSN M6B2_STAT_CNT_7925 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7926 M6B2-IM-AT-T4A-NSN M6B2_STAT_CNT_7926 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7927 M6B2-IM-AT-T4B-NSN M6B2_STAT_CNT_7927 DLIS-BB F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7928 M6B2-IM-AT-T2-NSN M6B2_STAT_CNT_7928 DLIS-BB F INTEGER 8

N6B2 INTEGRATED MANAGER ACTIVITY TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7929 M6B2-IM-AT-FULL-PCT DLIS-BB F 8

M6B2 INTEGRATED MANAGER ACTIVITY FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7930 M6B2-IM-AT-PART-PCT DLIS-BB F 8

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

M6B2 INTEGRATED MANAGER ACTIVITY PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7931 M6B2-IM-AT-REF-PCT DLIS-BB F 8

M6B2 INTEGRATED MANAGER ACTIVITY REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7932 M6B4-CLM-AT-LOA-T1-NSN M6B4_STAT_CNT_7932 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7933 M6B4-CLM-AT-LOA-T1A-NSN M6B4_STAT_CNT_7933 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7934 M6B4-CLM-AT-LOA-T1B-NSN M6B4_STAT_CNT_7934 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7935 M6B4-CLM-AT-LOA-T4-NSN M6B4_STAT_CNT_7935 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7936 M6B4-CLM-AT-LOA-T4A-NSN M6B4_STAT_CNT_7936 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7937 M6B4-CLM-AT-LOA-T4B-NSN M6B4_STAT_CNT_7937 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7938 M6B4-CLM-AT-LOA-T2-NSN M6B4_STAT_CNT_7938 DLIS-BB F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7939 M6B4-CLM-AT-LOA-FULL-PCT DLIS-BB F 8

M6B4 CLASS MANAGER ACTIVITY LOA FULL PERCENT

THE PERCENT MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7940 M6B4-CLM-AT-LOA-PART-PCT DLIS-BB F 8

M6B4 CLASS MANAGER ACTIVITY LOA PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7941 M6B4-CLM-AT-LOA-REF-PCT DLIS-BB F 8

M6B4 CLASS MANAGER ACTIVITY LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7942	M6B4-CLM-AT-T1-NSN	M6B4_STAT_CNT_7942	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 1 NSN THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7943	M6B4-CLM-AT-T1A-NSN	M6B4_STAT_CNT_7943	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 1A NSN THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7944	M6B4-CLM-AT-T1B-NSN	M6B4_STAT_CNT_7944	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 1B NSN THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7945	M6B4-CLM-AT-T4-NSN	M6B4_STAT_CNT_7945	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 4 NSN THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7946	M6B4-CLM-AT-T4A-NSN	M6B4_STAT_CNT_7946	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 4A NSN THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7947	M6B4-CLM-AT-T4B-NSN	M6B4_STAT_CNT_7947	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 4B NSN THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER OF MANAGING DEPARTMENT BY ACTIVITY.					
7948	M6B4-CLM-AT-T2-NSN	M6B4_STAT_CNT_7948	DLIS-BB	F INTEGER	8
M6B4 CLASS MANAGER ACTIVITY TYPE 2 NSN THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7949	M6B4-CLM-AT-FULL-PCT		DLIS-BB	F	8
M6B4 CLASS MANAGER ACTIVITY FULL PERCENT THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7950	M6B4-CLM-AT-PART-PCT		DLIS-BB	F	8
M6B4 CLASS MANAGER ACTIVITY PARTIAL PERCENT THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7951	M6B4-CLM-AT-REF-PCT		DLIS-BB	F	8
M6B4 CLASS MANAGER ACTIVITY REFERENCE PERCENT THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.					
7952	M6B5-FSC-DP-LOA-T1-NSN	M6B5_STAT_CNT_7952	DLIS-BB	F INTEGER	8
M6B5 FSC DEPARTMENT LOA TYPE 1 NSN THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.					
7953	M6B5-FSC-DP-LOA-T1A-NSN	M6B5_STAT_CNT_7953	DLIS-BB	F INTEGER	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B5 FSC DEPARTMENT LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7954 M6B5-FSC-DP-LOA-T1B-NSN M6B5_STAT_CNT_7954 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7955 M6B5-FSC-DP-LOA-T4-NSN M6B5_STAT_CNT_7955 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7956 M6B5-FSC-DP-LOA-T4A-NSN M6B5_STAT_CNT_7956 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7957 M6B5-FSC-DP-LOA-T4B-NSN M6B5_STAT_CNT_7957 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT LOA TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7958 M6B5-FSC-DP-LOA-T2-NSN M6B5_STAT_CNT_7958 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7959 M6B5-FSC-DP-LOA-FULL-PCT DLIS-BB F 8

M6B5 FSC DEPARTMENT LOA FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7960 M6B5-FSC-DP-LOA-PART-PCT DLIS-BB F 8

M6B5 FSC DEPARTMENT LOA PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL CLASS BY DEPARTMENT BY LOA.

7961 M6B5-FSC-DP-LOA-REF-PCT DLIS-BB F 8

M6B5 FSC DEPARTMENT LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7962 M6B5-FSC-DP-T1-NSN M6B5_STAT_CNT_7962 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7963 M6B5-FSC-DP-T1A-NSN M6B5_STAT_CNT_7963 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7964 M6B5-FSC-DP-T1B-NSN M6B5_STAT_CNT_7964 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7965 M6B5-FSC-DP-T4-NSN M6B5_STAT_CNT_7965 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B5 FSC DEPARTMENT TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7966 M6B5-FSC-DP-T4A-NSN M6B5_STAT_CNT_7966 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7967 M6B5-FSC-DP-T4B-NSN M6B5_STAT_CNT_7967 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7968 M6B5-FSC-DP-T2-NSN M6B5_STAT_CNT_7968 DLIS-BB F INTEGER 8

M6B5 FSC DEPARTMENT TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7969 M6B5-FSC-DP-FULL-PCT DLIS-BB F 8

M6B5 FSC DEPARTMENT FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7970 M6B5-FSC-DP-PART-PCT DLIS-BB F 8

M6B5 FSC DEPARTMENT PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7971 M6B5-FSC-DP-REF-PCT DLIS-BB F 8

M6B5 FSC DEPARTMENT REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7976 INSP-CD DLIS-V F 2

INSPECTION CODE (IC)
A CODE TO DEPICT CRITICAL AND MAJOR DEFECTS. IT ALERTS INSPECTION PERSONNEL TO KEY ELEMENTS REQUIRING SPECIAL ATTENTION.

7987 M6B6-FSC-AT-LOA-T1-NSN M6B6_STAT_CNT_7987 DLIS-BB F INTEGER 8

M6B6 FSC ACTIVITY LOA TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7988 M6B6-FSC-AT-LOA-T1A-NSN M6B6_STAT_CNT_7988 DLIS-BB F INTEGER 8

M6B6 FSC ACTIVITY LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7989 M6B6-FSC-AT-LOA-T1B-NSN M6B6_STAT_CNT_7989 DLIS-BB F INTEGER 8

M6B6 FSC ACTIVITY LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7990 M6B6-FSC-AT-LOA-T4-NSN M6B6_STAT_CNT_7990 DLIS-BB F INTEGER 8

M6B6 FSC ACTIVITY LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
7991	M6B6-FSC-AT-LOA-T4A-NSN	M6B6_STAT_CNT_7991	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY LOA TYPE 4A NSN THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.					
7992	M6B6-FSC-AT-LOA-T4B-NSN	M6B6_STAT_CNT_7992	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY LOA TYPE 4B NSN THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.					
7993	M6B6-FSC-AT-LOA-T2-NSN	M6B6_STAT_CNT_7993	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY LOA TYPE 2 NSN THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.					
7994	M6B6-FSC-AT-LOA-FULL-PCT		DLIS-BB	F	8
M6B6 FSC ACTIVITY LOA FULL PERCENT THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.					
7996	M6B6-FSC-AT-LOA-PART-PCT		DLIS-BB	F	8
M6B6 FSC ACTIVITY LOA PARTIAL PERCENT THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.					
7997	M6B6-FSC-AT-LOA-REF-PCT		DLIS-BB	F	8
M6B6 FSC ACTIVITY LOA REFERENCE PERCENT THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.					
7998	M6B6-FSC-AT-T1-NSN	M6B6_STAT_CNT_7998	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY TYPE 1 NSN THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.					
7999	M6B6-FSC-AT-T1A-NSN	M6B6_STAT_CNT_7999	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY TYPE 1A NSN THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.					
8000	M6B6-FSC-AT-T1B-NSN	M6B6_STAT_CNT_8000	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY TYPE 1B NSN THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.					
8001	M6B6-FSC-AT-T4-NSN	M6B6_STAT_CNT_8001	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY TYPE 4 NSN THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.					
8002	M6B6-FSC-AT-T4A-NSN	M6B6_STAT_CNT_8002	DLIS-BB	F INTEGER	8
M6B6 FSC ACTIVITY TYPE 4A NSN THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.					
8003	TOT-REC-IDIC-ACT-DEPT-QT		DLIS-SB	F	8
TOTAL RECEIVED INPUT DIC ACTIVITY DEPARTMENT QUANTITY THE TOTAL NUMBER OF TRANSACTIONS RECEIVED BY INPUT DOCUMENT INDICATOR CODES BY ACTIVITY, BY DEPARTMENT.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8009 AMSC-AMC-VLD-COMBS-CD AMSC_AMC_VC_8009 DLIS-SBA F CHAR 1
AMSC AMC VALID COMBINATIONS CODE
AN INDICATOR CODE THAT SPECIFIES VALID COMBINATIONS OF ACQUISITION METHOD (DRN 2871) AND ACQUISITION METHOD SUFFIX CODE (DRN 2876). VALID VALUES ARE 0 = VALID, X = INVALID. REFERENCE DOD 4100.39-M, VOLUME 10, CHAPTER 3, TABLE 70.

8011 MEDALS-DOC-SEC-CD DOC_SEC_8011 F CHAR 1
MEDALS DOCUMENT SECURITY CODE
A ONE CHARACTER CODE FIELD REPRESENTING THE SECURITY CLASSIFICATION OF THE DRAWING OR DOCUMENT. CODES IDENTIFIED IN MIL-STD-804: N -- UNCLASSIFIED, F -- SECRET RESTRICTED, C -- CONFIDENTIAL, G -- TOP SECRET RESTRICTED, M -- CONF. MOD. HNDL, H -- CONF-FORMERLY RESTRICTED, S -- SECRET, J -- SECRET - FORMERLY RESTRICTED, T -- TOP SECRET, K -- TOPSECRET - FORMERLY RESTRICTED, E -- CONFIDENTIAL RESTRICTED DATA.

8012 MEDALS-DOC-NUC-CD DOC_NUC_8012 F CHAR 1
MEDALS DOCUMENT NUCLEAR CODE
A ONE CHARACTER CODE ALPHA FIELD TO INDICATE WHETHER THE USER IS ALLOWED ACCESS TO DRAWINGS WITH NUCLEAR COMPONENTS. VALUES ARE 'Y' FOR YES AND 'N' FOR NO. DEFAULT IN MEDALS IS 'N'.

8013 MEDALS-DOC-DIST-STMT-CD DOC_DIST_STMT_8013 F CHAR 1
MEDALS DOCUMENT DISTRIBUTION STATEMENT CODE
A ONE CHARACTER CODE ALPHA FIELD REPRESENTING THE LEVEL OF DISTRIBUTION FOR A DOCUMENT PER DOD DIRECTIVE 5230.24 AND MILS-STD-100. CODES IDENTIFIED IN DOD DIRECTIVE 5230.24 AND MIL-STD-100: A -- UNLIMITED, B -- US GOVERNMENT, C -- US GOVT AND CONTRACTORS, D -- DOD ONLY, E -- DIRECT MILITARY SUPPORT, F -- BY REQUEST/APPROVAL OF COMMANDER, NAVAL SEA SYSTEMS COMMAND, X -- CERTIFIED CONTRACTORS

8015 MEDALS-DOC-SEC-DESC-TX DOC_SEC_DESC_8015 F CHAR 40
MEDALS DOCUMENT SECURITY DESCRIPTION TEXT
A CLEAR TEXT DESCRIPTION OF MEDALS-DOC-SEC-CD (DRN 8011).

8016 MEDALS-DOC-DIST-DESC-TX DOC_DIST_DESC_8016 F CHAR 40
MEDALS-DOC-DIST-DESC-TX
A CLEAR TEXT DESCRIPTION OF MEDALS-DOC-DIST-STMT-CD (DRN 8013).

8017 MDLS-JEDMICS-MED-CD JED_MED_CD_8017 DLIS-VP F CHAR 5
MEDALS JEDMICS MEDIA CODE
THE CODE THAT REPRESENTS THE JEDMICS MEDIA TYPE.

8018 MDLS-JEDMICS-MED-DEF-TX JED_MED_DEF_8018 DLIS-VP F CHAR 25
MEDALS JEDMICS MEDIA DEFINITION TEXT
THE TEXT DEFINING THE MEDALS JEDMICS MEDIA CODE (DRN 8017).

8019 MDLS-DGTZD-MED-ABR-TX DGTZD_MED_ABR_8019 DLIS-VP F CHAR 4
MEDALS DIGITIZED MEDIA ABBREVIATION TEXT
THE SHORT ABBREVIATION OF THE DIGITIZED MEDIA TYPE.

8020 WEB-GUI-PG-MSG-TX WEB_GUI_MSG_8020 DLIS-V F CHAR 300
WEB/GUI PAGE MESSAGE TEXT
THE MESSAGE TEXT FIELD USED TO HOLD ANY TEXT THAT COULD BE DISPLAYED ON A WEB OR GUI PAGE. THE INFORMATION STORED HERE WOULD BE IN A TEXT UNEDITED FORMAT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
8021	WEB-URL-ID	URL_8021	DLIS-BB	F CHAR 200
WEB UNIVERSAL RESOURCE LOCATOR IDENTIFIER IDENTIFIES THE SPECIFIC ADDRESS OF AN EXISTING WEB SITE.				
8022	MDLS-TEL-NBR-ID	MDLS_TEL_NBR_8022	DLIS-VP	F CHAR 20
MEDALS TELEPHONE NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE PHONE NUMBER ASSOCIATED WITH A SPECIFIC MEDALS REPOSITORY.				
8023	MDLS-FAX-NBR-ID	MDLS_FAX_NBR_8023	DLIS-VP	F CHAR 20
MEDALS FAX NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE FAX NUMBER ASSOCIATED WITH A SPECIFIC MEDALS REPOSITORY.				
8025	MDLS-AUTOVON-TEL-NBR-ID	MDLS_AUTOVON_8025	DLIS-VP	F CHAR 20
MEDALS AUTOVON TELEPHONE NUMBER IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE AUTOVON PHONE NUMBER ASSOCIATED WITH A SPECIFIC MEDALS REPOSITORY.				
8027	MDLS-REPT-TI-KEYWRD-TX	MDLS_TI_KYWRD_8027	DLIS-VP	F CHAR 25
MEDALS REPOSITORY TITLE KEYWORD TEXT THE TEXT OF A KEYWORD THAT IS CREATED FOR EACH WORD IN A REPOSITORY TITLE. THIS KEYWORD WILL THEN BE USED TO LOCATE ONE OR MORE DOCUMENT DRAWINGS BY ITS ENTRY.				
8028	MDLS-TI-STOP-WRD-TX	MDLS_STOP_WRD_8028	DLIS-VP	F CHAR 25
MEDALS TITLE STOP WORD TEXT A TEXT VALUE THAT WOULD NOT BE USED IN BUILDING OF MDLS-REPT-TI-KEYWRD-TX (DRN 8027).				
8071	ICMS-LA-ALL-AR-MM	ICMS_STAT_CNT_8071	DLIS-BB	F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
8072	LRN-PROC-PRD-SVC-DEPT-D		DLIS-BB	F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT DAILY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT.				
8073	LRN-PROC-PRD-SVC-DEPT-W		DLIS-BB	F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT WEEKLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT.				
8074	LRN-PROC-PRD-SVC-DEPT-M		DLIS-BB	F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT MONTHLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT.				
8075	LRN-PROC-PRD-SVC-DEPT-Q		DLIS-BB	F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT QUARTERLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT.				
8076	LRN-PROC-PRD-SVC-DEPT-Y		DLIS-BB	F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT.

8077 LRN-PROC-PROD-SVC-TOT-D DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8078 LRN-PROC-PROD-SVC-TOT-W DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8079 LRN-PROC-PROD-SVC-TOT-M DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8080 LRN-PROC-PROD-SVC-TOT-Q DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8081 LRN-PROC-PROD-SVC-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLIS PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8082 LRN-PROC-STAT-INFO-CAN-D DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8083 LRN-PROC-STAT-INFO-CAN-W DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8084 LRN-PROC-STAT-INFO-CAN-M DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8085 LRN-PROC-STAT-INFO-CAN-Q DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER QRTLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8086 LRN-PROC-STAT-INFO-CAN-Y DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER YEARLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8087 LRN-PROC-STAT-INFO-ACT-D LRN_STAT_CNT_8087 DLIS-BB F INTEGER 6
LOGRUN PROCEDURES STAT INFO ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY ACTIVITY.

8088 LRN-PROC-STAT-INFO-ACT-W DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY ACTIVITY.

8089 LRN-PROC-STAT-INFO-ACT-M DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY ACTIVITY.

8090 LRN-PROC-STAT-INFO-ACT-Q DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY ACTIVITY.

8091 LRN-PROC-STAT-INFO-ACT-Y DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY ACTIVITY.

8092 LRN-PROC-STAT-INF-DEPT-D DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY DEPARTMENT.

8093 LRN-PROC-STAT-INF-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8094 LRN-PROC-STAT-INF-DEPT-M DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8095 LRN-PROC-STAT-INF-DEPT-Q DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8096 LRN-PROC-STAT-INF-DEPT-Y DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8097 LRN-PROC-STAT-INF-TOT-D DLIS-BB F 6
LOGRUN PROCEDURES STAT INFO TOTAL DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8098 LRN-PROC-STAT-INF-TOT-W DLIS-BB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES STAT INFO TOTAL WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8099 LRN-PROC-STAT-INF-TOT-M DLIS-BB F 6

LOGRUN PROCEDURES STAT INFO TOTAL MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8100 LRN-PROC-STAT-INF-TOT-Q DLIS-BB F 6

LOGRUN PROCEDURES STAT INFO TOTAL QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8101 LRN-PROC-STAT-INF-TOT-Y DLIS-BB F 6

LOGRUN PROCEDURES STAT INFO TOTAL YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8102 LRN-PROC-BB-CAN-D DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8103 LRN-PROC-BB-CAN-W DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8104 LRN-PROC-BB-CAN-M DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8105 LRN-PROC-BB-CAN-Q DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR QTRLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8106 LRN-PROC-BB-CAN-Y DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8107 LRN-PROC-BB-ACTY-D LRN_STAT_CNT_8107 DLIS-BB F INTEGER 6

LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY ACTIVITY.

8108 LRN-PROC-BB-ACTY-W DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY WEEKLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY ACTIVITY.

8109 LRN-PROC-BB-ACTY-M DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY ACTIVITY.

8110 LRN-PROC-BB-ACTY-Q DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY QUARTELRY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY ACTIVITY.

8111 LRN-PROC-BB-ACTY-Y DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY ACTIVITY.

8112 LRN-PROC-BB-DEPT-D DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY DEPARTMENT.

8113 LRN-PROC-BB-DEPT-W DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8114 LRN-PROC-BB-DEPT-M DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8115 LRN-PROC-BB-DEPT-Q DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8116 50-NSN-FMY-1 DLIS-SBA F 8
50 NSN FAMILY 1
THE NUMBER OF FAMILIES HAVING 50 NSNS FOR DRN 6873, DEPARTMENT NSN FAMILY RANGE QUANTITY.

8117 IANDS-ACTY-GRP-NSN DLIS-BB F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY GROUP NSN
THE QUANTITY OF NSNS IN I AND S FAMILIES FOR ACTIVITIES WITHIN DEPARTMENT BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, AND 26-50 NSNS FOR FAMILY.

8118 IANDS-DEPT-NSN IANS_STAT_CNT_8118 DLIS-BB F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY
THE TOTAL NUMBER OF PICA MANAGED NSNS FOR I AND S FAMILIES FOR DEPARTMENT.

8119 IANDS-GTOT-GRP-NSN DLIS-BB F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT GROUP N
THE GRAND TOTAL OF NSNS IN I AND S FAMILIES BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, 26-50 NSNS PER FAMILY.

8120 IANDS-GTOT-AVG-NSN DLIS-BB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOTAL AVG N
THE GRAND TOTAL AVERAGE OF NSNS PER I AND S FAMILY.

8121 IANDS-GTOT-NSN IANS_STAT_CNT_8121 DLIS-BB F INTEGER 8

INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND
THE GRAND TOTAL OF NSNS IN I AND S FAMILIES.

8122 IANDS-GTOT-TOT-FAMILIES DLIS-BB F 8

INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT TOT FAM
THE GRAND TOTAL OF I AND S FAMILIES.

8123 IANDS-GTOT-REL-SICA IANS_STAT_CNT_8123 DLIS-BB F INTEGER 8

INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL SIC
THE GRAND TOTAL OF RELATED I AND S NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

8124 IANDS-GTOT-MTR-SICA IANS_STAT_CNT_8124 DLIS-BB F INTEGER 8

INTERCHANGEABILIGY AND SUBSTITUTABILITY GRAND TOT MTR SIC
THE GRAND TOTAL OF MASTER I AND S NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

8125 IANDS-GTOT-REL-PICA IANS_STAT_CNT_8125 DLIS-BB F INTEGER 8

INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL PIC
THE GRAND TOTAL OF RELATED I AND S NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

8126 IANDS-GTOT-MTR-PICA IANS_STAT_CNT_8126 DLIS-BB F INTEGER 8

INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR PIC
THE GRANT TOTAL OF MASTER I AND S NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

8127 IANDS-GTOT-MTR-P-S-FAM IANS_STAT_CNT_8127 DLIS-BB F INTEGER 8

INTERCHANGEABILITY AND SUBSTITUTABILITY GTOT MTR P S FAMI
THE GRAND TOTAL OF I AND S FAMILIES ANY DEPARTMENT IS RECORDED ON AS EITHER A PICA OR A SICA.

8128 LRN-PROC-BB-DEPT-Y DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8129 CON-INCREMENT CON_INCREMENT_8129 DLIS-BB F INTEGER 8

CONSUMABLES INCREMENT
A SERIES OF REGULAR CONSECUTIVE ADDITIONS OF PREDETERMINED NSNS FOR A SPECIAL PROJECT.

8130 CON-SNS-SLCT DLIS-BB F 8

CONSUMABLES NSN SELECTED
THE NUMBER OF NSNS SELECTED BY AN ITEM MANAGEMENT CODEING ACTIVITY FOR A SPECIFIC PROJECT INCREMENT.

8131 LRN-PROC-BB-TOT-D DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY
AND CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8132 LRN-PROC-BB-TOT-W DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8133 LRN-PROC-BB-TOT-M DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8134 LRN-PROC-BB-TOT-Q DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8135 LRN-PROC-BB-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8136 20-NSN-FMY DLIS-SBA F 8
20 NSN FAMILY
THE NUMBER OF FAMILIES HAVING 20 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8137 LRN-PROC-ADD-UPDT-DEPT-Q DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

8138 LRN-PROC-DEL-UPDT-DEPT-Q DLIS-BB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

8139 LRN-PROC-BB-UPDT-TOT-Q DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL QUARTERLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACTIVITY NUMBER ON A QUARTERLY BASIS.

8140 LRN-PROC-CHG-UPDT-TOT-Q DLIS-BB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL QRTRLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

8141 LRN-PROC-ADD-UPDT-TOT-Q DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL QUARTERLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

8142 LRN-PROC-DEL-UPDT-TOT-Q DLIS-BB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES DELETE UPDATE TOTAL QUARTERLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

8143 LRN-PROC-BB-UPDT-CAN-Y DLIS-BB F 6

LOGRUN PROCEDURE BULLETIN BRD UPDATE CUST ACCT NMBR YEARLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8144 LRN-PROC-CHG-UPDT-CAN-Y DLIS-BB F 6

LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR YEARLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8145 LRN-PROC-ADD-UPDT-CAN-Y DLIS-BB F 6

LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NMBR YEARLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8146 LRN-PROC-DEL-UPDT-CAN-Y DLIS-BB F 6

LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR YEARLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8147 LRN-PROC-BB-UPDT-ACTY-Y DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY YEARLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8148 LRN-PROC-CHG-UPDT-ACTY-Y DLIS-BB F 6

LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY YEARLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8149 LRN-PROC-ADD-UPDT-ACTY-Y DLIS-BB F 6

LOGRUN PROCEDURES ADD UPDATE ACTIVITY YEARLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8150 LRN-PROC-DEL-UPDT-ACTY-Y DLIS-BB F 6

LOGRUN PROCEDURES DELETE UPDATE ACTIVITY YEARLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8151 LRN-PROC-BB-UPDT-DEPT-Y DLIS-BB F 6

LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT YEARLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8152 LRN-PROC-CHG-UPDT-DEPT-Y DLIS-BB F 6

LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT YEARLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8153 LRN-PROC-ADD-UPDT-DEPT-Y DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT YEARLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8154 LRN-PROC-DEL-UPDT-DEPT-Y DLIS-BB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT YEARLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8155 LRN-PROC-BB-UPDT-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8156 LRN-PROC-CHG-UPDT-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8157 LRN-PROC-ADD-UPDT-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8158 LRN-PROC-DEL-UPDT-TOT-Y DLIS-BB F 6
LOGRUN PROCEDURES DELETE UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8159 STAT-LIMITED-RIGHTS-GRP STAT_LMD_RT_G_8159 DLIS-SBA F CHAR 2
STATISTICS LIMITED RIGHTS GROUP
THIS DATA ELEMENT REPRESENTS THE COUNT OF INDIVIDUAL DOCUMENT AVAILABILITY CODES (DAC) OR CAN REPRESENT A SUMMARY OF DACS B, D, F, H.

8161 45-NSN-FMY DLIS-SBA F 8
45 NSN FAMILY
THE NUMBER OF FAMILIES HAVING 45 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8162 FCS-REF-SAC-TII-1-NSN FCS_STAT_CNT_8162 DLIS-BB F INTEGER 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8163 FCS-REF-SAC-TII-2-NSN FCS_STAT_CNT_8163 DLIS-BB F INTEGER 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8164 FCS-REF-SAC-TII-4-NSN FCS_STAT_CNT_8164 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8165 FCS-REF-SAC-TII-1-PCT DLIS-BB F 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8166 FCS-REF-SAC-TII-2-PCT DLIS-BB F 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8167 IANDS-ACTY-AVG-NSN DLIS-BB F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY AVERAGE
THE AVERAGE NUMBER OF PICA MANAGED NSNS PER I AND S FAMILY BY ACTIVITY WITHIN DEPARTMENT.

8168 FCS-REF-SAC-TII-4-PCT DLIS-BB F 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8169 6-10-NSN-FMY DLIS-SBA F 8
6-10 NSN FAMILY
THE CUMULATIVE NUMBER OF FAMILIES HAVING 6-10 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8170 FCS-C-REF-SAC-TII-1-NSN FCS_STAT_CNT_8170 DLIS-BB F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8171 FCS-C-REF-SAC-TII-2-NSN FCS_STAT_CNT_8171 DLIS-BB F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8172 FCS-C-REF-SAC-TII-4-NSN FCS_STAT_CNT_8172 DLIS-BB F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8173 FCS-C-REF-SDP-TII-1-NSN FCS_STAT_CNT_8173 DLIS-BB F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8174 FCS-C-REF-SDP-TII-2-NSN FCS_STAT_CNT_8174 DLIS-BB F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8175 FCS-C-REF-SDP-TII-4-NSN FCS_STAT_CNT_8175 DLIS-BB F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8176 FCS-C-REF-SDP-TII-1-PCT DLIS-BB F 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PCT

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8177 FCS-C-REF-SDP-TII-2-PCT DLIS-BB F 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PCT

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8178 FCS-C-REF-SDP-TII-4-PCT DLIS-BB F 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PCT

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8179 LRN-PROC-TRN-PRCS-CAN-M DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR MTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

8181 AAC-IM-DEPT-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE IM DEPARTMENT NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8182 AAC-IM-DEPT-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT GROUP NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8184 AAC-LA-ACTY-LOA-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8185 AAC-LA-ACTY-LOA-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA GP NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8187 AAC-LA-ACTY-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTIVITY NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8188 AAC-LA-ACTY-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY GRP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8190 AAC-LA-DEPT-LOA-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8191 AAC-LA-DEPT-LOA-GP-NSN DLIS-BB F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA GP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8192 LRN-PROC-TRN-PRCS-CAN-Q DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR QRTL
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

8193 LRN-PROC-TRN-PRCS-CAN-Y DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY ACCOUNT NUMBER.

8194 LRN-PROC-TRN-PRCS-ACTY-D LRN_STAT_CNT_8194 DLIS-BB F INTEGER 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY ACTIVITY.

8195 LRN-PROC-TRN-PRCS-ACTY-W DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY WEEKLY
THE TOTAL NUMEBR OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8196 LRN-PROC-TRN-PRCS-ACTY-M DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8197 LRN-PROC-TRN-PRCS-ACTY-Q DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8198 LRN-PROC-TRN-PRCS-ACTY-Y DLIS-BB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8199 LRN-PROC-TRN-PRCS-DEPT-D DLIS-BB F 6

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8200 LRN-PROC-TRN-PRCS-DEPT-W DLIS-BB F 6

LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8201 LRN-PROC-TRN-PRCS-DEPT-M DLIS-BB F 6

LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8202 LRN-PROC-TRN-PRCS-DEPT-Q DLIS-BB F 6

LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8203 LRN-PROC-TRN-PRCS-DEPT-Y DLIS-BB F 6

LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8204 M6B6-FSC-AT-T4B-NSN M6B6_STAT_CNT_8204 DLIS-BB F INTEGER 8

M6B6 FSC ACTIVITY TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8205 M6B6-FSC-AT-T2-NSN M6B6_STAT_CNT_8205 DLIS-BB F INTEGER 8

M6B6 FSC ACTIVITY TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8206 M6B6-FSC-AT-FULL-PCT DLIS-BB F 8

M6B6 FSC ACTIVITY FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8207 M6B6-FSC-AT-PART-PCT DLIS-BB F 8

M6B6 FSC ACTIVITY PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8208 FCS-C-SAC-NSN DLIS-BB F 8

FCS CURRENT SUBMITTING ACTIVITY CODE NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL, PARTIAL, OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8209 AMSC-DP-AT-TOT-NSN DLIS-SBA F 8

AMSC DEPARTMENT ACTIVITY TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

8210 AMC-AT-ACC-CD-FR-NSN DLIS-BB F 8

AMC ACTIVITY ALL COMMODITY CATEGORY CODE FROM NSN

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

DS4 MILITARY NIIN STATUS CODE 0 DEMIL NSN TOTAL

THE SUM OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF 0 IN COMBINATION WITH A SPECIFIC DEMIL CODE OR A BLANK DEMIL CODE.

8224 ABV-MRC-FIIG-INC-NSN AMRC_STAT_CNT_8224 DLIS-SBA F INTEGER 8

ABBREVIATED MRC FIIG ITEM NAME CODE NSN

THE NUMBER OF NSNS WITH A SPECIFIC MASTER REPLY CODE, WITHIN A SPECIFIC FIIG FOR A SPECIFIC ITEM NAME CODE.

8225 TO-AMC-5-13 DLIS-SBA F 8

TO ACQUISITION METHOD CODE 5

TO AMC 5 FOR DRN 8221, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE CHANGE FROM AMC 2 QUANTITY.

8226 D-ACT-CC-CHGFRM-AMC-3-QT DLIS-SBA F 8

DEPT ACTIVITY COMMODITY CATEGORY CD CHANGE FROM AMC 3 QTY

THE NUMBER OF ACQUISITION METHOD CODES CHANGED FROM AMC 3 BY COMMODITY CATEGORY CODE BY DEPARTMENT BY ACTIVITY TO AMC 1, 2, 4 OR 5.

8228 ABV-MRC-FIIG-INC-NSN-PCT DLIS-SBA F 8

ABBREVIATED MRC FIIG ITEM NAME CODE NSN PERCENT

THE PERCENT OF NSNS WITH A SPECIFIC MASTER REPLY CODE WITHIN A SPECIFIC FIIG FOR SPECIFIC ITEM NAME CODE.

8229 M6B6-FSC-AT-REF-PCT DLIS-BB F 8

M6B6 FSC ACTIVITY REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8230 M6B3-CLM-DP-LOA-REF-PCT DLIS-BB F 8

M6B3 CLASS MANAGER DEPARTMENT LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

8231 LRN-PROC-CAN-YRLY DLIS-BB F 6

LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER YEARLY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

8232 LRN-PROC-ACTY-DLY LRN_STAT_CNT_8232 DLIS-BB F INTEGER 6

LOGRUN PROCEDURES APPLICATION ACTIVITY DAILY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND ACTIVITY.

8233 LRN-PROC-ACTY-WKLY DLIS-BB F 6

LOGRUN PROCEDURES ACTIVITY WEEKLY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND ACTIVITY.

8234 LRN-PROC-ACTY-MTHLY DLIS-BB F 6

LOGRUN PROCEDURES APPLICATION ACTIVITY MONTHLY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND ACTIVITY.

8235 LRN-PROC-ACTY-QTRLY DLIS-BB F 6

LOGRUN PROCEDURES APPLICATION ACTIVITY QUARTERLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND ACTIVITY.

8236 LRN-PROC-ACTY-YRLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION ACTIVITY YEARLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND ACTIVITY.

8237 LRN-PROC-DEPT-DLY LRN_STAT_CNT_8237 DLIS-BB F INTEGER 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT DAILY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND DEPARTMENT.

8238 LRN-PROC-DEPT-WKLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT WEEKLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8239 LRN-PROC-DEPT-MTHLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT MONTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8240 LRN-PROC-DEPT-QTRLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT QUARTERLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8241 LRN-PROC-DEPT-YRLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT YEARLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8242 LRN-PROC-TOT-DLY LRN_STAT_CNT_8242 DLIS-BB F INTEGER 6
LOGRUN PROCEDURES APPLICATION TOTAL DAILY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8243 LRN-PROC-TOT-WKLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION TOTAL WEEKLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8244 LRN-PROC-TOT-MTHLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION TOTAL MONTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8245 LRN-PROC-TOT-QTRLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION TOTAL QUARTERLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8246 LRN-PROC-TOT-YRLY DLIS-BB F 6
LOGRUN PROCEDURES APPLICATION TOTAL YEARLY

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8247 LRN-COMB-CAN-DLY DLIS-BB F 8

LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER DAILY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY CUSTOMER ACCOUNT NUMBER.

8248 LRN-COMB-CAN-WKLY DLIS-BB F 8

LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER WEEKLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY CUSTOMER ACCOUNT NUMBER.

8249 TYPE-II-4B-B-14 DLIS-SBA F 8

TYPE ITEM IDENTIFICATION 4B-B14

TYPE II 4B FOR DRN 8243, QUANTITY NSNS ASSIGNED CLASSES TYPE II-B14.

8252 ASSOC-PSN DLIS-SB F 3

ASSOCIATION PACKAGE SEQUENCE NUMBER

THE OUTPUT PACKAGE SEQUENCE NUMBER /PSN/ OF THE REFERENCE NUMBER WHICH CREATED A MATCH THROUGH ASSOCIATION CODE SCREENING.

8254 RPLY-TBL-CD-MRD RPLY_TBL_MRD_8254 DLIS-SC F CHAR 4

REPLY TABLE CODE, MASTER REQUIREMENTS DIRECTORY (MRD)

A CODE ASSIGNED TO EACH REPLY TABLE IN THE MASTER REQUIREMENTS DIRECTORY (MRD) FOR IDENTIFICATION PURPOSES. EACH TABLE CONTAINS THE REPLY CODES AND THE ASSOCIATED CLEAR TEXT REPLIES THAT HAVE BEEN APPROVED AND AUTHORIZED FOR USE WITH REQUIREMENTS COVERED BY THE TABLE. THE FORMAT OF THIS CODE IS TWO ALPHA POSITIONS FOLLOWED BY TWO NUMERIC POSITIONS.

8255 CTL-CHAR-CD DLIS-SB F 1

CONTROL CHARACTER CODE

A FORMAT CONTROL CHARACTER REQUIRED TO REFORMAT THE WIRE TRANSMITTAL OR EAM CARD COMPRESSED VERSION OF CLEAR TEXT CHARACTERISTICS INTO THE PROPER PRINTING FORMAT.

8256 LI-NBR DLIS-V F 1

LINE NUMBER

A CODE USED TO IDENTIFY THE PORTIONS OF THE MASTER REQUIREMENTS CODE COLUMN HEADER WHICH IS SUBJECT TO TABULAR DISPLAY FOR A GIVEN ITEM NAME CODE. FOUR LINE NUMBER LEVELS ARE THE MAXIMUM ALLOWED.

8257 COL-NBR-IL-TBL DLIS-V F 2

COLUMN NUMBER IDENTIFICATION LISTING TABULAR

A NUMBER IDENTIFYING A COLUMN OF TABULAR PRINT OUT USED IN THE COLUMNAR DISPLAY FOR AN IDENTIFICATION LISTING.

8258 COL-WDTH-IL-TBLR DLIS-V F 2

COLUMN WIDTH IDENTIFICATION LISTING TABULAR

A NUMBER THAT REPRESENTS THE MAXIMUM WIDTH OF REPLIES TO BE ENTERED IN CITING THE COLUMNAR DISPLAY CRITERIA FOR AN IDENTIFICATION LIST.

8261 PRT-DWG-SUPRSN-IND-CD PRT_DWG_SUPR_8261 DLIS-VPE F CHAR 1

PRINT/DRAWING SUPPRESSION INDICATOR CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8306 GRPHS-RQMT-IND-CD DLIS-V F 1
 GRAPHICS REQUIREMENT INDICATOR CODE
 AN /X/ CODE THAT INDICATES THAT GRAPHICS, E.G., A REFERENCE DRAWING GROUP DRAWING STYLE IS APPLICABLE TO THE REQUIREMENT.

8311 MRC-ABRG-ASSOD-TXT-TBL DLIS-V F 4
 MRC ABRIDGED ASSOCIATED TEXT TABLE NUMBER
 THE TABLE NUMBER UNDER WHICH IS STORED THE ABBREVIATED CLEAR TEXT STATEMENT REQUIRED FOR INCLUSION WITH THE PRINT OUT FOR PUBLICATIONS.

8326 RPLY-CONV-IND DLIS-V F 1
 REPLY CONVERSION INDICATOR
 A (X) CODE USED TO INDICATE WHEN MULTIPLE METHODS OF MEASUREMENT ARE BEING INPUT IN REPLY TO REQUIREMENTS. THESE MUST BE CONVERTED TO ONE OUTPUT EXPRESSION IN PUBLICATIONS.

8327 RPLY-FLD-DSPL-CRITE-D146 DLIS-SC V 99
 REPLY FIELD DISPLAY CRITERIA, DD FORM 146
 A DATA FIELD FOR THE SYMBOLOGY WHICH DESIGNATES THE RECORD/LINE SEQUENCE FOR THE CONVERTED PRINT EXPRESSION OF THE REPLY AND WHERE TO PUT THE CLEAR TEXT PORTION OF THE REPLY.

8328 SUBMTD-PKG-SEQ-NBR DLIS-SB F 3
 SUBMITTED PACKAGE SEQUENCE NUMBER
 THE PACKAGE SEQUENCE NUMBER PERPETUATED FROM THE ORIGINAL SUBMITTAL WHICH CONTAINED SOME TYPE OF ERROR OR DISCREPANCY WITHIN THE RANGE OF DATA IDENTIFIED BY THIS PACKAGE SEQUENCE NUMBER. WHEN UTILIZED AS A RESULT OF A SYSTEM ERROR, A FILLER WILL BE USED IN LIEU OF THE PACKAGE SEQUENCE NUMBER.

8329 DEPT-CD DEPT_CD_8329 DLIS-S F CHAR 2
 DEPARTMENT CODE
 THIS FIELD CONTAINS A 2 CHARACTER CODE FOR EACH DEPARTMENT. VALID CODES ARE: AR = ARMY, AF = AIR FORCE, MC = MARINE CORPS, NA = NAVY, AND NT = NATO.

8330 SAC-ABRG-ASSO-TEXT-TBL DLIS-V F 4
 SAC ABRIDGED ASSOCIATION TEXT TABLE NUMBER
 THE TABLE NUMBER UNDER WHICH IS STORED THE ABBREVIATED CLEAR TEXT STATEMENT REQUIRED TO BE PRINTED OUT ON PUBLICATION FOR DATA GROUPS HAVING SECONDARY ADDRESS CODES ASSIGNED.

8335 SRTG-PRI-CD-IL-DATA DLIS-V F 1
 SORTING PRIORITY CODE IDENTIFICATION LIST DATA
 A CODE THAT SPECIFIES THE PRIORITY OF A REQUIREMENT USED IN THE SORTING OF ITEM IDENTIFICATIONS TO BE CONTAINED IN AN IDENTIFICATION LIST.

8337 SAC-UNABRG-ASSOC-TXT-TBL DLIS-SC F 4
 SAC UNABRIDGED ASSOCIATION TEXT TABLE NUMBER
 THE TABLE NUMBER UNDER WHICH IS STORED THE UNABBREVIATED CLEAR TEXT STATEMENT REQUIRED TO BE PRINTED OUT ON PUBLICATIONS FOR DATA GROUPS HAVING SECONDARY ADDRESS CODES ASSIGNED.

8342 TOT-RCD-NBR-CT-QY TOT_RCD_CT_8342 DLIS-V F INTEGER 12
 TOTAL RECORD NUMBER COUNT QUANTITY
 THE TOTAL NUMBER OF RECORDS FOUND IN A GIVEN PROCESS, SUCH AS A BATCH JOB.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
8343	BTCH-PGM-QA-ANAL-BEG-TM	QA_ANAL_TM_8343	DLIS-V	F TIMESTMP	26
BATCH PROGRAM QA ANALYSIS BEGIN TIMESTAMP TIME					
THE TIMESTAMP WHEN A BATCH PROGRAM IS READY FOR QA ANALYSIS, OR PRE-PROCESSING. THE FORMAT IS IN THE FORM OF YYYY-MM-DD-HH.MM.SS.NNNNNN. THIS TIME/DATE VALUE MUST BE ZEROS WHEN A RECORD IS CREATED.					
8344	PGM-QA-PRE-PROC-END-TM	QA_PRE_END_TM_8344	DLIS-V	F TIMESTMP	26
BATCH PROGRAM QA PRE-PROCESS END TIMESTAMP TIME					
THE TIMESTAMP WHEN A BATCH PROGRAM HAS SUCCESSFULLY COMPLETED THE QA PRE-PROCESS. THIS FORMAT IS IN THE FORM OF YYYY-MM-DD-HH.MM.SS.NNNNNN.					
8345	INPROC-TRAN-BTCH-STAT-CD	BTCH_STAT_CD_8345	DLIS-V	F CHAR	4
IN-PROCESS TRANSACTION BATCH STATUS CODE					
THE CODE THAT DENOTES THE CURRENT STATUS OF THE EXISTING IN-PROCESS TRANSACTION BATCH. SEE BTCH_STAT_TX_8346.					
8346	INPROC-TRAN-BTCH-STAT-TX	BTCH_STAT_TX_8346	DLIS-V	F CHAR	60
IN-PROCESS TRANSACTION BATCH STATUS TEXT					
THE TEXT OF A CODE WHICH IS USED TO DENOTE THE CURRENT STATUS OF THE EXISTING IN-PROCESS TRANSACTION BATCH. SEE BTCH_STAT_CD_8345.					
8347	TOT-DELD-RCD-NBR-CT-QY	TOT_DELD_CT_8347	DLIS-V	F INTEGER	12
TOTAL DELETED RECORD NUMBER COUNT QUANTITY					
THE TOTAL NUMBER OF RECORDS DELETED BY A GIVEN PROCESS, SUCH AS A BATCH JOB.					
8348	TOT-ADD-RCD-NBR-CT-QY	TOT_ADD_CT_8348	DLIS-V	F INTEGER	12
TOTAL ADDED RECORD NUMBER COUNT QUANTITY					
THE TOTAL NUMBER OF RECORDS ADDED BY A GIVEN PROCESS, SUCH AS A BATCH JOB.					
8349	BTCH-PROC-BEG-TM	BTCH_BEG_TM_8349	DLIS-V	F TIMESTMP	26
BATCH PROCESS BEGIN TIMESTAMP TIME					
THE STARTING TIME TIMESTAMP OF A BATCH PROCESS. THE FORMAT IS IN THE FORM OF YYYY-MM-DD-HH.MM.SS.NNNNNN.					
8350	BTCH-PROC-END-TM	BTCH_END_TM_8350	DLIS-V	F TIMESTMP	26
BATCH PROCESS END TIMESTAMP TIME					
THE ENDING TIME TIMESTAMP OF A BATCH PROCESS. THE FORMAT IS IN THE FORM OF YYYY-MM-DD-HH.MM.SS.NNNNNN.					
8351	MDLS-BUL-BRD-MSG-ID	BB_MSG_ID_8351	DLIS-VP	F CHAR	6
MEDALS BULLETIN BOARD MESSAGE IDENTIFIER					
THE IDENTIFIER THAT INDICATES A BB MESSAGE. FIRST FIVE POSITIONS INDICATE YEAR/JULIAN DATE, SIXTH POSITION IS AN ALPHA REPRESENTING BBMESSAGE FOR THAT DAY. EXAMPLE, 96135A.					
8352	MDLS-BUL-BRD-LI-SEQ-ID	BB_LI_SEQ_8352	DLIS-VP	F CHAR	2
MEDALS BULLETIN BOARD LINE SEQUENCE IDENTIFIER					
THE IDENTIFIER THAT REPRESENTS A LINE OF TEXT. VALID VALUES: 01-99					
8353	MDLS-BUL-BRD-MSG-TX	MDLS_BB_MSG_8353	DLIS-VP	F CHAR	1000
MEDALS BULLETIN BOARD MESSAGE TEXT					
THE CLEAR TEXT MESSAGE OF A MEDALS BULLETIN BOARD.					
8354	MDLS-BUL-BRD-CMNT-TX	MDLS_BB_CMNT_8354	DLIS-VP	F CHAR	237

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

MEDALS BULLETIN BOARD COMMENTS TEXT

THE CLEAR TEXT THAT CONTAINS USER MEDALS BULLETIN BOARD COMMENTS.

8355 MDLS-BUL-BRD-PG-KEY-ID BB_PG_KEY_8355 DLIS-VP F CHAR 4
MEDALS BULLETIN BOARD PAGE KEY IDENTIFIER

THE IDENTIFIER THAT IS USED TO MARK AND LOCATE A SPECIFIC PAGE OF TEXT FOUND WITHIN THE BULLETIN BOARD SYSTEM.

8357 WEB-BRWSR-BB-DSPL-MSG-TX WEB_BB_DSPL_8357 DLIS-BB V VARCHAR 5000
WEB BROWSER BULLETIN BOARD DISPLAY MESSAGE TEXT

THE CLEAR TEXT MESSAGE USED TO DISPLAY INFORMATION TO A USER, VIA A WEB BROWSER. THIS MESSAGE IS UNIQUE TO A SPECIFIC APPLICATIONS BULLETIN BOARD SYSTEM.

8358 TRGT-FTP-SRVR-USRID-ID TRGT_FTP_U_ID_8358 DLIS-V F CHAR 10
TARGET FILE TRANSFER PROTOCOL SERVER USERID IDENTIFIER

THE USER IDENTIFICATION USED TO SIGN ON TO A REMOTE OR TARGET FILE TRANSFER PROTOCOL SERVER.

8359 FTP-RCD-RSN-SCHD-TYP-ID FTP_SCHD_TYP_8359 DLIS-V F CHAR 10
FILE TRANSFER PROTOCOL RECORD REASON SCHEDULE TYPE IDENTIFIER

THE IDENTIFIER THAT DESIGNATES THE PURPOSE OF THIS RECORD, WHETHER A ONE TIME FTP OR A RECURRING FTP RECORD. THIS SCHEDULE TYPE ALSO CAN BE USED AS A MODEL OR TEMPLATE FOR OTHER FTP RECORDS.

8360 TRGT-FTP-SRVR-PSWRD-ID TRGT_FTP_PSWD_8360 DLIS-V F CHAR 10
TARGET FILE TRANSFER PROTOCOL SERVER PASSWORD IDENTIFIER

THE PASSWORD USED TO SIGN ON TO A REMOTE OR TARGET FILE TRANSFER PROTOCOL (FTP) SERVER.

8361 SCHD-RCD-NM SCHD_RCD_NM_8361 DLIS-V F CHAR 50
SCHEDULED RECORD NAME

THE NAME OF A SCHEDULED RECORD.

8362 SRC-FTP-SRVR-IP-ADRS-TX SRC_FTP_IP_8362 DLIS-V F CHAR 15
SOURCE FILE TRANSFER PROTOCOL SERVER INTERNET PROTOCOL ADDRESS TEXT

THE TEXT OF THE INTERNET PROTOCOL (IP) ADDRESS OF THE SOURCE FILE TRANSFER PROTOCOL (FTP) SERVER.

8363 TRGT-FTP-SRVR-IP-ADRS-TX TRGT_FTP_IP_8363 DLIS-V F CHAR 15
TARGET FILE TRANSFER PROTOCOL SERVER INTERNET PROTOCOL ADDRESS TEXT

THE TEXT OF THE INTERNET PROTOCOL (IP) ADDRESS OF THE TARGET FILE TRANSFER PROTOCOL (FTP) SERVER.

8364 SRC-FTP-SRVR-USRID-ID SRC_FTP_USRID_8364 DLIS-V F CHAR 10
SOURCE FILE TRANSFER PROTOCOL SERVER USERID IDENTIFIER

THE USER IDENTIFICATION USED TO SIGN ON TO THE SOURCE FILE TRANSFER PROTOCOL (FTP) SERVER.

8365 SRC-FTP-SRVR-PSWRD-ID SRC_FTP_PSWD_8365 DLIS-V F CHAR 30
SOURCE FILE TRANSFER PROTOCOL SERVER PASSWORD IDENTIFIER

THE PASSWORD USED TO SIGN ON TO THE SOURCE FILE TRANSFER PROTOCOL (FTP) SERVER.

8366 FTP-NXT-SCHD-OCCR-TMSTMP NXT_SCHD_TS_8366 DLIS-V F TIMESTMP 26
FILE TRANSFER PROTOCOL NEXT SCHEDULED OCCURRENCE TIMESTAMP TIME

THE TIMESTAMP USED AS A PLACE HOLDER FOR THE NEXT OCCURRENCE OF THE FTP EVENT, REGARDLESS OF WHETHER THE CURRENT EVENT IS SUCCESSFUL OR NOT. THE FORMAT IS IN THE FORM OF CCYY-MM-DD-HH.MM.SS.mmmmmm

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

8367 FTP-STRT-NXT-RUN-TMSTMP NXT_RUN_TS_8367 DLIS-V F TIMESTAMP 26
FILE TRANSFER PROTOCOL START NEXT RUN TIMESTAMP TIME
THE TIMESTAMP USED AS A TRIGGER TO START AN FTP EVENT. IF THE TIMESTAMP IS LESS THAN THE CURRENT TIMESTAMP THEN RUN THE EVENT. THE FORMAT IS IN THE FORM OF CCYY-MM-DD-HH.MM.SS.mmmmmmm

8368 SCH-INTVL-VAL-TM SCH_INTVL_VAL_8368 DLIS-V F CHAR 10
SCHEDULE INTERVAL VALUE TIME
THE VALUE, DEFINED IN SCH_INTVL_TYP_8369, OF THE TIME ADDED TO NXT_RUN_TS_8367.

8369 SCH-INTVL-TYP-CD SCH_INTVL_TYP_8369 DLIS-V F CHAR 10
SCHEDULE INTERVAL TYPE CODE
THE TYPE, SUBSET OF A TIMESTAMP, OF VALUE FOUND IN SCH_INTVL_VAL_8368. VALID VALUES: MONTH, DAY, AND HOUR

8370 RETRY-INTVL-VAL-TM RETRY_INTVL_8370 DLIS-V F CHAR 10
RETRY INTERVAL VALUE TIME
THE VALUE, IN NUMBER OF MINUTES, OF TIME ADDED TO NXT_RUN_TS_8367 UPON AN UNSUCCESSFUL ATTEMPT TO EXECUTE THE EVENT.

8371 UNSCSFL-ATTMPT-RETRY-CT RETRY_CT_8371 DLIS-V F CHAR 10
UNSUCCESSFUL ATTEMPT RETRY COUNT QUANTITY
THE NUMBER OF UNSUCCESSFUL ATTEMPTS TO RUN THE EVENT.

8372 UNSCSFL-ATTMPT-RETRY-LMT RETRY_LMT_8372 DLIS-V F CHAR 10
UNSUCCESSFUL ATTEMPT RETRY LIMIT COUNT QUANTITY
THE NUMBER OF TIMES AN EVENT CAN BE RETRIED AFTER AN UNSUCCESSFUL ATTEMPT.

8373 SRC-FILE-MASK-NM SRC_FILE_MASK_8373 DLIS-V F CHAR 80
SOURCE FILE MASK NAME
THE LOCAL NAME OF SOURCE FILE MASK WITH WILD CARDS OR PLACE HOLDERS AS DEFINED: - JULIAN DAY OF YEAR (THREE POSITION), * - ANY CHARACTER

8374 FTP-REMOT-FILE-NM REMOT_FILE_NM_8374 DLIS-V F CHAR 80
FTP REMOTE FILE NAME
THE REMOTE FILE NAME ON THE FTP SERVER WHEN SENDING A FILE VIA FTP. IF BLANK USE SRC_FILE_MASK_8373.

8375 NBR-DATA-COLLBR NBR_COLLBR_8375 DLIS-SB F CHAR 1
NUMBER OF DATA COLLABORATORS
USED TO IDENTIFY THE NUMBER OF SUPPLEMENTARY DATA COLLABORATORS WITHIN A GIVEN SEGMENT.

8376 CNTCT-PNT-PRIM-EMAIL-ADR CNTPT_EM_ADR1_8376 DLIS-V F CHAR 80
CONTACT POINT PRIMARY EMAIL ADDRESS TEXT
THE TEXT OF THE PRIMARY EMAIL ADDRESS OF A CONTACT POINT.

8377 CNTCT-PNT-SECD-EMAIL-ADR CNTPT_EM_ADR2_8377 DLIS-V F CHAR 80
CONTACT POINT SECONDARY EMAIL ADDRESS TEXT
THE TEXT OF THE SECONDARY EMAIL ADDRESS OF A CONTACT POINT.

8378 CNTCT-PNT-TER-EMAIL-ADR CNTPT_EM_ADR3_8378 DLIS-V F CHAR 80

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8603 IDS-START-ACCS-NBR START_ACCS_8603 DLIS-VPE F SMALLINT 4
IDS START ACCESS NUMBER
THE ACCESS WHICH STARTS THIS DATA GROUP. ANY DEFINED ACCESS WITHIN THE SPECIFIED RECORD TYPE IS VALID.

8604 IDS-START-CMP-NBR START_CMP_8604 DLIS-VPE F SMALLINT 4
IDS START COMPONENT NUMBER
THE COMPONENT WHICH STARTS THIS DATA GROUP. ANY DEFINED COMPONENT WITHIN THE SPECIFIED RECORD TYPE AND ACCESS IS VALID.

8605 IDS-END-RCD-TYP-CD END_RCD_TYP_8605 DLIS-VPE F SMALLINT 4
IDS END RECORD TYPE CODE
THE RECORD TYPE WHICH ENDS THIS DATA GROUP. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO THE START_REC_TYP SPECIFIED FOR THIS DATA GROUP IS VALID.

8606 IDS-END-ACCS-NBR END_ACCS_NBR_8606 DLIS-VPE F SMALLINT 4
IDS END ACCESS NUMBER
AN ACCESS WHICH ENDS THE DATA GROUP. A VALID ENTRY IS ANY DEFINED ACCESS WITHIN THE SPECIFIED RECORD TYPE WHICH IS GREATER THAN OR EQUAL TO THE IDS-START-ACCS-NBR (8603) IF IDS-START-RCD-TYP-CD AND IDS-END-RCD-TYP-CD ARE THE SAME, OR ANY DEFINED ACCESS WITHIN IDS-END-RCD-TYP-CD (8605) IF THE IDS-END-RCD-TYP-CD IS GREATER THAN THE IDS-START-RCD-TYP-CD (8602).

8607 IDS-END-CMP-NBR END_CMP_8607 DLIS-VPE F SMALLINT 4
IDS END COMPONENT NUMBER
THE COMPONENT WHICH ENDS THIS DATA GROUP. A VALID ENTRY IS ANY DEFINED COMPONENT WITHIN THE SPECIFIED ACCESS WHICH IS GREATER THAN OR EQUAL TO THE IDS-START-CMP-NBR (8604) IF IDS-START-ACCS-NBR AND IDS-END-ACCS-NBR ARE THE SAME OR ANY DEFINED ACCESS WITHIN THE IDS-END-ACCS-NBR (8606) IF THE IDS-END-ACCS-NBR IS GREATER THAN THE IDS-START-ACCS-NBR (8603).

8608 IDS-PRE-BRK-RCD-TYP-CD PRE_BRK_RCD_8608 DLIS-VPE F SMALLINT 4
IDS PRE BREAK RECORD TYPE CODE
RECORD TYPE AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED RECORD TYPE WITHIN THE GROUP IS VALID.

8609 IDS-PRE-BRK-ACCS-NBR PRE_BRK_ACCS_8609 DLIS-VPE F SMALLINT 4
IDS PRE BREAK ACCESS NUMBER
THE ACCESS AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED ACCESS WITHIN THE GROUP IS VALID.

8610 IDS-PRE-BRK-CMP-NBR PRE_BRK_CMP_8610 DLIS-VPE F SMALLINT 4
IDS PRE BREAK COMPONENT NUMBER
COMPONENT AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED COMPONENT WITHIN THE GROUP IS VALID.

8611 IDS-POST-BRK-RCD-TYP-CD POST_BRK_RCD_8611 DLIS-VPE F SMALLINT 4
IDS POST BREAK RECORD TYPE CODE
THE RECORD TYPE AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO IDS-PRE-BRK-RCD-TYP-CD (8608) AND WITHIN THE GROUP IS VALID.

8612 IDS-POST-BRK-ACCS-NBR POST_BRK_ACCS_8612 DLIS-VPE F SMALLINT 4
IDS POST BREAK ACCESS NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACCESS AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. VALID ENTRIES INCLUDE ANY DEFINED ACCESS GREATER THAN OR EQUAL TO THE IDS-PRE-BRK-ACCS-NBR (8609) IF IDS-POST-BRK-RCD-TYP-CD (8611) IS EQUAL TO THE IDS-PRE-BRK-RCD-TYP-CD (8608), OR ANY DEFINED ACCESS WITHIN THE IDS-POST-BRK-RCD-TYP-CD (8611) IF IDS-POST-BRK-RCD-TYP-CD (8611) IS GREATER THAN IDS-PRE-BRK-RCD-TYP-CD (8608).

8613 IDS-POST-BRK-CMP-NBR POST_BRK_CMP_8613 DLIS-VPE F SMALLINT 4
IDS POST BREAK COMPONENT NUMBER

THE COMPONENT AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. VALID ENTRIES INCLUDE ANY DEFINED COMPONENT GREATER THAN OR EQUAL TO THE IDS-PRE-BRK-CMP-NBR (8610) IF THE IDS-POST-BRK-ACCS-NBR (8612) IS EQUAL TO THE IDS-PRE-BRK-ACCS-NBR (8609), OR ANY DEFINED COMPONENT WITHIN THE IDS-POST-BRK-ACCS-NBR (8612) IF IDS-POST-BRK-ACCS-NBR (8612) IS GREATER THAN IDS-PRE-BRK-ACCS-NBR (8609).

8614 IDS-POST-BRK-POS-CD POST_BRK_POS_8614 DLIS-VPE F CHAR 1
IDS POST BREAK POSITION CODE

THIS INDICATES WHETHER THE POST BREAK IS TO COME AFTER THE FIRST OR LAST OCCURRENCE OF THE GROUP. VALID VALUES ARE 'L' OR 'F', LAST OR FIRST.

8615 IDS-FORCED-WRITE-IND FORCED_WRITE_8615 DLIS-VPE F CHAR 1
IDS FORCED WRITE INDICATOR

AN INDICATOR TO SPECIFY THAT A PHYSICAL RECORD BE WRITTEN FOLLOWING THE COMPLETION OF PROCESSING FOR THIS GROUP. VALID OPTIONS ARE 'Y' FOR YES AND 'N' FOR NO.

8616 IDS-CTR-ATTR-ID CTR_ATTR_8616 DLIS-VPE F CHAR 2
IDS COUNTER ATTRIBUTE IDENTIFIER

SPECIFIES THE TYPE OF THE COUNTER TO BE PREPENDED TO THIS REPEATING DATA GROUP. OPTIONS ARE A COMBINATION OF ONE LETTER (C FOR CHARACTER AND I FOR INTEGER) AND ONE NUMBER (1 THROUGH 5) INDICATING THE TYPE OF COUNTER AND THE SIZE OF THE COUNTER RESPECTIVELY. SUPPORTED COMBINATIONS ARE: I1, I2, I4, C2, C3, C4, AND C5.

8617 IDS-ZER-SUPRSN-IND ZER_SUPRSN_8617 DLIS-VPE F CHAR 1
IDS ZERO SUPPRESSION INDICATOR

SPECIFIES WHETHER A DATA LENGTH ATTRIBUTE/COUNTER SHOULD BE PLACED INTO A DATA STREAM WHEN ITS VALUE IS ZERO (INDICATING NO DATA FOUND). OPTIONS ARE Y FOR YES AND N FOR NO.

8618 IDS-GRP-TYP-ID GRP_TYP_8618 DLIS-VPE F CHAR 1
IDS GROUP TYPE IDENTIFIER

SPECIFIES WHETHER THIS GROUP IS A 'DATA' GROUP OR A 'BREAK' GROUP. VALID ENTRIES ARE 'D' OR 'B'.

8619 IDS-START-CMP-SEQ-NBR START_CMP_SEQ_8619 DLIS-VPE F SMALLINT 4
IDS START COMPONENT SEQUENCE NUMBER

SPECIFIES THE STARTING COMPONENT NUMBER FOR THE GROUP. VALID ENTRIES ARE 1 THROUGH THE MAXIMUM DEFINED COMPONENT NUMBER.

8620 IDS-END-CMP-SEQ-NBR END_CMP_SEQ_8620 DLIS-VPE F SMALLINT 4
IDS END COMPONENT SEQUENCE NUMBER

SPECIFIES THE ENDING COMPONENT NUMBER FOR THE GROUP. VALID ENTRIES ARE 1 THROUGH THE MAXIMUM DEFINED COMPONENT NUMBER.

8621 IDS-DAT-LGTH-ATTR-ID DAT_LGTH_ATTR_8621 DLIS-VPE F CHAR 2
IDS DATA LENGTH ATTRIBUTE IDENTIFIER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THIS SPECIFIES THE TYPE OF DATA LENGTH ATTRIBUTE TO BE PREPENDED TO EACH PHYSICAL RECORD WRITTEN OR SPECIFIED DATA FIELD. OPTIONS: COMBINATION OF ONE LETTER ('C' FOR CHARACTER AND 'I' FOR INTEGER) AND ONE NUMBER (1 THROUGH 5) TO INDICATE THE TYPE OF LENGTH ATTRIBUTE AND THE SIZE OF THE LENGTH ATTRIBUTE RESPECTIVELY. SUPPORTED COMBINATIONS ARE I1, I2, I4, C2, C3, C4, AND C5.

8622 IDS-RCD-LGTH-ATTR-ID RCD_LGTH_ATTR_8622 DLIS-VPE V VARCHAR 30
IDS RECORD LENGTH ATTRIBUTE IDENTIFIER

SPECIFIES A TYPE OF DATA LENGTH ATTRIBUTE TO BE PREPENDED TO A PHYSICAL RECORD FOR EACH PUBLICATION PART THAT IS DEFINED. ALSO IT SPECIFIES THE ZERO SUPPRESSION INDICATOR FOR EACH DATA LENGTH ATTRIBUTE. THE THIRTY CHARACTERS ARE DIVIDED INTO 10 SECTIONS, EACH OF WHICH CONTAINS THE TWO-CHARACTER LENGTH ATTRIBUTE TYPE AND A ONE-CHARACTER ZERO-SUPPRESSION INDICATOR. OPTIONS FOR EACH SECTION ARE A COMBINATION OF ONE LETTER (C FOR CHARACTER AND I FOR INTEGER) AND ONE NUMBER(1 THROUGH 5) TO INDICATE THE TYPE OF LENGTH ATTRIBUTE AND SIZE OF LENGTH ATTRIBUTE RESPECTIVELY, FOLLOWED BY A Y OR N FOR ZERO-SUPPRESSION. SUPPORTED COMBINATIONS ARE I1, I2, I4, C2, C3, C4, AND C5 WITH Y OR N IN THE THIRD POSITION.

8623 IDS-CTR-FUNC-CD CTR_FUNC_8623 DLIS-VPE F CHAR 1
IDS COUNTER FUNCTION CODE

SET BY BUILD (LPDV740B), INDICATES TO MARKUP (LPDV950B) THE FUNCTION OF A USER SPECIFIED COUNTER ASSOCIATED WITH A GROUP. VALID ENTRIES ARE: R (RECORD TYPE INSTANCE COUNTER), A (ACCESS REPEAT COUNTER), C (COMPONENT INSTANCE COUNTER).

8624 IDS-EXTR-UPDT-CD EXTR_UPDT_8624 DLIS-VPE F CHAR 1
IDS EXTRACT UPDATE CODE

SPECIFIES THE MODE IN WHICH THE EXTRACT IS TO BE PROCESSED, VALID VALUES ARE 'U' (UPDATE ONLY), 'N' (NEW MASTER) OR BLANK (NOT AN UPDATE PUB).

8625 IDS-FMT-OP-CD FMT_OP_8625 DLIS-VPE F CHAR 1
IDS FORMAT OUTPUT CODE

SPECIFIES WHAT CUSTOMER OUTPUT WILL BE PRODUCED. VALID VALUES INCLUDE U (UPDATE), M (ALL RECORDS WHICH WERE WRITTEN TO THE NEW MASTER) OR BLANK (NO CUSTOMER OUTPUT IS DESIRED).

8626 IDS-UPDT-KEY-LGTH-QY UPDT_KEY_LGTH_8626 DLIS-VPE F SMALLINT 4
IDS UPDATE KEY LENGTH QUANTITY

THIS FIELD CONTAINS THE LENGTH OF THE UPDATE KEY WHICH IS USED TO MERGE AN UPDATE WITH THE PUBLICATION MASTER. IF THE UPDATE MODE (DRN 8624) IS BLANK, THE VALUE IN THIS FIELD WILL BE ZERO. RANGE 0 TO 100.

8627 IDS-DYN-ALLOC-IND DYN_ALLOC_8627 DLIS-VPE F CHAR 1
IDS DYNAMIC ALLOCATION INDICATOR

INDICATES WHETHER DYNAMIC ALLOCATION IS USED FOR FILE ALLOCATION. VALID VALUES ARE 'Y' OR 'N'.

8628 IDS-FILE-NM-HLQ-ID FILE_NM_HLQ_8628 DLIS-VPE F CHAR 8
IDS FILE NAME HIGH LEVEL QUALIFIER IDENTIFIER

IDENTIFIER SPECIFYING WHAT HIGH LEVEL QUALIFIER IS TO BE USED DURING THE DYNAMIC ALLOCATION OF FILES. THE VALID VALUES ARE ANY VALID HIGH LEVEL QUALIFIER.

8629 GLBL-TRD-ITM-NBR-CD GTIN_CD_8629 DLIS-SBC F CHAR 14
GLOBAL TRADE ITEM NUMBER CODE

A CODE THAT DESCRIBES THE ENTIRE FAMILY OF EUROPEAN ARTICLE NUMBER/UNIFORM CODE COUNCIL (EAN/UCC) DATA STRUCTURES FOR TRADE ITEMS (PRODUCTS AND SERVICES) IDENTIFICATION. THE FAMILY OF DATA STRUCTURES INCLUDE: EAN/UCC-8 DIGIT, UCC-12 DIGIT, EAN/UCC-13 DIGIT, AND EAN/UCC-14 DIGIT CODES. THIS CODE IDENTIFIES PRODUCTS AND THEIR PRODUCERS AT EVERY LEVEL OF PRODUCT CONFIGURATION (CONSUMER SELLING UNIT, CASE LEVEL, INNER PACK LEVEL, PALLET, SHIPPER, ETC.). THE CODE MUST BE REPRESENTED IN COMPUTER FILES IN SUCH A WAY TO ENSURE UNIQUENESS OF THE IDENTIFICATION NUMBERS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8630 CLNG-DRYNG-PRO-CD-DEF-TX CLN_DRY_PR_TX_8630 DLIS-SA V VARCHAR 100
CLEANING AND DRYING PROCEDURE CODE DEFINITION TEXT
A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF CLNG_DRY_PRC_5161. SEE VOLUME 10, TABLE ? AND QUICK INFO ON-LINE.

8631 SER-TAPE-ID SER_TAPE_8631 DLIS-BB F CHAR 6
SERIALIZED TAPE IDENTIFIER
SERIALIZED IDENTIFIER ASSIGNED TO A TAPE.

8632 SAV-TAPE-DUR-ID SAV_TAPE_DUR_8632 DLIS-BB F CHAR 5
SAVE TAPE DURATION IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE SAVE DURATION OF THE TAPE, THE VALUE FROM WHICH AN EXPIRATION DATE WILL BE CALCULATED. VALID VALUES: ALPHANUMERIC 00000 - 99999 (IN DAYS) OR ALPHA MNEUMONIC SUCH AS '*HOLD' - FILE WILL BE HELD FOR AN INDEFINITE PERIOD, '*PERM' - FILE WILL NOT BE SCRATCHED, AND '*SAVE' - FILE WILL BE RETAINED UNTIL NEXT UPDATE.

8633 PHY-TAPE-CT-QY TAPE_CT_8633 DLIS-BB F CHAR 3
PHYSICAL TAPE COUNT QUANTITY
THE QUANTITY OF THE PHYSICAL TAPES COMPRISING A SET OF TAPES.

8634 TAPE-PURG-DT TAPE_PURG_DT_8634 DLIS-BB F CHAR 10
TAPE PURGE DATE
THE EARLIEST DATE ON WHICH THE TAPE MAY BE ERASED AND/OR OVERWRITTEN. VALID VALUES: ALPHANUMERIC (CCYY-MM-DD) OR JULIAN DATE IN THE FORM OF CCYY-DDD.

8635 TAPE-PHASE-NM TAPE_PHASE_NM_8635 DLIS-BB F CHAR 10
TAPE PHASE NAME
THE NAME OF THE PROGRAM OR STEP THAT CREATED THE TAPE.

8636 TAPE-STOR-LOC-ID TAPE_STOR_LOC_8636 DLIS-BB F CHAR 6
TAPE STORAGE LOCATION IDENTIFIER
THE IDENTIFIER THAT REPRESENTS AN ACRONYM FOR THE ACTUAL STORAGE LOCATION OF THE TAPE.

8637 LST-CLNG-TMSTMP-TM LST_CLNG_TS_8637 DLIS-BB F CHAR 26
LAST CLEANING TIMESTAMP TIME
TIMESTAMP OF LAST CLEANING IN THE FORM CCYY-MM-DD-HH.MM.SS.mmmmmm.

8638 JOB-NM JOB_NM_8638 DLIS-BB F CHAR 10
JOB NAME
A USER DEFINED JOB NAME

8639 FILE-NM FILE_NM_8639 DLIS-BB F CHAR 10
FILE NAME
FILE NAME

8640 TAPE-DEVICE-NM TAPE_DEVICE_8640 DLIS-BB F CHAR 5
TAPE DEVICE NAME
A SYSTEM DEFINED TAPE DEVICE NAME.

8641 TAPE-CRTN-DT TAPE_CRTN_DT_8641 DLIS-BB F CHAR 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TAPE CREATION DATE

THE DATE WHEN A TAPE WAS CREATED. THE FORMAT IS IN THE FORM OF CCYYMMDD.

8642	TAPE-DATA-DESC-TX	TAPE_DATA_8642	DLIS-BB	F CHAR	71
------	-------------------	----------------	---------	--------	----

TAPE DATA DESCRIPTION TEXT
THE DESCRIPTION TEXT OF DATA ON TAPE.

8643	DATA-STOR-VOL-HLQ-NM	DATA_VOL_HLQ_8643	DLIS-BB	F CHAR	10
------	----------------------	-------------------	---------	--------	----

DATA STORAGE VOLUME/HIGH LEVEL QUALIFIER NAME
THE VOLUME NAME OR HIGH LEVEL QUALIFIER OF THE DATA STORED.

8644	TAPE-USR-ID	TAPE_USR_ID_8644	DLIS-BB	F CHAR	10
------	-------------	------------------	---------	--------	----

TAPE USER IDENTIFIER
THE USERID THAT IS ASSIGNED TO THE INDIVIDUAL WHO CREATED OR OWNS THE TAPE.

8645	TAPE-USG-RT	TAPE_USG_RT_8645	DLIS-BB	F SMALLINT	2
------	-------------	------------------	---------	------------	---

TAPE USAGE RATE
THE RATE OF THE NUMBER OF TIMES A PARTICULAR TAPE HAS BEEN USED. INFORMATION FROM THE SIGNED COMPUTATIONAL FIELD IS USED TO DETERMINE THE USEFUL LIFE CYCLE OF THE PHYSICAL TAPE. ALSO USED IN DIFFERENT TABLES TO DETERMINE THE CLEANING CYCLE OF THE PHYSICAL DEVICE.

8646	ROW-LST-CRTD-MODF-TMSTMP	ROW_CRTD_MODF_8646	DLIS-BB	F CHAR	26
------	--------------------------	--------------------	---------	--------	----

ROW LAST CREATED/MODIFIED TIMESTAMP TIME
TIMESTAMP INDICATING WHEN THE ROW WAS LAST MODIFIED OR CREATED. THE FORMAT IS IN THE FORM OF CCYY-MM-DD-HH.MM.SS.mmmmmm.

8647	MAG-MED-DESC-TX	MAG_MED_DESC_8647	DLIS-BB	F CHAR	71
------	-----------------	-------------------	---------	--------	----

MAGNETIC MEDIA DESCRIPTION TEXT
THE DESCRIPTION TEXT OF A MAGNETIC MEDIA.

8648	TAPE-CRTN-TM	TAPE_CRTN_TM_8648	DLIS-BB	F CHAR	4
------	--------------	-------------------	---------	--------	---

TAPE CREATION TIME
THE TIME OF THE CREATION OF A TAPE. THE FORMAT IS IN THE FORM OF HHMM.

8655	DT-OE-SEG-ADD	DT_OE_SEG_ADD_8655	DLIS-SC	F DATE	5
------	---------------	--------------------	---------	--------	---

DATE, ORGANIZATIONAL ENTITY LINE SEGMENT ADDED
THE YEAR AND JULIAN DAY THAT AN ORGANIZATIONAL ENTITY LINE SEGMENT WAS ADDED IN THE SYSTEM SUPPORT RECORD, E.G., 71011.

8656	DT-OE-LI-SEG-CHNGD	DT_OE_LI_CHG_8656	DLIS-SC	F INTEGER	5
------	--------------------	-------------------	---------	-----------	---

DATE, ORGANIZATIONAL ENTITY LINE SEGMENT CHANGED
THE YEAR AND JULIAN DAY THAT AN ORGANIZATIONAL ENTITY LINE SEGMENT WAS CHANGED IN THE SYSTEM SUPPORT RECORD, E.G., 71011.

8680	DT-SUSP-PURG		DLIS-SB	F	5
------	--------------	--	---------	---	---

DATE, SUSPENSE PURGE
THE YEAR AND JULIAN DAY ESTABLISHED BY THE DEFENSE LOGISTICS INFORMATION SERVICE FOR PURGING SUSPENDED RECORDS IF CORRECTED DATA IS NOT RECEIVED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8805 AMMO-CD AMMO_CD_8805 DLIS-SIC F CHAR 4
AMMUNITION CODE

A CODE CONSISTING OF ONE, TWO OR THREE POSITION ALPHA'S FOLLOWED BY NUMERIC(S) OR FOUR ALPHA'S ASSIGNED TO A GENERIC DESCRIPTION OF AN ITEM OF SUPPLY IN FEDERAL SUPPLY GROUPS (FSG) 13 (AMMUNITION AND EXPLOSIVES) AND 14 (GUIDED MISSILES) AND RELATED TRAINING ITEMS IN FEDERAL SUPPLY CLASSES (FSC'S) 6910 AND 6920. THIS CODE WHEN PREFACED BY THE FEDERAL SUPPLY CLASS (FSC) OF THE ITEM CONSTITUTES THE DEPARTMENT OF DEFENSE AMMUNITION CODE, DRN 3767.

8807 FSC-AMMO-DESC-TX FSC_AMMO_DESC_8807 DLIS-SIC F CHAR 100
FSC AMMUNITION DESCRIPTION TEXT

A GENERIC TEXT DESCRIPTION OF AN ASSIGNED FSC AND AMMO CODE COMBINATION (DODAC).

8809 AMMO-CD-PRFX-ID AMMO_CD_PRFX_8809 DLIS-SIC F CHAR 8
AMMO CODE PREFIX IDENTIFIER

THIS FIELD REPRESENTS A GROUP OF CODES TO BE ASSIGNED AS AMMUNITION CODES (DRN 8805) FOR ITEMS IN A SPECIFIED FEDERAL SUPPLY CLASS (FSC). FOR EXAMPLE, C000C999 REPRESENTS THE RANGE OF CODES FROM C000 THROUGH C999.

8815 RPLM-AMMO-CD RPLD_AMMO_8815 DLIS-SIC F CHAR 4
REPLACEMENT AMMUNITION CODE

THIS FIELD HAS THE SAME FORMAT AS AMMUNITION CODE AMMO_CD_8805 AND REPRESENTS AN AMMUNITION CODE THAT HAS REPLACED A CANCELLED AMMUNITION CODE. (THIS FIELD IS USED AS A REPLACEMENT CODE. IT WAS ORIGINALLY NAMED "REPLACED AMMUNITION CODE".)

8818 EIGHT-POS-DT EIGHT_POS_DT_8818 DLIS-TA F DATE 8
EIGHT POSITION DATE

THE GENERIC DATE CONTAINING MONTH, DAY, AND YEAR. THE FORMAT IS IN THE FORM OF MMDDCCYY.

8831 AR-FSC-MGR AR_FSC_MGR_8831 DLIS-SB F CHAR 2
ARMY FEDERAL SUPPLY CLASS MANAGER

THE INVENTORY CONTROL POINT DESIGNATED TO PERFORM ASSIGNED MATERIEL MANAGEMENT FUNCTIONS WITHIN THE U.S. ARMY ON A FEDERAL SUPPLY CLASS/ FSC/BASIS FOR THOSE FEDERAL SUPPLY CLASSES NOT ASSIGNED TO THE DEFENSE LOGISTICS AGENCY.

8832 MASS-CHNG-REVW-CD DLIS-SB F 1
MASS CHANGE REVIEW CODE

A CODE THAT SIGNIFIES WHETHER AN INPUT TRANSACTION THAT EFFECTS A MASS CHANGE ACTION INTO THE SYSTEM SUPPORT RECORD (SSR) AND/OR THE TOTAL ITEM RECORD SECTOR (TIR) HAS BEEN APPROVED OR REJECTED FOLLOWING A REVIEW BY THE DEFENSE LOGISTICS INFORMATION SERVICE PROGRAM MANAGER. NUMERIC CODE 1 DENOTES THE TRANSACTION HAS BEEN APPROVED, NUMERIC CODE 2 DENOTES THE TRANSACTION HAS BEEN REJECTED.

8835 ADP-PNT-CD ADP_PNT_CD_8835 DLIS-SC F CHAR 6
AUTOMATIC DATA PROCESSING (ADP) POINT CODE

A SIX POSITION DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE /DODAAC/, IDENTIFIED AS AN AUTOMATIC DATA PROCESSING /ADP/ POINT CODE WHEN REFERENCED TO THE IN-THE-CLEAR NAME AND ADDRESS OF THE ADP SERVICE ORGANIZATION RESPONSIBLE FOR PROCESSING THE APPLICABLE DEFENSE CONTRACT ADMINISTRATION SERVICE REGIONAL /DCASR/ OFFICE ADP REQUIREMENTS FOR MILITARY STANDARD CONTRACT ADMINISTRATION PROCEDURE /MILSCAP/. SEE [VOLUME 10, TABLE 133](#) AND QUICK INFO ON-LINE.

8850 FILE-MAINT-ACTN-CD FILE_MAINT_CD_8850 DLIS-SB F CHAR 1
FILE MAINTENANCE ACTION CODE

A ONE POSITION ALPHA CODE USED TO IDENTIFY THE FILE MAINTENANCE ACTION TO BE TAKEN FOR EACH LINE OF DATA IN AN AUTOMATIC DATA PROCESSING GUIDE INPUT. SEE [VOLUME 10, TABLE 118](#) AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

8855 ASSOC-CD-CAGE-NCAGE-CD ASSOC_CD_CAGE_8855 DLIS-SC F CHAR 5
ASSOCIATION CODE, CAGE/NCAGE CODE
A CODE ASSIGNED BY THE PROGRAM MANAGER TO IDENTIFY THE CORPORATE COMPLEX ENTITY AND ALL RELATED SUB-ENTITIES THAT COMPRISE A CORPORATE COMPLEX. THE ASSOCIATION CODE IS USED IN ITEM IDENTIFICATION SCREENING OPERATIONS TO DETERMINE ACTUAL OR POSSIBLE DUPLICATE ITEMS WHEN THE REFERENCE NUMBER IS THE SAME BUT THE CAGE/NCAGE CODE IS DIFFERENT.

8860 AF-FSC-MGR AF_FSC_MGR_8860 DLIS-SB F CHAR 2
AIR FORCE FEDERAL SUPPLY CLASS MANAGER
THE AIR FORCE ACTIVITY (AF) DESIGNATED TO PERFORM, ON A FEDERAL CLASS MANAGEMENT BASIS, A GROUP OF LOGISTICS FUNCTIONS WHICH INCLUDES ITEM CATALOGING, PREPARATION OF ALL CATALOGS AND CATALOG SUPPLEMENTS, SIMPLIFICATION, CHARACTERISTICS SCREENING, STANDARDIZATION, INTERCHANGEABILITY AND SUBSTITUTION FAMILY GROUPING. SPECIFICATION, MANAGEMENT, AND ENGINEERING SUPPORT RELATED TO THESE ACTIVITIES.

8868 CAO-ADP-EXCP-PROC-CD CAO_EX_PR_CD_8868 DLIS-SB F CHAR 1
CAO/ADP EXCEPTION PROCESSING CODE
A CODE WHICH SIGNIFIES AN EXCEPTION TO THE NORMAL PROCEDURE AND RULE FOR RELATING CONTRACT ADMINISTRATION OFFICE (CAO) CODES AND AUTOMATIC DATA PROCESSING (ADP) POINT CODES TO ADD/CHANGE O.E. TRANSACTIONS AFFECTING THE MANUFACTURERS/NONMANUFACTURERS ORGANIZATIONAL ENTITY RECORDS. SEE VOLUME 10, TABLE 132 AND QUICK INFO ON-LINE.

8870 CAO-CD CAO_CD_8870 DLIS-SBB F CHAR 6
CONTRACT ADMINISTRATION OFFICE (CAO) CODE
A SIX POSITION DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE /DODAAC/, IDENTIFIED AS A CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHEN REFERENCED TO THE IN-THE-CLEAR NAME AND ADDRESS OF A DEFENSE CONTRACT ADMINISTRATION SERVICE REGIONAL /DCASR/ OFFICE. SEE VOLUME 10, TABLE 133 AND QUICK INFO ON-LINE.

8875 RPLM-NSN-CANC RPLM_NSN_CANC_8875 DLIS-SB F CHAR 13
REPLACEMENT NATIONAL STOCK NUMBER, CANCELLATION
AN EXISTING NATIONAL STOCK NUMBER THAT HAS BEEN DETERMINED THROUGH THE CANCELLATION PRIORITY TABLE TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL STOCK NUMBER.

8905 FILE-MAINT-RCVR-CD FILE_MNT_RCVR_8905 DLIS-SB F CHAR 2
FILE MAINTENANCE RECEIVER CODE
THE ACTIVITY CODE OF AN ACTIVITY RECEIVING FILE MAINTENANCE DATA BY FEDERAL SUPPLY CLASSIFICATION (FSC).

8925 MGMT-CTL-DATA-AF MGMT_CTL_DATA_AF_8925 DLIS-SB F 7
MANAGEMENT CONTROL DATA, AIR FORCE
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES AIR FORCE TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF AIR FORCE-PECULIAR SYSTEMS

8930 MGMT-CTL-DATA-AR MGMT_CTL_DATA_AR_8930 DLIS-SB F 7
MANAGEMENT CONTROL DATA, ARMY
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES ARMY TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF ARMY-PECULIAR SYSTEMS

8935 MGMT-CTL-DATA-MC MGMT_CTL_DATA_MC_8935 DLIS-SB F 7
MANAGEMENT CONTROL DATA, MARINE CORPS
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES MARINE CORPS TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF MARINE CORPS PECULIAR SYSTEMS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

NATO CODIFICATION CONTROL COMMENT TEXT

THE TEXT OF COMMENTS AND/OR RETURN TO COUNTRY (K27) DATA ASSOCIATED WITHA NATO TRANSACTION.

8977 RPLD-NSN-STDZN-RL RP_NSN_STD_RL_8977 DLIS-SB F CHAR 13

REPLACED NATIONAL STOCK NUMBER, STANDARDIZATION RELATIONSHIP
THE NATIONAL STOCK NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP NOT AUTHORIZED FOR PROCUREMENT THAT IS REPLACED BY A NATIONAL STOCK NUMBER AUTHORIZED FOR PROCUREMENT.

8978 OTH-STA-PRVNC-NM OTH_STA_Prvnc_8978 DLIS-CI F CHAR 36

OTHER STATE PROVINCE NAME
THE CLEAR TEXT NAME OF A STATE OR PROVINCE FOR COUNTRIES OTHER THAN THEU.S. AND CANADA.

8990 SAC SAC_8990 DLIS-SC V CHAR 3

SECONDARY ADDRESS CODE
A VARIABLE LENGTH CODE USED TO EXTEND/MODIFY THE MASTER REQUIREMENT CODE(MRC). THE SECONDARY ADDRESS CODE MAY BE UP TO THREE POSITIONS LONG USING ALPHA A THRU Z EXCLUDING I AND O. IT IS ALWAYS USED WITH A SECONDARY ADDRESS INDICATOR CODE (DRN 9485).

8999 FLIS-SEG-CD DIDS_SEG_CD_8999 DLIS-SBA F CHAR 1

FEDERAL LOGISTICS INFORMATION SYSTEM SEGMENT CODE
A CODE TO IDENTIFY A SPECIFIC GROUP OF DATA ELEMENTS FOR A GIVEN SEGMENT. SEE [VOLUME 10, TABLE 120](#) AND QUICK INFO ON-LINE.

9051 CRTFD-CONTR-LST-ACTN-CD CRTFD_LST_ACT_9051 DLIS-SB F CHAR 1

CERTIFIED CONTRACTOR LAST ACTION CODE
A CODE INDICATING THE LAST ACTION OF A CERTIFIED CONTRACTOR. VALIDVALUES ARE: A=ADD, C=CHANGE, R=REVISION, D=DEBARRED, AND I=INQUIRY.

9052 CRTFD-CONTR-ORG-LOC-CD CRTFD_ORG_LOC_9052 DLIS-SB F CHAR 1

CERTIFIED CONTRACTOR ORGANIZATION LOCATION CODE
A CODE INDICATING THE ORGANIZATION LOCATION OF A CERTIFIED CONTRACTOR.VALID VALUES ARE: 1=US AND 2=CANADA.

9061 NO-LBL-SETS NO_LBL_SETS_9061 DLIS-SBA F CHAR 2

NO LABEL SETS
THE NUMBER OF LABEL SETS REQUESTED PASSED BY DATA RETRIEVAL IN THE COMMAREA.

9062 OP-TRACK-INFO OP_TRACK_INFO_9062 DLIS-SBA F CHAR 48

OUTPUT TRACK INFO
AN INFORMATION FIELD TO PASS OUTPUT LOCATION INFORMATION.

9063 PARAM-CD PARAM_CD_9063 DLIS-SBA F CHAR 4

PARAMETER CODE
A PARAMETER CODE USED BY THE TM TOLA SYSTEM (CODE FOR THE DATABASE OWNER).

9064 PARAM-VALUE PARAM_VALUE_9064 DLIS-SBA F CHAR 26

PARAMETER VALUE
CONTAINS TM TOLA SYSTEM PARAMETER USED FOR INITIAL VALUES AND PROGRAM PARAMETERS (VALUE FOR THE DATABASE OWNER).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A GROUP OF INPUT DATA COMPOSED OF CONTROL INFORMATION REQUIRED TO CONTROL, SUSPEND AND PROCESS DATA IN ACCORDANCE WITH THE ASSOCIATED DOCUMENT IDENTIFIER CODE. THE LENGTH OF THE HEADER IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA.

9098 DIDS-OP-HDR DLIS-SB V 10
DEFENSE INTEGRATED DATA SYSTEM OUTPUT HEADER

A GROUP OF OUTPUT DATA COMPOSED OF CONTROL INFORMATION REQUIRED TO CONTROL AND DISTRIBUTE PROCESSED DATA IN ACCORDANCE WITH THE ASSOCIATED DOCUMENT IDENTIFIER CODE. THE LENGTH OF THE HEADER IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA.

9099 DIDS-INTRO DIDS_INTRO_9099 DLIS-V V VARCHAR 1300
DIDS INTRODUCTION

THIS FIELD CONTAINS THE CLEAR TEXT INTRODUCTION FOR TABLES LOCATED IN FLIS PROCEDURES (DOD 4100.39) VOLUME 10 CHAPTER 3, VOLUME 8 CHAPTER 3, AND VOLUME 9 CHAPTER 3.

9100 IDEN-DATA-SEG DLIS-SB V 47
IDENTIFICATION DATA SEGMENT

A DATA GROUP CONSISTING OF HOMOGENOUS DATA ELEMENTS COMMON TO THE ITEM IDENTIFICATION FUNCTION. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9101 MOE-RULE-DATA-SEG DLIS-SB V 69
MAJOR ORGANIZATIONAL ENTITY RULE DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO MOE RULES AND RELATED ITEM STATUS DATA. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9102 REF-NBR-DATA-SEG DLIS-SB V 55
REFERENCE NUMBER DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO THE REFERENCE NUMBER. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9104 STDZN-DEC-DATA-SEG DLIS-SB V 4496
STANDARDIZATION DECISION DATA SEGMENT

A GROUP OF DATA IDENTIFYING THE ORIGINATOR, DATE AND ITEM STANDARDIZATION CODE OF STANDARDIZATION DECISIONS FOR ITEMS EITHER INCLUDED OR NOT INCLUDED IN AN OFFICIAL DEPARTMENT OF DEFENSE STANDARDIZATION REPLACEMENT RELATIONSHIP. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9106 FLIS-I-S-RL-DATA-SEG DLIS-SB V VARCHAR 1140
FLIS I&S RELATIONSHIP DATA SEGMENT

A GROUP OF DATA IDENTIFYING A FEDERAL LOGISTICS INFORMATION SYSTEM INTERCHANGEABILITY AND SUBSTITUTABILITY RELATIONSHIP BETWEEN NATIONAL STOCK NUMBERS (NSN) SHOWING WHICH NSN IS THE PREFERRED ITEM, SHOWING THE I AND S RELATIONSHIP BETWEEN NSN (INTERCHANGEABLE, SUBSTITUTABLE OR GENERIC), SHOWING THE APPLICABLE PHRASE CODE FOR THE NSN, AND WHICH MOE ORIGINATED THE RELATIONSHIP. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9107 FRT-CLAS-DATA-SEG DLIS-SB V 71
FREIGHT CLASSIFICATION DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO FREIGHT CLASSIFICATION. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9108 CAT-MGMT-DATA-SEG DLIS-SB V CHAR 1722

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

CATALOG MANAGEMENT DATA (CMD) SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO CATALOG MANAGEMENT DATA. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9109 NIIN-STAT-CANC-SEG DLIS-SB V VARCHAR 47
NIIN STATUS-CANC DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS TO PROVIDE THE NATIONAL ITEM IDENTIFICATION NUMBER AND, IF APPLICABLE, THE REPLACEMENT NATIONAL STOCK NUMBER. THE FLIS PROCEDURES MANUAL VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9110 OP-FILE-DATA-HDR-SEG DLIS-SB V 31
OUTPUT FILE DATA HEADER SEGMENT

A GROUP OF DATA CONSISTING OF THE DATA ELEMENTS WHICH MAKE UP THE OUTPUT FILE DATA HEADER. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9111 CLRTXT-CHARAS-SEG DLIS-SB V 1127
CLEAR TEXT CHARACTERISTICS SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS IN DECODED FORMAT WHICH CAN BE EQUATED TO THE DESCRIPTION PORTION OF AN ITEM OF SUPPLY. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9112 NAR-FM-CHARAS-SEG DLIS-SB V 5055
NARRATIVE FORM CHARACTERISTICS SEG.

A GROUP OF DATA CONSISTING OF DATA ELEMENTS (IN DECODED FORMAT) THAT ARE REQUIRED TO DEVELOP (PRINT) NARRATIVE CHARACTERISTICS IN SUPPORT OF OTHER LOGISTICS FUNCTIONS. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9113 DE-ORI-WO-VAL-SEG DLIS-SB V 907
DATA ELEMENT ORIENTED WITHOUT VALUE SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS USED TO IDENTIFY THE DATA RECORD NUMBERS OR MASTER REQUIREMENT CODES WHICH WERE IN ERROR OR CONFLICT. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9114 DE-ORI-W-VAL-RET-ACT-SEG DLIS-SB V 9999
DATA ELEMENT ORIENTED WITH VALUE-RETURN ACTION SEGMENT

A GROUP OF ELEMENTS USED TO IDENTIFY THE DATA RECORD NUMBERS OR MASTER REQUIREMENT CODES WHICH WERE IN ERROR/CONFLICT AND TO IDENTIFY THE VALUES OF THE NUMBERS/CODES WHICH ARE RECORDED ON THE DATA BASE AND/OR SHOULD HAVE BEEN SUBMITTED. THE FLIS PROCEDURES, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY FORMAT OF DATA ELEMENTS WHICH MAKE UP THIS GROUP. SEGMENT Q STATES THAT THE MINIMUM PICTURE LENGTH = 22, MAXIMUM LENGTH = 524, MAX OCCUR 99 TIMES, RESULTING IN A TOTAL CHARACTER COUNT OF 51,876.

9115 DE-ORI-W-VAL-SEG DLIS-SB V 50
DATA ELEMENT ORIENTED WITH VALUE SEGMENT

A GROUP OF DATA CONSISTING OF DATA RECORD NUMBERS AND THEIR VALUES. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9116 REL-SCRNG-DATA-SEG DLIS-SC V 33
RELATED SCREENING DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO SCREENING REQUIRED FOR PROVISIONING ON OTHER SERVICES. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

9117 CANC-DEL-MOE-RULE-SEG DLIS-SB V 29
 CANCELLATION/DELETE MOE RULE SEGMENT
 A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO THE CANCELLATION OF NATIONAL STOCK NUMBERS, OR TO THE DELETION OF MOE RULE(S). THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9118 CDD-ITM-CHARAS-DATA-SEG DLIS-SB V 5011
 CODED ITEM CHARACTERISTICS DATA SEGMENT
 A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS IN CODED FORMAT WHICH CAN BE EQUATED TO THE DESCRIPTION PORTION OF AN ITEM OF SUPPLY. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9119 FUT-DATA-SEG DLIS-SB V 5033
 FUTURE DATA SEGMENT
 A GROUP OF DATA CONSISTING OF DATA ELEMENTS WHICH WILL BE EFFECTIVE ON A DATE IN THE FUTURE. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9121 NOTI-DLSC-CHNG-DATA-SEG DLIS-SB V 21
 NOTIFICATION OF DLSC CHANGE DATA SEGMENT
 A GROUP OF DATA THAT REFLECTS THE DATA ELEMENT(S) AS IT WAS SUBMITTED AND THE DATA ELEMENT(S) AS IT WAS CHANGED MECHANICALLY BY THE DEFENSE LOGISTICS INFORMATION SERVICE. E.G., FEDERAL SUPPLY CLASS, ITEM NAME CODE, COMMERCIAL AND GOVERNMENT ENTITY CODE, PRIORITY INDICATOR CODE. DATA RECIPIENTS ARE NOTIFIED OF THE CHANGE BY THE PRESENCE OF THIS GROUP IN THE MAINTENANCE PACKAGE. THE FLIS PROCEDURES MANUAL, VOLUME 8, CHAPTER 3 AND VOLUME 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9122 SCRNG-RSP-HDR-SEG DLIS-SB V 24
 SCREENING RESPONSE HEADER SEGMENT
 A GROUP OF DATA CONSISTING OF THE DATA ELEMENTS WHICH MAKE UP THE SCREENING RESPONSE HEADER SEGMENT. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 160 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9124 SCRNG-RQST-NIIN-DATA-SEG DLIS-SB V 20
 SCREENING REQUEST, NIIN DATA SEGMENT
 A GROUP OF DATA CONSISTING OF DATA ELEMENTS NECESSARY TO ACCOMPLISH NATIONAL STOCK NUMBER MATCHING AGAINST THE TOTAL ITEM RECORD FOR PROVISIONING AND PREPROCUREMENT SCREENING PURPOSES. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9125 SCRNG-RQST-REF-NBR-DA-SG DLIS-SB V 34
 SCREENING REQUEST, REFERENCE NUMBER DATA SEGMENT
 A GROUP OF DATA CONSISTING OF DATA ELEMENTS NECESSARY TO ACCOMPLISH REFERENCE NUMBER MATCHING AGAINST THE TOTAL ITEM RECORD FOR PROVISIONING AND PREPROCUREMENT SCREENING PURPOSES. THE LENGTH OF THE DATA SEGMENT IS 160 CHARACTERS IN CARD FORMAT. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9126 DAAS-SCRNG-REF-NBR-SEG DLIS-SB F 80
 DAAS SCREENING, REFERENCE NUMBER SEGMENT
 A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO REFERENCE NUMBER SCREENING REQUIRED BY THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS). A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

ARCHIVED BY USER
USERID OF INDIVIDUAL WHO ARCHIVED A SET OF TRANSACTIONS.

9139	ASCII-EBCDIC ASCII EBCDIC INDICATES IF A TAPE IS IN ASCII OR EBCDIC FORMAT. USED FOR INPUT AND OUTPUT OF TRANSACTIONS.	ASCII_EBCDIC_9139	DLIS-S	F CHAR	1
9140	AUTODIN-IO AUTODIN INPUT OUTPUT INDICATES WHETHER THE RECORD PERTAINS TO AN INPUT AUTODIN MESSAGE OR AN OUTPUT AUTODIN MESSAGE. VALUES ARE I OR O.	AUTODIN_IO_9140	DLIS-S	F CHAR	1
9141	BLOCK-SIZE BLOCK SIZE USED IN MEDIA TYPE TABLE. THE BLOCK SIZE OF THE INPUT OUTPUT TAPE.	BLOCK_SIZE_9141	DLIS-S	F CHAR	4
9142	COMM-RI COMMUNICATIONS ROUTING INDICATOR FIELD WITHIN THE AUTODIN MESSAGE HEADER.	COMM_RI_9142	DLIS-S	F CHAR	7
9143	CPU-ROUTED-TO CPU ROUTED TO THE CPU WHERE A TRANSACTION HAS BEEN REROUTED TO (FUTURE USE).	CPU_ROUTED_TO_9143	DLIS-S	F CHAR	10
9144	DATASET-NAME DATASET NAME NAME OF DATASET WHICH CONTAINS ARCHIVED TRANSACTIONS. THE DATASET NAME IS THE DATE WHEN THE TRANSACTIONS WERE RECEIVED.	DATASET_NAME_9144	DLIS-S	F CHAR	18
9145	DIC-ID DIC IDENTIFIER COMPLEX FIELD CONTAINING THE DIC AND THE DIC_SEQ.	DIC_ID_9145	DLIS-S	F CHAR	5
9146	DIC-SEQ DIC SEQUENCER DIC SEQUENCE NUMBER FOR MULTIPLE OCCURRENCES OF DICS.	DIC_SEQ_9146	DLIS-S	F SMALLINT	2
9147	DLSC-DATE DLSC DATE DATE FIELD INCLUDED IN MEDALS OUTPUT TRANSACTION.	DLSC_DATE_9147	DLIS-S	F CHAR	9
9148	DLSC-TIME DLSC TIME TIME FIELD INCLUDED IN MEDALS OUTPUT TRANSACTION.	DLSC_TIME_9148	DLIS-S	F CHAR	8
9151	ERROR-SEQ ERROR SEQUENCER TM ERROR SEQUENCE NUMBER. INDICATES THE NUMBER OF TIMES THE TRANSACTION WAS DETECTED AS BEING IN ERROR.	ERROR_SEQ_9151	DLIS-S	F SMALLINT	2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
9152	ERROR-TS	ERROR_TS_9152	DLIS-S	F TIMESTMP	26
ERROR TIMESTAMP TRANSACTION ERROR TIME STAMP. INDICATES THE DATE AND TIME WHEN TM WAS INTERRUPTED BECAUSE OF AN ERROR CONDI- TION.					
9153	EXEC-COUNT	EXEC_COUNT_9153	DLIS-S	F SMALLINT	2
EXECUTION COUNT TRANSACTION EXECUTION COUNT. INDICATES THE NUMBER OF TIMES A TRANSACTION WAS SUBMITTED TO THE BATCH APPLICA- TION BY TM.					
9154	EXT-SEG-DATA	EXT_SEG_DATA_9154	DLIS-S	V VARCHAR	1131
EXTENDED SEGMENT DATA EXTENDED SEGMENT VALUE. STORES THE REMAINING CHARACTERS OF A SEGMENT WHICH EXCEEDED THE MAXIMUM LENGTH OF 1124 AS SPECIFIED IN THE TRANS-HOLD-SEGMENT FILE, TRANS-ACTIVE-SEG FILE, OR TRANS-HIST-SEGMENT FILE.					
9155	EXT-SEG-SEQ	EXT_SEG_SEQ_9155	DLIS-S	F SMALLINT	2
EXTENDED SEGMENT SEQUENCER EXTENDED SEGMENT SEQUENCE NUMBER. INDICATES THE SEQUENCE OF EXTENDED SEGMENT RECORDS REQUIRED TO STORE THE INPUT SEGMENT IF THE SEGMENT EXCEEDS THE MAXIMUM LENGTH OF 1124.					
9156	EXTEND-FLAG	EXTEND_FLAG_9156	DLIS-S	F CHAR	1
EXTENDED SEGMENT FLAG EXTENDED VALUE FLAG. INDICATES IF THE SEGMENT DATA EXCEEDED 1124 CHARACTERS. SINCE THIS IS A RARE CASE FOR INPUT SEGMENTS, THE REMAINING CHARACTERS OF THE SEGMENT ARE STORED IN ANOTHER FILE.					
9157	FILE-CHAR-CNT	FILE_CHAR_CNT_9157	DLIS-S	F INTEGER	4
FILE CHARACTER COUNT THE NUMBER OF CHARACTERS IN AN AUTODIN MESSAGE CONTAINING FORMATTED OUTPUT TRANSACTIONS.					
9158	FILE-REC-CNT	FILE_REC_CNT_9158	DLIS-S	F INTEGER	4
FILE RECORD COUNT FILE RECORD COUNT OR VOLUME OF AN ACTIVITYs OUTPUT DISTRIBUTION FILE.					
9159	FILE-TRNS-CNT	FILE_TRNS_CNT_9159	DLIS-S	F SMALLINT	2
FILE TRANSACTION COUNT THE NUMBER OF TRANSACTIONS IN THE ACTIVITYs HOLDING FILE AT THE PRESENT TIME.					
9160	FIRST-INIT	FIRST_INIT_9160	DLIS-S	F CHAR	2
FIRST INITIAL FIRST NAME INITIAL. FIELD WITHIN MEDALS OUTPUT TRANSACTION.					
9161	FOOTPRNT-DATE	FOOTPRNT_DATE_9161	DLIS-S	F CHAR	7
FOOTPRINT DATE DATE-TIME STAMP WHEN THE TRANSACTIONS WERE RECEIVED.					
9162	FORMAT-NAME	FORMAT_NAME_9162	DLIS-S	F CHAR	8
FORMAT NAME THE FORMAT NAME SPECIFIED BY AN ACTIVITY. USED TO REFORMAT INPUT TRANSACTIONS INTO AN INTERNAL STANDARD FORMAT OR FORMAT OUTPUT TRANSACTIONS INTO THE ACTIVITYs OUTPUT FORMAT.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
9175	LSR-SEG-2-OUT LSR SEGMENT 2 OUTPUT LSR OUTPUT SEGMENT 2 RECORD.	LSR_SEG_2_OUT_9175	DLIS-S	F CHAR	84
9176	MAX-REC-LGTH MAXIMUM RECORD LENGTH MAXIMUM RECORD LENGTH FOR A VARIABLE LENGTH RECORD.	MAX_REC_LGTH_9176	DLIS-S	F CHAR	4
9177	MEDALS-IP-REC MEDALS INPUT RECORD INPUT TRANSACTION AS IT IS RECEIVED BY TM.	MEDALS_IP_REC_9177	DLIS-S	F CHAR	80
9178	MEDIA-HEADER MEDIA HEADER IN THE CASE OF AUTODIN MESSAGES, THE MESSAGE HEADER RECORD. IN THE CASE OF OTHER MEDIA INPUT, THE TYPE OF MEDIA AND RELATED INFORMATION NEEDED BY TM.	MEDIA_HEADER_9178	DLIS-S	F CHAR	80
9179	MESSAGE-LGTH MESSAGE LENGTH THE LENGTH OF AN AUTODIN MESSAGE SUBMITTED THROUGH TM.	MESSAGE_LGTH_9179	DLIS-S	F INTEGER	4
9180	MIN-ALT-MED MINIMIZE ALTERNATE MODE MEDIA MINIMIZE ALTERNATE MODE MEDIA.	MIN_ALT_MED_9180	DLIS-S	F CHAR	2
9181	MINIMIZE-FLAG MINIMIZE FLAG A YES NO FIELD USED TO DETERMINE IF MINIMIZING CONDITIONS ARE IN EFFECT.	MINIMIZE_FLAG_9181	DLIS-S	F CHAR	1
9182	MIN-REC-LGTH MINIMUM RECORD LENGTH MINIMUM RECORD LENGTH OF A VARIABLE LENGTH RECORD.	MIN_REC_LGTH_9182	DLIS-S	F CHAR	4
9184	MOP-OP-REC MOP OUTPUT RECORD FIELD CONTAINING MEDALS OUTPUT TRANSACTION (WITHOUT INPUT TRANSACTION) GENERATED BY APPLICATION.	MOP_OP_REC_9184	DLIS-S	F CHAR	1132
9185	NATO-FLAG NATO TRANSACTION FLAG INDICATES IF THE DIC ODRC COMBINATION IS FOR A NATO-TYPE TRANSACTION.	NATO_FLAG_9185	DLIS-S	F CHAR	1
9186	NATO-PIC NATO TRANSACTION PRIORITY INDICATOR CODE INDICATES PRIORITY INDICATOR CODE VALUE FOR A NATO INPUT TRANSACTION.	NATO_PIC_9186	DLIS-S	F CHAR	1
9187	NATO-PIC-VAL NATO PRIORITY INDICATOR VALUE IDENTIFIER INDICATES IF THE PRIORITY INDICATOR CODE IS FOR A NATO-TYPE TRANSACTION.	NATO_PIC_VAL_9187	DLIS-S	F CHAR	1

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

PRIORITY INDICATOR CODE DESCRIPTION
CLEAR TEXT DESCRIPTION.

9201	PROCESSED-TS PROCESSED TIMESTAMP PROCESS TIME STAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION COMPLETED BATCH APPLICATION PROCESSING.	PROCESSED_TS_9201	DLIS-S	F TIMESTMP 26
9202	RCVD-SND-STMP RECEIVED SEND TIMESTAMP RECEIVED OR SENT DATE-TIME STAMP OF AN INPUT OUTPUT AUTODIN MESSAGE.	RCVD_SND_STMP_9202	DLIS-S	F TIMESTMP 26
9203	RE-PROCESS-TS REPROCESSED TIMESTAMP RE-PROCESSED TIMESTAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION SUBMITTED THROUGH TM WAS RE-PROCESSED DUE TO AN ERROR CONDITION.	RE_PROCESS_TS_9203	DLIS-S	F TIMESTMP 26
9204	RECVD-STAMP RECEIVED TIMESTAMP RECEIVED TIME STAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS RECEIVED BY TM.	RECVD_STAMP_9204	DLIS-S	F TIMESTMP 26
9205	REJECT-FLAG REJECTED TRANSACTION FLAG INDICATES IF THE INPUT TRANSACTION WAS REJECTED BY TM BECAUSE OF VALIDATION ERRORS.	REJECT_FLAG_9205	DLIS-S	F CHAR 1
9206	REJECTED-TS REJECTED TRANSACTION TIMESTAMP INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS REJECTED BY TM.	REJECTED_TS_9206	DLIS-S	F TIMESTMP 26
9207	RELEASED-CNT RELEASED TRANSACTION COUNT NUMBER OF TRANSACTIONS RELEASED FOR IMMEDIATE PROCESSING DUE TO REORDERING OF THE PRIORITY QUEUES (OUT-OF-SEQUENCE PROCESSING).	RELEASED_CNT_9207	DLIS-S	F CHAR 6
9208	RELEASED-TS RELEASED TRANSACTION TIMESTAMP SYSTEM TIMESTAMP WHEN A TRANSACTION HAS BEEN RELEASED FOR PROCESSING.	RELEASED_TS_9208	DLIS-S	F TIMESTMP 26
9209	REORDER-TS REORDER TRANSACTION TIMESTAMP DATE AND TIME STAMP WHEN THE RELEASE TDQs WERE REORDERED.	REORDER_TS_9209	DLIS-S	F TIMESTMP 26
9210	REROUTED-TIME REROUTED TRANSACTION TIMESTAMP REROUTED TIME STAMP. SYSTEM TIME STAMP WHEN THE TRANSACTION IS REROUTED TO THE BURROUGHS.	REROUTED_TIME_9210	DLIS-S	F TIMESTMP 26
9211	LN-2780-IDEN LINE 2780 IDENTIFIER THIS FIELD IDENTIFIES THE 2780 LINE FROM PASSTHROUGH ACTIVITY CONNECTED TO THE INPUT SIDE OF THE 3090.	LN_2780_IDEN_9211	DLIS-SBA	F CHAR 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

9212 LN-2780-DESC LN_2780_DESC_9212 DLIS-SBA F CHAR 2
LINE 2780 DESCRIPTION
THIS FIELD IDENTIFIES THE PASSTHROUGH ACTIVITY USING THE IDENTIFIED LINE.

9213 PORT-NBR PORT_NBR_9213 DLIS-SBA F CHAR 20
PORT NUMBER
THIS FIELD IDENTIFIES THE PORT ON THE INPUT SIDE OF THE 3090 THAT THE IDENTIFIED 2780 LINE WILL BE CONNECTED.

9214 PRIM-COMM-RI-IND PRIM_COMM_RI_9214 DLIS-SBA F CHAR 1
PRIMARY COMMUNICATIONS ROUTING INDICATOR
AN INDICATOR USED BY TRANSACTION MANAGEMENT (TM) FOR SELECTING THE PRIMARY COMMRI CODE TO BE USED IN THE OUTPUT AUTODIN MESSAGE HEADER FOR ROUTING PURPOSES. VALID VALUES: X = OUTPUT FOR DATA ROUTING, BLANK = NOT USED FOR OUTPUT ROUTING.

9215 AIR-CMDTY-SP-HDLG-CD AIR_CMTY_HDLG_9215 DLIS-SBA F CHAR 2
AIR COMMODITY SPECIAL HANDLING CODE
A CODE USED FOR ALL SHIPMENTS VIA AIR, TO IDENTIFY MATERIAL FOR MANIFESTING AND CUSTOMS REQUIREMENTS. THE FIRST POSITION IS THE AIR COMMODITY CODE. THE SECOND POSITION IS THE AIR SPECIAL HANDLING CODE. SEE [VOLUME 10, TABLE 85](#) AND QUICK INFO ON-LINE.

9216 TM-MEDALS-FLG MEDALS_FLG_9216 DLIS-VP F CHAR 1
TRANSACTION MANAGEMENT MEDALS FLAG
ONE BYTE FIELD THAT WILL BE USED BY THE T.M. SYSTEM TO INDICATE THAT THE TRANSACTION IS AN INPUT FROM THE MEDALS PROCESS WITHIN T.M.. THE VALUE WITHIN THIS FIELD WILL BE AN 'X' IF THE DATA IS MEDALS AND A BLANK FOR ALL OTHER DATA INPUT.

9217 TM-ACTY-OP ACTY_OP_9217 DLIS-SBA V VARCHAR 20
TRANSACTION MANAGEMENT ACTIVITY OUTPUT
WILL CONTAIN AN ACTIVITY CODED OF THE FIRST TEN ACTIVITY CODES WITHIN AN OUTPUT TRANSACTION PACKAGE PASSED TO T.M. FOR OUTPUT DISTRIBUTION.

9220 AIR-DIM-CD AIR_DIM_CD_9220 DLIS-SBA F CHAR 1
AIR DIMENSION CODE
A CODE THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. E.G., A-SHIPMENT DOES NOT EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT), Z- SHIPMENT DOES EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT). SEE [VOLUME 10, TABLE 84](#) AND QUICK INFO ON-LINE.

9221 TM-IP-TRK-ID IP_TRK_9221 DLIS-S F CHAR 15
TM INPUT TRACKING IDENTIFIER
THE VALUES PLACED WITHIN THIS PERTAINS TO THE BASIC TRACKING OF AN INPUT TRANSACTION. IF THE DATA WAS INPUT VIA AUTODIN THE FIELD WILL CONTAIN AUTODIN HEADER INFORMATION FOR TRACKING. IF THE DATA WAS INPUT VIA TAPETHIS FIELD WILL CONTAIN THE VOLUME SERIAL AND OTHER INFORMATION. IT MAY ALSO HAVE SPECIAL INFORMATION FOR NATO AND DISK INPUT.

9222 TM-OP-TRK-ID OP_TRK_9222 DLIS-S F CHAR 15
TM OUTPUT TRACKING IDENTIFIER

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE VALUES PLACED WITHIN THIS PERTAIN TO THE BASIC TRACKING OF AN OUTPUT TRANSACTION. IF THE DATA WAS OUTPUT VIA AUTODIN THE FIELD WILL CONTAIN AUTODIN HEADER INFORMATION FOR TRACKING. IF THE DATA WAS OUTPUT VIA TAPE THIS FIELD WILL CONTAIN THE VOLUME SERIAL AND OTHER INFORMATION. IT MAY ALSO HAVE SPECIAL INFORMATION FOR NATO AND DISK OUTPUT.

9223	TM-SP-PROJ-ID TM SPECIAL PROJECT IDENTIFIER	SP_PROJ_9223	DLIS-S	F CHAR	4
	A VALUE WITHIN THIS FIELD INDICATES THAT THIS DATA IS A SPECIAL PROJECT AND MAY BE PROCESSED AND OUTPUT BY T.M. IN A SPECIAL MANNER.				
9224	TM-APP-ARCH-KEY-ID TM APPLICATION ARCHIVE KEY IDENTIFIER	APP_ARCH_KEY_9224	DLIS-S	F INTEGER	8
	THIS DATA ELEMENT IS TO BE USED AS A KEY TO THE ARCHIVE LOG TABLE WITHIN TM TO RETRIEVE DATA FROM THE BACKUP OF THE APPL_OP_HOLD TABLE.				
9225	TM-ARCH-DATA-TYP-ID TM ARCHIVE DATA TYPE IDENTIFIER	ARCH_DATA_TYP_9225	DLIS-S	F CHAR	3
	THIS FIELD WILL CARRY THE VALUE OF THE TYPE OF DATA IN ARCHIVE. THIS MAY BE FOR ORIGINAL IMAGE, FORMATTED SEGMENT DATA, APPLICATION OUTPUT OR VARIOUS HISTORY TABLES.				
9226	TM-TAPE-LOG-IP-TM TM TAPE LOGGED INPUT TIME	TAPE_LOG_IP_9226	DLIS-S	F TIMESTMP	26
	INDICATES THE DATE AND TIME A TAPE RECEIVED BY DLIS FOR PROCESSING WAS LOGGED INTO THE TM SYSTEM VIA THE TOLA SUB-SYSTEM.				
9227	TM-TAPE-VOL-SER-NBR-ID TM TAPE VOLUME SERIAL NUMBER IDENTIFIER	TAPE_VOL_SER_9227	DLIS-S	F CHAR	8
	THIS WILL CONTAIN THE VALUE OF THE TAPE VOLUME SERIAL NUMBER ENTERED VIA THE TOLA SUB-SYSTEM. VALID VALUES: T = TAPE, C = CART, F = FIXED DISK, V = VARIABLE DISK FOLLOWED BY A NUMBER (UP TO 7 POSITIONS).				
9228	TM-TAPE-IP-TM TM TAPE INPUT TIME	TAPE_IP_TM_9228	DLIS-S	F TIMESTMP	26
	INDICATES THE DATE AND TIME A TAPE WAS ENTERED INTO TM BY OPERATIONS VIA THE TOLA SUB-SYSTEM FOR PROCESSING BY TM.				
9229	TM-TRAN-PROC-FLG-ID TM TRANSACTION PROCESS FLAG IDENTIFIER	TRAN_PROC_FLG_9229	DLIS-S	F CHAR	1
	THE VALUE OF THIS IS USED TO INDICATE WHETHER OR NOT THE TRANSACTION PROCESSED. THE VALUE MAY MEAN THE TRANSACTION REJECTED OR PROCESSED SUCCESSFULLY.				
9230	LFU-PROC-STAT-CD LFU PROCESS STATUS CODE	LFU_PROC_STAT_9230	DLIS-S	F CHAR	1
	THIS WILL CONTAIN THE STATUS OF A FOLLOW UP DIC THAT IS BEING PROCESSED BY TRANSACTION MANAGEMENT.				
9240	SP-HDLG-CD SPECIAL HANDLING CODE	SP_HDLG_CD_9240	DLIS-SBA	F CHAR	1
	A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY THE EXCEPTION HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT UNIT. NUMERIC CODE DENOTES SINGLE HANDLING CONDITION, ALPHA CODE DENOTES MIXED HANDLING REQUIREMENTS. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.				
9241	MADS-DB2-PARTITION-QY	MADS_DB2_PART_9241	DLIS-SBA	F SMALLINT	4

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

MADS DB2 PARTITION QUANTITY

THE NUMERIC VALUE OF A DB2 PARTITION BASED ON CURRENT MADS TRAFFIC FROM 1 TRU 20.

9242	FILE-REC-MIN-QY	FILE_REC_MIN_9242	DLIS-SBA	F INTEGER	8
------	-----------------	-------------------	----------	-----------	---

FILE RECORD MINIMUM QUANTITY

THE RECORD COUNT MINIMUM USED TO CREATE A MADS EXIT DATASET.

9243	FILE-CHAR-MIN-QY	FILE_CHAR_MIN_9243	DLIS-SBA	F INTEGER	8
------	------------------	--------------------	----------	-----------	---

FILE CHARACTER MINIMUM QUANTITY

THE CHARACTER COUNT MINIMUM USED TO CREATE A MADS EXIT DATASET.

9250	CAGE-CD	CAGE_CD_9250	DLIS-SBB	F CHAR	5
------	---------	--------------	----------	--------	---

COMMERCIAL AND GOVERNMENT ENTITY CODE

CODE ASSIGNED TO ESTABLISHMENTS WHICH EITHER FABRICATES ITEMS OF PRODUCTION AND/OR HAVE DESIGN CONTROL OF ITEMS PROCURED BY THE FEDERAL GOVERNMENT, OR TO IDENTIFY CERTAIN MILITARY SPECIFICATIONS OR STANDARDS, AND CERTAIN NUMBERING SYSTEMS DEVELOPED BY GOVERNMENT AGENCIES, PANELS OR COMMITTEES. USED IN THE IDENTIFICATION OF CATALOG DATA IN FEDERAL CATALOG SYSTEM AND ALSO FOR IDENTIFYING CONTRACTORS FOR THE MECHANICAL INTERCHANGE OF DATA REQUIRED BY MILSCAP & SERVICE/AGENCIES ADP SYSTEMS. SEE VOLUME 10, TABLES 20, 21, 40, AND 94.

9251	LST-ACTY-TECHN-SCAT-ID	LST_TECHN_ID_9251	DLIS-TS	F CHAR	8
------	------------------------	-------------------	---------	--------	---

LAST ACTIVITY TECHNICIAN SCAT IDENTIFIER

THE SCAT IDENTIFICATION OF THE LAST ACCESS CONTROL TECHNICIAN TO UPDATE THE STATUS OF THE ACCESS REQUEST.

9252	CUR-APP-ACCS-RQST-STAT	CUR_RQST_STAT_9252	DLIS-TS	F CHAR	1
------	------------------------	--------------------	---------	--------	---

CURRENT APPLICATION ACCESS REQUEST STATUS CODE

THE CODE THAT REPRESENTS THE STATUS OF THE ACCESS REQUEST FOR THIS APPLICATION. VALID VALUES: W = WAITING FOR PAPERWORK, R = PAPERWORK RECEIVED, D = ACCESS DENIED, A = ACCESS GRANTED.

9253	LST-ACTY-RQS-CHG-STAT-TM	LST_ACTY_TS_9253	DLIS-TS	F TIMESTMP	26
------	--------------------------	------------------	---------	------------	----

LAST ACTIVITY REQUEST CHANGE STATUS TIMESTAMP TIME

THE DATE AND TIME WHEN THE STATUS OF THIS REQUEST WAS CHANGED.

9254	SGND-RGSTR-FMS-RCV-DT	RGSTR_RCV_DT_9254	DLIS-TS	F INTEGER	8
------	-----------------------	-------------------	---------	-----------	---

SIGNED-REGISTRATION-FORMS RECEIVE DATE

THE DATE ON WHICH THE SIGNED REGISTRATION FORMS WERE RECEIVED. VALID VALUES: VALID DATE OF THE FORMAT YYYYMMDD.

9255	SIN-SUBMG-ACTY-CD	SIN_SUBM_ACTY_9255	DLIS-SB	F CHAR	2
------	-------------------	--------------------	---------	--------	---

SINGLE SUBMITTING ACTIVITY CODE

AN ACTIVITY HAVING SOLE RESPONSIBILITY FOR SUBMITTAL OF CATALOG DATA PROPOSALS TO THE DEFENSE LOGISTICS INFORMATION SERVICE WHERE MANAGEMENT RESPONSIBILITY INCLUDES ALL ITEMS OF SUPPLY IN A GIVEN FSC CLASS (CATEGORY A SINGLE SUBMITTER) OR WHERE MANAGEMENT RESPONSIBILITY IS DETERMINED ON A BY-ITEM BASIS WITHIN A GIVEN FSC CLASS (CATEGORY B).

9256	MAJ-MCC-AR	MAJ_MCC_AR_9256	DLIS-SBA	F CHAR	1
------	------------	-----------------	----------	--------	---

MAJOR MATERIEL CATEGORY CODE, ARMY

A CODE WHICH WILL IDENTIFY THE MAJOR MATERIEL CATEGORIES OF PRINCIPAL AND SECONDARY MANAGER, NATIONAL INVENTORY CONTROL POINT, OR ARMY CLASS MANAGER ACTIVITY WHICH EXERCISES WORLDWIDE MANAGERIAL RESPONSIBILITY. SEE [VOLUME 10, TABLE 65](#) AND QUICK INFO ON-LINE.

9257	MAT-MGMT-CD-MC	MAT_MGMT_MC_9257	DLIS-SBA	F CHAR	1
------	----------------	------------------	----------	--------	---

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A SERIES OF CODES USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY COMMODITIES FOR OCEAN MANIFESTING, MILITARY SEA TRANSPORTATION SERVICE /MSTS/ BILLING, COST ACCOUNTING AND CONTRACTOR PAYMENT, FIRST POSITION /NUMERIC/ MAJOR COMMODITY CATEGORY, SECOND POSITION /NUMERIC/ MINOR COMMODITY CATEGORY, THIRD POSITION /ALPHANUMERIC/ SPECIFIC COMMODITY. E.G., CODE 515 OR 51E FROM 500-799 SERIES.

9276 WEB-DLIS-CMPTR-APP-NM WEB_CMPTR_APP_9276 DLIS-SBC F CHAR 20
WEB DLIS COMPUTER APPLICATION NAME
THE NAME OF A COMPUTER APPLICATION DEVELOPED OR MAINTAINED BY DLIS.

9277 WEB-GUI-MDUL-PGM-NM WEB_GUI_MDUL_9277 DLIS-SBC F CHAR 40
WEB/GUI MODULE PROGRAM NAME
THE NAME OF A GIVEN MODULE OR PROGRAM FOUND WITHIN A SOFTWARE APPLICATION.

9278 WEB-GUI-APP-ERR-DESC-TX WEB_APP_ERR_9278 DLIS-SBC F CHAR 400
WEB/GUI APPLICATION ERROR DESCRIPTION TEXT
THE DESCRIPTIVE TEXT CONTAINING A DETAILED OVERVIEW OF AN ERROR FOUND IN AN APPLICATION.

9279 GUI-USR-REMOT-IP-ADRS-TX GUI_IP_ADRS_9279 DLIS-SBC F CHAR 23
GUI USER REMOTE IP ADDRESS TEXT
THE TEXT OF THE REMOTE IP ADDRESS OF A LOCAL GUI USER. THIS ADDRESS IS COLLECTED ONCE A USER ATTACHES TO A SPECIFIC DLIS APPLICATION THROUGH THE LAN. THIS ADDRESS IS USED TO MAINTAIN CONTROL BETWEEN THE DLIS GUI APPLICATIONS AND THE SPECIFIC USER.

9280 CAGE-WEB-SITE-ADRS-ID WEB_ADRS_9280 DLIS-SBB F CHAR 70
CAGE WEB SITE ADDRESS IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE SPECIFIC ADDRESS OF AN EXISTING WEB SITE ADDRESS FOR A COMPANY/CONTRACTOR RECORDED IN THE CAGE MASTER FILE.

9287 CTY-ID CTY_ID_9287 DLIS-BB F CHAR 6
CITY IDENTIFIER
THE UNIQUE CITY IDENTIFIER THAT IS ASSIGNED BY THE U.S. POSTAL SERVICE. THIS IDENTIFIER ALLOWS FOR THE USE OF MULTIPLE CITIES WITHIN A ZIP CODE AND MULTIPLE ZIP CODES PER CITY.

9290 IP-DATA-DSK-CD DLIS-S F 4
INPUT DATA DESK CODE
A CODE WHICH IDENTIFIES THE INDIVIDUAL RESPONSIBLE FOR ORIGINATING INPUT TO THE FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) DATA BANK.

9303 SVC-CMMD-LVL-ACRNM-ID SVC_COMMD_LVL_9303 DLIS-SA F CHAR 6
SERVICE COMMAND LEVEL ACRONYM IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE SERVICE COMMAND LEVEL ACRONYM.

9306 AUTODIN-CONT-IND-CD AUTODIN_CIC_9306 DLIS-S F CHAR 4
AUTODIN CONTENT INDICATOR CODE
AUTODIN HEADER ROUTES MESSAGE

9307 COND-CD DLIS-SC F 2
CONDITION CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
	CLEAR TEXT HOST/COBOL NAME				
	DRN DEFINITION				
9325	ORIG-STDZN-DEC	ORG_STDZN_DEC_9325	DLIS-SB	F CHAR	2
	ORIGINATOR OF STANDARDIZATION DECISION IDENTIFIES THE ACTIVITY THAT IS RESPONSIBLE FOR THE ASSIGNMENT OF ITEM STANDARDIZATION CODES TO RECORD STANDARDIZATION DECISIONS. COMPUTER GENERATED FROM THE ORIGINATING ACTIVITY CODE /DRN 4210/ WHICH IS INCLUDED IN THE INPUT HEADER.				
9368	SIC-CD-SQ-IND	SIC_CD_SQ_IND_9368	DLIS-SC	F CHAR	1
	STANDARD INDUSTRIAL CLASSIFICATION CODE SEQUENCE INDICATO A ONE (1) POSITION INDICATOR WHICH IDENTIFIES THE ORDER OF IMPORTANCE ON MULTIPLE OCCURENCES OF SIC CODES.				
9374	DBL-TAB-IND-CD		DLIS-V	F	2
	DOUBLE TABLE INDICATOR CODE TWO SPECIAL CHARACTERS WHICH ARE USED IN CONJUNCTION WITH THE DECODED NARRATIVE FORM CHARACTERISTICS, AFTER THE ITEM NAME, TO PERMIT A PRINT FORMAT CONTROL BREAK AFTER THIS ELEMENT.				
9381	LOG-MSG-TMSTMP	LOG_MSG_TS_9381	DLIS-SBA	F TIMESTMP	26
	LOGGED MESSAGE TIMESTAMP TIMESTAMP DATE AND TIME MESSAGE WAS LOGGED				
9382	EDIT-STAT-CD	EDIT_STAT_9382	DLIS-SBA	F CHAR	1
	EDIT STATUS CODE STATUS OF EDITS, VALID VALUES: P = PASSED EDITS, F = FAILED EDITS				
9383	EDIT-CMPLTD-TS	EDIT_CMPLT_TS_9383	DLIS-SBA	F TIMESTMP	26
	EDIT COMPLETED TIMESTAMP DATE AND TIME EDIT WAS COMPLETED				
9384	EDIT-RESULTS-TX	EDIT_RESULTS_9384	DLIS-SBA	F CHAR	20
	EDIT RESULTS TEXT RESULT CODES OF EDITS				
9385	TM-RELED-MSG-TS	RELED_MSG_TS_9385	DLIS-SBA	F TIMESTMP	26
	TM RELEASED MESSAGE TIMESTAMP DATE AND TIME MESSAGE WAS RELEASED TO TM (VIA RCV* TD QUEUES)				
9386	TM-RECVD-MSG-TS	RECVD_MSG_TS_9386	DLIS-SBA	F TIMESTMP	26
	TM RECEIVED MESSAGE TIMESTAMP DATE AND TIME MESSAGE WAS RECEIVED BY TM (PULLED FROM RCV* TD QUEUES)				
9387	TM-MED-TRAIL-TX	MED_TRAIL_9387	DLIS-SBA	F CHAR	80
	TM MEDIA TRAILER TEXT TRAILER FROM INPUT MESSAGE				
9388	TM-RECVD-TD-QUE-TX	RECVD_TD_QUE_9388	DLIS-SBA	F CHAR	4
	TM RECEIVED TD QUEUE TEXT TM RECEIVE TD QUEUE THAT THE MESSAGE WAS WRITTEN TO				
9389	TM-MSG-TX	MSG_TX_9389	DLIS-SBA	V VARCHAR	22000
	TM MESSAGE TEXT				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TM MESSAGE TEXT

9390	DB2-SQL-ERR-CD DB2 SQL ERROR CODE DB2 SQL ERROR CODE IF LOG ENTRY WAS CAUSED BY A DB2 ERROR.	DB2_SQL_ERR_9390	DLIS-SBA	F INTEGER	8
9391	DB2-SQL-STA-ERR-CD DB2 SQL STATE ERROR CODE DB2 SQL STATE ERROR IF LOG ENTRY WAS CAUSED BY A DB2 ERROR.	DB2_SQL_STA_9391	DLIS-SBA	F CHAR	5
9392	CICS-ERR-CD CICS ERROR CODE CICS ERROR CODE IF LOG ENTRY WAS CAUSED BY A CICS ERROR.	CICS_ERR_9392	DLIS-SBA	F CHAR	4
9393	ERR-MSG-TX ERROR MESSAGE TEXT CONTENTS OF MADS/AUTODIN INPUT MESSAGE.	ERR_MSG_9393	DLIS-SBA	V VARCHAR	256
9394	TM-RE-PRCSD-MSG-TS TM REPROCESSED MESSAGE TIMESTAMP DATE AND TIME MESSAGE WAS RE-RELEASED TO TM (PUT BACK INTO THE RCV* TD QUEUES)	RE_PRCSD_TS_9394	DLIS-SBA	F TIMESTMP	26
9401	IMM-SOS INTEGRATED MATERIAL MANAGER SOURCE OF SUPPLY CODE A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE INTEGRATED MATERIAL MANAGER.	IMM_SOS_9401	DLIS-SB	F CHAR	3
9402	AR-SOS ARMY SOURCE OF SUPPLY CODE A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE ARMY.	AR_SOS_9402	DLIS-SB	F CHAR	3
9403	AF-SOS AIR FORCE SOURCE OF SUPPLY CODE A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE AIR FORCE.	AF_SOS_9403	DLIS-SB	F CHAR	3
9404	NAVY-SOS NAVY SOURCE OF SUPPLY CODE A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE NAVY.	NAVY_SOS_9404	DLIS-SB	F CHAR	3
9405	QUE-LOC-NM QUEUE LOCATION NAME THE UNIQUE NAME ASSIGNED BY THE MQ-SERIES QUEUE MANAGER TO IDENTIFY QUEUE LOCATION.	QUE_LOC_NM_9405	DLIS-VPO	F CHAR	48
9406	MRC-LOC-IND-CD MASTER REQUIREMENT CODE (MRC) LOCATION INDICATOR CODE	MRC_LOC_IND_9406	DLIS-SIC	F CHAR	4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
9417	SEGMENT-ID TRANSACTION SEGMENT IDENTIFIER COMPLEX FIELD CONTAINING THE SEGMENT_CD AND SEG_SEQ.	SEGMENT_ID_9417	DLIS-S	F CHAR 5
9418	SEGMENT-FLAG TRANSACTION SEGMENT FLAG FLAG TO SIGNIFY IF THE SEGMENT IS MANDATORY (M) OR OPTIONAL (O) WITHIN A TRANSACTION.	SEGMENT_FLAG_9418	DLIS-S	F CHAR 1
9419	SEGMENT-POS TRANSACTION SEGMENT POSITION INDICATES THE POSITION OF A SEGMENT WITHIN A TRANSACTION.	SEGMENT_POS_9419	DLIS-S	F CHAR 2
9420	SEGMENT-STATS TRANSACTION SEGMENT STATUS INDICATES WHEN AN LMD TRANSACTION IS WITHIN AN LMX TRANSACTION.	SEGMENT_STATS_9420	DLIS-S	F CHAR 1
9424	TM-BATCH-NBR TM BATCH NUMBER INDICATES THE BATCH NUMBER OF THE INPUT MEDALS TRANSACTIONS IN ONE FILE. THE NUMBER IS INCREMENTED FOR EACH BATCH OF MEDALS INPUT TRANSACTIONS RECEIVED. ONE FILE MAY BE ONE OR MORE TAPES RECEIVED AT ONE TIME.	TM_BATCH_NBR_9424	DLIS-S	F SMALLINT 4
9425	TM-BATCH-SEQ-NBR TM BATCH SEQUENCE NUMBER INCREMENTED FOR EACH RECORD TRANSACTION IN ONE MEDALS INPUT BATCH FILE.	TM_BATCH_SEQ_9425	DLIS-S	F CHAR 4
9426	TM-BATCH-TRNS TM BATCH TRANSACTION INPUT MEDALS TRANSACTION IN ITS SUBMITTED FORMAT PENDING RELEASE UNTIL THE LAST TRANSACTION OF A BATCH IS RECEIVED.	TM_BATCH_TRNS_9426	DLIS-S	F CHAR 80
9427	TM-COMPLT-TS TRANSACTION MGMT COMPLETED TIMESTAMP TM COMPLETE TIMESTAMP. INDICATES THE DATE AND TIME WHEN THE OUTPUT TRANSACTION HAS BEEN FORMATTED FOR ALL DESTINATION ACTIVITIES AND IS READY FOR DISTRIBUTION.	TM_COMPLT_TS_9427	DLIS-S	F TIMESTMP 26
9429	TM-FILE-NAME TM FILE NAME NAME GIVEN TO A DYNAMICALLY ALLOCATED FILE.	TM_FILE_NAME_9429	DLIS-S	F CHAR 18
9430	TM-REC-NBR TM RECORD NUMBER THE RECORD NUMBER OF A TRANSACTION WITHIN AN OUTPUT TRANSACTION PACKAGE.	TM_REC_NBR_9430	DLIS-S	F INTEGER 4
9432	TRAILER AUTODIN TRAILER IN THE CASE OF AUTODIN MESSAGES, THE MESSAGE TRAILER RECORD. IT IS THE LAST EIGHTY (80) CHARACTERS OF AN AUTODIN MESSAGE.	TRAILER_9432	DLIS-S	F CHAR 80
9433	TRANS-COUNT	TRANS_COUNT_9433	DLIS-S	F SMALLINT 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSACTION COUNT
NUMBER OF TRANSACTIONS WITHIN AN INPUT AUTODIN MESSAGE.

9434	TRANS-ERR-FLG	TRANS_ERR_FLG_9434	DLIS-S	F CHAR	1
------	---------------	--------------------	--------	--------	---

TRANSACTION ERROR FLAG
INDICATES IF THE MEDALS INPUT TRANSACTION PASSED TM EDITS FOR RPTY_ID AND DIC.

9435	TRANS-KEY	TRANS_KEY_9435	DLIS-S	F CHAR	21
------	-----------	----------------	--------	--------	----

FOOTPRINT TRANSACTION KEY
THE UNIQUE IDENTIFIER OF A TRANSACTION WITHIN THE FOOTPRINT OF THE TM SYSTEM. THIS KEY IS PASSED TO THE BATCH APPLICATIONS.

9436	LOLA-UPDT-STAT-KEY-CD	UPDT_STAT_KEY_9436	DLIS-VPO	F CHAR	1
------	-----------------------	--------------------	----------	--------	---

LOLA UPDATE STATUS KEY CODE
A CODE USED BY THE LOLA_UPDATE PROGRAM TO DETERMINE STATUS OF TRANS_KEY_9435. VALID VALUES INCLUDE: D = DELETE AND T = TEMPLATE.

9437	TRANS-NBR	TRANS_NBR_9437	DLIS-S	F SMALLINT	2
------	-----------	----------------	--------	------------	---

TRANSACTION NUMBER
THE TRANSACTION SEQUENCE NUMBER WITHIN AN AUTODIN MESSAGE.

9438	TRANS-REF-KEY	TRANS_REF_KEY_9438	DLIS-S	F CHAR	37
------	---------------	--------------------	--------	--------	----

FOOTPRINT TRANSACTION REFERENCE KEY
TRANSACTION REFERENCE KEY.

9439	TRANS-SEQ-NBR	TRANS_SEQ_NBR_9439	DLIS-S	F SMALLINT	2
------	---------------	--------------------	--------	------------	---

FOOTPRINT TRANSACTION SEQUENCE NUMBER
USED IN CONJUNCTION WITH THE SYS_CTL_NBR TO UNIQUELY IDENTIFY A TRANSACTION. THE MAIN PURPOSE OF THIS FIELD IS FOR LMD AND LMX TYPE TRANSACTIONS (MULTIPLE DIC INPUTS).

9440	TRANS-TYP-FLG	TRANS_TYP_FLG_9440	DLIS-S	F CHAR	4
------	---------------	--------------------	--------	--------	---

TRANSACTION TYPE FLAG
FLAG WHICH INDICATES IF THE DIC IS A PROVISIONING SCREENING TRANSACTION OR A CATALOGING (MAINTENANCE) TRANSACTION.

9441	TYPE-OF-TRNS	TYPE_OF_TRNS_9441	DLIS-S	F CHAR	4
------	--------------	-------------------	--------	--------	---

TYPE OF TRANSACTION
TYPE OF REFERENCE FOR AN INPUT TRANSACTION LOGGED TO THE FOOTPRINT, E.G. HELD, NAIN, ETC.

9442	UNDEFINED-SEG	UNDEF_SEGMENT_9442	DLIS-S	V VARCHAR	132
------	---------------	--------------------	--------	-----------	-----

UNDEFINED SEGMENT
STORES A SEGMENT OF AN UNDEFINABLE TRANSACTION.

9443	VALID-HX-DIC	VALID_HX_DIC_9443	DLIS-S	F CHAR	1
------	--------------	-------------------	--------	--------	---

VALID FOLLOW UP HX CODE FOR DIC
INDICATES IF AN HX STATUS CODE IS VALID FOR THE INPUT DIC BEING FOLLOWED UP ON IN THE CASE OF AN LFU TRANSACTION.

9444	VALID-LFU-DIC	VALID_LFU_DIC_9444	DLIS-S	F CHAR	1
------	---------------	--------------------	--------	--------	---

VALID DIC FOR LFU TYPE TRANSACTION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

INDICATES IF THE DIC_IP FIELD IN THE LFU TRANSACTION IS VALID FOR A FOLLOW-UP.

9445 LFU-TRANS-KEY LFU_TRANS_KEY_9445 DLIS-S F CHAR 21
LFU FOOTPRINT TRANSACTION KEY
THE TRANS_KEY OF THE LFU TRANSACTION THAT GENERATED THE TABLE ENTRY. SEE TRANS_KEY_9435.

9446 TM-TRANS-TS-STAT-CD TRANS_TS_STAT_9446 DLIS-S F CHAR 2
TRANSACTION MANAGEMENT TRANSACTION TIMESTAMP STATUS CODE
DEFINES THE MEANING OF TMSTMP_3059 FOR ITS RELATED TM TRANSACTION. VALID VALUES: 1.) RC = RECEIVED, 2.) FM = FORMATTED, 3.) RL = RELEASED, 4.) PC = PROCESS COMPLETE, 5.) TC = TM COMPLETE, 6.) RJ = REJECTED, 7.) HL = HELD, 8.) RR = REROUTED, AND 9.) FU = FOLLOW UP/MISC FUTURE.

9451 EXTR-RTN-CD EXTR_RTN_CD_9451 DLIS-SBA F SMALLINT 4
EXTRACT RETURN CODE
THE RETURN CODE FOR THE MGMT STATS LOGISTICS EXTRACT PROGRAM. VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9452 ACCUM-RTN-CD ACCUM_RTN_CD_9452 DLIS-SBA F SMALLINT 4
ACCUMULATE RETURN CODE
THE RETURN CODE FOR THE MGMT STATS ACCUMULATE PROGRAMS. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9453 CARRY-OVR-FLG CARRY_OVR_FLG_9453 DLIS-SBA F CHAR 1
CARRY OVER FLAG
A FLAG USED TO DETERMINE WHETHER OR NOT TO PERFORM THE MGMT STATS CARRY OVER PROCESS. VALID VALUES: Y, N.

9454 CARRY-OVR-RTN-CD CARRY_OVR_RTN_9454 DLIS-SBA F SMALLINT 4
CARRY OVER RETURN CODE
THE RETURN CODE FOR THE MGMT STATS CARRY OVER PROGRAMS. USED FOR JOB CONTROL. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9455 CARRY-OVR-CNT CARRY_OVR_CNT_9455 DLIS-SBA F INTEGER 8
CARRY OVER COUNT
A COUNT USED FOR THE RE-START OF THE MGMT STATS CARRY OVER PROCESS.

9456 UPDT-RTN-CD UPDT_RTN_CD_9456 DLIS-SBA F SMALLINT 4
UPDATE RETURN CODE
THE RETURN CODE FOR THE MGMT STATS UPDATE PROGRAMS. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9457 UPDT-CNT UPDT_CNT_9457 DLIS-SBA F INTEGER 8
UPDATE COUNT
A COUNT USED FOR THE RE-START OF THE MGMT STATS UPDATE PROCESS.

9458 FORCED-FLAG FORCED_FLAG_9458 DLIS-SBA F CHAR 1
FORCED FLAG
A FLAG USED TO DETERMINE WHETHER OR NOT A JOB HAS BEEN FORCED TO RUN.

9459 ROLL-UP-DEPT-CD ROLL_UP_DEPT_9459 DLIS-SBA F CHAR 2
ROLL UP DEPARTMENT CODE
THIS FIELD CONTAINS A DEPARTMENT CODE USED IN THE MGMT STATS DEPT ROLLUP PROCESS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
9460	ROLL-UP-CD	ROLL_UP_CD_9460	DLIS-SBA	F CHAR	2
ROLL UP CODE					
A CODE USED TO DENOTE THE DIFFERENT LEVELS OF COUNTS FOR A SPECIFIED DEPARTMENT. VALID VALUES: 1, 2, 3.					
9461	JOB-CTL-JUL-DT	JOB_CTL_JUL_9461	DLIS-SBA	F INTEGER	8
JOB CONTROL JULIAN DATE					
THE JULIAN DATE USED FOR JOB CONTROL IN THE MGMT STATS BATCH PROCESS. FORMAT: CCYYDDD.					
9462	STORED-JUL-DT	STORED_JUL_DT_9462	DLIS-SBA	F INTEGER	8
STORED JULIAN DATE					
THE JULIAN DATE USED WHEN THE JOB CONTROL RECORD WAS MOVED TO THE JOB CONTROL HISTORY TABLE. THIS DATE IS NEEDED TO TRACK THE MGMT STATS JOB CONTROL HISTORY. FORMAT: CCYYDDD.					
9463	MULT-LBLS-IND-CD	MULT_LBLS_IND_9463	DLIS-VOA	F CHAR	1
MULTIPLE LABELS INDICATOR CODE					
A SWITCH USED FOR AMLS TO DIRECT WHAT KIND OF OUTPUT WILL BE PRODUCED. VALID VALUES ARE: "M" OR "S". M = MULTIPLE COPIES OF A PRODUCT WILL BE SENT TO ONE ADDRESS USING ONE LABEL I.E. ONE LABEL TO MANY COPIES. S = A SINGLE COPY OF A PRODUCT WILL BE SENT TO ONE ADDRESS USING ONE LABEL FOR EACH PRODUCT I.E. ONE LABEL TO ONE COPY. THE DEFAULT VALUE OF THIS ELEMENT IS "M".					
9464	FLIS-RMVL-DT	FLIS_RMVL_DT_9464	DLIS-SBA	F INTEGER	7
FEDERAL LOGISTICS INFORMATION SYSTEM REMOVAL DATE					
THE CENTURY, YEAR, AND JULIAN DAY IN THE FORM OF CCYYDDD DENOTING THE REMOVAL OF THE NSN FROM THE FEDERAL LOGISTICS INFORMATION SYSTEM.					
9470	MULT-DSPL-IND-IL-DATA		DLIS-V	F	1
MULTIPLE DISPLAY INDICATOR IDENTIFICATION LIST DATA					
A CODE THAT SPECIFIES THE MAXIMUM ENTRIES THAT WILL BE DISPLAYED FOR MULTIPLE REPLIES TO REQUIREMENTS USING SECONDARY ADDRESS CODING OR THRU THE AND/OR REPLY CONDITION.					
9471	SGML-SRT-VAL1	SGML_SRT_VAL1_9471	DLIS-V	F CHAR	20
SGML SORT SELECTION VALUE 1					
THE FIRST SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED ASGSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.					
9472	SGML-SRT-VAL2	SGML_SRT_VAL2_9472	DLIS-V	F CHAR	20
SGML SORT SELECTION VALUE 2					
THE SECOND SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED AS GSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.					
9473	SGML-SRT-VAL3	SGML_SRT_VAL3_9473	DLIS-V	F CHAR	20
SGML SORT SELECTION VALUE 3					
THE THIRD SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED ASGSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.					
9474	SGML-SRT-VAL4	SGML_SRT_VAL4_9474	DLIS-V	F CHAR	20
SGML SORT SELECTION VALUE 4					
THE FOURTH SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED AS GSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
9475	SGML-SRT-VALM	SGML_SRT_VALM_9475	DLIS-V	F CHAR 80
SGML SORT SELECTION MAIN VALUE THE SORTING VALUE FOR USE BY THE SGML MARKUP ROUTINES.				
9476	SGML-FRMT-VAL	SGML_FRMT_VAL_9476	DLIS-V	F CHAR 80
SGML FORMATTING KEEP VALUE THE FORMATTING VALUE FOR USE BY THE SGML MARKUP ROUTINES.				
9477	MULT-IND	MULT_IND_9477	DLIS-V	F CHAR 1
MULT INDICATOR THE INDICATOR THAT SPECIFIES INCLUSION OF DATA FOR THE SGML MARKUP ROUTINES.				
9478	TMSTMP7	TMSTMP7_9478	DLIS-SB	F TIMESTMP 26
TIME STAMP 7 THIS TIMESTAMP IS USED TO RECORD YYYY - YEAR THE DATE AND TIME FOR DATA ENTRY MM - MONTH INTO THE SYSTEM PRIMARILY IN DD - DAY SUPPORT OF MEDALS, HH - HOUR MM - MINUTES YYYY-MM-DD-HH.MM.SS.NNNNNN SS - SECONDS EXAMPLE: 1991-10-24-03.30.000000 NNNNNN - MICROSECONDS				
9479	MULTI-INP-FLG	MULTI_INP_FLG_9479	DLIS-S	F CHAR 1
MULTIPLE INPUT FLAG A FLAG TO INDICATE YES (Y) OR NO (N) THAT THE SITE WILL BE USING MULTIPLE INPUT. THIS FIELD PRIMARILY SUPPORTS TRANSACTION MANAGEMENT (PASS THROUGH).				
9480	RTN-CD	RTN_CD_9480	DLIS-SBA	F CHAR 2
RETURN CODE A CODE APPLIED BY THE DEFENSE LOGISTICS INFORMATION SERVICE TO INDICATE THE REASON A PARTICULAR DATA ELEMENT/RECORD WAS RETURNED TO THE SUBMITTER. SEE VOLUME 10, CHAPTER 1 AND QUICK INFO ON-LINE.				
9481	SGML-ELE-NAME	SGML_ELE_NAME_9481	DLIS-VPE	F CHAR 8
SGML ELEMENT NAME HIGHEST LEVEL SGML ELEMENT TYPE NAME WITHIN THE PUBLIC PARAMETER ENTITY WHICH CONTAINS THE SGML DECLARATIONS FOR THE DB2 ELEMENTS THAT ARE RETURNED BY THE CALLABLE SUBROUTINE.				
9482	SRT-ALLOWED-IND	SRT_ALLOWED_9482	DLIS-VPE	F CHAR 1
SORT ALLOWED INDICATOR FLAG WHICH INDICATES IF THE ASSOCIATED CALLABLE SUBROUTINE MAY BE USED AS A SORT COMPONENT IN THE IDS EXTRACT PROCESS.				
9483	TM-MULT-MED-TRAN-QTY	MULT_MED_TRAN_9483	DLIS-S	F INTEGER 8
TRANSACTION MANAGEMENT MULTI MEDIA TRANSACTION QUANTITY COUNTS OF THE TRANSACTIONS RECEIVED FOR THE MULTI-MEDIA OUTPUT.				
9484	RE-OP-AUTODIN-MSG-TMSTMP-ID	RE_OP_AUTO_TS_9484	DLIS-SBA	F TIMESTMP 26
RE-OUTPUT AUTODIN MESSAGE TIME STAMP IDENTIFIER THIS IS THE DATE AND TIME WHEN THE OUTPUT AUTODIN MESSAGE THAT HAS BEEN RECOVERED IS RETRANSMITTAL TO AUTODIN INTERFACE APPLICATION.				
9485	SEC-ADRS-IND-CD	SEC_AD_IND_CD_9485	DLIS-SC	F CHAR 1
SECONDARY ADDRESS INDICATOR CODE				

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

A CODE WHICH SERVES TO INDICATE THE NUMBER OF CHARACTERS IN THE SECONDARY ADDRESS CODE (DRN 8990).

9486	AUTODIN-MSG-DT-TM AUTODIN MESSAGE DATE TIME A FIELD CONTAINING THE JULIAN DAY AND GRENWICH MEAN TIME (GMT) FOR DATE AND TIME MESSAGE DELIVERED FOR TRANSMISSION. DDDHHMM.	AUTODIN_DT_TM_9486	DLIS-SBA	F	TIMESTMP	7
9487	JRNLT-TMSTMP JOURNAL TIMESTAMP DATE AND TIME MESSAGE JOURNALIZED IN SYSTEM. YYYY-MM-DD-HH.MM.SS.NNNNNN.	JRNLT_TMSTMP_9487	DLIS-SBA	F	TIMESTMP	26
9491	LOGRUN-RGSN-USR-FRST-NM LOGRUN REGISTRATION USER FIRST NAME THE FIRST NAME OF A SPECIFIC PERSON REGISTERING FOR LOLA 97 ACCESS.	USR_FRST_NM_9491	DLIS-VPO	F	CHAR	20
9492	LOGRUN-RGSN-USR-AGCY-NM LOGRUN REGISTRATION USER AGENCY NAME THE NAME OF THE AGENCY OF THE ON-LINE USER FOR LOLA 97.	USR_AGCY_NM_9492	DLIS-VPO	F	CHAR	15
9493	LOGRUN-RGSN-USR-LST-NM LOGRUN REGISTRATION USER LAST NAME THE LAST NAME OF A SPECIFIC PERSON REGISTERING FOR LOLA 97 ACCESS.	USR_LST_NM_9493	DLIS-VPO	F	CHAR	40
9494	LOGRUN-RGSN-USR-JOB-TI-TX LOGRUN REGISTRATION USER JOB TITLE TEXT THE TEXT OF THE JOB TITLE OF AN ON-LINE USER.	USR_JOB_TI_9494	DLIS-VPO	F	CHAR	60
9495	LOGRUN-RGSN-DT LOGRUN REGISTRATION DATE THE DATE LOLA 97 ON-LINE USER LAST REGISTERED FOR LOLA 97 SOFTWARE/PROGRAMS. VALID VALUES: VALID DATE OF THE FORMATCCYYMMDD.	LGRN_RGSN_DT_9495	DLIS-VPO	F	CHAR	8
9496	LOGRUN-RGSN-CMT-TX LOGRUN REGISTRATION COMMENTS TEXT THE CLEAR TEXT FIELD WHERE LOLA 97 USERS MAY ENTER COMMENTS WHEN REGISTERING FOR LOLA 97 SOFTWARE AND PROGRAMS.	LGRN_RGSN_CMT_9496	DLIS-VPO	F	CHAR	200
9500	DFLT-RELE-TDQ-ID DEFAULT RELEASE TDQ IDENTIFIER THE TDQ IDENTIFIER USED BY A TRANSACTION MANAGEMENT SUBSYSTEM TO CONTROL RELEASING TRANSACTIONS TO DOWNSTREAM APPLICATIONS.	DFLT_RELE_TDQ_9500	DLIS-SBA	F	CHAR	4
9501	TM-HELD-CNT-QY TRANSACTION MANAGEMENT HELD COUNT QUANTITY A TABULATION OF THE NUMBER OF TRANSACTIONS AWAITING PROCESSING BY DOWNSTREAM APPLICATIONS AS DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO DB2 TABLE TM_TRANS_COUNT.)	HELD_CNT_9501	DLIS-SBA	F	INTEGER	8
9502	TM-RELED-CNT-QY TRANSACTION MANAGEMENT RELEASED COUNT QUANTITY	RELED_CNT_9502	DLIS-SBA	F	INTEGER	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9513 TM-RESTRT-CKPNT-CTR-3-QY TM_CKPNT_CT_3_9513 DLIS-SBA F INTEGER 8
TM RESTART CHECKPOINT COUNTER THREE QUANTITY
ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.

9514 TM-RESTRT-CKPNT-CTR-4-QY TM_CKPNT_CT_4_9514 DLIS-SBA F INTEGER 8
TM RESTART CHECKPOINT COUNTER FOUR QUANTITY
ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.

9515 RESTART-COMMIT-ID RESTRT_COMMIT_9515 DLIS-SBB F CHAR 8
RESTART COMMIT IDENTIFIER
WHEN A ERROR OCCURS IN A BATCH PROCESS THE NEED TO RESTART THE TASK MUST BE AVAILABLE. THIS DATA ELEMENT WILL CONTAIN THE RESTART POINT VALUE. IF THE BATCH PROGRAM FINDS A VALUE GREATER THAN ZERO IN THIS FIELD THEN IT SHOULD USE THIS VALUE IN PLACE OF ANY OTHER VALUE AS THE STARTING POINT OF THE TASK.

9516 LOGRUN-RGSN-USR-TYP-CD USR_TYP_9516 DLIS-VPO F CHAR 1
LOGRUN REGISTRATION USER TYPE CODE
THE CODE THAT REPRESENTS A MANDATORY FIELD TO IDENTIFYRESPONSIBILITY OF USER OBTAINING DYNACOMM ELITE SOFTWARELICENSE. VALID VALUES: L = LOLA USER ONLY, A = LANADMINISTRATOR, B = LAN ADMINISTRATOR AND LOLA USER.

9517 SUPVR-DSN-TEL-NBR-ID SUPVR_DSN_TEL_9517 DLIS-VPO F CHAR 20
LOGRUN REGISTRATION SUPERVISORS DSN TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE DSN TELEPHONE NUMBER OF THELOGRUN REGISTRATION SUPERVISOR.

9518 SUPVR-CMCL-TEL-NBR SUPVR_CMC_TEL_9518 DLIS-VPO F CHAR 20
LOGRUN REGISTRATION SUPERVISORS COMMERCIAL TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL TELEPHONE NUMBER OFTHE LOGRUN REGISTRATION SUPERVISOR.

9519 USR-CMCL-FAX-NBR-ID USR_CMCL_FAX_9519 DLIS-VPO F CHAR 20
LOGRUN REGISTRATION USER COMMERCIAL FAX NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE COMMERCIAL FAX NUMBER FOR LOGRUNREGISTRATION USER.

9520 FULL-SUPVR-NM FULL_SUPVR_NM_9520 DLIS-VPO F CHAR 60
LOGRUN REGISTRATION FULL SUPERVISOR NAME
THE FULL CLEAR TEXT NAME OF LOGRUN REGISTRATION SUPERVISOR.

9521 CUST-DSN-FAX-NBR-ID CUST_DSN_FAX_9521 DLIS-VPO F CHAR 20
LOGRUN REGISTRATION CUSTOMER DSN FAX NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE DSN FAX NUMBER OF LOGRUNREGISTRATION CUSTOMER.

9522 LOGRUN-RGSN-LICNS-APP-CD LICNS_APP_CD_9522 DLIS-VPO F CHAR 1
LOGRUN REGISTRATION LICENSE APPLICATION CODE
THE CODE THAT DENOTES WHICH APPLICATION PRODUCT THAT THE DYNACOMMELITE LICENSE IS BEING UTILIZED FOR (I.E., LOLA 97, MEDALS).VALID VALUES: L = LOLA 97, M = MEDALS, (MORE TO BE PROVIDED).

9523 CUST-DSN-TEL-NBR-ID CUST_DSN_TEL_9523 DLIS-VPO F CHAR 20
LOGRUN REGISTRATION CUSTOMERS DSN TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE DSN TELEPHONE NUMBER OF THELOGRUN REGISTRATION CUSTOMER.

9525 RPLM-NSN-STDZN-RL RPLM_NSN_STDZ_9525 DLIS-SB F CHAR 13

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

REPLACEMENT NSN, STANDARDIZATION RELATIONSHIP

THE NATIONAL STOCK NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP AUTHORIZED FOR PROCUREMENT THAT REPLACES THE NATIONAL STOCK NUMBER NOT AUTHORIZED FOR PROCUREMENT.

9541 QTY-AUTHZD-II-DATA-SUBMR DLIS-SB F 1

QUANTITY, AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER

A NUMERIC VALUE EXPRESSING THE QUANTITY OF AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTERS RECORDED AGAINST A PARTICULAR MAJOR ORGANIZATIONAL ENTITY/MOE/RULE.

9542 MGMT-EXCP-NOTES MGMT_EXCP_NTS_9542 DLIS-SB V VARCHAR 500

MANAGEMENT EXCEPTION NOTES

A NOTATION ENTERED AGAINST A GIVEN MAJOR ORGANIZATIONAL ENTITY (MOE) RULE DENOTING THE PROPERTIES/MATERIELS/CONDITIONS AND APPLICATION LIMITATION(S) GOVERNED BY THAT SPECIFIC MOE RULE.

9544 SUBJ-SIN-SUBMR-PRO SUBJ_SI_SUB_P_9544 DLIS-SB F CHAR 1

SUBJECT TO SINGLE SUBMITTER PROCEDURE

AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO CATALOG DATA SINGLE SUBMITTER PROCEDURES.

9545 SUBJ-INTEG-MAT-MGMT-CD SUBJ_IMM_M_CD_9545 DLIS-SB F CHAR 1

SUBJECT TO INTEGRATED MATERIEL MANAGEMENT CODE

AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO INTEGRATED MATERIEL MANAGEMENT.

9546 SUBJ-ITM-MGMT-CDNG SUBJ_IM_CDNG_9546 DLIS-SB F CHAR 1

SUBJECT TO ITEM MANAGEMENT CODING

AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO ITEM MANAGEMENT CODING.

9547 SICA-LVL-AUTH SICA_LOA_9547 DLIS-SBA F CHAR 2

SECONDARY INVENTORY CONTROL ACTIVITY LEVEL OF AUTHORITY

A CODE THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A SECONDARY INVENTORY CONTROL ACTIVITY (SICA). THE CODE INDICATES /1/ LOGISTICS MATERIEL MANAGEMENT, /2/ LEVEL OF REPONSIBILITY AND /3/ BASIS OF CATEGORIZATION. THE CODES WILL BE USED INTERNALLY WITHIN THE SYSTEM FOR STATISTICS AND GENERAL MANAGEMENT DATA BASED ON MATERIEL MANAGEMENT RESPONSIBILITY ASSIGNED BY SERVICES/AGENCIES DIRECTIVES. SEE [VOLUME 10, TABLE 74](#) AND QUICK INFO ON-LINE.

9553 CLAS-ASST-MOD-H3 CL_ASST_MODH3_9553 DLIS-SIC V VARCHAR 1762

CLASSIFICATION ASSISTANCE MODIFIER, H3

THE COMMON CHARACTERISTICS APPLICABLE TO SEVERAL SPECIFIC ITEMS OF SUPPLY HAVING A COMMON NAME. THIS DATA ELEMENT IS USED TO QUALIFY AN ITEM NAME FOR ASSIGNMENT OF A DEPARTMENT OF DEFENSE AMMUNITION CODE AS PUBLISHED IN THE DOD AMMUNITION CODE HANDBOOK, H3.

9554 CLAS-ASST-MOD-H2 CL_ASST_MODH2_9554 DLIS-SC V VARCHAR 1762

CLASSIFICATION ASSISTANCE MODIFIER, H2

A MODIFYING WORD OR PHRASE USED TO QUALIFY AN ITEM NAME AS TO THE APPLICABLE/AUTHORIZED FEDERAL SUPPLY CLASS/ES/ TO BE REFLECTED IN CATALOGING HANDBOOK H2.

9560 COMN-VAL-GP-CRITE DLIS-V F 15

COMMON VALUE GROUPING CRITERIA

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE MILITARY STANDARD ITEM CHARACTERISTICS CODING STRUCTURE (MILSTICCS) CODED DATA GROUPS FOR THE CHARACTERISTICS TO BE INCLUDED IN THE COMMON VALUE GROUPING. EACH CODED DATA GROUP CONTAINED IN THE COMMON VALUE GROUPING WILL BE SEQUENCED BASED ON ITS SORTING VALUE, AND INCLUDES THE MASTER REQUIREMENTS CODE (DRN 3445), THE MODE CODE (DRN 4735) AND THE COMMON VALUE CODE (DRN 0046).

9561 BSC-NM DLIS-SC V 1762

BASIC NAME

A BASIC NOUN WORD/PHRASE USED AS THE FIRST WORD OR GROUP OF WORDS IN AN ITEM NAME, OR AS AN ITEM NAME BY ITS SELF WHEN IT ESTABLISHES A SINGLE CONCEPT OF AN ITEM OF SUPPLY.

9562 KWA-NO-OP-ACTY-NOTI-IND KWA_NO_NOTI_9562 DLIS-S F CHAR 1

KWA NO OUTPUT ACTIVITY NOTIFICATION INDICATOR
INDICATOR THAT THE ACTIVITY WANTS TO BE NOTIFIED.

9563 KWA-ACTY-NOTI-IND KWA_ACTY_NOTI_9563 DLIS-S F CHAR 1

KWA ACTIVITY NOTIFICATION INDICATOR
INDICATOR THAT THE ACTIVITY WANTS KWA NOTIFICATION.

9564 KWA-NATO-ACTY-ZZ-IND KWA_NATO_ZZ_9564 DLIS-S F CHAR 1

KWA NATO ACTIVITY ZZ INDICATOR
INDICATOR THAT THIS IS A NATO ACTIVITY AND THAT TM MUST USE ZZ AS THE ORIGINATING ACTIVITY.

9565 NATO-MFR-DATA-PRFX-CD DLIS-CI F CHAR 3

NATO MANUFACTURERS DATA PREFIX CODE

CODE THAT SPECIFIES THE TYPE OF DATA TO FOLLOW. TO BE USED IN CONJUNCTION WITH DIC KHN. (SEE SUB-SECTION 553, TABLE 23). NATO USE ONLY.

9566 NATO-CAGE-DATA-GP-INFO DLIS-KI V VARCHAR 966

NATO CAGE DATA GROUP INFORMATION TEXT

THE TEXT OF A SET OF DATA COMPRISING A GROUP OF NATO MANUFACTURERS DATA PREFIX CODES (DRN 9565) AND THE INFORMATION ASSIGNED TO THOSE CODES. THE INFORMATION ASSOCIATED WITH NATO COMMERCIAL AND GOVERNMENT ENTITY (NCAGE) CODE IN COLUMNS 41-80 OF DIC KHN INCLUDES BASIC ENTITY DATA LIKE NAME, ADDRESS, AND TELEPHONE NUMBER AND CAN ALSO INCLUDE SUPPLEMENTAL DATA SUCH AS FAX NUMBERS, E-MAIL ADDRESS AND SO FORTH. USED EXCLUSIVELY BY NATO COUNTRIES.

9567 NATO-CAGE-LST-CHG-JUL-DT NCAGE_CHG_DT_9567 DLIS-KI F CHAR 5

NATO CAGE LAST CHANGE JULIAN DATE

THE JULIAN DATE OF THE LAST CHANGE TO A NATO CAGE CODE IN DIC KHN. VALID VALUES: 00001 THROUGH 99366

9570 MCFCH-TI-LI DLIS-V F 36

MICROFICHE TITLE LINE

A LINE OF DATA THAT SERVES AS A TITLE TO IDENTIFY THE INFORMATION RECORDED ON A MICROFICHE. THE TITLE LINE WILL BE LOCATED ACROSS THE TOP OF THE MICROFICHE AND WILL BE READABLE WITHOUT MAGNIFICATION. EITHER ONE OR TWO LINES ARE PERMISSIBLE, NOT TO EXCEED 36 CHARACTERS PER LINE.

9575 GP-LDIN-NAR-STMT DLIS-V V 52

GROUP LEAN IN NARRATIVE STATEMENT

A NARRATIVE CLEAR TEXT VERSION OF THE DATA GROUPS INCLUDED IN THE COMMON VALUE GROUPING, IT INCLUDES PUNCTUATION AND SPACES AS REQUIRED. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
9576	M8B6-FSC-AT-LOA-EB-NSN	M8B6_STAT_CNT_9576	DLIS-BB	F INTEGER	8
M8B6 FSC ACTIVITY LOA ENDING BALANCE NSN					
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.					
9577	DIC-ALL-SAC-DEPT-NIINST	DIC_STAT_CNT_9577	DLIS-BB	F INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT NIIN STATUS					
THE COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY FOR DEPARTMENT.					
9578	DIC-ALL-SAC-GTOT-RECVD		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RECEIVED					
THE GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY.					
9579	DIC-ALL-SAC-GTOT-PRCSD		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL PROCESSED					
THE GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY.					
9580	DIC-ALL-SAC-GTOT-APRVD		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL APPROVED					
THE GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.					
9581	DIC-ALL-SAC-GTOT-RETRND		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RETURNED					
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.					
9582	DIC-ALL-SAC-GTOT-ADUPS		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL ACTUAL DUPS					
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.					
9583	DIC-ALL-SAC-GTOT-PDUPS		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL POSSIBLE DUPLICATES					
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.					
9584	DIC-ALL-SAC-GTOT-CLRCL		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL CLERICAL					
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.					
9585	DIC-ALL-SAC-GTOT-RULES		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RULES					
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.					
9586	DIC-ALL-SAC-GTOT-NIINST		DLIS-BB	F	8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL NIIN STATUS					
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.					
9587	DIC-SAC-DEPT-TOT-RECVD	DIC_STAT_CNT_9587	DLIS-BB	F INTEGER	8
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RECEIVED					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9588	DIC-SAC-DEPT-TOT-PRCSD		DLIS-BB	F	8
------	------------------------	--	---------	---	---

DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL PROCESSED
THE COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9589	DIC-SAC-DEPT-TOT-APRVD	DIC_STAT_CNT_9589	DLIS-BB	F INTEGER	8
------	------------------------	-------------------	---------	-----------	---

DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL APPROVED
THE COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9590	DIC-SAC-DEPT-TOT-RETRND		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RETURNED
THE COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9591	DIC-SAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_9591	DLIS-BB	F INTEGER	8
------	------------------------	-------------------	---------	-----------	---

DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL ACTUAL DUPS
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9592	DIC-SAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_9592	DLIS-BB	F INTEGER	8
------	------------------------	-------------------	---------	-----------	---

DIC SAC DEPARTMENT TOTAL POSSIBLE DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9593	DIC-SAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_9593	DLIS-BB	F INTEGER	8
------	------------------------	-------------------	---------	-----------	---

DIC SAC DEPARTMENT TOTAL CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9594	DIC-SAC-DEPT-TOT-RULES	DIC_STAT_CNT_9594	DLIS-BB	F INTEGER	8
------	------------------------	-------------------	---------	-----------	---

DIC SAC DEPARTMENT TOTAL RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9595	DIC-ALL-OAC-GTOT-ADUPS		DLIS-BB	F	8
------	------------------------	--	---------	---	---

DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

9596	IANDS-ACTY-NSN	IANS_STAT_CNT_9596	DLIS-BB	F INTEGER	8
------	----------------	--------------------	---------	-----------	---

INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY
THE TOTAL NUMBER OF PICA MANAGED NSNS IN I AND S FAMILIES BY ACTIVITY WITHIN DEPARTMENT.

9597	IANDS-ACTY-TOT-FAMILIES		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY TOTAL FA
THE TOTAL NUMBER OF I AND S FAMILIES BY ACTIVITY WITHIN DEPARTMENT.

9598	IANDS-DEPT-TOT-FAMILIES		DLIS-BB	F	8
------	-------------------------	--	---------	---	---

INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT TOTAL FAMILI
THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9599	IANDS-DEPT-FSC-REL-SICA	IANS_STAT_CNT_9599	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC REL SICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSC.						
9600	IANDS-DEPT-FSC-MTR-SICA	IANS_STAT_CNT_9600	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY FSC MASTER SICA THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSC.						
9601	IANDS-DEPT-FSC-REL-PICA	IANS_STAT_CNT_9601	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC RELATED P THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA FOR FSC.						
9602	IANDS-DEPT-FSC-MTR-PICA	IANS_STAT_CNT_9602	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC MASTER P THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA BY FSC.						
9603	IANDS-DEPT-FSC-TOT-FAM	IANS_STAT_CNT_9603	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC TOT FAM THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT FOR FSC.						
9604	IANDS-DEPT-FSG-REL-SICA	IANS_STAT_CNT_9604	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL SICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSG.						
9605	IANDS-DEPT-FSG-MTR-SICA	IANS_STAT_CNT_9605	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER S THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSG.						
9606	IANDS-DEPT-FSG-REL-PICA	IANS_STAT_CNT_9606	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL PICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA FOR FSG.						
9607	IANDS-DEPT-REL-SICA	IANS_STAT_CNT_9607	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED SICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA.						
9608	IANDS-DEPT-MTR-SICA	IANS_STAT_CNT_9608	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER SICA THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA.						
9609	IANDS-DEPT-REL-PICA	IANS_STAT_CNT_9609	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED PICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA.						
9610	IANDS-DEPT-MTR-PICA	IANS_STAT_CNT_9610	DLIS-BB	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER PICA THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9611 CON-SLCT-NSN CON_STAT_CNT_9611 DLIS-BB F INTEGER 8
 CONSUMABLE SELECTED NSN
 THE NUMBER OF NSNS SELECTED AS CANDIDATES FOR REVIEW FOR POSSIBLE TRANSFER TO DLA/GSA MANAGEMENT BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9612 CON-KVI-OUTPUT-NSN CON_STAT_CNT_9612 DLIS-BB F INTEGER 8
 CONSUMABLE KVI OUTPUT NSN
 THE NUMBER OF DIC KVI, IMC ADVICE NOTIFICATION TRANSACTIONS OUTPUT BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9613 CON-NOT-SLCT-NSN CON_STAT_CNT_9613 DLIS-BB F INTEGER 8
 CONSUMABLE NOT SELECTED NSN
 THE NUMBER OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.

9614 CON-SLCT-TOT-NSN DLIS-BB F 8
 CONSUMABLE SELECTED TOTAL NSN
 THE TOTAL NUMBER OF NSNS IN A SPECIAL PROJECT ORIGINAL CANDIDATE FILE FOR DEPARTMENT FOR ACTIVITY.

9615 CON-KVI-OUTPUT-TOT-NSN DLIS-BB F 8
 CONSUMABLE KVI OUTPUT TOTAL NSN
 THE TOTAL QUANTITY OF DIC KVI, IMC ADVICE NOTIFICATIONS OUTPUT FOR A SPECIAL PROJECT REVIEW FOR DEPARTMENT FOR ACTIVITY.

9616 CON-NOT-SLCT-TOT-NSN DLIS-BB F 8
 CONSUMABLE NOT SELECTED TOTAL NSN
 THE TOTAL QUANTITY OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC ADVICE NOTIFICATION) FOR DEPARTMENT FOR ACTIVITY.

9617 CON-DPT-NOT-SLCT-NSN DLIS-BB F 8
 CONSUMABLE DEPARTMENT NOT SELECTED NSN
 THE NUMBER OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT BY INCREMENT.

9618 CON-DPT-KVI-OUTPUT-NSN DLIS-BB F 8
 CONSUMABLE DEPARTMENT KIV OUTPUT NSN
 THE NUMBER OF DIC KVI, IMC NOTIFICATION TRANSACTIONS OUTPUT BY DEPARTMENT BY INCREMENT.

9619 CON-DPT-SLCT-NSN DLIS-BB F 8
 CONSUMABLE DEPARTMENT SELECTED NSN
 THE NUMBER OF NSNS SELECTED AS CANDIDATES FOR REVIEW FOR POSSIBLE TRANSFER TO DLA/GSA MANAGEMENT BY DEPARTMENT BY INCREMENT.

9620 CON-DPT-SLCT-TOT-NSN DLIS-BB F 8
 CONSUMABLE DEPARTMENT SELECTED TOTAL NSN
 THE TOTAL NUMBER OF NSNS IN A SPECIAL PROJECT ORIGINAL CANDIDATE FILE FOR DEPARTMENT.

9621 CON-DPT-KVI-OUT-TOT-NSN DLIS-BB F 8
 CONSUMABLE DEPARTMENT KVI OUTPUT TOTAL NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF DIC KVI, IMC ADVICE NOTIFICATION OUTPUT FOR SPECIAL PROJECT REVIEW FOR DEPARTMENT.

9622 CON-DPT-NOT-SLCT-TOT-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT NOT SELECTED TOTAL NSN
THE TOTAL QUANTITY OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT.

9623 CON-DIC-LVA-NSN CON_STAT_CNT_9623 DLIS-SB F INTEGER 8
CONSUMABLE DIC LVA NSN
THE QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.

9624 CON-OTH-DIC-NSN CON_STAT_CNT_9624 DLIS-BB F INTEGER 8
CONSUMABLE OTHER DIC NSN
THE NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLIS AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9625 CON-DIC-LVA-TOT-NSN DLIS-SB F 8
CONSUMABLE DIC LVA TOTAL NSN
THE TOTAL QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES FOR DEPARTMENT FOR ACTIVITY.

9626 CON-DPT-DIC-LVA-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT DIC LVA NSN
THE QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES BY DEPARTMENT BY INCREMENT.

9627 CON-DPT-OTH-DIC-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT OTHER DIC NSN
THE NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLIS AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT BY INCREMENT.

9628 CON-DPT-DIC-LVA-TOT-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT DIC LVA TOTAL NSN
THE TOTAL QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES BY DEPARTMENT.

9629 CON-DIC-KIR-NSN CON_STAT_CNT_9629 DLIS-SB F INTEGER 8
CONSUMABLE DIC KIR NSN
THE NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT BY ACTIVITY TO DLA CENTER OR GSA BY INCREMENT.

9630 CON-DIC-KIR-TOT-NSN DLIS-SB F 8
CONSUMABLE DIC KIR TOTAL NSN
THE TOTAL NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT BY ACTIVITY TO DLA CENTER OR GSA.

9631 CON-DPT-DIC-KIR-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT DIC KIR NSN
THE NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT TO DLA CENTER OR GSA BY INCREMENT.

9632 CON-DPT-DIC-KIR-TOT-NSN DLIS-BB F 8
CONSUMABLE DEPARTMENT DIC KIR TOTAL NSN

CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE FISCAL YEAR-TO-DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9651 TRFR-FSC-SAC-FYD-TOT-NSN TRFR_STAT_CNT_9651 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD TOTAL NSN
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC BY SUBMITTING DEPARTMENT/ACTIVITY.

9653 TRFR-FSC-SAC-FYD-GOAL TRFR_STAT_CNT_9653 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FISCAL YEAR TO DATE GOAL
THE FISCAL YEAR-TO-DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

9654 TRFR-FSC-SAC-FYD-GL-DIF TRFR_STAT_CNT_9654 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD GOAL DIFFERENCE
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

9658 TRFR-FSC-SDP-FYD-TOT-NSN TRFR_STAT_CNT_9658 DLIS-BB F INTEGER 8
TRANFSER FSC SUBMITTING DEPARTMENT FYD TOTAL NSN
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING DEPARTMENT.

9659 TRFR-FSC-SDP-FYD-DM-PCT TRFR_STAT_CNT_9659 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD DES METHOD PERCENT
THE FISCAL YEAR-TO-DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9660 TRFR-FSC-SDP-FYD-GOAL TRFR_STAT_CNT_9660 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FISCAL YEAR TO DATE GOAL
THE FISCAL YEAR-TO-DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

9661 TRFR-FSC-SDP-FYD-GL-DIF TRFR_STAT_CNT_9661 DLIS-BB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD GOAL DIFFERENCE
THE FISCAL YEAR-TO-DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9666 TRFR-SAC-TRFR-TOT-NSN TRFR_STAT_CNT_9666 DLIS-BB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TRANSFER TOTAL NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

9669 I-O-ACTY-ODIC-TOT DLIS-SB F 8
INPUT OUTPUT ACTIVITY OUTPUT DIC TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS FOR A SUBMITTING ACTIVITY BY A SPECIFIED OUTPUT DIC.

9670 PIC-ACTY-DIC-PRICD-ONE PIC_STAT_CNT_9670 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ONE
THE QUANTITY OF PRIORITY INDICATOR CODE ONE TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9671	PIC-ACTY-DIC-PRICD-TWO	PIC_STAT_CNT_9671	DLIS-BB	F INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC TWO					
THE QUANTITY OF PRIORITY INDICATOR CODE TWO TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.					
9672	PIC-ACTY-DIC-PRICD-THREE	PIC_STAT_CNT_9672	DLIS-BB	F INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC THREE					
THE QUANTITY OF PRIORITY INDICATOR CODE THREE TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.					
9673	PIC-ACTY-DIC-PRICD-FOUR	PIC_STAT_CNT_9673	DLIS-BB	F INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC FOUR					
THE QUANTITY OF PRIORITY INDICATOR CODE FOUR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.					
9674	PIC-ACTY-DIC-TOT		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC TOTAL					
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9675	PIC-ACTY-DIC-STD-PCT-ONE		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT ONE					
THE ESTABLISHED STANDARD PERCENT FOR PIC 1 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9676	PIC-ACTY-DIC-STD-PCT-TWO		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT TWO					
THE ESTABLISHED STANDARD PERCENT FOR PIC 2 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9677	PIC-ACTY-DIC-ACL-PCT-ONE		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ONE					
THE ACTUAL PERCENT OF PIC 1 TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9678	PIC-ACTY-DIC-ACL-PCT-TWO		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT TWO					
THE ACTUAL PERCENT OF PIC 2 TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9679	PIC-ACTY-DIC-DEV-PCT-ONE		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE					
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 1 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9680	PIC-ACTY-DIC-DEV-PCT-TWO		DLIS-BB	F	8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT TWO					
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 2 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
9681	PIC-ACTY-PRICD-ONE	PIC_STAT_CNT_9681	DLIS-BB	F INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY PIC ONE					
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE.					
9682	PIC-ACTY-PRICD-TWO	PIC_STAT_CNT_9682	DLIS-BB	F INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY PIC TWO					
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY.					

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9683 PIC-ACTY-PRICD-THREE PIC_STAT_CNT_9683 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC THREE
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF THREE FOR A SPECIFIC ACTIVITY.

9684 PIC-ACTY-PRICD-FOUR PIC_STAT_CNT_9684 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC FOUR
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF FOUR FOR A SPECIFIC ACTIVITY.

9685 PIC-ACTY-TOT DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

9686 PIC-ACTY-STD-PCT-ONE DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ONE
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ONE USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

9687 PIC-ACTY-STD-PCT-TWO DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT TWO
THE ESTABLISHED STANDARD PERCENT FOR PRIORITY INDICATOR CODE TWO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

9688 PIC-ACTY-ACL-PCT-ONE DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ONE
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE FOR A SPECIFIC ACTIVITY.

9689 PIC-ACTY-ACL-PCT-TWO DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT TWO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY.

9690 PIC-ACTY-DEV-PCT-ONE DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ONE
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ONE USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.

9691 PIC-ACTY-DEV-PCT-TWO DLIS-BB F 8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT TWO
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE TWO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.

9692 PIC-DEPT-PRICD-ONE PIC_STAT_CNT_9692 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC ONE
THE QUANTITY OF PRIORITY INDICATOR CODE ONE TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9693 PIC-DEPT-PRICD-TWO PIC_STAT_CNT_9693 DLIS-BB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC TWO
THE QUANTITY OF PRIORITY INDICATOR CODE TWO TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9694 PIC-DEPT-PRICD-THREE PIC_STAT_CNT_9694 DLIS-BB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

PRIORITY INDICATOR CODE DEPARTMENT PIC THREE
THE QUANTITY OF PRIORITY INDICATOR CODE THREE TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9695 PIC-DEPT-PRICD-FOUR PIC_STAT_CNT_9695 DLIS-BB F INTEGER 8

PRIORITY INDICATOR CODE DEPARTMENT PIC FOUR
THE QUANTITY OF PRIORITY INDICATOR CODE FOUR TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9696 PIC-DEPT-TOT DLIS-BB F 8

PRIORITY INDICATOR CODE DEPARTMENT TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9697 PIC-DEPT-STD-PCT-ONE PIC_STAT_CNT_9697 DLIS-BB F INTEGER 8

PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ONE
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ONE USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9698 PIC-DEPT-STD-PCT-TWO PIC_STAT_CNT_9698 DLIS-BB F INTEGER 8

PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT TWO
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE TWO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9699 PIC-DEPT-ACL-PCT-ONE DLIS-BB F 8

PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ONE
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9700 PIC-DEPT-ACL-PCT-TWO DLIS-BB F 8

PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT TWO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9701 PIC-DEPT-DEV-PCT-ONE DLIS-BB F 8

PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ONE
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ONE USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9702 PIC-DEPT-DEV-PCT-TWO DLIS-BB F 8

PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT TWO
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE TWO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9704 STAT-DEPT-NAME STAT_DEPT_NM_9704 DLIS-SBA F CHAR 7

STATISTICS DEPARTMENT NAME
THIS REPRESENTS THE CLEAR TEXT NAME OF THE STATISTICS DEPARTMENT OF WHICH THE STAT DEPARTMENT CODE HAS CORRESPONDED.

9705 STATS-ACCESS-DATE STATS_ACCS_DT_9705 DLIS-S F DATE 5

STATISTICS ACCESS DATE
THIS DATE ELEMENT REFLECTS THE DATE THAT A NUMBER OF PHYSICAL ACCESSES TO A PARTICULAR TYPE OF STATISTIC OCCURRED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9711	DRPD-SEG-1-IND DROPPED SEGMENT 1 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 1. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_1_9711	DLIS-S	F CHAR	1
9712	DRPD-SEG-6-IND DROPPED SEGMENT 6 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 6. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_6_9712	DLIS-S	F CHAR	1
9713	DRPD-SEG-7-IND DROPPED SEGMENT 7 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 7. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_7_9713	DLIS-S	F CHAR	1
9714	DRPD-SEG-9-IND DROPPED SEGMENT 9 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 9. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_9_9714	DLIS-S	F CHAR	1
9715	DRPD-SEG-A-IND DROPPED SEGMENT A INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT A. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_A_9715	DLIS-S	F CHAR	1
9716	DRPD-SEG-B-IND DROPPED SEGMENT B INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT B. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_B_9716	DLIS-S	F CHAR	1
9717	DRPD-SEG-C-IND DROPPED SEGMENT C INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT C. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_C_9717	DLIS-S	F CHAR	1
9718	DRPD-SEG-D-IND DROPPED SEGMENT D INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT D. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_D_9718	DLIS-S	F CHAR	1
9719	DRPD-SEG-E-IND DROPPED SEGMENT E INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT E. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_E_9719	DLIS-S	F CHAR	1
9720	DRPD-SEG-F-IND DROPPED SEGMENT F INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT F. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_F_9720	DLIS-S	F CHAR	1
9721	DRPD-SEG-G-IND DROPPED SEGMENT G INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT G. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_G_9721	DLIS-S	F CHAR	1
9722	DRPD-SEG-H-IND DROPPED SEGMENT H INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT H. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_H_9722	DLIS-S	F CHAR	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9723	DRPD-SEG-J-IND DROPPED SEGMENT J INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT J. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_J_9723	DLIS-S	F CHAR	1
9724	DRPD-SEG-K-IND DROPPED SEGMENT K INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT K. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_K_9724	DLIS-S	F CHAR	1
9725	DRPD-SEG-L-IND DROPPED SEGMENT L INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT L. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_L_9725	DLIS-S	F CHAR	1
9726	DRPD-SEG-M-IND DROPPED SEGMENT M INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT M. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_M_9726	DLIS-S	F CHAR	1
9727	DRPD-SEG-N-IND DROPPED SEGMENT N INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT N. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_N_9727	DLIS-S	F CHAR	1
9728	DRPD-SEG-P-IND DROPPED SEGMENT P INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT P. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_P_9728	DLIS-S	F CHAR	1
9729	DRPD-SEG-Q-IND DROPPED SEGMENT Q INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Q. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_Q_9729	DLIS-S	F CHAR	1
9730	DRPD-SEG-R-IND DROPPED SEGMENT R INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT R. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_R_9730	DLIS-S	F CHAR	1
9731	DRPD-SEG-V-IND DROPPED SEGMENT V INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT V. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_V_9731	DLIS-S	F CHAR	1
9732	DRPD-SEG-W-IND DROPPED SEGMENT W INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT W. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_W_9732	DLIS-S	F CHAR	1
9733	DRPD-SEG-Y-IND DROPPED SEGMENT Y INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Y. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_Y_9733	DLIS-S	F CHAR	1
9734	DRPD-SEG-Z-IND DROPPED SEGMENT Z INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Z. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_Z_9734	DLIS-S	F CHAR	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9735	ALL-SEGS-DRPD-IND ALL SEGMENTS DROPPED INDICATOR AN INDICATOR USED BY TM TO DROP ALL OUTPUT SEGMENTS. Y = DROP, OTHERWISE BLANK.	ALL_SEGS_DRPD_9735	DLIS-S	F CHAR	1
9736	TM-IP-DS-NM TM INPUT DATASET NAME THE NAME OF THE DATASET WHICH CONTAINS INPUT TRANSACTIONS FOR TM.	IP_DS_NM_9736	DLIS-SBA	F CHAR	38
9737	TM-DS-REJ-FLG-ID TM DATASET REJECT FLAG IDENTIFIER THE IDENTIFIER THAT INDICATES IF THE INPUT DATASET WAS REJECTED BYTM BECAUSE OF VALIDATION ERRORS.	DS_REJ_FLG_9737	DLIS-SBA	F CHAR	2
9739	TM-DS-CT-QY TM DATASET COUNT QUANTITY THE QUANTITY OF DATASETS THAT ARE CREATED BY TM ON A DISK FILE.VALID VALUES: 0 TO 99.	DS_CT_9739	DLIS-SBA	F SMALLINT	2
9740	TM-DIC-IP-DS-CT-QY TM DIC INPUT DATASET COUNT QUANTITY THE QUANTITY BY DIC PER INPUT DATASET. DIC FOR 3 SPACESAND NUMERIC VALUE FOR 5 (REPEATED).	DIC_IP_DS_CT_9740	DLIS-SBA	V VARCHAR	1600
9742	TM-PRE-EDIT-DS-NM TM PRE-EDIT DATASET NAME THE NAME OF THE DATASET WHICH CONTAINS PARTIALLY EDITED INPUTTRANSACTIONS FOR TM.	PRE_EDIT_NM_9742	DLIS-SBA	F CHAR	38
9751	ACTY-CATEGORY ACTIVITY CATEGORY THE PARTITION NUMBER ASSIGNED TO THE ACTIVITYS CATEGORY UNDER WHICH THE ACTIVITYS FORMATTED OUTPUT IS STORED.	ACTY_CATEGORY_9751	DLIS-S	F CHAR	2
9756	DIC-CATEGORY DIC CATEGORY DETERMINES WHAT GROUPING A DIC BELONGS TO. IT DETERMINES IN WHICH PARTITION AN APPLICATION WRITES ITS OUTPUT.	DIC_CATEGORY_9756	DLIS-S	F CHAR	2
9759	ORIG-IMAG-KEY ORIGINAL IMAGE KEY THE UNIQUE IDENTIFIER OF AN INPUT SEGMENT IN THE ORIGINAL IMAGE FILE.	ORIG_IMAG_KEY_9759	DLIS-S	F CHAR	23
9763	RR-TRANS-KEY REROUTE TRANSACTION KEY THE UNIQUE IDENTIFIER OF A REROUTED TRANSACTION.	RR_TRANS_KEY_9763	DLIS-S	F CHAR	23
9764	SELECT-KEY SUBMODULE SELECTION KEY PROVIDES A MEANS TO DIRECT PROGRAM CONTROL TO THE APPROPRIATE REFORMATTING SUBMODULE.	SELECT_KEY_9764	DLIS-S	F CHAR	5
9765	SSN STATION SERIAL NUMBER THE STATION SERIAL NUMBER OF THE AUTODIN MESSAGE.	SSN_9765	DLIS-S	F CHAR	4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9768	TM-BATCH-KEY TM BATCH KEY UNIQUELY IDENTIFIES A TRANSACTION WITHIN A BATCH OF MEDALS TRANSACTIONS.	TM_BATCH_KEY_9768	DLIS-S	F CHAR	6
9769	TM-CLOSE-REQ TM PARTITION CLOSE REQUEST INDICATES WHETHER OR NOT A PARTITION BEING REQUESTED IS IN USE OR NOT.	TM_CLOSE_REQ_9769	DLIS-S	F CHAR	1
9771	VALID-POSIT VALID POSITION THE VALID POSITION OF A CONTI-IND-CD WITH RESPECT TO THE CARD IMAGE POSITION.	VALID_POSIT_9771	DLIS-S	F CHAR	1
9779	FIIG-TI FEDERAL ITEM IDENTIFICATION GUIDE TITLE THE TITLE OF THE FIIG PUBLICATION.	FIIG_TI_9779	DLIS-SC	V VARCHAR	120
9783	CLNDR-YR-DT CALENDAR YEAR DATE THE DATE (CALENDAR YEAR) ON WHICH THE EVENT OCCURRED. FORMAT: CCYY	CLNDR_YR_9783	DLIS-V	F CHAR	4
9784	MO-OF-YR-DT MONTH OF YEAR DATE THE (NUMBER OF) MONTH WHEN THE CALENDAR EVENT OCCURRED.	MO_OF_YR_9784	DLIS-V	F CHAR	2
9785	DAY-OF-MO-DT DAY OF MONTH DATE THE DAY (OF MONTH) WHEN THE CALENDAR EVENT OCCURRED. VALID VALUES: 01 - 31	DAY_OF_MO_9785	DLIS-V	F CHAR	2
9786	BEG-TM BEGIN TIME THE TIME WHEN THE CALENDAR EVENT BEGINS. THE MILITARY FORMAT IS IN THE FORM OF HH:MM.	BEG_TM_9786	DLIS-V	F CHAR	5
9787	END-TM END TIME THE TIME WHEN THE CALENDAR EVENT ENDS. THE MILITARY FORMAT IS IN THE FORM OF HH:MM.	END_TM_9787	DLIS-V	F CHAR	5
9801	TM-OP-SEQ-FLD TM OUTPUT SEQUENCE FIELD ASSIGNED A SINGLE VALUE FOR ALL ROWS IN AN OUTPUT PACKAGE BY TM. USED BY MULTI MEDIA OUTPUT DISTRIBUTION TO SEQUENCE PACKAGES.	OP_SEQ_FLD_9801	DLIS-S	F CHAR	25
9802	TM-OP-DATA-GP TM OUTPUT DATA GROUP CODE USED TO GROUP LIKE MULTI MEDIA OUTPUT DISTRIBUTION TRANSACTIONS INTO SEPARATE DATA TYPES TO AID THE CUSTOMER IN SEPARATING OUTPUT FROM DIFFERENT TRANSACTION TYPES. APPLICABLE VALUES INCLUDE: 1) CATALOGING MAINTENANCE, 2) CATALOGING NOTIFICATIONS, 3) DATA RETRIEVAL PROVISIONINGSSCREENING, 4) CATALOG TOOLS MOE RULE NOTIFICATION, 5) CATALOG TOOLS CAGE CODE NOTIFICATION, AND 6) DAAS SOURCE OF SUPPLY.	OP_DATA_GP_9802	DLIS-S	F CHAR	1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9993 INT-CD-PAC-SUMRY-PAC-INC DLIS-SCA F 4
 INTERROGATION CODE, PAC SUMMARY PAC WITHIN ITEM NAME CODE
 A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE SUMMARY BY PAC WITHIN ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 3445, 0116, 3445, 4735, 0115 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9995 INT-CD-PAC-DTL-MODE-CD DLIS-SCA F 4
 INTERROGATION CODE, PAC DETAIL BY MODE CODE WITHIN FIIG
 A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4735, 0116, 4080, 3445, 4080, 3960/8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
AB VALUE	<u>4419</u>
ABBREVIATED MRC FIIG ITEM NAME CODE NSN	<u>8224</u>
ABBREVIATED MRC FIIG ITEM NAME CODE NSN PERCENT	<u>8228</u>
ABBREVIATED REPLY STATEMENT	<u>3615</u>
ABBREVIATED REQUIREMENT STATEMENT	<u>3613</u>
ABBREVIATION	<u>1875</u>
ABBREVIATIONS/TERMS DATA	<u>0317</u>
ACCOUNTING REQUIREMENTS CODE ARMY	<u>2665</u>
ACCOUNTING REQUIREMENTS CODE EXPLANATION ARMY	<u>3157</u>
ACCUMULATE RETURN CODE	<u>9452</u>
ACQUISITION ADVICE CODE (AAC)	<u>2507</u>
ACQUISITION ADVICE CODE ACTIVITY GROUP NSN	<u>5539</u>
ACQUISITION ADVICE CODE ACTIVITY LOA GROUP NSN	<u>5486</u>
ACQUISITION ADVICE CODE ACTIVITY LOA NSN	<u>5485</u>
ACQUISITION ADVICE CODE ACTIVITY NSN	<u>5512</u>
ACQUISITION ADVICE CODE DEPARTMENT GROUP NSN	<u>5620</u>
ACQUISITION ADVICE CODE DEPARTMENT LOA GROUP NSN	<u>5566</u>
ACQUISITION ADVICE CODE DEPARTMENT LOA NSN	<u>5565</u>
ACQUISITION ADVICE CODE DEPARTMENT NSN	<u>5594</u>
ACQUISITION ADVICE CODE EXPLANATION	<u>5250</u>
ACQUISITION ADVICE CODE FSC ACTIVITY GROUP NSN	<u>5377</u>
ACQUISITION ADVICE CODE FSC ACTIVITY LOA GROUP NSN	<u>5324</u>
ACQUISITION ADVICE CODE FSC ACTIVITY LOA NSN	<u>5323</u>
ACQUISITION ADVICE CODE FSC ACTIVITY NSN	<u>5350</u>
ACQUISITION ADVICE CODE FSC DEPARTMENT GROUP NSN	<u>5457</u>
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA GROUP NSN	<u>5404</u>
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA NSN	<u>5403</u>
ACQUISITION ADVICE CODE FSC DEPARTMENT NSN	<u>5432</u>
ACQUISITION ADVICE CODE I4	<u>5413</u>
ACQUISITION ADVICE CODE IM DEPARTMENT LOA GROUP NSN	<u>5729</u>
ACQUISITION ADVICE CODE IM DEPARTMENT NSN	<u>8181</u>
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY LOA NSN	<u>5648</u>
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY NSN	<u>5675</u>
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY GROUP NSN	<u>5702</u>
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY LOA GP NSN	<u>5649</u>
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT GROUP NSN	<u>8182</u>
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT LOA NSN	<u>5728</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA NSN	<u>8190</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTIVITY NSN	<u>8187</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY GRP NSN	<u>8188</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT GRP NSN	<u>8213</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA GP NSN	<u>8185</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA NSN	<u>8184</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA GP NSN	<u>8191</u>
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT NSN	<u>8212</u>
ACQUISITION ADVICE CODE N 10	<u>5580</u>
ACQUISITION ADVICE CODE NOTE	<u>5251</u>
ACQUISITION ADVICE CODE Q13	<u>5665</u>
ACQUISITION ADVICE CODE S13	<u>5667</u>
ACQUISITION ADVICE CODE Y 1	<u>5348</u>
ACQUISITION METHOD CODE	<u>2871</u>
ACQUISITION METHOD CODE 4	<u>6427</u>
ACQUISITION METHOD CODE 5	<u>6436</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ACQUISITION METHOD CODE EXPLANATION	<u>5204</u>
ACQUISITION METHOD CODE FROM	<u>3086</u>
ACQUISITION METHOD CODE NOTE	<u>5206</u>
ACQUISITION METHOD CODE TO	<u>3085</u>
ACQUISITION METHOD SUFFIX CODE (AMSC)	<u>2876</u>
ACQUISITION METHOD SUFFIX CODE EXPLANATION	<u>5205</u>
ACQUISITION METHOD SUFFIX CODE NOTE	<u>5207</u>
ACTION CODE	<u>9315</u>
ACTION CONCURRENCE STATUS CODE	<u>0026</u>
ACTION INITIATION OFFICE IDENTIFIER	<u>0024</u>
ACTION LOCATION SENT DATE	<u>0049</u>
ACTION OFFICE	<u>5292</u>
ACTION RESPONSE SUSPENSE DATE	<u>0032</u>
ACTIVE AMMO CODE TOTAL COUNT	<u>1831</u>
ACTIVE APPROVED ITEM NAME TOTAL COUNT	<u>1832</u>
ACTIVE BASIC NAME TOTAL COUNT	<u>1833</u>
ACTIVE COLLOQUIAL NAME TOTAL COUNT	<u>1834</u>
ACTIVE FSC MODIFIER TOTAL COUNT	<u>1836</u>
ACTIVE FSC TOTAL COUNT	<u>1835</u>
ACTIVE INDEX ENTRY TOTAL COUNT	<u>1837</u>
ACTIVE NIIN MOE RULE QUANTITY	<u>6595</u>
ACTIVITY CATEGORY	<u>9751</u>
ACTIVITY CITY	<u>3246</u>
ACTIVITY CODE	<u>2046</u>
ACTIVITY CODE SCREENING	<u>0177</u>
ACTIVITY DESIGNATOR CODE-DLA/GSA	<u>0511</u>
ACTIVITY FLAG	<u>9131</u>
ACTIVITY GROUP	<u>9133</u>
ACTIVITY NAME LINE - 1	<u>3238</u>
ACTIVITY NAME LINE - 2	<u>3239</u>
ACTIVITY NAME LINE - 3	<u>3240</u>
ACTIVITY NAME LINE - 4	<u>3241</u>
ACTIVITY NAME LINE - 5	<u>3242</u>
ACTIVITY NAME LINE TEXT	<u>3353</u>
ACTIVITY OFFICE SYMBOL	<u>3243</u>
ACTIVITY STATE/U.S. POSSESSION ABBREVIATION	<u>3247</u>
ACTIVITY STREET ADDRESS - 1	<u>3244</u>
ACTIVITY STREET ADDRESS - 2	<u>3245</u>
ACTIVITY TYPE	<u>9134</u>
ACTIVITY ZIP CODE	<u>3248</u>
ADDITIONAL GRAPHICS INFORMATION	<u>0773</u>
ADDITIONAL IDENTIFICATION	<u>1468</u>
ADDITIONAL R P Q SEGMENTS	<u>3146</u>
ADDRESS CODE	<u>1081</u>
ADDRESS SEQUENCE CODE	<u>0233</u>
ADDRESS TYPE CODE	<u>2137</u>
ADPE IDENTIFICATION CODE DEFINITION	<u>5262</u>
AFFILIATE CAGE CODE COUNT	<u>1460</u>
AGENCY ADDRESS LINE 1 TEXT	<u>0084</u>
AGENCY ADDRESS LINE 2 TEXT	<u>0085</u>
AGENCY CITY NAME	<u>0086</u>
AGENCY COMMERCIAL FAX NUMBER IDENTIFER	<u>0221</u>
AGENCY COMMERCIAL TELEPHONE NUMBER IDENTIFIER	<u>0220</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
AGENCY COUNTRY CODE	<u>0089</u>
AGENCY DSN FAX NUMBER IDENTIFIER	<u>0223</u>
AGENCY DSN TELEPHONE NUMBER IDENTIFIER	<u>0222</u>
AGENCY EMAIL ADDRESS TEXT	<u>0224</u>
AGENCY LOCATOR CODE (ALC)	<u>6000</u>
AGENCY MAJOR COMMAND NAME	<u>0081</u>
AGENCY NAME	<u>0219</u>
AGENCY OFFICE SYMBOL IDENTIFIER	<u>0082</u>
AGENCY ORGANIZATION NAME	<u>0083</u>
AGENCY STATE CODE	<u>0087</u>
AGENCY ZIP CODE	<u>0088</u>
AGENCY/PROJECT CODE	<u>4339</u>
AGENCY/PROJECT DEFINITION TEXT	<u>4340</u>
AIR COMMODITY CODE	<u>2497</u>
AIR COMMODITY CODE EXPLANATION	<u>5232</u>
AIR COMMODITY SPECIAL HANDLING CODE	<u>9215</u>
AIR DIMENSION CODE	<u>9220</u>
AIR DIMENSION CODE EXPLANATION	<u>5231</u>
AIR ELIGIBLE CATEGORY CODE	<u>1470</u>
AIR FORCE BUDGET APPROPRIATION	<u>3160</u>
AIR FORCE BUDGET CODE MANAGEMENT DATA LIST DEFINITION	<u>3161</u>
AIR FORCE BUDGET CODE-MANAGEMENT DATA LIST	<u>3765</u>
AIR FORCE BUDGET PROGRAM	<u>3159</u>
AIR FORCE BUDGET STOCK FUND DIVISION	<u>3162</u>
AIR FORCE COMMODITY USER INDICATOR CODE	<u>3976</u>
AIR FORCE FEDERAL SUPPLY CLASS MANAGER	<u>8860</u>
AIR FORCE REPLACEMENT ACTIVITY CODE	<u>2875</u>
AIR FORCE SOURCE OF SUPPLY CODE	<u>9403</u>
AIR LOGISTICS CENTER PRIME SITE	<u>2073</u>
AIR SPECIAL HANDLING CODE	<u>3169</u>
AIR SPECIAL HANDLING CODE EXPLANATION	<u>3170</u>
AIR SPECIAL HANDLING PART 1	<u>4521</u>
AIR SPECIAL HANDLING PART 2	<u>4524</u>
AIR SPECIAL HANDLING SUB 1	<u>4522</u>
AIR SPECIAL HANDLING SUB 2	<u>4523</u>
AIRLIFT CODE	<u>2064</u>
ALIAS	<u>1876</u>
ALL FSC MOE RULE NIIN QUANTITY	<u>6597</u>
ALL SEGMENTS DROPPED INDICATOR	<u>9735</u>
ALLOWED DIC	<u>9135</u>
ALPHABETIC EXTRACT	<u>1065</u>
ALPHABETIC ITEM NAME SEARCH	<u>1940</u>
ALTERNATE OUTPUT MEDIA CODE	<u>0420</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS NSN	<u>6422</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS TOTAL NSN	<u>6421</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NSN	<u>6413</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGINNING BALANCE N	<u>6414</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES NSN	<u>6430</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES TOTAL NSN	<u>6429</u>
AMC ACTIVITY ALL COMMODITY CATEGORIES MOVEMENT TOTAL NSN	<u>7171</u>
AMC ACTIVITY ALL COMMODITY CATEGORY AMC TOTAL NSN	<u>6452</u>
AMC ACTIVITY ALL COMMODITY CATEGORY CODE FROM NSN	<u>8210</u>
AMC ACTIVITY ALL COMMODITY CATEGORY CODE MOVEMENT NSN	<u>6369</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
AMC ACTIVITY ALL COMMODITY CATEGORY CODE TO TOTAL NSN	<u>6368</u>
AMC ACTIVITY ALL COMMODITY CATEGORY ENDING	<u>6451</u>
AMC ACTIVITY COMMODITY CATEGORY ADDS NSN	<u>6373</u>
AMC ACTIVITY COMMODITY CATEGORY ADDS TOTAL NSN	<u>6372</u>
AMC ACTIVITY COMMODITY CATEGORY AMC TOTAL NSN	<u>6385</u>
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE NSN	<u>6371</u>
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE TOTAL NSN	<u>6370</u>
AMC ACTIVITY COMMODITY CATEGORY CODE FROM NSN	<u>6380</u>
AMC ACTIVITY COMMODITY CATEGORY CODE TO TOTAL NSN	<u>6379</u>
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS NSN	<u>6377</u>
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS TOT NSN	<u>6376</u>
AMC ACTIVITY COMMODITY CATEGORY ENDING BALANCE TOTAL NSN	<u>6384</u>
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT NSN	<u>6381</u>
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT TOTAL NSN	<u>6378</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADD TOTAL NSN	<u>6374</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADDS NSN	<u>6375</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES AMC TOTAL NSN	<u>6406</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE NSN	<u>6367</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NS	<u>6366</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES NSN	<u>6383</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES TOTAL NSN	<u>6382</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES ENDING BAL TOTAL NSN	<u>6405</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT NSN	<u>6353</u>
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT TOT NSN	<u>6351</u>
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE FROM NSN	<u>6398</u>
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE TO TOTAL NSN	<u>6352</u>
AMC DEPARTMENT COMMODITY CATEGORY ADDS NSN	<u>6357</u>
AMC DEPARTMENT COMMODITY CATEGORY ADDS TOTAL NSN	<u>6356</u>
AMC DEPARTMENT COMMODITY CATEGORY AMC TOTAL NSN	<u>6365</u>
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE NSN	<u>6355</u>
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE TOT NSN	<u>6354</u>
AMC DEPARTMENT COMMODITY CATEGORY CODE FROM NSN	<u>6362</u>
AMC DEPARTMENT COMMODITY CATEGORY CODE TO TOTAL NSN	<u>6361</u>
AMC DEPARTMENT COMMODITY CATEGORY DELETES NSN	<u>6359</u>
AMC DEPARTMENT COMMODITY CATEGORY DELETES TOTAL NSN	<u>6358</u>
AMC DEPARTMENT COMMODITY CATEGORY ENDING BALANCE TOTAL NSN	<u>6364</u>
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT NSN	<u>6363</u>
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT TOTAL NSN	<u>6360</u>
AMMO CODE ADD COUNT	<u>1838</u>
AMMO CODE CHANGED COUNT	<u>1840</u>
AMMO CODE DELETED COUNT	<u>1839</u>
AMMO CODE PREFIX IDENTIFIER	<u>8809</u>
AMMO-CODE NIIN QUANTITY	<u>1841</u>
AMMUNITION CODE	<u>8805</u>
AMMUNITION GENERIC DESCRIPTION	<u>3769</u>
AMMUNITION GENERIC DESCRIPTION COUNTER	<u>1063</u>
AMSC AMC VALID COMBINATIONS CODE	<u>8009</u>
AMSC DEPARTMENT ACTIVITY AMC NSN	<u>6387</u>
AMSC DEPARTMENT ACTIVITY AMC TOTAL	<u>6388</u>
AMSC DEPARTMENT ACTIVITY AMSC TOTAL	<u>6386</u>
AMSC DEPARTMENT ACTIVITY TOTAL NSN	<u>8209</u>
AMSC DEPARTMENT AMC NSN	<u>6400</u>
AMSC DEPARTMENT AMC TOTAL NSN	<u>6401</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
AMSC DEPARTMENT AMSC TOTAL NSN	<u>6399</u>
AMSC DEPARTMENT TOTAL NSN	<u>6389</u>
AND OR	<u>4410</u>
AND OR INDICATOR	<u>3060</u>
AND SYMBOL	<u>8950</u>
APPENDIX	<u>0961</u>
APPLICABILITY KEY CODE DATA	<u>0310</u>
APPLICABILITY KEY CODE FEDERAL ITEM IDENTIFICATION GUIDE	<u>0103</u>
APPLICABILITY KEY CODE FIIG TOTAL COUNT	<u>1842</u>
APPLICATION ACCESS DESCRIPTION TEXT	<u>9269</u>
APPLICATION ACCESS INDICATOR CODE	<u>0073</u>
APPLICATION CODE	<u>2416</u>
APPLICATION DESCRIPTION TEXT	<u>0070</u>
APPLICATION FLAGS INDICATOR CODE	<u>0071</u>
APPLICATION FORMS INDICATOR CODE	<u>0072</u>
APPLICATION OUTPUT RECORD	<u>9136</u>
APPLICATION PARAMETER NAME	<u>0037</u>
APPLICATION PARAMETER VALUE TEXT	<u>0039</u>
APPLICATION REGISTRATION FORM CODE	<u>0203</u>
APPLICATION REGISTRATION FORM DESCRIPTION TEXT	<u>0204</u>
APPROVED 6	<u>6662</u>
APPROVED ITEM NAME (AIN)	<u>5010</u>
APPROVED ITEM NAME (AIN) COUNT PER FSC	<u>1461</u>
APPROVED ITEM NAME (AIN) COUNT PER FSG	<u>1458</u>
APPROVED ITEM-NAME DICTIONARY WORD	<u>1538</u>
ARCHIVE BEGIN DATE	<u>9311</u>
ARCHIVE END DATE	<u>9312</u>
ARCHIVE TIMESTAMP	<u>9137</u>
ARCHIVED BY USER	<u>9138</u>
ARMY COMMODITY USER INDICATOR CODE	<u>3974</u>
ARMY FEDERAL SUPPLY CLASS MANAGER	<u>8831</u>
ARMY MATERIAL CATEGORY APPROPRIATION AND SUBGROUP CODE	<u>2163</u>
ARMY MATERIAL CATEGORY DESCRIPTION AND USE TEXT	<u>2162</u>
ARMY MATERIEL CATEGORY APPROPRIATION AND SUBGROUP TEXT	<u>2164</u>
ARMY MATERIEL CATEGORY DESCRIPTION AND USAGE CODE	<u>2161</u>
ARMY MATERIEL CATEGORY SUBGROUP	<u>2166</u>
ARMY MATERIEL CATEGORY SUBGROUP CODE	<u>2165</u>
ARMY MATERIEL CATEGORY SUBGROUP CODE ONE	<u>2167</u>
ARMY MATERIEL CATEGORY SUBGROUP TEXT ONE	<u>2168</u>
ARMY REPLACEMENT ACTIVITY CODE	<u>2873</u>
ARMY SOURCE OF SUPPLY CODE	<u>9402</u>
ASCII EBCDIC	<u>9139</u>
ASSETS AVAILABILITY CODE	<u>4720</u>
ASSIGN ISAC REPLY STATUS INDICATOR	<u>3561</u>
ASSIGNED CAGE CODE COUNT	<u>1459</u>
ASSIGNED CONTROL NUMBER MCRL SERVICE AGENCY DESIGNATOR	<u>5311</u>
ASSIGNED FEDERAL SUPPLY CLASS (FSC)	<u>3990</u>
ASSIGNED FEDERAL SUPPLY CLASS WITHIN FEDERAL SUPPLY GROUP	<u>3996</u>
ASSIGNED FEDERAL SUPPLY GROUP (FSG)	<u>3994</u>
ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN)	<u>4000</u>
ASSIGNED NATIONAL STOCK NUMBER (NSN)	<u>3960</u>
ASSIGNED NATO CODE COUNT	<u>1456</u>
ASSIGNED NIIN FOR MEDALS	<u>2274</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ASSIGNED REFERENCE NUMBER IDENTIFIER	<u>2924</u>
ASSOCIATION CODE CAGE/NCAGE CODE	<u>8855</u>
ASSOCIATION PACKAGE SEQUENCE NUMBER	<u>8252</u>
ATTENTION LINE	<u>3482</u>
AUDIT ISAC REPLY STATUS INDICATOR	<u>3562</u>
AUDIT STYLE REPLY STATUS INDICATOR	<u>3563</u>
AUTHORIZED FILE UPDATE RECEIVERS	<u>4507</u>
AUTHORIZED INPUT DIC	<u>4499</u>
AUTHORIZED INTERROGATION SUBMITTER	<u>4506</u>
AUTHORIZED ITEM IDENTIFICATION DATA COLLABORATOR CODE	<u>2531</u>
AUTHORIZED ITEM IDENTIFICATION DATA RECEIVER CODE	<u>2532</u>
AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER CODE	<u>2535</u>
AUTHORIZED USER NAME	<u>1357</u>
AUTODIN CONTENT INDICATOR CODE	<u>9306</u>
AUTODIN INPUT OUTPUT	<u>9140</u>
AUTODIN MESSAGE	<u>9310</u>
AUTODIN MESSAGE COUNT	<u>0755</u>
AUTODIN MESSAGE DATE TIME	<u>9486</u>
AUTODIN STATION SERIAL NUMBER	<u>0754</u>
AUTODIN TRAILER	<u>9432</u>
AUTOMATIC DATA PROCESSING (ADP) POINT CODE	<u>8835</u>
AUTOMATIC DATA PROCESSING EQUIPMENT CODE 2	<u>7827</u>
AUTOMATIC DATA PROCESSING EQUIPMENT IDEN CODE (ADPEC)	<u>0801</u>
AUTOMATIC RETURN ITEM CODE	<u>1469</u>
AUTOMATIC VOICE NETWORK NUMBER	<u>0887</u>
AVERAGE NUMBER OF DAYS IN NATO B BRANCH	<u>2011</u>
AVERAGE NUMBER OF DAYS IN NATO C BRANCH	<u>2012</u>
AVERAGE NUMBER OF DAYS IN NATO TOTAL	<u>2013</u>
BASIC COMBINATION OR INTEGRATED MATERIAL MANAGER INDICATO	<u>4582</u>
BASIC NAME	<u>9561</u>
BASIC OR CHANGE BULLETIN INDICATOR	<u>2316</u>
BATCH DOCUMENT CONTROL NUMBER TOTAL	<u>2016</u>
BATCH DOCUMENT CONTROL NUMBER TOTAL	<u>2017</u>
BATCH DOCUMENT CONTROL NUMBER TOTAL	<u>2175</u>
BATCH NAME	<u>2248</u>
BATCH NUMBER TO BATCH CONTROL NUMBER	<u>0998</u>
BATCH PROCESS BEGIN TIMESTAMP TIME	<u>8349</u>
BATCH PROCESS END TIMESTAMP TIME	<u>8350</u>
BATCH PROCESSING STAU S NEGATIVE MESSAGE	<u>2018</u>
BATCH PROGRAM QA ANALYSIS BEGIN TIMESTAMP TIME	<u>8343</u>
BATCH PROGRAM QA PRE-PROCESS END TIMESTAMP TIME	<u>8344</u>
BATCH TRANSACTION STATISTICAL TIME FRAME CODE	<u>2604</u>
BATCH-STATISTICS-COUNTER	<u>1107</u>
BEGIN TIME	<u>9786</u>
BEGINNING DATE	<u>0912</u>
BEGINNING TIMESTAMP TIME	<u>4567</u>
BLOCK SIZE	<u>9141</u>
BRANCH CODE	<u>0997</u>
BRANCH LSA TOTAL	<u>1965</u>
BSM DB2 PARTITION QUANTITY	<u>4510</u>
BSM MESSAGE TEXT	<u>4509</u>
BULLETIN BOARD AREA FROM IDENTIFICATION	<u>4554</u>
BULLETIN BOARD AREA TO IDENTIFICATION	<u>4553</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
BULLETIN BOARD GENERATED DATE	<u>4551</u>
BULLETIN BOARD SEQUENCE NUMBER	<u>4552</u>
BULLETIN BOARD SUBJECT NAME	<u>4555</u>
BULLETIN BOARD TEXT	<u>4556</u>
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN	<u>6651</u>
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN GROUP	<u>6652</u>
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN TOTAL	<u>6653</u>
CAGE CODE FOR MEDALS	<u>2272</u>
CAGE COMPANY NAME STOP-WORD TEXT	<u>4464</u>
CAGE EXTRACT QUANTITY	<u>1382</u>
CAGE FSC NSN	<u>6657</u>
CAGE ITEM NAME CODE NSN	<u>6656</u>
CAGE KEY WORD	<u>4471</u>
CAGE NSN	<u>6654</u>
CAGE ON LINE 1	<u>6184</u>
CAGE PARENT COMPANY COUNT	<u>1457</u>
CAGE POINT OF CONTACT NAME	<u>3374</u>
CAGE REFERENCE NUMBER	<u>6655</u>
CAGE STATUS CODE APPLICABLE ORGANIZATIONAL ENTITY	<u>5294</u>
CAGE STATUS CODE USER INTERPRETATION	<u>5293</u>
CAGE WEB SITE ADDRESS IDENTIFIER	<u>9280</u>
CAGE/NCAGE DESIGNATOR CODE	<u>2620</u>
CAGE/NCAGE STATUS CODE	<u>2694</u>
CAGE/NCAGE-TYPE CODE	<u>4238</u>
CALENDAR YEAR DATE	<u>9783</u>
CALIBRATION MARKER	<u>2311</u>
CANCEL REINSTATE CODE	<u>1947</u>
CANCEL-DUPE CANCEL-USE REPLACEMENT INDICATOR	<u>2499</u>
CANCELED NATIONAL STOCK NUMBER	<u>3790</u>
CANCELLATION/DELETE MOE RULE SEGMENT	<u>9117</u>
CANCELLED CAGE CODE CLEARED DATE	<u>1373</u>
CANCELLED CAGE CODE SUSPENSE DATE	<u>1372</u>
CAO/ADP EXCEPTION PROCESSING CODE	<u>8868</u>
CAO/ADP EXCEPTION PROCESSING CODE EXPLANATION	<u>5270</u>
CARD IDENTIFICATION CODE (CIC) ITEM MANAGEMENT CODING	<u>0099</u>
CARD IDENTIFICATION CODE EXPLANATION	<u>5212</u>
CARD IDENTIFICATION CODE TITLE	<u>5211</u>
CARD IDENTIFICATION NUMBER	<u>0227</u>
CARD/SEQUENCE CODE	<u>8264</u>
CARRY OVER COUNT	<u>9455</u>
CARRY OVER FLAG	<u>9453</u>
CARRY OVER RETURN CODE	<u>9454</u>
CASE NUMBER	<u>2544</u>
CATALOG MANAGEMENT DATA (CMD) SEGMENT	<u>9108</u>
CATALOG MANAGEMENT DATA AUTHORIZATION CODE	<u>0759</u>
CATALOG MANAGEMENT DATA AUTHORIZATION CODE EXPLANATION	<u>3458</u>
CATALOG MANAGEMENT INPUT OUTPUT NOTE INDICATOR	<u>2101</u>
CATALOG TOOLS INTERROGATION OUTPUT SEGMENT	<u>0258</u>
CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT	<u>0330</u>
CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT	<u>0331</u>
CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTION SEGMENT	<u>0228</u>
CATALOG TOOLS OUTPUT MEDIA CODE	<u>2094</u>
CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT	<u>0241</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
CATALOGING ACTIVITY CODE	<u>3738</u>
CATEGORY CODE	<u>0905</u>
CATEGORY CODE ACTIVITY EXPLANATION	<u>2227</u>
CATEGORY DIC COMMENT	<u>4626</u>
CATEGORY OF MATERIAL	<u>2312</u>
CENTRAL CONTRACTOR COMPANY REGISTRATION DATE	<u>4791</u>
CENTRAL CONTRACTOR REGISTRATION AIR WATER CERTIFICATION CODE	<u>6001</u>
CENTRAL CONTRACTOR REGISTRATION AMERICAN BANKING ASSOCIATION ROU	<u>4795</u>
CENTRAL CONTRACTOR REGISTRATION AMOUNT DOLLAR THRESHOLD CONTRACT	<u>6002</u>
CENTRAL CONTRACTOR REGISTRATION ANNUAL RENEWAL DATE	<u>4812</u>
CENTRAL CONTRACTOR REGISTRATION AVERAGE NUMBER EMPLOYEES QUANTIT	<u>4364</u>
CENTRAL CONTRACTOR REGISTRATION AWARD CERTIFICATION DEBARRMENT C	<u>6016</u>
CENTRAL CONTRACTOR REGISTRATION BUSINESS COMPETITIVENESS DEMONST	<u>6004</u>
CENTRAL CONTRACTOR REGISTRATION BUSINESS COMPETITIVENESS DEMONST	<u>6005</u>
CENTRAL CONTRACTOR REGISTRATION BUSINESS START DATE	<u>4366</u>
CENTRAL CONTRACTOR REGISTRATION CAGE CODE INPUT RECORD TEXT	<u>3377</u>
CENTRAL CONTRACTOR REGISTRATION CAGE CODE OUTPUT RECORD TEXT	<u>3378</u>
CENTRAL CONTRACTOR REGISTRATION CITY NAME	<u>4804</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY DIVISION NUMBER IDENTIFI	<u>4385</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY FISCAL END DATE	<u>4367</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME	<u>4379</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME SEQUENTIAL NUMBER I	<u>4388</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT DESCRIPTION TEXT	<u>4387</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT METHOD IDENTIFIE	<u>4386</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY REVENUE AMOUNT	<u>4365</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY SECURITY LEVEL NAME	<u>4370</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY SMALL BUSINESS ADMINISTR	<u>3360</u>
CENTRAL CONTRACTOR REGISTRATION COMPANY SMALL BUSINESS ADMINISTR	<u>3361</u>
CENTRAL CONTRACTOR REGISTRATION CONFIRMATION IDENTIFIER	<u>4843</u>
CENTRAL CONTRACTOR REGISTRATION CONTACT TYPE CODE	<u>4800</u>
CENTRAL CONTRACTOR REGISTRATION CONTRACT AWARD FEDERAL APPROPRIA	<u>6013</u>
CENTRAL CONTRACTOR REGISTRATION CONTRACT REQUIREMENTS CODE	<u>6021</u>
CENTRAL CONTRACTOR REGISTRATION CURRENT REGISTRATION STATUS CODE	<u>4813</u>
CENTRAL CONTRACTOR REGISTRATION DEPARTMENT POINT OF CONTACT NAME	<u>4805</u>
CENTRAL CONTRACTOR REGISTRATION DOING BUSINESS AS NAME	<u>4383</u>
CENTRAL CONTRACTOR REGISTRATION DUNS COMPANY DIVISION NAME	<u>4384</u>
CENTRAL CONTRACTOR REGISTRATION DUNS LAST ACTION CODE	<u>4389</u>
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS FOUR IDENTIFIER	<u>4810</u>
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS4 IDENTIFIER	<u>4361</u>
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE DATE	<u>4793</u>
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE TIME	<u>4794</u>
CENTRAL CONTRACTOR REGISTRATION EDI INDUSTRY IDENTIFIER	<u>4382</u>
CENTRAL CONTRACTOR REGISTRATION EDI SOFTWARE VERSION NAME	<u>4827</u>
CENTRAL CONTRACTOR REGISTRATION EDI STANDARD VERSION RELEASE NUM	<u>4381</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION CAPABILITY NAME	<u>4792</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION EMAIL ADDRESS ID	<u>4825</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION MEDIA CAPABILITY	<u>4824</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION NUMBER NAME	<u>4841</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION PURPOSE CODE	<u>4847</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION REFERENCE NUMBER	<u>4845</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION SET NUMBER IDENT	<u>4380</u>
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION TYPE CODE	<u>4846</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
CENTRAL CONTRACTOR REGISTRATION EDI VALUE ADDED NETWORK NAME	<u>4826</u>
CENTRAL CONTRACTOR REGISTRATION EFT ACCOUNT BANKING NUMBER IDENT	<u>4797</u>
CENTRAL CONTRACTOR REGISTRATION EFT FINANCIAL INSTITUTION NAME	<u>4798</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRIC SERVICE TERRITORY COMPL	<u>6024</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRIC SERVICE TERRITORY COMPL	<u>6025</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER ACCOUN	<u>4394</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER ACCOUN	<u>4396</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER PAYMEN	<u>4796</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER RECORD	<u>4393</u>
CENTRAL CONTRACTOR REGISTRATION ELECTRONIC FUNDS TRANSFER WAIVER	<u>4395</u>
CENTRAL CONTRACTOR REGISTRATION EMPLOYEE SECURITY LEVEL NAME	<u>4371</u>
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY BOARD REPORT R	<u>6023</u>
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY FACILITY SEGRE	<u>6020</u>
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY PROGRAM ESTABL	<u>6022</u>
CENTRAL CONTRACTOR REGISTRATION EQUAL OPPORTUNITY VIOLATION CODE	<u>6018</u>
CENTRAL CONTRACTOR REGISTRATION FACILITY CHEMICAL REQUIREMENT EX	<u>6010</u>
CENTRAL CONTRACTOR REGISTRATION FACILITY EMPLOYEE REQUIREMENT EX	<u>6008</u>
CENTRAL CONTRACTOR REGISTRATION FACILITY LOCATION REQUIREMENT EX	<u>6009</u>
CENTRAL CONTRACTOR REGISTRATION FACILITY STANDARD INDUSTRIAL CLA	<u>6011</u>
CENTRAL CONTRACTOR REGISTRATION FACILITY THRESHOLD REQUIREMENT E	<u>6012</u>
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY CLASSIFICATION TI	<u>4840</u>
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY GROUP TITLE TEXT	<u>4839</u>
CENTRAL CONTRACTOR REGISTRATION GOVERNMENT CREDIT CARD BUSINESS	<u>4376</u>
CENTRAL CONTRACTOR REGISTRATION HUBZone JOINT VENTURE SMALL BUSI	<u>6027</u>
CENTRAL CONTRACTOR REGISTRATION HUBZone JOINT VENTURE SMALL BUSI	<u>6028</u>
CENTRAL CONTRACTOR REGISTRATION HUBZone JOINT VENTURE SMALL BUSI	<u>6029</u>
CENTRAL CONTRACTOR REGISTRATION HUBZone SMALL BUSINESS INDICATOR	<u>6026</u>
CENTRAL CONTRACTOR REGISTRATION INCORPORATION COUNTRY ABBREVIATI	<u>4363</u>
CENTRAL CONTRACTOR REGISTRATION INCORPORATION STATE ABBREVIATION	<u>4362</u>
CENTRAL CONTRACTOR REGISTRATION INPUT DATA TEXT	<u>3363</u>
CENTRAL CONTRACTOR REGISTRATION INPUT RECORD CAGE CODE	<u>3380</u>
CENTRAL CONTRACTOR REGISTRATION JOINT VENTURE REQUIREMENTS INDIC	<u>6030</u>
CENTRAL CONTRACTOR REGISTRATION JOINT VENTURE SMALL BUSINESS CON	<u>6031</u>
CENTRAL CONTRACTOR REGISTRATION MANUFACTURING PRODUCTION COST LA	<u>6032</u>
CENTRAL CONTRACTOR REGISTRATION MARKETING PARTNER IDENTIFICATION	<u>4360</u>
CENTRAL CONTRACTOR REGISTRATION MILITARY SPECIFICATION NUMBER ID	<u>4803</u>
CENTRAL CONTRACTOR REGISTRATION NUMBER TRADING PARTNER EMPLOYEES	<u>6034</u>
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE	<u>4374</u>
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE DEFINITIO	<u>4836</u>
CENTRAL CONTRACTOR REGISTRATION OUTPUT DATA TEXT	<u>3364</u>
CENTRAL CONTRACTOR REGISTRATION OUTREACH SITE ACTIVITY IDENTIFIE	<u>4831</u>
CENTRAL CONTRACTOR REGISTRATION PARENT CONTROLLING TAXPAYER IDEN	<u>6036</u>
CENTRAL CONTRACTOR REGISTRATION PARENT ORGANIZATION OWNED CONTRO	<u>6035</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT CITY NAME	<u>4809</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT EMAIL NUMBER ID	<u>4823</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT FAX NUMBER IDEN	<u>4822</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT INTERNATIONAL T	<u>4821</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT NAME	<u>4807</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT STREET ADDRESS	<u>4808</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBE	<u>4806</u>
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBE	<u>4814</u>
CENTRAL CONTRACTOR REGISTRATION POSTAL IDENTIFIER	<u>4811</u>
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT IDENTIFIER	<u>4368</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT ISSUE IDENTI	<u>4369</u>
CENTRAL CONTRACTOR REGISTRATION PREVIOUS REGISTERED COMPANY NAME	<u>4799</u>
CENTRAL CONTRACTOR REGISTRATION PROCESS TYPE CODE	<u>4855</u>
CENTRAL CONTRACTOR REGISTRATION PRODUCT SERVICE TITLE TEXT	<u>4837</u>
CENTRAL CONTRACTOR REGISTRATION PSC FSC IDENTIFIER	<u>4830</u>
CENTRAL CONTRACTOR REGISTRATION RECORD LAST ACTION TIME	<u>4390</u>
CENTRAL CONTRACTOR REGISTRATION RECORD ON-LINE PROCESS CAGE CODE	<u>3376</u>
CENTRAL CONTRACTOR REGISTRATION RECORD TABLE070 INPUT EDIT CAGE	<u>3379</u>
CENTRAL CONTRACTOR REGISTRATION REJECTION REASON NOTICE OF CHANG	<u>4789</u>
CENTRAL CONTRACTOR REGISTRATION REQUEST COMPLETED DATE	<u>4833</u>
CENTRAL CONTRACTOR REGISTRATION REQUEST SENT DATE	<u>4832</u>
CENTRAL CONTRACTOR REGISTRATION SECURITY LEVEL NAME	<u>4372</u>
CENTRAL CONTRACTOR REGISTRATION SITE REGISTRATION NUMBER IDENTIF	<u>4842</u>
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS CODE	<u>4834</u>
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS TEXT	<u>4835</u>
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS ADMINISTRATION CE	<u>6037</u>
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS ADMINISTRATION CO	<u>3362</u>
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORITY OFFICE	<u>4802</u>
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORIZATION ADD	<u>6003</u>
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS CONCERN INDICATOR	<u>6038</u>
CENTRAL CONTRACTOR REGISTRATION SMALL DISADVANTAGED BUSINESS CON	<u>6039</u>
CENTRAL CONTRACTOR REGISTRATION SMALL DISADVANTAGED BUSINESS CON	<u>6040</u>
CENTRAL CONTRACTOR REGISTRATION SOLICITATION EQUAL OPPORTUNITY C	<u>6019</u>
CENTRAL CONTRACTOR REGISTRATION STATE PROVINCE CODE	<u>4801</u>
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS ADD-ON TEXT	<u>4378</u>
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS TEXT	<u>4377</u>
CENTRAL CONTRACTOR REGISTRATION SUPPLY SEA TRANSPORTATION CODE	<u>6043</u>
CENTRAL CONTRACTOR REGISTRATION TAXPAYER IDENTIFICATION NOT REQU	<u>4790</u>
CENTRAL CONTRACTOR REGISTRATION TELEPHONE NUMBER TYPE CODE	<u>4392</u>
CENTRAL CONTRACTOR REGISTRATION TOXIC CHEMICAL RELEASE CERTIFICA	<u>6007</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER BLACK COLLEGE CO	<u>6006</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER CRIME INDICATOR	<u>6014</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER CRIME STATUS COD	<u>6015</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER EMERGING SMALL B	<u>6017</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER IDENTIFICATION N	<u>4844</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER MINORITY INSTITU	<u>6033</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER REVENUE RANGE CO	<u>6042</u>
CENTRAL CONTRACTOR REGISTRATION TRADING PARTNER TAXPAYER IDENTIF	<u>6041</u>
CENTRAL CONTRACTOR REGISTRATION TRANSACTION TIMESTAMP TIME	<u>3365</u>
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS DEFINITION TEXT	<u>4391</u>
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS IDENTIFIER	<u>4375</u>
CENTRAL CONTRACTOR REGISTRATION VALUE ADDED NETWORK NAME IDENTIF	<u>4817</u>
CERTIFICATION DATE ESTABLISHED	<u>5296</u>
CERTIFICATION EXPIRATION DATE	<u>5290</u>
CERTIFICATION NUMBER COUNT	<u>1455</u>
CERTIFICATION NUMBERS ADDED COUNT	<u>1454</u>
CERTIFICATION NUMBERS DELETED COUNT	<u>1452</u>
CERTIFIED CONTRACTOR ADDRESS	<u>5275</u>
CERTIFIED CONTRACTOR CITY/STATE	<u>1724</u>
CERTIFIED CONTRACTOR COMMERCIAL AND GOVERNMENT ENTITY CODE	<u>1725</u>
CERTIFIED CONTRACTOR LAST ACTION CODE	<u>9051</u>
CERTIFIED CONTRACTOR ORGANIZATION LOCATION CODE	<u>9052</u>
CERTIFIED CONTRACTOR ZONE IMPROVEMENT PROGRAM CODE	<u>1721</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
CHANGE REPLY FROM	<u>4413</u>
CHANGE REPLY TO	<u>4414</u>
CHANGED DRN/MRC VALUE/REPLY	<u>9977</u>
CHARACTERISTIC EDIT GUIDE TRANSACTION FILE NAME	<u>0778</u>
CHARACTERISTIC EDIT GUIDE TRANSACTION FILE PROCESSED DATE	<u>0779</u>
CHARACTERISTIC SCREENING INDICATOR	<u>3102</u>
CHARACTERISTICS A MODE REPLY	<u>2237</u>
CHARACTERISTICS B MODE REPLY	<u>2238</u>
CHARACTERISTICS DATA GROUP	<u>3317</u>
CHARACTERISTICS EXCEPTION INDICATOR	<u>2193</u>
CHARACTERISTICS F MODE REPLY	<u>2239</u>
CICS ERROR CODE	<u>9392</u>
CICS PASS KEY TEXT	<u>9069</u>
CICS PASS TEXT	<u>9070</u>
CHC NOTE	<u>3494</u>
CITY	<u>1084</u>
CITY AND STATE LOCATION	<u>1355</u>
CITY IDENTIFIER	<u>9287</u>
CLASS OF SUPPLY INTEGRITY CODE (COSIC)	<u>2326</u>
CLASSIFICATION ASSISTANCE MODIFIER H2	<u>9554</u>
CLASSIFICATION ASSISTANCE MODIFIER H3	<u>9553</u>
CLASSIFICATION ASSISTANCE MODIFIER H3 TOTAL COUNT	<u>1843</u>
CLEANING AND DRYING PROCEDURE CODE	<u>5161</u>
CLEANING AND DRYING PROCEDURE CODE DEFINITION TEXT	<u>8630</u>
CLEAR TEXT CHARACTERISTICS SEGMENT	<u>9111</u>
CLEAR TEXT NAME LINE	<u>1086</u>
CLEAR TEXT REPLY	<u>3088</u>
COAST GUARD CLASS	<u>2398</u>
COAST GUARD COMMODITY USER INDICATOR CODE	<u>3963</u>
CODE FOR LENGTH OF REPLY	<u>0365</u>
CODED AND OR CLEAR TEXT REPLY	<u>4128</u>
CODED ITEM CHARACTERISTICS DATA SEGMENT	<u>9118</u>
CODED REPLY	<u>3465</u>
CODED REPLY STATEMENT	<u>5185</u>
COGNIZANCE CODE COMMENT NAVY	<u>4558</u>
COGNIZANCE CODE INVENTORY MANAGER OR RETAIL OFFICE	<u>5257</u>
COGNIZANCE CODE NAVY	<u>2608</u>
COGNIZANCE CODE NAVY DEFINITION	<u>5256</u>
COLLABORATOR ACTIVITY INDICATOR	<u>2144</u>
COLLOQUIAL NAME	<u>4955</u>
COLUMN NUMBER IDENTIFICATION LISTING TABULAR	<u>8257</u>
COLUMN WIDTH IDENTIFICATION LISTING TABULAR	<u>8258</u>
COMBAT ESSENTIALITY CODE EXPLANATION MARINE CORPS	<u>3165</u>
COMBAT ESSENTIALITY CODE MARINE CORPS	<u>3311</u>
COMMA	<u>0488</u>
COMMERCIAL AND GOVERNMENT ENTITY CODE	<u>9250</u>
COMMODITY CATEGORY EXPLANATION	<u>5301</u>
COMMODITY CATEGORY FSC	<u>5310</u>
COMMODITY CATEGORY NOTE - FSC	<u>5300</u>
COMMODITY CATEGORY NOTE FSG	<u>5318</u>
COMMODITY INTEGRATED MATERIAL MGR RETURN ACTION CODE	<u>3137</u>
COMMODITY INTEGRATED MATERIEL MANAGER ACTION RETURN TO	<u>3139</u>
COMMODITY INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT	<u>1553</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
COMMODITY INTEGRATED MATERIEL MANAGER FSC COUNT	<u>1903</u>
COMMODITY INTEGRATED MATERIEL MANAGER INPUT FILE INDICATOR	<u>3138</u>
COMMODITY INTEGRATED MATERIEL MGR RETURN ACTION CODE	<u>3134</u>
COMMODITY MATERIAL MANAGEMENT CATEGORY CD DOD IDENTIFICAT	<u>5308</u>
COMMODITY MATERIAL MANAGEMENT CODE DOD NOTE	<u>5309</u>
COMMODITY MATERIAL MANAGEMENT CATEGORY CODE DOD	<u>2611</u>
COMMODITY MATERIAL MANAGEMENT CATEGORY CODE FUTURE	<u>2612</u>
COMMON NUMBERING SYSTEM INDICATOR	<u>0845</u>
COMMON NUMBERING SYSTEM INDICATOR EXPLANATION	<u>5271</u>
COMMON VALUE CODES	<u>0046</u>
COMMON VALUE GROUP NUMBER	<u>8265</u>
COMMON VALUE GROUPING CRITERIA	<u>9560</u>
COMMUNICATIONS ADDRESS IDENTIFIER	<u>6572</u>
COMMUNICATIONS FILE NAME	<u>6575</u>
COMMUNICATIONS ROUTING INDICATOR	<u>9142</u>
COMPANY ADDRESS LINE 1 TEXT	<u>0283</u>
COMPANY ADDRESS LINE 2 TEXT	<u>0284</u>
COMPANY CITY NAME	<u>0285</u>
COMPANY COMMERCIAL FAX NUMBER IDENTIFIER	<u>0290</u>
COMPANY COMMERCIAL TELEPHONE NUMBER IDENTIFIER	<u>0289</u>
COMPANY COUNTRY CODE	<u>0288</u>
COMPANY DSN TELEPHONE NUMBER IDENTIFIER	<u>0292</u>
COMPANY EMAIL ADDRESS TEXT	<u>0291</u>
COMPANY NAME	<u>1358</u>
COMPANY POINT OF CONTACT NAME	<u>0079</u>
COMPANY STATE CODE	<u>0286</u>
COMPANY ZIP CODE	<u>0287</u>
COMPANY/ORGANIZATION DEPARTMENT NAME	<u>4452</u>
COMPONENT ITEM NAME	<u>8597</u>
COMPONENT NIIN	<u>8592</u>
COMPONENT NIIN ITEM IDENTIFICATION NUMBER	<u>8583</u>
COMPONENT NIIN NATIONAL CODIFICATION BUREAU CODE	<u>8584</u>
COMPONENTS FEDERAL SUPPLY CLASS	<u>8595</u>
COMPUTE CHARACTERISTIC SCREENING KEYS	<u>0489</u>
CONCEPT NUMBER	<u>4488</u>
CONDITION CODE	<u>9307</u>
CONDITION CODE FEDERAL	<u>2835</u>
CONFIDENCE LEVEL RATE	<u>2673</u>
CONFLICT NOTIFICATION CODE	<u>0095</u>
CONFLICT NOTIFICATION CODE EXPLANATION	<u>5110</u>
CONFLICT NOTIFICATION CODE NOTE	<u>5112</u>
CONFLICT NOTIFICATION CODE REMARK	<u>5111</u>
CONGRESSIONAL DISTRICT CODE	<u>3410</u>
CONSUMABLE DEPARTMENT DIC KIR NSN	<u>9631</u>
CONSUMABLE DEPARTMENT DIC KIR TOTAL NSN	<u>9632</u>
CONSUMABLE DEPARTMENT DIC LVA NSN	<u>9626</u>
CONSUMABLE DEPARTMENT DIC LVA TOTAL NSN	<u>9628</u>
CONSUMABLE DEPARTMENT KIV OUTPUT NSN	<u>9618</u>
CONSUMABLE DEPARTMENT KVI OUTPUT TOTAL NSN	<u>9621</u>
CONSUMABLE DEPARTMENT NOT SELECTED NSN	<u>9617</u>
CONSUMABLE DEPARTMENT NOT SELECTED TOTAL NSN	<u>9622</u>
CONSUMABLE DEPARTMENT OTHER DIC NSN	<u>9627</u>
CONSUMABLE DEPARTMENT OTHER DIC NSN TOTAL	<u>1726</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
CONSUMABLE DEPARTMENT SELECTED NSN	<u>9619</u>
CONSUMABLE DEPARTMENT SELECTED TOTAL NSN	<u>9620</u>
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED NSN	<u>9635</u>
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED TOTAL NSN	<u>9636</u>
CONSUMABLE DIC KIR NSN	<u>9629</u>
CONSUMABLE DIC KIR TOTAL NSN	<u>9630</u>
CONSUMABLE DIC LVA NSN	<u>9623</u>
CONSUMABLE DIC LVA TOTAL NSN	<u>9625</u>
CONSUMABLE GAINING INVENTORY MANAGER APPROVED NSN	<u>9633</u>
CONSUMABLE GAINING INVENTORY MANAGER APPROVED TOTAL NSN	<u>9634</u>
CONSUMABLE ITEM TRANSFER ELIGIBLE INDICATOR CODE	<u>9506</u>
CONSUMABLE KVI OUTPUT NSN	<u>9612</u>
CONSUMABLE KVI OUTPUT TOTAL NSN	<u>9615</u>
CONSUMABLE NOT SELECTED NSN	<u>9613</u>
CONSUMABLE NOT SELECTED TOTAL NSN	<u>9616</u>
CONSUMABLE OTHER DIC NSN	<u>9624</u>
CONSUMABLE OTHER DIC NSN TOTAL	<u>1741</u>
CONSUMABLE SELECTED NSN	<u>9611</u>
CONSUMABLE SELECTED TOTAL NSN	<u>9614</u>
CONSUMABLES INCREMENT	<u>8129</u>
CONSUMABLES NSN SELECTED	<u>8130</u>
CONTACT POINT PRIMARY EMAIL ADDRESS TEXT	<u>8376</u>
CONTACT POINT SECONDARY EMAIL ADDRESS TEXT	<u>8377</u>
CONTACT POINT TERTIARY EMAIL ADDRESS TEXT	<u>8378</u>
CONTAINER NATIONAL STOCK NUMBER (NSN)	<u>5178</u>
CONTINUAL TEST IDENTIFIER	<u>2157</u>
CONTINUAL TEXT	<u>0999</u>
CONTINUATION INDICATOR CODE	<u>8555</u>
CONTRACT ADMINISTRATION OFFICE (CAO) CODE	<u>8870</u>
CONTRACT DURATION EXPECTANCY TIME	<u>0295</u>
CONTRACT NUMBER IDENTIFIER	<u>0293</u>
CONTRACT OFFICE REPRESENTATIVE (COR) ADDRESS LINE 1 TEXT	<u>0193</u>
CONTRACT OFFICE REPRESENTATIVE (COR) ADDRESS LINE 2 TEXT	<u>0194</u>
CONTRACT OFFICE REPRESENTATIVE (COR) CITY NAME	<u>0195</u>
CONTRACT OFFICE REPRESENTATIVE (COR) COMMERCIAL FAX NUMBER IDE	<u>0200</u>
CONTRACT OFFICE REPRESENTATIVE (COR) COMMERCIAL TELEPHONE NUMB	<u>0199</u>
CONTRACT OFFICE REPRESENTATIVE (COR) COUNTRY CODE	<u>0198</u>
CONTRACT OFFICE REPRESENTATIVE (COR) DSN TELEPHONE NUMBER IDEN	<u>0201</u>
CONTRACT OFFICE REPRESENTATIVE (COR) EMAIL ADDRESS TEXT	<u>0202</u>
CONTRACT OFFICE REPRESENTATIVE (COR) NAME	<u>0190</u>
CONTRACT OFFICE REPRESENTATIVE (COR) OFFICE NAME	<u>0191</u>
CONTRACT OFFICE REPRESENTATIVE (COR) ORGANIZATION NAME	<u>0192</u>
CONTRACT OFFICE REPRESENTATIVE (COR) POINT OF CONTACT NAME	<u>0188</u>
CONTRACT OFFICE REPRESENTATIVE (COR) STATE CODE	<u>0196</u>
CONTRACT OFFICE REPRESENTATIVE (COR) ZIP CODE	<u>0197</u>
CONTRACT START DATE	<u>0294</u>
CONTRACT TECHNICAL DATA FILE CRITICAL ITEM CODE	<u>1318</u>
CONTRACTOR CERTIFICATION ADD COUNT	<u>1393</u>
CONTRACTOR CERTIFICATION CHANGE COUNT	<u>1394</u>
CONTRACTOR CERTIFICATION DELETE COUNT	<u>1395</u>
CONTROL CHARACTER CODE	<u>8255</u>
CONTROL CODE	<u>2083</u>
CONTROL NUMBER FOREIGN MILITARY SALES	<u>1027</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
CONTROL USER CODE	<u>1106</u>
CONTROLLED INVENTORY ITEM CODE (CIIC)	<u>2863</u>
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE	<u>5255</u>
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE	<u>2495</u>
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE EXPLANATN	<u>2496</u>
CONTROLLED INVENTORY ITEM CODE EXPLANATION	<u>5254</u>
CONVERSION CONSTANT CONVERSION TYPE	<u>4415</u>
CONVERSION CONSTANT NUMBER	<u>2254</u>
CONVERSION GUIDE SKELETON BODY	<u>2318</u>
CONVERTED REFERENCE NUMBER	<u>3571</u>
CORRESPONDENCE FLAG CODE	<u>1234</u>
COUNT OF CONTRACTOR CODE 1	<u>1512</u>
COUNT OF CONTRACTOR CODE 2	<u>1513</u>
COUNT OF CONTRACTOR CODE 3	<u>1514</u>
COUNTRY	<u>1085</u>
COUNTRY CODE	<u>3408</u>
COUNTRY NAME	<u>1966</u>
COUNTY-NM	<u>3409</u>
CPU ROUTED TO	<u>9143</u>
CRITICAL ITEM CODE	<u>2068</u>
CRITICAL ITEM CODE EFFECTIVE DATE	<u>2067</u>
CRITICALITY CODE FEDERAL ITEM IDENTIFICATION GUIDE	<u>3843</u>
CRITICALITY CODE FIIG EXPLANATION	<u>3467</u>
CROSS REFERENCE ASSIGNED REFERENCE NUMBER IDENTIFIER	<u>2925</u>
CRS ACTIVITY SUBMISSION/RETURNED TRANSACTION IDENTIFIER	<u>4533</u>
CRS DB2 PARTITION QUANTITY	<u>4517</u>
CRS LEGACY RETURNED/SUBMISSION TRANSACTION IDENTIFIER	<u>4534</u>
CRS LOLA KEY CODE	<u>4515</u>
CRS MESSAGE TEXT	<u>4516</u>
CRYPTOLOGICAL INDICATOR CODE	<u>0857</u>
CURRENT APPLICATION ACCESS REQUEST STATUS CODE	<u>9252</u>
CURRENT TOTAL ITEM RECORD SEGMENTS	<u>3145</u>
CUSHIONING AND DUNNAGE MATERIAL CODE	<u>5164</u>
CUT-OFF DATE	<u>1712</u>
DAAS CRITICAL SOURCE OF SUPPLY UPDATE	<u>0139</u>
DAAS SCREENING REFERENCE NUMBER SEGMENT	<u>9126</u>
DAAS/DLSC DISCREPANCIES PERCENT	<u>6926</u>
DAAS/DLSC DISCREPANCIES QUANTITY	<u>6924</u>
DAAS/DLSC FILES COMPATIBILITY	<u>6925</u>
DATA ASSET IDENTIFIER	<u>2631</u>
DATA CHAIN	<u>1877</u>
DATA CHANGE DATE	<u>1713</u>
DATA CONVERSION FORMULA FROM LEFT	<u>4416</u>
DATA CONVERSION FORMULA FROM RIGHT	<u>4417</u>
DATA DEFINITION	<u>1878</u>
DATA ELEMENT IMAGE AFTER CHANGE	<u>1377</u>
DATA ELEMENT LENGTH	<u>1882</u>
DATA ELEMENT NAMES	<u>1704</u>
DATA ELEMENT ORIENTED WITH VALUE SEGMENT	<u>9115</u>
DATA ELEMENT ORIENTED WITH VALUE-RETURN ACTION SEGMENT	<u>9114</u>
DATA ELEMENT ORIENTED WITHOUT VALUE SEGMENT	<u>9113</u>
DATA ELEMENT SECTION CODE	<u>0206</u>
DATA ELEMENT SEPARATOR CODE	<u>0814</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
DATA ELEMENT START POSITION	<u>1097</u>
DATA ELEMENT TERMINATOR CODE	<u>8268</u>
DATA LINK	<u>1879</u>
DATA OVERRIDE CODE	<u>4538</u>
DATA PROTECT CODE	<u>4539</u>
DATA RECIPIENT ADDRESS	<u>5279</u>
DATA RECIPIENT CITY/STATE	<u>5282</u>
DATA RECIPIENT NAME	<u>5277</u>
DATA RECIPIENT PHONE NUMBER	<u>5285</u>
DATA RECIPIENT POST OFFICE BOX	<u>5281</u>
DATA RECIPIENT STREET	<u>5280</u>
DATA RECIPIENT TITLE	<u>5278</u>
DATA RECIPIENT ZIP CODE	<u>5284</u>
DATA RECORD NUMBER	<u>0950</u>
DATA RECORD NUMBER SEQUENCE NUMBER	<u>5039</u>
DATA RECORD NUMBER VALUE	<u>9975</u>
DATA RETRIEVAL DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUP	<u>4997</u>
DATA RETRIEVAL ODRC CODE	<u>4981</u>
DATA RETRIEVAL SEGMENT A CODE	<u>4982</u>
DATA RETRIEVAL SEGMENT B CODE	<u>4983</u>
DATA RETRIEVAL SEGMENT C CODE	<u>4984</u>
DATA RETRIEVAL SEGMENT E CODE	<u>4985</u>
DATA RETRIEVAL SEGMENT F CODE	<u>4986</u>
DATA RETRIEVAL SEGMENT G CODE	<u>4987</u>
DATA RETRIEVAL SEGMENT H CODE	<u>4988</u>
DATA RETRIEVAL SEGMENT M CODE	<u>4989</u>
DATA RETRIEVAL SEGMENT V CODE	<u>4991</u>
DATA RETRIEVAL SEGMENT W CODE	<u>4996</u>
DATA RETRIEVAL SEGMENT Z CODE	<u>4992</u>
DATA RIGHTS CODE	<u>2634</u>
DATA RIGHTS CODE VALUE TEXT	<u>2635</u>
DATA STORAGE VOLUME/HIGH LEVEL QUALIFIER NAME	<u>8643</u>
DATA STORE NAME	<u>1715</u>
DATA TERMINATOR ASSOCIATED WITH INC	<u>0758</u>
DATA TRANSMISSION CONTROL CODE	<u>0756</u>
DATA TRANSMISSION CONTROL CODE EXPLANATION	<u>5135</u>
DATASET NAME	<u>9144</u>
DATE BILLED	<u>1041</u>
DATE CANCELLATION NATIONAL ITEM IDENTIFICATION NUMBER	<u>2240</u>
DATE CURRENT PROCESSING PERFORMANCE	<u>2078</u>
DATE DE WAS CREATED/MODIFIED	<u>1886</u>
DATE DEBARRED BIDDER RECORD CHANGED	<u>1375</u>
DATE DEBARRED BIDDER RECORD ESTABLISHED	<u>1374</u>
DATE DELINQUENT	<u>1043</u>
DATE EFFECTIVE LOGISTICS ACTION	<u>2128</u>
DATE EFFECTIVE LOGISTICS ACTION CANCELLED	<u>5150</u>
DATE EFFECTIVE MAJOR ORGANIZATIONAL ENTITY RULE TBL ACTIO	<u>0091</u>
DATE EFFECTIVE STANDARD FEDERAL SUPPLY CLASS TABLE ENT	<u>0092</u>
DATE ELEMENT IMAGE BEFORE CHANGE	<u>1376</u>
DATE ESTABLISHED CANCELLED RECORD FLIS	<u>0308</u>
DATE ESTABLISHED PSMAT RECORD	<u>0874</u>
DATE FLAGGED FOR BILLING	<u>1036</u>
DATE FLAGGED FOR PURGE	<u>1042</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DATE FLAGGED FOR RETURN TO COUNTRY	<u>1044</u>
DATE INTERROGATION	<u>0342</u>
DATE INTO SYSTEM	<u>1058</u>
DATE LAST ACCESSED PSMAT RECORD	<u>0875</u>
DATE LAST CHANGE	<u>0043</u>
DATE LAST CHANGE DICTIONARY	<u>2117</u>
DATE LAST CHANGE TO RECORD DIDS	<u>2050</u>
DATE LAST MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	<u>2260</u>
DATE MAJOR ORGANIZATIONAL ENTITY RULE ASSIGNED TO NIIN	<u>9128</u>
DATE MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	<u>0078</u>
DATE NEXT IDENTIFICATION LIST BASIC	<u>0347</u>
DATE NEXT IDENTIFICATION LIST CHANGE BULLETIN	<u>0348</u>
DATE NIIN ASSIGNMENT	<u>2180</u>
DATE OF AUTODIN STATION SERIAL NUMBER	<u>0753</u>
DATE OF CERTIFICATION NUMBER REVOCATION	<u>5291</u>
DATE OPERATIONAL NEED	<u>0726</u>
DATE ORGANIZATIONAL ENTITY LINE SEGMENT ADDED	<u>8655</u>
DATE ORGANIZATIONAL ENTITY LINE SEGMENT CHANGED	<u>8656</u>
DATE ORGANIZATIONAL ENTITY RECORD ESTABLISHED	<u>2262</u>
DATE OUT TO MANUFACTURER	<u>1006</u>
DATE PRICE EFFECTIVE	<u>1967</u>
DATE PRIMARY OUTPUT	<u>1008</u>
DATE PROCESSED	<u>1031</u>
DATE PROCESSING LOGISTICS ACTION	<u>0597</u>
DATE PURGED	<u>1051</u>
DATE RETURN TO COUNTRY	<u>1016</u>
DATE SECONDARY INPUT	<u>1009</u>
DATE SECONDARY OUTPUT	<u>1011</u>
DATE STANDARDIZATION DECISION	<u>2300</u>
DATE SUSPENSE PURGE	<u>8680</u>
DATE TECHNICAL DATA RECEIVED	<u>1007</u>
DATE TRANSACTION	<u>2310</u>
DATE TRANSACTION DESK CODE CHANGE	<u>1013</u>
DATE TRANSACTION READ	<u>1019</u>
DAY OF MONTH DATE	<u>9785</u>
DAYS INTERVAL COUNTER TIME	<u>1500</u>
DB2 ARCHIVE GROUP	<u>2742</u>
DB2 ARCHIVE GROUP NUMBER	<u>2746</u>
DB2 GROUP NUMBER	<u>4492</u>
DB2 PARTITION QUANTITY	<u>2886</u>
DB2 SQL ERROR CODE	<u>9390</u>
DB2 SQL STATE ERROR CODE	<u>9391</u>
DB2 TABLE DRN USAGE CODE	<u>4852</u>
DB2 TABLE NAME	<u>4465</u>
DB2 TABLE PRIMARY KEY LENGTH	<u>4486</u>
DEBARRED BIDDER STATUS CODE	<u>0866</u>
DEBARRED CONTRACTOR'S END DATE	<u>0867</u>
DEBARRMENT PROPOSAL INITIATORS SYMBOL MEANING	<u>1380</u>
DECIMAL REPLY ZERO SUPPRESSION	<u>2041</u>
DECODE DATA FILE IDENTIFIER	<u>2035</u>
DECODE DESCRIPTION	<u>1719</u>
DECODE ERROR COUNT	<u>1453</u>
DECODE PARAMETERS	<u>1718</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
DECODE TABLE REPLY LENGTH	<u>0303</u>
DECODED CHARACTERISTICS DATA	<u>3860</u>
DECODED ISAC REPLY STATEMENT	<u>2308</u>
DECODED REPLY STATEMENT	<u>3864</u>
DECODED STYLE REPLY STATEMENT	<u>2309</u>
DEFAULT OUTPUT FORMAT	<u>2564</u>
DEFAULT RELEASE TDQ IDENTIFIER	<u>9500</u>
DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUPPLY UPDA	<u>0153</u>
DEFENSE INACTIVE ITEM PROGRAMS ADVICE STATUS CODE	<u>0569</u>
DEFENSE INACTIVE ITEM PROGRAMS RETENTION REASON CODE	<u>0570</u>
DEFENSE INTEGRATED DATA SYSTEM SEGMENT CODE EXPLANATION	<u>3175</u>
DEFENSE INTEGRATED DATA SYSTEM INPUT HEADER	<u>9094</u>
DEFENSE INTEGRATED DATA SYSTEM OUTPUT HEADER	<u>9098</u>
DEFENSE LOGISTICS AGENCY CENTER ACTIVITY CODE	<u>3891</u>
DEFENSE LOGISTICS SUPPORT COMMAND CSR REPORT DEPARTMENT/AGENCY N	<u>4525</u>
DEFENSE LOGISTICS SUPPORT COMMAND INTRANET SYSTEM CUSTOMER SERVI	<u>4526</u>
DEFENSE LOGISTICS SUPPORT COMMAND INTRANET SYSTEM CUSTOMER SERVI	<u>4527</u>
DEFINITION/EXPLANATION TEXT	<u>2880</u>
DEGREE OF MATCH CODE	<u>0595</u>
DELETED AMMO CODE TOTAL COUNT	<u>1844</u>
DELETED AMMUNITION CODE COUNT	<u>1927</u>
DELETED APPROVED ITEM NAME TOTAL COUNT	<u>1845</u>
DELETED BASIC NAME TOTAL COUNT	<u>1846</u>
DELETED COLLOQUIAL NAME TOTAL COUNT	<u>1847</u>
DELETED FEDERAL SUPPLY CLASS MODIFIER COUNT	<u>1929</u>
DELETED ITEM ENTRY TOTAL COUNT	<u>1848</u>
DELETION OF RECORDS DESIGNATOR CODE	<u>0761</u>
DELETION REASON CODE	<u>4540</u>
DELETION REASON CODE EXPLANATION	<u>5132</u>
DELIVERY ADDRESS LINE TEXT	<u>3354</u>
DELIVERY POINT BARCODE IDENTIFIER	<u>3355</u>
DEMAND INDICATOR CODE	<u>0728</u>
DEMAND INDICATOR CODE EXPLANATION	<u>5217</u>
DEMIL CODING MANAGEMENT OFFICE (DCMO) CHALLENGE PROGRAM INDICA	<u>5320</u>
DEMILITARIZATION (DEMIL) CODE	<u>0167</u>
DEMILITARIZATION APPENDIX IDENTIFIER	<u>0140</u>
DEMILITARIZATION CATEGORY IDENTIFIER	<u>0141</u>
DEMILITARIZATION CODE EXPLANATION	<u>5136</u>
DEMILITARIZATION CODE NOTE	<u>5137</u>
DEMILITARIZATION DELETION ADMINISTRATOR USER CD	<u>5144</u>
DEMILITARIZATION FLIS NIIN INDICATOR CODE	<u>0157</u>
DEMILITARIZATION FSC PRIORITY CAPACITY CODE	<u>0165</u>
DEMILITARIZATION FSC REVIEW PRIORITY CODE	<u>0168</u>
DEMILITARIZATION HISTORY INDICATOR CODE	<u>0175</u>
DEMILITARIZATION INTEGRITY CHANGE JULIAN DATE	<u>0160</u>
DEMILITARIZATION INTEGRITY CODE	<u>0138</u>
DEMILITARIZATION INTEGRITY DEFINITION TEXT	<u>0152</u>
DEMILITARIZATION ITEM REVIEW DEFINITION TEXT	<u>0151</u>
DEMILITARIZATION ITEM REVIEW JULIAN DATE	<u>0146</u>
DEMILITARIZATION PARAGRAPH IDENTIFIER	<u>0142</u>
DEMILITARIZATION PICA FORWARDED JULIAN DATE	<u>0149</u>
DEMILITARIZATION PICA RESPONSE JULIAN DATE	<u>0150</u>
DEMILITARIZATION PICA UPDATE JULIAN DATE	<u>2150</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DEMILITARIZATION QC REVIEW PROCESS CODE	<u>5139</u>
DEMILITARIZATION REVIEW TRAINER USER CD	<u>5142</u>
DEMILITARIZATION SPECIAL PROJECT IDENTIFIER	<u>0136</u>
DEMILITARIZATION TECHNICIAN ASSIGNMENT STATUS CODE	<u>0156</u>
DEMILITARIZATION TECHNICIAN AVAILABILITY CODE	<u>5140</u>
DEMILITARIZATION TECHNICIAN NARRATIVE TEXT	<u>0145</u>
DEMILITARIZATION TRAINEE NIIN RETURN COUNTER QUANTITY	<u>5143</u>
DEMILITARIZATION TRAINEE WORK DELETION DATE	<u>5145</u>
DEMILITARIZATION UPDATE SOURCE CODE	<u>2849</u>
DEMILITARIZATION WORK MOVE INDICATOR CODE	<u>5141</u>
DEMILITARIZATION WORKLOAD CAGE PRIORITY CODE	<u>0183</u>
DEMILITARIZATION WORKLOAD COMBINATION PRIORITY CODE	<u>0184</u>
DEMILITARIZATION WORKLOAD DEMIL CODE PRIORITY CODE	<u>0182</u>
DEMILITARIZATION WORKLOAD FSC PRIORITY CODE	<u>0178</u>
DEMILITARIZATION WORKLOAD INC PRIORITY CODE	<u>0180</u>
DEMILITARIZATION WORKLOAD NAME PRIORITY CODE	<u>0181</u>
DEMILITARIZATION WORKLOAD PICA PRIORITY CODE	<u>0179</u>
DEMILITARIZATION WORKLOAD PRIORITY NUMBER COUNT QUANTITY	<u>0185</u>
DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE ENDING BALANCE	<u>1696</u>
DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6	<u>6660</u>
DEPARTMENT CODE	<u>8329</u>
DEPARTMENT COMMODITY CATEGORY CD CHANGE FROM AMC 4 QTY 9	<u>6390</u>
DEPARTMENT DESCRIPTIVE METHOD PICA NEW NSN FY PERCENT	<u>6645</u>
DEPARTMENT DESCRIPTIVE METHOD PICA NSN FY74 PERCENT	<u>6666</u>
DEPARTMENT DESCRIPTIVE METHOD PICA NSN PREVIOUS YEAR PERCENT	<u>6667</u>
DEPARTMENT EXPENDABILITY-RECOVERABILITY REPARABILITY CODE	<u>6542</u>
DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1	<u>6668</u>
DEPARTMENT FULL DESCRIPTIVE PICA NSN GOAL PERCENT	<u>6673</u>
DEPARTMENT OF DEFENSE (DOD) IDENTIFICATION CODE	<u>2440</u>
DEPARTMENT OF DEFENSE 12	<u>5848</u>
DEPARTMENT OF DEFENSE AMMUNITION CODE	<u>3767</u>
DEPARTMENT OF DEFENSE AMMUNITION CODE SEPARATOR	<u>0482</u>
DEPARTMENT OF TRANSPORTATION CLASS	<u>2387</u>
DEPARTMENT OF TRANSPORTATION EXEMPTION NUMBER	<u>2444</u>
DEPARTMENT OF TRANSPORTATION LABEL	<u>2388</u>
DEPARTMENT OF TRANSPORTATION MARKING	<u>2389</u>
DEPARTMENT ORIGINAL NSN PERCENT 2	<u>6674</u>
DEPARTMENT ORIGINAL NSN TOTAL 7	<u>1698</u>
DEPARTMENT ORIGINATING ACTIVITY TRANSACTIONS RETURNED QTY C	<u>6812</u>
DEPARTMENT SUBMITTING ACTIVITY TRANSACTONS RETURNED QTY A	<u>6795</u>
DEPARTMENT TOTAL 5	<u>6659</u>
DEPARTMENT TOTAL 6	<u>6665</u>
DEPARTMENT TRANSFER FULL DESCRIPTIVE FISCAL YEAR 74	<u>6678</u>
DEPARTMENT TRANSFER FULL DESCRIPTIVE PREVIOUS FISCAL YEAR	<u>6679</u>
DEPOT SOURCE OF REPAIR ACTIVITY NAME	<u>3483</u>
DEPOT SOURCE OF REPAIR CODE	<u>0903</u>
DEPOT SOURCE OF REPAIR STATEMENT	<u>3484</u>
DEPT ACTIVITY COMMODITY CATEGORY CD CHANGE FROM AMC 3 QTY	<u>8226</u>
DEPT ACTY EXPENDABILITY-RECOVERABILITY REPARABILITY CODE	<u>6543</u>
DESCRIPTION AVAILABILITY	<u>0804</u>
DESCRIPTION OF RELEVANT BUSINESS ACTIVITY	<u>5283</u>
DESCRIPTION TEXT	<u>2894</u>
DESK CODE CATALOGING	<u>3870</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
DESTINATION ACTIVITY CODE FIELD OUTPUT	<u>0733</u>
DESTINATION ACTIVITY CODE OUTPUT	<u>3880</u>
DESTINATION CODE SCREENING	<u>3890</u>
DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES	<u>9595</u>
DIC ALL OAC GRAND TOTAL APPROVED	<u>5346</u>
DIC ALL OAC GRAND TOTAL CLERICAL	<u>5352</u>
DIC ALL OAC GRAND TOTAL NIIN STATUS	<u>5354</u>
DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES	<u>5351</u>
DIC ALL OAC GRAND TOTAL PROCESSED	<u>5345</u>
DIC ALL OAC GRAND TOTAL RECEIVED	<u>5344</u>
DIC ALL OAC GRAND TOTAL RETURNED	<u>5347</u>
DIC ALL OAC GRAND TOTAL RULES	<u>5353</u>
DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES	<u>6810</u>
DIC ALL ORIGINATING ACTIVITY CODE APPROVED	<u>6813</u>
DIC ALL ORIGINATING ACTIVITY CODE CLERICAL	<u>6808</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT APPROVED	<u>5337</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT CLERICAL	<u>5341</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT NIIN STATUS	<u>5343</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT PROCESSED	<u>5336</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RECEIVED	<u>5335</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RETURNED	<u>5338</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RULES	<u>5342</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPT ACTUAL DUPLICATES	<u>5339</u>
DIC ALL ORIGINATING ACTIVITY CODE DEPT POSSIBLE DUPLICATE	<u>5340</u>
DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS	<u>6806</u>
DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	<u>6809</u>
DIC ALL ORIGINATING ACTIVITY CODE PROCESSED	<u>6814</u>
DIC ALL ORIGINATING ACTIVITY CODE RECEIVED	<u>6815</u>
DIC ALL ORIGINATING ACTIVITY CODE RETURNED	<u>6811</u>
DIC ALL ORIGINATING ACTIVITY CODE RULES	<u>6807</u>
DIC ALL SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES	<u>6793</u>
DIC ALL SUBMITTING ACTIVITY CODE APPROVED	<u>6796</u>
DIC ALL SUBMITTING ACTIVITY CODE CLERICAL	<u>6791</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT ACTUAL DUPLIC	<u>7651</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT APPROVED	<u>7649</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT CLERICAL	<u>7653</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT NIIN STATUS	<u>9577</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT POSSIBLE DUPS	<u>7652</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT PROCESSED	<u>7648</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RECEIVED	<u>7647</u>
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RETURNED	<u>7650</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL ACTUAL DUPS	<u>9582</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL APPROVED	<u>9580</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL CLERICAL	<u>9584</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL PROCESSED	<u>9579</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RECEIVED	<u>9578</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RETURNED	<u>9581</u>
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RULES	<u>9585</u>
DIC ALL SUBMITTING ACTIVITY CODE NIIN STATUS	<u>6789</u>
DIC ALL SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES	<u>6792</u>
DIC ALL SUBMITTING ACTIVITY CODE PROCESSED	<u>6797</u>
DIC ALL SUBMITTING ACTIVITY CODE RECEIVED	<u>6798</u>
DIC ALL SUBMITTING ACTIVITY CODE RETURNED	<u>6794</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
DIC ALL SUBMITTING ACTIVITY CODE RULES	<u>6790</u>
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL NIIN STATUS	<u>9586</u>
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL POSSIBLE DUPLICATES	<u>9583</u>
DIC ALL SUBMITTING CODE DEPARTMENT RULES	<u>7654</u>
DIC CATEGORY	<u>9756</u>
DIC CUSTODIAN	<u>2214</u>
DIC CUSTODIAN ALTERNATE	<u>2213</u>
DIC DRN NOTE DEFINITION	<u>2113</u>
DIC DRN NOTES	<u>2111</u>
DIC IDENTIFIER	<u>9145</u>
DIC INPUT OUTPUT TYPE	<u>2052</u>
DIC OAC DEPARTMENT TOTAL ACTUAL DUPLICATES	<u>5359</u>
DIC OAC DEPARTMENT TOTAL APPROVED	<u>5357</u>
DIC OAC DEPARTMENT TOTAL CLERICAL	<u>5361</u>
DIC OAC DEPARTMENT TOTAL NIIN STATUS	<u>5363</u>
DIC OAC DEPARTMENT TOTAL POSSIBLE DUPLICATES	<u>5360</u>
DIC OAC DEPARTMENT TOTAL PROCESSED	<u>5356</u>
DIC OAC DEPARTMENT TOTAL RECEIVED	<u>5355</u>
DIC OAC DEPARTMENT TOTAL RETURNED	<u>5358</u>
DIC OAC DEPARTMENT TOTAL RULES	<u>5362</u>
DIC OAC GRAND TOTAL ACTUAL DUPLICATES	<u>5368</u>
DIC OAC GRAND TOTAL APPROVED	<u>5366</u>
DIC OAC GRAND TOTAL CLERICAL	<u>5370</u>
DIC OAC GRAND TOTAL NIIN STATUS	<u>5372</u>
DIC OAC GRAND TOTAL POSSIBLE DUPLICATES	<u>5369</u>
DIC OAC GRAND TOTAL PROCESSED	<u>5365</u>
DIC OAC GRAND TOTAL RECEIVED	<u>5364</u>
DIC OAC GRAND TOTAL RETURNED	<u>5367</u>
DIC OAC GRAND TOTAL RULES	<u>5371</u>
DIC ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES	<u>6800</u>
DIC ORIGINATING ACTIVITY CODE APPROVED	<u>6803</u>
DIC ORIGINATING ACTIVITY CODE CLERICAL	<u>6838</u>
DIC ORIGINATING ACTIVITY CODE NIIN STATUS	<u>6836</u>
DIC ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	<u>6799</u>
DIC ORIGINATING ACTIVITY CODE PROCESSED	<u>6804</u>
DIC ORIGINATING ACTIVITY CODE RECEIVED	<u>6805</u>
DIC ORIGINATING ACTIVITY CODE RETURNED	<u>6801</u>
DIC ORIGINATING ACTIVITY CODE RULES	<u>6837</u>
DIC OUTPUT	<u>3135</u>
DIC REFERENCE	<u>2211</u>
DIC RELATED FUNCTIONAL DESCRIPTION	<u>2212</u>
DIC SAC DEPARTMENT TOTAL CLERICAL	<u>9593</u>
DIC SAC DEPARTMENT TOTAL POSSIBLE DUPLICATES	<u>9592</u>
DIC SAC DEPARTMENT TOTAL RULES	<u>9594</u>
DIC SAC GRAND TOTAL ACTUAL DUPLICATES	<u>5330</u>
DIC SAC GRAND TOTAL APPROVED	<u>5328</u>
DIC SAC GRAND TOTAL CLERICAL	<u>5332</u>
DIC SAC GRAND TOTAL NIIN STATUS	<u>5334</u>
DIC SAC GRAND TOTAL POSSIBLE DUPLICATES	<u>5331</u>
DIC SAC GRAND TOTAL PROCESSED	<u>5327</u>
DIC SAC GRAND TOTAL RECEIVED	<u>5326</u>
DIC SAC GRAND TOTAL RETURNED	<u>5329</u>
DIC SAC GRAND TOTAL RULES	<u>5333</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
DIC SEQUENCER	<u>9146</u>
DIC SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES	<u>6783</u>
DIC SUBMITTING ACTIVITY CODE APPROVED	<u>6786</u>
DIC SUBMITTING ACTIVITY CODE CLERICAL	<u>6781</u>
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL ACTUAL DUPS	<u>9591</u>
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL APPROVED	<u>9589</u>
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL NIIN STATUS	<u>5325</u>
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL PROCESSED	<u>9588</u>
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RECEIVED	<u>9587</u>
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RETURNED	<u>9590</u>
DIC SUBMITTING ACTIVITY CODE NIIN STATUS	<u>6779</u>
DIC SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES	<u>6782</u>
DIC SUBMITTING ACTIVITY CODE PROCESSED	<u>6787</u>
DIC SUBMITTING ACTIVITY CODE RETURNED	<u>6784</u>
DIC SUBMITTING ACTIVITY CODE RULES	<u>6780</u>
DIC SUBMITTING ACTIVITY RECEIVED	<u>6788</u>
DIDS INTRODUCTION	<u>9099</u>
DIDS NOTE NARRATIVE	<u>1300</u>
DIDS NOTE NUMBER	<u>1288</u>
DIDS SUB-SECTION	<u>4450</u>
DIGITIZED DATE EFFECTIVE LOGISTICS ACTION	<u>5314</u>
DIGITIZED DRAWING IDENTIFICATION NUMBER	<u>0772</u>
DIGITIZED DRAWING NUMBER LIST	<u>0939</u>
DIGITIZED GRAPHICS IDENTIFICATION NUMBER REPLACEMENT	<u>0775</u>
DIMENSIONAL MASTER REQUIREMENT CODE INDICATOR	<u>0326</u>
DISPLAY METHOD LOCATION CODE NARRATIVE	<u>8270</u>
DISPLAY METHOD LOCATION CODE TABULAR	<u>8295</u>
DISTRIBUTION ACTIVITY CODE (DD FORM 146)	<u>3910</u>
DISTRIBUTION ACTIVITY CODE SEGMENT M	<u>0478</u>
DIVISION/SECTION NAME	<u>4458</u>
DL REPLY	<u>4418</u>
DLA CENTER CODE	<u>3886</u>
DLIS PROCEDURES CHAPTER NUMBER	<u>3452</u>
DLIS SEGMENT NOTE NUMBER1	<u>4528</u>
DLIS SEGMENT NOTE NUMBER2	<u>4529</u>
DLSC ACTION OUTPUT CONDITION	<u>2105</u>
DLSC DATE	<u>9147</u>
DLSC DRAWING LIST	<u>0918</u>
DLSC ONLY INDICATOR	<u>4621</u>
DLSC PRODUCTS AND SERVICES CODE	<u>2423</u>
DLSC TIME	<u>9148</u>
DMS TRANSACTION CODE	<u>1949</u>
DNB CITY NAME	<u>4703</u>
DNB COMPANY DBA NAME	<u>4706</u>
DNB COMPANY NAME	<u>4707</u>
DNB COUNTRY CODE	<u>4708</u>
DNB DATA ELEMENT DEGREE MATCH RATE	<u>4709</u>
DNB POSTAL CODE	<u>4705</u>
DNB STATE PROVINCE ABBREVIATION CODE	<u>4704</u>
DNB STREET ADDRESS 1 TEXT	<u>4701</u>
DNB STREET ADDRESS 2 TEXT	<u>4702</u>
DNB TRANSACTION PROCESSING TIME	<u>4710</u>
DOCUMDNT IDENTIFIER CODE VERTICAL GRAND TOTAL	<u>2006</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DOCUMENT AVAILABILITY CODE (DAC)	<u>2640</u>
DOCUMENT AVAILABILITY CODE DEPARTMENT NSN TOTAL	<u>5628</u>
DOCUMENT AVAILABILITY CODE DEPARTMENT REFERENCE QUANTITY	<u>5637</u>
DOCUMENT AVAILABILITY CODE DEPARTMENT TYPE II QUANTITY	<u>5627</u>
DOCUMENT AVAILABILITY CODE EXPLANATION	<u>5123</u>
DOCUMENT AVAILABILITY CODE MAY HAVE RANGE	<u>3111</u>
DOCUMENT AVAILABILITY CODE MUST HAVE RANGE	<u>3107</u>
DOCUMENT AVAILABILITY CODE NOTE	<u>5124</u>
DOCUMENT AVAILABILITY CODE NSN TOTAL	<u>5636</u>
DOCUMENT AVAILABILITY CODE REFERENCE TOTAL	<u>5638</u>
DOCUMENT AVAILABILITY CODE TYPE II 1 TOTAL	<u>5629</u>
DOCUMENT AVAILABILITY CODE TYPE II 1A TOTAL	<u>5630</u>
DOCUMENT AVAILABILITY CODE TYPE II 1B TOTAL	<u>5631</u>
DOCUMENT AVAILABILITY CODE TYPE II 2 TOTAL	<u>5635</u>
DOCUMENT AVAILABILITY CODE TYPE II 4 TOTAL	<u>5632</u>
DOCUMENT AVAILABILITY CODE TYPE II 4A TOTAL	<u>5633</u>
DOCUMENT AVAILABILITY CODE TYPE II 4B TOTAL	<u>5634</u>
DOCUMENT CONTROL NUMBER	<u>1015</u>
DOCUMENT CONTROL NUMBER FOLLOW-UP	<u>0131</u>
DOCUMENT CONTROL NUMBER GRAND TOTAL	<u>2028</u>
DOCUMENT CONTROL NUMBER TOTAL	<u>2009</u>
DOCUMENT CONTROL SERIAL NUMBER	<u>1000</u>
DOCUMENT IDENTIFIER CODE (DIC)	<u>3920</u>
DOCUMENT IDENTIFIER CODE COUNT	<u>1997</u>
DOCUMENT IDENTIFIER CODE GRAND TOTAL	<u>2014</u>
DOCUMENT IDENTIFIER CODE HORIZONTAL TOTAL	<u>2003</u>
DOCUMENT IDENTIFIER CODE INPUT	<u>3921</u>
DOCUMENT IDENTIFIER CODE MONTH TOTAL	<u>2007</u>
DOCUMENT IDENTIFIER CODE ORIGINAL INPUT	<u>3922</u>
DOCUMENT IDENTIFIER CODE OUTPUT	<u>1052</u>
DOCUMENT IDENTIFIER CODE TOTAL	<u>2002</u>
DOCUMENT IDENTIFIER CODE VERTICAL TOTAL	<u>2005</u>
DOCUMENT NUMBER	<u>3930</u>
DOCUMENT TYPE	<u>2633</u>
DOD A2C	<u>5900</u>
DOD CATALOG ACTION SINGER SUBMITTER	<u>4503</u>
DOD DEBARMENT PROPOSAL INITIATOR'S SYMBOL	<u>0868</u>
DOD DEBARMENT PROPOSAL INITIATORS	<u>3193</u>
DOD MATERIEL MANAGEMENT CODE FSC AND EACH CODE COUNT	<u>1899</u>
DODAAC DEFENSE PROPERTY DISPOSAL OFFICE	<u>0395</u>
DOLLAR AMOUNT GRAND TOTAL COUNTRY	<u>2027</u>
DOLLAR VALUE STANDARD UNIT PRICE	<u>7080</u>
DOLLAR VALUE UNIT PRICE	<u>7075</u>
DOUBLE TABLE INDICATOR CODE	<u>9374</u>
DRAWING AT DLSC	<u>0920</u>
DRAWING AT DLSC COUNTER	<u>0921</u>
DRAWING AT MANUFACTURER	<u>0943</u>
DRAWING AT THE MANUFACTURER COUNTER	<u>0919</u>
DRAWING BY FEDERAL ITEM IDENTIFICATION GUIDE	<u>0954</u>
DRAWING BY ITEM NAME CODE	<u>0956</u>
DRAWING COUNT	<u>1451</u>
DRAWING CROSS REFERENCE SYSTEM STATUS CODE	<u>4848</u>
DRAWING DETAIL	<u>1242</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE (FIG)	<u>4069</u>
DRAWING FINISH DATE	<u>0944</u>
DRAWING IN FILE	<u>0938</u>
DRAWING START DATE	<u>0945</u>
DRAWING STATUS CODE	<u>0333</u>
DRAWING STATUS DATE	<u>5073</u>
DRAWING TEXT DETAIL	<u>0946</u>
DRAWING TO BE DIGITIZED	<u>0940</u>
DRAWING TYPE	<u>5063</u>
DRAWING TYPE 2	<u>0984</u>
DRAWING TYPE 2 COUNTER	<u>0924</u>
DRAWINGS TO BE DIGITIZED COUNTER	<u>0923</u>
DRAWINGS TO BE SENT TO MANUFACTURER	<u>0933</u>
DRAWINGS TO BE SENT TO THE MANUFACTURER COUNTER	<u>0926</u>
DRIVE NAME	<u>1450</u>
DRMS CHALLENGE INDICATOR CODE	<u>5315</u>
DRN AFTER IMAGE TEXT	<u>4854</u>
DRN BEFORE IMAGE TEXT	<u>4853</u>
DRN FULL VALUE	<u>4469</u>
DRN OUTPUT INTEREST IDENTIFIER	<u>2885</u>
DRN POSITION OUT	<u>1907</u>
DROP INDEX CODE	<u>2225</u>
DROP INDEX CODE MAINTENANCE	<u>2223</u>
DROP INDEX CODE NOTIFICATION	<u>2224</u>
DROP INDEX CODE TYPE	<u>2226</u>
DROP NOTIFICATION OR MAINTENANCE INDICATOR	<u>4505</u>
DROPPED DRN SEGMENT IDENTIFIER	<u>9407</u>
DROPPED SEGMENT 1 INDICATOR	<u>9711</u>
DROPPED SEGMENT 6 INDICATOR	<u>9712</u>
DROPPED SEGMENT 7 INDICATOR	<u>9713</u>
DROPPED SEGMENT 9 INDICATOR	<u>9714</u>
DROPPED SEGMENT A INDICATOR	<u>9715</u>
DROPPED SEGMENT B INDICATOR	<u>9716</u>
DROPPED SEGMENT C INDICATOR	<u>9717</u>
DROPPED SEGMENT D INDICATOR	<u>9718</u>
DROPPED SEGMENT E INDICATOR	<u>9719</u>
DROPPED SEGMENT F INDICATOR	<u>9720</u>
DROPPED SEGMENT G INDICATOR	<u>9721</u>
DROPPED SEGMENT H INDICATOR	<u>9722</u>
DROPPED SEGMENT J INDICATOR	<u>9723</u>
DROPPED SEGMENT K INDICATOR	<u>9724</u>
DROPPED SEGMENT L INDICATOR	<u>9725</u>
DROPPED SEGMENT M INDICATOR	<u>9726</u>
DROPPED SEGMENT N INDICATOR	<u>9727</u>
DROPPED SEGMENT P INDICATOR	<u>9728</u>
DROPPED SEGMENT Q INDICATOR	<u>9729</u>
DROPPED SEGMENT R INDICATOR	<u>9730</u>
DROPPED SEGMENT V INDICATOR	<u>9731</u>
DROPPED SEGMENT W INDICATOR	<u>9732</u>
DROPPED SEGMENT Y INDICATOR	<u>9733</u>
DROPPED SEGMENT Z INDICATOR	<u>9734</u>
DS1 DEMIL NIIN STATUS CODE NSN	<u>8215</u>
DS1 DEML NIIN STATUS CODE NSN TOTAL	<u>8216</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DS2 DEPARTMENT DEMIL NIIN STATUS CODE 0 NSN	8217
DS2 DEPARTMENT DEMIL NIIN STATUS CODE 0 NSN TOTAL	8218
DS3 DOD NIIN STATUS CODE 0 MANAGED NSN TOTAL	8220
DS3 DOD SOURCE OF SUPPLY NIIN STATUS CODE 0 MANAGED NSNS	8219
DS4 MILITARY NIIN STATUS CODE 0 DEMIL NSN TOTAL	8223
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE 0 DEMIL NSN	8221
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE 0 DEMIL TOTAL	8222
DSOR COUNTER	4219
DSS UNIT PACK CUBE VOLUME	5188
DSS UNIT PACK WEIGHT	5146
DSS WEIGHT & CUBE LAST UPDATE JULIAN DATE	5197
DSS WEIGHT & CUBE QUALITY CODE	5198
DSS WEIGHT & CUBE SOURCE CODE	5199
DUN AND BRADSTREET DATA UNIVERSAL NUMBERING SYSTEM	3405
E MAIL ADDRESS	2151
E MAIL FUNCTIONAL DATE TIME STAMP	2156
E MAIL MESSAGE IDENTIFIER	2403
E MAIL MESSAGE INDICATOR CODE	2153
E MAIL MESSAGE LINE	2154
E MAIL MESSAGE LINE NUMBER	2155
E MAIL MESSAGE TITLE	2152
E MAIL USER INDICATOR STAT CD	2158
ECHELON ACQUIRING STOCK MARINE CORPS	3151
ECHELON CODE MARINE CORPS	3150
ECHELON REMARKS MARINE CORPS	3152
EDIT COMPLETED TIMESTAMP	9383
EDIT CRITERIA STATEMENT	4129
EDIT INDICATOR KEY	1089
EDIT NARRATIVE DATA	2317
EDIT PRODUCTION COMPLETION DATE	1678
EDIT RESULTS TEXT	9384
EDIT STATUS CODE	9382
EDIT VALIDATION CRITERIA EXPLANATION	4583
EFFECTIVE ADD NIIN MOE RULE QUANTITY	6593
EFFECTIVE DAE DOCUMENT IDENTIFIER CODE DESTINATION	2102
EFFECTIVE DATE (LJE) PROCESSING DATA SEGMENT	0777
EFFECTIVE DATE DOCUMENT IDENTIFIER CODE	2099
EFFECTIVE DATE MOE RULE TRANSACTIONS	5196
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER CHANGE COUNT	1930
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER DELETED COUNT	1923
EFFECTIVE DELETE NIIN MOE RULE QUANTITY	6594
EFFECTIVE MANAGEMENT TRANSFER APPROVAL DATE	4088
EIGHT POSITION DATE	8818
ELECTRICAL ACCOUNTING MACHINE (EAM) CARD INTERPRETED INDIC	3120
ELECTRONIC COMMERCE / DATA INTERCHANGE CAPABILITY IND CD	3417
ELECTRONIC MAIL MESSAGE	2149
ELECTROSTATIC DISCHARGE ELECTROMAGNETIC INTERFACE CD EXPLA	2508
ELECTROSTATIC DISCHARGE/ELECTROMAGNETIC INTERFERENCE CODE	2043
ELEVEN TO THIRTY SECONDS PERCENT B3	7645
EMAIL ADDRESS TEXT	3375
EMAIL ADDRESS TEXT 2	4457
EMAIL ATTEMPT/COMPLETION STATUS NOTIFICATION CODE	8379
END ITEM CODE	1473

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
END TIME	<u>9787</u>
END TIMESTAMP TIME	<u>4568</u>
ENDING DATE	<u>0913</u>
ENGINE NUMBER	<u>2244</u>
ENGLISH LANGUAGE DICTIONARY WORD	<u>1539</u>
ENTERPRISE RESOURCE PLANNING (ERP) CHANGE INDICATOR CODE	<u>2879</u>
ENTERPRISE RESOURCE PLANNING (ERP) MESSAGE TEXT	<u>2887</u>
ENVIRONMENTAL ATTRIBUTE CODE	<u>3025</u>
ENVIRONMENTAL ATTRIBUTE DEFINITION TEXT	<u>3010</u>
ENVIRONMENTAL DATA CHAIN	<u>3009</u>
ENVIRONMENTALLY PREFERRED ATTRIBUTE CLASS NAME	<u>3007</u>
ENVIRONMENTALLY PREFERRED PRODUCT CATEGORY NAME	<u>3006</u>
EQUIPMENT MANAGEMENT CODE	<u>2061</u>
EQUIPMENT SPECIALIST CODE	<u>9271</u>
ERLS REVIEW INDICATOR CODE	<u>0187</u>
ERROR LISTING NEGATIVE MESSAGE	<u>2021</u>
ERROR MESSAGE 1	<u>2636</u>
ERROR MESSAGE TEXT	<u>9393</u>
ERROR RATE	<u>2674</u>
ERROR SEQUENCER	<u>9151</u>
ERROR TIMESTAMP	<u>9152</u>
ESSENTIALITY CODE	<u>1474</u>
ESTABLISH/CANCEL ITEM NAME CODE (INC) OUTPUT SEGMENT	<u>0441</u>
ESTIMATED OR ACTUAL PRICE CODE	<u>0731</u>
ESTIMATED OR ACTUAL PRICE CODE EXPLANATION	<u>5219</u>
EXCESS REPORT DATE AND SERIAL NUMBER	<u>3341</u>
EXECUTION COUNT	<u>9153</u>
EXPANSION FIELD 1	<u>0443</u>
EXPANSION FIELD 2	<u>0444</u>
EXPANSION FIELD 3	<u>0445</u>
EXPANSION FIELD 5	<u>0781</u>
EXPEND RECOVER REPAIR CATEGORY CODE EXPLANATION AIR FORCE	<u>3164</u>
EXPEND RECOVER REPAIR CATEGORY CONDEMN LVL AIR FORCE	<u>2841</u>
EXPEND RECOVER REPAIR CATEGORY DESIGNATOR AIR FORCE	<u>2842</u>
EXPEND RECOVER REPAIR CATEGORY EPEND YES OR NO AIR FORCE	<u>2843</u>
EXPEND RECOVER REPAIR CATEGORY REPBL AIR FORCE	<u>2844</u>
EXPENDABILITY-RECOVERABILITY-REPARABILITY CATEGORY CODE-A	<u>2655</u>
EXPORT COMMODITY CONTROL NUMBER IDENTIFIER	<u>0143</u>
EXTENDED FREIGHT DESCRIPTION	<u>0041</u>
EXTENDED SEGMENT DATA	<u>9154</u>
EXTENDED SEGMENT FLAG	<u>9156</u>
EXTENDED SEGMENT SEQUENCER	<u>9155</u>
EXTERNAL COMMUNICATIONS PASSWORD IDENTIFIER	<u>6574</u>
EXTERNAL COMMUNICATIONS USERID IDENTIFIER	<u>6573</u>
EXTRACT CHARACTER IMAGE FOR TESTING	<u>0325</u>
EXTRACT RETURN CODE	<u>9451</u>
EXTRACTION DESCRIPTION	<u>1716</u>
EXTRACTION PARAMETERS	<u>1706</u>
F MAXIMUM VALUE	<u>4428</u>
F MINIMUM VALUE	<u>3078</u>
F NOMINAL VALUE	<u>3079</u>
FABRICATED CAGE/NSCM CODE	<u>0074</u>
FAX NUMBER IDENTIFIER	<u>4461</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FCP DEPT PICA MANAGED FULL DESCRIPTIVE NET NSNs	<u>3236</u>
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 1 PERCENT	<u>6448</u>
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 2 PERCENT	<u>6449</u>
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE	<u>6432</u>
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 NSN	<u>6428</u>
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 PERCENT	<u>6433</u>
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 PERCENT	<u>6434</u>
FCS APPROVED ITEM NAME SUBMITTING ACTY TYPE II 4 PERCENT	<u>6435</u>
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE	<u>6450</u>
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 1 NSN	<u>6445</u>
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 2 NSN	<u>6446</u>
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 4 NSN	<u>6447</u>
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 PERCENT	<u>6456</u>
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 NSN	<u>6454</u>
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 PERCENT	<u>6457</u>
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 PERCENT	<u>6458</u>
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 NSN	<u>6438</u>
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 PCT	<u>6441</u>
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 NSN	<u>6439</u>
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 PCT	<u>6442</u>
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 NSN	<u>6440</u>
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 PCT	<u>6443</u>
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II	<u>6884</u>
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT	<u>6870</u>
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN	<u>8171</u>
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 NSN	<u>8173</u>
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PCT	<u>8176</u>
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN	<u>8174</u>
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PCT	<u>8177</u>
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN	<u>8175</u>
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PCT	<u>8178</u>
FCS CURRENT REFERNCE SUBMITTING ACTIVITY TYPE II 2 PERCENT	<u>6883</u>
FCS CURRENT SUBMITTING DEPARTMENT NSN	<u>6418</u>
FCS CURRENT SUBMITTING ACTIVITY CODE NSN	<u>8208</u>
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1	<u>6437</u>
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1 NSN	<u>6402</u>
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2	<u>6407</u>
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2 NSN	<u>6403</u>
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4	<u>6404</u>
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4	<u>6408</u>
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 NSN	<u>6419</u>
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 PERCENT	<u>6424</u>
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 NSN	<u>6420</u>
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 PERCENT	<u>6425</u>
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 NSN	<u>6423</u>
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 PERCENT	<u>6426</u>
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN	<u>8162</u>
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT	<u>8165</u>
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN	<u>8163</u>
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT	<u>8166</u>
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN	<u>8164</u>
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 PERCENT	<u>8168</u>
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PERCENT	<u>6889</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN	<u>6887</u>
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PERCENT	<u>6890</u>
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN	<u>6888</u>
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II NSN	<u>6886</u>
FCS SUBMITTING ACTIVITY CODE NSN	<u>6391</u>
FCS SUBMITTING ACTIVITY CODE TYPE II 1 NSN	<u>6392</u>
FCS SUBMITTING ACTIVITY CODE TYPE II 1 PERCENT	<u>6395</u>
FCS SUBMITTING ACTIVITY CODE TYPE II 2 NSN	<u>6393</u>
FCS SUBMITTING ACTIVITY CODE TYPE II 2 PERCENT	<u>6396</u>
FCS SUBMITTING ACTIVITY CODE TYPE II 4 NSN	<u>6394</u>
FCS SUBMITTING ACTIVITY CODE TYPE II 4 PERCENT	<u>6397</u>
FCS SUBMITTING DEPARTMENT NSN	<u>6409</u>
FCS SUBMITTING DEPARTMENT TYPE II 1 NSN	<u>6410</u>
FCS SUBMITTING DEPARTMENT TYPE II 1 PERCENT	<u>6415</u>
FCS SUBMITTING DEPARTMENT TYPE II 2 NSN	<u>6411</u>
FCS SUBMITTING DEPARTMENT TYPE II 2 PERCENT	<u>6416</u>
FCS SUBMITTING DEPARTMENT TYPE II 4 NSN	<u>6412</u>
FCS SUBMITTING DEPARTMENT TYPE II 4 PERCENT	<u>6417</u>
FCS-APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 NSN	<u>6431</u>
FEDERAL AVIATION ADMINISTRATION MANAGEMENT CONTROL DATA	<u>2203</u>
FEDERAL AVIATION ADMINISTRATION REPAIRABILITY CODE	<u>2202</u>
FEDERAL CATALOG SYSTEM DEPARTMENT GROUP LOA TYPE II PERCENT	<u>6933</u>
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) CITY CODE	<u>1369</u>
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) COUNTY CODE	<u>1371</u>
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) STATE CODE	<u>1370</u>
FEDERAL ITEM IDENTIFICATION EDIT GUIDE DELETION DESIGNATOR	<u>0760</u>
FEDERAL ITEM IDENTIFICATION GUIDE TITLE	<u>9779</u>
FEDERAL ITEM IDENTIFICATION GUIDE TITLE DATA SEGMENT	<u>3661</u>
FEDERAL LOGISTICS INFORMATION SYSTEM REMOVAL DATE	<u>9464</u>
FEDERAL LOGISTICS INFORMATION SYSTEM SEGMENT CODE	<u>8999</u>
FEDERAL SUPPLY CLASS ACTIVE RECORDS COUNT	<u>1551</u>
FEDERAL SUPPLY CLASS ADD COUNTS	<u>1544</u>
FEDERAL SUPPLY CLASS CHANGED COUNTS	<u>1545</u>
FEDERAL SUPPLY CLASS COUNT	<u>0350</u>
FEDERAL SUPPLY CLASS DELETE EFFECTIVE DATE COUNT	<u>1928</u>
FEDERAL SUPPLY CLASS DELETED COUNTS	<u>1543</u>
FEDERAL SUPPLY CLASS DELETED RECORDS COUNT	<u>1552</u>
FEDERAL SUPPLY CLASS ESTABLISHED EFFECTIVE DATE COUNT	<u>1933</u>
FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA	<u>0309</u>
FEDERAL SUPPLY CLASS EXCLUSION NARRATIVE	<u>0376</u>
FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA	<u>4968</u>
FEDERAL SUPPLY CLASS INCLUSION NARRATIVE	<u>0375</u>
FEDERAL SUPPLY CLASS ITEM NAME CODE NSN	<u>5751</u>
FEDERAL SUPPLY CLASS NOTE DATA	<u>0315</u>
FEDERAL SUPPLY CLASS NSN	<u>5752</u>
FEDERAL SUPPLY CLASS TOTAL RECORDS COUNT	<u>1547</u>
FEDERAL SUPPLY CLASS/MOE RULE INDICATOR CODE	<u>0122</u>
FEDERAL SUPPLY CLASS/TITLE/EFFECTIVE DATE DATA	<u>0314</u>
FEDERAL SUPPLY CLASSES APPLICABLE	<u>3970</u>
FEDERAL SUPPLY CLASSIFICATION CONDITION CODE	<u>2607</u>
FEDERAL SUPPLY CLASSIFICATION NOTE	<u>4962</u>
FEDERAL SUPPLY CLASSIFICATION TITLE	<u>4970</u>
FEDERAL SUPPLY GROUP ADD COUNT	<u>1548</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
FEDERAL SUPPLY GROUP CHANGED COUNTS	<u>1549</u>
FEDERAL SUPPLY GROUP DELETED COUNTS	<u>1546</u>
FEDERAL SUPPLY GROUP FEDERAL SUPPLY CLASS DATA EFF DATE	<u>2032</u>
FEDERAL SUPPLY GROUP NOTE	<u>4965</u>
FEDERAL SUPPLY GROUP NOTE DATA	<u>0313</u>
FEDERAL SUPPLY GROUP TITLE	<u>4972</u>
FEDERAL SUPPLY GROUP TITLE DATA	<u>0312</u>
FEDERAL SUPPLY GROUP TITLES SEARCH	<u>1939</u>
FEDERAL SUPPLY NUMBER	<u>1447</u>
FEDERAL TELECOMMUNICATIONS SYSTEM NUMBER	<u>0880</u>
FIGREP DRAWINGS COUNTER	<u>0927</u>
FIGREP TO DRAWING IDENTIFICATION LIST	<u>0922</u>
FIG ALL 9001 USAGE PERCENT	<u>6630</u>
FIG ALL MAINTENANCE MATCH PERCENT	<u>6629</u>
FIG ALL NEW ITEM MATCH PERCENT	<u>6628</u>
FIG APPENDIX SECTION IDENTIFIER	<u>0332</u>
FIG CANCELLATION DATE	<u>0338</u>
FIG DRAWING COUNT	<u>1448</u>
FIG DRAWING DETAL	<u>0966</u>
FIG DRAWING SEQUENCE NUMBER	<u>5061</u>
FIG DRAWING TITLE TEXT	<u>5062</u>
FIG ERROR COUNT	<u>1449</u>
FIG GRAND TOTAL 9001 USAGE	<u>6641</u>
FIG GRAND TOTAL ACTUAL MATCH	<u>6636</u>
FIG GRAND TOTAL FIG SCREENING	<u>6644</u>
FIG GRAND TOTAL INC SCREENING	<u>6643</u>
FIG GRAND TOTAL INPUT	<u>6633</u>
FIG GRAND TOTAL MAINTENANCE INPUT	<u>6639</u>
FIG GRAND TOTAL MAINTENANCE MATCH	<u>6640</u>
FIG GRAND TOTAL MATCH	<u>6634</u>
FIG GRAND TOTAL MATCH PERCENT	<u>6642</u>
FIG GRAND TOTAL NEW INPUT	<u>6637</u>
FIG GRAND TOTAL NEW MATCH	<u>6638</u>
FIG GRAND TOTAL POSSIBLE MATCH	<u>6635</u>
FIG IMPLEMENTATION DATE	<u>0337</u>
FIG INC 9001 USAGE	<u>6625</u>
FIG INC 9001 USAGE WEEK	<u>2299</u>
FIG INC ACTUAL MATCH	<u>6620</u>
FIG INC ACTUAL MATCH WEEK	<u>2293</u>
FIG INC INPUT	<u>6617</u>
FIG INC INPUT WEEKLY	<u>2291</u>
FIG INC MAINTENANCE INPUT	<u>6623</u>
FIG INC MAINTENANCE INPUT WEEK	<u>2297</u>
FIG INC MAINTENANCE MATCH	<u>6624</u>
FIG INC MAINTENANCE MATCH WEEK	<u>2298</u>
FIG INC MATCH	<u>6618</u>
FIG INC MATCH PERCENT	<u>6626</u>
FIG INC MATCH WORK	<u>2294</u>
FIG INC NEW INPUT	<u>6621</u>
FIG INC NEW INPUT WEEK	<u>2295</u>
FIG INC NEW MATCH	<u>6622</u>
FIG INC NEW MATCH WEEK	<u>2296</u>
FIG INC POSSIBLE MATCH	<u>6619</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
FIIG INC POSSIBLE MATCH WEEK	<u>2292</u>
FIIG INC SCREENING	<u>6631</u>
FIIG INITIATOR CODE	<u>5067</u>
FIIG LOCKOUT INDICATOR	<u>0581</u>
FIIG OVERALL MATCH PERCENT	<u>6627</u>
FIIG RECORD COUNT	<u>6632</u>
FIIG SECTION IDENTIFIER	<u>5069</u>
FIIG SECTION TITLE TEXT	<u>5070</u>
FIIG SEQUENCE NUMBER	<u>4404</u>
FIIG SUB SECTION IDENTIFIER	<u>5071</u>
FIIG SUB SECTION TITLE TEXT	<u>5068</u>
FIIG TOTAL 9001 USAGE	<u>6265</u>
FIIG TOTAL ACTUAL MATCH	<u>6260</u>
FIIG TOTAL INPUT	<u>6257</u>
FIIG TOTAL MAINTENANCE INPUT	<u>6263</u>
FIIG TOTAL MAINTENANCE MATCH	<u>6264</u>
FIIG TOTAL MATCH	<u>6258</u>
FIIG TOTAL NEW INPUT	<u>6261</u>
FIIG TOTAL NEW MATCH	<u>6262</u>
FIIG TOTAL POSSIBLE MATCH	<u>6259</u>
FILE CHARACTER COUNT	<u>9157</u>
FILE CHARACTER MINIMUM QUANTITY	<u>9243</u>
FILE COMPATIBILITY ACTIVITY CODE	<u>0735</u>
FILE MAINTENANCE ACTION CODE	<u>8850</u>
FILE MAINTENANCE ACTION CODES EXPLANATION	<u>3173</u>
FILE MAINTENANCE RECEIVER CODE	<u>8905</u>
FILE MAINTENANCE SEQUENCE NUMBER	<u>1515</u>
FILE NAME	<u>8639</u>
FILE RECORD COUNT	<u>9158</u>
FILE RECORD MINIMUM QUANTITY	<u>9242</u>
FILE TRANSACTION COUNT	<u>9159</u>
FILE TRANSFER PROTOCOL NEXT SCHEDULED OCCURRENCE TIMESTAMP TIME	<u>8366</u>
FILE TRANSFER PROTOCOL START NEXT RUN TIMESTAMP TIME	<u>8367</u>
FILE TRANSFER PROTOCOL RECORD REASON SCHEDULE TYPE IDENTIFIER	<u>8359</u>
FILE TRANSFER PROTOCOL STATUS INDICATOR CODE	<u>2576</u>
FILE VALIDATION INDICATOR	<u>4584</u>
FIREFIGHTING GROUP	<u>2437</u>
FIRST FORMER NAME OR LOCATION	<u>1362</u>
FIRST INITIAL	<u>9160</u>
FIRST LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	<u>4691</u>
FIRST OF MONTH TIMESTAMP TIME	<u>4569</u>
FIRST OF THE MONTH JULIAN	<u>2538</u>
FIRST PHRASE CODE	<u>3048</u>
FIRST POSITION MOE RULE	<u>4495</u>
FIRST QUARTER CURRENT FISCAL YEAR 1	<u>6669</u>
FISCAL YEAR TO DATE	<u>4307</u>
FIVE DIGIT SERIAL NUMBER	<u>1872</u>
FIXED OR VARIABLE KEY	<u>1092</u>
FIXED VARIABLE LENGTH MEDIA INDICATOR	<u>3119</u>
FIXED/VARIABLE	<u>1880</u>
FLIS DATA MESSAGE CONTROL SEGMENT	<u>0752</u>
FLIS I&S RELATIONSHIP DATA SEGMENT	<u>9106</u>
FLIS SUBSECTION PART	<u>4467</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FOLLOW-UP CONDITION CODE	<u>0155</u>
FOLLOW-UP CONDITION CODE DEFINITION	<u>5104</u>
FOLLOW-UP CONDITION CODE INSTRUCTION	<u>5105</u>
FOLLOW-UP STATUS CODE	<u>0166</u>
FOLLOW-UP STATUS CODE DEFINITION	<u>3141</u>
FOLLOW-UP STATUS CODE INSTRUCTION	<u>3142</u>
FOOTPRINT DATE	<u>9161</u>
FOOTPRINT TRANSACTION KEY	<u>9435</u>
FOOTPRINT TRANSACTION REFERENCE KEY	<u>9438</u>
FOOTPRINT TRANSACTION SEQUENCE NUMBER	<u>9439</u>
FORCED FLAG	<u>9458</u>
FOREIGN/DOMESTIC DESIGNATOR CODE	<u>4235</u>
FOREIGN/DOMESTIC DESIGNATOR CODE EXPLANATION	<u>5289</u>
FORM UNIVERSAL RESOURCE LOCATOR (URL) PHYSICAL LOCATION NAME	<u>0205</u>
FORMAT DESCRIPTION	<u>1717</u>
FORMAT EDIT DATA GROUP	<u>3666</u>
FORMAT ERROR COUNT	<u>1446</u>
FORMAT EXAMPLE	<u>3114</u>
FORMAT NAME	<u>9162</u>
FORMAT PARAMETERS	<u>1707</u>
FORMAT REFERENCE NUMBER GOVT COMMERCIAL AND GOVT ENTITY	<u>3113</u>
FORMAT REMARKS	<u>4511</u>
FORMATTED TIMESTAMP	<u>9164</u>
FORMER DEPOT SOURCE OF REPAIR (DSOR) CODE	<u>0904</u>
FORMER FREIGHT CLASSIFICATION CODE	<u>0255</u>
FORMER MAJOR ORGANIZATIONAL ENTITY RULE NUMBER	<u>8280</u>
FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE	<u>0096</u>
FORMER NMFC SUB-ITEM NUMBER	<u>0862</u>
FORMER PHRASE DATA GROUP	<u>2890</u>
FORMER PHRASE RELATIONSHIP GROUP	<u>0216</u>
FORMER RELATED NATIONAL STOCK NUMBER	<u>0126</u>
FORMER SUPPLEMENTARY COLLABORATOR	<u>2931</u>
FORMER SUPPLEMENTARY RECEIVER	<u>2936</u>
FORMER UNIFORM FREIGHT CLASSIFICATION CODE	<u>0097</u>
FORMER UNIT OF ISSUE	<u>8472</u>
FORMER UNIT OF ISSUE CONDITIONAL NOTE	<u>5247</u>
FORMER UNIT OF ISSUE DEFINITION	<u>5246</u>
FORMER UNIT OF ISSUE TERM	<u>5245</u>
FOURTH QUARTER CURRENT FISCAL YEAR 1	<u>6672</u>
FREEDOM OF INFORMATION GIRDER SCHEDULING CODE	<u>0791</u>
FREIGHT CLASSIFICATION CODE	<u>0130</u>
FREIGHT CLASSIFICATION DATA (FCD)	<u>0863</u>
FREIGHT CLASSIFICATION DATA SEGMENT	<u>9107</u>
FREIGHT CODE STATUS CODE	<u>2090</u>
FREIGHT DECODED LAST DATE	<u>1950</u>
FREIGHT DESCRIPTION	<u>4020</u>
FREIGHT EXTENDED DESCRIPTION ADD COUNT	<u>1960</u>
FREIGHT EXTENDED DESCRIPTION ADD ERROR COUNT	<u>1955</u>
FREIGHT EXTENDED DESCRIPTION CHANGE COUNT	<u>1961</u>
FREIGHT EXTENDED DESCRIPTION CHANGE ERROR COUNT	<u>1532</u>
FREIGHT EXTENDED DESCRIPTION DELETE COUNT	<u>1962</u>
FREIGHT EXTENDED DESCRIPTION DELETE ERROR COUNT	<u>1957</u>
FREIGHT ITEM NAME CODE NSN	<u>6599</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
FREIGHT ITEM NAME CODE TOTAL NSN	<u>6600</u>
FREIGHT MASTER ADD COUNT	<u>1524</u>
FREIGHT MASTER ADD ERROR COUNT	<u>1517</u>
FREIGHT MASTER CHANGE COUNT	<u>1959</u>
FREIGHT MASTER CHANGE ERROR COUNT	<u>2029</u>
FREIGHT MASTER DELETE COUNT	<u>1954</u>
FREIGHT MASTER DELETE ERROR COUNT	<u>1533</u>
FREIGHT MASTER INQUIRY COUNT	<u>1523</u>
FREIGHT MASTER INQUIRY DATE	<u>1952</u>
FREIGHT MASTER NIIN COUNT	<u>2039</u>
FREIGHT MASTER TIME FRAME	<u>1528</u>
FREIGHT RATE CODE	<u>2091</u>
FROM ZIP CODE	<u>3414</u>
FSC ALPHA ACTIVE ITEM NAME SEARCH	<u>1943</u>
FSC AMMUNITION DESCRIPTION TEXT	<u>8807</u>
FSC CANCELED ITEM NAME SEARCH	<u>1944</u>
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 NSN	<u>6453</u>
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 NSN	<u>6455</u>
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN	<u>8170</u>
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN	<u>8172</u>
FSC DATE ESTABLISHED CANCELLED RECORD DIDS	<u>5182</u>
FSC MOE RULE CHANGE INDICATOR CODE TITLE	<u>4504</u>
FSC MOE RULE NIIN QUANTITY	<u>6596</u>
FSC REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PERCENT	<u>6891</u>
FSC REQUIRING ELECTROSTATIC DISCHARGE CODE	<u>2509</u>
FSC/MOE RULE INDICATOR CODE EXPLANATION	<u>5305</u>
FSG DATE ESTABLISHED CANCELLED RECORD DIDS	<u>5183</u>
FSG FSC DESCRIPTION SEARCH	<u>1941</u>
FSG TOTAL RECORD COUNT	<u>1942</u>
FTP REMOTE FILE NAME	<u>8374</u>
FULL DESCRIPTIVE METHOD 2	<u>6675</u>
FULL DESCRIPTIVE METHOD 7	<u>1699</u>
FULL UNABBREVIATED LEGAL BUSINESS COMPANY NAME	<u>4782</u>
FULLY QUALIFIED DB2 TABLE NAME	<u>4455</u>
FUNCTION CODE	<u>1682</u>
FUND CODE AIR FORCE	<u>2695</u>
FUND CODE ARMY	<u>1490</u>
FUND CODE DEFINITION AIR FORCE	<u>3163</u>
FUTURE CATALOG TOOLS MOE RULE STATUS CODE	<u>0297</u>
FUTURE CATALOG TOOLS MOE RULE STATUS CODE DEFINITION	<u>5306</u>
FUTURE DATA SEGMENT	<u>9119</u>
FUTURE MATERIEL MANAGEMENT CODE EFFECTIVE DATE	<u>2613</u>
GAINING ITEM MANAGEMENT SERVICE/AGENCY ACTIVITY CODE	<u>5086</u>
GAINING ITEM MANAGEMENT SERVICE/AGENCY SOURCE OF SUPPLY CODE	<u>5087</u>
GENERAL INFORMATION NUMBER	<u>2241</u>
GENERATTE LTI INDICATOR	<u>1909</u>
GENERIC ITEM INDICATOR CODE	<u>0795</u>
GENERIC MASTER NATIONAL STOCK NUMBER	<u>0796</u>
GIRDER CODE	<u>0808</u>
GIRDER CODE EXPLANATION	<u>5100</u>
GIRDER CODE NEW NUMBER 1	<u>4541</u>
GIRDER CODE NEW NUMBER 2	<u>4542</u>
GIRDER DUPLICATE COPY PROTECTED DATA	<u>4547</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
GIRDER INPUT SET	<u>9165</u>
GIRDER LAR SUBTOTAL	<u>1503</u>
GIRDER LAR TRANS TOTAL	<u>1507</u>
GIRDER LCR SUBTOTAL	<u>1504</u>
GIRDER LCR TRANS TOTAL	<u>1508</u>
GIRDER MANUFACTURER PROTECTED DATA	<u>4548</u>
GIRDER MANUFACTURER SUPPLIED DATA	<u>4546</u>
GIRDER NEW CAGE CODE	<u>4544</u>
GIRDER NEW REFERENCE NUMBER LOGISTICS	<u>4545</u>
GIRDER PICA LAR COUNT	<u>1501</u>
GIRDER PICA TRANS TOTAL	<u>1505</u>
GIRDER RECORD SEQUENCE NUMBER	<u>4543</u>
GIRDER TRANS GRAND TOTAL	<u>1509</u>
GIRDER-TRANS-SUBTOTAL	<u>1506</u>
GLOBAL TRADE ITEM NUMBER CODE	<u>8629</u>
GLOSSARY ACRONYM	<u>2135</u>
GLOSSARY ACRONYM TITLE	<u>2136</u>
GLOSSARY TERM	<u>2132</u>
GLOSSARY TERM DEFINITION	<u>2133</u>
GLOSSARY TERM VOLUME REFERENCE	<u>2134</u>
GOVERNMENT CAGE INCLUSION CODE	<u>2878</u>
GOVERNMENT/COMMERCIAL ORGANIZATION NAME	<u>4451</u>
GRAND TOTAL IN PROCESS IN BATCH	<u>1994</u>
GRAND TOTAL PROCESSED BILLED IN BATCH	<u>1993</u>
GRAND TOTAL PURGED FROM BATCH	<u>1992</u>
GRAND TOTAL RECEIVED IN BATCH	<u>1991</u>
GRAPHICS REQUIREMENT INDICATOR CODE	<u>8306</u>
GROUP LEAN IN NARRATIVE STATEMENT	<u>9575</u>
GUI USER REMOTE IP ADDRESS TEXT	<u>9279</u>
GUIDE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)	<u>4065</u>
GUIDE NUMBER FIIG SEARCH	<u>1912</u>
H J TEXT	<u>4437</u>
H TAB1 VALUE	<u>4429</u>
H TAB2 VALUE	<u>4430</u>
H TAB3 VALUE	<u>4431</u>
H TAB4 VALUE	<u>4432</u>
H TAB5 VALUE	<u>4433</u>
H TAB6 VALUE	<u>4434</u>
H TAB7 VALUE	<u>4435</u>
H TAB8 VALUE	<u>4436</u>
H TABLE VALUE	<u>3077</u>
H2-H3 PUBLICATIONS IDENTIFIER	<u>1062</u>
H3 NUMERIC EXTRACT	<u>1066</u>
H3 SORTED NUMERIC DATA	<u>1064</u>
HAZARDOUS CHARACTERISTICS CODE	<u>2579</u>
HAZARDOUS MATERIAL CODE CONDITIONAL NOTE	<u>5223</u>
HAZARDOUS MATERIAL CODE EXPLANATION	<u>5222</u>
HAZARDOUS MATERIAL INDICATOR EXPLANATION	<u>3466</u>
HAZARDOUS MATERIALS INDICATOR CODE	<u>0865</u>
HAZARDOUS MATERIALS INDICATOR CODE FED SUPPLY CLASS TBL	<u>8589</u>
HAZARDOUS MATERIEL CODE	<u>2720</u>
HCC ABBREVIATED DEFINITION TEXT	<u>9077</u>
HCC GROUP TEXT	<u>9079</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
HEAD NARRATIVE	4453
HEADER REJECT FIELD	9166
HEADINGS SECTION DESCRIPTION TEXT	0207
HEAVY LIFT & OUTSIZED DIMENSIONS HANDLING REQUIREMENTS CO	5229
HEAVY LIFT HANDLING REQUIREMENT CODE	5227
HELP PROCEDURE PROGRAM NAME	4491
HI-DOLLAR BREAKOUT COMMODITY CATEGORY	3428
HI-DOLLAR BREAKOUT FEDERAL SUPPLY CLASS AND EACH CODE COUNT	1902
HISTORY DATE	4470
HOMONYM	1881
I & S ACTIVITY NSN FAMILY COUNT	6088
I & S DEPT NSN FAMILY COUNT	6089
I & S GRAND TOTAL NSN FAMILY COUNT	6099
I & S INDICATOR CODE	0174
I & S INDICATOR CODE ARMY	4605
I & S STATUS INDICATOR CODE	5093
I O ACTIVITY INPUT DIC TOTAL	6547
I O ACTIVITY OUTPUT DIC RETURN CODE INPUT DIC	6591
I O INPUT DIC OUTPUT DIC RETURN CODE	6544
I O INPUT DIC TOTAL	6545
I O OUTPUT DIC RETURN CODE INPUT DIC	6548
I O OUTPUT DIC RETURN CODE TOTAL	6549
I&S FAMILY RELATIONSHIP GROUP	0794
I&S JUMP TO CODE	0792
I&S ORDER OF USE CODE	0793
I-O-ACTIVITY INPUT DIC OUTPUT DIC RETURN CODE	6546
ICDD FSC ALL INTEGRATED MANAGER	5954
ICDD FSC ALL INTEGRATED MANAGER OTHER DOD	5953
ICDD FSC ALL LOA COMB MIL SVC INTEGRATED MGR OTHER DOD	5956
ICDD FSC ALL LOA COMBINATION INTEGRATED MANAGER	5961
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE	5959
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE INTEGRATED MGR	5957
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE OTHER DOD	5958
ICDD FSC ALL LOA COMBINATION OTHER DOD	5962
ICDD FSC ALL MILITARY SERVICE	5952
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER	5950
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER OTHER DOD	5949
ICDD FSC ALL MILITARY SERVICE OTHER DOD	5951
ICDD FSC ALL OTHER DOD	5955
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER	5968
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER OTHER DOD	5967
ICDD INTEGRATED MANAGER ALL LOA COMBINATION IM OTHER DOD	6464
ICDD INTEGRATED MANAGER ALL LOA COMBINATION INTEGRATED MGR	6465
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC IM	6461
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SERVICE	6463
ICDD INTEGRATED MANAGER ALL LOA COMBINATION OTHER DOD	6466
ICDD INTEGRATED MANAGER ALL MIL SVC INTEGRATED MGR OTHER DOD	5963
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES	5966
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES OTHER DOD	5965
ICDD INTEGRATED MANAGER ALL MILITARY SVCS INTEGRATED MGR	5964
ICDD INTEGRATED MANAGER ALL OTHER DOD	5969
ICDD INTEGRATED MGR ALL LOA COMB MIL SVC IM OTHER DOD	6460
ICDD INTEGRATED MGR ALL LOA COMBINATION MIL SVC OTHER DOD	6462

CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICDD LOG ASSIGN ALL LOA COMB MIL SVC IM OTHER DOD	6474
ICDD LOG ASSIGN ALL LOA COMB MIL SVC INTEGRATED MANAGER	6475
ICDD LOG ASSIGN ALL MIL SVC INTEGRATED MANAGER OTHER DOD	6467
ICDD LOG ASSIGN FSC ALL MILITARY SVC IM OTHER DOD	6481
ICDD LOG ASSIGN FSC LOA COMB MIL SVC IM OTHER DOD	6488
ICDD LOG ASSIGN FSC LOA COMB MIL SVC INTEGRATED MGR	6489
ICDD LOG ASSIGN FSC LOA COMBINATION MILITARY SVC OTHER DOD	6490
ICDD LOGISTICS ASGMT ALL LOA COMBINATION INTEGRATED MGR	6479
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER	6472
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER OTHER DOD	6471
ICDD LOGISTICS ASSIGNMENT ALL LOA COMB MIL SVC OTHER DOD	6476
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION IM OTHER DOD	6478
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC	6477
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION OTHER DOD	6480
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE	6470
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE OTHER DOD	6469
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SVC INTEGRATED MGR	6468
ICDD LOGISTICS ASSIGNMENT ALL OTHER DOD	6473
ICDD LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MANAGER	6486
ICDD LOGISTICS ASSIGNMENT FSC ALL INTERGRATED MGR OTHER DOD	6485
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE	6484
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE IM	6482
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE OTHER DOD	6483
ICDD LOGISTICS ASSIGNMENT FSC LOA COMB IM OTHER DOD	6492
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION INTEGRATED MGR	6493
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY SVC	6491
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION OTHER DOD	6494
ICDD LOGISTISC ASSIGNMENT FSC ALL OTHER DOD	6487
ICDD-FSC ALL LOA COMBINATION INTEGRATED MANAGER OTHER DOD	5960
ICDS FSC ALL DOD MULTI-MANAGED	5827
ICDS FSC ALL DOD MULTI-MANAGED PERCENT	5828
ICDS FSC ALL INTEGRATED MANAGED MULTI-MANAGED	5832
ICDS FSC ALL INTEGRATED MANAGER MULTI-MANAGED	5831
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MANAGED	5839
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MGD PCT	5840
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MANAGED	5837
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MGD PCT	5838
ICDS FSC ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD PERCENT	5842
ICDS FSC ALL LEVEL OF AUTH COMBINATION DOD MULTI-MGD PERCENT	5836
ICDS FSC ALL LEVEL OF AUTHORITY COMB OTHER DOD MULTI-MANAGED	5841
ICDS FSC ALL LEVEL OF AUTHORITY COMBINATION DOD MULTI-MGD	5835
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED	5829
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT	5830
ICDS FSC ALL OTHER DOD MULTI-MANAGED	5833
ICDS FSC ALL OTHER DOD MULTI-MANAGED PERCENT	5834
ICDS IM ALL LOA COMBINATION OTH DOD MULTI-MANAGED PERCENT	5916
ICDS IM ALL LOA COMBINATION OTHER DOD MULTI-MANAGED	5915
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED	5843
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED PERCENT	5859
ICDS INTEGRATED MANAGER ALL INTEGRATED MANAGER MULTI-MANAGED	5905
ICDS INTEGRATED MANAGER ALL INTEGRATED MGR MULTI-MGD PERCENT	5906
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED	5860
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MGD PCT	5904

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED	<u>5907</u>
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED PERCENT	<u>5908</u>
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED	<u>5909</u>
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MGD PCT	<u>5910</u>
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD	<u>5911</u>
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD	<u>5913</u>
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD PT	<u>5914</u>
ICDS INTEGRATED MGR ALL LOA COMB MILITARY SVC MULTI-MGD PCT	<u>5912</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED	<u>5925</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MGD PERCENT	<u>5926</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTEGRTD MGR MULTI-MG	<u>5929</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTG MGR MM PERCENT	<u>5930</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MANAGED	<u>5927</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT	<u>5928</u>
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD	<u>5931</u>
ICDS LOG ASSIGN FSC ALL MIL SVC MULTI-MANAGED PERCENT	<u>5936</u>
ICDS LOG ASSIGN FSC ALL MILITARY SERVICE MULTI-MANAGED	<u>5935</u>
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB DOD MULTI-MGD PCT	<u>5942</u>
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB INTGRD MGR MULTI-MGD	<u>5945</u>
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD	<u>5943</u>
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT	<u>5944</u>
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB OTHER DOD MULTI-MGD	<u>5947</u>
ICDS LOG ASSIGN FSC LOA COMB OTHER DOD MULTI-MGD PERCENT	<u>5948</u>
ICDS LOG ASSIGN FSC LOA INTEGRATED MGR MULTI-MGD PERCENT	<u>5946</u>
ICDS LOGISTICS ASSIGN FSC ALL INTEGRATED MGR MULTI-MGD PCT	<u>5938</u>
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED	<u>5917</u>
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT	<u>5918</u>
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MANAGED	<u>5921</u>
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MGND PCT	<u>5922</u>
ICDS LOGISTICS ASSIGNMENT ALL MIL SVC MULTI-MANAGED PERCENT	<u>5920</u>
ICDS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED	<u>5919</u>
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MANAGED	<u>5923</u>
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MGD PERCENT	<u>5924</u>
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED	<u>5933</u>
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED PERCENT	<u>5934</u>
ICDS LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MGR MULTI-MGD	<u>5937</u>
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MANAGED	<u>5939</u>
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MGD PCT	<u>5940</u>
ICDS LOGISTICS ASSIGNMENT FSC LEVEL OF AUTH COMB DOD MM	<u>5941</u>
ICDS-LOG ASSIGN ALL LEVEL OF AUTH COMB OTH DOD MULTI-MGD PCT	<u>5932</u>
ICES INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED PERCENT	<u>5764</u>
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED	<u>5898</u>
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED PERCENT	<u>5899</u>
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED	<u>5901</u>
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED PERCENT	<u>5902</u>
ICFS FAA ALL MANAGED MULTI-MANAGED	<u>5896</u>
ICFS FAA ALL MANAGED MULTI-MANAGED PERCENT	<u>5897</u>
ICFS FEDERAL AVIATION ADMINISTRATION ALL MULTI-MANAGED	<u>5895</u>
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED	<u>7810</u>
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED PERCE	<u>7811</u>
ICFS GENERAL SERVICES ADMINISTRATION ALL TOTAL	<u>5903</u>
ICMD FSC ALL AIR FORCE	<u>7100</u>
ICMD FSC ALL AIR FORCE MARINE CORPS	<u>7099</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ICMD FSC ALL ARMY	<u>7094</u>
ICMD FSC ALL ARMY AIR FORCE	<u>7092</u>
ICMD FSC ALL ARMY AIR FORCE MARINE CORPS	<u>7091</u>
ICMD FSC ALL ARMY MARINE CORPS	<u>7093</u>
ICMD FSC ALL ARMY NAVY	<u>7090</u>
ICMD FSC ALL ARMY NAVY AIR FORCE	<u>7088</u>
ICMD FSC ALL ARMY NAVY AIR FORCE MARINE CORPS	<u>7087</u>
ICMD FSC ALL ARMY NAVY MARINE CORPS	<u>7089</u>
ICMD FSC ALL LOA COMBINATION AIR FORCE	<u>7115</u>
ICMD FSC ALL LOA COMBINATION AIR FORCE MARINE CORPS	<u>7114</u>
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE	<u>7107</u>
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE MARINE CORPS	<u>7106</u>
ICMD FSC ALL LOA COMBINATION ARMY MARINE CORPS	<u>7108</u>
ICMD FSC ALL LOA COMBINATION ARMY NAVY	<u>7105</u>
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE	<u>7103</u>
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE MARINE CORP	<u>7102</u>
ICMD FSC ALL LOA COMBINATION ARMY NAVY MARINE CORPS	<u>7104</u>
ICMD FSC ALL LOA COMBINATION MARINE CORPS	<u>7116</u>
ICMD FSC ALL LOA COMBINATION NAVY	<u>7113</u>
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE	<u>7111</u>
ICMD FSC ALL LOA COMBINATION NAVY MARINE CORPS	<u>7112</u>
ICMD FSC ALL LOA COMBINATION ARMY	<u>7109</u>
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE MARINE CORPS	<u>7110</u>
ICMD FSC ALL MARINE CORPS	<u>7101</u>
ICMD FSC ALL NAVY	<u>7098</u>
ICMD FSC ALL NAVY AIR FORCE	<u>7096</u>
ICMD FSC ALL NAVY AIR FORCE MARINE CORPS	<u>7095</u>
ICMD FSC ALL NAVY MARINE CORPS	<u>7097</u>
ICMD INTEGRATED MANAGER ALL AIR FORCE	<u>7130</u>
ICMD INTEGRATED MANAGER ALL AIR FORCE MARINE CORPS	<u>7129</u>
ICMD INTEGRATED MANAGER ALL ARMY	<u>7124</u>
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE	<u>7122</u>
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE MARINE CORPS	<u>7121</u>
ICMD INTEGRATED MANAGER ALL ARMY MARINE CORPS	<u>7123</u>
ICMD INTEGRATED MANAGER ALL ARMY NAVY	<u>7120</u>
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE	<u>7118</u>
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE MARINE CORPS	<u>7117</u>
ICMD INTEGRATED MANAGER ALL ARMY NAVY MARINE CORPS	<u>7119</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE	<u>7145</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY	<u>7139</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AF MC	<u>7136</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AIR FORCE	<u>7137</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY MARINE CORP	<u>7138</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY	<u>7135</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AF MC	<u>7132</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AIR F	<u>7133</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY MARINE	<u>7134</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS	<u>7146</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY	<u>7143</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AF MC	<u>7140</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AIR FORCE	<u>7141</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY MARINE CORP	<u>7142</u>
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MC	<u>7144</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ICMD INTEGRATED MANAGER ALL MARINE CORPS	<u>7131</u>
ICMD INTEGRATED MANAGER ALL NAVY	<u>7128</u>
ICMD INTEGRATED MANAGER ALL NAVY AIR FORCE MARINE CORPS	<u>7125</u>
ICMD INTEGRATED MANAGER ALL NAVY AND AIR FORCE	<u>7126</u>
ICMD INTEGRATED MANAGER ALL NAVY AND MARINE CORPS	<u>7127</u>
ICMD LOGISTICS ASGMT FSC ALL ARMY AIR FORCE MARINE CORP	<u>5869</u>
ICMD LOGISTICS ASGMT FSC LOA COMBINATION ARMY AIR FORCE	<u>5885</u>
ICMD LOGISTICS ASGMT FSC LOA COMBINATION NAVY AIR FORCE	<u>5889</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AF MC	<u>5851</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NVY AF MC	<u>5880</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY	<u>7154</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE	<u>7152</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE MARINE CORPS	<u>7151</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY MARINE CORPS	<u>7153</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY	<u>7150</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE	<u>7148</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE MARINE COR	<u>7147</u>
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY MARINE CORPS	<u>7149</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE	<u>5862</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MC	<u>5861</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY	<u>5854</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AIR FORCE	<u>5852</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MARINE CO	<u>5853</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY	<u>5850</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF	<u>7163</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY MC	<u>5849</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NVY AF MC	<u>7162</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS	<u>5863</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY	<u>5858</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF	<u>5856</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF MC	<u>5855</u>
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MARINE CO	<u>5857</u>
ICMD LOGISTICS ASSIGNMENT ALL NAVY	<u>7158</u>
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE	<u>7156</u>
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE MARINE CORPS	<u>7155</u>
ICMD LOGISTICS ASSIGNMENT ALL NAVY MARINE CORPS	<u>7157</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE	<u>5878</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MARINE CORPS	<u>5877</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY	<u>5872</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY AIR FORCE	<u>5870</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY MARINE CORPS	<u>5871</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY	<u>5867</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AF MC	<u>5864</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AIR FORCE	<u>5865</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY MARINE CORPS	<u>5866</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS	<u>5879</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY	<u>5876</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIR FORCE	<u>5874</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIRFORCE MARINE C	<u>5873</u>
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY MARINE CORPS	<u>5875</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBIANTION ARMY NAVY MC	<u>5882</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE	<u>5893</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MC	<u>5892</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY	<u>5887</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY AF MC	<u>5884</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MARINE CO	<u>5886</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY	<u>5883</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF	<u>5881</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY	<u>5891</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY AF MC	<u>5888</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBIANTION NAVY MARINE CO	<u>5890</u>
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBINATION MARINE CORPS	<u>5894</u>
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE	<u>7160</u>
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE MARINE CORPS	<u>7159</u>
ICMD LOGISTICS ASSIGNMENTS ALL MARINE CORPS	<u>7161</u>
ICMS FSC ALL AIR FORCE MULTI-MANAGED	<u>6501</u>
ICMS FSC ALL AIR FORCE MULTI-MANAGED PERCENT	<u>6502</u>
ICMS FSC ALL ARMY MULTI-MANAGED	<u>6497</u>
ICMS FSC ALL ARMY MULTI-MANAGED PERCENT	<u>6498</u>
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED	<u>6511</u>
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED PERCENT	<u>6512</u>
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED	<u>6507</u>
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED PERCENT	<u>6508</u>
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED	<u>6513</u>
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED PERC	<u>6514</u>
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MANAGED	<u>6505</u>
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MGD PERC	<u>6506</u>
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED	<u>6509</u>
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED PERCENT	<u>6510</u>
ICMS FSC ALL MARINE CORPS MULTI-MANAGED	<u>6503</u>
ICMS FSC ALL MARINE CORPS MULTI-MANAGED PERCENT	<u>6504</u>
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED	<u>6495</u>
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT	<u>6496</u>
ICMS FSC ALL NAVY MULTI-MANAGED	<u>6499</u>
ICMS FSC ALL NAVY MULTI-MANAGED PERCENT	<u>6500</u>
ICMS INTEG MANAGER ALL MILITARY SVC MULTI-MANAGED PERCENT	<u>6516</u>
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED	<u>6521</u>
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED PERCENT	<u>6522</u>
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED	<u>6517</u>
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED PERCENT	<u>6518</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MULTI	<u>6531</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULT PERCT	<u>6528</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULTI-MANAG	<u>6527</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS MUL	<u>6533</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MC MULTI PERCENT	<u>6534</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC MULT PER	<u>6526</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SVC MUL	<u>6525</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI PERCT	<u>6530</u>
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI-MANAG	<u>6529</u>
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED	<u>6523</u>
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED PERCE	<u>6524</u>
ICMS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED	<u>6515</u>
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED	<u>6519</u>
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED PERCENT	<u>6520</u>
ICMS INTEGRATED MGR ALL LOA COMB AIR FORCE MULT PERCENT	<u>6532</u>
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED	<u>6932</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED PERCENT	<u>6931</u>
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED	<u>8071</u>
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED PERCENT	<u>6537</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE M PE	<u>6963</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MULT	<u>6962</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI PER	<u>6959</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI-MAN	<u>6958</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS M	<u>6964</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MC MULTI PERCE	<u>6965</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC M	<u>6928</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC P	<u>6927</u>
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MULT PERC	<u>6961</u>
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED	<u>6930</u>
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED PER	<u>6929</u>
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI PERCENT	<u>6536</u>
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED	<u>6535</u>
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED	<u>6538</u>
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED PERCENT	<u>6539</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED	<u>6972</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED PE	<u>6973</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED	<u>6968</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED PERCENT	<u>6969</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI PERCENT	<u>6975</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI-MANAGED	<u>6974</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULT PERC	<u>6967</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULTI-MAN	<u>6966</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL NAVY MULTI-MANAGED PERCENT	<u>6971</u>
ICMS LOGISTICS ASSIGNMENT FSC ALL NAY MULTI-MANAGED	<u>6970</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AF MULTI PERCE	<u>7084</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MULT	<u>7083</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULT PERC	<u>6979</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULTI-MAN	<u>6978</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MARINE CORPS M	<u>7085</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MC MULTI PERCE	<u>7086</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MIL SVC MULT P	<u>6977</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY MULTI	<u>6976</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULT PERC	<u>7082</u>
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULTI-MAN	<u>7081</u>
ICMS LOGISTICS ASSIGNMETN ALL LOA COMBINATION NAVY MULTI-MAN	<u>6960</u>
ICWD ALL CIVIL	<u>5784</u>
ICWD ALL CIVIL OTHER GOVERNMENT	<u>5783</u>
ICWD ALL DEPARTMENT OF DEFENSE	<u>5782</u>
ICWD ALL DOD CIVIL	<u>5780</u>
ICWD ALL DOD CIVIL OTHER GOVERNMENT	<u>5779</u>
ICWD ALL DOD OTHER GOVERNMENT	<u>5781</u>
ICWD ALL OTHER GOVERNMENT	<u>5785</u>
ICWD INTEGRATED MANAGER ALL CIVIL	<u>5791</u>
ICWD INTEGRATED MANAGER ALL CIVIL OTHER GOVERNMENT	<u>5790</u>
ICWD INTEGRATED MANAGER ALL DOD	<u>5789</u>
ICWD INTEGRATED MANAGER ALL DOD CIVIL	<u>5787</u>
ICWD INTEGRATED MANAGER ALL DOD CIVIL OTHER GOVERNMENT	<u>5786</u>
ICWD INTEGRATED MANAGER ALL DOD OTHER GOVERNMENT	<u>5788</u>
ICWD INTEGRATED MANAGER ALL OTHER GOVERNMENT	<u>5792</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICWD LOGISTICS ASSIGNMENT ALL CIVIL	<u>5798</u>
ICWD LOGISTICS ASSIGNMENT ALL CIVIL OTHER GOVERNMENT	<u>5797</u>
ICWD LOGISTICS ASSIGNMENT ALL DOD	<u>5796</u>
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL	<u>5794</u>
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL OTHER GOVERNMENT	<u>5793</u>
ICWD LOGISTICS ASSIGNMENT ALL DOD OTHER GOVERNMENT	<u>5795</u>
ICWD LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT	<u>5799</u>
ICWD LOGISTICS ASSIGNMENT FSC CIVIL	<u>5805</u>
ICWD LOGISTICS ASSIGNMENT FSC CIVIL OTHER GOVERNMENT	<u>5804</u>
ICWD LOGISTICS ASSIGNMENT FSC DOD	<u>5803</u>
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL	<u>5801</u>
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL OTHER GOVERNMENT	<u>5800</u>
ICWD LOGISTICS ASSIGNMENT FSC DOD OTHER GOVERNMENT	<u>5802</u>
ICWD LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT	<u>5806</u>
ICWS ALL CIVIL MULTI-MANAGED	<u>5759</u>
ICWS ALL CIVIL MULTI-MANAGED PERCENT	<u>5760</u>
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER	<u>5757</u>
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER PERCENT	<u>5758</u>
ICWS ALL MANAGED MULTI MANAGED	<u>5755</u>
ICWS ALL MANAGED MULTI-MANAGED PERCENT	<u>5756</u>
ICWS ALL OTHER GOVERNMENT MULTI-MANAGED	<u>5761</u>
ICWS ALL OTHER GOVERNMENT MULTI-MANAGER PERCENT	<u>5762</u>
ICWS INTEGRATED MANAGER ALL CIVIL MULTI-MANAGER PERCENT	<u>5768</u>
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGED	<u>5765</u>
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGER PERCENT	<u>5766</u>
ICWS INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED	<u>5763</u>
ICWS INTEGRATED MANAGER ALL OTHER GOVERNMENT MULTI-MANAGED P	<u>5770</u>
ICWS INTEGRATED MANAGERS ALL CIVIL MULTI-MANAGED	<u>5767</u>
ICWS INTEGRATED MANAGERS ALL OTHER GOVERNMENT	<u>5769</u>
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED	<u>5775</u>
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED PERCENT	<u>5776</u>
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED	<u>5773</u>
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT	<u>5774</u>
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED	<u>5771</u>
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED PERCENT	<u>5772</u>
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MANAGED	<u>5777</u>
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MNGD PC	<u>5778</u>
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED	<u>5811</u>
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED PERCENT	<u>5812</u>
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED	<u>5809</u>
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED	<u>5810</u>
ICWS LOGISTICS ASSIGNMENT FSC MANAGED	<u>5807</u>
ICWS LOGISTICS ASSIGNMENT FSC MANAGED	<u>5808</u>
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT MULTI-MANAGED	<u>5813</u>
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVT MULTI-MGD PERCENT	<u>5814</u>
IDEN OF PER WHO LAST MODIF DE	<u>1888</u>
IDEN OF PERSON WHO CREATED DE	<u>1887</u>
IDENTIFICATION DATA SEGMENT	<u>9100</u>
IDENTIFICATION LIST COLUMN HEADER DATA	<u>2736</u>
IDENTIFICATION LIST DIGITIZED GRAPHICS DATA SEGMENT	<u>0774</u>
IDENTIFICATION LIST PUBLICATION TYPE SCHEDULE CHANGE CODE	<u>0344</u>
IDENTIFICATION LIST UPDATE CODE	<u>0349</u>
IDENTIFICATION NUMBER PREFIX DRAWING CROSS-REFERENCE	<u>1243</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
IDENTIFIED SECONDARY ADDRESS CODE (ISAC)	<u>0766</u>
IDS ACCESS COMPONENT BLANK INDICATOR	<u>4162</u>
IDS ACCESS COMPONENT CATENATE INDICATOR	<u>4173</u>
IDS ACCESS COMPONENT DISCARD INDICATOR	<u>4171</u>
IDS ACCESS COMPONENT FAIL INDICATOR	<u>4164</u>
IDS ACCESS COMPONENT FILE NAME	<u>4168</u>
IDS ACCESS COMPONENT LENGTH NUMBER	<u>4174</u>
IDS ACCESS COMPONENT LENGTH NUMBER	<u>4186</u>
IDS ACCESS COMPONENT MANY INDICATOR	<u>4165</u>
IDS ACCESS COMPONENT MARKUP TEXT	<u>4178</u>
IDS ACCESS COMPONENT OFFSET NUMBER	<u>4187</u>
IDS ACCESS COMPONENT OMIT INDICATOR	<u>4163</u>
IDS ACCESS COMPONENT SEQUENCE NUMBER	<u>4172</u>
IDS ACCESS COMPONENT SORT ORDER INDICATOR	<u>4177</u>
IDS ACCESS COMPONENT TYPE NUMBER	<u>4175</u>
IDS ACCESS RECORD SEQUENCE NUMBER	<u>4199</u>
IDS ACCESS REPEAT COUNT QUANTITY	<u>4256</u>
IDS ACCESS TYPE CODE	<u>4198</u>
IDS ACTIVE USER INDICATOR	<u>4196</u>
IDS APPENDED DELIMITER	<u>4260</u>
IDS ASCII INDICATOR CODE	<u>4325</u>
IDS CALLABLE ACCESS PARAMETER TEXT	<u>4185</u>
IDS CALLABLE ACCESS PASSED PARAMETER TEXT	<u>4184</u>
IDS CALLABLE ACCESS SUBROUTINE NAME	<u>4183</u>
IDS CANCELLED ITEM INDICATOR CODE	<u>4329</u>
IDS COMPONENT NUMBER	<u>4160</u>
IDS CONDITION TEXT	<u>4206</u>
IDS COUNTER ATTRIBUTE IDENTIFIER	<u>8616</u>
IDS COUNTER FUNCTION CODE	<u>8623</u>
IDS DATA LENGTH ATTRIBUTE IDENTIFIER	<u>8621</u>
IDS DATA REPLACE INDICATOR	<u>4255</u>
IDS DATA STREAM BREAK INDICATOR	<u>4176</u>
IDS DB2 COMPONENT ELEMENT NUMBER	<u>4161</u>
IDS DECODE SERVICE INDICATOR	<u>4157</u>
IDS DEFINITION STATUS CODE	<u>4193</u>
IDS DYNAMIC ALLOCATION INDICATOR	<u>8627</u>
IDS EDIT MEMBER TEXT	<u>4155</u>
IDS END ACCESS NUMBER	<u>8606</u>
IDS END COMPONENT NUMBER	<u>8607</u>
IDS END COMPONENT SEQUENCE NUMBER	<u>8620</u>
IDS END RECORD TYPE CODE	<u>8605</u>
IDS EXTERNAL FILE LENGTH NUMBER	<u>4158</u>
IDS EXTERNAL FILE NAME	<u>4151</u>
IDS EXTERNAL FILE OFFSET NUMBER	<u>4152</u>
IDS EXTERNAL FILE REPEATED DATA NUMBER	<u>4159</u>
IDS EXTRACT DATA ITEM QUANTITY	<u>4209</u>
IDS EXTRACT OUTPUT FILE QUANTITY	<u>4202</u>
IDS EXTRACT RECORD TYPE SEQUENCE NUMBER	<u>4166</u>
IDS EXTRACT UPDATE CODE	<u>8624</u>
IDS FIELD JUSTIFICATION	<u>4257</u>
IDS FILE NAME HIGH LEVEL QUALIFIER IDENTIFIER	<u>8628</u>
IDS FILE RETENTION TIME QUANTITY	<u>4322</u>
IDS FILE TYPE CODE	<u>4316</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
IDS FILEAID MEMBER NAME	<u>4328</u>
IDS FIXED OUTPUT BLOCK SIZE QUANTITY	<u>4324</u>
IDS FIXED OUTPUT LOGICAL RECORD LENGTH QUANTITY	<u>4323</u>
IDS FORCED WRITE INDICATOR	<u>8615</u>
IDS FORMAT OUTPUT CODE	<u>8625</u>
IDS FUNCTION MNEMONIC NAME	<u>4195</u>
IDS GROUP NUMBER	<u>8601</u>
IDS GROUP TYPE IDENTIFIER	<u>8618</u>
IDS ITEMS TO PROCESS QUANTITY	<u>4201</u>
IDS JCL TEXT	<u>4315</u>
IDS JCL TYPE CODE	<u>4313</u>
IDS JOB JCL IDENTIFIER	<u>4311</u>
IDS LAST PUBLICATION UPDATE DATE	<u>4189</u>
IDS LAST PUBLISHED DATE	<u>4191</u>
IDS LINK PARAMETER STRING TEXT	<u>4208</u>
IDS MARKUP CAPITALIZATION INDICATOR	<u>4182</u>
IDS MARKUP DESCRIPTOR FIELD NUMBER	<u>4179</u>
IDS MARKUP TEXT	<u>4156</u>
IDS NEXT PUBLICATION DATE	<u>4188</u>
IDS PARAMETER STRING TEXT	<u>4153</u>
IDS POST BREAK ACCESS NUMBER	<u>8612</u>
IDS POST BREAK COMPONENT NUMBER	<u>8613</u>
IDS POST BREAK POSITION CODE	<u>8614</u>
IDS POST BREAK RECORD TYPE CODE	<u>8611</u>
IDS POST MARKUP TEXT	<u>4258</u>
IDS PRE BREAK ACCESS NUMBER	<u>8609</u>
IDS PRE BREAK COMPONENT NUMBER	<u>8610</u>
IDS PRE BREAK RECORD TYPE CODE	<u>8608</u>
IDS PREFIX JCL MEMBER NAME	<u>4327</u>
IDS PREPENDED DELIMITER	<u>4259</u>
IDS PRIMARY SORT WORK SPACE ALLOCATION QUANTITY	<u>4319</u>
IDS PRIMARY SPACE ALLOCATION QUANTITY	<u>4317</u>
IDS PROCESSING ACTION TEXT	<u>4204</u>
IDS PRODUCT DEFINITION	<u>4192</u>
IDS PRODUCT PART NUMBER	<u>4154</u>
IDS PROFILE PREFIX TEXT	<u>4326</u>
IDS PROPRIETARY DECODE INDICATOR	<u>4253</u>
IDS PROPRIETARY NOTICE INDICATOR	<u>4254</u>
IDS PUBLICATION (OR PRODUCT) CYCLE TIME	<u>4194</u>
IDS RECORD LENGTH ATTRIBUTE IDENTIFIER	<u>8622</u>
IDS RECORD TYPE CODE	<u>4197</u>
IDS RECORD TYPE ORDER NUMBER	<u>4169</u>
IDS SECONDARY SORT WORK SPACE ALLOCATION QUANTITY	<u>4320</u>
IDS SECONDARY SPACE ALLOCATION QUANTITY	<u>4318</u>
IDS SORT REPLACE INDICATOR	<u>4252</u>
IDS SORT SEQUENCE TEXT	<u>4167</u>
IDS SQL CONDITIONAL MEMBER STRING TEXT	<u>4203</u>
IDS START ACCESS NUMBER	<u>8603</u>
IDS START COMPONENT NUMBER	<u>8604</u>
IDS START COMPONENT SEQUENCE NUMBER	<u>8619</u>
IDS START RECORD TYPE CODE	<u>8602</u>
IDS STEP JCL IDENTIFIER	<u>4312</u>
IDS STEP SEQUENCE IDENTIFIER	<u>4314</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
IDS STORAGE UNIT TYPE TEXT	<u>4321</u>
IDS TABLE QUERY STRING TEXT	<u>4207</u>
IDS UPDATE KEY LENGTH QUANTITY	<u>8626</u>
IDS USER PAD CHARACTER	<u>4251</u>
IDS ZERO SUPPRESSION INDICATOR	<u>8617</u>
IL GUIDE TABLE NUMBER	<u>2044</u>
IL SINGLE DRAWING CROSS REFERENCE DATA SEGMENT	<u>0769</u>
ILLUSTRATION ACCEPTANCE INDICATOR	<u>4063</u>
ILLUSTRATION IDENTIFIER	<u>4066</u>
ILLUSTRATION RETURN DATE	<u>4061</u>
ILLUSTRATION START DATE	<u>4062</u>
IMAGE NUMBER	<u>1908</u>
IN THE CLEAR ADDRESS	<u>0045</u>
IN USE FLAG	<u>9168</u>
IN-PROCESS TRANSACTION BATCH STATUS CODE	<u>8345</u>
IN-PROCESS TRANSACTION BATCH STATUS TEXT	<u>8346</u>
INACTIVE SOURCE OF SUPPLY INDICATOR CODE	<u>0134</u>
INBOUND/OUTBOUND TELEPHONE CALL CODE	<u>4781</u>
INC APPLICATION INDICATOR	<u>4405</u>
INC/AMMO CODE/GENERIC DESCRIPTION/EFFECTIVE DATE DATA	<u>0311</u>
INC/FSC/MODIFIER/EFFECTIVE DATE DATA	<u>3665</u>
INC/NAME DEFINITION/EFFECTIVE DATE DATA	<u>3663</u>
INC/RELATED INC/EFFECTIVE DATE DATA	<u>3664</u>
INCLUSIVE EXCLUSIVE CODE	<u>4497</u>
INCOMPATIBILITY CODES	<u>1487</u>
INCREMENT NUMBER	<u>2219</u>
INDEX ENTRY	<u>0094</u>
INDIVIDUAL FOREIGN NATIONAL CITIZENSHIP COUNTRY NAME CODE	<u>0017</u>
INDIVIDUAL FOREIGN NATIONAL CLEARANCE LEVEL NAME	<u>0019</u>
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE AGENCY NAME	<u>0013</u>
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE COUNTRY NAME CODE	<u>0014</u>
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE DATE-OF-BIRTH DATE	<u>0015</u>
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE IDENTIFIER	<u>0012</u>
INDIVIDUAL FOREIGN NATIONAL EMPLOYEE PLACE-OF-BIRTH NAME	<u>0016</u>
INDIVIDUAL FOREIGN NATIONAL SECURITY INVESTIGATION TYPE IDENTIFI	<u>0018</u>
INDIVIDUAL FULL FIRST NAME	<u>4783</u>
INDIVIDUAL POSITION/TITLE NAME	<u>4785</u>
INDIVIDUAL PROPER LAST NAME	<u>4784</u>
INDIVIDUAL TITLE NAME	<u>0075</u>
INFO DISSEM AMMO CATALOG PERCENT CHANGE	<u>6275</u>
INFO DISSEM AMSTER CROSS REFERENCE LIST PERCENT CHANGE	<u>2189</u>
INFO DISSEM CIVIL AGNECY CATALOG PERCENT CHANGE	<u>6269</u>
INFO DISSEM COAST GUARD CATALOG PERCENT CHANGE	<u>6284</u>
INFO DISSEM FAA CATALOG PERCENT CHANGE	<u>6281</u>
INFO DISSEM IL CUM CHG QUANTITY	<u>6276</u>
INFO DISSEM IL CUR CHG QUANTITY	<u>6277</u>
INFO DISSEM IL NSN COUNT	<u>6168</u>
INFO DISSEM IL PERCENT CHANGE	<u>6278</u>
INFO DISSEM MANAGEMENT LIST CONSOLIDATED PERCENT CHANGE	<u>2183</u>
INFO DISSEM MANAGEMENT LIST MC PERCENT CHANGE	<u>2197</u>
INFO DISSEM MANAGEMENT LIST NAVY PERCENT CHANGE	<u>2186</u>
INFO DISSEM MEDICAL CATALOG PERCENT CHANGE	<u>6272</u>
INFO DISSEM PIIL CATALOG PERCENT CHANGE	<u>6287</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
INFO DISSEM PUB INTRODUCTION NUMBER	<u>6289</u>
INFO DISSEM PUB UNIT NUMBER	<u>6288</u>
INFO DISSEM PUBLICATION TITLE	<u>6290</u>
INFORMATION DISSEMINATION DATE	<u>1710</u>
INFORMATION DISSEMINATION IDENTIFICATION NUMBER	<u>1720</u>
INFORMATION DISSEMINATION NAMES	<u>1703</u>
INFORMATION DISSEMINATION NARRATIVE DATA	<u>1708</u>
INITIAL PROCESSING DATE	<u>2315</u>
INPUT DATA DESK CODE	<u>9290</u>
INPUT DIC DEPARTMENT ORIGINATING ACTIVITY RETURNED QTY D	<u>6802</u>
INPUT DIC DEPARTMENT SUBMITTING ACTIVITY RETURNED QTY B	<u>6785</u>
INPUT FORMAT NAME	<u>9169</u>
INPUT MEDIA	<u>9170</u>
INPUT OR OUTPUT INDICATOR	<u>4591</u>
INPUT OUTPUT ACTIVITY OUTPUT DIC TOTAL	<u>9669</u>
INPUT OUTPUT DIC TYPE	<u>9167</u>
INPUT TRANSACTION RECORD	<u>9171</u>
INQUIRY NUMBER	<u>2246</u>
INQUIRY OUT VIEW	<u>4477</u>
INSPECTION CODE (IC)	<u>7976</u>
INTEGRATED MATERIAL MANAGER SOURCE OF SUPPLY CODE	<u>9401</u>
INTEGRATED MATERIEL MANAGER	<u>9090</u>
INTEGRITY CODE	<u>0864</u>
INTEGRITY CODE DEFINITION	<u>5220</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR SIC	<u>8124</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY	<u>8118</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY	<u>9596</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY AVERAGE	<u>8167</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY GROUP NSN	<u>8117</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY TOTAL FA	<u>9597</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT AVERAGE NSN	<u>6872</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC MASTER P	<u>9602</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC REL SICA	<u>9599</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC TOT FAM	<u>9603</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER P	<u>6885</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER S	<u>9605</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL PICA	<u>9606</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL SICA	<u>9604</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG TOT FAMI	<u>6882</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT GROUP NSN	<u>6873</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER P/S F	<u>6871</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER PICA	<u>9610</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER SICA	<u>9608</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED PICA	<u>9609</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED SICA	<u>9607</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT TOTAL FAMILI	<u>9598</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY FSC MASTER SICA	<u>9600</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND	<u>8121</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT GROUP N	<u>8119</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR PIC	<u>8126</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL PIC	<u>8125</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT TOT FAM	<u>8122</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOTAL AVG N	<u>8120</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GRANT TOT REL SIC	<u>8123</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY GTOT MTR P S FAMI	<u>8127</u>
INTERCHANGEABILITY SUBSTITUTABILITY FAMILY SIZE	<u>2234</u>
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC RELATED P	<u>9601</u>
INTERESTED FUNCTIONAL AREA	<u>1946</u>
INTERMEDIATE CONTAINER CODE	<u>5167</u>
INTERMEDIATE CONTAINER QUANTITY	<u>5152</u>
INTERNAL DRN POSITION	<u>2036</u>
INTERNAL EXTERNAL INDICATOR	<u>4581</u>
INTERROGATION CODE PAC DETAIL BY INC WITHIN FIG	<u>9990</u>
INTERROGATION CODE PAC DETAIL BY MODE CODE PAC FIG	<u>0159</u>
INTERROGATION CODE PAC DETAIL BY MODE CODE WITHIN FIG	<u>9995</u>
INTERROGATION CODE PAC DETAIL BY REPLY CODE PAC FIG	<u>0164</u>
INTERROGATION CODE PAC DETAIL PAC WITHIN FIG	<u>0162</u>
INTERROGATION CODE PAC SUM BY MODE CODE W/IN PAC W/IN FI	<u>0170</u>
INTERROGATION CODE PAC SUM BY REPLY CODE W/IN PAC W/IN F	<u>0163</u>
INTERROGATION CODE PAC SUMMARY BY INC WITHIN FIG	<u>9989</u>
INTERROGATION CODE PAC SUMMARY BY MODE CODE WITHIN FIG	<u>0158</u>
INTERROGATION CODE PAC SUMMARY BY PAC WITHIN FIG	<u>9992</u>
INTERROGATION CODE PAC SUMMARY PAC WITHIN ITEM NAME CODE	<u>9993</u>
INTERROGATION CODE PAC W/IN ITEM NAME CODE W/IN FIG	<u>0161</u>
INTERROGATION CODE PHYSICAL SECURITY/PILFERAGE DATA	<u>0831</u>
INTERROGATION CODE PRIMARY ADDRESS CODE SUMMARY BY FIG	<u>0169</u>
INTERROGATION CODE SEGMENT A AND X	<u>2525</u>
INVALID ITEM MANAGEMENT CODE INDICATOR	<u>2747</u>
INVALID PHRASE CODE	<u>1445</u>
INVALID TYPE DATS CODE COUNT	<u>1442</u>
INVENTORY ACCOUNT CODE COAST GUARD	<u>0708</u>
INVENTORY ACCOUNTING CODE COAST GUARD EXPLANATION	<u>3179</u>
INVENTORY CATEGORY CODE	<u>1475</u>
ISAC LIMITATION CODE	<u>0825</u>
ISAC PRESENCE CODE	<u>2348</u>
ISSUE REPAIR AND/OR REQUISITIONING RESTRICTION CODE (IRR	<u>0132</u>
ISSUE REPAIR AND/OR REQUISITIONING RESTRICTION CODE DEF	<u>5260</u>
ITEM AVERAGE PER MICROFICHE FRAME	<u>1440</u>
ITEM COUNT	<u>1439</u>
ITEM COUNT PER FSC	<u>1436</u>
ITEM IDENTIFICATION DATA INDICATOR	<u>4622</u>
ITEM IDENTIFICATION GUIDE	<u>0817</u>
ITEM IDENTIFICATION NUMBER	<u>4131</u>
ITEM LONG NAME	<u>2601</u>
ITEM MANAGEMENT CLASSIFICATION ACTIVITY (IMCA)	<u>4075</u>
ITEM MANAGEMENT CODE (IMC)	<u>2744</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER CARD ID CODE TOTAL	<u>5664</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC FYD TOTAL	<u>2595</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC TOTAL	<u>5663</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE	<u>5661</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD	<u>2593</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC FYD TOTAL	<u>2594</u>
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC TOTAL	<u>5662</u>
ITEM MANAGEMENT CODE ALL DEPT ACT CARD ID CODE FYD TOTAL	<u>2586</u>
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CARD ID CODE FYD	<u>2584</u>
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CIC FYD TOTAL	<u>2587</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ITEM MANAGEMENT CODE ALL DEPT ACT IMC FYD TOTAL	<u>2585</u>
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY CARD ID CODE TOTAL	<u>5655</u>
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CIC TOTAL	<u>5656</u>
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC TOTAL	<u>5654</u>
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD	<u>2588</u>
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD TOTAL	<u>2591</u>
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE TOTAL	<u>5659</u>
ITEM MANAGEMENT CODE ALL DEPT CARD IDENTIFICATION CODE	<u>5657</u>
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE FY TOTAL	<u>2592</u>
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE TOTAL	<u>5660</u>
ITEM MANAGEMENT CODE ALL DEPT IMC FYD TOTAL	<u>2589</u>
ITEM MANAGEMENT CODE ALL DEPT IMC TOTAL	<u>5658</u>
ITEM MANAGEMENT CODE DEFINITION	<u>5209</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE	<u>5647</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE FYD	<u>2559</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE FYD TOTL	<u>2582</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE TOTAL	<u>5651</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC CARD ID CODE TOTL	<u>5652</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC FYD TOTAL	<u>2581</u>
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC TOTAL	<u>5650</u>
ITEM MANAGEMENT CODE NEW DEPARTMENT ACTIVITY IMC TOTAL	<u>5640</u>
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC CARD ID CODE TOTAL	<u>5646</u>
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC TOTAL	<u>5644</u>
ITEM MANAGEMENT CODE NEW DEPT ACT CARD ID CODE FYD TOTAL	<u>2553</u>
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD	<u>2551</u>
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD TOTAL	<u>2554</u>
ITEM MANAGEMENT CODE NEW DEPT ACT IMC FYD TOTAL	<u>2552</u>
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY CARD ID CODE TOTAL	<u>5641</u>
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE	<u>5639</u>
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE TOTL	<u>5642</u>
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE FYD TOTAL	<u>2557</u>
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE TOTAL	<u>5645</u>
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE	<u>5643</u>
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD	<u>2555</u>
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD TOTAL	<u>2558</u>
ITEM MANAGEMENT CODE NEW DEPT IMC FYD TOTAL	<u>2556</u>
ITEM MANAGEMENT CODE TITLE	<u>5208</u>
ITEM MANAGEMENT CODING ACTIVITY (IMCA)	<u>2748</u>
ITEM MANAGEMENT CODING ADVICE NOTIFICATION SEGMENT	<u>0154</u>
ITEM MANAGEMENT CODING DATA SEGMENT	<u>0732</u>
ITEM MANAGER NAME	<u>9273</u>
ITEM MANAGER OFFICE SYMBOL AND TELEPHONE NUMBER	<u>9274</u>
ITEM MGMT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD TOTAL	<u>2596</u>
ITEM MGMT CODE NEW CLASS MANAGER IMC CARD ID CODE FYD TOTL	<u>2583</u>
ITEM NAME	<u>5000</u>
ITEM NAME ADD COUNT	<u>1918</u>
ITEM NAME CHANGED COUNT	<u>1917</u>
ITEM NAME CHARACTER COUNTER	<u>0210</u>
ITEM NAME CODE	<u>4080</u>
ITEM NAME CODE ERROR COUNT	<u>1444</u>
ITEM NAME CODE LOCKOUT INDICATOR	<u>0583</u>
ITEM NAME CODE NSN	<u>5750</u>
ITEM NAME CODE SEARCH	<u>1913</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ITEM NAME DATA EFFECTIVE DATE	<u>2031</u>
ITEM NAME DEFINITION ADD COUNT	<u>1924</u>
ITEM NAME DEFINITION CHANGED COUNT	<u>1925</u>
ITEM NAME DEFINITION DELETED COUNT	<u>1926</u>
ITEM NAME DEFINITION DELIMITATION TOTAL COUNT	<u>1849</u>
ITEM NAME DEFINITION/DELIMITATION	<u>5015</u>
ITEM NAME DELETED COUNT	<u>1919</u>
ITEM NAME DEPARTMENT ACTIVITY APPROVED ITEM NAME	<u>6688</u>
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM	<u>6689</u>
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM NAME PERCENT	<u>6690</u>
ITEM NAME DEPARTMENT ACTIVITY NSN	<u>2228</u>
ITEM NAME DEPARTMENT ACTIVITY TOTAL NEW REINSTATED NSN	<u>6694</u>
ITEM NAME DEPARTMENT APPROVED ITEM NAME NEW REINSTATED NSN	<u>6699</u>
ITEM NAME DEPARTMENT APPROVED ITEM NAME NSN	<u>6691</u>
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NEW REINSTD NSN	<u>6700</u>
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NSN	<u>6692</u>
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME PERCENT	<u>6693</u>
ITEM NAME DEPARTMENT NSN	<u>2229</u>
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED CURRENT QTR NSN	<u>7166</u>
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED NSN	<u>6698</u>
ITEM NAME DEPARTMENT YEAR TO DATE NEW REINSTATED NSN	<u>6705</u>
ITEM NAME DEPT ACT YTD NONAPPRD ITEM NAME NEW REINSTD PCT	<u>6704</u>
ITEM NAME DEPT ACTIVITY APPROVED ITEM NAME NEW REINSTD NSN	<u>6695</u>
ITEM NAME DEPT ACTIVITY NONAPPRVD ITEM NAME NEW REINSTD NSN	<u>6696</u>
ITEM NAME DEPT ACTIVITY TOTAL NEW REINSTD CURRENT QTR NSN	<u>7164</u>
ITEM NAME DEPT ACTIVITY YEAR TO DATE NEW REINSTATED NSN	<u>6702</u>
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 1ST Q	<u>6708</u>
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 4TH Q	<u>6711</u>
ITEM NAME DEPT ACTY NONAPPD ITEN NAME NEW REINSTD PCT 3RD Q	<u>6710</u>
ITEM NAME DEPT ACTY NONAPPRD NEW REINSTATED PERCENT 2ND Q	<u>6709</u>
ITEM NAME DEPT ACTY NONAPPRVD ITEM NAME NEW REINSTATED PCT	<u>6697</u>
ITEM NAME DEPT ACTY NONAPPVD ITEM NAME REINSTD CUR QTR NSN	<u>7165</u>
ITEM NAME DEPT ACTY YTD NONAPPRD ITEM NAME NEW REINSTD NSN	<u>6703</u>
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD CURR QTR NSN	<u>7167</u>
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 1ST QTR	<u>6712</u>
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 2ND QTR	<u>7168</u>
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR	<u>7169</u>
ITEM NAME DEPT NONAPPROVED ITEM NAME NEW REINSTD PERCENT	<u>6701</u>
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTATED PERCENT	<u>6707</u>
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTD NSN	<u>6706</u>
ITEM NAME INC FEDERAL ITEM NAME DIRECTORY SEARCH	<u>1916</u>
ITEM NAME INPUT COUNT	<u>1934</u>
ITEM NAME ITEM NAME CODE VALIDATION	<u>0542</u>
ITEM NAME KEY WORD	<u>4401</u>
ITEM NAME KEY WORD SEARCH	<u>1914</u>
ITEM NAME MASTER TOTAL RECORD COUNT	<u>1938</u>
ITEM NAME NATIONAL ITEM IDENTIFICATION NUMBER COUNT	<u>1932</u>
ITEM NAME NON APPROVED REMAINDER	<u>2177</u>
ITEM NAME NSN	<u>7824</u>
ITEM NAME OUTPUT COUNT	<u>1935</u>
ITEM NAME TO FIIG CORRELATION CONDITION	<u>3485</u>
ITEM NAME TYPE CODE	<u>3308</u>
ITEM NET EXPLOSIVE WEIGHT	<u>2442</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM NUMBER	<u>1045</u>
ITEM STANDARDIZATION CODE (ISC)	<u>2650</u>
ITEM STANDARDIZATION CODE DOD NSN	<u>5733</u>
ITEM STANDARDIZATION CODE EXPLANATION	<u>5134</u>
ITEM STANDARDIZATION CODE FSC DOD NSN	<u>5748</u>
ITEM STANDARDIZATION CODE FSC NSN	<u>5745</u>
ITEM STANDARDIZATION CODE FSC NSN QUANTITY 12	<u>5844</u>
ITEM STANDARDIZATION CODE FSC US GOVERNMENT NSN	<u>5747</u>
ITEM STANDARDIZATION CODE FSC WITH MANAGER NSN	<u>5746</u>
ITEM STANDARDIZATION CODE FSC WITHOUT MANAGER NSN	<u>5749</u>
ITEM STANDARDIZATION CODE FSG DOD NSN	<u>5743</u>
ITEM STANDARDIZATION CODE FSG DOD NSN TOTAL	<u>5738</u>
ITEM STANDARDIZATION CODE FSG NSN	<u>5740</u>
ITEM STANDARDIZATION CODE FSG NSN TOTAL	<u>5735</u>
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN	<u>5742</u>
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN TOTAL	<u>5737</u>
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN	<u>5741</u>
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN TOTAL	<u>5736</u>
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER	<u>5744</u>
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER NSN TOTAL	<u>5739</u>
ITEM STANDARDIZATION CODE IDENTIFICATION	<u>0803</u>
ITEM STANDARDIZATION CODE NSN	<u>5730</u>
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER	<u>5138</u>
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER	<u>8525</u>
ITEM STANDARDIZATION CODE US GOVERNMENT NSN	<u>5732</u>
ITEM STANDARDIZATION CODE WITH MANAGER NSN	<u>5731</u>
ITEM STANDARDIZATION CODE WITHOUT MANAGER NSN	<u>5734</u>
ITEM TRANSFER REJECT CODE	<u>4213</u>
ITEM TYPE STORAGE CODE	<u>5156</u>
ITEMS ADDED COUNT	<u>1443</u>
ITEMS CANCELLED/DELETED COUNT	<u>1441</u>
ITEMS CHANGED COUNT	<u>1438</u>
ITEMS PER PALLET	<u>2385</u>
ITEMS WITH MANAGERS 12	<u>5846</u>
ITEMS WITHOUT MANAGERS 12	<u>5845</u>
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR	<u>7170</u>
J MAX L VALUE	<u>4422</u>
J MAX R VALUE	<u>4427</u>
J MIN L VALUE	<u>4420</u>
J MIN R VALUE	<u>4423</u>
J MODE CODE INDICATOR	<u>0364</u>
J TABLE REPLY	<u>3073</u>
JOB CONTROL JULIAN DATE	<u>9461</u>
JOB CONTROL LANGUAGE JOB CARD NAME	<u>9507</u>
JOB NAME	<u>8638</u>
JOURNAL TIMESTAMP	<u>9487</u>
K DIC OUTPUT INDICATOR CODE	<u>2888</u>
KEY DATA ELEMENT NAME	<u>1714</u>
KEY GROUP DESCRIPTION	<u>4448</u>
KEYWORD GROUP CODE	<u>2034</u>
KEYWORD MODIFIER STATEMENT	<u>2033</u>
KEYWORD REQUIREMENT STATEMENT	<u>4975</u>
KEYWORD SEARCH	<u>2401</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
KHN ACTIVITY INDICATOR	<u>4356</u>
KIM OUTPUT INDICATOR CODE	<u>2884</u>
KIP OUTPUT INDICATOR CODE	<u>2883</u>
KNA AND RETURN TO COUNTRY PERCENT TOTAL	<u>1979</u>
KNA PERCENT	<u>1968</u>
KNA PERCENT TOTAL	<u>1969</u>
KNA QUANTITY	<u>1970</u>
KNA QUANTITY TOTAL	<u>1971</u>
KRT INDICATOR CODE	<u>2051</u>
KVI DECREMENT COUNTER	<u>4211</u>
KVI ORIGINAL COUNTER	<u>4212</u>
KVI SUSPENSE ESTABLISHED DATE	<u>4214</u>
KWA ACTIVITY NOTIFICATION INDICATOR	<u>9563</u>
KWA NATO ACTIVITY ZZ INDICATOR	<u>9564</u>
KWA NO OUTPUT ACTIVITY NOTIFICATION INDICATOR	<u>9562</u>
L DIC AND RETURN TO COUNTRY YEAR TO DATE TOTAL	<u>2008</u>
L DOCUMENT IDENTIFIER CODE TOTAL	<u>2001</u>
L07 TRANSACTIONS RECEIVED QUANTITY	<u>2542</u>
L07 TRANSACTIONS SENT QUANTITY	<u>2541</u>
LABEL NAME	<u>1437</u>
LAST ACTIVITY REQUEST CHANGE STATUS TIMESTAMP TIME	<u>9253</u>
LAST ACTIVITY TECHNICIAN SCAT IDENTIFIER	<u>9251</u>
LAST CLEANING TIMESTAMP TIME	<u>8637</u>
LAST DEMAND JULIAN DATE	<u>0574</u>
LAST KNOWN SOURCE OF SUPPLY	<u>1071</u>
LAST KNOWN SOURCE OF SUPPLY (SOS) CHANGE INDICATOR CODE	<u>3598</u>
LASTNAME	<u>9172</u>
LCU DATE	<u>4237</u>
LCU OUTPUT DOCUMENT IDENTIFIER CODE	<u>3923</u>
LDZ BACK-OUT APPROVAL DATE	<u>5097</u>
LDZ CONTROL DRN VALUE IDENTIFIER	<u>5092</u>
LDZ DELETION OUTPUT DIC TYPE IDENTIFIER	<u>4096</u>
LDZ DOCUMENT CONTROL SERIAL NUMBER	<u>5096</u>
LDZ RETURN CODE	<u>5091</u>
LDZ TRANSACTION DATE	<u>5095</u>
LEAN LOGISTICS CODE	<u>9272</u>
LESS THAN CARLOAD RATING CODE	<u>2760</u>
LESS THAN CARLOAD RATING CODE EXPLANATION	<u>5233</u>
LEVEL A PACKING REQUIREMENT CODE	<u>5170</u>
LEVEL B PACKING REQUIREMENT CODE	<u>5171</u>
LEVEL OF PROTECTION CODE	<u>5151</u>
LEVEL OF PROTECTION CODE DEFINITION	<u>5221</u>
LFU FOOTPRINT TRANSACTION KEY	<u>9445</u>
LFU PROCESS STATUS CODE	<u>9230</u>
LIMITED DISTRIBUTION CODE	<u>4645</u>
LIMITED DISTRIBUTION CODE EXPLANATION	<u>5106</u>
LIMITED DISTRIBUTION CODE NOTE	<u>5107</u>
LIMITED RIGHTS DRAWING	<u>0929</u>
LIMITED RIGHTS DRAWING COUNT	<u>1434</u>
LIMITED RIGHTS DRAWING COUNTER	<u>0952</u>
LINE 2780 DESCRIPTION	<u>9212</u>
LINE 2780 IDENTIFIER	<u>9211</u>
LINE CONTINUATION CODE	<u>8263</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LINE ITEM NUMBER	<u>1471</u>
LINE ITEM REQUEST ON HOLD FLAG CODE	<u>0047</u>
LINE NUMBER	<u>8256</u>
LINE NUMBER FOR CLEAR TEXT NAME INFORMATION	<u>1087</u>
LISTING PART PAPER INDICATOR	<u>3121</u>
LMD COMBINATION NUMBER	<u>2053</u>
LMD COMBINATION TYPE	<u>2054</u>
LMD DATE	<u>4218</u>
LMD OUTPUT DOCUMENT IDENTIFIER CODE	<u>3892</u>
LMX COMBINATION NUMBER	<u>2055</u>
LMX/LMD CONTROL DRN VALUE IDENTIFIER	<u>5089</u>
LMX/LMD DOCUMENT CONTROL SERIAL NUMBER	<u>5090</u>
LMX/LMD RETURN CODE	<u>5088</u>
LOAD STOWAGE CODE	<u>2399</u>
LOCAL STOCK NUMBER ASSIGNMENT JULIAN NUMBER	<u>4484</u>
LOCAL STOCK NUMBER PERMANENCY CODE	<u>4483</u>
LOCAL STOCK NUMBER SERIAL NUMBER IDENTIFIER	<u>4481</u>
LOCAL STOCK NUMBER STATUS CODE	<u>4482</u>
LOCALLY ASSIGNED REPORTING CODE (AIR FORCE)	<u>2446</u>
LOCATION ACTION RETURN DATE	<u>0033</u>
LOCATION PARTITION	<u>9197</u>
LOCATION PATH CODE	<u>0030</u>
LOCATION PATH NAME	<u>0028</u>
LOCATION SHORT TITLE	<u>2639</u>
LOGGED MESSAGE TIMESTAMP	<u>9381</u>
LOGGED TIMESTAMP	<u>9173</u>
LOGICAL ROW KEY VALUE IDENTIFIER	<u>4520</u>
LOGISTICS CONTROL CODE	<u>1476</u>
LOGISTICS REASSIGNMENT APPROVAL DATE	<u>4083</u>
LOGISTICS REASSIGNMENT ITEM REVIEW INDICATOR CODE	<u>6989</u>
LOGISTICS REASSIGNMENT PROJECT CODE	<u>4082</u>
LOGISTICS REASSIGNMENT TRACKING INDICATOR CODE	<u>4081</u>
LOGRUN ACTIVITY DAILY TOTAL	<u>2410</u>
LOGRUN ACTIVITY MONTHLY TOTAL	<u>2413</u>
LOGRUN ACTIVITY QUARTER 1 TOTAL	<u>2414</u>
LOGRUN ACTIVITY QUARTER 2 TOTAL	<u>2412</u>
LOGRUN ACTIVITY QUARTER 3 TOTAL	<u>2430</u>
LOGRUN ACTIVITY QUARTER 4 TOTAL	<u>2432</u>
LOGRUN ACTIVITY WEEKLY TOTAL	<u>2411</u>
LOGRUN ACTIVITY YEARLY TOTAL	<u>2431</u>
LOGRUN APPLICATION HELP ACTIVITY DAILY	<u>3741</u>
LOGRUN APPLICATION HELP DEPARTMENT DAILY	<u>3742</u>
LOGRUN APPLICATION HELP TOTAL DAILY	<u>3743</u>
LOGRUN CAGE NIIN DEPARTMENT WEEKLY	<u>5984</u>
LOGRUN CAGE NIIN INQ ACTIVITY DAILY	<u>5975</u>
LOGRUN CAGE NIIN INQ ACTIVITY MONTHLY	<u>5978</u>
LOGRUN CAGE NIIN INQ ACTIVITY QUARTERLY	<u>5979</u>
LOGRUN CAGE NIIN INQ ACTIVITY WEEKLY	<u>5976</u>
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR DAILY	<u>1702</u>
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY	<u>5972</u>
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY	<u>5973</u>
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY	<u>0971</u>
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR YEARLY	<u>5974</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN CAGE NIIN INQ DAILY TOTAL	<u>5989</u>
LOGRUN CAGE NIIN INQ DEPARTMENT DAILY	<u>5983</u>
LOGRUN CAGE NIIN INQ DEPARTMENT MONTHLY	<u>5986</u>
LOGRUN CAGE NIIN INQ DEPARTMENT QUARTERLY	<u>5987</u>
LOGRUN CAGE NIIN INQ DEPARTMENT YEARLY	<u>5988</u>
LOGRUN CAGE NIIN INQ MONTHLY TOTAL	<u>5991</u>
LOGRUN CAGE NIIN INQ QUARTERLY TOTAL	<u>5992</u>
LOGRUN CAGE NIIN INQ WEEKLY TOTAL	<u>5990</u>
LOGRUN CAGE NIIN INQ YEARLY TOTAL	<u>5993</u>
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT ACTIVITY QUANTITY	<u>5994</u>
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT QUANTITY	<u>5977</u>
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY DAILY	<u>6202</u>
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY MONTHLY	<u>6204</u>
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY QUARTERLY	<u>6205</u>
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY WEEKLY	<u>6203</u>
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY YEARLY	<u>6206</u>
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	<u>6196</u>
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	<u>6198</u>
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTER	<u>6199</u>
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	<u>6197</u>
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	<u>6200</u>
LOGRUN CAGE PTL REF NBR LOG INQ DAILY TOTAL	<u>1657</u>
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT DAILY	<u>6207</u>
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT MONTHLY	<u>1654</u>
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT QUARTERLY	<u>1655</u>
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT WEEKLY	<u>6208</u>
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT YEARLY	<u>1656</u>
LOGRUN CAGE PTL REF NBR LOG INQ MONTHLY TOTAL	<u>1659</u>
LOGRUN CAGE PTL REF NBR LOG INQ QUARTERLY TOTAL	<u>1660</u>
LOGRUN CAGE PTL REF NBR LOG INQ WEEKLY TOTAL	<u>1658</u>
LOGRUN CAGE PTL REF NBR LOG INQ YEARLY TOTAL	<u>1661</u>
LOGRUN CAGE REF NBR LOG INQ ACTIVITY DAILY	<u>6178</u>
LOGRUN CAGE REF NBR LOG INQ ACTIVITY MONTHLY	<u>6180</u>
LOGRUN CAGE REF NBR LOG INQ ACTIVITY QUARTERLY	<u>6181</u>
LOGRUN CAGE REF NBR LOG INQ ACTIVITY WEEKLY	<u>6179</u>
LOGRUN CAGE REF NBR LOG INQ ACTIVITY YEARLY	<u>6182</u>
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	<u>5996</u>
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	<u>5998</u>
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	<u>5999</u>
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	<u>5997</u>
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	<u>6177</u>
LOGRUN CAGE REF NBR LOG INQ DAILY TOTAL	<u>6189</u>
LOGRUN CAGE REF NBR LOG INQ DEDPARTMENT WEEKLY	<u>6185</u>
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT DAILY	<u>6183</u>
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT MONTHLY	<u>6186</u>
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT QUARTERLY	<u>6187</u>
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT YEARLY	<u>6188</u>
LOGRUN CAGE REF NBR LOG INQ MONTHLY TOTAL	<u>6192</u>
LOGRUN CAGE REF NBR LOG INQ QUARTERLY TOTAL	<u>6193</u>
LOGRUN CAGE REF NBR LOG INQ WEEKLY TOTAL	<u>6190</u>
LOGRUN CAGE REF NBR LOG INQ YEARLY TOTAL	<u>6194</u>
LOGRUN CHARACTERISTIC HELP ACTIVITY DAILY	<u>1213</u>
LOGRUN CHARACTERISTIC HELP ACTIVITY MONTHLY	<u>1215</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN CHARACTERISTIC HELP ACTIVITY QUARTERLY	<u>1216</u>
LOGRUN CHARACTERISTIC HELP ACTIVITY WEEKLY	<u>1214</u>
LOGRUN CHARACTERISTIC HELP ACTIVITY YEARLY	<u>1217</u>
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR DAILY	<u>1208</u>
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR MONTHLY	<u>1210</u>
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR QUARTERLY	<u>1211</u>
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR WEEKLY	<u>1209</u>
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR YEARLY	<u>1212</u>
LOGRUN CHARACTERISTIC HELP DEPARTMENT DAILY	<u>1218</u>
LOGRUN CHARACTERISTIC HELP DEPARTMENT MONTHLY	<u>1220</u>
LOGRUN CHARACTERISTIC HELP DEPARTMENT QUARTERLY	<u>1221</u>
LOGRUN CHARACTERISTIC HELP DEPARTMENT STATION NAME TIC QT	<u>0986</u>
LOGRUN CHARACTERISTIC HELP DEPARTMENT WEEKLY	<u>1219</u>
LOGRUN CHARACTERISTIC HELP DEPARTMENT YEARLY	<u>1222</u>
LOGRUN CHARACTERISTIC HELP TOTAL DAILY	<u>1223</u>
LOGRUN CHARACTERISTIC HELP TOTAL MONTHLY	<u>1225</u>
LOGRUN CHARACTERISTIC HELP TOTAL QUARTERLY	<u>1226</u>
LOGRUN CHARACTERISTIC HELP TOTAL YEARLY	<u>1227</u>
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY DAILY	<u>1193</u>
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY MONTHLY	<u>1195</u>
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY QUARTERLY	<u>1196</u>
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY WEEKLY	<u>1194</u>
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY YEARLY	<u>1197</u>
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NO. QUARTERLY	<u>1191</u>
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER DAILY	<u>1188</u>
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER MONTH	<u>1190</u>
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY	<u>1189</u>
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY	<u>1192</u>
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT MONTHLY	<u>1200</u>
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT DAILY	<u>1198</u>
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUANTITY	<u>5982</u>
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUARTERLY	<u>1201</u>
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT WEEKLY	<u>1199</u>
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT YEARLY	<u>1202</u>
LOGRUN CHARACTERISTIC INQUIRY TOTAL DAILY	<u>1203</u>
LOGRUN CHARACTERISTIC INQUIRY TOTAL MONTHLY	<u>1205</u>
LOGRUN CHARACTERISTIC INQUIRY TOTAL QUARTERLY	<u>1206</u>
LOGRUN CHARACTERISTIC INQUIRY TOTAL WEEKLY	<u>1204</u>
LOGRUN CHARACTERISTIC INQUIRY TOTAL YEARLY	<u>1207</u>
LOGRUN CHARACTERISTICS HELP TOTAL WEEKLY	<u>1224</u>
LOGRUN CHARACTERISTICS INQUIRY DEPARTMENT QUANTITY	<u>5981</u>
LOGRUN CHARACTERISTICS UPDATE DEPARTMENT QUANTITY	<u>5980</u>
LOGRUN COMBINATION ACTIVITY DAILY	<u>1729</u>
LOGRUN COMBINATION ACTIVITY MONTHLY	<u>1731</u>
LOGRUN COMBINATION ACTIVITY QUARTERLY	<u>1732</u>
LOGRUN COMBINATION ACTIVITY WEEKLY	<u>1730</u>
LOGRUN COMBINATION ACTIVITY YEARLY	<u>1733</u>
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER DAILY	<u>8247</u>
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER MONTHLY	<u>2171</u>
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER QUARTERLY	<u>1727</u>
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER WEEKLY	<u>8248</u>
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER YEARLY	<u>1728</u>
LOGRUN COMBINATION DEPARTMENT DAILY	<u>1734</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN COMBINATION DEPARTMENT MONTHLY	<u>1736</u>
LOGRUN COMBINATION DEPARTMENT QUARTERLY	<u>1737</u>
LOGRUN COMBINATION DEPARTMENT WEEKLY	<u>1735</u>
LOGRUN COMBINATION DEPARTMENT YEARLY	<u>1738</u>
LOGRUN COMBINATION TOTAL DAILY	<u>1739</u>
LOGRUN COMBINATION TOTAL MONTHLY	<u>2172</u>
LOGRUN COMBINATION TOTAL QUARTERLY	<u>1742</u>
LOGRUN COMBINATION TOTAL WEEKLY	<u>1740</u>
LOGRUN COMBINATION TOTAL YEARLY	<u>1743</u>
LOGRUN DEPARTMENT DAILY TOTAL	<u>2429</u>
LOGRUN DEPARTMENT MONTHLY TOTAL	<u>2434</u>
LOGRUN DEPARTMENT QUARTER 1 TOTAL	<u>2435</u>
LOGRUN DEPARTMENT QUARTER 2 TOTAL	<u>2436</u>
LOGRUN DEPARTMENT QUARTER 3 TOTAL	<u>2047</u>
LOGRUN DEPARTMENT QUARTER 4 TOTAL	<u>2408</u>
LOGRUN DEPARTMENT WEEKLY TOTAL	<u>2433</u>
LOGRUN DEPARTMENT YEARLY TOTAL	<u>2409</u>
LOGRUN FSC INQUIRY DEPARTMENT ACTIVITY QUANTITY	<u>6175</u>
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY DAILY	<u>1233</u>
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY MONTHLY	<u>6856</u>
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY QUARTERLY	<u>6857</u>
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY WEEKLY	<u>6855</u>
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY YEARLY	<u>6858</u>
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR DAILY	<u>1128</u>
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR QTR	<u>1231</u>
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR WEEKLY	<u>1229</u>
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR MONTHLY	<u>1230</u>
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR YEARLY	<u>1232</u>
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT DAILY	<u>6860</u>
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT MONTHLY	<u>6862</u>
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT QUARTERLY	<u>6863</u>
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT WEEKLY	<u>6861</u>
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT YEARLY	<u>6864</u>
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL DAILY	<u>6865</u>
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL MONTHLY	<u>6867</u>
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL QUARTERLY	<u>6868</u>
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL YEARLY	<u>6869</u>
LOGRUN FSG GSC ITEM NAME INQUIRY TOTAL WEEKLY	<u>6866</u>
LOGRUN GRAND TOTAL DAILY TOTAL	<u>2422</u>
LOGRUN GRAND TOTAL MONTHLY TOTAL	<u>2424</u>
LOGRUN GRAND TOTAL QUARTER 1 TOTAL	<u>2425</u>
LOGRUN GRAND TOTAL QUARTER 2 TOTAL	<u>2426</u>
LOGRUN GRAND TOTAL QUARTER 3 TOTAL	<u>2427</u>
LOGRUN GRAND TOTAL QUARTER 4 TOTAL	<u>2049</u>
LOGRUN GRAND TOTAL WEEKLY TOTAL	<u>2048</u>
LOGRUN GRAND TOTAL YEARLY TOTAL	<u>2402</u>
LOGRUN INQUIRY DEPARTMENT PERCENT	<u>5971</u>
LOGRUN INQUIRY DEPARTMENT QUANTITY	<u>5970</u>
LOGRUN NAME TO NIIN ING ACTIVITY QUARTERLY	<u>1176</u>
LOGRUN NAME TO NIIN INQ ACTIVITY DAILY	<u>1173</u>
LOGRUN NAME TO NIIN INQ ACTIVITY MONTHLY	<u>1175</u>
LOGRUN NAME TO NIIN INQ ACTIVITY WEEKLY	<u>1174</u>
LOGRUN NAME TO NIIN INQ ACTIVITY YEARLY	<u>1177</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR DAILY	<u>1168</u>
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY	<u>1170</u>
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY	<u>1171</u>
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY	<u>1169</u>
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR YEARLY	<u>1172</u>
LOGRUN NAME TO NIIN INQ DAILY TOTAL	<u>1183</u>
LOGRUN NAME TO NIIN INQ DEPARTMENT DAILY	<u>1178</u>
LOGRUN NAME TO NIIN INQ DEPARTMENT MONTHLY	<u>1180</u>
LOGRUN NAME TO NIIN INQ DEPARTMENT QUARTERLY	<u>1181</u>
LOGRUN NAME TO NIIN INQ DEPARTMENT WEEKLY	<u>1179</u>
LOGRUN NAME TO NIIN INQ DEPARTMENT YEARLY	<u>1182</u>
LOGRUN NAME TO NIIN INQ MONTHLY TOTAL	<u>1185</u>
LOGRUN NAME TO NIIN INQ QUARTERLY TOTAL	<u>1186</u>
LOGRUN NAME TO NIIN INQ WEEKLY TOTAL	<u>1184</u>
LOGRUN NAME TO NIIN INQ YEARLY TOTAL	<u>1187</u>
LOGRUN NIIN INQUIRY ACTIVITY DAILY	<u>1667</u>
LOGRUN NIIN INQUIRY ACTIVITY MONTHLY	<u>1669</u>
LOGRUN NIIN INQUIRY ACTIVITY QUARTERLY	<u>1670</u>
LOGRUN NIIN INQUIRY ACTIVITY WEEKLY	<u>1668</u>
LOGRUN NIIN INQUIRY ACTIVITY YEARLY	<u>1671</u>
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER	<u>1662</u>
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER MONTHLY	<u>1664</u>
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER QUARTERLY	<u>1665</u>
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY	<u>1663</u>
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY	<u>1666</u>
LOGRUN NIIN INQUIRY DAILY TOTAL	<u>1121</u>
LOGRUN NIIN INQUIRY DEPARTMENT DAILY	<u>1672</u>
LOGRUN NIIN INQUIRY DEPARTMENT MONTHLY	<u>1674</u>
LOGRUN NIIN INQUIRY DEPARTMENT QUARTERLY	<u>1675</u>
LOGRUN NIIN INQUIRY DEPARTMENT WEEKLY	<u>2173</u>
LOGRUN NIIN INQUIRY DEPARTMENT YEARLY	<u>1676</u>
LOGRUN NIIN INQUIRY MONTHLY TOTAL	<u>1123</u>
LOGRUN NIIN INQUIRY QUARTERLY TOTAL	<u>1124</u>
LOGRUN NIIN INQUIRY WEEKLY TOTAL	<u>1122</u>
LOGRUN NIIN INQUIRY YEARLY TOTAL	<u>1125</u>
LOGRUN PART NUMBER INQUIRY DEPARTMENT ACTIVITY QUANTITY	<u>6174</u>
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUST ACCT NMBR YEARLY	<u>8143</u>
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUSTOMER ACCT NMBR WKLY	<u>1905</u>
LOGRUN PROCEDURE DELETE UPDATE CUSTOMER ACCNT NMBR WEEKLY	<u>0995</u>
LOGRUN PROCEDURES ACTIVITY WEEKLY	<u>8233</u>
LOGRUN PROCEDURES ADD UPDATE ACTIVITY DAILY	<u>5682</u>
LOGRUN PROCEDURES ADD UPDATE ACTIVITY MONTHLY	<u>5708</u>
LOGRUN PROCEDURES ADD UPDATE ACTIVITY QUARTERLY	<u>5724</u>
LOGRUN PROCEDURES ADD UPDATE ACTIVITY WEEKLY	<u>5690</u>
LOGRUN PROCEDURES ADD UPDATE ACTIVITY YEARLY	<u>8149</u>
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCNT NMBR DAILY	<u>5672</u>
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NMBR YEARLY	<u>8145</u>
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NUMBER WEEKLY	<u>0994</u>
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCT NMBR QUARTERLY	<u>5720</u>
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT DAILY	<u>5678</u>
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT MONTHLY	<u>5712</u>
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT QUARTERLY	<u>8137</u>
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT WEEKLY	<u>5694</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT YEARLY	<u>8153</u>
LOGRUN PROCEDURES ADD UPDATE TOTAL DAILY	<u>5686</u>
LOGRUN PROCEDURES ADD UPDATE TOTAL MONTHLY	<u>5716</u>
LOGRUN PROCEDURES ADD UPDATE TOTAL QUARTERLY	<u>8141</u>
LOGRUN PROCEDURES ADD UPDATE TOTAL WEEKLY	<u>5698</u>
LOGRUN PROCEDURES ADD UPDATE TOTAL YEARLY	<u>8157</u>
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY DAILY	<u>1789</u>
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY MONTHLY	<u>1791</u>
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY QUARTERLY	<u>1792</u>
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY WEEKLY	<u>1790</u>
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY YEARLY	<u>1793</u>
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR DAILY	<u>1784</u>
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR MTHLY	<u>1786</u>
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR QRTL	<u>1787</u>
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR WKLY	<u>1785</u>
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR YRLY	<u>1788</u>
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT DAILY	<u>1794</u>
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT MONTHLY	<u>1796</u>
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT QUARTERLY	<u>1797</u>
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT WEEKLY	<u>1795</u>
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT YEARLY	<u>1798</u>
LOGRUN PROCEDURES ADMINISTRATION TOTAL DAILY	<u>1799</u>
LOGRUN PROCEDURES ADMINISTRATION TOTAL MONTHLY	<u>1801</u>
LOGRUN PROCEDURES ADMINISTRATION TOTAL QUARTERLY	<u>1802</u>
LOGRUN PROCEDURES ADMINISTRATION TOTAL WEEKLY	<u>1800</u>
LOGRUN PROCEDURES ADMINISTRATION TOTAL YEARLY	<u>1803</u>
LOGRUN PROCEDURES AND UPDATE CUSTOMER ACCT NUMBER MONTHLY	<u>5704</u>
LOGRUN PROCEDURES APPLICATION ACTIVITY DAILY	<u>8232</u>
LOGRUN PROCEDURES APPLICATION ACTIVITY MONTHLY	<u>8234</u>
LOGRUN PROCEDURES APPLICATION ACTIVITY QUARTERLY	<u>8235</u>
LOGRUN PROCEDURES APPLICATION ACTIVITY YEARLY	<u>8236</u>
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER DAILY	<u>1126</u>
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER MNTHLY	<u>5995</u>
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER QTRL	<u>6195</u>
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER WEEKLY	<u>1147</u>
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER YEARLY	<u>8231</u>
LOGRUN PROCEDURES APPLICATION DEPARTMENT DAILY	<u>8237</u>
LOGRUN PROCEDURES APPLICATION DEPARTMENT MONTHLY	<u>8239</u>
LOGRUN PROCEDURES APPLICATION DEPARTMENT QUARTERLY	<u>8240</u>
LOGRUN PROCEDURES APPLICATION DEPARTMENT WEEKLY	<u>8238</u>
LOGRUN PROCEDURES APPLICATION DEPARTMENT YEARLY	<u>8241</u>
LOGRUN PROCEDURES APPLICATION TOTAL DAILY	<u>8242</u>
LOGRUN PROCEDURES APPLICATION TOTAL MONTHLY	<u>8244</u>
LOGRUN PROCEDURES APPLICATION TOTAL QUARTERLY	<u>8245</u>
LOGRUN PROCEDURES APPLICATION TOTAL WEEKLY	<u>8243</u>
LOGRUN PROCEDURES APPLICATION TOTAL YEARLY	<u>8246</u>
LOGRUN PROCEDURES BLLTN BOARD UPDATE CSTMR ACCNT NMBR MTHLY	<u>5700</u>
LOGRUN PROCEDURES BLLTN BOARD UPDATE CUSTOMER ACCT NMBR QRTL	<u>5718</u>
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY DAILY	<u>8107</u>
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY MONTHLY	<u>8109</u>
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY QUARTELRY	<u>8110</u>
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY WEEKLY	<u>8108</u>
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY YEARLY	<u>8111</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR MONTHLY	<u>8104</u>
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR QTRLY	<u>8105</u>
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER DAILY	<u>8102</u>
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER WEEKLY	<u>8103</u>
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER YEARLY	<u>8106</u>
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT DAILY	<u>8112</u>
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT MONTHLY	<u>8114</u>
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT QUARTERLY	<u>8115</u>
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT WEEKLY	<u>8113</u>
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT YEARLY	<u>8128</u>
LOGRUN PROCEDURES BULLETIN BOARD TOTAL DAILY	<u>8131</u>
LOGRUN PROCEDURES BULLETIN BOARD TOTAL MONTHLY	<u>8133</u>
LOGRUN PROCEDURES BULLETIN BOARD TOTAL QUARTERLY	<u>8134</u>
LOGRUN PROCEDURES BULLETIN BOARD TOTAL WEEKLY	<u>8132</u>
LOGRUN PROCEDURES BULLETIN BOARD TOTAL YEARLY	<u>8135</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY DAILY	<u>5680</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY MONTHLY	<u>5706</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY QUARTERLY	<u>5722</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY WEEKLY	<u>5688</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY YEARLY	<u>8147</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT MONTHLY	<u>5710</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT QRTL	<u>5726</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT WEEKLY	<u>5692</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT YEARLY	<u>8151</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL DAILY	<u>5684</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL MONTHLY	<u>5714</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL QUARTERLY	<u>8139</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL WEEKLY	<u>5696</u>
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL YEARLY	<u>8155</u>
LOGRUN PROCEDURES BULLETIN BRD UPDT CUSTOMER ACCNT NMBR DAIL	<u>5670</u>
LOGRUN PROCEDURES BULLETIN UPDATE DEPARTMENT DAILY	<u>5676</u>
LOGRUN PROCEDURES CAI ACTIVITY DAILY	<u>1769</u>
LOGRUN PROCEDURES CAI ACTIVITY MONTHLY	<u>1771</u>
LOGRUN PROCEDURES CAI ACTIVITY QUARTERLY	<u>1772</u>
LOGRUN PROCEDURES CAI ACTIVITY WEEKLY	<u>1770</u>
LOGRUN PROCEDURES CAI ACTIVITY YEARLY	<u>1773</u>
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER DAILY	<u>1764</u>
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER MONTHLY	<u>1766</u>
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER QUARTERLY	<u>1767</u>
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER WEEKLY	<u>1765</u>
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER YEARLY	<u>1768</u>
LOGRUN PROCEDURES CAI DEPARTMENT DAILY	<u>1774</u>
LOGRUN PROCEDURES CAI DEPARTMENT MONTHLY	<u>1776</u>
LOGRUN PROCEDURES CAI DEPARTMENT QUARTERLY	<u>1777</u>
LOGRUN PROCEDURES CAI DEPARTMENT WEEKLY	<u>1775</u>
LOGRUN PROCEDURES CAI DEPARTMENT YEARLY	<u>1778</u>
LOGRUN PROCEDURES CAI TOTAL DAILY	<u>1779</u>
LOGRUN PROCEDURES CAI TOTAL MONTHLY	<u>1781</u>
LOGRUN PROCEDURES CAI TOTAL QUARTERLY	<u>1782</u>
LOGRUN PROCEDURES CAI TOTAL WEEKLY	<u>1780</u>
LOGRUN PROCEDURES CAI TOTAL YEARLY	<u>1783</u>
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY DAILY	<u>5681</u>
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY MONTHLY	<u>5707</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY QUARTERLY	<u>5723</u>
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY WEEKLY	<u>5689</u>
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY YEARLY	<u>8148</u>
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY	<u>0993</u>
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY	<u>5671</u>
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR MONTHLY	<u>5701</u>
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR QTRLY	<u>5719</u>
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR YEARLY	<u>8144</u>
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT DAILY	<u>5677</u>
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT MONTHLY	<u>5711</u>
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT QUARTERLY	<u>5727</u>
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT WEEKLY	<u>5693</u>
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT YEARLY	<u>8152</u>
LOGRUN PROCEDURES CHANGE UPDATE TOTAL DAILY	<u>5685</u>
LOGRUN PROCEDURES CHANGE UPDATE TOTAL MONTHLY	<u>5715</u>
LOGRUN PROCEDURES CHANGE UPDATE TOTAL QTRLY	<u>8140</u>
LOGRUN PROCEDURES CHANGE UPDATE TOTAL WEEKLY	<u>5697</u>
LOGRUN PROCEDURES CHANGE UPDATE TOTAL YEARLY	<u>8156</u>
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY DAILY	<u>5683</u>
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY MONTHLY	<u>5709</u>
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY QUARTERLY	<u>5725</u>
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY WEEKLY	<u>5691</u>
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY YEARLY	<u>8150</u>
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCNT NMBR DAILY	<u>5673</u>
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR MONTHLY	<u>5705</u>
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR QUARTERLY	<u>5721</u>
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR YEARLY	<u>8146</u>
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT DAILY	<u>5679</u>
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT MONTHLY	<u>5713</u>
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT NUMBER WEEKLY	<u>5695</u>
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT QUARTERLY	<u>8138</u>
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT YEARLY	<u>8154</u>
LOGRUN PROCEDURES DELETE UPDATE TOTAL DAILY	<u>5687</u>
LOGRUN PROCEDURES DELETE UPDATE TOTAL MONTHLY	<u>5717</u>
LOGRUN PROCEDURES DELETE UPDATE TOTAL QUARTERLY	<u>8142</u>
LOGRUN PROCEDURES DELETE UPDATE TOTAL WEEKLY	<u>5699</u>
LOGRUN PROCEDURES DELETE UPDATE TOTAL YEARLY	<u>8158</u>
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY DAILY	<u>0992</u>
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY QUARTERLY	<u>6880</u>
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY WEEKLY	<u>0996</u>
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY YEARLY	<u>6881</u>
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER DAILY	<u>0987</u>
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER MONTHLY	<u>0989</u>
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER QRTLY	<u>0990</u>
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER WEEKLY	<u>0988</u>
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER YEARLY	<u>0991</u>
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT DAILY	<u>8072</u>
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT MONTHLY	<u>8074</u>
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT QUARTERLY	<u>8075</u>
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT WEEKLY	<u>8073</u>
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT YEARLY	<u>8076</u>
LOGRUN PROCEDURES DLSC PROD SVC TOTAL DAILY	<u>8077</u>
LOGRUN PROCEDURES DLSC PROD SVC TOTAL MONTHLY	<u>8079</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN PROCEDURES DLSC PROD SVC TOTAL QUARTERLY	<u>8080</u>
LOGRUN PROCEDURES DLSC PROD SVC TOTAL WEEKLY	<u>8078</u>
LOGRUN PROCEDURES DLSC PROD SVC TOTAL YEARLY	<u>8081</u>
LOGRUN PROCEDURES QUICJ INFO CUSTOMER ACCOUNT NUMBER YEARLY	<u>1748</u>
LOGRUN PROCEDURES QUICK INFO ACTIVITY DAILY	<u>1749</u>
LOGRUN PROCEDURES QUICK INFO ACTIVITY QUARTERLY	<u>1752</u>
LOGRUN PROCEDURES QUICK INFO ACTIVITY WEEKLY	<u>1750</u>
LOGRUN PROCEDURES QUICK INFO ACTIVITY YEARLY	<u>1753</u>
LOGRUN PROCEDURES QUICK INFO ACTIVTY MONTHLY	<u>1751</u>
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER DAILY	<u>1744</u>
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER MONTHLY	<u>1746</u>
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER QUARTER	<u>1747</u>
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER WEEKLY	<u>1745</u>
LOGRUN PROCEDURES QUICK INFO DEPARTMENT DAILY	<u>1754</u>
LOGRUN PROCEDURES QUICK INFO DEPARTMENT MONTHLY	<u>1756</u>
LOGRUN PROCEDURES QUICK INFO DEPARTMENT QUARTERLY	<u>1757</u>
LOGRUN PROCEDURES QUICK INFO DEPARTMENT WEEKLY	<u>1755</u>
LOGRUN PROCEDURES QUICK INFO DEPARTMENT YEARLY	<u>1758</u>
LOGRUN PROCEDURES QUICK INFO TOTAL DAILY	<u>1759</u>
LOGRUN PROCEDURES QUICK INFO TOTAL MONTHLY	<u>1761</u>
LOGRUN PROCEDURES QUICK INFO TOTAL QUARTERLY	<u>1762</u>
LOGRUN PROCEDURES QUICK INFO TOTAL WEEKLY	<u>1760</u>
LOGRUN PROCEDURES QUICK INFO TOTAL YEARLY	<u>1763</u>
LOGRUN PROCEDURES STAT INFO ACTIVITY DAILY	<u>8087</u>
LOGRUN PROCEDURES STAT INFO ACTIVITY MONTHLY	<u>8089</u>
LOGRUN PROCEDURES STAT INFO ACTIVITY QUARTERLY	<u>8090</u>
LOGRUN PROCEDURES STAT INFO ACTIVITY WEEKLY	<u>8088</u>
LOGRUN PROCEDURES STAT INFO ACTIVITY YEARLY	<u>8091</u>
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER DAILY	<u>8082</u>
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER MONTHLY	<u>8084</u>
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER QRTL	<u>8085</u>
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER WEEKLY	<u>8083</u>
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER YEARLY	<u>8086</u>
LOGRUN PROCEDURES STAT INFO DEPARTMENT DAILY	<u>8092</u>
LOGRUN PROCEDURES STAT INFO DEPARTMENT MONTHLY	<u>8094</u>
LOGRUN PROCEDURES STAT INFO DEPARTMENT QUARTERLY	<u>8095</u>
LOGRUN PROCEDURES STAT INFO DEPARTMENT WEEKLY	<u>8093</u>
LOGRUN PROCEDURES STAT INFO DEPARTMENT YEARLY	<u>8096</u>
LOGRUN PROCEDURES STAT INFO TOTAL DAILY	<u>8097</u>
LOGRUN PROCEDURES STAT INFO TOTAL MONTHLY	<u>8099</u>
LOGRUN PROCEDURES STAT INFO TOTAL QUARTERLY	<u>8100</u>
LOGRUN PROCEDURES STAT INFO TOTAL WEEKLY	<u>8098</u>
LOGRUN PROCEDURES STAT INFO TOTAL YEARLY	<u>8101</u>
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY DAILY	<u>8194</u>
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY MONTHLY	<u>8196</u>
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY QUARTERLY	<u>8197</u>
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY WEEKLY	<u>8195</u>
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY YEARLY	<u>8198</u>
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR DAILY	<u>1804</u>
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR MTHLY	<u>8179</u>
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR QRTL	<u>8192</u>
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR WEEKLY	<u>1805</u>
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR YEARLY	<u>8193</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT DAILY	<u>8199</u>
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT MONTHLY	<u>8201</u>
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT QUARTERLY	<u>8202</u>
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT WEEKLY	<u>8200</u>
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT YEARLY	<u>8203</u>
LOGRUN PROCEDURES TRANS PROCESS TOTAL DAILY	<u>6874</u>
LOGRUN PROCEDURES TRANS PROCESS TOTAL MONTHLY	<u>6876</u>
LOGRUN PROCEDURES TRANS PROCESS TOTAL QUARTERLY	<u>6877</u>
LOGRUN PROCEDURES TRANS PROCESS TOTAL WEEKLY	<u>6875</u>
LOGRUN PROCEDURES TRANS PROCESS TOTAL YEARLY	<u>6878</u>
LOGRUN PTL REF NBR LOG INQ ACTIVITY	<u>1156</u>
LOGRUN PTL REF NBR LOG INQ ACTIVITY DAILY	<u>1153</u>
LOGRUN PTL REF NBR LOG INQ ACTIVITY MONTHLY	<u>1155</u>
LOGRUN PTL REF NBR LOG INQ ACTIVITY WEEKLY	<u>1154</u>
LOGRUN PTL REF NBR LOG INQ ACTIVITY YEARLY	<u>1157</u>
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	<u>1148</u>
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	<u>1150</u>
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	<u>1151</u>
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	<u>1149</u>
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	<u>1152</u>
LOGRUN PTL REF NBR LOG INQ DAILY TOTAL	<u>1163</u>
LOGRUN PTL REF NBR LOG INQ DEPARTMENT DAILY	<u>1158</u>
LOGRUN PTL REF NBR LOG INQ DEPARTMENT MONTHLY	<u>1160</u>
LOGRUN PTL REF NBR LOG INQ DEPARTMENT QUARTERLY	<u>1161</u>
LOGRUN PTL REF NBR LOG INQ DEPARTMENT WEEKLY	<u>1159</u>
LOGRUN PTL REF NBR LOG INQ DEPARTMENT YEARLY	<u>1162</u>
LOGRUN PTL REF NBR LOG INQ MONTHLY TOTAL	<u>1165</u>
LOGRUN PTL REF NBR LOG INQ QUARTERLY TOTAL	<u>1166</u>
LOGRUN PTL REF NBR LOG INQ WEEKLY TOTAL	<u>1164</u>
LOGRUN PTL REF NBR LOG INQ YEARLY TOTAL	<u>1167</u>
LOGRUN REF NBR LOG INQ ACTIVITY DAILY	<u>1132</u>
LOGRUN REF NBR LOG INQ ACTIVITY MONTHLY	<u>1134</u>
LOGRUN REF NBR LOG INQ ACTIVITY QUARTERLY	<u>1135</u>
LOGRUN REF NBR LOG INQ ACTIVITY WEEKLY	<u>1133</u>
LOGRUN REF NBR LOG INQ ACTIVITY YEARLY	<u>1136</u>
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	<u>1127</u>
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	<u>1130</u>
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	<u>1131</u>
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	<u>1129</u>
LOGRUN REF NBR LOG INQ DAILY TOTAL	<u>1142</u>
LOGRUN REF NBR LOG INQ DEPARTMENT DAILY	<u>1137</u>
LOGRUN REF NBR LOG INQ DEPARTMENT MONTHLY	<u>1139</u>
LOGRUN REF NBR LOG INQ DEPARTMENT QUARTERLY	<u>1140</u>
LOGRUN REF NBR LOG INQ DEPARTMENT WEEKLY	<u>1138</u>
LOGRUN REF NBR LOG INQ DEPARTMENT YEARLY	<u>1141</u>
LOGRUN REF NBR LOG INQ MONTHLY TOTAL	<u>1144</u>
LOGRUN REF NBR LOG INQ QUARTERLY TOTAL	<u>1145</u>
LOGRUN REF NBR LOG INQ WEEKLY TOTAL	<u>1143</u>
LOGRUN REF NBR LOG INQ YEARLY TOTAL	<u>1146</u>
LOGRUN REGISTRATION COMMENTS TEXT	<u>9496</u>
LOGRUN REGISTRATION CUSTOMER DSN FAX NUMBER IDENTIFIER	<u>9521</u>
LOGRUN REGISTRATION CUSTOMERS DSN TELEPHONE NUMBER IDENTIFIER	<u>9523</u>
LOGRUN REGISTRATION DATE	<u>9495</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN REGISTRATION FULL SUPERVISOR NAME	9520
LOGRUN REGISTRATION LICENSE APPLICATION CODE	9522
LOGRUN REGISTRATION SUPERVISORS COMMERCIAL TELEPHONE NUMBER IDEN	9518
LOGRUN REGISTRATION SUPERVISORS DSN TELEPHONE NUMBER IDENTIFIER	9517
LOGRUN REGISTRATION USER AGENCY NAME	9492
LOGRUN REGISTRATION USER COMMERCIAL FAX NUMBER IDENTIFIER	9519
LOGRUN REGISTRATION USER FIRST NAME	9491
LOGRUN REGISTRATION USER JOB TITLE TEXT	9494
LOGRUN REGISTRATION USER LAST NAME	9493
LOGRUN REGISTRATION USER TYPE CODE	9516
LOGRUN RPROCEDURES DLSC PROD SVC ACTIVITY MONTHLY	6879
LOGRUN TEST ACCESS DEPARTMENT ACTIVITY QUANTITY	6176
LOGRUN TEST ACCESS DEPARTMENT QUANTITY	5985
LOGRUN TEST INQUIRY DEPARTMENT STATION NAME TERM IN CODE QTY	6201
LOLA OVERNIGHT DLIS SEGMENT VALUES IDENTIFIER	4694
LOLA OVERNIGHT LSN LTI REMAINDER	4696
LOLA OVERNIGHT TRANSACTION DATE	4695
LOLA REQUEST DATE	3306
LOLA STATS SCOPE	3307
LOLA SUBMITTER IDENTIFICATION FIELD	0839
LOLA TEMPLATE NAME	1100
LOLA UPDATE COMMUNICATIONS TEXT	3314
LOLA UPDATE DIC COUNT NUMBER	3324
LOLA UPDATE PROCESSED TIME	3323
LOLA UPDATE STATUS KEY CODE	9436
LOLA UPDATE TRANSACTION HEADER TEXT	3313
LONG SUPPLY/CREDIT INDICATOR	1467
LOSING ITEM MANAGEMENT SERVICE/AGENCY ACTIVITY CODE	5084
LOSING ITEM MANAGEMENT SERVICE/AGENCY SOURCE OF SUPPLY CODE	5085
LSA GRAND TOTAL	1963
LSR SEGMENT 2 INPUT	9174
LSR SEGMENT 2 OUTPUT	9175
LVA CONTROL DRN VALUE IDENTIFIER	5082
LVA DATE	4217
LVA DOCUMENT CONTROL SERIAL NUMBER	5083
LVA OUTPUT DOCUMENT IDENTIFIER CODE	3893
LVA RETURN CODE	5081
M3A DEPARTMENT LEVEL OF AUTHORITY REFERENCE NUMBER	1610
M3A DEPARTMENT LOA APPROVED ITEM NAME	1606
M3A DEPARTMENT LOA APPROVED ITEM NAME DIFFERENCE	1609
M3A DEPARTMENT LOA APPROVED ITEM NAME GOAL	1607
M3A DEPARTMENT LOA APPROVED ITEM NAME PERCENT	1608
M3A DEPARTMENT LOA DESCRIPTIVE METHOD	1602
M3A DEPARTMENT LOA DESCRIPTIVE METHOD DIFFERENCE	1605
M3A DEPARTMENT LOA DESCRIPTIVE METHOD GOAL	1603
M3A DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT	1604
M3A DEPARTMENT LOA MANAGED	1601
M3A DEPARTMENT LOA REFERENCE NUMBER DIFFERENCE	1613
M3A DEPARTMENT LOA REFERENCE NUMBER GOAL	1611
M3A DEPARTMENT LOA REFERENCE NUMBER RATIO	1612
M3A DEPARTMENT REFERENCE NUMBER DIFFERENCE	1600
M3AC DEPARTMENT APPROVED ITEM NAME	1593
M3AC DEPARTMENT APPROVED ITEM NAME DIFFERENCE	1596

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M3AC DEPARTMENT APPROVED ITEM NAME GOAL	<u>1594</u>
M3AC DEPARTMENT APPROVED ITEM NAME PERCENT	<u>1595</u>
M3AC DEPARTMENT DESCRIPTIVE METHOD	<u>1589</u>
M3AC DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE	<u>1592</u>
M3AC DEPARTMENT DESCRIPTIVE METHOD GOAL	<u>1590</u>
M3AC DEPARTMENT DESCRIPTIVE METHOD PERCENT	<u>1591</u>
M3AC DEPARTMENT MANAGED	<u>1588</u>
M3AC DEPARTMENT REFERENCE NUMBER	<u>1597</u>
M3AC DEPARTMENT REFERENCE NUMBER GOAL	<u>1598</u>
M3AC DEPARTMENT REFERENCE NUMBER RATIO	<u>1599</u>
M3B FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	<u>1626</u>
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME	<u>1628</u>
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME GOAL	<u>1629</u>
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME PERCENT	<u>1630</u>
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD	<u>1625</u>
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT	<u>1627</u>
M3B FSC DEPARTMENT LOA MANAGED	<u>1624</u>
M3B FSC DEPARTMENT LOA REFERENCE NUMBER	<u>1631</u>
M3B FSC DEPARTMENT LOA REFERENCE NUMBER GOAL	<u>1632</u>
M3B FSC DEPARTMENT LOA REFERENCE NUMBER RATIO	<u>1633</u>
M3BC FSC DEPARTMENT APPROVED ITEM NAME	<u>1618</u>
M3BC FSC DEPARTMENT APPROVED ITEM NAME GOAL	<u>1619</u>
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD	<u>1615</u>
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	<u>1616</u>
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT	<u>1617</u>
M3BC FSC DEPARTMENT REFERENCE NUMBER	<u>1621</u>
M3BC FSC DEPARTMENT REFERENCE NUMBER GOAL	<u>1622</u>
M3BC FSC DEPARTMENT REFERENCE NUMBER RATIO	<u>1623</u>
M3BC FSC-DEPARTMENT APPROVED ITEM NAME PERCENT	<u>1620</u>
M3C1 DEPARTMENT ACTIVITY AIN	<u>1638</u>
M3C1 DEPARTMENT ACTIVITY AIN GOAL	<u>1639</u>
M3C1 DEPARTMENT ACTIVITY AIN PERCENT	<u>1640</u>
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD	<u>1635</u>
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL	<u>1636</u>
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT	<u>1637</u>
M3C1 DEPARTMENT ACTIVITY MANAGED	<u>1634</u>
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER	<u>1641</u>
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL	<u>1642</u>
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO	<u>1643</u>
M3C2 FSC DEPARTMENT ACTIVITY AIN	<u>1648</u>
M3C2 FSC DEPARTMENT ACTIVITY AIN GOAL	<u>1649</u>
M3C2 FSC DEPARTMENT ACTIVITY AIN PERCENT	<u>6291</u>
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD	<u>1645</u>
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL	<u>1646</u>
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT	<u>1647</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN	<u>6298</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN GOAL	<u>6299</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN PERCENT	<u>6300</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD GOAL	<u>6296</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD PERCENT	<u>6297</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA MANAGED	<u>6295</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER	<u>6301</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER GOAL	<u>6302</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER RATIO	<u>6303</u>
M3C2 FSC DEPARTMENT ACTIVITY LOAN DESCRIPTIVE METHOD	<u>6650</u>
M3C2 FSC DEPARTMENT ACTIVITY MANAGED	<u>1644</u>
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER	<u>6292</u>
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL	<u>6293</u>
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO	<u>6294</u>
M3D DEPARTMENT AIN	<u>6308</u>
M3D DEPARTMENT AIN DIFFERENCE	<u>6311</u>
M3D DEPARTMENT AIN GOAL	<u>6309</u>
M3D DEPARTMENT AIN PERCENT	<u>6310</u>
M3D DEPARTMENT DESCRIPTIVE METHOD	<u>6305</u>
M3D DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE	<u>6307</u>
M3D DEPARTMENT DESCRIPTIVE METHOD GOAL	<u>6306</u>
M3D DEPARTMENT FSC ACTIVITY AIN	<u>6334</u>
M3D DEPARTMENT FSC ACTIVITY AIN DIFFERENCE	<u>6337</u>
M3D DEPARTMENT FSC ACTIVITY AIN GOAL	<u>6335</u>
M3D DEPARTMENT FSC ACTIVITY AIN PERCENT	<u>6336</u>
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD	<u>6330</u>
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD DIFFERENCE	<u>6333</u>
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD GOAL	<u>6331</u>
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD PERCENT	<u>6332</u>
M3D DEPARTMENT FSC ACTIVITY MANAGED	<u>6329</u>
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER	<u>6338</u>
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER DIFFERENCE	<u>6341</u>
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER GOAL	<u>6339</u>
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER RATIO	<u>6340</u>
M3D DEPARTMENT FSC AIN	<u>6321</u>
M3D DEPARTMENT FSC AIN DIFFERENCE	<u>6324</u>
M3D DEPARTMENT FSC AIN GOAL	<u>6322</u>
M3D DEPARTMENT FSC AIN PERCENT	<u>6323</u>
M3D DEPARTMENT FSC DESCRIPTIVE METHOD	<u>6317</u>
M3D DEPARTMENT FSC DESCRIPTIVE METHOD DIFFERENCE	<u>6320</u>
M3D DEPARTMENT FSC DESCRIPTIVE METHOD GOAL	<u>6318</u>
M3D DEPARTMENT FSC DESCRIPTIVE METHOD PERCENT	<u>6319</u>
M3D DEPARTMENT FSC MANAGED	<u>6316</u>
M3D DEPARTMENT FSC REFERENCE NUMBER	<u>6325</u>
M3D DEPARTMENT FSC REFERENCE NUMBER DIFFERENCE	<u>6328</u>
M3D DEPARTMENT FSC REFERENCE NUMBER GOAL	<u>6326</u>
M3D DEPARTMENT FSC REFERENCE NUMBER RATIO	<u>6327</u>
M3D DEPARTMENT MANAGED	<u>6304</u>
M3D DEPARTMENT REFERENCE NUMBER	<u>6312</u>
M3D DEPARTMENT REFERENCE NUMBER DIFFERENCE	<u>6315</u>
M3D DEPARTMENT REFERENCE NUMBER GOAL	<u>6313</u>
M3D DEPARTMENT REFERENCE NUMBER RATIO	<u>6314</u>
M3D FSC DEPARTMENT AIN PERCENT	<u>6348</u>
M3D-DEPARTMENT DESCRIPTIVE METHOD PERCENT	<u>6648</u>
M3E FSC DEPARTMENT AIN	<u>6346</u>
M3E FSC DEPARTMENT AIN GOAL	<u>6347</u>
M3E FSC DEPARTMENT DESCRIPTIVE METHOD	<u>6343</u>
M3E FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	<u>6344</u>
M3E FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT	<u>6345</u>
M3E FSC DEPARTMENT MANAGED	<u>6342</u>
M3E FSC DEPARTMENT REFERENCE NUMBER	<u>6349</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M3E FSC DEPARTMENT REFERENCE NUMBER GOAL	<u>6350</u>
M3E FSC DEPARTMENT REFERENCE NUMBER RATIO	<u>6649</u>
M61A DEPARTMENT LOA TYPE T1 NSN	<u>7832</u>
M6A1 DEPARTMENT FULL PERCENT	<u>7849</u>
M6A1 DEPARTMENT LOA FULL PERCENT	<u>7839</u>
M6A1 DEPARTMENT LOA PARTIAL PERCENT	<u>7840</u>
M6A1 DEPARTMENT LOA REFERENCE PERCENT	<u>7841</u>
M6A1 DEPARTMENT LOA T4B NSN	<u>7837</u>
M6A1 DEPARTMENT LOA TYPE 1A NSN	<u>7833</u>
M6A1 DEPARTMENT LOA TYPE 1B NSN	<u>7834</u>
M6A1 DEPARTMENT LOA TYPE 2 NSN	<u>7838</u>
M6A1 DEPARTMENT LOA TYPE 4 NSN	<u>7835</u>
M6A1 DEPARTMENT LOA TYPE 4A NSN	<u>7836</u>
M6A1 DEPARTMENT PARTIAL PERCENT	<u>7850</u>
M6A1 DEPARTMENT REFERENCE PERCENT	<u>7851</u>
M6A1 DEPARTMENT TYPE 1 NSN	<u>7842</u>
M6A1 DEPARTMENT TYPE 1A NSN	<u>7843</u>
M6A1 DEPARTMENT TYPE 1B NSN	<u>7844</u>
M6A1 DEPARTMENT TYPE 2 NSN	<u>7848</u>
M6A1 DEPARTMENT TYPE 4 NSN	<u>7845</u>
M6A1 DEPARTMENT TYPE 4A NSN	<u>7846</u>
M6A1 DEPARTMENT TYPE 4B NSN	<u>7847</u>
M6B1 INTEGRATED MANAGER DEPARTMENT FULL PERCENT	<u>7890</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA FULL PERCENT	<u>7880</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA PARTIAL PERCENT	<u>7881</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA REFERENCE PERCENT	<u>7882</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1	<u>7873</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1A	<u>7874</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1B NSN	<u>7875</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 2 NSN	<u>7879</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4 NSN	<u>7876</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4A NSN	<u>7877</u>
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4B NSN	<u>7878</u>
M6B1 INTEGRATED MANAGER DEPARTMENT PARTIAL	<u>7891</u>
M6B1 INTEGRATED MANAGER DEPARTMENT REFERENCE PERCENT	<u>7892</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1 NSN	<u>7883</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1A NSN	<u>7884</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1B NSN	<u>7885</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 2 NSN	<u>7889</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4 NSN	<u>7886</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4A NSN	<u>7887</u>
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4B NSN	<u>7888</u>
M6B2 INTEGRATED MANAGER ACTIVITY FULL PERCENT	<u>7929</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA FULL PERCENT	<u>7919</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA PARTIAL	<u>7920</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA REFERENCE PERCENT	<u>7921</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1 NSN	<u>7912</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1A NSN	<u>7913</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1B NSN	<u>7914</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 2 NSN	<u>7918</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4 NSN	<u>7915</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4A NSN	<u>7916</u>
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4B NSN	<u>7917</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M6B2 INTEGRATED MANAGER ACTIVITY PARTIAL PERCENT	<u>7930</u>
M6B2 INTEGRATED MANAGER ACTIVITY REFERENCE PERCENT	<u>7931</u>
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1 NSN	<u>7922</u>
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1A NSN	<u>7923</u>
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1B NSN	<u>7924</u>
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4 NSN	<u>7925</u>
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4A NSN	<u>7926</u>
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4B NSN	<u>7927</u>
M6B3 CLASS MANAGER DEPARTMENT FULL PERCENT	<u>7909</u>
M6B3 CLASS MANAGER DEPARTMENT LOA FULL PERCENT	<u>7800</u>
M6B3 CLASS MANAGER DEPARTMENT LOA PARTIAL PERCENT	<u>7801</u>
M6B3 CLASS MANAGER DEPARTMENT LOA REFERENCE PERCENT	<u>8230</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1 NSN	<u>7893</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1A NSN	<u>7894</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1B NSN	<u>7895</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 2 NSN	<u>7899</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4 NSN	<u>7896</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4A NSN	<u>7897</u>
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4B NSN	<u>7898</u>
M6B3 CLASS MANAGER DEPARTMENT PARTIAL PERCENT	<u>7910</u>
M6B3 CLASS MANAGER DEPARTMENT REFERENCE PERCENT	<u>7911</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 1 NSN	<u>7902</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 1A NSN	<u>7903</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 1B NSN	<u>7904</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 2 NSN	<u>7908</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 4 NSN	<u>7905</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 4A NSN	<u>7906</u>
M6B3 CLASS MANAGER DEPARTMENT TYPE 4B NSN	<u>7907</u>
M6B4 CLASS MANAGER ACTIVITY FULL PERCENT	<u>7949</u>
M6B4 CLASS MANAGER ACTIVITY LOA FULL PERCENT	<u>7939</u>
M6B4 CLASS MANAGER ACTIVITY LOA PARTIAL PERCENT	<u>7940</u>
M6B4 CLASS MANAGER ACTIVITY LOA REFERENCE PERCENT	<u>7941</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1 NSN	<u>7932</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1A NSN	<u>7933</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1B NSN	<u>7934</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 2 NSN	<u>7938</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4 NSN	<u>7935</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4A NSN	<u>7936</u>
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4B NSN	<u>7937</u>
M6B4 CLASS MANAGER ACTIVITY PARTIAL PERCENT	<u>7950</u>
M6B4 CLASS MANAGER ACTIVITY REFERENCE PERCENT	<u>7951</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 1 NSN	<u>7942</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 1A NSN	<u>7943</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 1B NSN	<u>7944</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 2 NSN	<u>7948</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 4 NSN	<u>7945</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 4A NSN	<u>7946</u>
M6B4 CLASS MANAGER ACTIVITY TYPE 4B NSN	<u>7947</u>
M6B5 FSC DEPARTMENT FULL PERCENT	<u>7969</u>
M6B5 FSC DEPARTMENT LOA FULL PERCENT	<u>7959</u>
M6B5 FSC DEPARTMENT LOA PARTIAL PERCENT	<u>7960</u>
M6B5 FSC DEPARTMENT LOA REFERENCE PERCENT	<u>7961</u>
M6B5 FSC DEPARTMENT LOA TYPE 1 NSN	<u>7952</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M6B5 FSC DEPARTMENT LOA TYPE 1A NSN	<u>7953</u>
M6B5 FSC DEPARTMENT LOA TYPE 1B NSN	<u>7954</u>
M6B5 FSC DEPARTMENT LOA TYPE 2 NSN	<u>7958</u>
M6B5 FSC DEPARTMENT LOA TYPE 4 NSN	<u>7955</u>
M6B5 FSC DEPARTMENT LOA TYPE 4A NSN	<u>7956</u>
M6B5 FSC DEPARTMENT LOA TYPE 4B NSN	<u>7957</u>
M6B5 FSC DEPARTMENT PARTIAL PERCENT	<u>7970</u>
M6B5 FSC DEPARTMENT REFERENCE PERCENT	<u>7971</u>
M6B5 FSC DEPARTMENT TYPE 1 NSN	<u>7962</u>
M6B5 FSC DEPARTMENT TYPE 1A NSN	<u>7963</u>
M6B5 FSC DEPARTMENT TYPE 1B NSN	<u>7964</u>
M6B5 FSC DEPARTMENT TYPE 2 NSN	<u>7968</u>
M6B5 FSC DEPARTMENT TYPE 4 NSN	<u>7965</u>
M6B5 FSC DEPARTMENT TYPE 4A NSN	<u>7966</u>
M6B5 FSC DEPARTMENT TYPE 4B NSN	<u>7967</u>
M6B6 FSC ACTIVITY FULL PERCENT	<u>8206</u>
M6B6 FSC ACTIVITY LOA FULL PERCENT	<u>7994</u>
M6B6 FSC ACTIVITY LOA PARTIAL PERCENT	<u>7996</u>
M6B6 FSC ACTIVITY LOA REFERENCE PERCENT	<u>7997</u>
M6B6 FSC ACTIVITY LOA TYPE 1 NSN	<u>7987</u>
M6B6 FSC ACTIVITY LOA TYPE 1A NSN	<u>7988</u>
M6B6 FSC ACTIVITY LOA TYPE 1B NSN	<u>7989</u>
M6B6 FSC ACTIVITY LOA TYPE 2 NSN	<u>7993</u>
M6B6 FSC ACTIVITY LOA TYPE 4 NSN	<u>7990</u>
M6B6 FSC ACTIVITY LOA TYPE 4A NSN	<u>7991</u>
M6B6 FSC ACTIVITY LOA TYPE 4B NSN	<u>7992</u>
M6B6 FSC ACTIVITY PARTIAL PERCENT	<u>8207</u>
M6B6 FSC ACTIVITY REFERENCE PERCENT	<u>8229</u>
M6B6 FSC ACTIVITY TYPE 1 NSN	<u>7998</u>
M6B6 FSC ACTIVITY TYPE 1A NSN	<u>7999</u>
M6B6 FSC ACTIVITY TYPE 1B NSN	<u>8000</u>
M6B6 FSC ACTIVITY TYPE 2 NSN	<u>8205</u>
M6B6 FSC ACTIVITY TYPE 4 NSN	<u>8001</u>
M6B6 FSC ACTIVITY TYPE 4A NSN	<u>8002</u>
M6B6 FSC ACTIVITY TYPE 4B NSN	<u>8204</u>
M6C1 ACTIVITY FULL PERCENT	<u>7870</u>
M6C1 ACTIVITY LOA FULL PERCENT	<u>7859</u>
M6C1 ACTIVITY LOA PARTIAL PERCENT	<u>7860</u>
M6C1 ACTIVITY LOA REFERENCE PERCENT	<u>7861</u>
M6C1 ACTIVITY LOA TYPE 1 NSNS	<u>7852</u>
M6C1 ACTIVITY LOA TYPE 1A NSN	<u>7853</u>
M6C1 ACTIVITY LOA TYPE 1B NSN	<u>7854</u>
M6C1 ACTIVITY LOA TYPE 2 NSN	<u>7858</u>
M6C1 ACTIVITY LOA TYPE 4 NSN	<u>7855</u>
M6C1 ACTIVITY LOA TYPE 4A NSN	<u>7856</u>
M6C1 ACTIVITY LOA TYPE 4B NSN	<u>7857</u>
M6C1 ACTIVITY PARTIAL PERCENT	<u>7871</u>
M6C1 ACTIVITY REFERENCE PERCENT	<u>7872</u>
M6C1 ACTIVITY TYPE 1 NSN	<u>7862</u>
M6C1 ACTIVITY TYPE 1A NSN	<u>7863</u>
M6C1 ACTIVITY TYPE 1B NSN	<u>7864</u>
M6C1 ACTIVITY TYPE 2 NSN	<u>7868</u>
M6C1 ACTIVITY TYPE 4 NSN	<u>7865</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M6C1 ACTIVITY TYPE 4A NSN	<u>7866</u>
M6C1 ACTIVITY TYPE 4B NSN	<u>7867</u>
M8A1 DEPARTMENT ADD NSN	<u>5494</u>
M8A1 DEPARTMENT BEGINNING BALANCE NSN	<u>5493</u>
M8A1 DEPARTMENT DELETE NSN	<u>5495</u>
M8A1 DEPARTMENT ENDING BALANCE NSN	<u>5496</u>
M8A1 DEPARTMENT LOA ADD NSN	<u>5488</u>
M8A1 DEPARTMENT LOA BEGINNING BALANCE NSN	<u>5487</u>
M8A1 DEPARTMENT LOA DELETE NSN	<u>5489</u>
M8A1 DEPARTMENT LOA ENDING BALANCE NSN	<u>5490</u>
M8A1 DEPARTMENT LOA NET CHANGE	<u>5491</u>
M8A1 DEPARTMENT LOA PERCENT	<u>5492</u>
M8A1 DEPARTMENT NET CHANGE	<u>5497</u>
M8A1 DEPARTMENT PERCENT	<u>5498</u>
M8B1 INTEGRATED MANAGER DEPARTMENT ADD NSN	<u>5520</u>
M8B1 INTEGRATED MANAGER DEPARTMENT BEGINNING BALANCE NSN	<u>5519</u>
M8B1 INTEGRATED MANAGER DEPARTMENT DELETE NSN	<u>5521</u>
M8B1 INTEGRATED MANAGER DEPARTMENT ENDING BALANCE NSN	<u>5522</u>
M8B1 INTEGRATED MANAGER DEPARTMENT LOA BEGINNING	<u>5513</u>
M8B1 INTEGRATED MANAGER DEPARTMENT LOA DELETE NSN	<u>5515</u>
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ENDING BALANCE NSN	<u>5516</u>
M8B1 INTEGRATED MANAGER DEPARTMENT LOA NET CHANGE	<u>5517</u>
M8B1 INTEGRATED MANAGER DEPARTMENT LOA PERCENT	<u>5518</u>
M8B1 INTEGRATED MANAGER DEPARTMENT NET CHANGE	<u>5523</u>
M8B1 INTEGRATED MANAGER DEPARTMENT PERCENT	<u>5524</u>
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ADD NSN	<u>5514</u>
M8B2 INTEGRATED MANAGER ACTIVITY ADD NSN	<u>5532</u>
M8B2 INTEGRATED MANAGER ACTIVITY BEGINNING BALANCE NSN	<u>5531</u>
M8B2 INTEGRATED MANAGER ACTIVITY DELETE NSN	<u>5533</u>
M8B2 INTEGRATED MANAGER ACTIVITY ENDING BALANCE NSN	<u>5534</u>
M8B2 INTEGRATED MANAGER ACTIVITY LOA ADD NSN	<u>5526</u>
M8B2 INTEGRATED MANAGER ACTIVITY LOA BEGINNING BALANCE NSN	<u>5525</u>
M8B2 INTEGRATED MANAGER ACTIVITY LOA DELETE NSN	<u>5527</u>
M8B2 INTEGRATED MANAGER ACTIVITY LOA ENDING BALANCE NSN	<u>5528</u>
M8B2 INTEGRATED MANAGER ACTIVITY LOA NET CHANGE	<u>5529</u>
M8B2 INTEGRATED MANAGER ACTIVITY LOA PERCENT	<u>5530</u>
M8B2 INTEGRATED MANAGER ACTIVITY NET CHANGE	<u>5535</u>
M8B2 INTEGRATED MANAGER ACTIVITY PERCENT	<u>5536</u>
M8B3 CLASS MANAGER DEPARTMENT ADD NSN	<u>5546</u>
M8B3 CLASS MANAGER DEPARTMENT BEGINNING BALANCE NSN	<u>5545</u>
M8B3 CLASS MANAGER DEPARTMENT DELETE NSN	<u>5547</u>
M8B3 CLASS MANAGER DEPARTMENT ENDING BALANCE NSN	<u>5548</u>
M8B3 CLASS MANAGER DEPARTMENT LOA ADD NSN	<u>5538</u>
M8B3 CLASS MANAGER DEPARTMENT LOA BEGINNING BALANCE NSN	<u>5537</u>
M8B3 CLASS MANAGER DEPARTMENT LOA DELETE NSN	<u>5541</u>
M8B3 CLASS MANAGER DEPARTMENT LOA ENDING BALANCE NSN	<u>5542</u>
M8B3 CLASS MANAGER DEPARTMENT LOA NET CHANGE	<u>5543</u>
M8B3 CLASS MANAGER DEPARTMENT LOA PERCENT	<u>5544</u>
M8B3 CLASS MANAGER DEPARTMENT NET CHANGE	<u>5549</u>
M8B3 CLASS MANAGER DEPARTMENT PERCENT	<u>5550</u>
M8B4 CLASS MANAGER ACTIVITY ADD NSN	<u>5558</u>
M8B4 CLASS MANAGER ACTIVITY BEGINNING BALANCE NSN	<u>5557</u>
M8B4 CLASS MANAGER ACTIVITY DELETE NSN	<u>5559</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
M8B4 CLASS MANAGER ACTIVITY ENDING BALANCE NSN	<u>5560</u>
M8B4 CLASS MANAGER ACTIVITY LOA ADD NSN	<u>5552</u>
M8B4 CLASS MANAGER ACTIVITY LOA BEGINNING BALANCE	<u>5551</u>
M8B4 CLASS MANAGER ACTIVITY LOA DELETE NSN	<u>5553</u>
M8B4 CLASS MANAGER ACTIVITY LOA ENDING BALANCE NSN	<u>5554</u>
M8B4 CLASS MANAGER ACTIVITY LOA NET CHANGE	<u>5555</u>
M8B4 CLASS MANAGER ACTIVITY LOA PERCENT	<u>5556</u>
M8B4 CLASS MANAGER ACTIVITY NET CHANGE	<u>5561</u>
M8B4 CLASS MANAGER ACTIVITY PERCENT	<u>5562</u>
M8B5 FSC DEPARTMENT ADD NSN	<u>5572</u>
M8B5 FSC DEPARTMENT BEGINNING BALANCE NSN	<u>5571</u>
M8B5 FSC DEPARTMENT DELETE NSN	<u>5573</u>
M8B5 FSC DEPARTMENT ENDING BALANCE NSN	<u>5574</u>
M8B5 FSC DEPARTMENT LOA ADD NSN	<u>5564</u>
M8B5 FSC DEPARTMENT LOA BEGINNING BALANCE NSN	<u>5563</u>
M8B5 FSC DEPARTMENT LOA DELETE NSN	<u>5567</u>
M8B5 FSC DEPARTMENT LOA ENDING BALANCE NSN	<u>5568</u>
M8B5 FSC DEPARTMENT LOA NET CHANGE	<u>5569</u>
M8B5 FSC DEPARTMENT LOA PERCENT	<u>5570</u>
M8B5 FSC DEPARTMENT NET CHANGE	<u>5575</u>
M8B5 FSC DEPARTMENT PERCENT	<u>5576</u>
M8B6 FSC ACTIVITY ADD NSN	<u>5584</u>
M8B6 FSC ACTIVITY BEGINNING BALANCE NSN	<u>5583</u>
M8B6 FSC ACTIVITY DELETE NSN	<u>5585</u>
M8B6 FSC ACTIVITY ENDING BALANCE NSN	<u>5586</u>
M8B6 FSC ACTIVITY LOA ADD NSN	<u>5578</u>
M8B6 FSC ACTIVITY LOA BEGINNING BALANCE NSN	<u>5577</u>
M8B6 FSC ACTIVITY LOA DELETE NSN	<u>5579</u>
M8B6 FSC ACTIVITY LOA ENDING BALANCE NSN	<u>9576</u>
M8B6 FSC ACTIVITY LOA NET CHANGE	<u>5581</u>
M8B6 FSC ACTIVITY LOA PERCENT	<u>5582</u>
M8B6 FSC ACTIVITY NET CHANGE	<u>5587</u>
M8B6 FSC ACTIVITY PERCENT	<u>5588</u>
M8C1 DEPARTMENT ACTIVITY ADD NSN	<u>5506</u>
M8C1 DEPARTMENT ACTIVITY BEGINNING BALANCE NSN	<u>5505</u>
M8C1 DEPARTMENT ACTIVITY DELETE NSN	<u>5507</u>
M8C1 DEPARTMENT ACTIVITY ENDING BALANCE NSN	<u>5508</u>
M8C1 DEPARTMENT ACTIVITY LOA ADD NSN	<u>5500</u>
M8C1 DEPARTMENT ACTIVITY LOA BEGINNING BALANCE NSN	<u>5499</u>
M8C1 DEPARTMENT ACTIVITY LOA DELETE NSN	<u>5501</u>
M8C1 DEPARTMENT ACTIVITY LOA ENDING BALANCE NSN	<u>5502</u>
M8C1 DEPARTMENT ACTIVITY LOA NET CHANGE	<u>5503</u>
M8C1 DEPARTMENT ACTIVITY LOA PERCENT	<u>5504</u>
M8C1 DEPARTMENT ACTIVITY NET CHANGE	<u>5509</u>
M8C1 DEPARTMENT ACTIVITY PERCENT	<u>5510</u>
MADS DB2 PARTITION QUANTITY	<u>9241</u>
MAGNETIC MEDIA DESCRIPTION TEXT	<u>8647</u>
MAGNETIC TAPE BLOCKING FACTOR INDICATOR	<u>3126</u>
MAGNETIC TAPE DENSITY INDICATOR	<u>3124</u>
MAGNETIC TAPE LABEL INDICATOR	<u>3127</u>
MAGNETIC TAPE PARITY INDICATOR	<u>3125</u>
MAGNETIC TAPE TRACKS ENCODED INDICATOR	<u>3122</u>
MAGNETIC TAPE USAGE NOTE	<u>3123</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
MAINTAIN ITEM OF SUPPLY TRANSACTION KEY	<u>9410</u>
MAINTENANCE ACTION CODE	<u>0137</u>
MAINTENANCE CODE DRAWING CROSS-REFERENCE	<u>1244</u>
MAINTENANCE NUMBER	<u>0265</u>
MAINTENANCE NUMBER IDENTIFICATION LIST DRAWING	<u>0776</u>
MAINTENANCE REPAIR CODE	<u>1478</u>
MAINTENANCE SUPPORT COSTS ORGANIC FUNDED	<u>1348</u>
MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED	<u>1349</u>
MAJOR MATERIEL CATEGORY CODE ARMY	<u>2283</u>
MAJOR MATERIEL CATEGORY CODE ARMY	<u>9256</u>
MAJOR ORGANIZATIONAL ENTITY (MOE) CODE	<u>2833</u>
MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER	<u>8290</u>
MAJOR ORGANIZATIONAL ENTITY CODE IDENTIFICATION	<u>5299</u>
MAJOR ORGANIZATIONAL ENTITY CODE NOTE	<u>5298</u>
MAJOR ORGANIZATIONAL ENTITY RULE DATA SEGMENT	<u>9101</u>
MAJOR ORGANIZATIONAL ENTITY RULE STATUS CODE	<u>8458</u>
MANAGEMENT AGENCY GROUP OR CLASS MARINE CORPS	<u>3149</u>
MANAGEMENT CHANGE ACTIVITY DELETE REASON GROUP	<u>6846</u>
MANAGEMENT CHANGE ACTIVITY GROSS ADDITION NSN	<u>6839</u>
MANAGEMENT CHANGE ACTIVITY GROSS DELETE NSN	<u>6844</u>
MANAGEMENT CHANGE DEPARTMENT DELETE REASON GROUP	<u>6854</u>
MANAGEMENT CHANGE DEPARTMENT GROSS ADD NSN	<u>6847</u>
MANAGEMENT CHANGE DEPARTMENT GROSS DELETE NSN	<u>6852</u>
MANAGEMENT CONTROL DATA AIR FORCE	<u>8925</u>
MANAGEMENT CONTROL DATA ARMY	<u>8930</u>
MANAGEMENT CONTROL DATA ARMY (UNUSED POSITIONS)	<u>0827</u>
MANAGEMENT CONTROL DATA COAST GUARD	<u>0707</u>
MANAGEMENT CONTROL DATA COAST GUARD UNUSED POSITIONS	<u>0710</u>
MANAGEMENT CONTROL DATA MARINE CORPS	<u>8935</u>
MANAGEMENT CONTROL DATA NAVY	<u>8940</u>
MANAGEMENT CONTROL DATA UNUSED POSITIONS	<u>0418</u>
MANAGEMENT ECHELON CODE MARINE CORPS	<u>2790</u>
MANAGEMENT EXCEPTION NOTES	<u>9542</u>
MANAGEMENT FEDERAL SUPPLY CLASS ADD COUNT	<u>1559</u>
MANAGEMENT FEDERAL SUPPLY CLASS CHANGED COUNT	<u>1898</u>
MANAGEMENT FEDERAL SUPPLY CLASS DELETED COUNT	<u>1900</u>
MANAGEMENT FEDERAL SUPPLY CLASS INPUT COUNT	<u>1936</u>
MANAGEMENT FEDERAL SUPPLY CLASS OUTPUT COUNT	<u>1931</u>
MANAGEMENT FSC TOTAL COUNT	<u>1850</u>
MANAGEMENT STATISTICS ARCHIVE PROGRAM NAME	<u>2568</u>
MANAGEMENT STATISTICS ROLL OVER PROGRAM NAME	<u>2569</u>
MANAGER ACQUISITION ADVICE CODE OUTPUT ACCESS	<u>0901</u>
MANAGER ACQUISITION METHOD SUFFIX OUTPUT ACCESS	<u>0909</u>
MANAGER ACQUISITION METHOD CODE OUTPUT ACCESS	<u>0902</u>
MANAGER CAGE OUTPUT ACCESSES	<u>6598</u>
MANAGER DESIGNATOR CODE	<u>9270</u>
MANAGER FREIGHT OUTPUT ACCESSES	<u>6605</u>
MANDATORY SEGMENT STRING	<u>4624</u>
MANUFACTURER INDICATOR	<u>1986</u>
MANUFACTURER PART NUMBER EDIT IDENTIFICATION	<u>4115</u>
MANUFACTURER'S NOTES	<u>0809</u>
MANUFACTURERS CODE COUNT	<u>1433</u>
MANUFACTURES DRAWING LIST	<u>0925</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
MARINE CORP COMMODITY USER INDICATOR CODE	<u>3977</u>
MARK FOR	<u>2087</u>
MASS CHANGE CHARACTERISTICS DATA GROUP	<u>4575</u>
MASS CHANGE CRITERIA STATEMENT	<u>0324</u>
MASS CHANGE CRITICALITY CHANGE	<u>2501</u>
MASS CHANGE DATABASE ITEM NAME CODE	<u>4571</u>
MASS CHANGE DEFENSE LOGISTICS TIME LOG	<u>4573</u>
MASS CHANGE DELETED CDG CODE	<u>3631</u>
MASS CHANGE GUIDE NUMBER	<u>2503</u>
MASS CHANGE GUIDE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE	<u>4574</u>
MASS CHANGE INDICATOR	<u>1356</u>
MASS CHANGE ITEM SEGMENT	<u>2502</u>
MASS CHANGE REVIEW CODE	<u>8832</u>
MASS CHANGE TIME CHARACTERISTICS DATA GROUP	<u>4572</u>
MASS CHANGE TYPE CHANGE	<u>2504</u>
MASTER ADDRESS CODE	<u>0980</u>
MASTER FEDERAL SUPPLY CLASS DRAWING CROSS REFERENCE	<u>1237</u>
MASTER IDENTIFICATION COUNT DRAWING CROSS-REFERENCE	<u>1238</u>
MASTER IDENTIFICATION NUMBER DRAWING CROSS REFERENCE	<u>1236</u>
MASTER NATIONAL STOCK NUMBER	<u>0797</u>
MASTER NATIONAL STOCK NUMBER (NSN) COUNT	<u>1431</u>
MASTER NIIN DRAWING CROSS REFERENCE	<u>1239</u>
MASTER REQUIREMENT CODE	<u>3445</u>
MASTER REQUIREMENT CODE (MRC) LOCATION INDICATOR CODE	<u>9406</u>
MASTER REQUIREMENT CODE CLEAR TEXT REPLY CHARACTER COUNT	<u>0214</u>
MASTER REQUIREMENT CODE CLEAR TEXT REPLY FIELD	<u>0113</u>
MASTER REQUIREMENT CODE SECTION/NON-CORE CHARACTERISTICS CODE	<u>1047</u>
MASTER REQUIREMENT CODE SEQUENCE NUMBER	<u>4407</u>
MASTER REQUIREMENT CODE TABLE COUNT	<u>0848</u>
MASTER REQUIREMENT CODE USAGE DESIGNATOR	<u>0847</u>
MASTER REQUIREMENT CODE VALUE COUNT	<u>4439</u>
MASTER REQUIREMENT DIRECTORY (MRD) STATUS INDICATOR CODE	<u>0816</u>
MASTER REQUIREMENT DIRECTORY DATA EXTRACT GROUP	<u>0819</u>
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 1	<u>0818</u>
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 3	<u>0820</u>
MATCHED NATIONAL STOCK NUMBER	<u>4120</u>
MATCHED NIIN COUNT	<u>0896</u>
MATERIAL CONTROL CODE NAVY	<u>2832</u>
MATERIAL IDENTIFICATION CODE EXPLANATION	<u>3166</u>
MATERIAL IDENTIFICATION CODE NOTE INDICATOR	<u>3167</u>
MATERIAL MANAGEMENT AGGREGATION CODE DEFINITION AIR FORCE	<u>3158</u>
MATERIAL SAFETY DATA SHEET IDENTIFIER	<u>9076</u>
MATERIEL CATEGORY CODE ARMY	<u>2680</u>
MATERIEL CATEGORY MARINE CORPS	<u>3148</u>
MATERIEL CONTROL CODE DEFINITION NAVY	<u>3156</u>
MATERIEL IDENTIFICATION CODE	<u>4126</u>
MATERIEL MANAGEMENT AGGREGATION CODE (MMAC) AIR FORCE	<u>2836</u>
MATERIEL MANAGEMENT CODE FOR GSA	<u>2349</u>
MATERIEL MANAGEMENT CODE MARINE CORPS	<u>9257</u>
MAXIMUM LENGTH	<u>4593</u>
MAXIMUM OCCURRENCES	<u>4595</u>
MAXIMUM RECORD LENGTH	<u>9176</u>
MCBC FSC DEPARTMENT MANAGED	<u>1614</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
MCRL CROSS REFERENCE NATIONAL STOCK NUMBER (NSN)	<u>0810</u>
MCRL REFERENCE NUMBER RECORDS COUNTER	<u>0807</u>
MCRL REFERENCE NUMBER TOTAL CROSS REFERENCE COUNT	<u>0806</u>
MCRL SERVICE AGENCY DESIGNATOR	<u>0805</u>
MEASUREMENT QUANTITY	<u>1477</u>
MEDALS ADD DATA ASSET IDENTIFIER COUNT	<u>7436</u>
MEDALS ADD FILE FORMAT COUNT	<u>1255</u>
MEDALS ADD NIIN COUNT	<u>7444</u>
MEDALS ADD REFERENCE NUMBER COUNT	<u>7440</u>
MEDALS ADD TITLE COUNT	<u>7448</u>
MEDALS ASSETS ORDERED	<u>7636</u>
MEDALS AUTOVON TELEPHONE NUMBER IDENTIFIER	<u>8025</u>
MEDALS BULLETIN BOARD COMMENTS TEXT	<u>8354</u>
MEDALS BULLETIN BOARD LINE SEQUENCE IDENTIFIER	<u>8352</u>
MEDALS BULLETIN BOARD MESSAGE IDENTIFIER	<u>8351</u>
MEDALS BULLETIN BOARD MESSAGE TEXT	<u>8353</u>
MEDALS BULLETIN BOARD PAGE KEY IDENTIFIER	<u>8355</u>
MEDALS CAGE CODE FOR PART NUMBER	<u>2287</u>
MEDALS COPIES ORDERED	<u>7637</u>
MEDALS DATA ASSET IDENTIFIER ERROR TRANSACTIONS	<u>7435</u>
MEDALS DEL NIIN COUNT	<u>7445</u>
MEDALS DEL TITLE COUNT	<u>7449</u>
MEDALS DELETE DATA ASSET IDENTIFIER COUNT	<u>7437</u>
MEDALS DELETE FILE FORMAT COUNT	<u>1256</u>
MEDALS DELETE REFERENCE NUMBER COUNT	<u>7441</u>
MEDALS DIGITIZED MEDIA ABBREVIATION TEXT	<u>8019</u>
MEDALS DOCUMENT DISTRIBUTION STATEMENT CODE	<u>8013</u>
MEDALS DOCUMENT NUCLEAR CODE	<u>8012</u>
MEDALS DOCUMENT NUMBER	<u>2632</u>
MEDALS DOCUMENT SECURITY CODE	<u>8011</u>
MEDALS DOCUMENT SECURITY DESCRIPTION TEXT	<u>8015</u>
MEDALS EDIT ERRORS D1	<u>7625</u>
MEDALS EDIT ERRORS D2	<u>7626</u>
MEDALS EDIT ERRORS D3	<u>7627</u>
MEDALS EDIT ERRORS NN	<u>7630</u>
MEDALS EDIT ERRORS P1	<u>7628</u>
MEDALS EDIT ERRORS P2	<u>7629</u>
MEDALS ENGINEERING DRAWING DOCUMENT SIZE CODE	<u>2689</u>
MEDALS ENGINEERING DRAWING DOCUMENT SIZE TEXT	<u>2690</u>
MEDALS FAX NUMBER IDENTIFIER	<u>8023</u>
MEDALS FILE FORMAT ERROR COUNT	<u>1254</u>
MEDALS FTP COMMAND CAPABILITY CODE	<u>3418</u>
MEDALS INPUT RECORD	<u>9177</u>
MEDALS INPUTS MATCHED D1	<u>7192</u>
MEDALS INPUTS MATCHED D2	<u>7198</u>
MEDALS INPUTS MATCHED D3	<u>7221</u>
MEDALS INPUTS MATCHED NN	<u>7215</u>
MEDALS INPUTS MATCHED P1	<u>7203</u>
MEDALS INPUTS MATCHED P2	<u>7209</u>
MEDALS INVALID TYPE ERROR COUNTER	<u>7450</u>
MEDALS JEDMICS MEDIA CODE	<u>8017</u>
MEDALS JEDMICS MEDIA DEFINITION TEXT	<u>8018</u>
MEDALS MEDIA CODE	<u>2289</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
MEDALS NIIN ERROR COUNT	<u>7443</u>
MEDALS ORDER ERRORS	<u>7635</u>
MEDALS PREFERRED MEDIA CODE	<u>2288</u>
MEDALS REFERENCE NUMBER ERROR COUNT	<u>7439</u>
MEDALS REPOSITORY DATA ASSET COUNT	<u>1258</u>
MEDALS REPOSITORY FILE FORMAT COUNT	<u>1253</u>
MEDALS REPOSITORY NIIN COUNT	<u>1260</u>
MEDALS REPOSITORY PART NUMBER COUNT	<u>1259</u>
MEDALS REPOSITORY TITLE COUNT	<u>1261</u>
MEDALS REPOSITORY TITLE KEYWORD TEXT	<u>8027</u>
MEDALS TELEPHONE NUMBER IDENTIFIER	<u>8022</u>
MEDALS TITLE	<u>2344</u>
MEDALS TITLE ERROR COUNT	<u>7447</u>
MEDALS TITLE STOP WORD TEXT	<u>8028</u>
MEDALS TOTAL DATA ASSET IDENTIFIER CHANGE COUNT	<u>7433</u>
MEDALS TOTAL INQUIRIES D1	<u>7191</u>
MEDALS TOTAL INQUIRIES D2	<u>7197</u>
MEDALS TOTAL INQUIRIES D3	<u>7220</u>
MEDALS TOTAL INQUIRIES NN	<u>7214</u>
MEDALS TOTAL INQUIRIES P1	<u>7202</u>
MEDALS TOTAL INQUIRIES P2	<u>7208</u>
MEDALS TOTAL INQUIRIES UNDEF	<u>7632</u>
MEDALS TOTAL OFFERED D1	<u>7193</u>
MEDALS TOTAL OFFERED D2	<u>7199</u>
MEDALS TOTAL OFFERED D3	<u>7222</u>
MEDALS TOTAL OFFERED NN	<u>7216</u>
MEDALS TOTAL OFFERED P1	<u>7204</u>
MEDALS TOTAL OFFERED P2	<u>7210</u>
MEDALS-DOC-DIST-DESC-TX	<u>8016</u>
MEDIA HEADER	<u>9178</u>
MESSAGE	<u>0983</u>
MESSAGE CODE	<u>1105</u>
MESSAGE LENGTH	<u>9179</u>
METHOD OF PRESERVATION CODE	<u>5160</u>
MICROFICHE COUNT PER FSC	<u>1435</u>
MICROFICHE FRAME COUNT PER FSC	<u>1432</u>
MICROFICHE FRAME NUMBER	<u>4675</u>
MICROFICHE NUMBER	<u>4273</u>
MICROFICHE TITLE LINE	<u>9570</u>
MIL SVS INTEGRATED MANAGER FSC LOA DEPT MULTI MGD NSN QC1C	<u>6459</u>
MILITARY VOLUNTARY INDICATOR	<u>3454</u>
MILSTICCS REPLY FIELD	<u>0114</u>
MILSTRIP ROUTING INDICATOR	<u>0274</u>
MINIMIZE ALTERNATE MODE MEDIA	<u>9180</u>
MINIMIZE FLAG	<u>9181</u>
MINIMUM ADDRESS CODE	<u>2645</u>
MINIMUM ADDRESS CODE EXPLANATION	<u>5288</u>
MINIMUM LENGTH	<u>4592</u>
MINIMUM PACKAGING REQUIREMENT CODE	<u>5172</u>
MINIMUM RECORD LENGTH	<u>9182</u>
MODE CODE	<u>4735</u>
MODE TYPE	<u>1035</u>
MOE ASSIGNED RESERVED TOTAL POSITION 1	<u>7819</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MOE BATCH DELETE ERROR COUNT	<u>2279</u>
MOE CURRENT ADD ERROR COUNT	<u>1116</u>
MOE CURRENT CHANGE COUNT	<u>1117</u>
MOE CURRENT CHANGE ERROR COUNT	<u>1118</u>
MOE CURRENT DELETE COUNT	<u>1119</u>
MOE CURRENT DELETE ERROR COUNT	<u>1492</u>
MOE EFFECTIVE DATE ADD COUNT	<u>1493</u>
MOE EFFECTIVE DATE ADD ERROR COUNT	<u>1494</u>
MOE EFFECTIVE DATE CHANGE COUNT	<u>1495</u>
MOE EFFECTIVE DATE CHANGE ERROR COUNT	<u>1496</u>
MOE EFFECTIVE DATE DELETE COUNT	<u>1497</u>
MOE EFFECTIVE DATE DELETE ERROR COUNT	<u>1498</u>
MOE EFFECTIVE DATED ADD NSN	<u>7814</u>
MOE EFFECTIVE DATED ADD NSN POSITION 1	<u>7817</u>
MOE EFFECTIVE DATED DELETE NSN	<u>7813</u>
MOE EFFECTIVE DATED DELETE NSN POSITION 1	<u>7816</u>
MOE FEDERAL SUPPLY CLASS NSN	<u>5754</u>
MOE FEDERAL SUPPLY GROUP NSN	<u>5753</u>
MOE FSC TOTAL NSN	<u>6647</u>
MOE MASTER INQUIRY DATE	<u>1535</u>
MOE MOE MASTER INQUIRY COUNT	<u>1499</u>
MOE MOE MASTER INQUIRY ERROR COUNT	<u>1534</u>
MOE NSN	<u>7812</u>
MOE NSN POSITION 1	<u>7815</u>
MOE REGISTRATION COLLABORATOR ACTIVITY	<u>7820</u>
MOE REGISTRATION COLLABORATOR RECEIVER ACTIVITY	<u>7822</u>
MOE REGISTRATION COLLABORATOR RECEIVER TOTAL	<u>7823</u>
MOE REGISTRATION RECEIVER ACTIVITY	<u>7821</u>
MOE RULE PROCESS COMPLETION FLAG CODE	<u>1110</u>
MOE RULE STATUS CODE DEFINITION	<u>5307</u>
MOE RULE STATUS DATE	<u>3474</u>
MOE UNASSIGNED RESERVED POSITION 1	<u>7818</u>
MOE USER REQUEST	<u>1911</u>
MONITORING INVENTORY MANAGER/SYSTEM MANAGER	<u>2085</u>
MONTH	<u>2004</u>
MONTH OF YEAR DATE	<u>9784</u>
MONTHLY DRAWING COUNT	<u>1430</u>
MOP OUTPUT RECORD	<u>9184</u>
MORE CURREND ADD COUNT	<u>1109</u>
MOVEMENT PRIORITY DESIGNATOR	<u>1463</u>
MRC ABRIDGED ASSOCIATED TEXT TABLE NUMBER	<u>8311</u>
MRC ASSIGNED STATUS INDICATOR	<u>3462</u>
MRC COUNTS	<u>0895</u>
MRC DECODE TABLE AND PRINT SEQUENCE	<u>2795</u>
MRC NUMERIC VALUE	<u>3058</u>
MRC REQUIREMENT STATEMENT DEFINITION	<u>5193</u>
MRC VALUE MAXIMUM	<u>3074</u>
MRC VALUE MINIMUM	<u>3075</u>
MRC VALUE NOMINAL	<u>3076</u>
MRD AUDIT REPLY STATUS INDICATOR	<u>3461</u>
MRD AUDIT REQUIREMENT STATUS INDICATOR	<u>3460</u>
MULT INDICATOR	<u>9477</u>
MULTIPLE BATCH DOCUMENT CONTROL NUMBER GRAND TOTAL	<u>2174</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
MULTIPLE DISPLAY INDICATOR IDENTIFICATION LIST DATA	<u>9470</u>
MULTIPLE INPUT FLAG	<u>9479</u>
MULTIPLE LABELS INDICATOR CODE	<u>9463</u>
MULTIPLE NIIN LMX/LMD OUPUT DIC TYPE CODE	<u>4092</u>
MULTIPLE NIIN/TRANSACTION LMX/LMD DATE	<u>4091</u>
N6B2 INTEGRATED MANAGER ACTIVITY TYPE 2 NSN	<u>7928</u>
NAME CODE	<u>2303</u>
NAME CODE NONAPPROVED	<u>8470</u>
NAME DEFINITION DELIMINATION ADD COUNT	<u>1920</u>
NAME DEFINITION DELIMINATION CHANGED COUNT	<u>1921</u>
NAME DEFINITION DELIMINATION DELETED COUNT	<u>1922</u>
NAME FIELD	<u>2304</u>
NAME LINE 1	<u>3480</u>
NAME LINE 2	<u>3481</u>
NAME MASTER DATE RANGE SEARCH	<u>1915</u>
NAME MASTER DICTIONARY SEARCH	<u>1541</u>
NAME PREFIX	<u>2516</u>
NAME ROOT REMAINDER	<u>2517</u>
NAME/INC/FIIG/EFFECTIVE DATE DATA	<u>3662</u>
NARRATIVE FORM CHARACTERISTICS SEG.	<u>9112</u>
NARRATIVE IDENTIFICATION NUMBER	<u>1709</u>
NATIONAL CODIFICATION BUREAU CODE	<u>4130</u>
NATIONAL CODIFICATION BUREAU CODE COUNTRY	<u>5101</u>
NATIONAL CODIFICATION BUREAU CODE NOTE	<u>5102</u>
NATIONAL ITEM IDENTIFICATION NUMBER FSC COUNT	<u>1937</u>
NATIONAL MOTOR FREIGHT CLASS RATING CODE	<u>2770</u>
NATIONAL MOTOR FREIGHT CLASS RATING CODE EXPLANATION	<u>5234</u>
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE	<u>2850</u>
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) SUB-ITEM NUMBER	<u>0861</u>
NATIONAL STOCK NUMBER (NSN) COUNT	<u>1421</u>
NATIONAL STOCK NUMBER CANCELLATION PROPOSAL CODE	<u>6998</u>
NATIONAL WEATHER SERVICE MANAGEMENT CONTROL DATA	<u>2204</u>
NATIONAL WEATHER SERVICE REPAIRABILITY CODE	<u>2201</u>
NATO AC 135 NO7 DATA	<u>1012</u>
NATO BATCH CONTROL DATE	<u>2546</u>
NATO CAGE DATA GROUP INFORMATION TEXT	<u>9566</u>
NATO CAGE LAST CHANGE JULIAN DATE	<u>9567</u>
NATO CODIFICATION CONTROL COMMENT TEXT	<u>8976</u>
NATO CODIFICATION PROJECT CODE	<u>1057</u>
NATO COMMERCIAL AND GOVERNMENT ENTITY CODE	<u>4140</u>
NATO DIC KHN IMAGE DATA TEXT	<u>9130</u>
NATO FILE MAINT SEQUENCE NUMBER	<u>1516</u>
NATO FOREIGN GOVERNMENT TRANSACTION PRICE	<u>1024</u>
NATO FOREIGN GOVERNMENTS OLD TRANSACTION PRICE	<u>1972</u>
NATO KRP DOCUMENT IDENTIFIER CODE COUNT	<u>9129</u>
NATO MANUFACTURER ADDRESS TEXT	<u>8973</u>
NATO MANUFACTURER FAX NUMBER IDENTIFIER	<u>8975</u>
NATO MANUFACTURER NAME	<u>8972</u>
NATO MANUFACTURER TELEPHONE NUMBER IDENTIFIER	<u>8974</u>
NATO MANUFACTURERS DATA PREFIX CODE	<u>9565</u>
NATO ONLY INDICATOR	<u>3451</u>
NATO PRIORITY INDICATOR VALUE IDENTIFIER	<u>9187</u>
NATO REPLACEMENT NATIONAL STOCK NUMBER CANCELLATION IDENTIFIER	<u>8971</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NATO TRANSACTION FLAG	<u>9185</u>
NATO TRANSACTION PRIORITY INDICATOR CODE	<u>9186</u>
NATO-FOREIGN GOVERNMENT TRANSACTION PRICE CODE	<u>1973</u>
NAVY AMMUNITION LOGISTICS CODE	<u>2441</u>
NAVY COMMODITY USER INDICATOR CODE	<u>3975</u>
NAVY REPLACEMENT ACTIVITY CODE	<u>2874</u>
NAVY SOURCE OF SUPPLY CODE	<u>9404</u>
NAVY SPECIAL SOURCE OF SUPPLY CODE	<u>0135</u>
NCAGE CODIFICATION BUREAU CODE EXPLANATION	<u>5266</u>
NCAGE CODIFICATION BUREAU CODE NOTE	<u>5265</u>
NCAGE PREFIX CODIFICATION BUREAU CODE	<u>4180</u>
NCAGE SUFFIX CODIFICATION BUREAU CODE	<u>5267</u>
NEW DEPARTMENT OF DEFENSE AMMUNITION CODE	<u>0481</u>
NEW QUANTITATIVE EXPRESSION	<u>3045</u>
NEW UNIT OF ISSUE CODE	<u>3042</u>
NEW UNIT OF ISSUE TEXT	<u>3047</u>
NIIN ACTION INDICATOR CODE	<u>3979</u>
NIIN ALL ITEM NAME CODE FSC QUANTITY	<u>6601</u>
NIIN BY FEDERAL SUPPLY CLASS	<u>0930</u>
NIIN BY FEDERAL SUPPLY CLASS COUNTER	<u>0931</u>
NIIN COUNT	<u>1426</u>
NIIN COUNT PER TRANSACTION	<u>1427</u>
NIIN DRAWING COUNT	<u>1425</u>
NIIN INDICATOR	<u>5038</u>
NIIN ITEM NAME CODE FSC QUANTITY	<u>6602</u>
NIIN LOAD JULIAN DATE	<u>0172</u>
NIIN MCRL SERVICE AGENCY DESIGNATOR	<u>5312</u>
NIIN STATUS CODE	<u>2670</u>
NIIN STATUS CODE CONDITIONAL NOTE	<u>5203</u>
NIIN STATUS CODE DEFINITION AND INSTRUCTIONS	<u>5201</u>
NIIN STATUS CODE NOTE	<u>5202</u>
NIIN STATUS-CANC DATA SEGMENT	<u>9109</u>
NIIN TO DRAWING IDENTIFICATION LIST	<u>0928</u>
NIIN TO DRAWING MAINTENANCE SEGMENT	<u>0811</u>
NIIN/NAVY ITEM CONTROL NUMBER/AIRCRAFT ENGINE MODEL NUMBER	<u>1464</u>
NIINS ADDED COUNT	<u>1428</u>
NIINS CHANGED COUNT	<u>1429</u>
NIINS DELETED COUNT	<u>1424</u>
NO LABEL SETS	<u>9061</u>
NO Q8 RETURN CODE EDIT	<u>3136</u>
NO Q8 RETURN CODE EDIT NAVY	<u>3181</u>
NON APPROVED ITEM NAME STRING	<u>6589</u>
NON PROCURED ITEM COUNT PER FSC	<u>1423</u>
NON-APPROVED BASIC NAME	<u>5186</u>
NON-APPROVED CLASSIFICATION ASSISTANCE MODIFIER H2	<u>5180</u>
NON-APPROVED COLLOQUIAL NAME	<u>5190</u>
NON-APPROVED DATE ESTABLISHED CANCELLED RECORD DIDS	<u>5181</u>
NON-APPROVED FSC CONDITION CODE	<u>5187</u>
NON-APPROVED INDEX ENTRY	<u>5192</u>
NON-APPROVED ITEM NAME (NAIN)	<u>5020</u>
NON-APPROVED ITEM NAME CODE	<u>3237</u>
NON-APPROVED ITEM NAME DEFINITION DELIMITATION	<u>5184</u>
NON-APPROVED ITEM NAME DELIMITER	<u>5191</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
NON-APPROVED OLD FEDERAL SUPPLY CLASSIFICATION	<u>5189</u>
NON-PROCURED ITEMS CANCELLED COUNT PER FSC	<u>1422</u>
NONAPPROVED ITEM NAME ACTIVITY CAGE NSN	<u>5619</u>
NONAPPROVED ITEM NAME ACTIVITY CAGE PERCENT	<u>5622</u>
NONAPPROVED ITEM NAME ACTIVITY FSC NSN	<u>5623</u>
NONAPPROVED ITEM NAME ACTIVITY FSC PERCENT	<u>5624</u>
NONAPPROVED ITEM NAME ACTIVITY RPD MRC NSN	<u>5625</u>
NONAPPROVED ITEM NAME ACTIVITY RPD MRC PERCENT	<u>5626</u>
NONAPPROVED ITEM NAME TOTAL RECEIVED ACTITIVY NSN	<u>5618</u>
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE	<u>0076</u>
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE EXPLANATION	<u>5210</u>
NONMANUFACTURES CODE COUNT	<u>1420</u>
NONSCREENING MASTER REQUIREMENT CODE DETERMINATOR	<u>0782</u>
NORMAL SOURCE OF PROCUREMENT CODE	<u>0721</u>
NORMAL SOURCE OF PROCUREMENT CODE EXPLANATION	<u>5214</u>
NORMAL SOURCE OF PROCUREMENT CODE TITLE	<u>5213</u>
NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS) DESCRIPT	<u>6045</u>
NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS) IDENTIFI	<u>6044</u>
NORTH ATLANTIC TREATY ORGANIZATION STOCK NUMBER	<u>4150</u>
NOTES	<u>1484</u>
NOTIFICATION OF DLSC CHANGE DATA SEGMENT	<u>9121</u>
NSN INDEX NUMBER	<u>0566</u>
NSN MARKUP HYPHEN INDICATOR	<u>4181</u>
NSN RETENTION REVIEW CYCLE INDICATOR CODE	<u>0567</u>
NUCLEAR HARDENED CRITICAL ITEM (NHCI)	<u>2042</u>
NULL MESSAGE INDICATOR CODE	<u>2577</u>
NUMBER IN PROCESS IN BATCH	<u>1985</u>
NUMBER OF COPIES	<u>0890</u>
NUMBER OF COPIES DRIS REPORT	<u>0638</u>
NUMBER OF DATA COLLABORATORS	<u>8375</u>
NUMBER OF DATA RECEIVERS	<u>8380</u>
NUMBER OF DAYS	<u>1964</u>
NUMBER OF DRAWING VIEWS COUNTER	<u>0936</u>
NUMBER OF DRAWINGS VIEWS	<u>0955</u>
NUMBER OF MONTHS PRODUCTION LEAD TIME	<u>0730</u>
NUMBER OF SEGMENTS	<u>9188</u>
NUMBER OF TABLES	<u>4444</u>
NUMBER OF UNITS ESTIMATED DEMAND	<u>0727</u>
NUMBER OF UNITS ON HAND/DUE IN	<u>0722</u>
NUMBER PROCESSED BILLED IN BATCH	<u>1984</u>
NUMBER PURGED FROM BATCH	<u>1983</u>
NUMBER RECEIVED IN BATCH	<u>1982</u>
NUMERIC MONTH	<u>2539</u>
NUMERIC PARTS PREFERENCE CODES	<u>1488</u>
OCCURS COUNTER/1/	<u>0211</u>
OCCURS COUNTER/2/	<u>0212</u>
OCCURS COUNTER/4/	<u>2889</u>
OFF LINE CHARACTER MASS CHANGE DATA GROUP	<u>0356</u>
OFFICE EXTENSION	<u>0886</u>
OFFICE NAME LINE TEXT	<u>3351</u>
OFFICE SYMBOL	<u>0888</u>
OGANIZATIONAL TITLE	<u>1286</u>
OLD DATA ASSET IDENTIFIER	<u>4562</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
OLD FEDERAL ITEM IDENTIFICATION GUIDE NUMBER	<u>0319</u>
OLD FEDERAL SUPPLY CLASSIFICATION	<u>4200</u>
OLD QUANTITATIVE EXPRESSION	<u>3044</u>
OLD UNIT OF ISSUE CODE	<u>3041</u>
OLD UNIT OF ISSUE TEXT	<u>3046</u>
OLD/NEW PHRASE INDICATOR CODE	<u>3971</u>
ON HOLD FIELD NAME	<u>0035</u>
ON HOLD FIELD VALUE TEXT	<u>0036</u>
ON HOLD TIMESTAMP	<u>9190</u>
ON-LINE USER TYPE CODE	<u>0275</u>
OPERATIONAL TEST CODE	<u>0572</u>
OPERATIONAL TEST CODE EXPLANATION	<u>3176</u>
OPTIONAL NAME LINE TEXT	<u>3352</u>
OPTIONAL PROCEDURE INDICATOR CODE	<u>5173</u>
OPTIONAL SEGMENT STRING	<u>4625</u>
OPTIONAL/MANDATORY ISAC INDICATOR CODE	<u>0826</u>
OPTIONAL/MANDATORY MRC INDICATOR CODE	<u>8450</u>
OR SYMBOL	<u>8951</u>
ORGANIZATIONAL ENTITY CLEAR TEXT DATA COUNTER	<u>0248</u>
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION	<u>5287</u>
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION NOTE	<u>5286</u>
ORGANIZATIONAL ENTITY DUPLICATE/NON DUP CERTIFICATION CODE	<u>9080</u>
ORGANIZATIONAL ENTITY FILE MAINTENANCE DATA SEGMENT	<u>0251</u>
ORGANIZATIONAL ENTITY FILE MAINTENANCE SEQUENCE CODE	<u>0247</u>
ORGANIZATIONAL ENTITY FILE MAINTENANCE TRANSACTION CODE	<u>0244</u>
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER	<u>1001</u>
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER EXPLANATION	<u>0011</u>
ORGANIZATIONAL ENTITY MAIL ROUTING DATA SEGMENT	<u>0246</u>
ORGANIZATIONAL ENTITY NAME/ADDRESS DATA SEGMENT	<u>0249</u>
ORGANIZATIONAL IDENTIFICATION IN THE CLEAR TEXT LINE SEGM	<u>0010</u>
ORIGINAL IMAGE KEY	<u>9759</u>
ORIGINATING ACTIVITY CODE	<u>4210</u>
ORIGINATING ACTIVITY CODE INPUT DIC RETURNED QUANTITY H	<u>6822</u>
ORIGINATING ACTIVITY INDICATOR	<u>2222</u>
ORIGINATOR OF STANDARDIZATION DECISION	<u>9325</u>
OTHER COMMODITY USER INDICATOR CODE	<u>3978</u>
OTHER DIC	<u>4215</u>
OTHER DIC DATE	<u>4216</u>
OTHER OUTPUT DIC IDENTIFIER	<u>6990</u>
OTHER STATE PROVINCE NAME	<u>8978</u>
OUT TO MANUFACTURER CODE	<u>1017</u>
OUTPUT DATA REQUEST CODE	<u>4690</u>
OUTPUT DATA REQUEST CODE SEQUENCER	<u>9189</u>
OUTPUT DESTINATION	<u>2096</u>
OUTPUT DRN POSITION	<u>2037</u>
OUTPUT FILE DATA HEADER SEGMENT	<u>9110</u>
OUTPUT FLIS SEGMENT V IDENTIFIER	<u>4438</u>
OUTPUT FORMAT NAME	<u>9195</u>
OUTPUT LOCATION PARTITION	<u>9192</u>
OUTPUT MODE/MEDIA CODE	<u>3740</u>
OUTPUT MODE/MEDIA CODE DESCRIPTION	<u>3118</u>
OUTPUT PRODUCT EXTRACT QUANTITY	<u>2672</u>
OUTPUT RECIPIENT	<u>2104</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
OUTPUT RECORD COUNT	<u>1418</u>
OUTPUT SCHEDULE	<u>2103</u>
OUTPUT TIMESTAMP	<u>9193</u>
OUTPUT TRACK INFO	<u>9062</u>
OUTPUT TRANSACTION RECORD	<u>9196</u>
OUTSIZED DIMENSIONS HANDLING REQUIREMENT CODE	<u>5228</u>
OVER 144 HOURS	<u>6920</u>
OVERALL QUANTITY OF OCCURRENCE	<u>0273</u>
OWNERSHIP CODE	<u>2089</u>
PACKAGE SEQUENCE NUMBER (PSN)	<u>1070</u>
PACKAGING CATEGORY CODE	<u>5159</u>
PACKAGING DATA SEGMENT	<u>9127</u>
PACKAGING DATA SOURCE CODE	<u>5148</u>
PACKAGING DESIGN ACTIVITY CODE	<u>5179</u>
PACKAGING REFERENCE	<u>5149</u>
PACKAGING REFERENCE NUMBER	<u>2447</u>
PACKET TYPE CODE	<u>3972</u>
PACKET TYPE TEXT	<u>3973</u>
PAGE NUMBER	<u>1077</u>
PALLET CUBE	<u>2395</u>
PALLET HEIGHT	<u>2394</u>
PALLET LENGTH	<u>2392</u>
PALLET WEIGHT	<u>2391</u>
PALLET WIDTH	<u>2393</u>
PARAMETER CODE	<u>9063</u>
PARAMETER VALUE	<u>9064</u>
PARENT TAXPAYER IDENTIFIER	<u>3403</u>
PART NUMBER FOR MEDALS	<u>2259</u>
PARTIAL DESCRIPTIVE 2	<u>6676</u>
PARTIAL DESCRIPTIVE 7	<u>1700</u>
PASSTHROUGH ACTIVITY IDENTIFIER	<u>2139</u>
PASSTHROUGH ACTIVITY NAME	<u>2140</u>
PASSTHROUGH IDENTIFICATION CODE	<u>1076</u>
PASSTHROUGH RESPONSE CODE	<u>1103</u>
PC DOWNLOAD LINE	<u>3087</u>
PERCENT CERTIFICATION NUMBER CHANGE	<u>1419</u>
PERCENT DATA CHANGE	<u>1416</u>
PERCENT KNA AND RETURN TO COUNTRY	<u>1978</u>
PERCENT NIIN CHANGE	<u>1417</u>
PERCENT NSNS REFERENCE TYPE II NON-ASSIGNED CLASSES	<u>1673</u>
PERCENT RETURNED 5	<u>6658</u>
PERCENT RETURNED 6	<u>6664</u>
PERMISSIVE CODING CODE	<u>0724</u>
PERSON SOCIAL SECURITY NUMBER IDENTIFIER	<u>4397</u>
PHONE NUMBER TYPE CODE DEFINITION	<u>3413</u>
PHRASE	<u>1414</u>
PHRASE CODE AND RELATED NATIONAL STOCK NUMBER	<u>0260</u>
PHRASE CODE COMBINATION NOTE INDICATOR	<u>3051</u>
PHRASE CODE EXPLANATION	<u>5241</u>
PHRASE CODE PHRASE	<u>5240</u>
PHRASE CODE SERVICE EXPLANATION	<u>3450</u>
PHRASE CODE-MANAGEMENT DATA LIST	<u>2862</u>
PHRASE RELATIONSHIP GROUP	<u>0217</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
PHYSICAL CATEGORY CODE	<u>0573</u>
PHYSICAL CATEGORY CODE EXPLANATION	<u>3177</u>
PHYSICAL DRAWING IDENTIFIER	<u>5037</u>
PHYSICAL TAPE COUNT QUANTITY	<u>8633</u>
PHYSICAL TYPE INDICATOR	<u>5074</u>
PIC RESPONSE HOURS	<u>9412</u>
PICA ACTION RESPONSE DATE	<u>0034</u>
PICA ACTIVITY INDICATOR	<u>2142</u>
PICA LCR COUNT	<u>1502</u>
PICA LEVEL OF AUTHORITY CODE DEFINITION	<u>5303</u>
PICA OUTPUT INDICATOR CODE	<u>2882</u>
PICA POINT OF CONTACT EMAIL ADDRESS IDENTIFIER	<u>0025</u>
PICA POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER	<u>0027</u>
POINT OF CONTACT NAME 2	<u>4459</u>
POPULATION FIIG ALL	<u>6610</u>
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED	<u>6713</u>
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY	<u>6717</u>
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED FULL	<u>6714</u>
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL	<u>6715</u>
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE	<u>6716</u>
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED	<u>6735</u>
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED FULL	<u>6736</u>
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL	<u>6737</u>
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED RE	<u>6738</u>
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED	<u>6718</u>
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED ACTIVITY	<u>6722</u>
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED FULL	<u>6719</u>
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED PARTIAL	<u>6720</u>
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED REFERENCE	<u>6721</u>
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED	<u>6739</u>
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED FULL	<u>6740</u>
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED PARTIAL	<u>6741</u>
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED REFERENCE	<u>6742</u>
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED	<u>6723</u>
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED ACTIVITY	<u>6726</u>
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED FULL	<u>6724</u>
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED PARTIAL	<u>6725</u>
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED REFERENCE	<u>7172</u>
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED	<u>6743</u>
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED FULL	<u>7828</u>
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED PARTIAL	<u>7829</u>
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED REFERENCE	<u>7830</u>
POPULATION FIIG EFFECTIVE DATED ALL	<u>6609</u>
POPULATION FIIG EFFECTIVE DATED ITEM NAME CODE	<u>6611</u>
POPULATION FIIG ITEM NAME CODE NSN	<u>6612</u>
POPULATION FSC ALL APPROVED ITEM NAME MANAGED	<u>7831</u>
POPULATION FSC ALL APPROVED ITEM NAME MANAGED ACTIVITY	<u>5592</u>
POPULATION FSC ALL APPROVED ITEM NAME MANAGED FULL	<u>5589</u>
POPULATION FSC ALL APPROVED ITEM NAME MANAGED PARTIAL	<u>5590</u>
POPULATION FSC ALL APPROVED ITEM NAME MANAGED REFERENCE	<u>5591</u>
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED	<u>5604</u>
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED FULL	<u>5605</u>
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED PARTIAL	<u>5606</u>

CHAPTER 5

DATA DICTIONARY

CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED REFERENCE	<u>5607</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED	<u>5595</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY	<u>5599</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED FULL	<u>5596</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL	<u>5597</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE	<u>5598</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED	<u>5608</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED	<u>5609</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED REFER	<u>5611</u>
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANGED PARTIAL	<u>5610</u>
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED	<u>5600</u>
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED ACTIVITY	<u>5603</u>
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED FULL	<u>5601</u>
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED PARTIAL	<u>5617</u>
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED REFERENCE	<u>5602</u>
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED	<u>5612</u>
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED FULL	<u>5613</u>
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED PARTIAL	<u>5614</u>
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED REFERENCE	<u>5615</u>
POPULATION NONAPPROVED ITEM NAME ALL FSC	<u>6727</u>
POPULATION NONAPPROVED ITEM NAME FSC	<u>6728</u>
POPULATION NONAPPROVED ITEM NAME FSC ACTIVITY	<u>6731</u>
POPULATION NONAPPROVED ITEM NAME FSC ALL ACTIVITY	<u>6734</u>
POPULATION NONAPPROVED ITEM NAME FSC ALL INACTIVE	<u>6732</u>
POPULATION NONAPPROVED ITEM NAME FSC ALL MANAGED	<u>6733</u>
POPULATION NONAPPROVED ITEM NAME FSC INACTIVE	<u>6729</u>
POPULATION NONAPPROVED ITEM NAME FSC MANAGED	<u>6730</u>
PORT NUMBER	<u>9213</u>
POST OFFICE BOX	<u>1361</u>
POSTAL ZONE	<u>2549</u>
PRECIOUS METAL INDICATOR CODE 2	<u>7826</u>
PRECIOUS METAL INDICATOR CODE CODED REPLY	<u>3572</u>
PRECIOUS METAL INDICATOR CODE MRC	<u>3573</u>
PRECIOUS METAL INDICATOR CODE NOTE	<u>5264</u>
PRECIOUS METAL INDICATOR CODE TABLE TYPE	<u>3574</u>
PRECIOUS METALS INDICATOR CODE (PMIC)	<u>0802</u>
PRESERVATION MATERIAL CODE	<u>5162</u>
PREVIOUS CONTROLLED INVENTORY ITEM CODE	<u>2846</u>
PREVIOUS DEMILITARIZATION CODE	<u>2845</u>
PREVIOUS UNIT OF ISSUE	<u>2066</u>
PRICE NOTE	<u>3447</u>
PRICE VALIDATION CODE AIR FORCE	<u>0858</u>
PRICE VALIDATION CODE AIR FORCE DEFINITION	<u>3191</u>
PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE W/ FII	<u>0272</u>
PRIMARY ADDRESS CODE SUMMARY/DETAIL INPUT SEGMENT	<u>0262</u>
PRIMARY BUSINESS CATEGORY CODE	<u>1365</u>
PRIMARY BUSINESS CATEGORY DEFINITION	<u>3368</u>
PRIMARY COMMUNICATIONS ROUTING INDICATOR INDICATOR	<u>9214</u>
PRIMARY DOCUMENT IDENTIFIER CODE	<u>4549</u>
PRIMARY FUNCTIONAL AREA	<u>1945</u>
PRIMARY INDICATOR CODE PROCESSED 72 HOURS PERCENT	<u>6922</u>
PRIMARY INVENTORY CONTROL ACTIVITY (PICA)	<u>2866</u>
PRIMARY INVENTORY CONTROL ACTY LEVEL OF AUTHORITY (PICA L	<u>3505</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
PRIMARY/SECONDARY INVENTORY CONTROL ACTIVITY CODE	<u>5099</u>
PRIME DRN	<u>1948</u>
PRIME NSN MCN	<u>1489</u>
PRINT CONTROL CODE	<u>0234</u>
PRINT SKELETON CODE	<u>0368</u>
PRINT SKELTON CODE 1	<u>4445</u>
PRINT SKELTON CODE 2	<u>4446</u>
PRINT SKELTON CODE 3	<u>4447</u>
PRINT/DRAWING SUPPRESSION INDICATOR CODE	<u>8261</u>
PRIORITY DESIGNATOR	<u>2084</u>
PRIORITY INDICATOR CODE	<u>2867</u>
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ONE	<u>9688</u>
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT TWO	<u>9689</u>
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ZERO	<u>5821</u>
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ONE	<u>9690</u>
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT TWO	<u>9691</u>
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ZERO	<u>5822</u>
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ONE	<u>9677</u>
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT TWO	<u>9678</u>
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ZERO	<u>5817</u>
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE	<u>6266</u>
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE	<u>9679</u>
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT TWO	<u>9680</u>
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ZERO	<u>5818</u>
PRIORITY INDICATOR CODE ACTIVITY DIC PIC FOUR	<u>9673</u>
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ONE	<u>9670</u>
PRIORITY INDICATOR CODE ACTIVITY DIC PIC THREE	<u>9672</u>
PRIORITY INDICATOR CODE ACTIVITY DIC PIC TWO	<u>9671</u>
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ZERO	<u>5815</u>
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD	<u>5816</u>
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT ONE	<u>9675</u>
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT TWO	<u>9676</u>
PRIORITY INDICATOR CODE ACTIVITY DIC TOTAL	<u>9674</u>
PRIORITY INDICATOR CODE ACTIVITY PIC CODE ZERO	<u>5819</u>
PRIORITY INDICATOR CODE ACTIVITY PIC FOUR	<u>9684</u>
PRIORITY INDICATOR CODE ACTIVITY PIC ONE	<u>9681</u>
PRIORITY INDICATOR CODE ACTIVITY PIC THREE	<u>9683</u>
PRIORITY INDICATOR CODE ACTIVITY PIC TWO	<u>9682</u>
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ONE	<u>9686</u>
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT TWO	<u>9687</u>
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ZERO	<u>5820</u>
PRIORITY INDICATOR CODE ACTIVITY TOTAL	<u>9685</u>
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ONE	<u>9699</u>
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT TWO	<u>9700</u>
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ZERO	<u>5825</u>
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ONE	<u>9701</u>
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT TWO	<u>9702</u>
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ZERO	<u>5826</u>
PRIORITY INDICATOR CODE DEPARTMENT PIC CODE ZERO	<u>5823</u>
PRIORITY INDICATOR CODE DEPARTMENT PIC FOUR	<u>9695</u>
PRIORITY INDICATOR CODE DEPARTMENT PIC ONE	<u>9692</u>
PRIORITY INDICATOR CODE DEPARTMENT PIC THREE	<u>9694</u>
PRIORITY INDICATOR CODE DEPARTMENT PIC TWO	<u>9693</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ONE	<u>9697</u>
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT TWO	<u>9698</u>
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ZERO	<u>5824</u>
PRIORITY INDICATOR CODE DEPARTMENT TOTAL	<u>9696</u>
PRIORITY INDICATOR CODE DESCRIPTION	<u>9200</u>
PRIORITY INDICATOR CODE TIME FRAME	<u>5669</u>
PRIORITY INDICATOR CODE TOTAL PROCESSED	<u>6923</u>
PRIORITY INDICATOR CODE TOTAL PROCESSED 72 HOURS	<u>6921</u>
PRIVATE IDENTIFICATION NUMBER IDENTIFIER	<u>4818</u>
PROCESSED 6	<u>6661</u>
PROCESSED TIMESTAMP	<u>9201</u>
PROCESSING COMPLETION DATE	<u>1697</u>
PROCESSING ERROR RESOLUTION	<u>9411</u>
PROCESSING TIME PER MACHINE	<u>1415</u>
PROCUREMENT SOURCE CODE	<u>2063</u>
PRODUCT TITLE	<u>0982</u>
PRODUCTION CODE FOR NON-PARAMETRIC SEARCH AND SCREENING	<u>0757</u>
PROGRAM CICS TRANSACTION IDENTIFIER	<u>9199</u>
PROGRAM IDENTIFIER	<u>1108</u>
PROGRAM NAME	<u>9198</u>
PROJECT CATEGORY TYPE IDENTIFIER	<u>0040</u>
PROJECT CODE	<u>2088</u>
PROPORTION CHAR CD	<u>2514</u>
PROPORTION EDIT CRITERIA STATEMENT	<u>0304</u>
PROPORTION EDIT DATA GROUP	<u>0305</u>
PROPORTION EDIT SYMBOLOGY INDICATOR CODE	<u>0762</u>
PROPRIETARY INDICATOR	<u>4409</u>
PROPRIETARY INDICATOR	<u>5066</u>
PROPRIETARY NIINs EXCLUDED COUNT	<u>1412</u>
PRORATED CUBE (FEET)	<u>2439</u>
PRORATED WEIGHT (POUNDS)	<u>2438</u>
PROVISIONING SCREENING RECEIVER'S ADDRESS	<u>0232</u>
PSEUDO ACTIVITY CODE	<u>0892</u>
PSEUDO INC ITEM NAME CODE	<u>3084</u>
PSEUDO SOURCE OF SUPPLY CODE	<u>0133</u>
PSEUDO SOURCE OF SUPPLY CODE DESCRIPTION	<u>5113</u>
PSN ZONE OR DECIMAL	<u>1906</u>
PUBLIC KEY INFRASTRUCTURE (PKI) ISSUER NUMBER IDENTIFIER	<u>4851</u>
PUBLIC KEY INFRASTRUCTURE (PKI) SERIAL NUMBER IDENTIFIER	<u>4819</u>
PUBLICATION CYCLE IDENTIFICATION LIST BASIC	<u>0345</u>
PUBLICATION CYCLE IDENTIFICATION LIST CHANGE BULLETIN	<u>0346</u>
PUBLICATION FIG DATE	<u>5065</u>
PUBLICATION INTRODUCTION IDENTIFIER CODE	<u>0093</u>
PUBLICATION INTRODUCTORY DATA	<u>0399</u>
PUBLICATION UNITS COUNT	<u>1413</u>
PUBLICATIONS UNIT IDENTIFICATION LIST	<u>4234</u>
QE NOTE	<u>3448</u>
QUALITY CONTROL COMPLETION DATE	<u>1677</u>
QUALITY CONTROL VALIDATE	<u>0915</u>
QUALITY DATA BASE PROJECT DESCRIPTION NAME	<u>0038</u>
QUALITY DATA BASE REQUEST INPUT DATE	<u>0042</u>
QUANTITATIVE EXPRESSION	<u>8575</u>
QUANTITATIVE EXPRESSION TERM	<u>5258</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
QUANTITY AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER	<u>9541</u>
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS PROCESSED	<u>6934</u>
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS RETURNED PERCENT	<u>6935</u>
QUANTITY OF COPIES REQUIRED	<u>0261</u>
QUANTITY OF OCCURRENCES	<u>0116</u>
QUANTITY PER ASSEMBLY	<u>0106</u>
QUANTITY PER SHIPPING CONTAINER	<u>2443</u>
QUANTITY PER UNIT PACK (QUP) CODE	<u>6106</u>
QUANTITY PER UNIT PACK CODE NOTE	<u>5249</u>
QUANTITY PER UNIT PACK CODE QUANTITY	<u>5248</u>
QUARTELY DIC ALL SAC RULES	<u>5382</u>
QUARTERLY ALL SAC GRAND TOTAL NIIN STATUS	<u>5401</u>
QUARTERLY DIC ALL OAC DEPARTMENT ACTUAL	<u>5426</u>
QUARTERLY DIC ALL OAC DEPARTMENT APPROVED	<u>5424</u>
QUARTERLY DIC ALL OAC DEPARTMENT CLERICAL	<u>5428</u>
QUARTERLY DIC ALL OAC DEPARTMENT NIIN STATUS	<u>5430</u>
QUARTERLY DIC ALL OAC DEPARTMENT POSSIBLE DUPLICATES	<u>5427</u>
QUARTERLY DIC ALL OAC DEPARTMENT PROCESSED	<u>5423</u>
QUARTERLY DIC ALL OAC DEPARTMENT RECEIVED	<u>5422</u>
QUARTERLY DIC ALL OAC DEPARTMENT RETURNED	<u>5425</u>
QUARTERLY DIC ALL OAC DEPARTMENT RULES	<u>5429</u>
QUARTERLY DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES	<u>5437</u>
QUARTERLY DIC ALL OAC GRAND TOTAL APPROVED	<u>5435</u>
QUARTERLY DIC ALL OAC GRAND TOTAL CLERICAL	<u>5439</u>
QUARTERLY DIC ALL OAC GRAND TOTAL NIIN STATUS	<u>5441</u>
QUARTERLY DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES	<u>5438</u>
QUARTERLY DIC ALL OAC GRAND TOTAL PROCESSED	<u>5434</u>
QUARTERLY DIC ALL OAC GRAND TOTAL RECEIVED	<u>5433</u>
QUARTERLY DIC ALL OAC GRAND TOTAL RETURNED	<u>5436</u>
QUARTERLY DIC ALL OAC GRAND TOTAL RULES	<u>5440</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATE	<u>5417</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE APPROVED	<u>5415</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE CLERICAL	<u>5419</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS	<u>5421</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLIC	<u>5418</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE PROCESSED	<u>5414</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RECEIVED	<u>2176</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RETURNED	<u>5416</u>
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RULES	<u>5420</u>
QUARTERLY DIC ALL SAC APPROVED	<u>5375</u>
QUARTERLY DIC ALL SAC DEPARTMENT ACTUAL DUPLICATES	<u>5388</u>
QUARTERLY DIC ALL SAC DEPARTMENT APPROVED	<u>5386</u>
QUARTERLY DIC ALL SAC DEPARTMENT CLERICAL	<u>5390</u>
QUARTERLY DIC ALL SAC DEPARTMENT NIIN STATUS	<u>5392</u>
QUARTERLY DIC ALL SAC DEPARTMENT POSSIBLE DUPLICATES	<u>5389</u>
QUARTERLY DIC ALL SAC DEPARTMENT PROCESSED	<u>5385</u>
QUARTERLY DIC ALL SAC DEPARTMENT RECEIVED	<u>5384</u>
QUARTERLY DIC ALL SAC DEPARTMENT RETURNED	<u>5387</u>
QUARTERLY DIC ALL SAC DEPARTMENT RULES	<u>5391</u>
QUARTERLY DIC ALL SAC GRAND TOTAL APPROVED	<u>5395</u>
QUARTERLY DIC ALL SAC GRAND TOTAL CLERICAL	<u>5399</u>
QUARTERLY DIC ALL SAC GRAND TOTAL POSSIBLE DUPLICATES	<u>5398</u>
QUARTERLY DIC ALL SAC GRAND TOTAL PROCESSED	<u>5394</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
QUARTERLY DIC ALL SAC GRAND TOTAL RECEIVED	<u>5393</u>
QUARTERLY DIC ALL SAC GRAND TOTAL RETURNED	<u>5396</u>
QUARTERLY DIC ALL SAC GRAND TOTAL RULES	<u>5400</u>
QUARTERLY DIC ALL SAC NIIN STATUS	<u>5383</u>
QUARTERLY DIC ALL SAC POSSIBLE DUPLICATES	<u>5380</u>
QUARTERLY DIC ALL SAC PROCESSED	<u>5374</u>
QUARTERLY DIC ALL SAC RECEIVED	<u>5373</u>
QUARTERLY DIC ALL SAC RETURNED	<u>5376</u>
QUARTERLY DIC OAC ACTUAL DUPLICATES	<u>5446</u>
QUARTERLY DIC OAC DIC ACTUAL DUPLICATES	<u>6820</u>
QUARTERLY DIC OAC DIC APPROVED	<u>6823</u>
QUARTERLY DIC OAC DIC CLERICAL	<u>6818</u>
QUARTERLY DIC OAC DIC NIIN STATUS	<u>6816</u>
QUARTERLY DIC OAC DIC POSSIBLE DUPLICATES	<u>6819</u>
QUARTERLY DIC OAC DIC PROCESSED	<u>6824</u>
QUARTERLY DIC OAC DIC RECEIVED	<u>6825</u>
QUARTERLY DIC OAC DIC RETURNED	<u>6821</u>
QUARTERLY DIC OAC DIC RULES	<u>6817</u>
QUARTERLY DIC OAC TOTAL APPROVED	<u>5444</u>
QUARTERLY DIC OAC TOTAL CLERICAL	<u>5448</u>
QUARTERLY DIC OAC TOTAL NIIN STATUS	<u>5450</u>
QUARTERLY DIC OAC TOTAL POSSIBLE DUPLICATES	<u>5447</u>
QUARTERLY DIC OAC TOTAL PROCESSED	<u>5443</u>
QUARTERLY DIC OAC TOTAL RECEIVED	<u>5442</u>
QUARTERLY DIC OAC TOTAL RETURNED	<u>5445</u>
QUARTERLY DIC OAC TOTAL RULES	<u>5449</u>
QUARTERLY DIC SAC DIC ACTUAL DUPLICATES	<u>6830</u>
QUARTERLY DIC SAC DIC APPROVED	<u>6833</u>
QUARTERLY DIC SAC DIC CLERICAL	<u>6828</u>
QUARTERLY DIC SAC DIC NIIN STATUS	<u>6826</u>
QUARTERLY DIC SAC DIC POSSIBLE DUPLICATES	<u>6829</u>
QUARTERLY DIC SAC DIC PROCESSED	<u>6834</u>
QUARTERLY DIC SAC DIC RECEIVED	<u>6835</u>
QUARTERLY DIC SAC DIC RETURNED	<u>6831</u>
QUARTERLY DIC SAC DIC RULES	<u>6827</u>
QUARTERLY DIC SAC TOTAL ACTUAL DUPLICATES	<u>5408</u>
QUARTERLY DIC SAC TOTAL APPROVED	<u>5406</u>
QUARTERLY DIC SAC TOTAL CLERICAL	<u>5410</u>
QUARTERLY DIC SAC TOTAL NIIN STATUS	<u>5412</u>
QUARTERLY DIC SAC TOTAL POSSIBLE DUPLICATES	<u>5409</u>
QUARTERLY DIC SAC TOTAL PROCESSED	<u>5405</u>
QUARTERLY DIC SAC TOTAL RECEIVED	<u>5402</u>
QUARTERLY DIC SAC TOTAL RULES	<u>5411</u>
QUARTERLY DILC ALL SAC GRAND TOTAL ACTUAL DUPLICATES	<u>5397</u>
QUARTERLY DIC ALL SAC ACTUAL DUPLICATES	<u>5379</u>
QUARTERLY DIC ALL SAC CLERICAL	<u>5381</u>
QUARTERLY DIC SAC TOTAL RETURNED	<u>5407</u>
QUERY OUTPUT SELECTION TEXT	<u>9263</u>
QUEUE IDENTIFICATION	<u>0900</u>
QUEUE LOCATION NAME	<u>9405</u>
QUP NOTE	<u>3499</u>
RAIL VARIATION CODE	<u>4760</u>
RANDOM SAMPLE INDICATOR CODE	<u>2671</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
RANGE AND MATERIAL CRITERIA	<u>2257</u>
RAW FIIG INC 9001 USAGE	<u>6687</u>
RAW FIIG INC ACTUAL MATCH	<u>6682</u>
RAW FIIG INC INPUT	<u>6680</u>
RAW FIIG INC MAINTENANCE INPUT	<u>6685</u>
RAW FIIG INC MAINTENANCE MATCH	<u>6686</u>
RAW FIIG INC NEW INPUT	<u>6683</u>
RAW FIIG INC NEW MATCH	<u>6684</u>
RAW FIIG INC POSSIBLE MATCH	<u>6681</u>
RE-OUTPUT AUTODIN MESSAGE TIME STAMP IDENTIFIER	<u>9484</u>
RE-REVIEW JULIAN DATE	<u>0173</u>
REASON FOR RETURN/NOTIFICATION CODE	<u>7325</u>
RECEIVED SEND TIMESTAMP	<u>9202</u>
RECEIVED TIMESTAMP	<u>9204</u>
RECEIVER ACTIVITY INDICATOR	<u>2145</u>
RECOMMENDED CONTROLLED INVENTORY ITEM CODE	<u>2848</u>
RECOMMENDED DEMILITARIZATION CODE	<u>2847</u>
RECORD COLUMN	<u>2109</u>
RECORD COUNT PER ACTIVITY	<u>1408</u>
RECORD COUNT PER DOCUMENT NUMBER	<u>1409</u>
RECORD IDENTIFIER	<u>2405</u>
RECORD IMAGE	<u>1407</u>
RECORD TYPE	<u>2637</u>
RECORDED SUBMITTED DRN VALUE	<u>9979</u>
RECORDED SUSPENSE FILE ENTRY DATE	<u>0870</u>
RECORDS ADDED COUNT PER ACTIVITY/FSC	<u>1410</u>
RECORDS CHANGED COUNT PER ACTIVITY/FSC	<u>1411</u>
RECORDS DELETED COUNT PER ACTIVITY/FSC	<u>1406</u>
RECOVERABILITY CODE ARMY	<u>2892</u>
RECOVERABILITY CODE EXPLANATION ARMY	<u>5259</u>
RECOVERABILITY CODE EXPLANATION MARINE CORPS	<u>3154</u>
RECOVERABILITY CODE MARINE CORPS	<u>2891</u>
RECOVERABLE ITEM MOVEMENT CONTROL SYSTEM DATA (RIMCS) EFF DT	<u>2082</u>
RECOVERY CODE	<u>1873</u>
REEL NUMBER	<u>3459</u>
REEL SEQUENCE	<u>1398</u>
REFERENCE	<u>1883</u>
REFERENCE BACK MASTER REQUIREMENT CODE	<u>4475</u>
REFERENCE DRAWING GROUP DESIGNATION	<u>3565</u>
REFERENCE DRAWING GROUP SECTION IDENTIFIER	<u>0335</u>
REFERENCE DRAWING GROUP SECTION TITLE TEXT	<u>0336</u>
REFERENCE DRAWING GROUP TITLE	<u>0964</u>
REFERENCE METHOD 2	<u>6677</u>
REFERENCE METHOD 7	<u>1701</u>
REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC)	<u>2900</u>
REFERENCE NUMBER CATEGORY CODE (RNCC)	<u>2910</u>
REFERENCE NUMBER CATEGORY CODE (RNCC) DATA BASE	<u>3130</u>
REFERENCE NUMBER CATEGORY CODE (RNCC) REFERENCE NUMBER VARIATI	<u>2911</u>
REFERENCE NUMBER CATEGORY CODE (RNCC) REFERENCE NUMBER VARIATI	<u>2912</u>
REFERENCE NUMBER CATEGORY CODE EXPLANATION	<u>5125</u>
REFERENCE NUMBER CATEGORY CODE MAY HAVE RANGE	<u>3109</u>
REFERENCE NUMBER CATEGORY CODE MUST HAVE RANGE	<u>3105</u>
REFERENCE NUMBER CATEGORY CODE NOTE	<u>5126</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
REFERENCE NUMBER CATEGORY CODE RNCC INCOMING	<u>3128</u>
REFERENCE NUMBER CHARACTER COUNTER	<u>0209</u>
REFERENCE NUMBER DATA SEGMENT	<u>9102</u>
REFERENCE NUMBER DECISION CATEGORY CODE	<u>2561</u>
REFERENCE NUMBER DUPLICATION DECISION	<u>3133</u>
REFERENCE NUMBER DUPLICATION DECISION NOTE INDICATOR	<u>3117</u>
REFERENCE NUMBER FORMAT CODE (RNFC)	<u>2920</u>
REFERENCE NUMBER FORMAT CODE EXPLANATION	<u>5114</u>
REFERENCE NUMBER FORMAT CODE NOTE	<u>5115</u>
REFERENCE NUMBER GRAND TOTAL OUT TO MANUFACTURER	<u>2023</u>
REFERENCE NUMBER JUSTIFICATION CODE	<u>2750</u>
REFERENCE NUMBER JUSTIFICATION CODE EXPLANATION	<u>5121</u>
REFERENCE NUMBER JUSTIFICATION CODE NOTE	<u>5122</u>
REFERENCE NUMBER LOGISTICS	<u>3570</u>
REFERENCE NUMBER STATUS CODE	<u>2923</u>
REFERENCE NUMBER STATUS CODE EXPLANATION	<u>5131</u>
REFERENCE NUMBER TOTAL OUT TO MANUFACTURER	<u>2022</u>
REFERENCE NUMBER VARIATION CODE (RNVC)	<u>4780</u>
REFERENCE NUMBER VARIATION CODE (RNVC) DATA BASE	<u>3131</u>
REFERENCE NUMBER VARIATION CODE EXPLANATION	<u>5127</u>
REFERENCE NUMBER VARIATION CODE MAY HAVE RANGE	<u>3110</u>
REFERENCE NUMBER VARIATION CODE MUST HAVE RANGE	<u>3106</u>
REFERENCE NUMBER VARIATION CODE NOTE	<u>5128</u>
REFERENCE NUMBER VARIATION CODE RNVC INCOMING	<u>3129</u>
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE EXPLN	<u>5119</u>
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE NOTE	<u>5120</u>
REFERENCE SCREENING INDICATOR	<u>3101</u>
REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (RPDMRC)	<u>4765</u>
REIMBURSEMENT CODE	<u>2930</u>
REIMBURSEMENT CODE EXPLANATION	<u>3185</u>
REJECT MESSAGE	<u>1396</u>
REJECTED TRANSACTION FLAG	<u>9205</u>
REJECTED TRANSACTION TIMESTAMP	<u>9206</u>
RELATED ASSEMBLY	<u>2522</u>
RELATED DATA ELEMENT CODES	<u>0438</u>
RELATED END ITEM WEAPON SYSTEM	<u>2524</u>
RELATED FEDERAL SUPPLY CLASS	<u>3981</u>
RELATED ITEM NAME CODE	<u>2926</u>
RELATED NATIONAL STOCK NUMBER	<u>2895</u>
RELATED SCREENING DATA SEGMENT	<u>9116</u>
RELATED SKO	<u>2523</u>
RELATIONSHIP CODE	<u>1486</u>
RELATIONSHIP EDIT CRITERIA STATEMENT	<u>8454</u>
RELATIONSHIP EDIT DATA GROUP	<u>3673</u>
RELEASE	<u>0916</u>
RELEASE COUNT TO CICS	<u>9065</u>
RELEASED TRANSACTION COUNT	<u>9207</u>
RELEASED TRANSACTION TIMESTAMP	<u>9208</u>
REMAIN IN PLACE INDICATOR	<u>1482</u>
REMOTE OUTPUT DATA REQUEST CODE	<u>1102</u>
REMOTE OUTPUT DEVICE CODE	<u>0849</u>
REMOTE OUTPUT FORMAT CODE	<u>0841</u>
REORDER TRANSACTION TIMESTAMP	<u>9209</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REORGANIZATION STATUS FLAG IDENTIFIER	<u>9504</u>
REPAIR MAINTENANCE CODE	<u>1465</u>
REPAIR NET PRICE	<u>5235</u>
REPARABILITY ACTIVITY LOA NSN	<u>1650</u>
REPARABILITY ACTIVITY NSN	<u>1651</u>
REPARABILITY CODE	<u>2745</u>
REPARABILITY CODE ARMY	<u>2933</u>
REPARABILITY CODE COAST GUARD	<u>0709</u>
REPARABILITY CODE COAST GUARD EXPLANATION	<u>3180</u>
REPARABILITY DEPARTMENT LOA NSN	<u>1652</u>
REPARABILITY DEPARTMENT NSN	<u>1653</u>
REPARABLE CHARACTERISTICS INDICATOR CODE DLA	<u>2934</u>
REPARABLE CHARACTERISTICS INDICATOR CODE DLA DEFINITION	<u>5261</u>
REPEATING SEGMENT INDICATOR	<u>4594</u>
REPLACED DIGITIZED DRAWING NUMBER IDENTIFIER	<u>4849</u>
REPLACED NATIONAL STOCK NUMBER STANDARDIZATION RELATIONSHIP	<u>8977</u>
REPLACEMENT AMMUNITION CODE	<u>8815</u>
REPLACEMENT COMMERCIAL AND GOVERNMENT ENTITY CODE	<u>3595</u>
REPLACEMENT FEDERAL SUPPLY CLASS CODE	<u>2647</u>
REPLACEMENT IDENTIFICATION NUMBER DRAWING CROSS-REFERENCE	<u>1241</u>
REPLACEMENT ITEM NAME CODE	<u>2646</u>
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 1	<u>0226</u>
REPLACEMENT NATIONAL ITEM IDENTIFICATION NUMBER	<u>4300</u>
REPLACEMENT NATIONAL STOCK NUMBER ACCEPTANCE CODE	<u>0853</u>
REPLACEMENT NATIONAL STOCK NUMBER CANCELLATION	<u>8875</u>
REPLACEMENT NSN STANDARDIZATION RELATIONSHIP	<u>9525</u>
REPLY CANCELLATION PROPOSAL TEXT	<u>6999</u>
REPLY CONVERSION CRITERIA STATEMENT	<u>8453</u>
REPLY CONVERSION INDICATOR	<u>8326</u>
REPLY COUNTS	<u>0894</u>
REPLY DATA DESCRIPTIVE COLUMNAR IDENTIFICATION LIST	<u>3612</u>
REPLY DATA DESCRIPTIVE PARAGRAPH IDENTIFICATION LIST	<u>3616</u>
REPLY DECODE GUIDE	<u>0366</u>
REPLY FIELD DISPLAY CRITERIA DD FORM 146	<u>8327</u>
REPLY INSTRUCTION	<u>2242</u>
REPLY RECORD COUNT	<u>0442</u>
REPLY SEQUENCE NUMBER	<u>4408</u>
REPLY TABLE CODE FIIG DECODE GUIDES	<u>3845</u>
REPLY TABLE CODE MASTER REQUIREMENTS DIRECTORY (MRD)	<u>8254</u>
REPLY TABLE CODES STATUS INDICATOR	<u>3463</u>
REPLY TABLE DECODE SEQUENCE NUMBER	<u>0510</u>
REPLY TABLE STATUS INDICATOR	<u>2498</u>
REPORT REQUEST CODE	<u>1896</u>
REPORTABLE ITEM CONTROL CODE	<u>1479</u>
REPORTING DATE	<u>1996</u>
REPORTING PERIOD	<u>1995</u>
REPOSITORY AVERAGE INQUIRY RESPONSE TIME	<u>1274</u>
REPOSITORY BATCH AVERAGE OFFERED	<u>7272</u>
REPOSITORY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	<u>7308</u>
REPOSITORY BATCH DATA ASSET IDENTIFIER INQUIRY PCT OF MTCH	<u>7310</u>
REPOSITORY BATCH DATA ASSETS IDENTIFIER TOTAL OFFERED QTY	<u>7307</u>
REPOSITORY BATCH DOCUMENT NUMBER AVERAGE OFFERED	<u>7278</u>
REPOSITORY BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	<u>7280</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
REPOSITORY BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY	<u>7277</u>
REPOSITORY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	<u>7284</u>
REPOSITORY BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT MATCH	<u>7286</u>
REPOSITORY BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY	<u>7283</u>
REPOSITORY BATCH INQUIRY PERCENT OF MATCH	<u>7274</u>
REPOSITORY BATCH NIIN AVERAGE OFFERED	<u>7302</u>
REPOSITORY BATCH NIIN INQUIRY PERCENT OF MATCH	<u>7304</u>
REPOSITORY BATCH NIIN TOTAL OFFERED QUANTITY	<u>7301</u>
REPOSITORY BATCH PART NUMBER AVERAGE OFFERED	<u>7290</u>
REPOSITORY BATCH PART NUMBER INQUIRY PERCENT OF MATCH	<u>7292</u>
REPOSITORY BATCH PART NUMBER TOTAL OFFERED QUANTITY	<u>7289</u>
REPOSITORY BATCH PART NUMBER/CAGE AVERAGE OFFERED	<u>7296</u>
REPOSITORY BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	<u>7298</u>
REPOSITORY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>7295</u>
REPOSITORY BATCH TOTAL OFFERED QUANTITY	<u>7271</u>
REPOSITORY CITY	<u>0884</u>
REPOSITORY CLEAR TEXT - 1	<u>0889</u>
REPOSITORY CLEAR TEXT - 2	<u>2625</u>
REPOSITORY CLEAR TEXT - 3	<u>2626</u>
REPOSITORY CLEAR TEXT - 4	<u>2627</u>
REPOSITORY E MAIL ADDRESS	<u>2624</u>
REPOSITORY IDENTIFIER	<u>2638</u>
REPOSITORY IDENTIFIER FOR CAGE CODE AND PART NUMBER	<u>2345</u>
REPOSITORY IDENTIFIER FOR NIIN	<u>2346</u>
REPOSITORY IDENTIFIER FOR TITLE	<u>2286</u>
REPOSITORY NAME	<u>0882</u>
REPOSITORY OFFICE SYMBOL	<u>2621</u>
REPOSITORY ON-LINE AVERAGE OFFERED	<u>7356</u>
REPOSITORY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	<u>7761</u>
REPOSITORY ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY	<u>7760</u>
REPOSITORY ON-LINE DATA ASSET INDENT INQUIRY PCT OF MATCH	<u>7776</u>
REPOSITORY ON-LINE DOCUMENT NUMBER AVERAGE OFFERED QUANTITY	<u>7775</u>
REPOSITORY ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	<u>7745</u>
REPOSITORY ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	<u>7743</u>
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	<u>7749</u>
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY	<u>7747</u>
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY	<u>7748</u>
REPOSITORY ON-LINE INQUIRY PERCENT OF MATCH	<u>7358</u>
REPOSITORY ON-LINE NIIN AVERAGE OFFERED	<u>7755</u>
REPOSITORY ON-LINE NIIN INQUIRY PERCENT OF MATCH	<u>7757</u>
REPOSITORY ON-LINE NIIN TOTAL OFFERED QUANTITY	<u>7754</u>
REPOSITORY ON-LINE PART NUMBER AVERAGE OFFERED	<u>7772</u>
REPOSITORY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	<u>7774</u>
REPOSITORY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	<u>7771</u>
REPOSITORY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	<u>7766</u>
REPOSITORY ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	<u>7768</u>
REPOSITORY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>7765</u>
REPOSITORY ON-LINE TOTAL OFFERED QUANTITY	<u>7355</u>
REPOSITORY STATE/U.S. POSSESSION ABBREVIATION	<u>2622</u>
REPOSITORY STREET ADDRESS	<u>0883</u>
REPOSITORY TELEPHONE EXTENSION	<u>2574</u>
REPOSITORY TELEPHONE NUMBER	<u>2572</u>
REPOSITORY TITLE ADD TRANSACTIONS QUANTITY	<u>1247</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
REPOSITORY TITLE CURRENT QUANTITY	<u>1250</u>
REPOSITORY TITLE DELETE TRANSACTION QUANTITY	<u>1248</u>
REPOSITORY TITLE ERROR TRANSACTION QUANTITY	<u>1246</u>
REPOSITORY TITLE PERCENT OF CHANGE	<u>1251</u>
REPOSITORY TITLE PREVIOUS QUANTITY	<u>1249</u>
REPOSITORY TITLE TRANSACTION QUANTITY	<u>1245</u>
REPOSITORY TYPE OF PHONE NUMBER CODE	<u>2571</u>
REPOSITORY UNDEFINED MAINTENANCE TRANSACTION QUANTITY	<u>1252</u>
REPOSITORY ZIP CODE	<u>2623</u>
REPROCESSED TIMESTAMP	<u>9203</u>
REPROCESSING ENTRY POINT	<u>1874</u>
REPRODUCTION COMPLETION DATE	<u>1711</u>
REQUEST CODE	<u>0973</u>
REQUEST FOR CODIFICATION AND REGISTRATION OF USER CODE	<u>2179</u>
REQUEST LAST PROCESS DATE	<u>0048</u>
REQUESTER ACTION COMPLETION DATE	<u>0031</u>
REQUESTER COMMENT TEXT	<u>0029</u>
REQUIREMENT REPLY INSTRUCTION	<u>2648</u>
REQUIREMENT STATEMENT	<u>3614</u>
REQUIREMENT STATEMENT CHARACTER CTR	<u>0213</u>
REQUIREMENT STATEMENT DEFINITION	<u>5027</u>
REROUTE TRANSACTION KEY	<u>9763</u>
REROUTED TRANSACTION TIMESTAMP	<u>9210</u>
RESPOSITORY ON-LINE DOC. NO/CAGE INQUIRY PERCENT OF MATCH	<u>7751</u>
RESTART COMMIT IDENTIFIER	<u>9515</u>
RESTORE FLAG	<u>9066</u>
RESTORE STATUS FLAG	<u>9314</u>
RESULT ACTION	<u>3104</u>
RETRY INTERVAL VALUE TIME	<u>8370</u>
RETURN CODE	<u>9480</u>
RETURN CODE COMMENT	<u>4559</u>
RETURN CODE COUNT	<u>1998</u>
RETURN CODE DEFINITION AND INSTRUCTION	<u>3140</u>
RETURN CODE DRN COMMENT	<u>4557</u>
RETURN TO COUNTRY CODE	<u>1002</u>
RETURN TO COUNTRY PERCENT	<u>1974</u>
RETURN TO COUNTRY PERCENT TOTAL	<u>1975</u>
RETURN TO COUNTRY QUANTITY	<u>1976</u>
RETURN TO COUNTRY QUANTITY TOTAL	<u>1977</u>
RETURN TO COUNTRY TOTAL	<u>1999</u>
RETURN TO TRAINEE CODE	<u>2000</u>
RETURNED 6	<u>6663</u>
REVISION LEVEL	<u>2644</u>
RNAAC INDICATOR	<u>2221</u>
ROLL UP CODE	<u>9460</u>
ROLL UP DEPARTMENT CODE	<u>9459</u>
ROLL-UP DOCUMENT IDENTIFIER CODE	<u>2097</u>
ROLL-UP DOCUMENT IDENTIFIER CODE DESTINATION	<u>2098</u>
ROUTING IDENTIFIER CODE DEFENSE PROPERTY DISPOSAL OFFICE	<u>3342</u>
ROW HOLD FLAG IDENTIFIER	<u>9191</u>
ROW INDICATOR	<u>4205</u>
ROW LAST CREATED/MODIFIED TIMESTAMP TIME	<u>8646</u>
ROW NUMBER	<u>4518</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
ROW OBSOLETE DATE	<u>4489</u>
RPDMRC KFP FOLLOW UP DATE	<u>4532</u>
RPDMRC KFP FOLLOW UP INDICATOR	<u>4531</u>
RULE INDICATOR CODE SECTION II FIIG	<u>0322</u>
SAC ABRIDGED ASSOCIATION TEXT TABLE NUMBER	<u>8330</u>
SAC UNABRIDGED ASSOCIATION TEXT TABLE NUMBER	<u>8337</u>
SAMPLE SIZE QUANTITY	<u>2675</u>
SAVE TAPE DURATION IDENTIFIER	<u>8632</u>
SCHEDULE INTERVAL TYPE CODE	<u>8369</u>
SCHEDULE INTERVAL VALUE TIME	<u>8368</u>
SCHEDULE-B IDENTIFICATION CODE	<u>2107</u>
SCHEDULE-B IDENTIFICATION CODE ASSIGNMENT COUNT QUANTITY	<u>2106</u>
SCHEDULED RECORD NAME	<u>8361</u>
SCHEDULES REMOVAL COMPONENT CARD CODE COUNT	<u>1466</u>
SCREEN IDENTIFICATION CODE	<u>0981</u>
SCREEN NAME	<u>1680</u>
SCREEN PROVISIONING NSN DEPARTMENT CURRENT RECEIVED QUANTITY	<u>6212</u>
SCREENING CRITERIA	<u>8456</u>
SCREENING KEY INDICATORS	<u>2169</u>
SCREENING LSN NSN DEPARTMENT CURRENT MATCHED	<u>5469</u>
SCREENING LSN NSN DEPARTMENT CURRENT NSNS NOT MATCHED	<u>5470</u>
SCREENING LSN NSN DEPARTMENT CURRENT RECEIVED QUANTITY	<u>5472</u>
SCREENING LSN NSN DEPARTMENT CURRENT REJECTS	<u>5471</u>
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE MATCHED	<u>5477</u>
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE RECEIVED	<u>5480</u>
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE REJECTS	<u>5479</u>
SCREENING LSN NSN DEPARTMENT YEAR TO DATE MATCHED	<u>5473</u>
SCREENING LSN NSN DEPARTMENT YEAR TO DATE NOT MATCHED	<u>5474</u>
SCREENING LSN NSN DEPARTMENT YEAR TO DATE RECEIVED	<u>5476</u>
SCREENING LSN NSN DEPARTMENT YEAR TO DATE REJECT	<u>5475</u>
SCREENING LSN NSN DEPT PREVIOUS YEAR TO DATE NOT MATCHED	<u>5478</u>
SCREENING LSN NSN TOTAL MATCHED	<u>5481</u>
SCREENING LSN NSN TOTAL NOT MATCHED	<u>5482</u>
SCREENING LSN NSN TOTAL RECEIVED	<u>5484</u>
SCREENING LSN NSN TOTAL REJECT	<u>5483</u>
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT MATCHED	<u>6241</u>
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT RECEIVED	<u>6244</u>
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT REJECTS	<u>6243</u>
SCREENING PREPROCUREMENT NSN DEPT CURRENT NSNS NOT MATCHED	<u>6242</u>
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE NOT MATCH	<u>6250</u>
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE RECEIVED	<u>6252</u>
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE MATCH	<u>6249</u>
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE REJECT	<u>6251</u>
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE MATCHED	<u>6245</u>
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE NOT MATCHED	<u>6246</u>
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE RECEIVED	<u>6248</u>
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE REJECT	<u>6247</u>
SCREENING PREPROCUREMENT NSN TOTAL MATCHED	<u>6253</u>
SCREENING PREPROCUREMENT NSN TOTAL NOT MATCHED	<u>6254</u>
SCREENING PREPROCUREMENT NSN TOTAL RECEIVED	<u>6256</u>
SCREENING PREPROCUREMENT NSN TOTAL REJECT	<u>6255</u>
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE MATCHED	<u>5461</u>
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE NOT MATCH	<u>5462</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE RECEIVED	<u>5464</u>
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE REJECTED	<u>5463</u>
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT MATCH	<u>5451</u>
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT NOT MATCHED	<u>5452</u>
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT RECEIVED	<u>5454</u>
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT REJECTS	<u>5453</u>
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE MATCHED	<u>5455</u>
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE RECVD	<u>5460</u>
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE REJECT	<u>5459</u>
SCREENING PREPROCUREMENT REFERENCE DEPT YR TO DATE NOT MATCH	<u>5456</u>
SCREENING PREPROCUREMENT REFERENCE TOTAL MATCHED	<u>5465</u>
SCREENING PREPROCUREMENT REFERENCE TOTAL NOT MATCHED	<u>5466</u>
SCREENING PREPROCUREMENT REFERENCE TOTAL RECEIVED	<u>5468</u>
SCREENING PREPROCUREMENT REFERENCE TOTAL REJECTED	<u>5467</u>
SCREENING PROVISIONING NSN DEPARTMENT CURRENT MATCHED	<u>6209</u>
SCREENING PROVISIONING NSN DEPARTMENT CURRENT NSNS NOT MATCH	<u>6210</u>
SCREENING PROVISIONING NSN DEPARTMENT CURRENT REJECTS	<u>6211</u>
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE MATCHED	<u>6213</u>
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE NOT MATCH	<u>6214</u>
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE RECEIVED	<u>6216</u>
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE REJECT	<u>6215</u>
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE MATCHED	<u>6217</u>
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE NOT MATCH	<u>6218</u>
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE RECEIVED	<u>6220</u>
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE REJECTS	<u>6219</u>
SCREENING PROVISIONING NSN TOTAL MATCHED	<u>6221</u>
SCREENING PROVISIONING NSN TOTAL NOT MATCHED	<u>6222</u>
SCREENING PROVISIONING NSN TOTAL RECEIVED	<u>6224</u>
SCREENING PROVISIONING NSN TOTAL REJECT	<u>6223</u>
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE MATCHED	<u>6233</u>
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE NOT MATCH	<u>6234</u>
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE RECEIVED	<u>6236</u>
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE REJECTED	<u>6235</u>
SCREENING PROVISIONING REF DEPT YEAR TO DATE NOT MATCHED	<u>6230</u>
SCREENING PROVISIONING REFERENCE DEPARTMENT CURRENT MATCH	<u>6225</u>
SCREENING PROVISIONING REFERENCE DEPT CURRENT NOT MATCHED	<u>6226</u>
SCREENING PROVISIONING REFERENCE DEPT CURRENT RECEIVED	<u>6228</u>
SCREENING PROVISIONING REFERENCE DEPT CURRENT REJECTS	<u>6227</u>
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE MATCHED	<u>6229</u>
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE RECEIVED	<u>6232</u>
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE REJECTED	<u>6231</u>
SCREENING PROVISIONING REFERENCE TOTAL MATCHED	<u>6237</u>
SCREENING PROVISIONING REFERENCE TOTAL NOT MATCHED	<u>6238</u>
SCREENING PROVISIONING REFERENCE TOTAL RECEIVED	<u>6240</u>
SCREENING PROVISIONING REFERENCE TOTAL REJECTED	<u>6239</u>
SCREENING REFERENCE NUMBER CATEGORY CODE	<u>3115</u>
SCREENING REFERENCE NUMBER VARIATION CODE	<u>3116</u>
SCREENING REQUEST NIIN DATA SEGMENT	<u>9124</u>
SCREENING REQUEST REFERENCE NUMBER DATA SEGMENT	<u>9125</u>
SCREENING RESPONSE HEADER SEGMENT	<u>9122</u>
SEARCH SCREENING INDICATOR CODE	<u>0323</u>
SECOND FORMER NAME OR LOCATION	<u>1363</u>
SECOND LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	<u>4692</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
SECOND PHRASE CODE	<u>3049</u>
SECOND QUARTER CURRENT FISCAL YEAR 1	<u>6670</u>
SECONDARY ADDRESS CODE	<u>8990</u>
SECONDARY ADDRESS CODING OR AND/OR CODING INDICATOR	<u>0115</u>
SECONDARY ADDRESS INDICATOR CODE	<u>9485</u>
SECONDARY INVENTORY CONTROL ACTIVITY (SICA)	<u>2938</u>
SECONDARY INVENTORY CONTROL ACTIVITY LEVEL OF AUTHORITY	<u>9547</u>
SECONDARY SEQUENCE CODE	<u>0513</u>
SECONDARY SEQUENCING DECODE GUIDE	<u>0367</u>
SECTION II EDIT DATA GROUP	<u>0340</u>
SECTION RULE TABLE NUMBER	<u>8585</u>
SEGMENT CODE SUPPLEMENTAL	<u>0225</u>
SEGMENT CODE SUPPLEMENTAL EXPLANATION	<u>3174</u>
SEGMENT CODE SUPPLEMENTAL INPUT	<u>0252</u>
SEGMENT INPUT TRANSACTIONS	<u>4508</u>
SEGMENT LENGTH	<u>0189</u>
SEGMENT R WITH OUTPUT DOCUMENT IDENTIFIER CODE	<u>3143</u>
SEGMENT R WITHOUT OUTPUT DOCUMENT IDENTIFIER CODE	<u>3144</u>
SEGMENT SEQUENCER	<u>9414</u>
SEGMENT V TERMINATOR CODE	<u>0339</u>
SEGMENT X - NATO ITEM APPLICATION DATA	<u>2521</u>
SEQUENCE KEY	<u>3043</u>
SEQUENCE NUMBER DRAWING CROSS REFERENCE	<u>1240</u>
SEQUENCE NUMBER HIGHEST DOCUMENT CONTROL NUMBER	<u>2199</u>
SEQUENCE NUMBER LOWEST DOCUMENT CONTROL NUMBER	<u>2198</u>
SEQUENCE SECTION FLAGS IDENTIFIER	<u>0208</u>
SEQUENCING CODE	<u>0487</u>
SEQUENCING INSERT CODE	<u>2282</u>
SEQUENTIAL NIIN FILE END DATE	<u>9308</u>
SEQUENTIAL NIIN FILE TYPE UPDATE	<u>9309</u>
SERIAL NUMBER CONTRO CODE EXPLANATION	<u>3182</u>
SERIAL NUMBER CONTROL CODE COAST GUARD	<u>0763</u>
SERIALIZED TAPE IDENTIFIER	<u>8631</u>
SERVICE AGENCY	<u>2247</u>
SERVICE AGENCY BATCH DOC NO AVERAGE OFFERED	<u>7235</u>
SERVICE AGENCY BATCH TOTAL OFFERED	<u>7228</u>
SERVICE AGENCY DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE	<u>3768</u>
SERVICE AGENCY DESIGNATOR CODE DEFINITION	<u>5319</u>
SERVICE AGENCY TOTAL ON LINE AVERAGE OFFERED	<u>7702</u>
SERVICE CODE P S EXPLANATION	<u>3449</u>
SERVICE CODE PROVISIONING SCREENING DESTINATION TABLE	<u>0264</u>
SERVICE COMMAND LEVEL ACRONYM IDENTIFIER	<u>9303</u>
SERVICE INDICATOR CODE DRIS	<u>0654</u>
SERVICE NAME	<u>3479</u>
SERVICE SICA	<u>3493</u>
SERVICE/ACTIVITY & ADDRESS SOURCE OF SUPPLY CODE	<u>5108</u>
SERVICE/AGENCY AVERAGE INQUIRY RESPONSE TIME	<u>1268</u>
SERVICE/AGENCY BATCH AVERAGE OFFERED	<u>7229</u>
SERVICE/AGENCY BATCH DATA ASSET IDENT IQY PERCENT OF MATCH	<u>7268</u>
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	<u>7266</u>
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY	<u>7265</u>
SERVICE/AGENCY BATCH DOCUMENT NO./CAGE INQUIRY PCT. OF MATCH	<u>7243</u>
SERVICE/AGENCY BATCH DOCUMENT NUMBER INQUIRY PCT. OF MATCH	<u>7237</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	<u>7241</u>
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE OFFERED QTY	<u>7240</u>
SERVICE/AGENCY BATCH INQUIRY PERCENT OF MATCH	<u>7231</u>
SERVICE/AGENCY BATCH NIIN AVERAGE OFFERED	<u>7260</u>
SERVICE/AGENCY BATCH NIIN INQUIRY PERCENT OF MATCH	<u>7262</u>
SERVICE/AGENCY BATCH NIIN TOTAL OFFERED QUANTITY	<u>7259</u>
SERVICE/AGENCY BATCH PART NO./CAGE INQUIRY PERCENT OF MATCH	<u>7256</u>
SERVICE/AGENCY BATCH PART NUMBER AVERAGE OFFERED	<u>7248</u>
SERVICE/AGENCY BATCH PART NUMBER INQUIRY PERCENT OF MATCH	<u>7250</u>
SERVICE/AGENCY BATCH PART NUMBER TOTAL OFFERED QUANTITY	<u>7246</u>
SERVICE/AGENCY BATCH PART NUMBER/CAGE AVERAGE OFFERED	<u>7254</u>
SERVICE/AGENCY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>7253</u>
SERVICE/AGENCY DATA ASSET ADD TRANSACTION QUANTITY	<u>7400</u>
SERVICE/AGENCY DATA ASSET CHANGE TRANSACTIONS QUANTITY	<u>7402</u>
SERVICE/AGENCY DATA ASSET CURRENT QUANTITY	<u>7404</u>
SERVICE/AGENCY DATA ASSET DELETE TRANSACTION QUANTITY	<u>7401</u>
SERVICE/AGENCY DATA ASSET ERROR TRANSACTION QUANTITY	<u>7399</u>
SERVICE/AGENCY DATA ASSET PERCENT OF CHANGE	<u>7405</u>
SERVICE/AGENCY DATA ASSETS PREVIOUS QUANTITY	<u>7403</u>
SERVICE/AGENCY DATA ASSETS TRANSACTION QUANTITY	<u>7406</u>
SERVICE/AGENCY DESIGNATOR CODE (SADC)	<u>4672</u>
SERVICE/AGENCY NIIN ADD TRANSACTION QUANTITY	<u>7416</u>
SERVICE/AGENCY NIIN CURRENT QUANTITY	<u>7419</u>
SERVICE/AGENCY NIIN DELETE TRANSACTION QUANTITY	<u>7417</u>
SERVICE/AGENCY NIIN ERROR TRANSACTION QUANTITY	<u>7415</u>
SERVICE/AGENCY NIIN PERCENT OF CHANGE	<u>7420</u>
SERVICE/AGENCY NIIN PREVIOUS QUANTITY	<u>7418</u>
SERVICE/AGENCY NIIN TRANSACTION QUANTITY	<u>7414</u>
SERVICE/AGENCY ON-LINE AVERAGE OFFERED	<u>7708</u>
SERVICE/AGENCY ON-LINE AVERAGE OFFERED	<u>7732</u>
SERVICE/AGENCY ON-LINE DATA ASSET IDENT IQY PERCENT OF MATCH	<u>7740</u>
SERVICE/AGENCY ON-LINE DATA ASSET IDENT TOTAL OFFERED QTY	<u>7737</u>
SERVICE/AGENCY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	<u>7738</u>
SERVICE/AGENCY ON-LINE DOC. NO./CAGE INPUTS MATCHED QTY	<u>7712</u>
SERVICE/AGENCY ON-LINE DOC./CAGE INQUIRY PCT. OF MATCH	<u>7716</u>
SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE TOTAL OFFERED QTY	<u>7713</u>
SERVICE/AGENCY ON-LINE DOCUMENT NUMBER INQUIRY PCT. OF MATCH	<u>7710</u>
SERVICE/AGENCY ON-LINE INQUIRY PERCENT OF MATCH	<u>7704</u>
SERVICE/AGENCY ON-LINE NIIN INQUIRY PERCENT OF MATCH	<u>7734</u>
SERVICE/AGENCY ON-LINE NIIN TOTAL OFFERED QUANTITY	<u>7731</u>
SERVICE/AGENCY ON-LINE PART NO./CAGE INQUIRY PCT. OF MATCH	<u>7728</u>
SERVICE/AGENCY ON-LINE PART NUMBER AVERAGE OFFERED	<u>7720</u>
SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	<u>7722</u>
SERVICE/AGENCY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	<u>7719</u>
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	<u>7726</u>
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QTY	<u>7725</u>
SERVICE/AGENCY ON-LINE TOTAL OFFERED QUANTITY	<u>7701</u>
SERVICE/AGENCY ON-LINE-DOCUMENT NUMBER/CAGE AVERAGE OFFERED	<u>7714</u>
SERVICE/AGENCY PART NUMBER ADD TRANSACTION QUANTITY	<u>7409</u>
SERVICE/AGENCY PART NUMBER CURRENT QUANTITY	<u>7412</u>
SERVICE/AGENCY PART NUMBER DELETE TRANSACTION QUANTITY	<u>7410</u>
SERVICE/AGENCY PART NUMBER PERCENT OF CHANGE	<u>7413</u>
SERVICE/AGENCY PART NUMBER PREVIOUS QUANTITY	<u>7411</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY	<u>7407</u>
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY	<u>7408</u>
SERVICE/AGENCY TITLE ADD TRANSACTION QUANTITY	<u>7423</u>
SERVICE/AGENCY TITLE CURRENT QUANTITY	<u>7426</u>
SERVICE/AGENCY TITLE DELETE TRANSACTION QUANTITY	<u>7424</u>
SERVICE/AGENCY TITLE ERROR TRANSACTION QUANTITY	<u>7422</u>
SERVICE/AGENCY TITLE PERCENT OF CHANGE	<u>7427</u>
SERVICE/AGENCY TITLE PREVIOUS QUANTITY	<u>7425</u>
SERVICE/AGENCY TITLE TRANSACTION QUANTITY	<u>7421</u>
SERVICE/AGENCY TOTAL ADD TRANSACTION QUANTITY	<u>7396</u>
SERVICE/AGENCY TOTAL CHANGE TRANSACTION QUANTITY	<u>7398</u>
SERVICE/AGENCY TOTAL DELETE TRANSACTION QUANTITY	<u>7397</u>
SERVICE/AGENCY TOTAL ERROR TRANSACTION QUANTITY	<u>7395</u>
SERVICE/AGENCY TOTAL TRANSACTION QUANTITY	<u>7394</u>
SERVICE/AGENCY UNDEFINED MAINTENANCE TRANSACTION QUANTITY	<u>7428</u>
SERVICE/CONTRACTOR IDENTIFICATION CODE	<u>0744</u>
SERVICE/CONTRACTOR IDENTIFICATION CODE 1 TOTAL	<u>0877</u>
SERVICE/CONTRACTOR IDENTIFICATION CODE 2 TOTAL	<u>0878</u>
SERVICE/CONTRACTOR IDENTIFICATION CODE 3 TOTAL	<u>0879</u>
SERVICE/CONTRACTOR IDENTIFICATION CODE EXPLANATION	<u>5236</u>
SETS KITS AND OUTFITS FEDERAL SUPPLY CLASS	<u>8594</u>
SETS KITS AND OUTFITS ITEM NAME	<u>8596</u>
SETS KITS AND OUTFITS QUANTITY	<u>8593</u>
SETS KITS OUTFITS NATIONAL CODIFICATION BUREAU CODE	<u>8582</u>
SETS KITS OUTFITS NIIN	<u>8591</u>
SETS KITS OUTFITS NIIN ITEM IDENTIFICATION NUMBER	<u>8581</u>
SGML ELEMENT NAME	<u>9481</u>
SGML FORMATTING KEEP VALUE	<u>9476</u>
SGML SORT SELECTION MAIN VALUE	<u>9475</u>
SGML SORT SELECTION VALUE 1	<u>9471</u>
SGML SORT SELECTION VALUE 2	<u>9472</u>
SGML SORT SELECTION VALUE 3	<u>9473</u>
SGML SORT SELECTION VALUE 4	<u>9474</u>
SHELF LIFE ACTION CODES	<u>1485</u>
SHELF LIFE CODE	<u>2943</u>
SHELF LIFE CODE NOTE	<u>5239</u>
SHIP TO STOCK RECORD ACCOUNT NUMBER	<u>2086</u>
SHIPPING CODE	<u>2249</u>
SHIPPING CONTAINER CUBE	<u>2284</u>
SHIPPING CONTAINER DIAMETER	<u>2449</u>
SHIPPING CONTAINER HEIGHT	<u>2448</u>
SHIPPING CONTAINER LENGTH	<u>2322</u>
SHIPPING CONTAINER WEIGHT	<u>2450</u>
SHIPPING CONTAINERS PER PALLET	<u>2390</u>
SHORT NAME	<u>2301</u>
SICA ACTIVITY INDICATOR	<u>2141</u>
SICA LEVEL OF AUTHORITY CODE DEFINITION	<u>5302</u>
SICA OUTPUT INDICATOR CODE	<u>2881</u>
SIGNED-REGISTRATION-FORMS RECEIVE DATE	<u>9254</u>
SINGLE HANDLING CONDITION CODE	<u>5226</u>
SINGLE MANAGER ACTIVITY CODE	<u>3680</u>
SINGLE MULTIPLE OUTPUT CODE EXPLANATION	<u>3455</u>
SINGLE SUBMITTER ACTIVITY AND FEDERAL SUPPLY CLASS COUNT	<u>1557</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SINGLE SUBMITTER FEDERAL SUPPLY CLASS COUNT	<u>1556</u>
SINGLE SUBMITTING ACTIVITY CODE	<u>9255</u>
SINGLE/MULTIPLE OUTPUT CODE	<u>4535</u>
SIX DIGIT TIME	<u>1871</u>
SIZE OF BUSINESS CODE	<u>1364</u>
SIZE OF BUSINESS CODE DEFINITION	<u>3367</u>
SKELETON CODE	<u>2319</u>
SKIP COUNT	<u>4412</u>
SLC NOTE	<u>3495</u>
SNA REMOTE SYSTEM IDENTIFIER	<u>3054</u>
SOCIAL SECURITY NUMBER VALIDATION IDENTIFIER	<u>2859</u>
SORT ALLOWED INDICATOR	<u>9482</u>
SORT CONTROL DATA	<u>1067</u>
SORT SUPPRESS	<u>0822</u>
SORTING PRIORITY CODE IDENTIFICATION LIST DATA	<u>8335</u>
SOS NOTE	<u>3498</u>
SOSM NOTE	<u>3496</u>
SOURCE FILE MASK NAME	<u>8373</u>
SOURCE FILE TRANSFER PROTOCOL SERVER INTERNET PROTOCOL ADDRESS T	<u>8362</u>
SOURCE FILE TRANSFER PROTOCOL SERVER PASSWORD IDENTIFIER	<u>8365</u>
SOURCE FILE TRANSFER PROTOCOL SERVER USERID IDENTIFIER	<u>8364</u>
SOURCE OF SUPPLY (SOS) CODE	<u>3690</u>
SOURCE OF SUPPLY CODE CONDITIONAL NOTE	<u>5109</u>
SOURCE OF SUPPLY MODIFIER (SOSM) CODE	<u>2948</u>
SOURCE OF SUPPLY MODIFIER CODE EXPLANATION	<u>5252</u>
SOURCE OF SUPPLY MODIFIER CODE NOTE	<u>5253</u>
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER EXPLANATION TX	<u>3597</u>
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER IDENTIFIER	<u>3596</u>
SPACE ALLOCATION	<u>9313</u>
SPECIAL CONTROL ITEM CODE	<u>1480</u>
SPECIAL HANDLING CODE	<u>9240</u>
SPECIAL HANDLING CODE CONDITIONAL NOTE	<u>5230</u>
SPECIAL HANDLING CODE EXPLANATION	<u>3168</u>
SPECIAL MARKING CODE	<u>5169</u>
SPECIAL MATERIAL APPLICATION ITEM OR KIT	<u>3155</u>
SPECIAL MATERIAL CONTENT CODE	<u>0121</u>
SPECIAL MATERIAL CONTENT CODE EXPLANATION	<u>3172</u>
SPECIAL MATERIAL IDENTIFICATION CODE	<u>2834</u>
SPECIAL NOTATIONS	<u>5028</u>
SPECIAL PACKAGING INSTRUCTION (SPI) DATE	<u>5177</u>
SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER	<u>5175</u>
SPECIAL PACKAGING INSTRUCTION (SPI) REVISION	<u>5176</u>
SPECIAL PACKAGING REQUIREMENT CODE	<u>0725</u>
SPECIAL PACKAGING REQUIREMENT CODE EXPLANATION	<u>5216</u>
SPECIAL PACKING INSTRUCTION DATE	<u>2074</u>
SPECIAL PACKING INSTRUCTION INDICATOR	<u>2076</u>
SPECIAL PROCEDURES CODE (SPC)	<u>4530</u>
SPECIAL SOURCE OF SUPPLY INPUT	<u>0296</u>
SPECIAL PACKING INSTRUCTION NUMBER	<u>2081</u>
SPONSOR POINT OF CONTACT NAME	<u>0052</u>
SPONSOR POINT OF CONTACT TITLE NAME	<u>0053</u>
STANDARD INDUSTRIAL CLASSIFICATION CODE	<u>1368</u>
STANDARD INDUSTRIAL CLASSIFICATION CODE SEQUENCE INDICATO	<u>9368</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
STANDARD INDUSTRIAL CLASSIFICATION SECONDARY CODE	<u>4829</u>
STANDARD INDUSTRIAL CODE TITLE TEXT	<u>4838</u>
STANDARD REQUIREMENT-1 SPECIFICATION/STANDARD CONTROL DAT	<u>0111</u>
STANDARD REQUIREMENT-5 THE MANUFACTURERS DATA	<u>0112</u>
STANDARDIZATION ACTIVITY AND FEDERAL SUPPLY CLASS COUNT	<u>1901</u>
STANDARDIZATION DECISION DATA SEGMENT	<u>9104</u>
STANDARDIZATION FEDERAL SUPPLY CLASS COUNT	<u>1558</u>
STANDARDIZATION SUBMITTING ACTIVITY CODE	<u>0749</u>
START RECORD INDICATOR CODE	<u>0815</u>
START TIME	<u>1870</u>
STAT ACCESS CURRENT ACTIVITY DEPARTMENT	<u>2484</u>
STAT ACCESS CURRENT STAT CODE ACTIVITY	<u>2489</u>
STAT ACCESS CURRENT USER CODE ACTIVITY	<u>2481</u>
STAT ACCESS GRAND TOTAL	<u>2493</u>
STAT ACCESS GRAND TOTAL CURRENT	<u>2492</u>
STAT ACCESS GRAND TOTAL HISTORY	<u>2491</u>
STAT ACCESS HISTORY ACTIVITY DEPARTMENT	<u>2483</u>
STAT ACCESS HISTORY DEPARTMENT STAT	<u>2486</u>
STAT ACCESS HISTORY STAT	<u>2488</u>
STAT ACCESS HISTORY USER CODE ACTIVITY	<u>2480</u>
STAT ACCESS TOTAL ACTIVITY DEPARTMENT	<u>2485</u>
STAT ACCESS TOTAL DEPARTMENT STAT	<u>2487</u>
STAT ACCESS TOTAL STAT	<u>2490</u>
STAT ACCESS TOTAL USER CODE ACTIVITY	<u>2482</u>
STAT DEPARTMENT ACTIVITY DATE CHANGED	<u>0908</u>
STAT DEPARTMENT ACTIVITY DATE ESTABLISHED	<u>0906</u>
STATE NAME	<u>4490</u>
STATE/U.S. POSSESSION ABBREVIATION	<u>0186</u>
STATION SERIAL NUMBER	<u>9765</u>
STATISTIC EXCEPTION DEPARTMENT IDENTIFIER	<u>3424</u>
STATISTICAL INDICATOR CODE	<u>3708</u>
STATISTICAL INDICATOR CODE EXPLANATION	<u>5133</u>
STATISTICAL MOE MASTER INQUIRY COUNT	<u>1536</u>
STATISTICAL MOE MASTER INQUIRY ERROR COUNT	<u>1537</u>
STATISTICS ACCESS DATE	<u>9705</u>
STATISTICS ACTIVITY	<u>0898</u>
STATISTICS COMMODITY CATEGORY	<u>3995</u>
STATISTICS DAC SERVICE ACTIVITY	<u>6592</u>
STATISTICS DEPARTMENT	<u>0897</u>
STATISTICS DEPARTMENT NAME	<u>9704</u>
STATISTICS JULIAN DATE	<u>7646</u>
STATISTICS LEVEL OF AUTHORITY CODE	<u>3066</u>
STATISTICS LEVEL OF AUTHORITY CODE1	<u>3065</u>
STATISTICS LEVEL OF AUTHORITY CODE2	<u>3067</u>
STATISTICS LEVEL OF AUTHORITY CODE3	<u>3068</u>
STATISTICS LEVEL OF AUTHORITY CODE4	<u>3069</u>
STATISTICS LEVEL OF AUTHORITY CODE5	<u>3070</u>
STATISTICS LEVEL OF AUTHORITY CODE6	<u>3071</u>
STATISTICS LEVEL OF AUTHORITY COMBINATION	<u>3090</u>
STATISTICS LIMITED RIGHTS GROUP	<u>8159</u>
STATISTICS LOG DATE	<u>3339</u>
STATISTICS MANAGER	<u>2506</u>
STATISTICS NAME	<u>5668</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
STATISTICS PROCESS COUNT QUANTITY	<u>3304</u>
STATISTICS PROCESS DAY ACCUMULATION DATE	<u>3301</u>
STATISTICS PROCESS MONTH ACCUMULATION DATE	<u>3302</u>
STATISTICS PROCESS YEAR ACCUMULATION DATE	<u>3303</u>
STATISTICS PROCESSING TYPE CODE	<u>3305</u>
STATISTICS REASON CODE	<u>0910</u>
STATISTICS REQUEST DATE	<u>0899</u>
STATISTICS REQUEST TYPE IDENTIFIER	<u>3421</u>
STATISTICS RETURN CATEGORY	<u>5666</u>
STATISTICS SERVICE AGENCY PREFERENCE CODE	<u>3844</u>
STATISTICS VALID DEPARTMENT IDENTIFIER	<u>3422</u>
STATUS CODE NAME/FEDERAL SUPPLY CLASS	<u>0320</u>
STOCK FUND CREDIT INDICATOR	<u>2062</u>
STOP TIME	<u>1869</u>
STOP WORD CDM	<u>4463</u>
STORAGE ACTIVITY STOCK ON HAND QUANTITY	<u>0575</u>
STORAGE TIME PERIOD	<u>5237</u>
STORE M J TABLE	<u>4424</u>
STORE M MAXIMUM	<u>4426</u>
STORE M MINIMUM	<u>4425</u>
STORE TYPE	<u>4421</u>
STORED JULIAN DATE	<u>9462</u>
STORES ACCOUNT EXPLANATION MARINE CORPS	<u>3153</u>
STORES ACCOUNT-MARINE CORPS	<u>2959</u>
STREET ADDRESS LINE 1	<u>1082</u>
STREET ADDRESS LINE 2	<u>1083</u>
STYLE ALL EXCEPT USA INDICATOR CODE	<u>0334</u>
STYLE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE	<u>0768</u>
STYLE NUMBER IDENTIFIER CODE FIG	<u>0767</u>
STYLE TITLE	<u>0965</u>
STYLE/REPLY CODE IDENTIFICATION LIST DRAWING	<u>0771</u>
SUBJECT TO INTEGRATED MATERIEL MANAGEMENT CODE	<u>9545</u>
SUBJECT TO ITEM MANAGEMENT CODING	<u>9546</u>
SUBJECT TO SINGLE SUBMITTER PROCEDURE	<u>9544</u>
SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT	<u>0090</u>
SUBMITTED FEDERAL SUPPLY CLASS	<u>9075</u>
SUBMITTED PACKAGE SEQUENCE NUMBER	<u>8328</u>
SUBMITTED RECORDED MRC REPLY	<u>9919</u>
SUBMITTER ACTIVITY INDICATOR	<u>2143</u>
SUBMITTER CONTROL NUMBER	<u>1120</u>
SUBMITTER RACF USERID	<u>3205</u>
SUBMITTING ACTIVITY CODE	<u>3720</u>
SUBMITTING ACTIVITY CODE INPUT DIC RETURNED QUANTITY F	<u>6832</u>
SUBMITTING ACTIVITY CODE RELATED TRANSACTION	<u>0780</u>
SUBMODULE SELECTION KEY	<u>9764</u>
SUBSIDIARY DIVISION NAME	<u>5274</u>
SUBSISTENCE USAGE MANAGEMENT CODE (SUMC)	<u>1472</u>
SUBSTITUTE ITEM NAME CODE	<u>2281</u>
SUPERVISOR COMMERCIAL TELEPHONE NUMBER IDENTIFIER	<u>0067</u>
SUPERVISOR DSN TELEPHONE NUMBER IDENTIFIER	<u>0068</u>
SUPERVISOR EMAIL ADDRESS TEXT	<u>0069</u>
SUPERVISOR NAME	<u>0065</u>
SUPERVISOR TITLE NAME	<u>0066</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
SUPPLEMENTAL INSTRUCTIONS	<u>5174</u>
SUPPLEMENTAL SOURCE CODE	<u>1483</u>
SUPPLEMENTARY COLLABORATOR	<u>2533</u>
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT	<u>1028</u>
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE OUTPUT	<u>1029</u>
SUPPLEMENTARY RECEIVER	<u>2534</u>
SUPPLIER NAME	<u>2245</u>
SUPPLIER/RECEIVER AREA CODE	<u>0635</u>
SUPPLY CATEGORIES OF MATERIEL CODE	<u>1481</u>
SUPPORT DATA INDICATOR	<u>4623</u>
SURCHARGE ERROR INDICATOR	<u>2598</u>
SURCHARGE PROCESSING INDICATOR CODE	<u>0872</u>
SURCHARGE PROCESSING UNIT PRICE	<u>2599</u>
SURCHARGE PROCESSING YEAR	<u>2597</u>
SYMBOL INDICATOR	<u>3456</u>
SYSTEM CONTROL NUMBER (SCN)	<u>3735</u>
SYSTEM SUPPORT RECORD OUTPUT SEGMENT	<u>0242</u>
TABLE ACCESS COUNT BY USER IDENTIFICATION	<u>1290</u>
TABLE ACCESS DATE	<u>1291</u>
TABLE ALLOCATION	<u>2471</u>
TABLE COLUMN HEADERS	<u>1292</u>
TABLE COLUMN NUMBER	<u>1078</u>
TABLE COLUMN WIDTH	<u>1301</u>
TABLE CUSTODIAN	<u>2232</u>
TABLE CUSTODIAN ALTERNATE	<u>2231</u>
TABLE ELEMENT IDENTIFICATION	<u>1079</u>
TABLE ENTRY	<u>1293</u>
TABLE ENTRY DATE	<u>1294</u>
TABLE ENTRY EFFECTIVE DATE	<u>1295</u>
TABLE ENTRY KEY	<u>2755</u>
TABLE ENTRY NUMBER	<u>0437</u>
TABLE FORMAT PARAMETERS	<u>1296</u>
TABLE NAME REMAINDER	<u>4449</u>
TABLE NUMBER	<u>1298</u>
TABLE RESPONSIBLE DIRECTORATE	<u>2233</u>
TABLE ROW COUNT	<u>1302</u>
TABLE VALIDITY CRITERIA DATA	<u>1303</u>
TABLE VALIDITY DESCRIPTION TYPE CODE	<u>1304</u>
TABLE VOLUME	<u>2473</u>
TABLE/VARIABLE INDICATOR CODE	<u>0941</u>
TABULAR PRINT POSITION	<u>0543</u>
TAIL SEQUENCE NUMBER	<u>4403</u>
TAILORED ACT CODE	<u>2513</u>
TAILORED CHAR INDICATOR	<u>2512</u>
TAPE CREATION DATE	<u>8641</u>
TAPE CREATION TIME	<u>8648</u>
TAPE DATA DESCRIPTION TEXT	<u>8642</u>
TAPE DEVICE NAME	<u>8640</u>
TAPE PHASE NAME	<u>8635</u>
TAPE PURGE DATE	<u>8634</u>
TAPE STORAGE LOCATION IDENTIFIER	<u>8636</u>
TAPE USAGE RATE	<u>8645</u>
TAPE USER IDENTIFIER	<u>8644</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TARGET FILE TRANSFER PROTOCOL SERVER INTERNET PROTOCOL ADDRESS T	<u>8363</u>
TARGET FILE TRANSFER PROTOCOL SERVER PASSWORD IDENTIFIER	<u>8360</u>
TARGET FILE TRANSFER PROTOCOL SERVER USERID IDENTIFIER	<u>8358</u>
TAXONOMY ORIGINATOR CODE	<u>3399</u>
TAXPAYER IDENTIFIER	<u>3401</u>
TEAM CODE	<u>1987</u>
TECHNICAL DATA SUPPORT CODE	<u>2980</u>
TECHNICAL DATA SUPPORT CODE COMPUTATION DAC	<u>5129</u>
TECHNICAL DATA SUPPORT CODE COMPUTATION NOTE	<u>5130</u>
TECHNICAL DATA TABLE NUMBER	<u>2243</u>
TECHNICAL DOCUMENT NUMBER	<u>2893</u>
TECHNICAL EDIT CRITERIA STATEMENT	<u>8452</u>
TECHNICAL EDIT DATA GROUP	<u>3668</u>
TECHNICAL DOCUMENT CONTROL NUMBER TOTAL	<u>2015</u>
TELEPHONE CALL CONVERSATION DETAIL TEXT	<u>4788</u>
TELEPHONE CALL CONVERSATION SUBJECT TEXT	<u>4787</u>
TELEPHONE CALL TIME LENGTH MINUTE QUANTITY	<u>4786</u>
TELEPHONE NUMBER	<u>1359</u>
TELEPHONE NUMBER IDENTIFIER 2	<u>4460</u>
TEMPORARY STORAGE QUEUE NAME	<u>9408</u>
TERM/ABBREVIATION H6 DATA GROUP	<u>0405</u>
TERMINAL AVERAGE INQUIRY RESPONSE TIME	<u>1280</u>
TERMINAL BATCH AVERAGE OFFERED	<u>7314</u>
TERMINAL BATCH DATA ASSET IDENT INQUIRY PERCENT OF MATCH	<u>7352</u>
TERMINAL BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY	<u>7349</u>
TERMINAL BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	<u>7350</u>
TERMINAL BATCH DATA ASSET IDENTIFIER INPUTS MATCHED QTY	<u>7348</u>
TERMINAL BATCH DATA ASSET IDENTIFIER NOT MATCHED QUANTITY	<u>7351</u>
TERMINAL BATCH DOCUMENT NUMBER AVERAGE OFFERED	<u>7320</u>
TERMINAL BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	<u>7322</u>
TERMINAL BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY	<u>7319</u>
TERMINAL BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	<u>7326</u>
TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT OF MATCH	<u>7328</u>
TERMINAL BATCH DOCUMENT NUMBER/CAGE NOT MATCHED QUANTITY	<u>7327</u>
TERMINAL BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>2056</u>
TERMINAL BATCH INQUIRY PERCENT OF MATCH	<u>7316</u>
TERMINAL BATCH NIIN AVERAGE OFFERED	<u>7344</u>
TERMINAL BATCH NIIN INQUIRY PERCENT OF MATCH	<u>7346</u>
TERMINAL BATCH NIIN TOTAL OFFERED QUANTITY	<u>7343</u>
TERMINAL BATCH PART NUMBER AVERAGE OFFERED	<u>7332</u>
TERMINAL BATCH PART NUMBER INQUIRY PERCENT OF MATCH	<u>7334</u>
TERMINAL BATCH PART NUMBER TOTAL OFFERED QUANTITY	<u>7331</u>
TERMINAL BATCH PART NUMBER/CAGE AVERAGE OFFERED	<u>7338</u>
TERMINAL BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	<u>7340</u>
TERMINAL BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>7337</u>
TERMINAL BATCH TOTAL OFFERED QUANTITY	<u>7313</u>
TERMINAL IDENTIFIER CODE	<u>0838</u>
TERMINAL ON-LINE AVERAGE OFFERED	<u>7780</u>
TERMINAL ON-LINE DATA ASSET IDENT INQUIRY PERCENT OF MATCH	<u>7184</u>
TERMINAL ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	<u>7182</u>
TERMINAL ON-LINE DATA ASSET IDENTIFIER INPUTS MATCHED QTY	<u>7180</u>
TERMINAL ON-LINE DATA ASSET IDENTIFIER NOT MATCHED QUANTITY	<u>7183</u>
TERMINAL ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY	<u>7181</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TERMINAL ON-LINE DOCUMENT NO/CAGE INQUIRY PERCENT OF MATCH	<u>7794</u>
TERMINAL ON-LINE DOCUMENT NUMBER AVERAGE OFFERED	<u>7786</u>
TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	<u>7788</u>
TERMINAL ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	<u>7785</u>
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	<u>7792</u>
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY	<u>7790</u>
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>7791</u>
TERMINAL ON-LINE INQUIRY PERCENT OF MATCH	<u>7782</u>
TERMINAL ON-LINE NIIN AVERAGE OFFERED	<u>7176</u>
TERMINAL ON-LINE NIIN INQUIRY PERCENT OF MATCH	<u>7178</u>
TERMINAL ON-LINE NIIN TOTAL OFFERED QUANTITY	<u>7175</u>
TERMINAL ON-LINE PART NUMBER AVERAGE OFFERED	<u>7798</u>
TERMINAL ON-LINE PART NUMBER OFFERED QUANTITY	<u>7797</u>
TERMINAL ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	<u>7804</u>
TERMINAL ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	<u>7806</u>
TERMINAL ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	<u>7803</u>
TERMINAL ON-LINE TOTAL OFFERED QUANTITY	<u>7779</u>
TERMINAL SERIAL NUMBER	<u>0840</u>
TEST/PRODUCTION MODE IDENTIFICATION CODE	<u>1397</u>
TEXT KEYWORD	<u>3063</u>
TEXT TABLE HEADER INDICATOR	<u>3453</u>
TEXTUAL LINE	<u>4519</u>
THICKNESS OF CUSHIONING OR DUNNAGE CODE	<u>5165</u>
THIRD LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	<u>4693</u>
THIRD MODE CODE INDICATOR	<u>0584</u>
THIRD QUARTER CURRENT FISCAL YEAR 1	<u>6671</u>
TIME APPLICATION COMPLETED TRANSACTION	<u>1095</u>
TIME RANGE 1 TO 10 SECONDS 2	<u>1265</u>
TIME RANGE 1 TO 10 SECONDS 3	<u>1271</u>
TIME RANGE 1 TO 10 SECONDS 4	<u>1277</u>
TIME RANGE 1 TO 10 SECONDS A1A	<u>7505</u>
TIME RANGE 1 TO 10 SECONDS A1B	<u>7469</u>
TIME RANGE 1 TO 10 SECONDS A1C	<u>7475</u>
TIME RANGE 1 TO 10 SECONDS A1D	<u>7481</u>
TIME RANGE 1 TO 10 SECONDS A1E	<u>7487</u>
TIME RANGE 1 TO 10 SECONDS A1F	<u>7493</u>
TIME RANGE 1 TO 10 SECONDS A2	<u>7499</u>
TIME RANGE 1 TO 10 SECONDS A2B	<u>7511</u>
TIME RANGE 1 TO 10 SECONDS A2C	<u>7517</u>
TIME RANGE 1 TO 10 SECONDS A2D	<u>7523</u>
TIME RANGE 1 TO 10 SECONDS A2E	<u>7529</u>
TIME RANGE 1 TO 10 SECONDS A2F	<u>7535</u>
TIME RANGE 1 TO 10 SECONDS A3	<u>7541</u>
TIME RANGE 1 TO 10 SECONDS A3A	<u>7547</u>
TIME RANGE 1 TO 10 SECONDS A3B	<u>7553</u>
TIME RANGE 1 TO 10 SECONDS A3C	<u>7559</u>
TIME RANGE 1 TO 10 SECONDS A3D	<u>7565</u>
TIME RANGE 1 TO 10 SECONDS A3E	<u>7571</u>
TIME RANGE 1 TO 10 SECONDS A3F	<u>7576</u>
TIME RANGE 1 TO 10 SECONDS A4	<u>7583</u>
TIME RANGE 1 TO 10 SECONDS A4A	<u>7589</u>
TIME RANGE 1 TO 10 SECONDS A4B	<u>7595</u>
TIME RANGE 1 TO 10 SECONDS A4C	<u>7601</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TIME RANGE 1 TO 10 SECONDS A4D	<u>7607</u>
TIME RANGE 1 TO 10 SECONDS A4F	<u>7619</u>
TIME RANGE 11 TO 30 SECONDS 2	<u>1266</u>
TIME RANGE 11 TO 30 SECONDS 3	<u>1272</u>
TIME RANGE 11 TO 30 SECONDS 4	<u>1278</u>
TIME RANGE 11 TO 30 SECONDS A1B	<u>7470</u>
TIME RANGE 11 TO 30 SECONDS A1C	<u>7476</u>
TIME RANGE 11 TO 30 SECONDS A1D	<u>7482</u>
TIME RANGE 11 TO 30 SECONDS A1E	<u>7488</u>
TIME RANGE 11 TO 30 SECONDS A1F	<u>7494</u>
TIME RANGE 11 TO 30 SECONDS A2	<u>7500</u>
TIME RANGE 11 TO 30 SECONDS A2A	<u>7506</u>
TIME RANGE 11 TO 30 SECONDS A2B	<u>7512</u>
TIME RANGE 11 TO 30 SECONDS A2C	<u>7518</u>
TIME RANGE 11 TO 30 SECONDS A2D	<u>7524</u>
TIME RANGE 11 TO 30 SECONDS A2E	<u>7530</u>
TIME RANGE 11 TO 30 SECONDS A2F	<u>7536</u>
TIME RANGE 11 TO 30 SECONDS A3	<u>7542</u>
TIME RANGE 11 TO 30 SECONDS A3A	<u>7548</u>
TIME RANGE 11 TO 30 SECONDS A3B	<u>7554</u>
TIME RANGE 11 TO 30 SECONDS A3C	<u>7560</u>
TIME RANGE 11 TO 30 SECONDS A3D	<u>7566</u>
TIME RANGE 11 TO 30 SECONDS A3E	<u>7572</u>
TIME RANGE 11 TO 30 SECONDS A3F	<u>7577</u>
TIME RANGE 11 TO 30 SECONDS A4A	<u>7590</u>
TIME RANGE 11 TO 30 SECONDS A4B	<u>7596</u>
TIME RANGE 11 TO 30 SECONDS A4C	<u>7602</u>
TIME RANGE 11 TO 30 SECONDS A4D	<u>7608</u>
TIME RANGE 11 TO 30 SECONDS A4E	<u>7614</u>
TIME RANGE 11 TO 30 SECONDS A4F	<u>7620</u>
TIME RANGE 11-30 SECONDS A4	<u>7584</u>
TIME RANGE OVER 30 SECONDS 2	<u>1267</u>
TIME RANGE OVER 30 SECONDS 3	<u>1273</u>
TIME RANGE OVER 30 SECONDS 4	<u>1279</u>
TIME RANGE OVER 30 SECONDS A1B	<u>7471</u>
TIME RANGE OVER 30 SECONDS A1C	<u>7477</u>
TIME RANGE OVER 30 SECONDS A1D	<u>7483</u>
TIME RANGE OVER 30 SECONDS A1E	<u>7489</u>
TIME RANGE OVER 30 SECONDS A1F	<u>7495</u>
TIME RANGE OVER 30 SECONDS A2	<u>7501</u>
TIME RANGE OVER 30 SECONDS A2A	<u>7507</u>
TIME RANGE OVER 30 SECONDS A2B	<u>7513</u>
TIME RANGE OVER 30 SECONDS A2C	<u>7519</u>
TIME RANGE OVER 30 SECONDS A2D	<u>7525</u>
TIME RANGE OVER 30 SECONDS A2E	<u>7531</u>
TIME RANGE OVER 30 SECONDS A2F	<u>7537</u>
TIME RANGE OVER 30 SECONDS A3	<u>7543</u>
TIME RANGE OVER 30 SECONDS A3A	<u>7549</u>
TIME RANGE OVER 30 SECONDS A3B	<u>7555</u>
TIME RANGE OVER 30 SECONDS A3C	<u>7561</u>
TIME RANGE OVER 30 SECONDS A3D	<u>7567</u>
TIME RANGE OVER 30 SECONDS A3E	<u>7573</u>
TIME RANGE OVER 30 SECONDS A3F	<u>7578</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TIME RANGE OVER 30 SECONDS A4	<u>7585</u>
TIME RANGE OVER 30 SECONDS A4A	<u>7591</u>
TIME RANGE OVER 30 SECONDS A4B	<u>7597</u>
TIME RANGE OVER 30 SECONDS A4C	<u>7603</u>
TIME RANGE OVER 30 SECONDS A4D	<u>7609</u>
TIME RANGE OVER 30 SECONDS A4E	<u>7615</u>
TIME RANGE OVER 30 SECONDS A4F	<u>7621</u>
TIME STAMP	<u>3059</u>
TIME STAMP 1	<u>4564</u>
TIME STAMP 2	<u>4402</u>
TIME STAMP 3	<u>4443</u>
TIME STAMP 4	<u>4472</u>
TIME STAMP 5	<u>4473</u>
TIME STAMP 6	<u>4474</u>
TIME STAMP 7	<u>9478</u>
TIME TERMINAL RANGE 1 TO 10 SECONDS A4E	<u>7613</u>
TIME TRANSACTION COMPLETED PROCESSING	<u>1096</u>
TIME TRANSACTION RELEASED TO APPLICATION	<u>1094</u>
TIME TRANSACTION STARTED PROCESSING	<u>1093</u>
TIMING DIC TIMEFRAME ALL	<u>6907</u>
TIMING DIC TIMEFRAME ALL PERCENT	<u>6908</u>
TIMING PIC QUEUE AVERAGE TIME	<u>6910</u>
TIMING PRIORITY INDICATOR CODE ALL AVERAGE TIME	<u>6905</u>
TIMING PRIORITY INDICATOR CODE DIC	<u>6895</u>
TIMING PRIORITY INDICATOR CODE DIC ALL	<u>6904</u>
TIMING PRIORITY INDICATOR CODE DIC ALL AVERAGE TIME	<u>6906</u>
TIMING PRIORITY INDICATOR CODE DIC PERCENT	<u>6896</u>
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME	<u>6892</u>
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME AVERAGE TIME	<u>6893</u>
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME PERCENT	<u>6894</u>
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL	<u>6900</u>
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL PERCENT	<u>6901</u>
TIMING PRIORITY INDICATOR CODE DIC TOTAL	<u>6897</u>
TIMING PRIORITY INDICATOR CODE DIC TOTAL AVERAGE TIME	<u>6899</u>
TIMING PRIORITY INDICATOR CODE QUEUE	<u>6909</u>
TIMING PRIORITY INDICATOR CODE TIMEFRAME NOT ON TIME	<u>6914</u>
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME	<u>6912</u>
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME PERCENT	<u>6913</u>
TIMING PRIORITY INDICATOR CODE TIMEFRAME PROCESSED	<u>6911</u>
TIMING PRIORITY INDICATOR CODE TOTAL	<u>6902</u>
TIMING PRIORITY INDICATOR CODE TOTAL AVERAGE TIME	<u>6898</u>
TIMING PRIORITY INDICATOR CODE TOTAL PERCENT	<u>6903</u>
TIR OUTPUT MEDIA CODE	<u>2093</u>
TITLE	<u>2642</u>
TM APPLICATION ARCHIVE KEY IDENTIFIER	<u>9224</u>
TM ARCHIVE DATA TYPE IDENTIFIER	<u>9225</u>
TM BATCH KEY	<u>9768</u>
TM BATCH NUMBER	<u>9424</u>
TM BATCH SEQUENCE NUMBER	<u>9425</u>
TM BATCH TRANSACTION	<u>9426</u>
TM DATASET COUNT QUANTITY	<u>9739</u>
TM DATASET REJECT FLAG IDENTIFIER	<u>9737</u>
TM DIC INPUT DATASET COUNT QUANTITY	<u>9740</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TM FILE NAME	9429
TM INPUT DATASET NAME	9736
TM INPUT TRACKING IDENTIFIER	9221
TM MEDIA TRAILER TEXT	9387
TM MESSAGE TEXT	9389
TM OUTPUT DATA GROUP CODE	9802
TM OUTPUT DISTRIBUTION FREQUENCY CODE	9804
TM OUTPUT SEQUENCE FIELD	9801
TM OUTPUT TRACKING IDENTIFIER	9222
TM PARTITION CLOSE REQUEST	9769
TM PRE-EDIT DATASET NAME	9742
TM RECEIVED MESSAGE TIMESTAMP	9386
TM RECEIVED TD QUEUE TEXT	9388
TM RECORD NUMBER	9430
TM RELEASED MESSAGE TIMESTAMP	9385
TM REPROCESSED MESSAGE TIMESTAMP	9394
TM RESTART CHECKPOINT COUNTER FOUR QUANTITY	9514
TM RESTART CHECKPOINT COUNTER ONE QUANTITY	9511
TM RESTART CHECKPOINT COUNTER THREE QUANTITY	9513
TM RESTART CHECKPOINT COUNTER TWO QUANTITY	9512
TM SPECIAL PROJECT IDENTIFIER	9223
TM TAPE INPUT TIME	9228
TM TAPE LOGGED INPUT TIME	9226
TM TAPE VOLUME SERIAL NUMBER IDENTIFIER	9227
TM TRANSACTION OUTPUT ADDRESS IDENTIFIER	2628
TM TRANSACTION PROCESS FLAG IDENTIFIER	9229
TM USER DEFINED FLAG CODE	9803
TO ACQUISITION METHOD CODE 4	6444
TO ACQUISITION METHOD CODE 5	8225
TO ZIP CODE	3415
TOAL NUMBER OF MODIF TO DE	1889
TOT SVC/AGNCY ON-LINE PART NO./CAGE INPUTS MTCHD QUANTITY	7724
TOT TERMINAL DATA ASSET IDENTIFIER AV INQUIRY RESPONSE TIME	7616
TOT-NIIN-FSG-QTY	6606
TOTAL ADDED RECORD NUMBER COUNT QUANTITY	8348
TOTAL ADDRESSES ON PSMAT COUNTER	1511
TOTAL DELETED RECORD NUMBER COUNT QUANTITY	8347
TOTAL DIC DOLLAR AMOUNT	2026
TOTAL IN PROCESS IN BATCH	1990
TOTAL MAXIMUM LENGTH	4596
TOTAL NIIN ALL FSC MOE CODE QUANTITY	6608
TOTAL NIIN MANUFACTURER CODE QUANTITY	6613
TOTAL NIIN MANUFACTURERS ITEM NAME CODE QUANTITY	6604
TOTAL NIINS FSC MANUFACTURERS CODE	6616
TOTAL NIINS FSC MOE CODE QUANTITY	6607
TOTAL NIINS ITEM NAME CODE QUANTITY	6603
TOTAL NIINS ITEM NAME QUANTITY	6615
TOTAL NUMBER CAGE RECORDS IN PROCESS OF MASS CHANGE	1389
TOTAL NUMBER CAGE RECORDS WITH ASSOCIATION CODE	1388
TOTAL NUMBER DRAWINGS IN FILE	0947
TOTAL NUMBER OF ACTIVE DATA EL	1890
TOTAL NUMBER OF ADD TRAN	1891
TOTAL NUMBER OF ADDRESSES PSMAT	0876

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TOTAL NUMBER OF CAGE RECORDS ADDED	<u>1391</u>
TOTAL NUMBER OF CAGE RECORDS BY DESIGNATOR CODE	<u>1387</u>
TOTAL NUMBER OF CAGE RECORDS BY FOREIGN DOMESTIC CODE	<u>1384</u>
TOTAL NUMBER OF CAGE RECORDS BY STATUS CODE	<u>1390</u>
TOTAL NUMBER OF CAGE RECORDS BY TYPE CODE	<u>1383</u>
TOTAL NUMBER OF CAGE RECORDS CHANGED	<u>1392</u>
TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE	<u>1386</u>
TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE	<u>1385</u>
TOTAL NUMBER OF CANCELLED DE	<u>1892</u>
TOTAL NUMBER OF CHANGE TRAN	<u>1893</u>
TOTAL NUMBER OF DELETE TRAN	<u>1894</u>
TOTAL NUMBER OF DRAWING IN FILE COUNTER	<u>0934</u>
TOTAL NUMBER OF DRAWINGS	<u>0957</u>
TOTAL NUMBER OF INPUT TRAN	<u>1895</u>
TOTAL NUMBER OF NATIONAL SOCK NUMBERS ASSIGNED COUNTER	<u>0970</u>
TOTAL NUMBER OF NIIN _s ASSIGNED	<u>0935</u>
TOTAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME	<u>7556</u>
TOTAL RECEIVED INPUT DIC ACTIVITY DEPARTMENT QUANTITY	<u>8003</u>
TOTAL RECORD NUMBER COUNT QUANTITY	<u>8342</u>
TOTAL REFERENCE NUMBER MANUFACTURERS CODE QUANTITY	<u>6614</u>
TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRIES	<u>7579</u>
TOTAL REPOSITORY DOCUMENT NUMBER INQUIRIES	<u>7545</u>
TOTAL RESPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME A4F	<u>7618</u>
TOTAL S/A PART NO/CAGE INQUIRY RESPONSE TIME A2C	<u>7516</u>
TOTAL S/A PART NUMBER AVERAGE INQUIRY RESPONSE TIME	<u>7514</u>
TOTAL S/A PART NUMBER INQUIRY RESPONSE TIME A2B	<u>7510</u>
TOTAL S/A PART NUMBER/CAGE AVERAGE INQUIRY RESPONSE TIME	<u>7520</u>
TOTAL SERVICE/AGENCY ON-LINE DOC. NO./CAGE NOT MATCHED QTY	<u>7715</u>
TOTAL SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE INQUIRY QTY	<u>7711</u>
TOTAL SERVICE/AGENCY ON-LINE INPUTS MATCHED QUANTITY	<u>7700</u>
TOTAL SERVICE/AGENCY ON-LINE NIIN INPUTS MATCHED QUANTITY	<u>7730</u>
TOTAL SERVICE/AGENCY ON-LINE NIIN INQUIRY QUANTITY	<u>7729</u>
TOTAL SERVICE/AGENCY ON-LINE NIIN NOT MATCHED QUANTITY	<u>7733</u>
TOTAL SERVICE/AGENCY ON-LINE NOT MATCHED QUANTITY	<u>7703</u>
TOTAL SERVICE/AGENCY ON-LINE PART NO./CAGE NOT MATCHED QTY	<u>7727</u>
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INPUTS MATCHED QTY	<u>7718</u>
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY QUANTITY	<u>7717</u>
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER NOT MATCHED QTY	<u>7721</u>
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER/CAGE INQUIRY QTY	<u>7723</u>
TOTAL SERVICE/AGENCY PART NUMBER INQUIRIES	<u>7515</u>
TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES	<u>7521</u>
TOTAL SERVICE/AGENCY RECEIVED HOUR AVG IQY RESPONSE TIME	<u>7538</u>
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRIES	<u>7539</u>
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F	<u>7534</u>
TOTAL TERMINAL BATCH DATA ASSET IDENTIFIER INQUIRY QTY	<u>7347</u>
TOTAL TERMINAL BATCH DOCUMENT NUMBER INPUTS MATCHED	<u>7318</u>
TOTAL TERMINAL BATCH DOCUMENT NUMBER INQUIRY QUANTITY	<u>7317</u>
TOTAL TERMINAL BATCH DOCUMENT NUMBER NOT MATCHED QUANTITY	<u>7321</u>
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INPUTS MATCHED	<u>7324</u>
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY QUANTITY	<u>7323</u>
TOTAL TERMINAL BATCH INPUTS MATCHED QUANTITY	<u>7312</u>
TOTAL TERMINAL BATCH NIIN INPUTS MATCHED QUANTITY	<u>7342</u>
TOTAL TERMINAL BATCH NIIN INQUIRY QUANTITY	<u>7341</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TOTAL TERMINAL BATCH NIIN NOT MATCHED QUANTITY	<u>7345</u>
TOTAL TERMINAL BATCH NOT MATCHED QUANTITY	<u>7315</u>
TOTAL TERMINAL BATCH PART NUMBER INPUTS MATCHED	<u>7330</u>
TOTAL TERMINAL BATCH PART NUMBER INQUIRY QUANTITY	<u>7329</u>
TOTAL TERMINAL BATCH PART NUMBER NOT MATCHED QUANTITY	<u>7333</u>
TOTAL TERMINAL BATCH PART NUMBER/CAGE INPUTS MATCHED QTY	<u>7336</u>
TOTAL TERMINAL BATCH PART NUMBER/CAGE INQUIRY QUANTITY	<u>7335</u>
TOTAL TERMINAL BATCH PART NUMBER/CAGE NOT MATCHED QTY	<u>7339</u>
TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRIES	<u>7617</u>
TOTAL TERMINAL DATA ASSET IDENTIFIER INQY RESPONSE TIME A4E	<u>7612</u>
TOTAL TERMINAL DOC NO AVERAGE INQUIRY RESPONSE TIME	<u>7586</u>
TOTAL TERMINAL DOC NO/CAGE INQUIRY RESPONSE TIME A4A	<u>7588</u>
TOTAL TERMINAL DOC. NO/CAGE AVERAGE INQUIRY RESPONSE TIME	<u>7592</u>
TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY	<u>7593</u>
TOTAL TERMINAL DOCUMENT NUMBER INQUIRIES	<u>7587</u>
TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME A4	<u>7582</u>
TOTAL TERMINAL INQUIRIES	<u>1281</u>
TOTAL TERMINAL INQUIRIES BATCH QUANTITY	<u>7311</u>
TOTAL TERMINAL INQUIRIES ON-LINE QUANTITY	<u>7777</u>
TOTAL TERMINAL INQUIRY RESPONSE TIME	<u>1276</u>
TOTAL TERMINAL NIIN AVERAGE INQUIRY RESPONSE TIME	<u>7610</u>
TOTAL TERMINAL NIIN INQUIRIES	<u>7611</u>
TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME	<u>7606</u>
TOTAL TERMINAL ON-LINE DATA ASSET IDENTIFIER INQUIRY QTY	<u>7179</u>
TOTAL TERMINAL ON-LINE DEPARTMENT NUMBER NOT MATCHED QTY	<u>7787</u>
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INPUTS MATCHED QTY	<u>7784</u>
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY QUANTITY	<u>7783</u>
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INQUIRY QUANTITY	<u>7789</u>
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE NOT MATCHED QTY	<u>7793</u>
TOTAL TERMINAL ON-LINE INPUTS MATCHED QUANTITY	<u>7778</u>
TOTAL TERMINAL ON-LINE NIIN INPUTS MATCHED QUANTITY	<u>7174</u>
TOTAL TERMINAL ON-LINE NIIN INQUIRY QUANTITY	<u>7173</u>
TOTAL TERMINAL ON-LINE NIIN NOT MATCHED QUANTITY	<u>7177</u>
TOTAL TERMINAL ON-LINE NOT MATCHED QUANTITY	<u>7781</u>
TOTAL TERMINAL ON-LINE PART NUMBER INPUTS MATCHED QUANTITY	<u>7796</u>
TOTAL TERMINAL ON-LINE PART NUMBER INQUIRY QUANTITY	<u>7795</u>
TOTAL TERMINAL ON-LINE PART NUMBER NOT MATCHED QUANTITY	<u>7799</u>
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE INPUTS MATCHED QTY	<u>7802</u>
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE NOT MATCHED QUANTITY	<u>7805</u>
TOTAL TERMINAL PART NO/CAGE AVERAGE INQUIRY RESPONSE TIME	<u>7604</u>
TOTAL TERMINAL PART NUMBER AVERAGE INQUIRY REPOSENSE TIME	<u>7598</u>
TOTAL TERMINAL PART NUMBER INQUIRIES	<u>7599</u>
TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME A4B	<u>7594</u>
TOTAL TERMINAL PART NUMBER/CAGE INQUIRIES	<u>7605</u>
TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME	<u>7600</u>
TOTAL TERMINAL RECEIVED HOUR AVERAGE INQUIRY REPOSENSE TIME	<u>7622</u>
TOTAL TERMINAL RECEIVED HOUR INQUIRIES	<u>7624</u>
TRAILING NARRATIVE	<u>4454</u>
TRANDFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL DIFFER	<u>6769</u>
TRANFSER FSC SUBMITTING DEPARTMENT FYD TOTAL NSN	<u>9658</u>
TRANSACTION AUDIT DATE	<u>1378</u>
TRANSACTION AUDIT TIME	<u>1379</u>
TRANSACTION BUILDER SUSPENSE FILE PROCESS DATE	<u>4698</u>

CHAPTER 5

DATA DICTIONARY

CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TRANSACTION CHANGE INDICATOR CODE	<u>3980</u>
TRANSACTION COUNT	<u>9433</u>
TRANSACTION DEFINITION	<u>2127</u>
TRANSACTION ERROR FLAG	<u>9434</u>
TRANSACTION INSTRUCTION	<u>2131</u>
TRANSACTION MANAGEMENT ACTIVITY OUTPUT	<u>9217</u>
TRANSACTION MANAGEMENT COMMIT CHECKPOINT RATE	<u>9509</u>
TRANSACTION MANAGEMENT DISPLAY ORDER IDENTIFIER	<u>8269</u>
TRANSACTION MANAGEMENT HELD COUNT QUANTITY	<u>9501</u>
TRANSACTION MANAGEMENT JOB STATUS CODE	<u>9508</u>
TRANSACTION MANAGEMENT MEDALS FLAG	<u>9216</u>
TRANSACTION MANAGEMENT MULTI MEDIA TRANSACTION QUANTITY	<u>9483</u>
TRANSACTION MANAGEMENT RELEASE DATA	<u>9503</u>
TRANSACTION MANAGEMENT RELEASED COUNT QUANTITY	<u>9502</u>
TRANSACTION MANAGEMENT RESTART CHECKPOINT WKG STOR FIELD	<u>9510</u>
TRANSACTION MANAGEMENT TRANSACTION TIMESTAMP STATUS CODE	<u>9446</u>
TRANSACTION MGMT COMPLETED TIMESTAMP	<u>9427</u>
TRANSACTION MGMT TRANSMIT TIMESTAMP	<u>2578</u>
TRANSACTION NUMBER	<u>9437</u>
TRANSACTION RETURN TYPE	<u>9413</u>
TRANSACTION SEGMENT CODE	<u>9415</u>
TRANSACTION SEGMENT DATA	<u>9416</u>
TRANSACTION SEGMENT FLAG	<u>9418</u>
TRANSACTION SEGMENT IDENTIFIER	<u>9417</u>
TRANSACTION SEGMENT POSITION	<u>9419</u>
TRANSACTION SEGMENT STATUS	<u>9420</u>
TRANSACTION STATUS CODE	<u>0854</u>
TRANSACTION STATUS CODE OUTPUT	<u>3188</u>
TRANSACTION STATUS CODES	<u>3186</u>
TRANSACTION STATUS CODES INSTRUCTIONS	<u>3187</u>
TRANSACTION STATUS CODES TSC NOTE INDICATOR	<u>3189</u>
TRANSACTION STATUS DATE	<u>2019</u>
TRANSACTION TITLE	<u>2057</u>
TRANSACTION TYPE FLAG	<u>9440</u>
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE DESC METH PCT	<u>6768</u>
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL	<u>6770</u>
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN	<u>6767</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 NSN	<u>3267</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 2 NSN	<u>3251</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 4 NSN	<u>3252</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 NSN	<u>3266</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 1 NSN	<u>3253</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	<u>3254</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 NSN	<u>3268</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 1 NSN	<u>3255</u>
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 2 NSN	<u>3256</u>
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE GOAL	<u>6777</u>
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TOTAL NSN	<u>6774</u>
TRANSFER FSC ORIGINATING DEPT FY TO DATE DESC METH PERCENT	<u>6775</u>
TRANSFER FSC ORIGINATING DEPT FY TO DATE GOAL DIFFERENCE	<u>6776</u>
TRANSFER FSC SUBMITTING ACTIVITY FISCAL YEAR TO DATE GOAL	<u>9653</u>
TRANSFER FSC SUBMITTING ACTIVITY FYD GOAL DIFFERENCE	<u>9654</u>
TRANSFER FSC SUBMITTING ACTIVITY FYD TOTAL NSN	<u>9651</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 NSN	<u>3264</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 2 NSN	<u>3257</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 4 NSN	<u>3258</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 NSN	<u>3263</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 1 NSN	<u>3259</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	<u>3260</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 NSN	<u>3265</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 1 NSN	<u>3261</u>
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 2 NSN	<u>3262</u>
TRANSFER FSC SUBMITTING DEPARTMENT FISCAL YEAR TO DATE GOAL	<u>9660</u>
TRANSFER FSC SUBMITTING DEPARTMENT FYD DES METHOD PERCENT	<u>9659</u>
TRANSFER FSC SUBMITTING DEPARTMENT FYD GOAL DIFFERENCE	<u>9661</u>
TRANSFER ORIGINATING ACT CURRENT DESCRIPTIVE METHOD PERCENT	<u>6748</u>
TRANSFER ORIGINATING ACT FISCAL YR TO DATE DESC METH PERCENT	<u>6753</u>
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN	<u>6752</u>
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TRFR TOTAL NSN	<u>1580</u>
TRANSFER ORIGINATING ACTIVITY CURRENT TOTAL NSN	<u>6747</u>
TRANSFER ORIGINATING ACTIVITY TRANSFER TOTAL NSN	<u>1573</u>
TRANSFER ORIGINATING DEPARTMENT CURRENT TOTAL NSN	<u>6757</u>
TRANSFER ORIGINATING DEPARTMENT TRANSFER TOTAL NSN	<u>1566</u>
TRANSFER ORIGINATING DEPT CURRENT DESCRIPTIVE METHOD PERCENT	<u>6758</u>
TRANSFER ORIGINATING DEPT FISCAL YEAR TO DATE TOTAL NSN	<u>6762</u>
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE DESC MET PERCENT	<u>6763</u>
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TRFR TOTAL NSN	<u>1587</u>
TRANSFER SUBMITTING ACTIVITY CODE FISCAL YEAR TO DATE TOTAL	<u>9639</u>
TRANSFER SUBMITTING ACTIVITY CURRENT DES METHOD PERCENT	<u>9638</u>
TRANSFER SUBMITTING ACTIVITY CURRENT TOTAL NSN	<u>2454</u>
TRANSFER SUBMITTING ACTIVITY FISCAL YTDJ DESCRIPTIVE MTHD PT	<u>2458</u>
TRANSFER SUBMITTING ACTIVITY TRANSFER TOTAL NSN	<u>9666</u>
TRANSFER SUBMITTING ACTY FISCAL YTD TRANSFER TOTAL NSN	<u>2472</u>
TRANSFER SUBMITTING DEPARTMENT CURRENT DES METHOD PERCENT	<u>9642</u>
TRANSFER SUBMITTING DEPARTMENT CURRENT TOTAL NSN	<u>9641</u>
TRANSFER SUBMITTING DEPARTMENT FISCAL YR DATE DES METH PCT	<u>9647</u>
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TOTAL NSN	<u>9646</u>
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TRANSFER TOTAL NSN	<u>2479</u>
TRANSFER SUBMITTING DEPARTMENT TRANSFER TOTAL NSN	<u>2465</u>
TRANSMISSION DESTINATION TEXT	<u>0747</u>
TRANSMISSION NAME	<u>0746</u>
TRANSMISSION PASSWORD MODIFICATION KEY TEXT	<u>0751</u>
TRANSMISSION PASSWORD TEXT	<u>0750</u>
TRANSMISSION USER IDENTIFIER	<u>0748</u>
TRANSPORTATION DATA EFFECTIVE DATE	<u>2069</u>
TRANSPORTATION TYPE CARGO CODE	<u>2072</u>
TSQ UPDATE COMPLETE INDICATOR	<u>9409</u>
TYPE 2 DRAWING COUNT	<u>1462</u>
TYPE DATA CODE	<u>0411</u>
TYPE INQUIRY CODE	<u>0881</u>
TYPE ITEM IDENTIFICATION 1	<u>3490</u>
TYPE ITEM IDENTIFICATION 1A-B33	<u>1228</u>
TYPE ITEM IDENTIFICATION 2	<u>3486</u>
TYPE ITEM IDENTIFICATION 4	<u>3487</u>
TYPE ITEM IDENTIFICATION 4B-B14	<u>8249</u>
TYPE ITEM IDENTIFICATION K	<u>3491</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
TYPE ITEM IDENTIFICATION L	<u>3492</u>
TYPE ITEM IDENTIFICATION M	<u>3488</u>
TYPE ITEM IDENTIFICATION N	<u>3489</u>
TYPE LAST ACTION	<u>0044</u>
TYPE MATCH	<u>3103</u>
TYPE OF BUSINESS CODE	<u>1366</u>
TYPE OF BUSINESS DEFINITION	<u>3369</u>
TYPE OF CAGE/NCAGE AFFILIATION CODE	<u>0250</u>
TYPE OF CAGE/NCAGE AFFILIATION CODE DEFINITION	<u>3366</u>
TYPE OF CARGO CODE	<u>9260</u>
TYPE OF CARGO CODE EXPLANATION	<u>5224</u>
TYPE OF FINANCIAL MANAGEMENT CONTROL CODE	<u>0729</u>
TYPE OF INQUIRY CODE	<u>1104</u>
TYPE OF INQUIRY CODE	<u>4476</u>
TYPE OF ITEM IDENTIFICATION CODE	<u>4820</u>
TYPE OF ITEM IDENTIFICATION CODE EXPLANATION	<u>5117</u>
TYPE OF ITEM IDENTIFICATION CODE NOTE	<u>5118</u>
TYPE OF ITEM IDENTIFICATION CODE TYPE	<u>5116</u>
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE	<u>0723</u>
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE EXPLANATION	<u>5215</u>
TYPE OF ORGANIZATIONAL ENTITY CODE EXPLANATION	<u>3171</u>
TYPE OF PHONE NUMBER CODE	<u>1088</u>
TYPE OF PRECIOUS METAL	<u>5263</u>
TYPE OF SCREENING CODE	<u>9505</u>
TYPE OF SCREENING CRITERIA CODE	<u>8451</u>
TYPE OF SHELF LIFE CODE NOTE	<u>5238</u>
TYPE OF SPECIAL HANDLING CARGO	<u>5225</u>
TYPE OF SPECIAL PROCESSING INDICATOR CODE	<u>0568</u>
TYPE OF SPECIAL PROCESSING INDICATOR CODE EXPLANATION	<u>3178</u>
TYPE OF STATISTICS	<u>0907</u>
TYPE OF TRANSACTION	<u>9441</u>
TYPE OF VALUE CODE	<u>0238</u>
TYPES OF FINANCIAL MANAGEMENT CONTROL CODE EXPLANATION	<u>5218</u>
TYPICAL NAME	<u>5060</u>
TYPICAL NAME CHARACTER COUNTER	<u>1068</u>
U.S. NSN INDICATOR CODE	<u>0565</u>
UI NOTE	<u>3497</u>
UNDEFINED SEGMENT	<u>9442</u>
UNIFORM CODE COUNCIL THIRD ADDRESS LINE TEXT	<u>9343</u>
UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED)	<u>3040</u>
UNIQUE ITEM TRACKING DESIGNATOR CODE	<u>1010</u>
UNIQUE ITEM TRACKING DESIGNATOR PROGRAM NAME	<u>1014</u>
UNIQUE ITEM TRACKING IDENTIFIER	<u>1021</u>
UNIQUE ITEM TRACKING NATIONAL CODIFICATION BUREAU CODE	<u>1020</u>
UNIT CONTAINER CODE	<u>5166</u>
UNIT CONTAINER LEVEL CODE	<u>5168</u>
UNIT MEASURE CODE	<u>0107</u>
UNIT MEASURE TERM	<u>2347</u>
UNIT OF ISSUE	<u>3050</u>
UNIT OF ISSUE CHANGE DATA	<u>0218</u>
UNIT OF ISSUE CONDITIONAL NOTE	<u>5244</u>
UNIT OF ISSUE CONVERSION FACTOR	<u>3053</u>
UNIT OF ISSUE DEFINITION	<u>5243</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
UNIT OF ISSUE TERM	<u>5242</u>
UNIT OF MEASURE	<u>2511</u>
UNIT OF MEASURE DESIGNATION	<u>4411</u>
UNIT PACK CODE QUANTITY	<u>5322</u>
UNIT PACK CUBE	<u>5155</u>
UNIT PACK QUANTITY	<u>5321</u>
UNIT PACK QUANTITY EXPLANATION	<u>3464</u>
UNIT PACK SIZE	<u>5154</u>
UNIT PACK WEIGHT	<u>5153</u>
UNITED NATIONS ORGANIZATION SERIAL NUMBER	<u>2386</u>
UNITED STATES GOVERNMENT 12	<u>5847</u>
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM NAME	<u>9339</u>
UNKNOWN LSA TOTAL	<u>1980</u>
UNMATCHED REFERENCE NUMBER CATEGORY CODE	<u>3132</u>
UNPACKAGED ITEM DIMENSIONS	<u>5158</u>
UNPACKAGED ITEM WEIGHT	<u>5157</u>
UNSUCCESSFUL ATTEMPT RETRY COUNT QUANTITY	<u>8371</u>
UNSUCCESSFUL ATTEMPT RETRY LIMIT COUNT QUANTITY	<u>8372</u>
UPDATE COUNT	<u>9457</u>
UPDATE RETURN CODE	<u>9456</u>
USER ACCESS LEVEL	<u>1381</u>
USER ACCESS LEVEL SUBSYSTEM CODE	<u>3381</u>
USER ACCESS REQUEST JUSTIFICATION STATEMENT TEXT	<u>0280</u>
USER ADDRESS TYPE CODE	<u>2130</u>
USER CODE	<u>1101</u>
USER DEFENSE TECHNICAL INFORMATION CENTER (DTIC) USER IDENTIFI	<u>0279</u>
USER DLA STANDARD LOGON USER IDENTIFIER	<u>0277</u>
USER INTERNAL FLAG CODE	<u>0077</u>
USER INTERVIEW ANSWER USER TYPE CODE	<u>0278</u>
USER MIDDLE NAME	<u>0281</u>
USER OPTION	<u>0958</u>
USER PASSWORD	<u>2138</u>
USER PROFILE IDENTIFIER	<u>4330</u>
USER SUFFIX NAME	<u>0282</u>
USER TEMPORARY PASSWORD IDENTIFIER	<u>0276</u>
USING SERVICE CODE	<u>0745</u>
USING SERVICE CODE EXPLANATION	<u>3147</u>
VALID DIC FOR LFU TYPE TRANSACTION	<u>9444</u>
VALID FOLLOW UP HX CODE FOR DIC	<u>9443</u>
VALID POSITION	<u>9771</u>
VALID REFERENCE MAY HAVE NOTE INDICATOR	<u>3112</u>
VALID REFERENCE MUST HAVE NOTE INDICATOR	<u>3108</u>
VALUE SOURCE	<u>1885</u>
VARIABLE DATA CHARACTER COUNTER	<u>1061</u>
VENDOR REGISTRATION RENEWAL DATE	<u>3373</u>
WATER COMMODITY CODE	<u>9275</u>
WEAPON SYSTEM CRITICAL GROUP CODE	<u>3884</u>
WEAPON SYSTEM DESIGNATOR CODE	<u>3888</u>
WEAPON SYSTEM ESSENTIALITY CODE	<u>3885</u>
WEAPON SYSTEM GROUP CODE	<u>3889</u>
WEAPON SYSTEM IDENTIFIER	<u>3881</u>
WEAPON SYSTEM INDICATOR CODE	<u>3883</u>
WEAPON SYSTEM NAME	<u>3887</u>

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN
CROSS REFERENCE

<u>CLEAR TEXT HOST/COBOL NAME</u>	<u>DRN</u>
WEAPON SYSTEM NATIONAL STOCK NUMBER HIGHEST LEVEL ROLL UP INDICA	<u>2350</u>
WEAPON SYSTEM SERVICE CODE	<u>3882</u>
WEAPONS INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT	<u>1555</u>
WEAPONS INTEGRATED MATERIEL MANAGER FSC COUNT	<u>1554</u>
WEB BROWSER BULLETIN BOARD DISPLAY MESSAGE TEXT	<u>8357</u>
WEB DLIS COMPUTER APPLICATION NAME	<u>9276</u>
WEB REMOTE IP ADDRESS IDENTIFIER	<u>9322</u>
WEB UNIVERSAL RESOURCE LOCATOR IDENTIFIER	<u>8021</u>
WEB/GUI APPLICATION ERROR DESCRIPTION TEXT	<u>9278</u>
WEB/GUI MODULE PROGRAM NAME	<u>9277</u>
WEB/GUI PAGE MESSAGE TEXT	<u>8020</u>
WEIGHT OF PACKAGED UNIT	<u>2313</u>
WEIGHT OF UNPACKAGED UNIT	<u>2314</u>
WOMAN OWNED BUSINESS CODE	<u>1367</u>
WORK LOAD LOCK OUT CODE	<u>2024</u>
WORKLOAD COUNT	<u>1026</u>
WRAPPING MATERIAL CODE	<u>5163</u>
ZIP ADD-ON CODE	<u>4398</u>
ZIP CODE	<u>4400</u>
ZIP CODE RANGE	<u>0300</u>
ZIP PLUS FOUR CODE	<u>4399</u>
10 PART NUMBER PERCENT	<u>6938</u>
1001-1500 PART NUMBER PERCENT	<u>6957</u>
101-200 PART NUMBER PERCENT	<u>6948</u>
11-20 PART NUMBER PERCENT	<u>6939</u>
12-18 HOURS	<u>6915</u>
120-144 HOURS	<u>6919</u>
20 NSN FAMILY	<u>8136</u>
201-300 PART NUMBER PERCENT	<u>6949</u>
21-30 PART NUMBER PERCENT	<u>6940</u>
301-400 PART NUMBER PERCENT	<u>6950</u>
31-40 PART NUMBER PERCENT	<u>6941</u>
401-500 PART NUMBER PERCENT	<u>6951</u>
41-50 PART NUMBER PERCENT	<u>6942</u>
45 NSN FAMILY	<u>8161</u>
48-72 HOURS	<u>6916</u>
50 NSN FAMILY 1	<u>8116</u>
501-600 PART NUMBER PERCENT	<u>6952</u>
51-60 PART NUMBER PERCENT	<u>6943</u>
6-10 NSN FAMILY	<u>8169</u>
601-700 PART NUMBER PERCENT	<u>6953</u>
61-70 PART NUMBER PERCENT	<u>6944</u>
701-800 PART NUMBER PERCENT	<u>6954</u>
71-80 PART NUMBER PERCENT	<u>6945</u>
72-96 HOURS	<u>6917</u>
8 PART NUMBER PERCENT	<u>6936</u>
801-900 PART NUMBER PERCENT	<u>6955</u>
81-90 PART NUMBER PERCENT	<u>6946</u>
9 PART NUMBER PERCENT	<u>6937</u>
901-1000 PART NUMBER PERCENT	<u>6956</u>
91-100 PART NUMBER PERCENT	<u>6947</u>
96-120 HOURS	<u>6918</u>

(BLANK PAGE)

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
	ACCESS_FLAG	<u>967</u>		NSCM_S_CD_B_N_5265	<u>259</u>	<u>0103</u>	APPLB_KEY_CD_0103	<u>098</u>
	ACTIVITY_CD	<u>967</u>		NSCM_S_CD_B_X_5266	<u>259</u>			<u>593</u>
	AMLS_LBL_ID_9999	<u>967</u>		ORIG_ACT_CD_4210	<u>767</u>	<u>0106</u>	QTY_PER_ASBL_0106	<u>007</u>
	AMLS_LID_ACES_9999	<u>967</u>			<u>768</u>			<u>506</u>
	CITY_1083	<u>834</u>		OUT_UL_TEXT_3046	<u>813</u>	<u>0107</u>	UNIT_MEAS_CD_0107	<u>007</u>
	CLECT_I_1	<u>968</u>		PC_CODE	<u>967</u>			<u>276</u>
	CLECT_I_2	<u>968</u>		PORT_NBR_9212	<u>926</u>			<u>506</u>
	CLECT_I_3	<u>968</u>		PRINTER_ID	<u>970</u>	<u>0113</u>	MRC_CLR_TXT_R_0113	<u>498</u>
	CLECT_I_4	<u>968</u>		PRNT1	<u>967</u>			<u>688</u>
	CLECT_I_5	<u>968</u>		PRNT2_9999	<u>967</u>	<u>0115</u>	SAC_CDNG_IND_0115	<u>120</u>
	CLECT_I_6	<u>968</u>		PROPRITORY	<u>967</u>	<u>0121</u>	SP_MAT_CONT_0121	<u>006</u>
	CLECT_I_7	<u>968</u>		SCHEDULE_B	<u>747</u>			<u>301</u>
	CLECT_T_1	<u>968</u>			<u>748</u>			<u>505</u>
	CLECT_T_2	<u>968</u>		SCMC_1481	<u>738</u>	<u>0122</u>	FSC_M_RL_C_IN_0122	<u>093</u>
	CLECT_T_3	<u>968</u>		SVC_ENT_9999	<u>967</u>			<u>094</u>
	CLECT_T_4	<u>968</u>		TABLE_GROUP	<u>971</u>			<u>215</u>
	CLECT_T_5	<u>968</u>		TABLE_KEYLEN	<u>971</u>			<u>515</u>
	CLECT_T_6	<u>968</u>		TABLE_NAME	<u>971</u>			<u>865</u>
	CLECT_T_7	<u>968</u>		TBL_ALLOC_2471	<u>913</u>	<u>0132</u>	IRRC_NVY_0132	<u>006</u>
	CLECT_X_1	<u>968</u>		TERMINAL_ID	<u>970</u>			<u>261</u>
	CLECT_X_2	<u>968</u>		TYPE_II_4_3487	<u>830</u>			<u>262</u>
	CLECT_X_3	<u>968</u>		UIT_NCB_XS_1020	<u>544</u>			<u>505</u>
	CLECT_X_4	<u>968</u>		USERID	<u>967</u>	<u>0133</u>	PSDO_SOS_CD_0133	<u>274</u>
	CLECT_X_5	<u>968</u>		WRK_DEL_DT_5145	<u>365</u>	<u>0134</u>	INACT_SOS_IND_0134	<u>331</u>
	CLECT_X_6	<u>968</u>		WRK_MOV_IND_5141	<u>379</u>			<u>519</u>
	CLECT_X_7	<u>968</u>	<u>0010</u>	ORG_ID_TXT_SG_0010	<u>069</u>	<u>0135</u>	NVY_SP_SOS_CD_0135	<u>260</u>
	DATE_LAST_CHG_0043	<u>726</u>	<u>0011</u>	OE_LI_SEG_EXP_0011	<u>160</u>			<u>261</u>
	DB2_GRP_NUM_4457	<u>913</u>	<u>0041</u>	EXTD_FRT_DESC_0041	<u>732</u>			<u>331</u>
	DB2_TBL_NAME_4466	<u>913</u>	<u>0043</u>	DATE_LST_CHG_0043	<u>090</u>			<u>519</u>
	DCOD_RPLY_ST_3865	<u>748</u>			<u>093</u>	<u>0136</u>	DEMIL_SP_PROJ_0136	<u>379</u>
	DIC_DRN_N_NBR_2112	<u>208</u>			<u>732</u>			<u>712</u>
	DIDS_INTRO_4469	<u>177</u>			<u>865</u>			<u>714</u>
		<u>392</u>	<u>0044</u>	TYP_LST_ACT_0044	<u>090</u>			<u>812</u>
	DIDS_TBL_NAME_4466	<u>392</u>			<u>710</u>	<u>0138</u>	DEMIL_INTG_CD_0138	<u>379</u>
	FIRST_INIT	<u>967</u>			<u>732</u>			<u>712</u>
	GROUPID	<u>967</u>	<u>0076</u>	NIMSC_0076	<u>248</u>			<u>722</u>
	GROUP_ID	<u>968</u>			<u>256</u>			<u>731</u>
	INPUT_RECORDS_9171	<u>848</u>			<u>345</u>			<u>812</u>
	IO_STST_CNT_6546	<u>064</u>			<u>521</u>	<u>0140</u>	DEMIL_APDX_0140	<u>379</u>
	LAST_NAME	<u>967</u>			<u>597</u>			<u>712</u>
	LN_2780_DESC_9213	<u>926</u>	<u>0090</u>	SUBJ_TO_WIMM_0090	<u>094</u>			<u>737</u>
	MAX_OCURS_4594	<u>479</u>			<u>515</u>			<u>812</u>
	MENU_ID	<u>968</u>	<u>0095</u>	CONF_NOTI_CD_0095	<u>187</u>	<u>0141</u>	DEMIL_CTGY_0141	<u>379</u>
	MENU_SCR_TITLE	<u>968</u>	<u>0096</u>	FMR_NMFC_0096	<u>149</u>			<u>712</u>
	MENU_TITLE	<u>968</u>	<u>0097</u>	FMR_UFC_0097	<u>149</u>			<u>737</u>
	NCG_SFX_CD_BR_5267	<u>689</u>	<u>0099</u>	CRD_ID_CD_IMC_0099	<u>179</u>			<u>812</u>
	NOTE_NBR	<u>275</u>			<u>345</u>	<u>0142</u>	DEMIL_PARA_0142	<u>379</u>
	NSCM_CDFN_BUR_4180	<u>258</u>			<u>436</u>			<u>712</u>
	NSCM_S_CD_BR_5267	<u>259</u>			<u>521</u>			<u>737</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		812	0172	NIIN_LOAD_DT_0172	379	0320	STA_CD_NM_FSC_0320	001
0143	ECCN_0143	379			712			073
		712			714			076
		812			812			094
0145	DEMIL_NAR_0145	379	0173	RE_RVW_DT_0173	379			098
		712			712			316
		812			812			489
0146	DEMIL_REVW_DT_0146	379	0174	I_S_IND_CD_0174	379			491
		712			712			492
		731			812			513
		812	0175	DEMIL_HST_IND_0175	812			515
0147	NEW_DEMIL_CD_0147	379	0177	ACTY_CD_SCRNG_0177	144			518
		712			782			530
0149	PICA_FWD_DT_0149	379	0186	ST_US_POSN_AB_0186	002			591
		712			077			593
		812			483			595
0150	PICA_RSP_DT_0150	379			834			723
		712	0189	SEG_LGTH_0189	404			724
		812			406	0324	MC_CRITE_STMT_0324	878
0152	DEMIL_INTG_TX_0152	722	0225	SEG_CD_SUPMTL_0225	207	0326	DIML_MRC_IND_0326	120
0155	FU_COND_CD_0155	217			293	0332	FIIG_APDX_ID_0332	321
0156	DEMIL_STAT_CD_0156	714			771			323
0157	DEMIL_NIIN_CD_0157	379	0226	RPLM_M_RL_NBR_0226	093			324
		712			730	0333	DWG_STAT_CD_0333	321
		713			865	0334	STYL_AEUSA_CD_0334	321
		714			869	0335	RDG_SCTN_ID_0335	321
		812	0232	P_SCR_RCV_ADD_0232	144			323
0160	INTGTY_CHG_DT_0160	379	0233	ADRS_SEQ_CD_0233	144			324
		712			408			325
		812			475	0336	RDG_SCTN_TI_0336	325
0165	FSC_CPCT_CD_0165	727			862	0337	FIIG_IMPL_DT_0337	322
0166	FU_STAT_CD_0166	233	0250	TYP_CAGE_AFFL_0250	082	0338	FIIG_CANC_DT_0338	322
		383			700	0365	CD_F_LGT_RPLY_0365	126
0167	DEMIL_CD_0167	016	0264	SVC_CD_P_SCRN_0264	144			922
		028			835	0368	PRT_SKLTN_CD_0368	127
		194	0297	FUT_M_RL_ST_C_0297	093			921
		379			218	0375	FSC_INCL_NAR_0375	076
		426			865			591
		428	0308	DT_ESTB_CANC_0308	001	0376	FSC_EXCL_NAR_0376	076
		523			073			591
		596			091	0420	ALT_OP_MED_CD_0420	144
		712			098			157
		782			099			783
		812			363	0478	DIST_AC_SEG_M_0478	148
		941			513			530
0168	FSC_REVW_PRI_0168	714			518	0510	RPLY_DCOD_SEQ_0510	126
		727			592			922
0171	NEW_CIIC_0171	379			593	0511	DLA_GSA_EXCPT_0511	016
		712			594			523

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>0567</u>	REVW_CYCL_IND_0567	<u>041</u>			<u>951</u>			<u>035</u>
<u>0568</u>	TYP_SP_PRC_0568	<u>006</u>	<u>0772</u>	DGTZD_DWG_NBR_0772	<u>075</u>			<u>090</u>
		<u>310</u>			<u>136</u>			<u>149</u>
		<u>505</u>			<u>816</u>			<u>503</u>
<u>0572</u>	OPRTL_TST_MC_0572	<u>006</u>			<u>842</u>			<u>523</u>
		<u>266</u>			<u>966</u>			<u>732</u>
		<u>505</u>	<u>0778</u>	TRAN_FILE_NM_0778	<u>078</u>	<u>0862</u>	FMR_NMFC_SUB_0862	<u>149</u>
		<u>599</u>	<u>0779</u>	TRAN_PRC_DT_0779	<u>078</u>	<u>0864</u>	INTGTY_CD_0864	<u>016</u>
<u>0573</u>	PHY_CTGY_MC_0573	<u>006</u>	<u>0792</u>	JTC_0792	<u>007</u>			<u>227</u>
		<u>269</u>			<u>506</u>			<u>523</u>
		<u>505</u>			<u>599</u>	<u>0865</u>	HMIC_0865	<u>016</u>
		<u>599</u>	<u>0793</u>	OOU_0793	<u>007</u>			<u>110</u>
<u>0581</u>	FIIG_LCKT_IND_0581	<u>123</u>			<u>506</u>			<u>523</u>
<u>0583</u>	INC_LOCKT_IND_0583	<u>122</u>			<u>599</u>	<u>0866</u>	DBRD_STAT_CD_0866	<u>092</u>
<u>0595</u>	DEG_MTCH_CD_0595	<u>191</u>	<u>0796</u>	GNC_MSTR_NSN_0796	<u>599</u>	<u>0867</u>	DBRD_END_DT_0867	<u>092</u>
<u>0708</u>	INV_ACT_CG_0708	<u>006</u>	<u>0797</u>	MSTR_NSN_0797	<u>599</u>	<u>0868</u>	DBR_PRO_I_SYM_0868	<u>092</u>
		<u>229</u>	<u>0801</u>	ADPEC_0801	<u>010</u>			<u>203</u>
		<u>505</u>			<u>161</u>	<u>0870</u>	SUSP_ENTR_DT_0870	<u>060</u>
<u>0709</u>	REP_CD_CG_0709	<u>006</u>			<u>509</u>	<u>0872</u>	SUR_PRC_ID_CD_0872	<u>016</u>
		<u>184</u>			<u>596</u>			<u>523</u>
		<u>505</u>	<u>0802</u>	PMIC_0802	<u>010</u>	<u>0874</u>	DT_ESB_PSMT_R_0874	<u>144</u>
<u>0721</u>	NRM_SRC_PR_CD_0721	<u>257</u>			<u>272</u>	<u>0875</u>	DT_LST_ACC_PS_0875	<u>144</u>
<u>0723</u>	TYP_MBL_RSV_0723	<u>246</u>			<u>509</u>	<u>0892</u>	PSO_ACT_CD_0892	<u>144</u>
<u>0725</u>	S_PKG_RQM_CD_0725	<u>302</u>			<u>596</u>			<u>409</u>
<u>0728</u>	DMD_IND_CD_0728	<u>193</u>			<u>987</u>	<u>0897</u>	STAT_DEPT_0897	<u>021</u>
<u>0729</u>	TYP_FIN_MGT_0729	<u>308</u>	<u>0808</u>	GIRDER_CD_0808	<u>317</u>			<u>022</u>
<u>0731</u>	EST_ACT_PR_CD_0731	<u>212</u>			<u>779</u>			<u>024</u>
<u>0744</u>	SVC_CON_ID_CD_0744	<u>144</u>	<u>0809</u>	MFR_NOTES_0809	<u>046</u>			<u>029</u>
		<u>863</u>			<u>317</u>			<u>030</u>
<u>0745</u>	USI_SVC_CD_0745	<u>006</u>			<u>772</u>			<u>031</u>
		<u>007</u>			<u>775</u>			<u>032</u>
		<u>313</u>			<u>781</u>			<u>043</u>
		<u>505</u>			<u>932</u>			<u>045</u>
		<u>506</u>	<u>0816</u>	MRD_STATUS_CD_0816	<u>127</u>			<u>050</u>
		<u>883</u>			<u>921</u>			<u>055</u>
<u>0749</u>	STDZN_SUBMR_0749	<u>094</u>	<u>0825</u>	ISAC_LMTN_CD_0825	<u>121</u>			<u>056</u>
		<u>515</u>	<u>0826</u>	ISAC_IND_CD_0826	<u>120</u>			<u>057</u>
<u>0756</u>	D_TRN_CTL_CD_0756	<u>190</u>	<u>0845</u>	CNBR_SYS_I_0845	<u>082</u>			<u>058</u>
<u>0759</u>	CMD_AUTHZN_CD_0759	<u>144</u>			<u>186</u>			<u>062</u>
		<u>858</u>	<u>0847</u>	MRC_USG_DESI_0847	<u>127</u>			<u>065</u>
<u>0762</u>	PRPTN_EDIT_CD_0762	<u>120</u>			<u>921</u>			<u>066</u>
<u>0763</u>	SER_NO_CTL_CG_0763	<u>006</u>	<u>0854</u>	TRN_STATUS_CD_0854	<u>306</u>			<u>329</u>
		<u>180</u>			<u>958</u>			<u>368</u>
		<u>505</u>	<u>0857</u>	CRYPTO_IND_CD_0857	<u>093</u>			<u>369</u>
<u>0768</u>	STYL_NBR_FIIG_0768	<u>131</u>			<u>865</u>			<u>371</u>
		<u>321</u>	<u>0858</u>	PVC_AF_0858	<u>006</u>			<u>372</u>
		<u>323</u>			<u>273</u>			<u>374</u>
		<u>324</u>			<u>505</u>			<u>381</u>
		<u>842</u>	<u>0861</u>	SUB_ITM_NBR_0861	<u>016</u>			<u>425</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>426</u>			<u>804</u>			<u>678</u>
		<u>429</u>			<u>808</u>			<u>682</u>
		<u>436</u>			<u>810</u>			<u>739</u>
		<u>439</u>			<u>818</u>			<u>794</u>
		<u>441</u>			<u>820</u>			<u>800</u>
		<u>551</u>			<u>822</u>			<u>802</u>
		<u>569</u>			<u>824</u>			<u>808</u>
		<u>570</u>			<u>959</u>			<u>810</u>
		<u>571</u>	<u>0898</u>	STAT_ACTIVITY_0898	<u>021</u>			<u>818</u>
		<u>573</u>			<u>022</u>			<u>820</u>
		<u>574</u>			<u>029</u>			<u>822</u>
		<u>575</u>			<u>031</u>			<u>824</u>
		<u>576</u>			<u>032</u>	<u>0899</u>	STAT_REQ_DATE_0899	<u>020</u>
		<u>577</u>			<u>043</u>			<u>021</u>
		<u>578</u>			<u>045</u>			<u>022</u>
		<u>608</u>			<u>050</u>			<u>023</u>
		<u>620</u>			<u>056</u>			<u>024</u>
		<u>646</u>			<u>058</u>			<u>027</u>
		<u>648</u>			<u>063</u>			<u>028</u>
		<u>650</u>			<u>064</u>			<u>029</u>
		<u>652</u>			<u>065</u>			<u>030</u>
		<u>654</u>			<u>329</u>			<u>031</u>
		<u>656</u>			<u>371</u>			<u>032</u>
		<u>658</u>			<u>372</u>			<u>033</u>
		<u>662</u>			<u>425</u>			<u>034</u>
		<u>678</u>			<u>430</u>			<u>035</u>
		<u>682</u>			<u>434</u>			<u>036</u>
		<u>690</u>			<u>436</u>			<u>037</u>
		<u>692</u>			<u>439</u>			<u>038</u>
		<u>694</u>			<u>551</u>			<u>042</u>
		<u>698</u>			<u>569</u>			<u>043</u>
		<u>739</u>			<u>570</u>			<u>050</u>
		<u>741</u>			<u>571</u>			<u>051</u>
		<u>744</u>			<u>572</u>			<u>053</u>
		<u>755</u>			<u>573</u>			<u>055</u>
		<u>757</u>			<u>574</u>			<u>056</u>
		<u>759</u>			<u>575</u>			<u>057</u>
		<u>761</u>			<u>576</u>			<u>058</u>
		<u>763</u>			<u>577</u>			<u>061</u>
		<u>784</u>			<u>611</u>			<u>063</u>
		<u>786</u>			<u>646</u>			<u>064</u>
		<u>788</u>			<u>648</u>			<u>065</u>
		<u>790</u>			<u>650</u>			<u>066</u>
		<u>792</u>			<u>652</u>			<u>141</u>
		<u>794</u>			<u>654</u>			<u>142</u>
		<u>796</u>			<u>656</u>			<u>329</u>
		<u>798</u>			<u>658</u>			<u>367</u>
		<u>800</u>			<u>660</u>			<u>369</u>
		<u>802</u>			<u>662</u>			<u>370</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>371</u>			<u>696</u>			<u>207</u>
		<u>372</u>			<u>739</u>			<u>228</u>
		<u>376</u>			<u>741</u>			<u>249</u>
		<u>425</u>			<u>744</u>			<u>292</u>
		<u>426</u>			<u>755</u>			<u>375</u>
		<u>427</u>			<u>757</u>			<u>404</u>
		<u>428</u>			<u>759</u>			<u>406</u>
		<u>429</u>			<u>761</u>			<u>489</u>
		<u>430</u>			<u>763</u>			<u>491</u>
		<u>431</u>			<u>784</u>			<u>492</u>
		<u>432</u>			<u>786</u>			<u>536</u>
		<u>433</u>			<u>788</u>			<u>746</u>
		<u>434</u>			<u>790</u>			<u>770</u>
		<u>435</u>			<u>792</u>			<u>771</u>
		<u>436</u>			<u>794</u>			<u>883</u>
		<u>437</u>			<u>796</u>			<u>889</u>
		<u>438</u>			<u>798</u>			<u>890</u>
		<u>439</u>			<u>800</u>			<u>891</u>
		<u>441</u>			<u>802</u>			<u>892</u>
		<u>494</u>			<u>804</u>			<u>918</u>
		<u>495</u>			<u>808</u>			<u>957</u>
		<u>503</u>			<u>810</u>			<u>989</u>
		<u>551</u>			<u>818</u>	<u>0964</u>	RDG_TI_0964	<u>326</u>
		<u>569</u>			<u>820</u>	<u>0981</u>	SCRN_ID_0981	<u>366</u>
		<u>570</u>			<u>822</u>	<u>0982</u>	PRDCT_TI_0982	<u>340</u>
		<u>571</u>			<u>824</u>	<u>0983</u>	MSG_0983	<u>132</u>
		<u>572</u>			<u>857</u>			<u>780</u>
		<u>573</u>	<u>0903</u>	DSOR_0903	<u>009</u>	<u>0997</u>	BRNCH_CD_0997	<u>060</u>
		<u>574</u>			<u>248</u>			<u>109</u>
		<u>575</u>			<u>508</u>			<u>525</u>
		<u>576</u>			<u>597</u>	<u>0998</u>	BTCH_CTL_NBR_0998	<u>060</u>
		<u>577</u>			<u>833</u>	<u>1000</u>	DCSN_1000	<u>025</u>
		<u>578</u>	<u>0904</u>	FMR_DSOR_0904	<u>009</u>			<u>044</u>
		<u>611</u>			<u>508</u>			<u>059</u>
		<u>624</u>	<u>0905</u>	CTGY_CD_0905	<u>158</u>			<u>060</u>
		<u>646</u>			<u>159</u>			<u>105</u>
		<u>648</u>			<u>175</u>			<u>106</u>
		<u>650</u>	<u>0907</u>	TYPE_OF_STAT_0907	<u>062</u>			<u>341</u>
		<u>652</u>			<u>141</u>			<u>380</u>
		<u>654</u>			<u>879</u>			<u>422</u>
		<u>656</u>			<u>913</u>			<u>484</u>
		<u>658</u>			<u>993</u>			<u>505</u>
		<u>660</u>	<u>0908</u>	STAT_ACTY_CH_0908	<u>029</u>			<u>506</u>
		<u>662</u>			<u>857</u>			<u>507</u>
		<u>678</u>	<u>0941</u>	TBL_V_IN_CT_C_0941	<u>842</u>			<u>508</u>
		<u>682</u>	<u>0950</u>	DRN_0950	<u>048</u>			<u>509</u>
		<u>690</u>			<u>081</u>			<u>510</u>
		<u>692</u>			<u>105</u>			<u>511</u>
		<u>694</u>			<u>177</u>			<u>512</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>521</u>	<u>1047</u>	SCR_KEY_CD_1047	<u>120</u>			<u>249</u>
		<u>522</u>	<u>1051</u>	DT_PURGED_1051	<u>060</u>			<u>305</u>
		<u>523</u>	<u>1052</u>	DIC_OP_1052	<u>052</u>			<u>992</u>
		<u>524</u>			<u>060</u>	<u>1097</u>	DE_START_POS_1097	<u>404</u>
		<u>767</u>			<u>061</u>			<u>406</u>
		<u>768</u>			<u>064</u>	<u>1100</u>	LOLA_TMPLT_NM_1100	<u>384</u>
		<u>775</u>			<u>104</u>	<u>1101</u>	USR_CD_1101	<u>001</u>
		<u>874</u>			<u>183</u>			<u>073</u>
		<u>875</u>			<u>197</u>			<u>081</u>
		<u>928</u>			<u>368</u>			<u>082</u>
		<u>972</u>			<u>374</u>			<u>092</u>
		<u>973</u>			<u>375</u>			<u>102</u>
		<u>974</u>			<u>484</u>			<u>141</u>
		<u>975</u>			<u>537</u>			<u>332</u>
		<u>976</u>			<u>604</u>			<u>340</u>
		<u>977</u>			<u>624</u>			<u>365</u>
		<u>978</u>			<u>770</u>			<u>366</u>
		<u>979</u>			<u>771</u>			<u>368</u>
		<u>980</u>			<u>775</u>			<u>375</u>
		<u>981</u>			<u>924</u>			<u>378</u>
		<u>982</u>			<u>957</u>			<u>379</u>
		<u>983</u>	<u>1070</u>	PKG_SEQ_NBR_1070	<u>341</u>			<u>381</u>
		<u>984</u>			<u>957</u>			<u>384</u>
		<u>997</u>	<u>1071</u>	LST_KWN_SOS_1071	<u>016</u>			<u>489</u>
		<u>998</u>			<u>523</u>			<u>491</u>
		<u>999</u>	<u>1079</u>	TABLE_TYP_DV_1079	<u>392</u>			<u>492</u>
<u>1001</u>	OE_LI_SEG_NBR_1001	<u>083</u>	<u>1082</u>	ST_ADRS_1_1082	<u>002</u>			<u>513</u>
		<u>160</u>			<u>328</u>			<u>515</u>
<u>1002</u>	RTC_CD_1002	<u>060</u>			<u>674</u>			<u>518</u>
<u>1008</u>	DT_PRIM_OP_1008	<u>060</u>			<u>834</u>			<u>579</u>
<u>1009</u>	DT_SECD_IP_1009	<u>106</u>	<u>1083</u>	ST_ADRS_2_1083	<u>002</u>			<u>603</u>
<u>1010</u>	UIT_DESI_CD_1010	<u>543</u>			<u>328</u>			<u>710</u>
		<u>544</u>			<u>674</u>			<u>712</u>
<u>1011</u>	DT_SECD_OP_1011	<u>106</u>			<u>834</u>			<u>714</u>
<u>1013</u>	DT_DSK_CD_CHG_1013	<u>060</u>	<u>1084</u>	CITY_1084	<u>002</u>			<u>724</u>
<u>1014</u>	UITD_PGM_NM_1014	<u>543</u>			<u>328</u>			<u>725</u>
<u>1015</u>	DOC_CTL_NBR_1015	<u>012</u>			<u>674</u>			<u>812</u>
		<u>918</u>	<u>1085</u>	CNTRY_1085	<u>701</u>			<u>850</u>
<u>1016</u>	DT_RTC_1016	<u>060</u>	<u>1086</u>	ADRS_NM_C_TXT_1086	<u>003</u>			<u>871</u>
<u>1021</u>	UIT_ID_1021	<u>544</u>			<u>671</u>			<u>919</u>
<u>1024</u>	NATO_FG_TR_P_1024	<u>104</u>	<u>1087</u>	ADRS_NM_LN_NO_1087	<u>003</u>			<u>920</u>
<u>1026</u>	WRKLD_CNT_1026	<u>109</u>			<u>671</u>			<u>921</u>
<u>1028</u>	SUPL_DIC_IP_1028	<u>106</u>	<u>1088</u>	TEL_NBR_TYP_1088	<u>005</u>			<u>923</u>
<u>1029</u>	SUPL_DIC_OP_1029	<u>106</u>			<u>675</u>			<u>925</u>
<u>1031</u>	DT_PRCSD_1031	<u>060</u>			<u>702</u>			<u>950</u>
<u>1036</u>	DT_FOR_BLNG_1036	<u>060</u>	<u>1092</u>	F_OR_V_KEY_1092	<u>177</u>			<u>951</u>
<u>1041</u>	DT_BILD_1041	<u>060</u>			<u>207</u>			<u>952</u>
<u>1042</u>	DT_FOR_PRG_1042	<u>060</u>			<u>208</u>			<u>954</u>
<u>1044</u>	DT_FOR_RTC_1044	<u>060</u>			<u>214</u>	<u>1105</u>	MSG_CD_1105	<u>025</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>132</u>	<u>1318</u>	CTDF_CRIT_ITM_1318	<u>400</u>	<u>1598</u>	M3AC_STAT_CNT_1598	<u>429</u>
		<u>405</u>	<u>1359</u>	TEL_NBR_1359	<u>005</u>	<u>1601</u>	M3A_STAT_CNT_1601	<u>744</u>
<u>1107</u>	BTCH_STAT_CTR_1107	<u>924</u>			<u>675</u>	<u>1602</u>	M3A_STAT_CNT_1602	<u>744</u>
<u>1108</u>	PGM_ID_1108	<u>025</u>	<u>1361</u>	POBOX_1361	<u>002</u>	<u>1603</u>	M3A_STAT_CNT_1603	<u>744</u>
		<u>048</u>			<u>328</u>	<u>1606</u>	M3A_STAT_CNT_1606	<u>744</u>
		<u>086</u>			<u>674</u>	<u>1607</u>	M3A_STAT_CNT_1607	<u>744</u>
		<u>383</u>	<u>1364</u>	SZ_OF_BUS_CD_1364	<u>082</u>	<u>1610</u>	M3A_STAT_CNT_1610	<u>744</u>
		<u>405</u>			<u>705</u>	<u>1611</u>	M3A_STAT_CNT_1611	<u>744</u>
		<u>407</u>	<u>1365</u>	PR_BUS_CAT_CD_1365	<u>082</u>	<u>1614</u>	M3BC_STAT_CNT_1614	<u>798</u>
		<u>617</u>			<u>704</u>	<u>1615</u>	M3BC_STAT_CNT_1615	<u>798</u>
<u>1109</u>	MOE_CR_ADD_CT_1109	<u>088</u>	<u>1366</u>	TYP_BUS_CD_1366	<u>082</u>	<u>1616</u>	M3BC_STAT_CNT_1616	<u>798</u>
<u>1110</u>	M_RL_CMP_FLG_1110	<u>861</u>			<u>703</u>	<u>1618</u>	M3BC_STAT_CNT_1618	<u>798</u>
<u>1117</u>	MOE_CR_CHG_CT_1117	<u>088</u>	<u>1367</u>	WMN_OWND_BUS_1367	<u>082</u>	<u>1619</u>	M3BC_STAT_CNT_1619	<u>798</u>
<u>1119</u>	MOE_CR_DEL_CT_1119	<u>088</u>	<u>1368</u>	STD_IND_CL_CD_1368	<u>079</u>	<u>1621</u>	M3BC_STAT_CNT_1621	<u>798</u>
<u>1120</u>	SUBMR_CTL_NBR_1120	<u>368</u>	<u>1369</u>	FIPS_CTY_CD_1369	<u>139</u>	<u>1622</u>	M3BC_STAT_CNT_1622	<u>798</u>
		<u>602</u>	<u>1370</u>	FIPS_STA_CD_1370	<u>139</u>	<u>1624</u>	M3B_STAT_CNT_1624	<u>796</u>
		<u>604</u>	<u>1371</u>	FIPS_CNTY_CD_1371	<u>139</u>	<u>1625</u>	M3B_STAT_CNT_1625	<u>796</u>
		<u>776</u>	<u>1374</u>	DT_DBR_REC_ES_1374	<u>092</u>	<u>1626</u>	M3B_STAT_CNT_1626	<u>796</u>
		<u>876</u>	<u>1375</u>	DT_DBR_REC_CH_1375	<u>092</u>	<u>1628</u>	M3B_STAT_CNT_1628	<u>796</u>
		<u>953</u>	<u>1376</u>	DE_IMG_BEF_CG_1376	<u>081</u>	<u>1629</u>	M3B_STAT_CNT_1629	<u>796</u>
					<u>710</u>	<u>1631</u>	M3B_STAT_CNT_1631	<u>796</u>
<u>1121</u>	LRN_STAT_CNT_1121	<u>621</u>			<u>081</u>	<u>1632</u>	M3B_STAT_CNT_1632	<u>796</u>
<u>1132</u>	LRN_STAT_CNT_1132	<u>045</u>	<u>1377</u>	DE_IMG_AFT_CG_1377	<u>710</u>	<u>1634</u>	M3C1_STAT_CNT_1634	<u>794</u>
<u>1137</u>	LRN_STAT_CNT_1137	<u>620</u>			<u>092</u>	<u>1635</u>	M3C1_STAT_CNT_1635	<u>794</u>
<u>1142</u>	LRN_STAT_CNT_1142	<u>621</u>	<u>1380</u>	DBRMT_SYM- _MNG_1380	<u>092</u>	<u>1636</u>	M3C1_STAT_CNT_1636	<u>794</u>
<u>1153</u>	LRN_STAT_CNT_1153	<u>045</u>	<u>1381</u>	USR_ACCS_LVL_1381	<u>365</u>	<u>1638</u>	M3C1_STAT_CNT_1638	<u>794</u>
<u>1158</u>	LRN_STAT_CNT_1158	<u>620</u>			<u>378</u>	<u>1639</u>	M3C1_STAT_CNT_1639	<u>794</u>
<u>1163</u>	LRN_STAT_CNT_1163	<u>621</u>			<u>954</u>	<u>1641</u>	M3C1_STAT_CNT_1641	<u>794</u>
<u>1173</u>	LRN_STAT_CNT_1173	<u>045</u>			<u>088</u>	<u>1642</u>	M3C1_STAT_CNT_1642	<u>794</u>
<u>1178</u>	LRN_STAT_CNT_1178	<u>620</u>	<u>1493</u>	MOE_ED_ADD_CT_1493	<u>088</u>	<u>1644</u>	M3C2_STAT_CNT_1644	<u>802</u>
<u>1183</u>	LRN_STAT_CNT_1183	<u>621</u>	<u>1495</u>	MOE_ED_CHG_CT_1495	<u>088</u>	<u>1645</u>	M3C2_STAT_CNT_1645	<u>802</u>
<u>1193</u>	LRN_STAT_CNT_1193	<u>045</u>	<u>1497</u>	MOE_ED_DEL_CT_1497	<u>088</u>	<u>1646</u>	M3C2_STAT_CNT_1646	<u>802</u>
<u>1198</u>	LRN_STAT_CNT_1198	<u>620</u>	<u>1499</u>	MOE_MST_INQ_C_1499	<u>088</u>	<u>1648</u>	M3C2_STAT_CNT_1648	<u>802</u>
<u>1203</u>	LRN_STAT_CNT_1203	<u>621</u>	<u>1501</u>	GC_PICA_LAR_1501	<u>779</u>	<u>1649</u>	M3C2_STAT_CNT_1649	<u>802</u>
<u>1233</u>	LRN_STAT_CNT_1233	<u>045</u>	<u>1502</u>	GC_PICA_LCR_1502	<u>779</u>	<u>1650</u>	REP_STAT_CNT_1650	<u>058</u>
<u>1283</u>	DLN_1283	<u>966</u>	<u>1515</u>	FMSN_1515	<u>016</u>	<u>1651</u>	REP_STAT_CNT_1651	<u>056</u>
<u>1288</u>	DIDS_NOTE_NBR_1288	<u>305</u>			<u>523</u>	<u>1652</u>	REP_STAT_CNT_1652	<u>057</u>
		<u>394</u>	<u>1516</u>	NATO_FMSN_1516	<u>016</u>	<u>1653</u>	REP_STAT_CNT_1653	<u>055</u>
		<u>770</u>			<u>523</u>	<u>1657</u>	LRN_STAT_CNT_1657	<u>621</u>
		<u>771</u>	<u>1517</u>	FR_MST_ADD_ER_1517	<u>097</u>	<u>1667</u>	LRN_STAT_CNT_1667	<u>045</u>
		<u>864</u>	<u>1524</u>	FR_MST_ADD_CT_1524	<u>097</u>	<u>1672</u>	LRN_STAT_CNT_1672	<u>620</u>
<u>1298</u>	TBL_NBR_1298	<u>150</u>	<u>1528</u>	FR_MST_TI_FRM_1528	<u>097</u>	<u>1720</u>	INFO_DISEM_ID_1720	<u>130</u>
		<u>392</u>	<u>1532</u>	FR_EXD_CHG_ER_1532	<u>097</u>			<u>133</u>
		<u>393</u>	<u>1533</u>	FR_MST_DEL_ER_1533	<u>097</u>			<u>135</u>
		<u>394</u>	<u>1588</u>	M3AC_STAT_CNT_1588	<u>429</u>			<u>138</u>
		<u>395</u>	<u>1589</u>	M3AC_STAT_CNT_1589	<u>429</u>			<u>333</u>
		<u>736</u>	<u>1590</u>	M3AC_STAT_CNT_1590	<u>429</u>			<u>334</u>
<u>1300</u>	DIDS_NOTE_NAR_1300	<u>305</u>	<u>1593</u>	M3AC_STAT_CNT_1593	<u>429</u>			<u>335</u>
		<u>394</u>	<u>1594</u>	M3AC_STAT_CNT_1594	<u>429</u>			<u>336</u>
		<u>864</u>	<u>1597</u>	M3AC_STAT_CNT_1597	<u>429</u>			

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>339</u>			<u>054</u>			<u>845</u>
		<u>340</u>			<u>074</u>			<u>849</u>
		<u>342</u>			<u>082</u>			<u>850</u>
		<u>359</u>			<u>086</u>			<u>886</u>
		<u>388</u>			<u>107</u>			<u>887</u>
		<u>418</u>			<u>157</u>			<u>888</u>
		<u>447</u>			<u>158</u>			<u>912</u>
		<u>461</u>			<u>238</u>			<u>925</u>
		<u>473</u>			<u>299</u>			<u>926</u>
		<u>477</u>			<u>327</u>			<u>936</u>
		<u>478</u>			<u>368</u>			<u>943</u>
		<u>486</u>			<u>374</u>			<u>955</u>
		<u>497</u>			<u>381</u>			<u>994</u>
		<u>498</u>			<u>382</u>	<u>2051</u>	KRT_IND_2051	<u>258</u>
<u>1729</u>	LRN_STAT_CNT_1729	<u>045</u>			<u>385</u>			<u>259</u>
<u>1734</u>	LRN_STAT_CNT_1734	<u>620</u>			<u>387</u>			<u>689</u>
<u>1739</u>	LRN_STAT_CNT_1739	<u>621</u>			<u>389</u>	<u>2052</u>	DIC_I_O_TYPE_2052	<u>196</u>
<u>1882</u>	DE_LENGTH_1882	<u>404</u>			<u>398</u>	<u>2057</u>	TRANS_TI_2057	<u>196</u>
		<u>406</u>			<u>401</u>	<u>2090</u>	FRT_CD_STAT_2090	<u>090</u>
<u>1952</u>	FR_MST_INQ_DT_1952	<u>097</u>			<u>405</u>	<u>2093</u>	TIR_OP_MED_CD_2093	<u>157</u>
<u>1954</u>	FR_MST_DEL_CT_1954	<u>097</u>			<u>409</u>	<u>2094</u>	SSR_OP_MED_CD_2094	<u>157</u>
<u>1955</u>	FR_EXD_ADD_ER_1955	<u>097</u>			<u>475</u>	<u>2096</u>	OP_DESTN_2096	<u>197</u>
<u>1957</u>	FR_EXD_DEL_ER_1957	<u>097</u>			<u>537</u>	<u>2097</u>	ROLL_UP_DIC_2097	<u>197</u>
<u>1959</u>	FR_MST_CHG_CT_1959	<u>097</u>			<u>538</u>	<u>2098</u>	RL_UP_DIC_DES_2098	<u>197</u>
<u>1960</u>	FR_EXD_ADD_CT_1960	<u>097</u>			<u>581</u>	<u>2099</u>	ED_DIC_2099	<u>197</u>
<u>1961</u>	FR_EXD_CHG_CT_1961	<u>097</u>			<u>582</u>	<u>2101</u>	CM_NOTE_IND_2101	<u>197</u>
<u>1962</u>	FR_EXD_DEL_CT_1962	<u>097</u>			<u>583</u>	<u>2102</u>	ED_DIC_DESTN_2102	<u>197</u>
<u>1966</u>	CNTRY_NM_1966	<u>157</u>			<u>584</u>	<u>2109</u>	REC_COL_2109	<u>207</u>
		<u>264</u>			<u>588</u>			<u>249</u>
<u>1967</u>	DT_PR_EFF_1967	<u>104</u>			<u>590</u>	<u>2111</u>	DIC_DRN_NOTE_2111	<u>207</u>
<u>1972</u>	NATO_O_TR_PR_1972	<u>104</u>			<u>602</u>	<u>2113</u>	DIC_DRN_N_DEF_2113	<u>208</u>
<u>1973</u>	NATO_TRAN_PR_1973	<u>060</u>			<u>603</u>	<u>2127</u>	TRANS_DEF_2127	<u>214</u>
		<u>104</u>			<u>604</u>	<u>2128</u>	EFF_DT_2128	<u>006</u>
<u>1987</u>	TM_CD_1987	<u>060</u>			<u>607</u>			<u>007</u>
		<u>109</u>			<u>608</u>			<u>008</u>
<u>1997</u>	DOC_ID_CD_CT_1997	<u>624</u>			<u>613</u>			<u>009</u>
<u>2000</u>	RTN_TRNEE_CD_2000	<u>379</u>			<u>614</u>			<u>010</u>
<u>2024</u>	WRKLD_LOCK_OT_2024	<u>109</u>			<u>616</u>			<u>011</u>
<u>2029</u>	FR_MST_CHG_ER_2029	<u>097</u>			<u>716</u>			<u>015</u>
<u>2033</u>	KEYWRD-				<u>717</u>			<u>017</u>
	_MOD_ST_2033	<u>127</u>			<u>718</u>			<u>073</u>
		<u>921</u>			<u>719</u>			<u>091</u>
<u>2034</u>	KEYWRD_GRP_CD_2034	<u>127</u>			<u>720</u>			<u>093</u>
		<u>391</u>			<u>721</u>			<u>094</u>
		<u>921</u>			<u>735</u>			<u>095</u>
<u>2043</u>	ESD_EMI_CD_2043	<u>016</u>			<u>776</u>			<u>096</u>
		<u>211</u>			<u>783</u>			<u>099</u>
		<u>523</u>			<u>841</u>			<u>115</u>
<u>2046</u>	ACTY_CD_2046	<u>012</u>			<u>843</u>			<u>331</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>345</u>			<u>505</u>			<u>772</u>
		<u>380</u>	<u>2162</u>	AR_MCC_USE_TX_2162	<u>170</u>			<u>775</u>
		<u>382</u>	<u>2163</u>	AR_MCC_AP_SUB_2163	<u>006</u>			<u>782</u>
		<u>489</u>			<u>169</u>			<u>812</u>
		<u>491</u>			<u>505</u>			<u>932</u>
		<u>492</u>	<u>2164</u>	AR_MCC_AP_TXT_2164	<u>169</u>	<u>2303</u>	NM_CD_2303	<u>091</u>
		<u>505</u>	<u>2165</u>	AR_MCC_SG_CD_2165	<u>171</u>			<u>098</u>
		<u>506</u>	<u>2166</u>	AR_MCC_SG_TX_2166	<u>171</u>			<u>099</u>
		<u>507</u>	<u>2167</u>	AR_MCC_SG_CD1_2167	<u>006</u>			<u>489</u>
		<u>508</u>			<u>172</u>			<u>513</u>
		<u>509</u>			<u>505</u>			<u>518</u>
		<u>510</u>	<u>2168</u>	AR_MCC_SG_TX1_2168	<u>172</u>			<u>592</u>
		<u>511</u>	<u>2177</u>	NAIN_RMDR_2177	<u>363</u>			<u>593</u>
		<u>512</u>	<u>2180</u>	DT_NIIN_ASGMT_2180	<u>016</u>			<u>594</u>
		<u>513</u>			<u>041</u>			<u>724</u>
		<u>515</u>			<u>523</u>			<u>990</u>
		<u>518</u>	<u>2198</u>	LWST_DCSN_SEQ_2198	<u>998</u>	<u>2308</u>	DCOD_ISAC_RPY_2308	<u>125</u>
		<u>519</u>	<u>2199</u>	HI_DCSN_SEQ_2199	<u>998</u>			<u>950</u>
		<u>521</u>	<u>2211</u>	DIC_REF_2211	<u>196</u>	<u>2309</u>	DCOD_STYL_RPY_2309	<u>131</u>
		<u>592</u>	<u>2212</u>	DIC_TO_FD_2212	<u>198</u>			<u>951</u>
		<u>594</u>	<u>2213</u>	DIC_CSTDN_ALT_2213	<u>196</u>	<u>2310</u>	DT_TRAN_2310	<u>025</u>
		<u>599</u>	<u>2214</u>	DIC_CSTDN_2214	<u>196</u>			<u>044</u>
		<u>767</u>	<u>2219</u>	INCR_NBR_2219	<u>948</u>			<u>059</u>
		<u>768</u>	<u>2221</u>	RNAAC_IND_2221	<u>157</u>			<u>060</u>
		<u>783</u>	<u>2222</u>	ORG_ACT_IND_2222	<u>157</u>			<u>105</u>
		<u>865</u>	<u>2223</u>	DROP_IN_MAINT_2223	<u>157</u>			<u>106</u>
		<u>866</u>	<u>2224</u>	DROP_IN_NOTIF_2224	<u>157</u>			<u>332</u>
		<u>867</u>	<u>2225</u>	DROP_INDX_CD_2225	<u>209</u>			<u>380</u>
		<u>871</u>			<u>210</u>			<u>381</u>
		<u>885</u>			<u>480</u>			<u>422</u>
		<u>918</u>	<u>2227</u>	CTGY_CD_ACT_X_2227	<u>159</u>			<u>489</u>
<u>2131</u>	TRANS_INST_2131	<u>214</u>	<u>2231</u>	TBL_CSTDN_ALT_2231	<u>150</u>			<u>491</u>
<u>2132</u>	GLOS_TERM_2132	<u>220</u>	<u>2232</u>	TBL_CSTDN_2232	<u>150</u>			<u>492</u>
<u>2133</u>	GLOS_TERM_DEF_2133	<u>220</u>	<u>2233</u>	TBL_RSP_DIR_2233	<u>150</u>			<u>505</u>
<u>2134</u>	GLS_TRM_VL_RF_2134	<u>219</u>	<u>2254</u>	COCO_NBR_2254	<u>117</u>			<u>506</u>
		<u>220</u>			<u>118</u>			<u>507</u>
<u>2135</u>	GLOS_ACRNM_2135	<u>219</u>	<u>2260</u>	DT_LST_MRN_2260	<u>016</u>			<u>508</u>
<u>2136</u>	GLOS_ACRNM_TI_2136	<u>219</u>			<u>523</u>			<u>509</u>
<u>2137</u>	ADRS_TYP_CD_2137	<u>002</u>	<u>2262</u>	DT_OE_RCD_EST_2262	<u>082</u>			<u>510</u>
		<u>003</u>	<u>2283</u>	MAJ_MCC_AR_EX_2283	<u>237</u>			<u>511</u>
		<u>328</u>	<u>2300</u>	DT_STDZN_DEC_2300	<u>016</u>			<u>512</u>
		<u>504</u>			<u>523</u>			<u>513</u>
<u>2139</u>	PSTHRU_ACT_ID_2139	<u>206</u>	<u>2301</u>	SHRT_NM_2301	<u>098</u>			<u>515</u>
<u>2140</u>	PSTHRU_ACT_NM_2140	<u>206</u>			<u>379</u>			<u>518</u>
<u>2143</u>	SUBMR_ACT_IND_2143	<u>157</u>			<u>438</u>			<u>521</u>
<u>2150</u>	PICA_UPDT_DT_2150	<u>712</u>			<u>593</u>			<u>522</u>
		<u>812</u>			<u>596</u>			<u>523</u>
<u>2161</u>	AR_MCC_USE_CD_2161	<u>006</u>			<u>684</u>			<u>524</u>
		<u>170</u>			<u>712</u>			<u>767</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>768</u>			<u>784</u>	<u>2604</u>	STAT_BTCH_TIM_2604	<u>376</u>
		<u>928</u>			<u>786</u>	<u>2607</u>	FSC_COND_CD_2607	<u>098</u>
		<u>972</u>			<u>788</u>			<u>593</u>
		<u>973</u>			<u>790</u>	<u>2608</u>	COG_CD_NVY_2608	<u>006</u>
		<u>974</u>			<u>792</u>			<u>093</u>
		<u>975</u>			<u>857</u>			<u>252</u>
		<u>976</u>	<u>2507</u>	AAC_2507	<u>006</u>			<u>260</u>
		<u>977</u>			<u>015</u>			<u>505</u>
		<u>978</u>			<u>156</u>			<u>865</u>
		<u>979</u>			<u>505</u>	<u>2611</u>	CMDTY_MMC-	
		<u>980</u>			<u>511</u>		_DOD_2611	<u>093</u>
		<u>981</u>			<u>599</u>			<u>094</u>
		<u>982</u>	<u>2508</u>	ESD_EMI_CD_EX_2508	<u>211</u>			<u>202</u>
		<u>983</u>	<u>2513</u>	TAIL_ACT_CD_2513	<u>122</u>			<u>204</u>
		<u>984</u>	<u>2514</u>	PROP_CHAR_CD_2514	<u>121</u>			<u>515</u>
		<u>997</u>	<u>2516</u>	NM_PREFIX_2516	<u>098</u>			<u>633</u>
		<u>998</u>			<u>593</u>			<u>865</u>
		<u>999</u>	<u>2517</u>	NM_ROOT_RMDR_2517	<u>098</u>	<u>2612</u>	CMDTY_MMC-	
<u>2319</u>	SKEL_CODE_2319	<u>118</u>			<u>593</u>		_FUT_2612	<u>633</u>
		<u>119</u>	<u>2531</u>	AUTH_II_COLBR_2531	<u>095</u>	<u>2613</u>	FUT_MMC_EF_DT_2613	<u>633</u>
<u>2326</u>	COSIC_2326	<u>738</u>			<u>866</u>	<u>2620</u>	CAGE_NSCM_DES_2620	<u>082</u>
<u>2347</u>	UNIT_MEAS_TRM_2347	<u>276</u>	<u>2532</u>	AUTH_II_RCVR_2532	<u>096</u>			<u>263</u>
<u>2348</u>	ISAC_PRES_CD_2348	<u>121</u>			<u>867</u>	<u>2638</u>	RPTY_ID_2638	<u>475</u>
<u>2410</u>	LRN_STAT_CNT_2410	<u>045</u>	<u>2533</u>	SUPPLM_COLLBR_2533	<u>008</u>			<u>783</u>
<u>2422</u>	LRN_STAT_CNT_2422	<u>621</u>			<u>507</u>	<u>2640</u>	DAC_2640	<u>014</u>
<u>2429</u>	LRN_STAT_CNT_2429	<u>620</u>	<u>2534</u>	SUPPLM_RCVR_2534	<u>017</u>			<u>201</u>
<u>2473</u>	TBL_VOLUME_2473	<u>913</u>			<u>512</u>			<u>205</u>
<u>2495</u>	CIIC_CLS_TI_2495	<u>182</u>	<u>2535</u>	AUTH_II_SUBMR_2535	<u>093</u>			<u>522</u>
<u>2496</u>	CIIC_CLS_EX_2496	<u>182</u>			<u>865</u>			<u>598</u>
<u>2497</u>	AIR_CMDTY_CD_2497	<u>162</u>	<u>2538</u>	FRST_MNTH_JUL_2538	<u>956</u>			<u>772</u>
<u>2498</u>	RPLY_STAT_IND_2498	<u>128</u>	<u>2539</u>	NUMERIC_MONTH_2539	<u>956</u>			<u>775</u>
		<u>923</u>	<u>2541</u>	L07_TRAN_SENT_2541	<u>998</u>			<u>932</u>
<u>2499</u>	LKD_LKU_RPLM_2499	<u>010</u>	<u>2542</u>	L07_TRAN_RCVD_2542	<u>998</u>	<u>2644</u>	REV_LVL_2644	<u>130</u>
		<u>509</u>	<u>2544</u>	CASE_NBR_2544	<u>044</u>			<u>133</u>
<u>2506</u>	STAT_MANAGER_2506	<u>024</u>	<u>2549</u>	POS_ZONE_2549	<u>328</u>			<u>135</u>
		<u>369</u>			<u>674</u>			<u>138</u>
		<u>370</u>	<u>2561</u>	RN_DEC_CAT_CD_2561	<u>287</u>			<u>333</u>
		<u>436</u>	<u>2564</u>	DFLT_OP_FMT_2564	<u>382</u>			<u>334</u>
		<u>570</u>	<u>2579</u>	HCC_2579	<u>014</u>			<u>335</u>
		<u>572</u>			<u>016</u>			<u>336</u>
		<u>575</u>			<u>522</u>			<u>339</u>
		<u>577</u>			<u>523</u>			<u>340</u>
		<u>652</u>			<u>711</u>			<u>342</u>
		<u>654</u>			<u>775</u>			<u>359</u>
		<u>660</u>	<u>2597</u>	SUR_PRC_YR_2597	<u>016</u>			<u>388</u>
		<u>662</u>			<u>523</u>			<u>418</u>
		<u>692</u>	<u>2599</u>	SUR_PRC_UN_PR_2599	<u>016</u>			<u>447</u>
		<u>694</u>			<u>523</u>			<u>461</u>
		<u>763</u>	<u>2602</u>	BTCH_FMT_PARM_2602	<u>102</u>			<u>473</u>
								<u>477</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>478</u>			<u>674</u>			<u>318</u>
		<u>486</u>			<u>685</u>			<u>433</u>
		<u>497</u>			<u>725</u>			<u>505</u>
		<u>498</u>			<u>775</u>			<u>506</u>
<u>2645</u>	MINM_ADRS_CD_2645	<u>082</u>	<u>2695</u>	FUND_CD_AF_2695	<u>006</u>			<u>530</u>
		<u>226</u>			<u>166</u>			<u>599</u>
<u>2646</u>	RPLD_INC_2646	<u>489</u>			<u>505</u>			<u>734</u>
		<u>990</u>	<u>2720</u>	HMC_2720	<u>016</u>			<u>868</u>
<u>2647</u>	RPLD_FSC_2647	<u>491</u>			<u>224</u>			<u>886</u>
		<u>492</u>			<u>523</u>			<u>887</u>
<u>2648</u>	RQMT_RPY_INST_2648	<u>127</u>	<u>2744</u>	IMC_2744	<u>231</u>	<u>2834</u>	SMIC_NVY_2834	<u>006</u>
		<u>390</u>			<u>345</u>			<u>254</u>
		<u>921</u>			<u>436</u>			<u>505</u>
<u>2650</u>	ISC_2650	<u>016</u>			<u>521</u>	<u>2836</u>	MMAC_AF_2836	<u>006</u>
		<u>041</u>			<u>597</u>			<u>093</u>
		<u>042</u>	<u>2745</u>	REPBL_CD_2745	<u>055</u>			<u>238</u>
		<u>232</u>			<u>056</u>			<u>505</u>
		<u>523</u>			<u>057</u>			<u>865</u>
		<u>915</u>			<u>058</u>	<u>2841</u>	ERRC_CNDM_LV_2841	<u>165</u>
<u>2655</u>	ERRC_CD_AF_2655	<u>006</u>	<u>2746</u>	DB2_ARC_GP_NO_2746	<u>141</u>	<u>2842</u>	ERRC_DSG_AF_2842	<u>165</u>
		<u>165</u>			<u>142</u>	<u>2843</u>	ERRC_EXP_Y_N_2843	<u>165</u>
		<u>505</u>			<u>913</u>	<u>2844</u>	ERRC_REP_Y_N_2844	<u>165</u>
<u>2665</u>	ACTG_RQMT_AR_2665	<u>006</u>	<u>2747</u>	INVLD_IMC_IND_2747	<u>231</u>	<u>2845</u>	PREV_DEMIL_CD_2845	<u>812</u>
		<u>168</u>	<u>2748</u>	IMC_ACTY_2748	<u>318</u>	<u>2846</u>	PREV_CIIC_2846	<u>812</u>
		<u>505</u>			<u>345</u>	<u>2847</u>	RECM_DEMIL_2847	<u>812</u>
<u>2670</u>	NIIN_STAT_CD_2670	<u>016</u>			<u>521</u>	<u>2848</u>	RECM_CIIC_2848	<u>812</u>
		<u>028</u>	<u>2750</u>	RNJC_2750	<u>014</u>	<u>2849</u>	DEMIL_UPD_SRC_2849	<u>812</u>
		<u>255</u>			<u>283</u>	<u>2850</u>	NMFC_2850	<u>016</u>
		<u>379</u>			<u>522</u>			<u>035</u>
		<u>426</u>			<u>598</u>			<u>090</u>
		<u>427</u>			<u>686</u>			<u>149</u>
		<u>428</u>			<u>775</u>			<u>503</u>
		<u>523</u>	<u>2760</u>	LCL_CD_2760	<u>016</u>			<u>523</u>
		<u>684</u>			<u>234</u>			<u>732</u>
		<u>712</u>			<u>523</u>	<u>2862</u>	PHRS_CD_2862	<u>007</u>
		<u>782</u>	<u>2770</u>	CLAS_RTNG_CD_2770	<u>090</u>			<u>268</u>
		<u>812</u>			<u>235</u>			<u>506</u>
		<u>960</u>	<u>2832</u>	MAT_CTL_NVY_2832	<u>006</u>			<u>583</u>
<u>2671</u>	RNDM_SMPL_IND_2671	<u>133</u>			<u>253</u>			<u>599</u>
		<u>340</u>			<u>505</u>			<u>836</u>
<u>2672</u>	OP_PROD_EXTR_2672	<u>699</u>	<u>2833</u>	MOE_CD_2833	<u>006</u>			<u>882</u>
<u>2673</u>	CNFDNC_LVL_RT_2673	<u>699</u>			<u>007</u>			<u>884</u>
<u>2674</u>	ERR_RT_2674	<u>699</u>			<u>041</u>	<u>2863</u>	CIIC_2863	<u>006</u>
<u>2675</u>	SMPL_SZ_QY_2675	<u>699</u>			<u>137</u>			<u>270</u>
<u>2694</u>	CAGE_STAT_CD_2694	<u>070</u>			<u>148</u>			<u>379</u>
		<u>082</u>			<u>152</u>			<u>505</u>
		<u>185</u>			<u>157</u>			<u>599</u>
		<u>281</u>			<u>247</u>			<u>712</u>
		<u>502</u>			<u>248</u>			<u>812</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>2866</u>	PICA_2866	<u>941</u> <u>041</u> <u>093</u> <u>152</u> <u>250</u> <u>275</u> <u>379</u> <u>712</u> <u>772</u> <u>773</u> <u>775</u> <u>779</u> <u>781</u> <u>812</u> <u>865</u> <u>932</u> <u>991</u>	<u>2884</u> <u>2885</u> <u>2886</u>	KIM_OP_IND_2884 DRN_INTR_ID_2885 DB2_PART_QY_2886	<u>583</u> <u>582</u> <u>586</u> <u>587</u> <u>586</u> <u>581</u> <u>006</u>	<u>2930</u> <u>2934</u>	REIMB_CD_2930 REP_CD_DLA_2934	<u>513</u> <u>592</u> <u>288</u> <u>006</u> <u>200</u> <u>505</u>
		<u>379</u> <u>712</u> <u>772</u> <u>773</u> <u>775</u> <u>779</u> <u>781</u> <u>812</u> <u>865</u> <u>932</u> <u>991</u> <u>341</u> <u>376</u> <u>412</u> <u>600</u> <u>615</u> <u>777</u> <u>852</u>	<u>2891</u> <u>2892</u> <u>2893</u> <u>2895</u>	RECOV_CD_MC_2891 RECOV_CD_AR_2892 TECH_DOC_NBR_2893 REL_NSN_2895	<u>006</u> <u>006</u> <u>007</u> <u>007</u> <u>006</u> <u>006</u> <u>006</u> <u>006</u> <u>006</u> <u>006</u> <u>006</u> <u>006</u> <u>014</u>	<u>2938</u> <u>2943</u>	SICA_2938 SLC_2943	<u>041</u> <u>093</u> <u>152</u> <u>250</u> <u>865</u> <u>006</u> <u>006</u> <u>295</u> <u>505</u> <u>599</u> <u>006</u> <u>298</u> <u>505</u> <u>006</u> <u>244</u> <u>505</u> <u>599</u>
<u>2867</u>	PRI_IND_CD_2867	<u>341</u> <u>376</u> <u>412</u> <u>600</u> <u>615</u> <u>777</u> <u>852</u>	<u>2900</u>	RNAAC_2900	<u>014</u> <u>522</u> <u>686</u> <u>772</u> <u>775</u> <u>932</u>	<u>2959</u> <u>3006</u> <u>3007</u>	STRS_ACT_MC_2959 ENAC_CTYG_NM_3006 ENAC_ATTR_NM_3007	<u>006</u> <u>244</u> <u>505</u> <u>599</u> <u>765</u> <u>765</u>
<u>2871</u>	AMC_2871	<u>021</u> <u>022</u> <u>153</u> <u>154</u> <u>345</u> <u>425</u> <u>521</u> <u>597</u> <u>581</u> <u>581</u> <u>581</u> <u>022</u> <u>153</u> <u>155</u> <u>345</u> <u>521</u> <u>597</u> <u>584</u> <u>585</u> <u>396</u> <u>580</u> <u>585</u>	<u>2910</u> <u>2911</u> <u>2912</u> <u>2920</u>	RNCC_2910 RN_PREF_ORDR_2911 RN_COMB_DF_TX_2912 RNFC_2920	<u>014</u> <u>205</u> <u>245</u> <u>280</u> <u>522</u> <u>539</u> <u>584</u> <u>598</u> <u>686</u> <u>772</u> <u>775</u> <u>932</u> <u>539</u> <u>014</u> <u>282</u> <u>522</u> <u>686</u> <u>775</u> <u>014</u> <u>284</u> <u>522</u> <u>686</u> <u>775</u>	<u>3010</u> <u>3025</u> <u>3040</u> <u>3041</u> <u>3042</u> <u>3043</u>	ENAC_DEF_3010 ENAC_3025 UFC_CD_MODF_3040 OLD_UI_CD_3041 NEW_UI_CD_3042 SEQ_KEY_3043	<u>006</u> <u>244</u> <u>505</u> <u>599</u> <u>765</u> <u>765</u> <u>767</u> <u>768</u> <u>016</u> <u>035</u> <u>090</u> <u>149</u> <u>503</u> <u>523</u> <u>813</u> <u>813</u> <u>228</u> <u>291</u> <u>394</u> <u>536</u> <u>770</u> <u>771</u> <u>813</u> <u>813</u> <u>813</u> <u>839</u> <u>839</u> <u>006</u>
<u>2873</u>	AR_RPL_ACT_CD_2873	<u>581</u>			<u>686</u>			<u>503</u>
<u>2874</u>	NV_RPL_ACT_CD_2874	<u>581</u>			<u>772</u>			<u>523</u>
<u>2875</u>	AF_RPL_ACT_CD_2875	<u>581</u>			<u>775</u>	<u>3041</u>	OLD_UI_CD_3041	<u>813</u>
<u>2876</u>	AMSC_2876	<u>022</u> <u>153</u> <u>155</u> <u>345</u> <u>521</u> <u>597</u> <u>584</u> <u>585</u> <u>396</u> <u>580</u> <u>585</u>	<u>2911</u> <u>2912</u> <u>2920</u>	RN_PREF_ORDR_2911 RN_COMB_DF_TX_2912 RNFC_2920	<u>539</u> <u>539</u> <u>014</u> <u>282</u> <u>522</u> <u>686</u> <u>775</u> <u>014</u> <u>284</u> <u>522</u> <u>686</u> <u>775</u>	<u>3042</u> <u>3043</u>	NEW_UI_CD_3042 SEQ_KEY_3043	<u>813</u> <u>813</u> <u>228</u> <u>291</u> <u>394</u> <u>536</u> <u>770</u> <u>771</u> <u>813</u> <u>813</u> <u>813</u> <u>839</u> <u>839</u>
<u>2878</u>	GOV_CAGE_INCL_2878	<u>584</u>			<u>686</u>			<u>771</u>
<u>2879</u>	ERP_CHNG_IND_2879	<u>585</u>			<u>775</u>			<u>813</u>
<u>2880</u>	DEF_EXPLN_TX_2880	<u>396</u> <u>580</u> <u>585</u>	<u>2923</u>	RNSC_2923	<u>014</u> <u>284</u> <u>522</u> <u>686</u> <u>775</u>	<u>3044</u> <u>3045</u> <u>3047</u> <u>3048</u> <u>3049</u>	OLD_QUANT_EXP_3044 NEW_QUANT_EXP_3045 NEW_UI_TEXT_3047 FRST_PHR CD_3048 SCND_PHR CD_3049	<u>813</u> <u>813</u> <u>813</u> <u>839</u> <u>839</u>
<u>2881</u>	SICA_OP_IND_2881	<u>583</u>			<u>686</u>			<u>839</u>
<u>2882</u>	PICA_OP_IND_2882	<u>583</u>			<u>775</u>			<u>839</u>
<u>2883</u>	KIP_OP_IND_2883	<u>583</u>	<u>2926</u>	REL_INC_2926	<u>091</u>	<u>3050</u>	UI_3050	<u>006</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>312</u>			<u>524</u>			<u>983</u>
		<u>505</u>			<u>586</u>			<u>984</u>
		<u>599</u>			<u>587</u>			<u>997</u>
<u>3051</u>	PH_CD_NT_IND_3051	<u>839</u>			<u>604</u>			<u>998</u>
<u>3053</u>	UI_CONV_FAC_3053	<u>006</u>			<u>606</u>			<u>999</u>
		<u>505</u>			<u>610</u>	<u>3060</u>	AND_OR_IND_3060	<u>348</u>
		<u>813</u>			<u>612</u>			<u>350</u>
<u>3054</u>	SNA_REMOT_ID_3054	<u>618</u>			<u>614</u>			<u>351</u>
		<u>619</u>			<u>616</u>			<u>352</u>
<u>3059</u>	TMSTMP_3059	<u>006</u>			<u>617</u>			<u>353</u>
		<u>007</u>			<u>619</u>			<u>354</u>
		<u>008</u>			<u>632</u>	<u>3066</u>	STAT_LOA_3066	<u>050</u>
		<u>009</u>			<u>665</u>			<u>057</u>
		<u>010</u>			<u>666</u>			<u>058</u>
		<u>011</u>			<u>667</u>			<u>371</u>
		<u>014</u>			<u>767</u>			<u>569</u>
		<u>015</u>			<u>768</u>			<u>570</u>
		<u>016</u>			<u>773</u>			<u>571</u>
		<u>017</u>			<u>775</u>			<u>572</u>
		<u>018</u>			<u>780</u>			<u>648</u>
		<u>025</u>			<u>781</u>			<u>652</u>
		<u>044</u>			<u>782</u>			<u>656</u>
		<u>046</u>			<u>812</u>			<u>660</u>
		<u>047</u>			<u>843</u>			<u>744</u>
		<u>054</u>			<u>844</u>			<u>796</u>
		<u>059</u>			<u>910</u>			<u>800</u>
		<u>105</u>			<u>911</u>	<u>3073</u>	J_TBL_REPLY_3073	<u>352</u>
		<u>106</u>			<u>919</u>			<u>360</u>
		<u>149</u>			<u>920</u>	<u>3078</u>	F_MIN_VALUE_3078	<u>353</u>
		<u>345</u>			<u>921</u>			<u>361</u>
		<u>346</u>			<u>922</u>	<u>3084</u>	PINC_3084	<u>010</u>
		<u>366</u>			<u>923</u>			<u>348</u>
		<u>381</u>			<u>924</u>			<u>349</u>
		<u>384</u>			<u>928</u>			<u>350</u>
		<u>422</u>			<u>937</u>			<u>351</u>
		<u>505</u>			<u>950</u>			<u>352</u>
		<u>506</u>			<u>951</u>			<u>353</u>
		<u>507</u>			<u>952</u>			<u>354</u>
		<u>508</u>			<u>972</u>			<u>356</u>
		<u>509</u>			<u>973</u>			<u>357</u>
		<u>510</u>			<u>974</u>			<u>358</u>
		<u>511</u>			<u>975</u>			<u>360</u>
		<u>512</u>			<u>976</u>			<u>361</u>
		<u>516</u>			<u>977</u>			<u>362</u>
		<u>517</u>			<u>978</u>			<u>364</u>
		<u>519</u>			<u>979</u>			<u>509</u>
		<u>521</u>			<u>980</u>			<u>747</u>
		<u>522</u>			<u>981</u>			<u>748</u>
		<u>523</u>			<u>982</u>	<u>3085</u>	AMC_TO_3085	<u>329</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>3086</u>	AMC_FROM_3086	<u>329</u>	<u>3127</u>	MT_LAB_IND_3127	<u>267</u>			<u>729</u>
<u>3087</u>	PC_DN_LD_LINE_3087	<u>366</u>			<u>410</u>	<u>3171</u>	TYP_OE_CD_EXP_3171	<u>265</u>
<u>3088</u>	CLRTXT_KEY_3088	<u>349</u>	<u>3128</u>	RNCC_IN_3128	<u>287</u>	<u>3172</u>	SP_MAT_CON_EX_3172	<u>301</u>
<u>3090</u>	STAT_LOA_COMB_3090	<u>024</u>	<u>3129</u>	RNVC_IN_3129	<u>287</u>	<u>3173</u>	FILE_MAINT_EX_3173	<u>213</u>
		<u>369</u>	<u>3130</u>	RNCC_DB_3130	<u>287</u>	<u>3174</u>	SEG_CD_SUP_EX_3174	<u>293</u>
		<u>786</u>	<u>3131</u>	RNVC_DB_3131	<u>287</u>	<u>3175</u>	DIDS_SEG_EX_3175	<u>199</u>
		<u>792</u>	<u>3132</u>	UNMTCH_RNCC_3132	<u>287</u>	<u>3176</u>	OPRTL_T_MC_EX_3176	<u>266</u>
<u>3101</u>	REF_SCRN_IND_3101	<u>191</u>	<u>3133</u>	R_N_DUP_DEC_3133	<u>287</u>	<u>3177</u>	PHY_CTGY_MC_X_3177	<u>269</u>
		<u>230</u>	<u>3134</u>	CIIM_RTN_CD_3134	<u>183</u>	<u>3178</u>	TYP_SP_PRC_E_3178	<u>310</u>
<u>3102</u>	CHAR_SCRN_IND_3102	<u>191</u>			<u>746</u>	<u>3179</u>	INV_ACT_CG_EX_3179	<u>229</u>
		<u>230</u>	<u>3136</u>	NO_Q8_ED_3136	<u>299</u>	<u>3180</u>	REP_CD_CG_EX_3180	<u>184</u>
<u>3103</u>	TYP_MATCH_3103	<u>230</u>	<u>3137</u>	CIIM_RTN_DEF_3137	<u>183</u>	<u>3181</u>	NO_Q8_ED_NVY_3181	<u>252</u>
<u>3104</u>	RESULT_ACTN_3104	<u>230</u>	<u>3138</u>	CIIM_IN_IND_3138	<u>183</u>	<u>3182</u>	SRN_CTL_CG_EX_3182	<u>180</u>
<u>3105</u>	RNCC_MS_H_RNG_3105	<u>278</u>	<u>3139</u>	CIIM_RTN_TO_3139	<u>183</u>	<u>3183</u>	CON_CD_FD1_TL_3183	<u>831</u>
		<u>290</u>	<u>3140</u>	RTN_DEF_INST_3140	<u>291</u>	<u>3184</u>	CON_CD_FD1_3184	<u>831</u>
<u>3106</u>	RNVC_MS_H_RNG_3106	<u>278</u>	<u>3141</u>	FU_STAT_DEF_3141	<u>233</u>	<u>3185</u>	REIMB_CD_EX_3185	<u>288</u>
		<u>290</u>	<u>3142</u>	FU_STAT_INST_3142	<u>233</u>	<u>3186</u>	TRAN_STAT_DEF_3186	<u>306</u>
<u>3107</u>	DAC_MUST_RNG_3107	<u>278</u>	<u>3143</u>	SGR_W_OP_DIC_3143	<u>233</u>	<u>3187</u>	TRAN_STAT_INS_3187	<u>306</u>
<u>3108</u>	VLD_REF_MST_3108	<u>278</u>	<u>3144</u>	SGR_WO_OP_DIC_3144	<u>233</u>	<u>3188</u>	TRAN_STAT_OP_3188	<u>306</u>
<u>3109</u>	RNCC_MA_H_RNG_3109	<u>278</u>	<u>3145</u>	CURR_TIR_SEG_3145	<u>233</u>	<u>3189</u>	TRAN_STAT_NOT_3189	<u>306</u>
		<u>289</u>	<u>3146</u>	ADD_R_P_Q_SEG_3146	<u>233</u>	<u>3190</u>	PUB_TRM_ABR_3190	<u>174</u>
<u>3110</u>	RNVC_MA_H_RNG_3110	<u>278</u>	<u>3147</u>	USI_SVC_CD_X_3147	<u>313</u>	<u>3191</u>	PVC_AF_DEF_3191	<u>273</u>
		<u>289</u>	<u>3148</u>	MAT_CAT_MC_3148	<u>242</u>	<u>3192</u>	PUB_TERM_3192	<u>174</u>
<u>3111</u>	DAC_MAY_RNG_3111	<u>278</u>	<u>3149</u>	MGT_AG_G_C_MC_3149	<u>242</u>	<u>3193</u>	DBR_PRO_INIT_3193	<u>203</u>
<u>3112</u>	VLD_REF_MAY_3112	<u>278</u>	<u>3150</u>	ECH_CD_MC_3150	<u>006</u>	<u>3205</u>	SUBMTR_USERID_3205	<u>078</u>
		<u>289</u>			<u>240</u>	<u>3237</u>	NAIN_CD_3237	<u>363</u>
<u>3113</u>	FMT_R_NBR_CAG_3113	<u>176</u>			<u>505</u>	<u>3238</u>	ACTY_NM_LINE1_3238	<u>157</u>
<u>3114</u>	FMT_EXAMPLE_3114	<u>176</u>			<u>599</u>	<u>3239</u>	ACTY_NM_LINE2_3239	<u>157</u>
<u>3115</u>	SCRN_RNCC_3115	<u>289</u>	<u>3151</u>	EC_ACQ_STK_MC_3151	<u>240</u>	<u>3240</u>	ACTY_NM_LINE3_3240	<u>157</u>
		<u>290</u>	<u>3152</u>	ECH_REM_MC_3152	<u>240</u>	<u>3241</u>	ACTY_NM_LINE4_3241	<u>157</u>
<u>3116</u>	SCRN_RNVC_3116	<u>289</u>	<u>3153</u>	STRS_ACT_MC_X_3153	<u>244</u>	<u>3242</u>	ACTY_NM_LINE5_3242	<u>157</u>
		<u>290</u>	<u>3154</u>	RECOV_EX_MC_3154	<u>243</u>	<u>3243</u>	ACTY_OFC_SYM_3243	<u>157</u>
<u>3117</u>	R_N_DUP_DEC_I_3117	<u>287</u>	<u>3155</u>	SP_MAT_APL_IK_3155	<u>254</u>	<u>3244</u>	ACTY_ST_ADRS1_3244	<u>157</u>
<u>3118</u>	OP_MOD_MED_EX_3118	<u>267</u>	<u>3156</u>	MCC_NVY_EX_3156	<u>253</u>	<u>3245</u>	ACTY_ST_ADRS2_3245	<u>157</u>
		<u>410</u>	<u>3157</u>	ACT_RQM_BR_EX_3157	<u>168</u>	<u>3246</u>	ACTY_CITY_3246	<u>157</u>
<u>3119</u>	F_V_LEN_IND_3119	<u>267</u>	<u>3158</u>	MMAC_DEF_AF_3158	<u>238</u>	<u>3247</u>	ACTY_ST_US_AB_3247	<u>157</u>
		<u>410</u>	<u>3159</u>	AF_BDGT_PGM_3159	<u>164</u>	<u>3248</u>	ACTY_ZIP_CD_3248	<u>157</u>
<u>3120</u>	EAM_CRD_INTRP_3120	<u>267</u>	<u>3160</u>	AF_BDGT_APPRP_3160	<u>164</u>	<u>3306</u>	LOLA_REQ_DATE_3306	<u>045</u>
		<u>410</u>	<u>3161</u>	BDGT_CD_AF_EX_3161	<u>164</u>			<u>620</u>
<u>3121</u>	LST_PRT_P_IND_3121	<u>267</u>	<u>3162</u>	AF_BGT_STK_FD_3162	<u>164</u>			<u>621</u>
		<u>410</u>	<u>3163</u>	FD_CD_DEF_AF_3163	<u>166</u>	<u>3307</u>	LOLA_STAT_SC_3307	<u>045</u>
<u>3122</u>	MT_TRC_ENCD_I_3122	<u>267</u>	<u>3164</u>	ERRC_EX_AF_3164	<u>165</u>			<u>620</u>
<u>3123</u>	MT_USG_NOTE_3123	<u>267</u>	<u>3165</u>	CMBT_MC_EXP_3165	<u>239</u>			<u>621</u>
<u>3124</u>	MT_DNSTY_IND_3124	<u>267</u>	<u>3166</u>	MAT_ID_MC_EX_3166	<u>241</u>	<u>3308</u>	ITM_NM_TYP_CD_3308	<u>098</u>
		<u>410</u>	<u>3167</u>	MAT_ID_MC_NOT_3167	<u>241</u>			<u>593</u>
<u>3125</u>	MT_PRTY_IND_3125	<u>267</u>	<u>3168</u>	SP_HDLG_CD_EX_3168	<u>300</u>			<u>724</u>
		<u>410</u>	<u>3169</u>	AIR_S_HDLG_3169	<u>167</u>	<u>3311</u>	CMBT_ESTL_MC_3311	<u>006</u>
<u>3126</u>	MT_BLCK_FAC_3126	<u>267</u>	<u>3170</u>	AIR_S_HDLG_EX_3170	<u>167</u>			<u>239</u>
		<u>410</u>			<u>728</u>			<u>505</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>599</u>			<u>339</u>			<u>473</u>
<u>3313</u>	UPDT_TRAN_HDR_3313	<u>375</u>			<u>347</u>			<u>748</u>
<u>3314</u>	UPDT_COMM_3314	<u>375</u>			<u>348</u>			<u>923</u>
<u>3323</u>	UPDT_PRC_TIME_3323	<u>368</u>			<u>349</u>	<u>3466</u>	HMIC_EXPLN_3466	<u>110</u>
		<u>608</u>			<u>350</u>	<u>3467</u>	CRT_CD_FIG_EX_3467	<u>111</u>
<u>3324</u>	UPDT_DIC_CT_3324	<u>374</u>			<u>351</u>	<u>3474</u>	MR_STAT_DT_3474	<u>088</u>
<u>3339</u>	LOG_DT_3339	<u>141</u>			<u>352</u>	<u>3475</u>	CON_CD_FED1_3475	<u>831</u>
<u>3366</u>	CAGE_AFFL_DEF_3366	<u>700</u>			<u>353</u>	<u>3476</u>	CON_CD_FED2_3476	<u>832</u>
<u>3367</u>	SZ_OF_BUS_DEF_3367	<u>705</u>			<u>354</u>	<u>3477</u>	CON_CD_FD2_TI_3477	<u>832</u>
<u>3368</u>	BUS_CAT_DEF_3368	<u>704</u>			<u>356</u>	<u>3478</u>	CON_CD_FD2_XD_3478	<u>832</u>
<u>3369</u>	TYP_BUS_DEF_3369	<u>703</u>			<u>357</u>	<u>3479</u>	SVC_NM_3479	<u>833</u>
<u>3373</u>	RGSTR_RNWL_DT_3373	<u>222</u>			<u>358</u>			<u>834</u>
<u>3374</u>	CNTCT_NM_3374	<u>222</u>			<u>360</u>	<u>3480</u>	NM_LINE1_3480	<u>834</u>
<u>3375</u>	EMAIL_ADRS_3375	<u>222</u>			<u>361</u>	<u>3481</u>	NM_LINE2_3481	<u>834</u>
<u>3376</u>	PRCS_CAGE_CD_3376	<u>281</u>			<u>362</u>	<u>3482</u>	ATTN_LINE_3482	<u>834</u>
<u>3377</u>	CCR_IP_RCD_TX_3377	<u>281</u>			<u>473</u>	<u>3483</u>	DSOR_ACTY_NM_3483	<u>833</u>
<u>3378</u>	CCR_OP_RCD_TX_3378	<u>281</u>			<u>498</u>	<u>3485</u>	INC_FIIG_CORL_3485	<u>830</u>
<u>3379</u>	EDIT_CAGE_CD_3379	<u>281</u>			<u>501</u>	<u>3486</u>	TYPE_II_2_3486	<u>830</u>
<u>3380</u>	CCR_CAGE_CD_3380	<u>281</u>			<u>688</u>	<u>3488</u>	TYP_II_M_3488	<u>830</u>
<u>3381</u>	USR_ACCS_SUB_3381	<u>332</u>			<u>748</u>	<u>3489</u>	TYP_II_N_3489	<u>830</u>
		<u>954</u>			<u>880</u>	<u>3490</u>	TYP_II_1_3490	<u>830</u>
<u>3401</u>	TAX_PYR_ID_3401	<u>082</u>			<u>919</u>	<u>3491</u>	TYP_II_K_3491	<u>830</u>
<u>3403</u>	PARNT_TAXPYR_3403	<u>082</u>			<u>921</u>	<u>3492</u>	TYP_II_L_3492	<u>830</u>
<u>3405</u>	DUNS_3405	<u>070</u>			<u>951</u>	<u>3493</u>	SVC_SICA_3493	<u>837</u>
		<u>222</u>	<u>3447</u>	PRICE_NOTE_3447	<u>837</u>	<u>3494</u>	CIIC_NOTE_3494	<u>837</u>
		<u>281</u>	<u>3448</u>	QE_NOTE_3448	<u>837</u>	<u>3495</u>	SLC_NOTE_3495	<u>837</u>
<u>3408</u>	CNTRY_CD_3408	<u>328</u>	<u>3449</u>	SVC_CD_P_S_EX_3449	<u>835</u>	<u>3496</u>	SOSM_NOTE_3496	<u>837</u>
		<u>674</u>	<u>3450</u>	PHRS_CD_SVC_X_3450	<u>836</u>	<u>3497</u>	UI_NOTE_3497	<u>837</u>
		<u>701</u>	<u>3451</u>	NATO_ONLY_IND_3451	<u>198</u>	<u>3498</u>	SOS_NOTE_3498	<u>837</u>
<u>3409</u>	CNTY_NM_3409	<u>002</u>			<u>207</u>	<u>3499</u>	QUP_NOTE_3499	<u>837</u>
<u>3410</u>	CNGRSL_DSTRCT_3410	<u>002</u>			<u>214</u>	<u>3505</u>	PICA_LOA_3505	<u>093</u>
<u>3413</u>	TEL_TYP_DEF_3413	<u>702</u>	<u>3452</u>	DLIS_CHP_NBR_3452	<u>394</u>			<u>152</u>
<u>3414</u>	FRM_ZIP_CD_3414	<u>077</u>			<u>736</u>			<u>271</u>
<u>3415</u>	TO_ZIP_CD_3415	<u>077</u>			<u>864</u>			<u>275</u>
<u>3428</u>	H_D_BRK_CMDTY_3428	<u>094</u>	<u>3453</u>	TX_TB_HDR_IND_3453	<u>736</u>			<u>865</u>
		<u>221</u>	<u>3454</u>	MIL_VOL_IND_3454	<u>917</u>	<u>3561</u>	ASGN_ISAC_RPY_3561	<u>952</u>
		<u>515</u>	<u>3455</u>	SIN_MLT_OP_EX_3455	<u>873</u>	<u>3562</u>	AUD_ISAC_RPY_3562	<u>950</u>
<u>3445</u>	MRC_3445	<u>020</u>	<u>3456</u>	SYM_IND_3456	<u>156</u>	<u>3563</u>	AUD_STYL_RPY_3563	<u>951</u>
		<u>078</u>			<u>194</u>	<u>3565</u>	REF_DWG_GP_DS_3565	<u>321</u>
		<u>115</u>			<u>312</u>			<u>323</u>
		<u>116</u>	<u>3458</u>	CMD_AUTH_CD_X_3458	<u>858</u>			<u>324</u>
		<u>119</u>	<u>3460</u>	AUD_RQMT_STAT_3460	<u>921</u>			<u>325</u>
		<u>120</u>			<u>922</u>			<u>326</u>
		<u>121</u>	<u>3461</u>	AUD_RPLY_STAT_3461	<u>923</u>	<u>3570</u>	REF_NBR_3570	<u>014</u>
		<u>124</u>	<u>3462</u>	MRC_ASGN_STAT_3462	<u>919</u>			<u>046</u>
		<u>126</u>	<u>3463</u>	RPLY_TBL_STAT_3463	<u>920</u>			<u>059</u>
		<u>127</u>	<u>3464</u>	UP_QTY_EXPL_3464	<u>946</u>			<u>103</u>
		<u>131</u>	<u>3465</u>	CDD_RPLY_3465	<u>128</u>			<u>522</u>
		<u>323</u>			<u>339</u>			<u>598</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>686</u>			<u>506</u>			<u>843</u>
		<u>772</u>			<u>507</u>			<u>945</u>
		<u>775</u>			<u>508</u>	<u>3742</u>	LRN_STAT_CNT_3742	<u>045</u>
		<u>781</u>			<u>509</u>			<u>620</u>
		<u>932</u>			<u>510</u>			<u>621</u>
<u>3571</u>	CONV_REF_NBR_3571	<u>014</u>			<u>511</u>	<u>3765</u>	BDGT_CD_AF_3765	<u>006</u>
		<u>522</u>			<u>512</u>			<u>164</u>
		<u>953</u>			<u>521</u>			<u>505</u>
<u>3572</u>	PMIC_CDD_RPLY_3572	<u>987</u>			<u>522</u>	<u>3843</u>	CRITL_CD_FIIG_3843	<u>010</u>
<u>3573</u>	PMIC_MRC_3573	<u>988</u>			<u>523</u>			<u>111</u>
<u>3574</u>	PMIC_TBL_TYPE_3574	<u>987</u>			<u>524</u>			<u>509</u>
		<u>988</u>			<u>689</u>			<u>782</u>
<u>3595</u>	RPLM_CAGE_CD_3595	<u>101</u>			<u>767</u>	<u>3844</u>	STATS_SA_PREF_3844	<u>063</u>
		<u>103</u>			<u>768</u>	<u>3845</u>	RPLY_TBL_DCOD_3845	<u>120</u>
		<u>674</u>			<u>874</u>			<u>124</u>
<u>3614</u>	RQMT_STMT_3614	<u>127</u>			<u>875</u>			<u>125</u>
		<u>498</u>			<u>893</u>			<u>950</u>
		<u>688</u>			<u>894</u>			<u>952</u>
		<u>921</u>			<u>924</u>	<u>3864</u>	DCOD_RPLY_ST_3864	<u>128</u>
<u>3631</u>	MC_DEL_CDG_3631	<u>881</u>			<u>928</u>			<u>923</u>
<u>3690</u>	SOS_CD_3690	<u>006</u>			<u>948</u>	<u>3870</u>	DSK_CD_CATLG_3870	<u>060</u>
		<u>260</u>			<u>949</u>			<u>109</u>
		<u>261</u>			<u>972</u>	<u>3880</u>	DEST_ACTY_OP_3880	<u>188</u>
		<u>299</u>			<u>973</u>	<u>3881</u>	WPN_SYS_ID_3881	<u>041</u>
		<u>427</u>			<u>974</u>			<u>846</u>
		<u>428</u>			<u>975</u>			<u>847</u>
		<u>440</u>			<u>976</u>	<u>3882</u>	WPN_SYS_SVC_3882	<u>041</u>
		<u>505</u>			<u>977</u>			<u>846</u>
		<u>599</u>			<u>978</u>			<u>847</u>
		<u>712</u>			<u>979</u>	<u>3883</u>	WPN_SYS_IND_3883	<u>847</u>
		<u>812</u>			<u>980</u>	<u>3885</u>	WPN_SYS_ESNTL_3885	<u>847</u>
<u>3708</u>	STATL_IND_CD_3708	<u>303</u>			<u>981</u>	<u>3886</u>	DLA_CTR_CD_3886	<u>847</u>
		<u>924</u>			<u>982</u>	<u>3887</u>	WPN_SYS_NM_3887	<u>846</u>
<u>3720</u>	SUBMG_ACTY_CD_3720	<u>025</u>			<u>983</u>	<u>3889</u>	WPN_SYS_GP_CD_3889	<u>846</u>
		<u>044</u>			<u>984</u>	<u>3890</u>	DEST_CD_SCRNG_3890	<u>144</u>
		<u>059</u>			<u>997</u>			<u>782</u>
		<u>060</u>			<u>998</u>	<u>3891</u>	DLAC_3891	<u>948</u>
		<u>105</u>			<u>999</u>	<u>3892</u>	LMD_ODIC_3892	<u>874</u>
		<u>106</u>	<u>3740</u>	OP_MOD_MED_CD_3740	<u>012</u>			<u>875</u>
		<u>258</u>			<u>054</u>			<u>948</u>
		<u>259</u>			<u>144</u>	<u>3893</u>	LVA_ODIC_3893	<u>047</u>
		<u>275</u>			<u>267</u>			<u>875</u>
		<u>304</u>			<u>410</u>			<u>948</u>
		<u>341</u>			<u>474</u>	<u>3920</u>	DIC_3920	<u>012</u>
		<u>380</u>			<u>538</u>			<u>013</u>
		<u>422</u>			<u>604</u>			<u>025</u>
		<u>484</u>			<u>715</u>			<u>060</u>
		<u>490</u>			<u>783</u>			<u>074</u>
		<u>505</u>			<u>841</u>			<u>078</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>121</u>			<u>768</u>			<u>781</u>
		<u>175</u>			<u>770</u>			<u>782</u>
		<u>181</u>			<u>776</u>			<u>932</u>
		<u>188</u>			<u>782</u>	<u>3972</u>	PKT_TYP_CD_3972	<u>927</u>
		<u>196</u>			<u>845</u>	<u>3973</u>	PKT_TYP_TX_3973	<u>927</u>
		<u>197</u>			<u>849</u>	<u>3979</u>	NIIN_ACTN_IND_3979	<u>580</u>
		<u>198</u>			<u>850</u>	<u>3990</u>	FSC_3990	<u>250</u>
		<u>207</u>			<u>855</u>			<u>304</u>
		<u>209</u>			<u>859</u>			<u>487</u>
		<u>214</u>			<u>872</u>			<u>602</u>
		<u>292</u>			<u>876</u>			<u>776</u>
		<u>341</u>			<u>918</u>	<u>3994</u>	FSG_3994	<u>001</u>
		<u>380</u>			<u>928</u>			<u>010</u>
		<u>383</u>			<u>953</u>			<u>024</u>
		<u>385</u>			<u>961</u>			<u>031</u>
		<u>386</u>			<u>972</u>			<u>034</u>
		<u>387</u>			<u>973</u>			<u>036</u>
		<u>389</u>			<u>974</u>			<u>038</u>
		<u>398</u>			<u>975</u>			<u>041</u>
		<u>401</u>			<u>976</u>			<u>042</u>
		<u>403</u>			<u>977</u>			<u>047</u>
		<u>404</u>			<u>978</u>			<u>050</u>
		<u>405</u>			<u>979</u>			<u>053</u>
		<u>406</u>			<u>980</u>			<u>073</u>
		<u>408</u>			<u>981</u>			<u>076</u>
		<u>411</u>			<u>982</u>			<u>094</u>
		<u>474</u>			<u>983</u>			<u>099</u>
		<u>475</u>			<u>984</u>			<u>103</u>
		<u>476</u>			<u>992</u>			<u>106</u>
		<u>480</u>			<u>997</u>			<u>148</u>
		<u>499</u>			<u>999</u>			<u>216</u>
		<u>505</u>	<u>3921</u>	DIC_IP_3921	<u>064</u>			<u>221</u>
		<u>506</u>			<u>065</u>			<u>297</u>
		<u>507</u>			<u>104</u>			<u>316</u>
		<u>508</u>			<u>206</u>			<u>338</u>
		<u>509</u>			<u>368</u>			<u>369</u>
		<u>510</u>			<u>372</u>			<u>370</u>
		<u>511</u>			<u>374</u>			<u>371</u>
		<u>512</u>			<u>376</u>			<u>379</u>
		<u>521</u>			<u>474</u>			<u>430</u>
		<u>522</u>			<u>484</u>			<u>431</u>
		<u>523</u>			<u>608</u>			<u>432</u>
		<u>524</u>			<u>739</u>			<u>433</u>
		<u>602</u>			<u>808</u>			<u>434</u>
		<u>604</u>			<u>822</u>			<u>435</u>
		<u>613</u>			<u>924</u>			<u>437</u>
		<u>614</u>			<u>958</u>			<u>484</u>
		<u>616</u>	<u>3923</u>	LCU_ODIC_3923	<u>874</u>			<u>491</u>
		<u>767</u>	<u>3960</u>	NSN_3960	<u>772</u>			<u>492</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>494</u>			<u>895</u>			<u>371</u>
		<u>509</u>			<u>896</u>			<u>379</u>
		<u>515</u>			<u>897</u>			<u>430</u>
		<u>518</u>			<u>898</u>			<u>431</u>
		<u>525</u>			<u>899</u>			<u>432</u>
		<u>530</u>			<u>900</u>			<u>433</u>
		<u>572</u>			<u>901</u>			<u>434</u>
		<u>573</u>			<u>902</u>			<u>435</u>
		<u>577</u>			<u>903</u>			<u>437</u>
		<u>578</u>			<u>904</u>			<u>484</u>
		<u>591</u>			<u>905</u>			<u>491</u>
		<u>594</u>			<u>906</u>			<u>494</u>
		<u>595</u>			<u>907</u>			<u>509</u>
		<u>596</u>			<u>908</u>			<u>515</u>
		<u>611</u>			<u>909</u>			<u>518</u>
		<u>646</u>			<u>916</u>			<u>525</u>
		<u>660</u>			<u>944</u>			<u>530</u>
		<u>662</u>			<u>948</u>			<u>572</u>
		<u>684</u>			<u>962</u>			<u>573</u>
		<u>692</u>			<u>985</u>			<u>577</u>
		<u>694</u>			<u>986</u>			<u>578</u>
		<u>696</u>	<u>3995</u>	STAT_CCTGY_3995	<u>021</u>			<u>591</u>
		<u>712</u>			<u>329</u>			<u>594</u>
		<u>714</u>			<u>944</u>			<u>596</u>
		<u>726</u>	<u>3996</u>	FSC_WI_FSG_3996	<u>001</u>			<u>611</u>
		<u>727</u>			<u>010</u>			<u>646</u>
		<u>733</u>			<u>024</u>			<u>660</u>
		<u>738</u>			<u>031</u>			<u>662</u>
		<u>741</u>			<u>034</u>			<u>684</u>
		<u>747</u>			<u>036</u>			<u>692</u>
		<u>748</u>			<u>038</u>			<u>694</u>
		<u>763</u>			<u>041</u>			<u>696</u>
		<u>775</u>			<u>042</u>			<u>712</u>
		<u>784</u>			<u>047</u>			<u>714</u>
		<u>786</u>			<u>050</u>			<u>726</u>
		<u>788</u>			<u>053</u>			<u>727</u>
		<u>790</u>			<u>073</u>			<u>733</u>
		<u>792</u>			<u>076</u>			<u>738</u>
		<u>796</u>			<u>094</u>			<u>741</u>
		<u>798</u>			<u>099</u>			<u>747</u>
		<u>800</u>			<u>103</u>			<u>748</u>
		<u>802</u>			<u>106</u>			<u>763</u>
		<u>804</u>			<u>148</u>			<u>775</u>
		<u>812</u>			<u>216</u>			<u>784</u>
		<u>857</u>			<u>221</u>			<u>786</u>
		<u>870</u>			<u>297</u>			<u>788</u>
		<u>874</u>			<u>338</u>			<u>790</u>
		<u>875</u>			<u>369</u>			<u>792</u>
		<u>885</u>			<u>370</u>			<u>796</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>798</u>			<u>322</u>	<u>4082</u>	PROJ_CD_4082	<u>047</u>
		<u>800</u>			<u>323</u>	<u>4083</u>	LR_APRV_DT_4083	<u>047</u>
		<u>802</u>			<u>324</u>	<u>4088</u>	EFF_TRFR_DT_4088	<u>047</u>
		<u>804</u>			<u>325</u>	<u>4091</u>	LMX_LMD_DT_4091	<u>047</u>
		<u>812</u>			<u>326</u>	<u>4092</u>	LMX_LMD_ODIC_4092	<u>047</u>
		<u>857</u>			<u>430</u>	<u>4096</u>	LDZ_ODIC_4096	<u>047</u>
		<u>870</u>			<u>431</u>	<u>4126</u>	MAT_IDEN_MC_4126	<u>006</u>
		<u>874</u>			<u>434</u>			<u>241</u>
		<u>875</u>			<u>435</u>			<u>505</u>
		<u>885</u>			<u>501</u>			<u>599</u>
		<u>895</u>			<u>509</u>	<u>4128</u>	CDD_CLR_RPLY_4128	<u>115</u>
		<u>896</u>			<u>593</u>			<u>116</u>
		<u>898</u>			<u>782</u>			<u>348</u>
		<u>900</u>			<u>878</u>			<u>748</u>
		<u>902</u>			<u>921</u>	<u>4129</u>	ED_CRITE_STMT_4129	<u>121</u>
		<u>904</u>			<u>951</u>	<u>4130</u>	NCB_CD_4130	<u>006</u>
		<u>907</u>	<u>4066</u>	ILL_ID_4066	<u>136</u>			<u>007</u>
		<u>908</u>	<u>4075</u>	IMCA_4075	<u>080</u>			<u>008</u>
		<u>909</u>			<u>094</u>			<u>009</u>
		<u>916</u>			<u>515</u>			<u>010</u>
		<u>944</u>	<u>4080</u>	INC_4080	<u>001</u>			<u>011</u>
		<u>948</u>			<u>010</u>			<u>014</u>
		<u>962</u>			<u>020</u>			<u>015</u>
		<u>985</u>			<u>033</u>			<u>016</u>
		<u>986</u>			<u>034</u>			<u>017</u>
<u>4000</u>	NIIN_4000	<u>368</u>			<u>035</u>			<u>018</u>
		<u>602</u>			<u>037</u>			<u>041</u>
		<u>776</u>			<u>038</u>			<u>046</u>
<u>4020</u>	FRT_DESC_4020	<u>090</u>			<u>073</u>			<u>047</u>
<u>4061</u>	ILL_RTN_DT_4061	<u>136</u>			<u>078</u>			<u>048</u>
<u>4062</u>	ILL_START_DT_4062	<u>136</u>			<u>106</u>			<u>075</u>
<u>4063</u>	ILL_ACPT_IND_4063	<u>136</u>			<u>120</u>			<u>089</u>
<u>4065</u>	FIIG_4065	<u>010</u>			<u>122</u>			<u>103</u>
		<u>020</u>			<u>124</u>			<u>106</u>
		<u>033</u>			<u>225</u>			<u>115</u>
		<u>034</u>			<u>324</u>			<u>116</u>
		<u>038</u>			<u>430</u>			<u>251</u>
		<u>075</u>			<u>431</u>			<u>331</u>
		<u>078</u>			<u>432</u>			<u>345</u>
		<u>098</u>			<u>434</u>			<u>346</u>
		<u>119</u>			<u>435</u>			<u>348</u>
		<u>120</u>			<u>495</u>			<u>349</u>
		<u>121</u>			<u>509</u>			<u>350</u>
		<u>122</u>			<u>684</u>			<u>351</u>
		<u>123</u>			<u>747</u>			<u>352</u>
		<u>124</u>			<u>748</u>			<u>353</u>
		<u>127</u>			<u>782</u>			<u>354</u>
		<u>131</u>			<u>878</u>			<u>379</u>
		<u>321</u>	<u>4081</u>	LR_TRK_IND_4081	<u>047</u>			<u>380</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>400</u>			<u>009</u>			<u>590</u>
		<u>419</u>			<u>010</u>			<u>633</u>
		<u>474</u>			<u>011</u>			<u>684</u>
		<u>484</u>			<u>014</u>			<u>686</u>
		<u>497</u>			<u>015</u>			<u>687</u>
		<u>498</u>			<u>016</u>			<u>688</u>
		<u>505</u>			<u>017</u>			<u>712</u>
		<u>506</u>			<u>018</u>			<u>713</u>
		<u>507</u>			<u>041</u>			<u>714</u>
		<u>508</u>			<u>046</u>			<u>727</u>
		<u>509</u>			<u>047</u>			<u>731</u>
		<u>510</u>			<u>048</u>			<u>767</u>
		<u>511</u>			<u>075</u>			<u>768</u>
		<u>512</u>			<u>089</u>			<u>775</u>
		<u>519</u>			<u>103</u>			<u>812</u>
		<u>521</u>			<u>106</u>			<u>847</u>
		<u>522</u>			<u>115</u>			<u>874</u>
		<u>523</u>			<u>116</u>			<u>875</u>
		<u>524</u>			<u>331</u>			<u>876</u>
		<u>590</u>			<u>345</u>			<u>877</u>
		<u>633</u>			<u>346</u>			<u>881</u>
		<u>684</u>			<u>348</u>			<u>914</u>
		<u>686</u>			<u>349</u>			<u>918</u>
		<u>687</u>			<u>350</u>			<u>928</u>
		<u>688</u>			<u>351</u>			<u>948</u>
		<u>712</u>			<u>352</u>			<u>957</u>
		<u>713</u>			<u>353</u>			<u>960</u>
		<u>714</u>			<u>354</u>	<u>4140</u>	NSCM_4140	<u>671</u>
		<u>727</u>			<u>379</u>			<u>674</u>
		<u>731</u>			<u>380</u>			<u>675</u>
		<u>767</u>			<u>400</u>			<u>685</u>
		<u>768</u>			<u>419</u>	<u>4152</u>	FILE_OFST_NBR_4152	<u>447</u>
		<u>775</u>			<u>474</u>	<u>4153</u>	PARM_STNG_TXT_4153	<u>461</u>
		<u>812</u>			<u>484</u>			<u>477</u>
		<u>847</u>			<u>497</u>	<u>4154</u>	PRDCT_PT_NBR_4154	<u>478</u>
		<u>874</u>			<u>498</u>			<u>486</u>
		<u>875</u>			<u>505</u>	<u>4155</u>	EDIT_MBR_TXT_4155	<u>388</u>
		<u>876</u>			<u>506</u>			<u>473</u>
		<u>877</u>			<u>507</u>	<u>4156</u>	MARKUP_TXT_4156	<u>335</u>
		<u>881</u>			<u>508</u>			<u>388</u>
		<u>914</u>			<u>509</u>			<u>447</u>
		<u>918</u>			<u>510</u>			<u>473</u>
		<u>928</u>			<u>511</u>			<u>477</u>
		<u>948</u>			<u>512</u>	<u>4157</u>	DCOD_SVC_IND_4157	<u>461</u>
		<u>957</u>			<u>519</u>	<u>4158</u>	EX_FILE_LGTH_4158	<u>334</u>
		<u>960</u>			<u>521</u>			<u>447</u>
<u>4131</u>	I_I_NBR_4131	<u>006</u>			<u>522</u>	<u>4159</u>	XFILE_RPETD_4159	<u>334</u>
		<u>007</u>			<u>523</u>			<u>447</u>
		<u>008</u>			<u>524</u>	<u>4160</u>	IDS_CMPNT_NBR_4160	<u>334</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>339</u>	<u>4189</u>	LST_UPDT_DT_4189	<u>340</u>	<u>4202</u>	EXTR_OP_FL_4202	<u>133</u>
		<u>388</u>	<u>4191</u>	LST_PUB_DT_4191	<u>133</u>			<u>340</u>
		<u>447</u>			<u>340</u>	<u>4203</u>	MBR_STNG_TX_4203	<u>359</u>
		<u>473</u>	<u>4192</u>	DEF_ESTB_DT_4192	<u>340</u>	<u>4204</u>	PRCSG_ACTN_4204	<u>359</u>
<u>4161</u>	CMPNT_ELE_NM_4161	<u>388</u>	<u>4193</u>	DEF_STAT_CD_4193	<u>133</u>			<u>388</u>
<u>4162</u>	CMPNT_BLN_4162	<u>333</u>			<u>340</u>			<u>418</u>
<u>4163</u>	CMPNT_OMIT_4163	<u>333</u>	<u>4194</u>	PUB_CYCL_TM_4194	<u>340</u>			<u>447</u>
<u>4164</u>	CMPNT_FAIL_4164	<u>333</u>	<u>4195</u>	FUNC_MNEM_NM_4195	<u>340</u>			<u>461</u>
<u>4165</u>	CMPNT_MANY_4165	<u>333</u>			<u>342</u>			<u>473</u>
<u>4166</u>	EXTR_TYP_SEQ_4166	<u>333</u>			<u>359</u>			<u>477</u>
		<u>336</u>			<u>388</u>	<u>4205</u>	ROW_IND_4205	<u>336</u>
<u>4167</u>	SRT_SEQ_TXT_4167	<u>486</u>			<u>418</u>			<u>359</u>
<u>4168</u>	CMPNT_FILE_NM_4168	<u>333</u>			<u>447</u>			<u>418</u>
		<u>418</u>			<u>461</u>	<u>4206</u>	COND_TXT_4206	<u>359</u>
<u>4169</u>	RCD_TYP_ORDR_4169	<u>478</u>			<u>473</u>	<u>4207</u>	TBL_QRY_STNG_4207	<u>333</u>
<u>4171</u>	CMPNT_DSCRD_4171	<u>334</u>			<u>477</u>	<u>4208</u>	LINK_PARM_4208	<u>333</u>
		<u>336</u>			<u>478</u>	<u>4209</u>	EXTR_ITM_QY_4209	<u>133</u>
		<u>339</u>			<u>486</u>	<u>4210</u>	ORIG_ACTY_CD_4210	<u>016</u>
		<u>477</u>	<u>4196</u>	ACT_USR_IND_4196	<u>340</u>			<u>025</u>
<u>4172</u>	CMPNT_SEQ_4172	<u>334</u>	<u>4197</u>	REC_TYP_CD_4197	<u>333</u>			<u>044</u>
		<u>336</u>			<u>334</u>			<u>059</u>
		<u>339</u>			<u>336</u>			<u>060</u>
<u>4173</u>	CMPNT_CATNT_4173	<u>334</u>			<u>339</u>			<u>105</u>
		<u>339</u>			<u>342</u>			<u>106</u>
<u>4174</u>	CMPNT_LGTH_4174	<u>334</u>			<u>359</u>			<u>341</u>
		<u>336</u>			<u>388</u>			<u>380</u>
		<u>339</u>			<u>418</u>			<u>422</u>
		<u>388</u>			<u>447</u>			<u>505</u>
		<u>447</u>			<u>461</u>			<u>506</u>
		<u>473</u>			<u>473</u>			<u>507</u>
		<u>477</u>			<u>477</u>			<u>508</u>
<u>4176</u>	DATA_STRM_BRK_4176	<u>334</u>			<u>478</u>			<u>509</u>
		<u>339</u>	<u>4198</u>	ACCS_TYP_CD_4198	<u>333</u>			<u>510</u>
<u>4177</u>	CMPNT_SRT_4177	<u>334</u>			<u>342</u>			<u>511</u>
<u>4179</u>	MRKP_DSRPTR_4179	<u>334</u>			<u>579</u>			<u>512</u>
		<u>335</u>	<u>4199</u>	ACCS_SEQ_NBR_4199	<u>333</u>			<u>521</u>
		<u>336</u>			<u>334</u>			<u>522</u>
		<u>339</u>			<u>336</u>			<u>523</u>
<u>4180</u>	NCG_PFX_CD_BR_4180	<u>689</u>			<u>339</u>			<u>524</u>
<u>4181</u>	MRKP_HPHN_4181	<u>335</u>			<u>342</u>			<u>812</u>
<u>4182</u>	MRKP_CPTLZTN_4182	<u>335</u>			<u>359</u>			<u>924</u>
<u>4183</u>	ACCS_SUBRTN_4183	<u>336</u>			<u>388</u>			<u>928</u>
		<u>337</u>			<u>418</u>			<u>972</u>
		<u>477</u>			<u>447</u>			<u>973</u>
<u>4184</u>	PASD_PARM_4184	<u>336</u>			<u>461</u>			<u>974</u>
<u>4185</u>	ACCS_PARM_4185	<u>336</u>			<u>473</u>			<u>975</u>
<u>4187</u>	CMPNT_OFST_4187	<u>334</u>			<u>477</u>			<u>976</u>
<u>4188</u>	NXT_PUB_DT_4188	<u>133</u>	<u>4201</u>	ITM_PRCSG_QTY_4201	<u>133</u>			<u>977</u>
		<u>340</u>			<u>340</u>			<u>978</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>979</u>			<u>477</u>	<u>4407</u>	MRC_SEQ_NBR_4407	<u>115</u>
		<u>980</u>	<u>4259</u>	PRE_DELIM_4259	<u>335</u>			<u>116</u>
		<u>981</u>			<u>388</u>	<u>4408</u>	RPLY_SEQ_NBR_4408	<u>115</u>
		<u>982</u>			<u>447</u>			<u>116</u>
		<u>983</u>			<u>473</u>			<u>348</u>
		<u>984</u>			<u>477</u>			<u>354</u>
		<u>997</u>	<u>4260</u>	POST_DELIM_4260	<u>335</u>			<u>498</u>
		<u>998</u>			<u>388</u>	<u>4409</u>	PRPY_IND_4409	<u>115</u>
		<u>999</u>			<u>447</u>			<u>116</u>
<u>4211</u>	KVI_DECR_CTR_4211	<u>949</u>			<u>473</u>	<u>4410</u>	AND_OR_4410	<u>115</u>
<u>4212</u>	KVI_ORIG_CTR_4212	<u>949</u>			<u>477</u>			<u>116</u>
<u>4214</u>	KVI_SPNS_E_DT_4214	<u>948</u>	<u>4311</u>	JOB_JCL_4311	<u>134</u>	<u>4411</u>	UNIT_MEAS_DES_4411	<u>117</u>
<u>4215</u>	OTHER_DIC_4215	<u>948</u>	<u>4312</u>	STEP_JCL_4312	<u>134</u>	<u>4412</u>	SKIP_CNT_4412	<u>118</u>
<u>4216</u>	OTHR_DIC_DATE_4216	<u>948</u>	<u>4313</u>	JCL_TYP_4313	<u>134</u>			<u>119</u>
<u>4217</u>	LVA_DATE_4217	<u>047</u>	<u>4314</u>	STEP_SEQ_4314	<u>134</u>	<u>4413</u>	CHNG_RPLY_FRM_4413	<u>118</u>
		<u>875</u>	<u>4315</u>	JCL_TX_4315	<u>134</u>			<u>119</u>
		<u>948</u>	<u>4316</u>	FILE_TYP_4316	<u>135</u>	<u>4414</u>	CHNG_RPLY_TO_4414	<u>118</u>
<u>4218</u>	LMD_DATE_4218	<u>874</u>	<u>4317</u>	PRIM_SPC_ALOC_4317	<u>135</u>			<u>119</u>
		<u>875</u>	<u>4318</u>	SECD_SPC_ALOC_4318	<u>135</u>	<u>4415</u>	COCO_CONV_TYP_4415	<u>117</u>
		<u>948</u>	<u>4319</u>	PRIM_WS_ALOC_4319	<u>135</u>			<u>119</u>
<u>4235</u>	FRN_DOM_CD_4235	<u>082</u>	<u>4320</u>	SECD_WS_ALOC_4320	<u>135</u>	<u>4416</u>	CNV_FRM_LEFT_4416	<u>117</u>
		<u>307</u>	<u>4321</u>	STOR_UNIT_TYP_4321	<u>135</u>			<u>119</u>
<u>4237</u>	LCU_DATE_4237	<u>874</u>	<u>4322</u>	FILE_RET_TIME_4322	<u>135</u>	<u>4417</u>	CNV_FRM_RIGHT_4417	<u>117</u>
<u>4238</u>	CAGE_TYP_CD_4238	<u>082</u>	<u>4323</u>	FXD_LRECL_4323	<u>135</u>			<u>119</u>
		<u>265</u>	<u>4324</u>	FXD_BLCKSZ_4324	<u>135</u>	<u>4418</u>	DL_REPLY_4418	<u>350</u>
		<u>674</u>	<u>4325</u>	ASCII_IND_4325	<u>135</u>			<u>357</u>
<u>4251</u>	USER_PAD_CHAR_4251	<u>133</u>	<u>4326</u>	PRFL_PRFX_TX_4326	<u>340</u>	<u>4419</u>	AB_VALUE_4419	<u>351</u>
		<u>340</u>	<u>4327</u>	PRFX_JCL_MBR_4327	<u>340</u>			<u>358</u>
<u>4252</u>	SRT_RPL_4252	<u>133</u>	<u>4328</u>	FILEAID_MBR_4328	<u>340</u>	<u>4420</u>	J_MIN_L_VAL_4420	<u>352</u>
		<u>340</u>	<u>4329</u>	CANC_ITM_IND_4329	<u>133</u>			<u>360</u>
<u>4253</u>	PRPY_DCOD_4253	<u>133</u>			<u>340</u>	<u>4421</u>	STORE_TYPE_4421	<u>352</u>
		<u>340</u>	<u>4339</u>	AGCY_PROJ_CD_4339	<u>279</u>			<u>360</u>
<u>4254</u>	PRPY_NOTC_4254	<u>133</u>	<u>4340</u>	AGCY_PROJ_DEF_4340	<u>279</u>	<u>4422</u>	J_MAX_L_VAL_4422	<u>352</u>
		<u>340</u>	<u>4356</u>	KHN_ACTY_IND_4356	<u>327</u>			<u>360</u>
<u>4255</u>	DATA_RPL_4255	<u>333</u>	<u>4361</u>	DUNS_PLUS4_4361	<u>222</u>	<u>4423</u>	J_MIN_R_VAL_4423	<u>352</u>
		<u>359</u>			<u>281</u>			<u>360</u>
		<u>418</u>	<u>4398</u>	ZIP_ADD_ON_4398	<u>002</u>	<u>4424</u>	STORE_M_J_TBL_4424	<u>352</u>
<u>4256</u>	ACCS_RPET_CT_4256	<u>333</u>	<u>4400</u>	ZIP_CD_4400	<u>002</u>	<u>4425</u>	STORE_M_MIN_4425	<u>352</u>
		<u>359</u>			<u>139</u>	<u>4426</u>	STORE_M_MAX_4426	<u>352</u>
		<u>418</u>			<u>834</u>	<u>4427</u>	J_MAX_R_VAL_4427	<u>352</u>
<u>4257</u>	FLD_JUST_4257	<u>334</u>	<u>4401</u>	ITEM_NM_KY_WD_4401	<u>364</u>			<u>360</u>
		<u>339</u>	<u>4402</u>	TMSTMP2_4402	<u>094</u>	<u>4428</u>	F_MAX_VALUE_4428	<u>353</u>
		<u>388</u>			<u>513</u>			<u>361</u>
		<u>447</u>			<u>515</u>	<u>4429</u>	H_TAB1_VAL_4429	<u>354</u>
		<u>473</u>			<u>518</u>			<u>362</u>
<u>4258</u>	POST_MRKP_4258	<u>335</u>			<u>530</u>	<u>4430</u>	H_TAB2_VAL_4430	<u>354</u>
		<u>388</u>	<u>4403</u>	TAIL_SEQ_NO_4403	<u>120</u>			<u>362</u>
		<u>447</u>	<u>4404</u>	FIIG_SEQ_NO_4404	<u>120</u>	<u>4431</u>	H_TAB3_VAL_4431	<u>354</u>
		<u>473</u>	<u>4405</u>	INC_APPL_IND_4405	<u>122</u>			<u>362</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>4432</u>	H_TAB4_VAL_4432	<u>354</u>			<u>513</u>	<u>4503</u>	CAT_SGL_SUB_4503	<u>236</u>
		<u>362</u>			<u>518</u>	<u>4504</u>	FSC_M_RL_C_TI_4504	<u>215</u>
<u>4433</u>	H_TAB5_VAL_4433	<u>354</u>			<u>519</u>	<u>4505</u>	DRP_N_OR_M_4505	<u>209</u>
		<u>362</u>			<u>521</u>			<u>480</u>
<u>4434</u>	H_TAB6_VAL_4434	<u>354</u>			<u>522</u>	<u>4506</u>	AUTH_INT_SUB_4506	<u>236</u>
		<u>362</u>			<u>523</u>	<u>4507</u>	AUTH_UPD_RCVR_4507	<u>236</u>
<u>4435</u>	H_TAB7_VAL_4435	<u>354</u>			<u>524</u>	<u>4508</u>	SEG_IP_TRAN_4508	<u>773</u>
		<u>362</u>			<u>768</u>			<u>937</u>
<u>4436</u>	H_TAB8_VAL_4436	<u>354</u>			<u>865</u>	<u>4509</u>	BSM_MSG_TX_4509	<u>667</u>
		<u>362</u>			<u>866</u>	<u>4510</u>	BSM_DB2_PART_4510	<u>665</u>
<u>4437</u>	H_J_TEXT_4437	<u>354</u>			<u>867</u>			<u>667</u>
<u>4438</u>	OP_SEG_V_ID_4438	<u>607</u>			<u>868</u>	<u>4511</u>	FMT_REMARKS_4511	<u>176</u>
<u>4439</u>	MRC_COUNT_4439	<u>356</u>			<u>869</u>	<u>4515</u>	CRS_LOLA_KEY_4515	<u>374</u>
		<u>357</u>			<u>870</u>	<u>4516</u>	CRS_MSG_TX_4516	<u>610</u>
		<u>358</u>			<u>928</u>	<u>4517</u>	CRS_DB2_PART_4517	<u>610</u>
		<u>360</u>	<u>4471</u>	CAGE_KEYWORD_4471	<u>504</u>			<u>632</u>
		<u>361</u>	<u>4472</u>	TMSTMP4_4472	<u>489</u>	<u>4518</u>	ROW_NBR_4518	<u>207</u>
		<u>362</u>	<u>4473</u>	TMSTMP5_4473	<u>491</u>			<u>228</u>
<u>4443</u>	TMSTMP3_4443	<u>115</u>	<u>4474</u>	TMSTMP6_4474	<u>492</u>			<u>249</u>
		<u>380</u>	<u>4475</u>	REF_MRC_4475	<u>121</u>			<u>393</u>
<u>4444</u>	NBR_OF_TBLS_4444	<u>390</u>			<u>501</u>			<u>536</u>
<u>4445</u>	PRT_SKLTN_1_4445	<u>390</u>	<u>4476</u>	QUERY_TYPE_4476	<u>381</u>			<u>736</u>
<u>4446</u>	PRT_SKLTN_2_4446	<u>390</u>	<u>4477</u>	INQ_OUT_VIEW_4477	<u>381</u>			<u>770</u>
<u>4447</u>	PRT_SKLTN_3_4447	<u>390</u>	<u>4481</u>	LSN_SER_NBR_4481	<u>596</u>			<u>771</u>
<u>4448</u>	KEY_GRP_DESC_4448	<u>391</u>			<u>597</u>			<u>992</u>
<u>4449</u>	TABL_NAME_REM_4449	<u>392</u>			<u>598</u>	<u>4519</u>	TEXT_LINE_4519	<u>736</u>
<u>4450</u>	DIDS_SUB_SEC_4450	<u>393</u>			<u>599</u>			<u>992</u>
		<u>394</u>	<u>4482</u>	LSN_STAT_CD_4482	<u>596</u>	<u>4521</u>	AIR_S_HDLG_P1_4521	<u>728</u>
		<u>395</u>	<u>4483</u>	LSN_PRMNCY_CD_4483	<u>596</u>	<u>4522</u>	AIR_S_HDLG_S1_4522	<u>728</u>
<u>4453</u>	HEAD_NARRTV_4453	<u>177</u>			<u>597</u>	<u>4523</u>	AIR_S_HDLG_S2_4523	<u>728</u>
		<u>393</u>			<u>598</u>	<u>4524</u>	AIR_S_HDLG_P2_4524	<u>729</u>
<u>4454</u>	TRAIL_NARRATV_4454	<u>395</u>			<u>599</u>	<u>4528</u>	SEG_NOTE_NBR1_4528	<u>249</u>
<u>4463</u>	STOP_WORD_CDM_4463	<u>485</u>	<u>4484</u>	LSN_ASGMT_DT_4484	<u>596</u>	<u>4529</u>	SEG_NOTE_NBR2_4529	<u>249</u>
<u>4465</u>	DB2_TBL_NAME_4465	<u>359</u>	<u>4488</u>	CONCEPT_NBR_4488	<u>098</u>	<u>4530</u>	SPC_4530	<u>396</u>
		<u>392</u>			<u>593</u>			<u>400</u>
<u>4467</u>	DIDS_SUB_PART_4467	<u>392</u>	<u>4489</u>	ROW_OBS_DT_4489	<u>006</u>	<u>4531</u>	RPDMRC_FU_IND_4531	<u>877</u>
<u>4469</u>	DRN_FULL_VAL_4469	<u>489</u>			<u>007</u>	<u>4532</u>	RPDMRC_FU_DT_4532	<u>877</u>
		<u>491</u>			<u>345</u>	<u>4533</u>	CRS_SUBM_TRAN_4533	<u>537</u>
		<u>492</u>			<u>505</u>	<u>4534</u>	CRS_RTND_TRAN_4534	<u>537</u>
<u>4470</u>	HISTORY_DT_4470	<u>115</u>			<u>506</u>	<u>4535</u>	SIN_MLT_OP_CD_4535	<u>873</u>
		<u>380</u>			<u>521</u>	<u>4540</u>	DELT_RSN_CD_4540	<u>010</u>
		<u>505</u>	<u>4490</u>	STATE_NAME_4490	<u>483</u>			<u>011</u>
		<u>506</u>	<u>4491</u>	HLP_PRC_PGMNM_4491	<u>392</u>			<u>192</u>
		<u>507</u>	<u>4492</u>	DB2_GRP_NUM_4492	<u>392</u>			<u>509</u>
		<u>508</u>			<u>393</u>			<u>510</u>
		<u>509</u>	<u>4495</u>	FST_POS_MR_4495	<u>734</u>	<u>4541</u>	GRDR_CD_NW_1_4541	<u>046</u>
		<u>510</u>	<u>4497</u>	INCL_EXCL_CD_4497	<u>733</u>			<u>772</u>
		<u>511</u>			<u>870</u>			<u>775</u>
		<u>512</u>			<u>885</u>			<u>781</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>932</u>			<u>771</u>			<u>390</u>
<u>4542</u>	GRDR_CD_NW_2_4542	<u>046</u>	<u>4582</u>	BSC_CM_IM_IND_4582	<u>536</u>			<u>501</u>
		<u>772</u>			<u>771</u>			<u>921</u>
		<u>775</u>	<u>4583</u>	ED_VAL_CRI_EX_4583	<u>228</u>	<u>4760</u>	RAIL_VARI_CD_4760	<u>016</u>
		<u>781</u>			<u>536</u>			<u>523</u>
		<u>932</u>			<u>770</u>	<u>4765</u>	RPDMRC_4765	<u>010</u>
<u>4543</u>	GRDR_SEQ_NBR_4543	<u>772</u>			<u>771</u>			<u>286</u>
		<u>932</u>	<u>4584</u>	FILE_VAL_IND_4584	<u>770</u>			<u>509</u>
<u>4544</u>	GRDR_NW_CG_CD_4544	<u>046</u>			<u>771</u>			<u>596</u>
		<u>772</u>	<u>4591</u>	I_OR_O_IND_4591	<u>479</u>	<u>4780</u>	RNVC_4780	<u>014</u>
		<u>775</u>	<u>4592</u>	MIN_LGTH_4592	<u>479</u>			<u>285</u>
		<u>781</u>	<u>4593</u>	MAX_LGTH_4593	<u>479</u>			<u>522</u>
		<u>932</u>	<u>4594</u>	REPT_SEG_IND_4594	<u>479</u>			<u>539</u>
<u>4545</u>	GRDR_NW_RN_LG_4545	<u>046</u>	<u>4596</u>	TOT_MAX_LGTH_4596	<u>479</u>			<u>584</u>
		<u>772</u>	<u>4621</u>	DLSC_ONLY_IND_4621	<u>196</u>			<u>598</u>
		<u>775</u>			<u>770</u>			<u>686</u>
		<u>781</u>	<u>4622</u>	I_I_DATA_IND_4622	<u>196</u>			<u>772</u>
		<u>932</u>	<u>4623</u>	SUPT_DATA_IND_4623	<u>196</u>			<u>775</u>
<u>4546</u>	GRDR_MFR_DATA_4546	<u>780</u>	<u>4624</u>	MAND_SEG_STNG_4624	<u>196</u>			<u>932</u>
<u>4547</u>	GRDR_DUP_PROT_4547	<u>780</u>	<u>4625</u>	OPTL_SEG_STNG_4625	<u>196</u>	<u>4820</u>	TYP_II_4820	<u>010</u>
<u>4548</u>	GRDR_MFR_PROT_4548	<u>780</u>	<u>4626</u>	CTGY_DIC_CMNT_4626	<u>175</u>			<u>309</u>
<u>4549</u>	PRIM_DIC_4549	<u>972</u>	<u>4645</u>	LMT_DIST_CD_4645	<u>016</u>			<u>509</u>
		<u>973</u>			<u>236</u>			<u>596</u>
		<u>974</u>			<u>523</u>			<u>782</u>
		<u>975</u>			<u>782</u>	<u>4962</u>	FSC_NOTE_4962	<u>076</u>
		<u>976</u>			<u>936</u>			<u>591</u>
		<u>977</u>	<u>4672</u>	SADC_4672	<u>014</u>	<u>4965</u>	FSG_NOTE_4965	<u>316</u>
		<u>978</u>			<u>294</u>			<u>595</u>
		<u>979</u>			<u>522</u>	<u>4970</u>	FSC_TI_4970	<u>076</u>
		<u>980</u>			<u>775</u>			<u>591</u>
<u>4557</u>	RTN_CD_DRN_CM_4557	<u>292</u>	<u>4690</u>	ODRC_4690	<u>782</u>	<u>4972</u>	FSG_TI_4972	<u>316</u>
<u>4558</u>	COG_CD_NV_CM_4558	<u>260</u>			<u>855</u>			<u>595</u>
<u>4559</u>	RTN_CD_CMMT_4559	<u>291</u>			<u>859</u>	<u>4981</u>	DR_ODRC_REC_4981	<u>859</u>
<u>4564</u>	TMSTMP1_4564	<u>073</u>			<u>958</u>	<u>4982</u>	DR_SEG_A_4982	<u>859</u>
		<u>081</u>	<u>4691</u>	FIRST_ODRC_4691	<u>499</u>	<u>4983</u>	DR_SEG_B_4983	<u>859</u>
		<u>102</u>	<u>4692</u>	SECOND_ODRC_4692	<u>499</u>	<u>4984</u>	DR_SEG_C_4984	<u>859</u>
		<u>281</u>	<u>4693</u>	THIRD_ODRC_4693	<u>499</u>	<u>4985</u>	DR_SEG_E_4985	<u>859</u>
<u>4571</u>	MC_INC_4571	<u>878</u>	<u>4694</u>	SEG_VALUES_4694	<u>499</u>	<u>4986</u>	DR_SEG_F_4986	<u>859</u>
		<u>880</u>	<u>4695</u>	TRANS_DT_4695	<u>341</u>	<u>4987</u>	DR_SEG_G_4987	<u>859</u>
		<u>881</u>			<u>368</u>	<u>4988</u>	DR_SEG_H_4988	<u>859</u>
<u>4572</u>	MC_CDG_TMSTMP_4572	<u>880</u>			<u>374</u>	<u>4989</u>	DR_SEG_M_4989	<u>859</u>
		<u>881</u>			<u>579</u>	<u>4991</u>	DR_SEG_V_4991	<u>859</u>
<u>4573</u>	MC_LGG_TMSTMP_4573	<u>878</u>			<u>608</u>	<u>4992</u>	DR_SEG_Z_4992	<u>859</u>
		<u>880</u>	<u>4696</u>	LSN_LTI_RMDR_4696	<u>341</u>	<u>4996</u>	DR_SEG_W_4996	<u>859</u>
<u>4574</u>	MC_FIIG_4574	<u>878</u>	<u>4698</u>	SUSP_PROC_DT_4698	<u>484</u>	<u>4997</u>	DR_DAAS_SOS_4997	<u>859</u>
		<u>880</u>	<u>4735</u>	MODE_CD_4735	<u>115</u>	<u>5015</u>	ITM_NM_DEF_5015	<u>098</u>
		<u>881</u>			<u>116</u>			<u>593</u>
<u>4575</u>	MC_CDG_4575	<u>880</u>			<u>121</u>	<u>5020</u>	NAIN_5020	<u>053</u>
<u>4581</u>	IN_EX_IND_4581	<u>770</u>			<u>127</u>			<u>106</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>363</u>	<u>5119</u>	RPDMRC_EXP_5119	<u>286</u>	<u>5165</u>	THK_CUSH_DUN_5165	<u>346</u>
		<u>611</u>	<u>5121</u>	RNJC_EX_5121	<u>283</u>			<u>928</u>
<u>5027</u>	RQMT_STMT_DEF_5027	<u>347</u>	<u>5123</u>	DAC_EX_5123	<u>201</u>	<u>5166</u>	UNIT_CTNR_CD_5166	<u>346</u>
		<u>921</u>	<u>5125</u>	RNCC_EX_5125	<u>280</u>			<u>928</u>
<u>5037</u>	PHYS_DWG_ID_5037	<u>321</u>	<u>5127</u>	RNVC_EX_5127	<u>285</u>	<u>5167</u>	INTMD_CTNR_CD_5167	<u>346</u>
		<u>816</u>	<u>5131</u>	R_N_STAT_EX_5131	<u>284</u>			<u>928</u>
<u>5039</u>	DRN_SEQ_NBR_5039	<u>889</u>	<u>5132</u>	DELT_RSN_EX_5132	<u>192</u>	<u>5168</u>	UNIT_CTNR_LVL_5168	<u>346</u>
		<u>890</u>	<u>5133</u>	STATL_I_CD_EX_5133	<u>303</u>			<u>928</u>
		<u>891</u>	<u>5134</u>	ITM_STDZN_EX_5134	<u>232</u>	<u>5169</u>	SP_MKG_CD_5169	<u>346</u>
		<u>892</u>	<u>5135</u>	D_TRN_CTL_EX_5135	<u>190</u>			<u>928</u>
		<u>918</u>	<u>5136</u>	DEMIL_CD_EX_5136	<u>194</u>	<u>5170</u>	LVL_A_PKG_CD_5170	<u>346</u>
		<u>989</u>	<u>5139</u>	DEMIL_QC_REVW_5139	<u>712</u>			<u>928</u>
<u>5062</u>	FIIG_DWG_TI_5062	<u>321</u>			<u>812</u>	<u>5171</u>	LVL_B_PKG_CD_5171	<u>346</u>
		<u>842</u>	<u>5140</u>	TECHN_AVLB_5140	<u>378</u>			<u>928</u>
<u>5066</u>	PRPRTY_IND_5066	<u>075</u>	<u>5142</u>	TRNR_USR_CD_5142	<u>379</u>	<u>5172</u>	MINM_PK_RQ_CD_5172	<u>346</u>
<u>5067</u>	FIIG_INITR_CD_5067	<u>322</u>	<u>5143</u>	TRNEE_RTN_CTR_5143	<u>379</u>			<u>928</u>
<u>5074</u>	PHYS_TYP_IND_5074	<u>816</u>	<u>5144</u>	ADMIN_USR_CD_5144	<u>365</u>	<u>5173</u>	OPTNL_PRO_IND_5173	<u>346</u>
<u>5081</u>	LVA_RTN_CD_5081	<u>047</u>	<u>5146</u>	DSS_UP_WT_5146	<u>419</u>			<u>928</u>
<u>5082</u>	LVA_DRN_ID_5082	<u>047</u>	<u>5147</u>	PK_DTA_SRC_TX_5147	<u>315</u>	<u>5174</u>	SUPMTL_INST_5174	<u>346</u>
<u>5083</u>	LVA_DCSN_5083	<u>047</u>	<u>5148</u>	PK_DTA_SRC_CD_5148	<u>315</u>			<u>928</u>
<u>5084</u>	LIM_ACTY_CD_5084	<u>047</u>			<u>346</u>	<u>5175</u>	SPI_NBR_5175	<u>346</u>
<u>5085</u>	LIM_SOS_CD_5085	<u>047</u>			<u>928</u>			<u>928</u>
<u>5086</u>	GIM_ACTY_CD_5086	<u>047</u>	<u>5152</u>	INTMD_CTN_QTY_5152	<u>346</u>	<u>5176</u>	SPI_REV_5176	<u>346</u>
<u>5087</u>	GIM_SOS_CD_5087	<u>047</u>			<u>928</u>			<u>928</u>
<u>5088</u>	LMXLMD_RTN_CD_5088	<u>047</u>	<u>5153</u>	UP_WT_5153	<u>346</u>	<u>5177</u>	SPI_DT_5177	<u>346</u>
<u>5089</u>	LMXLMD_DRN_ID_5089	<u>047</u>			<u>928</u>			<u>928</u>
<u>5090</u>	LMX_LMD_DCSN_5090	<u>047</u>	<u>5154</u>	UP_SZ_5154	<u>346</u>	<u>5178</u>	CTNR_NSN_5178	<u>346</u>
<u>5091</u>	LDZ_RTN_CD_5091	<u>047</u>			<u>928</u>			<u>928</u>
<u>5092</u>	LDZ_DRN_ID_5092	<u>047</u>	<u>5155</u>	UP_CU_5155	<u>346</u>	<u>5179</u>	PKG_DSGN_ACTY_5179	<u>346</u>
<u>5093</u>	I_S_STAT_IND_5093	<u>047</u>			<u>928</u>			<u>928</u>
<u>5095</u>	LDZ_DT_5095	<u>047</u>	<u>5156</u>	ITM_TYP_STOR_5156	<u>346</u>	<u>5182</u>	FSC_DT_E_C_RC_5182	<u>076</u>
<u>5096</u>	LDZ_DCSN_5096	<u>047</u>			<u>928</u>			<u>094</u>
<u>5097</u>	LDZ_BO_APR_DT_5097	<u>047</u>	<u>5157</u>	UNPKG_ITM_WT_5157	<u>346</u>			<u>515</u>
<u>5099</u>	PICA_SICA_IND_5099	<u>346</u>			<u>928</u>			<u>591</u>
		<u>928</u>	<u>5158</u>	UNPKG_ITM_DIM_5158	<u>346</u>	<u>5183</u>	FSG_DT_E_C_RC_5183	<u>316</u>
<u>5100</u>	GIRDER_CD_EX_5100	<u>317</u>			<u>928</u>			<u>595</u>
<u>5101</u>	NCB_CD_CTRY_5101	<u>251</u>	<u>5159</u>	PKG_CTGY_CD_5159	<u>346</u>	<u>5188</u>	DSS_UP_CU_5188	<u>419</u>
<u>5102</u>	NCB_CD_NOTE_5102	<u>251</u>			<u>928</u>	<u>5197</u>	DSS_WC_UPD_DT_5197	<u>419</u>
<u>5104</u>	FU_COND_DEF_5104	<u>217</u>	<u>5160</u>	MTHD_PRSRV_CD_5160	<u>346</u>	<u>5198</u>	DSS_WC_QLT_CD_5198	<u>419</u>
<u>5105</u>	FU_COND_INST_5105	<u>217</u>			<u>928</u>	<u>5199</u>	DSS_WC_SRC_CD_5199	<u>419</u>
<u>5106</u>	LMT_DIST_EX_5106	<u>236</u>	<u>5161</u>	CLNG_DRY_PRC_5161	<u>314</u>	<u>5201</u>	NIIN_STAT_DEF_5201	<u>255</u>
<u>5108</u>	SA_ADD_SOS_CD_5108	<u>299</u>			<u>346</u>	<u>5204</u>	AMC_EX_5204	<u>154</u>
<u>5110</u>	CONF_NOTI_EX_5110	<u>187</u>			<u>928</u>	<u>5205</u>	AMSC_EX_5205	<u>155</u>
<u>5111</u>	CONF_NOT_CDRK_5111	<u>187</u>	<u>5162</u>	PRSRV_MAT_CD_5162	<u>346</u>	<u>5208</u>	IMC_TI_5208	<u>231</u>
<u>5113</u>	PSDO_SOS_DESC_5113	<u>274</u>			<u>928</u>	<u>5209</u>	IMC_DEF_5209	<u>231</u>
<u>5114</u>	RNFC_EX_5114	<u>282</u>	<u>5163</u>	WRAP_MAT_CD_5163	<u>346</u>	<u>5210</u>	NIMSC_EXPLN_5210	<u>256</u>
<u>5116</u>	TYP_II_CD_TYP_5116	<u>278</u>			<u>928</u>	<u>5211</u>	CRD_ID_CD_TI_5211	<u>179</u>
		<u>309</u>	<u>5164</u>	CUSH_DUN_MAT_5164	<u>346</u>	<u>5212</u>	CRD_ID_CD_EX_5212	<u>179</u>
<u>5117</u>	TYP_II_CD_EXP_5117	<u>309</u>			<u>928</u>	<u>5213</u>	NRM_SRC_PR_TI_5213	<u>257</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>5214</u>	NRM_SRC_PR_EX_5214	<u>257</u>	<u>5305</u>	FSC_M_RL_C_EX_5305	<u>215</u>	<u>5449</u>	QDIC_STAT_CNT_5449	<u>810</u>
<u>5215</u>	TYP_MBL_RSV_X_5215	<u>246</u>	<u>5306</u>	FUT_M_RL_ST_D_5306	<u>218</u>	<u>5450</u>	QDIC_STAT_CNT_5450	<u>810</u>
<u>5216</u>	S_PKG_RQM_EX_5216	<u>302</u>	<u>5308</u>	CMDTY_MMC_ID_5308	<u>202</u>	<u>5451</u>	PRER_STAT_CNT_5451	<u>755</u>
<u>5217</u>	DMD_IND_EX_5217	<u>193</u>	<u>5319</u>	SA_DESI_CD_X_5319	<u>294</u>	<u>5452</u>	PRER_STAT_CNT_5452	<u>755</u>
<u>5218</u>	TYP_FIN_MGT_X_5218	<u>308</u>	<u>5320</u>	DCMO_CHAL_CD_5320	<u>379</u>	<u>5453</u>	PRER_STAT_CNT_5453	<u>755</u>
<u>5219</u>	EST_ACT_PR_EX_5219	<u>212</u>			<u>712</u>	<u>5469</u>	LSND_STAT_CNT_5469	<u>066</u>
<u>5220</u>	INTGTY_CD_DEF_5220	<u>227</u>			<u>812</u>	<u>5470</u>	LSND_STAT_CNT_5470	<u>066</u>
<u>5222</u>	HMC_EXPLN_5222	<u>224</u>	<u>5321</u>	UP_QTY_5321	<u>946</u>	<u>5471</u>	LSND_STAT_CNT_5471	<u>066</u>
<u>5224</u>	TYP_CGO_EXP_5224	<u>311</u>	<u>5325</u>	DIC_STAT_CNT_5325	<u>065</u>	<u>5487</u>	M8A1_STAT_CNT_5487	<u>571</u>
<u>5231</u>	AIR_DIM_CD_EX_5231	<u>163</u>	<u>5335</u>	DIC_STAT_CNT_5335	<u>818</u>	<u>5488</u>	M8A1_STAT_CNT_5488	<u>571</u>
<u>5232</u>	AIR_CMTY_EX_5232	<u>162</u>	<u>5337</u>	DIC_STAT_CNT_5337	<u>818</u>	<u>5489</u>	M8A1_STAT_CNT_5489	<u>571</u>
<u>5233</u>	LCL_EX_5233	<u>234</u>	<u>5339</u>	DIC_STAT_CNT_5339	<u>818</u>	<u>5490</u>	M8A1_STAT_CNT_5490	<u>571</u>
<u>5234</u>	CLAS_RTNG_EX_5234	<u>235</u>	<u>5340</u>	DIC_STAT_CNT_5340	<u>818</u>	<u>5493</u>	M8A1_STAT_CNT_5493	<u>576</u>
<u>5235</u>	REP_NET_PR_5235	<u>006</u>	<u>5341</u>	DIC_STAT_CNT_5341	<u>818</u>	<u>5494</u>	M8A1_STAT_CNT_5494	<u>576</u>
		<u>505</u>	<u>5342</u>	DIC_STAT_CNT_5342	<u>818</u>	<u>5495</u>	M8A1_STAT_CNT_5495	<u>576</u>
<u>5236</u>	SVC_CNTR_CD_X_5236	<u>863</u>	<u>5343</u>	DIC_STAT_CNT_5343	<u>818</u>	<u>5496</u>	M8A1_STAT_CNT_5496	<u>576</u>
<u>5237</u>	STR_TM_PED_5237	<u>295</u>	<u>5355</u>	DIC_STAT_CNT_5355	<u>739</u>			<u>741</u>
<u>5240</u>	PHRS_CD_PHRS_5240	<u>268</u>	<u>5357</u>	DIC_STAT_CNT_5357	<u>739</u>	<u>5499</u>	M8C1_STAT_CNT_5499	<u>571</u>
		<u>836</u>	<u>5359</u>	DIC_STAT_CNT_5359	<u>739</u>			<u>572</u>
<u>5241</u>	PHRS_CD_EXPLN_5241	<u>268</u>	<u>5360</u>	DIC_STAT_CNT_5360	<u>739</u>	<u>5500</u>	M8C1_STAT_CNT_5500	<u>571</u>
<u>5242</u>	UI_TRM_5242	<u>312</u>	<u>5361</u>	DIC_STAT_CNT_5361	<u>739</u>			<u>572</u>
<u>5243</u>	UI_DEF_5243	<u>312</u>	<u>5362</u>	DIC_STAT_CNT_5362	<u>739</u>	<u>5501</u>	M8C1_STAT_CNT_5501	<u>571</u>
<u>5248</u>	QUP_CD_QTY_5248	<u>277</u>	<u>5363</u>	DIC_STAT_CNT_5363	<u>739</u>			<u>572</u>
<u>5250</u>	AAC_EXPLN_5250	<u>156</u>	<u>5384</u>	QDIC_STAT_CNT_5384	<u>824</u>	<u>5502</u>	M8C1_STAT_CNT_5502	<u>571</u>
<u>5252</u>	SOSM_CD_EX_5252	<u>298</u>	<u>5386</u>	QDIC_STAT_CNT_5386	<u>824</u>			<u>572</u>
<u>5254</u>	CII_CTGY_EX_5254	<u>270</u>	<u>5388</u>	QDIC_STAT_CNT_5388	<u>824</u>	<u>5505</u>	M8C1_STAT_CNT_5505	<u>576</u>
<u>5255</u>	CIIC_CLS_CD_5255	<u>182</u>	<u>5389</u>	QDIC_STAT_CNT_5389	<u>824</u>			<u>577</u>
		<u>270</u>	<u>5390</u>	QDIC_STAT_CNT_5390	<u>824</u>	<u>5506</u>	M8C1_STAT_CNT_5506	<u>576</u>
<u>5256</u>	COG_CD_NVY_EX_5256	<u>252</u>	<u>5391</u>	QDIC_STAT_CNT_5391	<u>824</u>			<u>577</u>
<u>5257</u>	COG_RETL_OF_5257	<u>252</u>	<u>5392</u>	QDIC_STAT_CNT_5392	<u>824</u>	<u>5507</u>	M8C1_STAT_CNT_5507	<u>576</u>
<u>5259</u>	RECOV_EX_AR_5259	<u>173</u>	<u>5402</u>	QDIC_STAT_CNT_5402	<u>824</u>			<u>577</u>
<u>5260</u>	IRRC_NVY_DEF_5260	<u>262</u>	<u>5406</u>	QDIC_STAT_CNT_5406	<u>824</u>	<u>5508</u>	M8C1_STAT_CNT_5508	<u>576</u>
<u>5261</u>	REP_CD_DLA_EX_5261	<u>200</u>	<u>5408</u>	QDIC_STAT_CNT_5408	<u>824</u>			<u>577</u>
<u>5262</u>	ADPEC_DEF_5262	<u>161</u>	<u>5409</u>	QDIC_STAT_CNT_5409	<u>824</u>	<u>5513</u>	M8B1_STAT_CNT_5513	<u>569</u>
<u>5263</u>	TYP_PREC_MTL_5263	<u>272</u>	<u>5410</u>	QDIC_STAT_CNT_5410	<u>824</u>	<u>5514</u>	M8B1_STAT_CNT_5514	<u>569</u>
<u>5265</u>	NCG_CD_BR_NOT_5265	<u>689</u>	<u>5411</u>	QDIC_STAT_CNT_5411	<u>824</u>	<u>5515</u>	M8B1_STAT_CNT_5515	<u>569</u>
<u>5266</u>	NCG_CD_BR_EXP_5266	<u>689</u>	<u>5412</u>	QDIC_STAT_CNT_5412	<u>824</u>	<u>5516</u>	M8B1_STAT_CNT_5516	<u>569</u>
<u>5268</u>	NSCM_CD_BUR_N_5268	<u>258</u>	<u>5422</u>	QDIC_STAT_CNT_5422	<u>810</u>	<u>5519</u>	M8B1_STAT_CNT_5519	<u>574</u>
<u>5270</u>	CAO_EX_PR_EX_5270	<u>178</u>	<u>5424</u>	QDIC_STAT_CNT_5424	<u>810</u>	<u>5520</u>	M8B1_STAT_CNT_5520	<u>574</u>
<u>5271</u>	CNBR_SYS_I_EX_5271	<u>186</u>	<u>5426</u>	QDIC_STAT_CNT_5426	<u>810</u>	<u>5521</u>	M8B1_STAT_CNT_5521	<u>574</u>
<u>5272</u>	NSCM_CD_BUR_X_5272	<u>258</u>	<u>5427</u>	QDIC_STAT_CNT_5427	<u>810</u>	<u>5522</u>	M8B1_STAT_CNT_5522	<u>574</u>
<u>5287</u>	OE_DESI_EX_5287	<u>263</u>	<u>5428</u>	QDIC_STAT_CNT_5428	<u>810</u>	<u>5525</u>	M8B2_STAT_CNT_5525	<u>569</u>
<u>5288</u>	MINM_ADRS_EX_5288	<u>226</u>	<u>5429</u>	QDIC_STAT_CNT_5429	<u>810</u>			<u>572</u>
<u>5289</u>	FRN_DOM_EX_5289	<u>307</u>	<u>5430</u>	QDIC_STAT_CNT_5430	<u>810</u>	<u>5526</u>	M8B2_STAT_CNT_5526	<u>569</u>
<u>5293</u>	CAGE_USR_INTP_5293	<u>185</u>	<u>5442</u>	QDIC_STAT_CNT_5442	<u>810</u>			<u>572</u>
<u>5299</u>	MOE_CD_IDEN_5299	<u>247</u>	<u>5444</u>	QDIC_STAT_CNT_5444	<u>810</u>	<u>5527</u>	M8B2_STAT_CNT_5527	<u>569</u>
<u>5301</u>	CMDTY_CT_EXP_5301	<u>221</u>	<u>5446</u>	QDIC_STAT_CNT_5446	<u>810</u>			<u>572</u>
<u>5302</u>	SICA_LOA_DEF_5302	<u>296</u>	<u>5447</u>	QDIC_STAT_CNT_5447	<u>810</u>	<u>5528</u>	M8B2_STAT_CNT_5528	<u>569</u>
<u>5303</u>	PICA_LOA_DEF_5303	<u>271</u>	<u>5448</u>	QDIC_STAT_CNT_5448	<u>810</u>			<u>572</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>5531</u>	M8B2_STAT_CNT_5531	<u>574</u>	<u>5578</u>	M8B6_STAT_CNT_5578	<u>371</u>	<u>5773</u>	ICWS_STAT_CNT_5773	<u>694</u>
		<u>577</u>			<u>572</u>	<u>5775</u>	ICWS_STAT_CNT_5775	<u>694</u>
<u>5532</u>	M8B2_STAT_CNT_5532	<u>574</u>	<u>5579</u>	M8B6_STAT_CNT_5579	<u>371</u>	<u>5777</u>	ICWS_STAT_CNT_5777	<u>694</u>
		<u>577</u>			<u>572</u>	<u>5779</u>	ICWD_STAT_CNT_5779	<u>763</u>
<u>5533</u>	M8B2_STAT_CNT_5533	<u>574</u>	<u>5583</u>	M8B6_STAT_CNT_5583	<u>573</u>	<u>5780</u>	ICWD_STAT_CNT_5780	<u>763</u>
		<u>577</u>			<u>577</u>	<u>5781</u>	ICWD_STAT_CNT_5781	<u>763</u>
<u>5534</u>	M8B2_STAT_CNT_5534	<u>574</u>	<u>5584</u>	M8B6_STAT_CNT_5584	<u>573</u>	<u>5782</u>	ICWD_STAT_CNT_5782	<u>763</u>
		<u>577</u>			<u>577</u>	<u>5783</u>	ICWD_STAT_CNT_5783	<u>763</u>
<u>5537</u>	M8B3_STAT_CNT_5537	<u>570</u>	<u>5585</u>	M8B6_STAT_CNT_5585	<u>573</u>	<u>5784</u>	ICWD_STAT_CNT_5784	<u>763</u>
<u>5538</u>	M8B3_STAT_CNT_5538	<u>570</u>			<u>577</u>	<u>5785</u>	ICWD_STAT_CNT_5785	<u>763</u>
<u>5541</u>	M8B3_STAT_CNT_5541	<u>570</u>	<u>5586</u>	M8B6_STAT_CNT_5586	<u>573</u>	<u>5786</u>	ICWD_STAT_CNT_5786	<u>763</u>
<u>5542</u>	M8B3_STAT_CNT_5542	<u>570</u>			<u>577</u>	<u>5787</u>	ICWD_STAT_CNT_5787	<u>763</u>
<u>5545</u>	M8B3_STAT_CNT_5545	<u>575</u>	<u>5601</u>	POP_STAT_CNT_5601	<u>038</u>	<u>5788</u>	ICWD_STAT_CNT_5788	<u>763</u>
<u>5546</u>	M8B3_STAT_CNT_5546	<u>575</u>	<u>5602</u>	POP_STAT_CNT_5602	<u>038</u>	<u>5789</u>	ICWD_STAT_CNT_5789	<u>763</u>
<u>5547</u>	M8B3_STAT_CNT_5547	<u>575</u>	<u>5603</u>	POP_STAT_CNT_5603	<u>434</u>	<u>5790</u>	ICWD_STAT_CNT_5790	<u>763</u>
<u>5548</u>	M8B3_STAT_CNT_5548	<u>575</u>	<u>5613</u>	POP_STAT_CNT_5613	<u>435</u>	<u>5791</u>	ICWD_STAT_CNT_5791	<u>763</u>
<u>5551</u>	M8B4_STAT_CNT_5551	<u>570</u>	<u>5614</u>	POP_STAT_CNT_5614	<u>435</u>	<u>5792</u>	ICWD_STAT_CNT_5792	<u>763</u>
		<u>572</u>	<u>5615</u>	POP_STAT_CNT_5615	<u>435</u>	<u>5793</u>	ICWD_STAT_CNT_5793	<u>763</u>
<u>5552</u>	M8B4_STAT_CNT_5552	<u>570</u>	<u>5617</u>	POP_STAT_CNT_5617	<u>038</u>	<u>5794</u>	ICWD_STAT_CNT_5794	<u>763</u>
		<u>572</u>	<u>5629</u>	DAC_STAT_CNT_5629	<u>027</u>	<u>5795</u>	ICWD_STAT_CNT_5795	<u>763</u>
<u>5553</u>	M8B4_STAT_CNT_5553	<u>570</u>	<u>5630</u>	DAC_STAT_CNT_5630	<u>027</u>	<u>5796</u>	ICWD_STAT_CNT_5796	<u>763</u>
		<u>572</u>	<u>5631</u>	DAC_STAT_CNT_5631	<u>027</u>	<u>5797</u>	ICWD_STAT_CNT_5797	<u>763</u>
<u>5554</u>	M8B4_STAT_CNT_5554	<u>570</u>	<u>5632</u>	DAC_STAT_CNT_5632	<u>027</u>	<u>5798</u>	ICWD_STAT_CNT_5798	<u>763</u>
		<u>572</u>	<u>5633</u>	DAC_STAT_CNT_5633	<u>027</u>	<u>5799</u>	ICWD_STAT_CNT_5799	<u>763</u>
<u>5557</u>	M8B4_STAT_CNT_5557	<u>575</u>	<u>5634</u>	DAC_STAT_CNT_5634	<u>027</u>	<u>5800</u>	ICWD_STAT_CNT_5800	<u>370</u>
		<u>577</u>	<u>5635</u>	DAC_STAT_CNT_5635	<u>027</u>	<u>5801</u>	ICWD_STAT_CNT_5801	<u>370</u>
<u>5558</u>	M8B4_STAT_CNT_5558	<u>575</u>	<u>5637</u>	DAC_STAT_CNT_5637	<u>027</u>	<u>5802</u>	ICWD_STAT_CNT_5802	<u>370</u>
		<u>577</u>	<u>5639</u>	IMC_STAT_CNT_5639	<u>436</u>	<u>5803</u>	ICWD_STAT_CNT_5803	<u>370</u>
<u>5559</u>	M8B4_STAT_CNT_5559	<u>575</u>	<u>5666</u>	STAT_RETN_CAT_5666	<u>061</u>	<u>5804</u>	ICWD_STAT_CNT_5804	<u>370</u>
		<u>577</u>	<u>5740</u>	ISC_STAT_CNT_5740	<u>741</u>	<u>5805</u>	ICWD_STAT_CNT_5805	<u>370</u>
<u>5560</u>	M8B4_STAT_CNT_5560	<u>575</u>	<u>5746</u>	ISC_STAT_CNT_5746	<u>042</u>	<u>5806</u>	ICWD_STAT_CNT_5806	<u>370</u>
		<u>577</u>	<u>5747</u>	ISC_STAT_CNT_5747	<u>042</u>	<u>5807</u>	ICWS_STAT_CNT_5807	<u>694</u>
<u>5563</u>	M8B5_STAT_CNT_5563	<u>371</u>	<u>5748</u>	ISC_STAT_CNT_5748	<u>042</u>	<u>5809</u>	ICWS_STAT_CNT_5809	<u>694</u>
<u>5564</u>	M8B5_STAT_CNT_5564	<u>371</u>	<u>5749</u>	ISC_STAT_CNT_5749	<u>042</u>	<u>5811</u>	ICWS_STAT_CNT_5811	<u>694</u>
<u>5567</u>	M8B5_STAT_CNT_5567	<u>371</u>	<u>5750</u>	INC_STAT_CNT_5750	<u>037</u>	<u>5813</u>	ICWS_STAT_CNT_5813	<u>694</u>
<u>5568</u>	M8B5_STAT_CNT_5568	<u>371</u>	<u>5751</u>	FSC_INC_NSN_5751	<u>432</u>	<u>5815</u>	PIC_STAT_CNT_5815	<u>372</u>
<u>5571</u>	M8B5_STAT_CNT_5571	<u>573</u>	<u>5752</u>	FSC_STAT_CNT_5752	<u>432</u>	<u>5819</u>	PIC_STAT_CNT_5819	<u>551</u>
		<u>578</u>	<u>5753</u>	MOE_STAT_CNT_5753	<u>433</u>	<u>5823</u>	PIC_STAT_CNT_5823	<u>441</u>
<u>5572</u>	M8B5_STAT_CNT_5572	<u>573</u>	<u>5754</u>	MOE_STAT_CNT_5754	<u>433</u>	<u>5824</u>	PIC_STAT_CNT_5824	<u>030</u>
		<u>578</u>			<u>437</u>	<u>5827</u>	ICDS_STAT_CNT_5827	<u>692</u>
<u>5573</u>	M8B5_STAT_CNT_5573	<u>573</u>	<u>5755</u>	ICWS_STAT_CNT_5755	<u>694</u>	<u>5829</u>	ICDS_STAT_CNT_5829	<u>692</u>
		<u>578</u>	<u>5757</u>	ICWS_STAT_CNT_5757	<u>694</u>	<u>5831</u>	ICDS_STAT_CNT_5831	<u>692</u>
<u>5574</u>	M8B5_STAT_CNT_5574	<u>573</u>	<u>5759</u>	ICWS_STAT_CNT_5759	<u>694</u>	<u>5833</u>	ICDS_STAT_CNT_5833	<u>692</u>
		<u>578</u>	<u>5761</u>	ICWS_STAT_CNT_5761	<u>694</u>	<u>5835</u>	ICDS_STAT_CNT_5835	<u>024</u>
		<u>741</u>	<u>5763</u>	ICWS_STAT_CNT_5763	<u>694</u>	<u>5837</u>	ICDS_STAT_CNT_5837	<u>024</u>
<u>5575</u>	M8B5_STAT_CHG_5575	<u>578</u>	<u>5765</u>	ICWS_STAT_CNT_5765	<u>694</u>	<u>5839</u>	ICDS_STAT_CNT_5839	<u>024</u>
<u>5576</u>	M8B5_STAT_PCT_5576	<u>578</u>	<u>5767</u>	ICWS_STAT_CNT_5767	<u>694</u>	<u>5841</u>	ICDS_STAT_CNT_5841	<u>024</u>
<u>5577</u>	M8B6_STAT_CNT_5577	<u>371</u>	<u>5769</u>	ICWS_STAT_CNT_5769	<u>694</u>	<u>5843</u>	ICDS_STAT_CNT_5843	<u>692</u>
		<u>572</u>	<u>5771</u>	ICWS_STAT_CNT_5771	<u>694</u>	<u>5849</u>	ICMD_STAT_CNT_5849	<u>369</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>5850</u>	ICMD_STAT_CNT_5850	<u>369</u>	<u>5909</u>	ICDS_STAT_CNT_5909	<u>024</u>	<u>6178</u>	LRN_STAT_CNT_6178	<u>045</u>
<u>5851</u>	ICMD_STAT_CNT_5851	<u>369</u>	<u>5911</u>	ICDS_STAT_CNT_5911	<u>024</u>	<u>6183</u>	LRN_STAT_CNT_6183	<u>620</u>
<u>5852</u>	ICMD_STAT_CNT_5852	<u>369</u>	<u>5913</u>	ICDS_STAT_CNT_5913	<u>024</u>	<u>6189</u>	LRN_STAT_CNT_6189	<u>621</u>
<u>5853</u>	ICMD_STAT_CNT_5853	<u>369</u>	<u>5915</u>	ICDS_STAT_CNT_5915	<u>024</u>	<u>6202</u>	LRN_STAT_CNT_6202	<u>045</u>
<u>5854</u>	ICMD_STAT_CNT_5854	<u>369</u>	<u>5917</u>	ICDS_STAT_CNT_5917	<u>692</u>	<u>6207</u>	LRN_STAT_CNT_6207	<u>620</u>
<u>5855</u>	ICMD_STAT_CNT_5855	<u>369</u>	<u>5919</u>	ICDS_STAT_CNT_5919	<u>692</u>	<u>6209</u>	PRON_STAT_CNT_6209	<u>761</u>
<u>5856</u>	ICMD_STAT_CNT_5856	<u>369</u>	<u>5921</u>	ICDS_STAT_CNT_5921	<u>692</u>	<u>6210</u>	PRON_STAT_CNT_6210	<u>761</u>
<u>5857</u>	ICMD_STAT_CNT_5857	<u>369</u>	<u>5923</u>	ICDS_STAT_CNT_5923	<u>692</u>	<u>6211</u>	PRON_STAT_CNT_6211	<u>761</u>
<u>5858</u>	ICMD_STAT_CNT_5858	<u>369</u>	<u>5925</u>	ICDS_STAT_CNT_5925	<u>024</u>	<u>6225</u>	PROR_STAT_CNT_6225	<u>759</u>
<u>5860</u>	ICDS_STAT_CNT_5860	<u>692</u>	<u>5927</u>	ICDS_STAT_CNT_5927	<u>024</u>	<u>6226</u>	PROR_STAT_CNT_6226	<u>759</u>
<u>5861</u>	ICMD_STAT_CNT_5861	<u>369</u>	<u>5929</u>	ICDS_STAT_CNT_5929	<u>024</u>	<u>6227</u>	PROR_STAT_CNT_6227	<u>759</u>
<u>5862</u>	ICMD_STAT_CNT_5862	<u>369</u>	<u>5931</u>	ICDS_STAT_CNT_5931	<u>024</u>	<u>6241</u>	PREN_STAT_CNT_6241	<u>757</u>
<u>5863</u>	ICMD_STAT_CNT_5863	<u>369</u>	<u>5933</u>	ICDS_STAT_CNT_5933	<u>692</u>	<u>6242</u>	PREN_STAT_CNT_6242	<u>757</u>
<u>5864</u>	ICMD_STAT_CNT_5864	<u>788</u>	<u>5935</u>	ICDS_STAT_CNT_5935	<u>692</u>	<u>6243</u>	PREN_STAT_CNT_6243	<u>757</u>
<u>5865</u>	ICMD_STAT_CNT_5865	<u>788</u>	<u>5937</u>	ICDS_STAT_CNT_5937	<u>692</u>	<u>6292</u>	M3C2_STAT_CNT_6292	<u>802</u>
<u>5866</u>	ICMD_STAT_CNT_5866	<u>788</u>	<u>5939</u>	ICDS_STAT_CNT_5939	<u>692</u>	<u>6293</u>	M3C2_STAT_CNT_6293	<u>802</u>
<u>5867</u>	ICMD_STAT_CNT_5867	<u>788</u>	<u>5941</u>	ICDS_STAT_CNT_5941	<u>024</u>	<u>6295</u>	M3C2_STAT_CNT_6295	<u>800</u>
<u>5869</u>	ICMD_STAT_CNT_5869	<u>788</u>	<u>5943</u>	ICDS_STAT_CNT_5943	<u>024</u>	<u>6296</u>	M3C2_STAT_CNT_6296	<u>800</u>
<u>5870</u>	ICMD_STAT_CNT_5870	<u>788</u>	<u>5945</u>	ICDS_STAT_CNT_5945	<u>024</u>	<u>6298</u>	M3C2_STAT_CNT_6298	<u>800</u>
<u>5871</u>	ICMD_STAT_CNT_5871	<u>788</u>	<u>5947</u>	ICDS_STAT_CNT_5947	<u>024</u>	<u>6299</u>	M3C2_STAT_CNT_6299	<u>800</u>
<u>5872</u>	ICMD_STAT_CNT_5872	<u>788</u>	<u>5949</u>	ICDD_STAT_CNT_5949	<u>790</u>	<u>6301</u>	M3C2_STAT_CNT_6301	<u>800</u>
<u>5873</u>	ICMD_STAT_CNT_5873	<u>788</u>	<u>5950</u>	ICDD_STAT_CNT_5950	<u>790</u>	<u>6302</u>	M3C2_STAT_CNT_6302	<u>800</u>
<u>5874</u>	ICMD_STAT_CNT_5874	<u>788</u>	<u>5951</u>	ICDD_STAT_CNT_5951	<u>790</u>	<u>6304</u>	M3D_STAT_CNT_6304	<u>804</u>
<u>5875</u>	ICMD_STAT_CNT_5875	<u>788</u>	<u>5952</u>	ICDD_STAT_CNT_5952	<u>790</u>	<u>6305</u>	M3D_STAT_CNT_6305	<u>804</u>
<u>5876</u>	ICMD_STAT_CNT_5876	<u>788</u>	<u>5953</u>	ICDD_STAT_CNT_5953	<u>790</u>	<u>6306</u>	M3D_STAT_CNT_6306	<u>804</u>
<u>5877</u>	ICMD_STAT_CNT_5877	<u>788</u>	<u>5954</u>	ICDD_STAT_CNT_5954	<u>790</u>	<u>6308</u>	M3D_STAT_CNT_6308	<u>804</u>
<u>5878</u>	ICMD_STAT_CNT_5878	<u>788</u>	<u>5955</u>	ICDD_STAT_CNT_5955	<u>790</u>	<u>6309</u>	M3D_STAT_CNT_6309	<u>804</u>
<u>5879</u>	ICMD_STAT_CNT_5879	<u>788</u>	<u>5956</u>	ICDD_STAT_CNT_5956	<u>792</u>	<u>6312</u>	M3D_STAT_CNT_6312	<u>804</u>
<u>5880</u>	ICMD_STAT_CNT_5880	<u>369</u>	<u>5957</u>	ICDD_STAT_CNT_5957	<u>792</u>	<u>6313</u>	M3D_STAT_CNT_6313	<u>804</u>
<u>5881</u>	ICMD_STAT_CNT_5881	<u>369</u>	<u>5958</u>	ICDD_STAT_CNT_5958	<u>792</u>	<u>6318</u>	M3D_STAT_CNT_6318	<u>036</u>
<u>5882</u>	ICMD_STAT_CNT_5882	<u>369</u>	<u>5959</u>	ICDD_STAT_CNT_5959	<u>792</u>	<u>6322</u>	M3D_STAT_CNT_6322	<u>036</u>
<u>5883</u>	ICMD_STAT_CNT_5883	<u>369</u>	<u>5960</u>	ICDD_STAT_CNT_5960	<u>792</u>	<u>6326</u>	M3D_STAT_CNT_6326	<u>036</u>
<u>5884</u>	ICMD_STAT_CNT_5884	<u>369</u>	<u>5961</u>	ICDD_STAT_CNT_5961	<u>792</u>	<u>6329</u>	M3D_STAT_CNT_6329	<u>031</u>
<u>5885</u>	ICMD_STAT_CNT_5885	<u>369</u>	<u>5962</u>	ICDD_STAT_CNT_5962	<u>792</u>	<u>6330</u>	M3D_STAT_CNT_6330	<u>031</u>
<u>5886</u>	ICMD_STAT_CNT_5886	<u>369</u>	<u>5963</u>	ICDD_STAT_CNT_5963	<u>790</u>	<u>6331</u>	M3D_STAT_CNT_6331	<u>031</u>
<u>5887</u>	ICMD_STAT_CNT_5887	<u>369</u>	<u>5964</u>	ICDD_STAT_CNT_5964	<u>790</u>	<u>6334</u>	M3D_STAT_CNT_6334	<u>031</u>
<u>5888</u>	ICMD_STAT_CNT_5888	<u>369</u>	<u>5965</u>	ICDD_STAT_CNT_5965	<u>790</u>	<u>6335</u>	M3D_STAT_CNT_6335	<u>031</u>
<u>5889</u>	ICMD_STAT_CNT_5889	<u>369</u>	<u>5966</u>	ICDD_STAT_CNT_5966	<u>790</u>	<u>6338</u>	M3D_STAT_CNT_6338	<u>031</u>
<u>5890</u>	ICMD_STAT_CNT_5890	<u>369</u>	<u>5967</u>	ICDD_STAT_CNT_5967	<u>790</u>	<u>6339</u>	M3D_STAT_CNT_6339	<u>031</u>
<u>5891</u>	ICMD_STAT_CNT_5891	<u>369</u>	<u>5968</u>	ICDD_STAT_CNT_5968	<u>790</u>	<u>6342</u>	M3E_STAT_CNT_6342	<u>804</u>
<u>5892</u>	ICMD_STAT_CNT_5892	<u>369</u>	<u>5969</u>	ICDD_STAT_CNT_5969	<u>790</u>	<u>6343</u>	M3E_STAT_CNT_6343	<u>804</u>
<u>5893</u>	ICMD_STAT_CNT_5893	<u>369</u>	<u>5975</u>	LRN_STAT_CNT_5975	<u>045</u>	<u>6344</u>	M3E_STAT_CNT_6344	<u>804</u>
<u>5894</u>	ICMD_STAT_CNT_5894	<u>369</u>	<u>5983</u>	LRN_STAT_CNT_5983	<u>620</u>	<u>6346</u>	M3E_STAT_CNT_6346	<u>804</u>
<u>5895</u>	ICFS_STAT_CNT_5895	<u>367</u>	<u>5989</u>	LRN_STAT_CNT_5989	<u>621</u>	<u>6347</u>	M3E_STAT_CNT_6347	<u>804</u>
<u>5896</u>	ICFS_STAT_CNT_5896	<u>367</u>	<u>6044</u>	NAICS_IDEN_CD_6044	<u>930</u>	<u>6349</u>	M3E_STAT_CNT_6349	<u>804</u>
<u>5898</u>	ICFS_STAT_CNT_5898	<u>367</u>	<u>6106</u>	QUP_6106	<u>006</u>	<u>6350</u>	M3E_STAT_CNT_6350	<u>804</u>
<u>5901</u>	ICFS_STAT_CNT_5901	<u>367</u>			<u>277</u>	<u>6355</u>	AMC_STAT_CNT_6355	<u>021</u>
<u>5905</u>	ICDS_STAT_CNT_5905	<u>692</u>			<u>505</u>	<u>6357</u>	AMC_STAT_CNT_6357	<u>021</u>
<u>5907</u>	ICDS_STAT_CNT_5907	<u>692</u>			<u>599</u>	<u>6359</u>	AMC_STAT_CNT_6359	<u>021</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
6363	AMC_STAT_CNT_6363	329	6476	ICDD_STAT_CNT_6476	792	6599	FRGT_STAT_CNT_6599	035
6371	AMC_STAT_CNT_6371	021	6477	ICDD_STAT_CNT_6477	792	6600	FRGT_STAT_CNT_6600	503
6373	AMC_STAT_CNT_6373	021	6478	ICDD_STAT_CNT_6478	792	6605	MGR_STAT_CNT_6605	062
6377	AMC_STAT_CNT_6377	021	6479	ICDD_STAT_CNT_6479	792	6611	POP_STAT_CNT_6611	033
6381	AMC_STAT_CNT_6381	329	6480	ICDD_STAT_CNT_6480	792	6612	POP_STAT_CNT_6612	033
6387	AMC_STAT_CNT_6387	022	6481	ICDD_STAT_CNT_6481	790	6650	M3C2_STAT_CNT_6650	800
6388	AMSC_STAT_TOT_6388	425	6482	ICDD_STAT_CNT_6482	790	6654	CAGE_STAT_CNT_6654	023
6392	FCS_STAT_CNT_6392	032	6483	ICDD_STAT_CNT_6483	790	6655	CAGE_STAT_CNT_6655	023
6393	FCS_STAT_CNT_6393	032	6484	ICDD_STAT_CNT_6484	790	6656	CAGE_STAT_CNT_6656	495
6394	FCS_STAT_CNT_6394	032	6485	ICDD_STAT_CNT_6485	790	6657	CAGE_STAT_CNT_6657	494
6400	AMC_STAT_CNT_6400	022	6486	ICDD_STAT_CNT_6486	790	6688	IN_STAT_CNT_6688	043
6401	AMSC_STAT_TOT_6401	425	6487	ICDD_STAT_CNT_6487	790	6689	IN_STAT_CNT_6689	043
6402	FCS_STAT_CNT_6402	032	6488	ICDD_STAT_CNT_6488	792	6691	IN_STAT_CNT_6691	690
6403	FCS_STAT_CNT_6403	032	6489	ICDD_STAT_CNT_6489	792	6692	IN_STAT_CNT_6692	690
6404	FCS_STAT_CNT_6404	032	6490	ICDD_STAT_CNT_6490	792	6695	IN_STAT_CNT_6695	043
6410	FCS_STAT_CNT_6410	032	6491	ICDD_STAT_CNT_6491	792	6696	IN_STAT_CNT_6696	043
6411	FCS_STAT_CNT_6411	032	6492	ICDD_STAT_CNT_6492	792	6699	IN_STAT_CNT_6699	690
6412	FCS_STAT_CNT_6412	032	6493	ICDD_STAT_CNT_6493	792	6700	IN_STAT_CNT_6700	690
6419	FCS_STAT_CNT_6419	032	6494	ICDD_STAT_CNT_6494	792	6724	POP_STAT_CNT_6724	034
6420	FCS_STAT_CNT_6420	032	6495	ICMS_STAT_CNT_6495	784	6725	POP_STAT_CNT_6725	034
6423	FCS_STAT_CNT_6423	032	6497	ICMS_STAT_CNT_6497	784	6726	POP_STAT_CNT_6726	430
6428	FCS_STAT_CNT_6428	682	6499	ICMS_STAT_CNT_6499	784	6729	POP_STAT_CNT_6729	053
6431	FCS_STAT_CNT_6431	682	6501	ICMS_STAT_CNT_6501	784	6730	POP_STAT_CNT_6730	053
6432	FCS_STAT_CNT_6432	682	6503	ICMS_STAT_CNT_6503	784	6731	POP_STAT_CNT_6731	611
6438	FCS_STAT_CNT_6438	682	6505	ICMS_STAT_CNT_6505	786	6732	POP_STAT_CNT_6732	696
6439	FCS_STAT_CNT_6439	682	6507	ICMS_STAT_CNT_6507	786	6733	POP_STAT_CNT_6733	696
6440	FCS_STAT_CNT_6440	682	6509	ICMS_STAT_CNT_6509	786	6777	TRFR_STAT_CNT_6777	036
6445	FCS_STAT_CNT_6445	682	6511	ICMS_STAT_CNT_6511	786	6779	DIC_STAT_CNT_6779	065
6446	FCS_STAT_CNT_6446	682	6513	ICMS_STAT_CNT_6513	786	6780	DIC_STAT_CNT_6780	065
6447	FCS_STAT_CNT_6447	682	6515	ICMS_STAT_CNT_6515	784	6781	DIC_STAT_CNT_6781	065
6453	FCS_STAT_CNT_6453	682	6517	ICMS_STAT_CNT_6517	784	6782	DIC_STAT_CNT_6782	065
6454	FCS_STAT_CNT_6454	682	6519	ICMS_STAT_CNT_6519	784	6783	DIC_STAT_CNT_6783	065
6455	FCS_STAT_CNT_6455	682	6521	ICMS_STAT_CNT_6521	784	6786	DIC_STAT_CNT_6786	065
6460	ICDD_STAT_CNT_6460	792	6523	ICMS_STAT_CNT_6523	784	6788	DIC_STAT_CNT_6788	065
6461	ICDD_STAT_CNT_6461	792	6525	ICMS_STAT_CNT_6525	786	6789	DIC_STAT_CNT_6789	820
6462	ICDD_STAT_CNT_6462	792	6527	ICMS_STAT_CNT_6527	786	6790	DIC_STAT_CNT_6790	820
6463	ICDD_STAT_CNT_6463	792	6529	ICMS_STAT_CNT_6529	786	6791	DIC_STAT_CNT_6791	820
6464	ICDD_STAT_CNT_6464	792	6531	ICMS_STAT_CNT_6531	786	6792	DIC_STAT_CNT_6792	820
6465	ICDD_STAT_CNT_6465	792	6533	ICMS_STAT_CNT_6533	786	6793	DIC_STAT_CNT_6793	820
6466	ICDD_STAT_CNT_6466	792	6535	ICMS_STAT_CNT_6535	784	6796	DIC_STAT_CNT_6796	820
6467	ICDD_STAT_CNT_6467	790	6538	ICMS_STAT_CNT_6538	784	6798	DIC_STAT_CNT_6798	820
6468	ICDD_STAT_CNT_6468	790	6572	COMM_ADRS_ID_6572	538	6799	DIC_STAT_CNT_6799	739
6469	ICDD_STAT_CNT_6469	790	6573	EXTRNL_USRID_6573	538	6800	DIC_STAT_CNT_6800	739
6470	ICDD_STAT_CNT_6470	790	6574	EXTRNL_PASWD_6574	538	6803	DIC_STAT_CNT_6803	739
6471	ICDD_STAT_CNT_6471	790	6575	COMM_FILE_NM_6575	538	6805	DIC_STAT_CNT_6805	739
6472	ICDD_STAT_CNT_6472	790	6589	NAIN_STRING_6589	985	6806	DIC_STAT_CNT_6806	818
6473	ICDD_STAT_CNT_6473	790			986	6807	DIC_STAT_CNT_6807	818
6474	ICDD_STAT_CNT_6474	792	6592	STAT_DAC_SA_6592	027	6808	DIC_STAT_CNT_6808	818
6475	ICDD_STAT_CNT_6475	792			063	6809	DIC_STAT_CNT_6809	818

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>6810</u>	DIC_STAT_CNT_6810	<u>818</u>	<u>7089</u>	ICMD_STAT_CNT_7089	<u>788</u>	<u>7138</u>	ICMD_STAT_CNT_7138	<u>369</u>
<u>6813</u>	DIC_STAT_CNT_6813	<u>818</u>	<u>7090</u>	ICMD_STAT_CNT_7090	<u>788</u>	<u>7139</u>	ICMD_STAT_CNT_7139	<u>369</u>
<u>6815</u>	DIC_STAT_CNT_6815	<u>818</u>	<u>7091</u>	ICMD_STAT_CNT_7091	<u>788</u>	<u>7140</u>	ICMD_STAT_CNT_7140	<u>369</u>
<u>6816</u>	QDIC_STAT_CNT_6816	<u>808</u>	<u>7092</u>	ICMD_STAT_CNT_7092	<u>788</u>	<u>7141</u>	ICMD_STAT_CNT_7141	<u>369</u>
<u>6817</u>	QDIC_STAT_CNT_6817	<u>808</u>	<u>7093</u>	ICMD_STAT_CNT_7093	<u>788</u>	<u>7142</u>	ICMD_STAT_CNT_7142	<u>369</u>
<u>6818</u>	QDIC_STAT_CNT_6818	<u>808</u>	<u>7094</u>	ICMD_STAT_CNT_7094	<u>788</u>	<u>7143</u>	ICMD_STAT_CNT_7143	<u>369</u>
<u>6819</u>	QDIC_STAT_CNT_6819	<u>808</u>	<u>7095</u>	ICMD_STAT_CNT_7095	<u>788</u>	<u>7144</u>	ICMD_STAT_CNT_7144	<u>369</u>
<u>6820</u>	QDIC_STAT_CNT_6820	<u>808</u>	<u>7096</u>	ICMD_STAT_CNT_7096	<u>788</u>	<u>7145</u>	ICMD_STAT_CNT_7145	<u>369</u>
<u>6823</u>	QDIC_STAT_CNT_6823	<u>808</u>	<u>7097</u>	ICMD_STAT_CNT_7097	<u>788</u>	<u>7146</u>	ICMD_STAT_CNT_7146	<u>369</u>
<u>6825</u>	QDIC_STAT_CNT_6825	<u>808</u>	<u>7098</u>	ICMD_STAT_CNT_7098	<u>788</u>	<u>7147</u>	ICMD_STAT_CNT_7147	<u>788</u>
<u>6826</u>	QDIC_STAT_CNT_6826	<u>822</u>	<u>7099</u>	ICMD_STAT_CNT_7099	<u>788</u>	<u>7148</u>	ICMD_STAT_CNT_7148	<u>788</u>
<u>6827</u>	QDIC_STAT_CNT_6827	<u>822</u>	<u>7100</u>	ICMD_STAT_CNT_7100	<u>788</u>	<u>7149</u>	ICMD_STAT_CNT_7149	<u>788</u>
<u>6828</u>	QDIC_STAT_CNT_6828	<u>822</u>	<u>7101</u>	ICMD_STAT_CNT_7101	<u>788</u>	<u>7150</u>	ICMD_STAT_CNT_7150	<u>788</u>
<u>6829</u>	QDIC_STAT_CNT_6829	<u>822</u>	<u>7102</u>	ICMD_STAT_CNT_7102	<u>369</u>	<u>7151</u>	ICMD_STAT_CNT_7151	<u>788</u>
<u>6830</u>	QDIC_STAT_CNT_6830	<u>822</u>	<u>7103</u>	ICMD_STAT_CNT_7103	<u>369</u>	<u>7152</u>	ICMD_STAT_CNT_7152	<u>788</u>
<u>6833</u>	QDIC_STAT_CNT_6833	<u>822</u>	<u>7104</u>	ICMD_STAT_CNT_7104	<u>369</u>	<u>7153</u>	ICMD_STAT_CNT_7153	<u>788</u>
<u>6835</u>	QDIC_STAT_CNT_6835	<u>822</u>	<u>7105</u>	ICMD_STAT_CNT_7105	<u>369</u>	<u>7154</u>	ICMD_STAT_CNT_7154	<u>788</u>
<u>6836</u>	DIC_STAT_CNT_6836	<u>739</u>	<u>7106</u>	ICMD_STAT_CNT_7106	<u>369</u>	<u>7155</u>	ICMD_STAT_CNT_7155	<u>788</u>
<u>6837</u>	DIC_STAT_CNT_6837	<u>739</u>	<u>7107</u>	ICMD_STAT_CNT_7107	<u>369</u>	<u>7156</u>	ICMD_STAT_CNT_7156	<u>788</u>
<u>6838</u>	DIC_STAT_CNT_6838	<u>739</u>	<u>7108</u>	ICMD_STAT_CNT_7108	<u>369</u>	<u>7157</u>	ICMD_STAT_CNT_7157	<u>788</u>
<u>6860</u>	LRN_STAT_CNT_6860	<u>620</u>	<u>7109</u>	ICMD_STAT_CNT_7109	<u>369</u>	<u>7158</u>	ICMD_STAT_CNT_7158	<u>788</u>
<u>6865</u>	LRN_STAT_CNT_6865	<u>621</u>	<u>7110</u>	ICMD_STAT_CNT_7110	<u>369</u>	<u>7159</u>	ICMD_STAT_CNT_7159	<u>788</u>
<u>6886</u>	FCS_STAT_CNT_6886	<u>678</u>	<u>7111</u>	ICMD_STAT_CNT_7111	<u>369</u>	<u>7160</u>	ICMD_STAT_CNT_7160	<u>788</u>
<u>6887</u>	FCS_STAT_CNT_6887	<u>678</u>	<u>7112</u>	ICMD_STAT_CNT_7112	<u>369</u>	<u>7161</u>	ICMD_STAT_CNT_7161	<u>788</u>
<u>6888</u>	FCS_STAT_CNT_6888	<u>678</u>	<u>7113</u>	ICMD_STAT_CNT_7113	<u>369</u>	<u>7162</u>	ICMD_STAT_CNT_7162	<u>369</u>
<u>6892</u>	TMG_STAT_CNT_6892	<u>376</u>	<u>7114</u>	ICMD_STAT_CNT_7114	<u>369</u>	<u>7163</u>	ICMD_STAT_CNT_7163	<u>369</u>
<u>6893</u>	TMG_STAT_CNT_6893	<u>376</u>	<u>7115</u>	ICMD_STAT_CNT_7115	<u>369</u>	<u>7172</u>	POP_STAT_CNT_7172	<u>034</u>
<u>6928</u>	ICMS_STAT_CNT_6928	<u>786</u>	<u>7116</u>	ICMD_STAT_CNT_7116	<u>369</u>	<u>7646</u>	STAT_JUL_DATE_7646	<u>924</u>
<u>6930</u>	ICMS_STAT_CNT_6930	<u>784</u>	<u>7117</u>	ICMD_STAT_CNT_7117	<u>788</u>	<u>7647</u>	DIC_STAT_CNT_7647	<u>820</u>
<u>6932</u>	ICMS_STAT_CNT_6932	<u>784</u>	<u>7118</u>	ICMD_STAT_CNT_7118	<u>788</u>	<u>7649</u>	DIC_STAT_CNT_7649	<u>820</u>
<u>6958</u>	ICMS_STAT_CNT_6958	<u>786</u>	<u>7119</u>	ICMD_STAT_CNT_7119	<u>788</u>	<u>7651</u>	DIC_STAT_CNT_7651	<u>820</u>
<u>6960</u>	ICMS_STAT_CNT_6960	<u>786</u>	<u>7120</u>	ICMD_STAT_CNT_7120	<u>788</u>	<u>7652</u>	DIC_STAT_CNT_7652	<u>820</u>
<u>6962</u>	ICMS_STAT_CNT_6962	<u>786</u>	<u>7121</u>	ICMD_STAT_CNT_7121	<u>788</u>	<u>7653</u>	DIC_STAT_CNT_7653	<u>820</u>
<u>6964</u>	ICMS_STAT_CNT_6964	<u>786</u>	<u>7122</u>	ICMD_STAT_CNT_7122	<u>788</u>	<u>7654</u>	DIC_STAT_CNT_7654	<u>820</u>
<u>6966</u>	ICMS_STAT_CNT_6966	<u>784</u>	<u>7123</u>	ICMD_STAT_CNT_7123	<u>788</u>	<u>7810</u>	ICFS_STAT_CNT_7810	<u>367</u>
<u>6968</u>	ICMS_STAT_CNT_6968	<u>784</u>	<u>7124</u>	ICMD_STAT_CNT_7124	<u>788</u>	<u>7812</u>	MOE_STAT_CNT_7812	<u>051</u>
<u>6970</u>	ICMS_STAT_CNT_6970	<u>784</u>	<u>7125</u>	ICMD_STAT_CNT_7125	<u>788</u>	<u>7813</u>	MOE_STAT_CNT_7813	<u>051</u>
<u>6972</u>	ICMS_STAT_CNT_6972	<u>784</u>	<u>7126</u>	ICMD_STAT_CNT_7126	<u>788</u>	<u>7814</u>	MOE_STAT_CNT_7814	<u>051</u>
<u>6974</u>	ICMS_STAT_CNT_6974	<u>784</u>	<u>7127</u>	ICMD_STAT_CNT_7127	<u>788</u>	<u>7820</u>	MOE_STAT_CNT_7820	<u>439</u>
<u>6976</u>	ICMS_STAT_CNT_6976	<u>786</u>	<u>7128</u>	ICMD_STAT_CNT_7128	<u>788</u>	<u>7821</u>	MOE_STAT_CNT_7821	<u>439</u>
<u>6978</u>	ICMS_STAT_CNT_6978	<u>786</u>	<u>7129</u>	ICMD_STAT_CNT_7129	<u>788</u>	<u>7824</u>	INAM_STAT_CNT_7824	<u>438</u>
<u>7075</u>	UNIT_PR_7075	<u>006</u>	<u>7130</u>	ICMD_STAT_CNT_7130	<u>788</u>	<u>7828</u>	POP_STAT_CNT_7828	<u>431</u>
		<u>505</u>	<u>7131</u>	ICMD_STAT_CNT_7131	<u>788</u>	<u>7829</u>	POP_STAT_CNT_7829	<u>431</u>
		<u>599</u>	<u>7132</u>	ICMD_STAT_CNT_7132	<u>369</u>	<u>7830</u>	POP_STAT_CNT_7830	<u>431</u>
<u>7081</u>	ICMS_STAT_CNT_7081	<u>786</u>	<u>7133</u>	ICMD_STAT_CNT_7133	<u>369</u>	<u>7832</u>	M6A1_STAT_CNT_7832	<u>656</u>
<u>7083</u>	ICMS_STAT_CNT_7083	<u>786</u>	<u>7134</u>	ICMD_STAT_CNT_7134	<u>369</u>	<u>7833</u>	M6A1_STAT_CNT_7833	<u>656</u>
<u>7085</u>	ICMS_STAT_CNT_7085	<u>786</u>	<u>7135</u>	ICMD_STAT_CNT_7135	<u>369</u>	<u>7834</u>	M6A1_STAT_CNT_7834	<u>656</u>
<u>7087</u>	ICMD_STAT_CNT_7087	<u>788</u>	<u>7136</u>	ICMD_STAT_CNT_7136	<u>369</u>	<u>7835</u>	M6A1_STAT_CNT_7835	<u>656</u>
<u>7088</u>	ICMD_STAT_CNT_7088	<u>788</u>	<u>7137</u>	ICMD_STAT_CNT_7137	<u>369</u>	<u>7836</u>	M6A1_STAT_CNT_7836	<u>656</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
7837	M6A1_STAT_CNT_7837	656	7888	M6B1_STAT_CNT_7888	650			660
7838	M6A1_STAT_CNT_7838	656	7889	M6B1_STAT_CNT_7889	650	7935	M6B4_STAT_CNT_7935	652
7842	M6A1_STAT_CNT_7842	658	7893	M6B3_STAT_CNT_7893	652			660
7843	M6A1_STAT_CNT_7843	658	7894	M6B3_STAT_CNT_7894	652	7936	M6B4_STAT_CNT_7936	652
7844	M6A1_STAT_CNT_7844	658	7895	M6B3_STAT_CNT_7895	652			660
7845	M6A1_STAT_CNT_7845	658	7896	M6B3_STAT_CNT_7896	652	7937	M6B4_STAT_CNT_7937	652
7846	M6A1_STAT_CNT_7846	658	7897	M6B3_STAT_CNT_7897	652			660
7847	M6A1_STAT_CNT_7847	658	7898	M6B3_STAT_CNT_7898	652	7938	M6B4_STAT_CNT_7938	652
7848	M6A1_STAT_CNT_7848	658	7899	M6B3_STAT_CNT_7899	652			660
7852	M6C1_STAT_CNT_7852	656	7902	M6B3_STAT_CNT_7902	654	7942	M6B4_STAT_CNT_7942	654
		660	7903	M6B3_STAT_CNT_7903	654			662
7853	M6C1_STAT_CNT_7853	656	7904	M6B3_STAT_CNT_7904	654	7943	M6B4_STAT_CNT_7943	654
		660	7905	M6B3_STAT_CNT_7905	654			662
7854	M6C1_STAT_CNT_7854	656	7906	M6B3_STAT_CNT_7906	654	7944	M6B4_STAT_CNT_7944	654
		660	7907	M6B3_STAT_CNT_7907	654			662
7855	M6C1_STAT_CNT_7855	656	7908	M6B3_STAT_CNT_7908	654	7945	M6B4_STAT_CNT_7945	654
		660	7912	M6B2_STAT_CNT_7912	648			662
7856	M6C1_STAT_CNT_7856	656			660	7946	M6B4_STAT_CNT_7946	654
		660	7913	M6B2_STAT_CNT_7913	648			662
7857	M6C1_STAT_CNT_7857	656			660	7947	M6B4_STAT_CNT_7947	654
		660	7914	M6B2_STAT_CNT_7914	648			662
7858	M6C1_STAT_CNT_7858	656			660	7948	M6B4_STAT_CNT_7948	654
		660	7915	M6B2_STAT_CNT_7915	648			662
7862	M6C1_STAT_CNT_7862	658			660	7952	M6B5_STAT_CNT_7952	050
		662	7916	M6B2_STAT_CNT_7916	648	7953	M6B5_STAT_CNT_7953	050
7863	M6C1_STAT_CNT_7863	658			660	7954	M6B5_STAT_CNT_7954	050
		662	7917	M6B2_STAT_CNT_7917	648	7955	M6B5_STAT_CNT_7955	050
7864	M6C1_STAT_CNT_7864	658			660	7956	M6B5_STAT_CNT_7956	050
		662	7918	M6B2_STAT_CNT_7918	648	7957	M6B5_STAT_CNT_7957	050
7865	M6C1_STAT_CNT_7865	658			660	7958	M6B5_STAT_CNT_7958	050
		662	7922	M6B2_STAT_CNT_7922	650	7962	M6B5_STAT_CNT_7962	646
7866	M6C1_STAT_CNT_7866	658			662	7963	M6B5_STAT_CNT_7963	646
		662	7923	M6B2_STAT_CNT_7923	650	7964	M6B5_STAT_CNT_7964	646
7867	M6C1_STAT_CNT_7867	658			662	7965	M6B5_STAT_CNT_7965	646
		662	7924	M6B2_STAT_CNT_7924	650	7966	M6B5_STAT_CNT_7966	646
7868	M6C1_STAT_CNT_7868	658			662	7967	M6B5_STAT_CNT_7967	646
		662	7925	M6B2_STAT_CNT_7925	650	7968	M6B5_STAT_CNT_7968	646
7873	M6B1_STAT_CNT_7873	648			662	7987	M6B6_STAT_CNT_7987	050
7874	M6B1_STAT_CNT_7874	648	7926	M6B2_STAT_CNT_7926	650			660
7875	M6B1_STAT_CNT_7875	648			662	7988	M6B6_STAT_CNT_7988	050
7876	M6B1_STAT_CNT_7876	648	7927	M6B2_STAT_CNT_7927	650			660
7877	M6B1_STAT_CNT_7877	648			662	7989	M6B6_STAT_CNT_7989	050
7878	M6B1_STAT_CNT_7878	648	7928	M6B2_STAT_CNT_7928	650			660
7879	M6B1_STAT_CNT_7879	648			662	7990	M6B6_STAT_CNT_7990	050
7883	M6B1_STAT_CNT_7883	650	7932	M6B4_STAT_CNT_7932	652			660
7884	M6B1_STAT_CNT_7884	650			660	7991	M6B6_STAT_CNT_7991	050
7885	M6B1_STAT_CNT_7885	650	7933	M6B4_STAT_CNT_7933	652			660
7886	M6B1_STAT_CNT_7886	650			660	7992	M6B6_STAT_CNT_7992	050
7887	M6B1_STAT_CNT_7887	650	7934	M6B4_STAT_CNT_7934	652			660

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
<u>7993</u>	M6B6_STAT_CNT_7993	<u>050</u>			<u>009</u>	<u>8594</u>	SKO_FSC_8594	<u>942</u>
		<u>660</u>			<u>011</u>	<u>8595</u>	CMP_FSC_8595	<u>942</u>
<u>7998</u>	M6B6_STAT_CNT_7998	<u>646</u>			<u>015</u>	<u>8596</u>	SKO_ITEM_NAME_8596	<u>942</u>
		<u>662</u>			<u>017</u>	<u>8597</u>	CMP_ITEM_NAME_8597	<u>942</u>
<u>7999</u>	M6B6_STAT_CNT_7999	<u>646</u>			<u>051</u>	<u>8601</u>	GRP_NBR_8601	<u>130</u>
		<u>662</u>			<u>093</u>			<u>138</u>
<u>8000</u>	M6B6_STAT_CNT_8000	<u>646</u>			<u>095</u>	<u>8602</u>	START_RCD_TYP_8602	<u>130</u>
		<u>662</u>			<u>096</u>	<u>8603</u>	START_ACCS_8603	<u>130</u>
<u>8001</u>	M6B6_STAT_CNT_8001	<u>646</u>			<u>137</u>	<u>8604</u>	START_CMP_8604	<u>130</u>
		<u>662</u>			<u>250</u>	<u>8605</u>	END_RCD_TYP_8605	<u>130</u>
<u>8002</u>	M6B6_STAT_CNT_8002	<u>646</u>			<u>264</u>	<u>8606</u>	END_ACCS_NBR_8606	<u>130</u>
		<u>662</u>			<u>345</u>	<u>8607</u>	END_CMP_8607	<u>130</u>
<u>8009</u>	AMSC_AMC_VC_8009	<u>153</u>			<u>437</u>	<u>8608</u>	PRE_BRK_RCD_8608	<u>130</u>
<u>8021</u>	URL_8021	<u>931</u>			<u>440</u>	<u>8609</u>	PRE_BRK_ACCS_8609	<u>130</u>
<u>8071</u>	ICMS_STAT_CNT_8071	<u>784</u>			<u>507</u>	<u>8610</u>	PRE_BRK_CMP_8610	<u>130</u>
<u>8159</u>	STAT_LMD_RT_G_8159	<u>027</u>			<u>508</u>	<u>8611</u>	POST_BRK_RCD_8611	<u>130</u>
<u>8162</u>	FCS_STAT_CNT_8162	<u>678</u>			<u>510</u>	<u>8612</u>	POST_BRK_ACCS_8612	<u>130</u>
<u>8163</u>	FCS_STAT_CNT_8163	<u>678</u>			<u>511</u>	<u>8613</u>	POST_BRK_CMP_8613	<u>130</u>
<u>8164</u>	FCS_STAT_CNT_8164	<u>678</u>			<u>512</u>	<u>8614</u>	POST_BRK_POS_8614	<u>130</u>
<u>8170</u>	FCS_STAT_CNT_8170	<u>678</u>			<u>521</u>			<u>138</u>
<u>8171</u>	FCS_STAT_CNT_8171	<u>678</u>			<u>597</u>	<u>8615</u>	FORCED_WRITE_8615	<u>130</u>
<u>8172</u>	FCS_STAT_CNT_8172	<u>678</u>			<u>669</u>			<u>138</u>
<u>8173</u>	FCS_STAT_CNT_8173	<u>678</u>			<u>687</u>	<u>8616</u>	CTR_ATTR_8616	<u>130</u>
<u>8174</u>	FCS_STAT_CNT_8174	<u>678</u>			<u>730</u>			<u>138</u>
<u>8175</u>	FCS_STAT_CNT_8175	<u>678</u>			<u>733</u>	<u>8617</u>	ZER_SUPRSN_8617	<u>130</u>
<u>8204</u>	M6B6_STAT_CNT_8204	<u>646</u>			<u>861</u>			<u>138</u>
		<u>662</u>			<u>865</u>			<u>335</u>
<u>8205</u>	M6B6_STAT_CNT_8205	<u>646</u>			<u>866</u>			<u>388</u>
		<u>662</u>			<u>867</u>			<u>447</u>
<u>8215</u>	DS1_STAT_CNT_8215	<u>028</u>			<u>868</u>			<u>473</u>
<u>8217</u>	DS2_STAT_CNT_8217	<u>426</u>			<u>869</u>			<u>486</u>
<u>8219</u>	DS3_STAT_CNT_8219	<u>427</u>			<u>870</u>	<u>8618</u>	GRP_TYP_8618	<u>138</u>
<u>8221</u>	DS4_STAT_CNT_8221	<u>428</u>			<u>871</u>	<u>8619</u>	START_CMP_SEQ_8619	<u>138</u>
<u>8224</u>	AMRC_STAT_CNT_8224	<u>020</u>			<u>872</u>	<u>8620</u>	END_CMP_SEQ_8620	<u>138</u>
<u>8232</u>	LRN_STAT_CNT_8232	<u>045</u>			<u>885</u>	<u>8621</u>	DAT_LGTH_ATTR_8621	<u>335</u>
<u>8237</u>	LRN_STAT_CNT_8237	<u>620</u>	<u>8329</u>	DEPT_CD_8329	<u>955</u>			<u>388</u>
<u>8242</u>	LRN_STAT_CNT_8242	<u>621</u>	<u>8450</u>	MRC_IND_CD_8450	<u>120</u>			<u>447</u>
<u>8254</u>	RPLY_TBL_MRD_8254	<u>126</u>	<u>8458</u>	M_RL_STAT_CD_8458	<u>093</u>			<u>473</u>
		<u>128</u>			<u>865</u>			<u>486</u>
		<u>920</u>	<u>8525</u>	REP_ISC_8525	<u>915</u>	<u>8622</u>	RCD_LGTH_ATTR_8622	<u>133</u>
		<u>922</u>	<u>8555</u>	CONTI_IND_CD_8555	<u>853</u>	<u>8623</u>	CTR_FUNC_8623	<u>138</u>
		<u>923</u>	<u>8575</u>	QNTV_EXPRSN_8575	<u>007</u>	<u>8624</u>	EXTR_UPDT_8624	<u>133</u>
<u>8261</u>	PRT_DWG_SUPR_8261	<u>842</u>			<u>506</u>			<u>340</u>
<u>8264</u>	CRD_SEQ_CD_8264	<u>121</u>	<u>8581</u>	SKO_I_I_NBR_8581	<u>942</u>	<u>8625</u>	FMT_OP_8625	<u>133</u>
<u>8269</u>	DSPL_ORDR_8269	<u>383</u>	<u>8582</u>	SKO_NCB_CD_8582	<u>942</u>			<u>340</u>
<u>8280</u>	FMR_MOE_RULE_8280	<u>345</u>	<u>8583</u>	CMP_I_I_NBR_8583	<u>942</u>	<u>8626</u>	UPDT_KEY_LGTH_8626	<u>133</u>
		<u>521</u>	<u>8584</u>	CMP_NCB_CD_8584	<u>942</u>	<u>8627</u>	DYN_ALLOC_8627	<u>133</u>
		<u>669</u>	<u>8589</u>	HMIC_FSC_TB_N_8589	<u>962</u>			<u>340</u>
<u>8290</u>	MOE_RULE_NBR_8290	<u>008</u>	<u>8593</u>	SKO_QTY_8593	<u>942</u>	<u>8628</u>	FILE_NM_HLQ_8628	<u>133</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>340</u>			<u>361</u>			<u>408</u>
<u>8630</u>	CLN_DRY_PR_TX_8630	<u>314</u>			<u>362</u>			<u>872</u>
<u>8656</u>	DT_OE_LI_CHG_8656	<u>083</u>			<u>950</u>			<u>961</u>
<u>8657</u>	DT_OE_RCD_DEL_8657	<u>502</u>	<u>8999</u>	DIDS_SEG_CD_8999	<u>177</u>			<u>997</u>
<u>8805</u>	AMMO_CD_8805	<u>001</u>			<u>199</u>			<u>999</u>
		<u>073</u>			<u>207</u>	<u>9137</u>	ARCHIVE_TS_9137	<u>840</u>
		<u>496</u>			<u>209</u>	<u>9138</u>	ARCHVNG_USER_9138	<u>840</u>
		<u>723</u>			<u>210</u>	<u>9139</u>	ASCII_EBCDIC_9139	<u>410</u>
<u>8809</u>	AMMO_CD_PRFX_8809	<u>487</u>			<u>249</u>	<u>9140</u>	AUTODIN_IO_9140	<u>397</u>
<u>8815</u>	RPLD_AMMO_8815	<u>496</u>			<u>291</u>			<u>841</u>
<u>8831</u>	AR_FSC_MGR_8831	<u>094</u>			<u>292</u>	<u>9141</u>	BLOCK_SIZE_9141	<u>410</u>
		<u>515</u>			<u>293</u>	<u>9142</u>	COMM_RI_9142	<u>054</u>
<u>8835</u>	ADP_PNT_CD_8835	<u>004</u>			<u>305</u>			<u>084</u>
		<u>077</u>			<u>479</u>			<u>409</u>
<u>8850</u>	FILE_MAINT_CD_8850	<u>213</u>			<u>746</u>			<u>618</u>
		<u>878</u>			<u>771</u>			<u>841</u>
<u>8855</u>	ASSOC_CD_CAGE_8855	<u>082</u>			<u>889</u>			<u>843</u>
<u>8860</u>	AF_FSC_MGR_8860	<u>094</u>			<u>890</u>	<u>9143</u>	CPU_ROUTED_TO_9143	<u>401</u>
		<u>515</u>			<u>891</u>	<u>9144</u>	DATASET_NAME_9144	<u>840</u>
<u>8868</u>	CAO_EX_PR_CD_8868	<u>178</u>			<u>892</u>	<u>9146</u>	DIC_SEQ_9146	<u>151</u>
<u>8870</u>	CAO_CD_8870	<u>004</u>	<u>9066</u>	RESTORE_FLAG_9066	<u>840</u>			<u>385</u>
		<u>077</u>	<u>9069</u>	CICS_PASS_KEY_9069	<u>443</u>			<u>389</u>
<u>8875</u>	RPLM_NSN_CANC_8875	<u>010</u>	<u>9070</u>	CICS_PASS_TX_9070	<u>443</u>			<u>408</u>
		<u>509</u>	<u>9076</u>	MSDS_ID_9076	<u>014</u>			<u>474</u>
<u>8905</u>	FILE_MNT_RCVR_8905	<u>148</u>			<u>522</u>			<u>475</u>
		<u>530</u>			<u>775</u>			<u>476</u>
<u>8971</u>	NATO_RPLM_NSN_8971	<u>684</u>	<u>9077</u>	HCC_ABRV_DEF_9077	<u>711</u>			<u>961</u>
<u>8972</u>	NATO_MFR_NM_8972	<u>685</u>	<u>9079</u>	HCC_GP_9079	<u>711</u>	<u>9151</u>	ERROR_SEQ_9151	<u>405</u>
<u>8973</u>	NATO_MFR_ADRS_8973	<u>685</u>	<u>9090</u>	IMM_9090	<u>094</u>	<u>9152</u>	ERROR_TS_9152	<u>086</u>
<u>8974</u>	NATO_MFR_TEL_8974	<u>685</u>			<u>515</u>			<u>405</u>
<u>8975</u>	NATO_MFR_FAX_8975	<u>685</u>	<u>9128</u>	DT_MR_ASGND_9128	<u>345</u>	<u>9153</u>	EXEC_COUNT_9153	<u>600</u>
<u>8976</u>	NCC_CMNT_8976	<u>422</u>			<u>521</u>			<u>777</u>
<u>8977</u>	RP_NSN_STD_RL_8977	<u>018</u>	<u>9130</u>	NATO_KHN_9130	<u>516</u>			<u>852</u>
		<u>524</u>			<u>517</u>	<u>9154</u>	EXT_SEG_DATA_9154	<u>838</u>
<u>8978</u>	OTH_STA_PRVNC_8978	<u>328</u>			<u>910</u>			<u>854</u>
		<u>674</u>			<u>911</u>	<u>9155</u>	EXT_SEG_SEQ_9155	<u>838</u>
<u>8990</u>	SAC_8990	<u>115</u>	<u>9131</u>	ACTIVITY_FLAG_9131	<u>772</u>			<u>848</u>
		<u>116</u>			<u>929</u>			<u>854</u>
		<u>125</u>			<u>932</u>	<u>9156</u>	EXTEND_FLAG_9156	<u>071</u>
		<u>348</u>	<u>9133</u>	ACTY_GRP_9133	<u>474</u>			<u>399</u>
		<u>349</u>			<u>606</u>			<u>402</u>
		<u>350</u>			<u>615</u>			<u>609</u>
		<u>351</u>			<u>715</u>			<u>778</u>
		<u>352</u>			<u>945</u>			<u>995</u>
		<u>353</u>	<u>9134</u>	ACTY_TYPE_9134	<u>382</u>			<u>996</u>
		<u>354</u>	<u>9135</u>	ALLOWED_DIC_9135	<u>403</u>	<u>9157</u>	FILE_CHAR_CNT_9157	<u>474</u>
		<u>357</u>			<u>961</u>			<u>587</u>
		<u>358</u>	<u>9136</u>	APPL_OP_REC_9136	<u>044</u>			<u>615</u>
		<u>360</u>			<u>151</u>			<u>632</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>665</u>			<u>619</u>			<u>665</u>
		<u>666</u>	<u>9180</u>	MIN_ALT_MED_9180	<u>783</u>			<u>666</u>
<u>9158</u>	FILE_REC_CNT_9158	<u>474</u>	<u>9181</u>	MINIMIZE_FLAG_9181	<u>783</u>			<u>852</u>
		<u>587</u>	<u>9182</u>	MIN_REC_LGTH_9182	<u>410</u>	<u>9209</u>	REORDER_TS_9209	<u>850</u>
		<u>615</u>	<u>9185</u>	NATO_FLAG_9185	<u>855</u>	<u>9210</u>	REROUTED_TIME_9210	<u>401</u>
		<u>632</u>	<u>9186</u>	NATO_PIC_9186	<u>600</u>	<u>9211</u>	LN_2780_IDEN_9211	<u>926</u>
		<u>665</u>			<u>777</u>	<u>9214</u>	PRIM_COMM_RI_9214	<u>409</u>
		<u>666</u>			<u>852</u>	<u>9215</u>	AIR_CMTY_HDLG_9215	<u>016</u>
<u>9161</u>	FOOTPRNT_DATE_9161	<u>840</u>	<u>9187</u>	NATO_PIC_VAL_9187	<u>412</u>			<u>523</u>
<u>9162</u>	FORMAT_NAME_9162	<u>404</u>	<u>9189</u>	ODRC_SEQ_9189	<u>855</u>	<u>9216</u>	MEDALS_FLG_9216	<u>052</u>
		<u>406</u>	<u>9190</u>	ON_HOLD_TS_9190	<u>601</u>			<u>604</u>
<u>9164</u>	FORMATTED_TS_9164	<u>601</u>			<u>777</u>	<u>9217</u>	ACTY_OP_9217	<u>052</u>
		<u>777</u>			<u>852</u>			<u>604</u>
		<u>852</u>	<u>9191</u>	ROW_HLD_FLG_9191	<u>618</u>	<u>9220</u>	AIR_DIM_CD_9220	<u>016</u>
<u>9167</u>	I_O_TYPE_9167	<u>383</u>	<u>9192</u>	OP_PARTITION_9192	<u>601</u>			<u>163</u>
<u>9169</u>	INPUT_FORMAT_9169	<u>382</u>			<u>852</u>			<u>523</u>
<u>9170</u>	INPUT_MEDIA_9170	<u>052</u>	<u>9195</u>	OUTPUT_FORMAT_9195	<u>382</u>	<u>9221</u>	IP_TRK_9221	<u>052</u>
		<u>084</u>	<u>9196</u>	OUTPUT_RECORD_9196	<u>475</u>			<u>604</u>
		<u>401</u>			<u>715</u>			<u>613</u>
		<u>600</u>			<u>945</u>			<u>614</u>
		<u>604</u>	<u>9198</u>	PGM_NAME_9198	<u>383</u>			<u>616</u>
		<u>777</u>	<u>9199</u>	PGM_TRANSID_9199	<u>383</u>	<u>9222</u>	OP_TRK_9222	<u>052</u>
		<u>852</u>	<u>9200</u>	PIC_DESC_9200	<u>412</u>			<u>604</u>
<u>9171</u>	INPUT_RECORD_9171	<u>070</u>	<u>9201</u>	PROCESSED_TS_9201	<u>601</u>	<u>9223</u>	SP_PROJ_9223	<u>052</u>
		<u>399</u>			<u>852</u>			<u>603</u>
		<u>402</u>	<u>9202</u>	RCVD_SND_STMP_9202	<u>397</u>			<u>604</u>
		<u>994</u>			<u>841</u>			<u>613</u>
		<u>995</u>	<u>9203</u>	RE_PROCESS_TS_9203	<u>054</u>			<u>614</u>
		<u>996</u>			<u>601</u>			<u>616</u>
<u>9173</u>	LOGGED_TS_9173	<u>048</u>			<u>843</u>			<u>715</u>
		<u>481</u>			<u>852</u>	<u>9224</u>	APP_ARCH_KEY_9224	<u>604</u>
		<u>617</u>	<u>9204</u>	RECDV_STAMP_9204	<u>151</u>			<u>605</u>
		<u>994</u>			<u>181</u>			<u>840</u>
<u>9176</u>	MAX_REC_LGTH_9176	<u>410</u>			<u>368</u>	<u>9225</u>	ARCH_DATA_TYP_9225	<u>840</u>
<u>9178</u>	MEDIA_HEADER_9178	<u>054</u>			<u>375</u>	<u>9226</u>	TAPE_LOG_IP_9226	<u>603</u>
		<u>084</u>			<u>602</u>	<u>9227</u>	TAPE_VOL_SER_9227	<u>603</u>
		<u>085</u>			<u>710</u>	<u>9228</u>	TAPE_IP_TM_9228	<u>603</u>
		<u>385</u>			<u>776</u>	<u>9229</u>	TRAN_PROC_FLG_9229	<u>604</u>
		<u>389</u>			<u>872</u>	<u>9230</u>	LFU_PROC_STAT_9230	<u>605</u>
		<u>397</u>			<u>961</u>	<u>9240</u>	SP_HDLG_CD_9240	<u>016</u>
		<u>481</u>	<u>9205</u>	REJECT_FLAG_9205	<u>600</u>			<u>300</u>
		<u>610</u>			<u>777</u>			<u>523</u>
		<u>612</u>			<u>852</u>	<u>9241</u>	MADS_DB2_PART_9241	<u>612</u>
		<u>667</u>	<u>9206</u>	REJECTED_TS_9206	<u>601</u>			<u>666</u>
		<u>843</u>			<u>852</u>	<u>9242</u>	FILE_REC_MIN_9242	<u>587</u>
		<u>844</u>	<u>9207</u>	RELEASED_CNT_9207	<u>850</u>			<u>632</u>
<u>9179</u>	MESSAGE_LGTH_9179	<u>054</u>	<u>9208</u>	RELEASED_TS_9208	<u>587</u>			<u>665</u>
		<u>084</u>			<u>601</u>			<u>666</u>
		<u>397</u>			<u>632</u>	<u>9243</u>	FILE_CHAR_MIN_9243	<u>587</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>632</u>			<u>515</u>	<u>9402</u>	AR_SOS_9402	<u>331</u>
		<u>665</u>	<u>9256</u>	MAJ_MCC_AR_9256	<u>006</u>			<u>519</u>
		<u>666</u>			<u>093</u>	<u>9403</u>	AF_SOS_9403	<u>331</u>
<u>9250</u>	CAGE_CD_9250	<u>002</u>			<u>237</u>			<u>519</u>
		<u>003</u>			<u>505</u>	<u>9404</u>	NAVY_SOS_9404	<u>331</u>
		<u>004</u>			<u>865</u>			<u>519</u>
		<u>005</u>	<u>9257</u>	MAT_MGMT_MC_9257	<u>006</u>	<u>9405</u>	QUE_LOC_NM_9405	<u>943</u>
		<u>014</u>			<u>093</u>	<u>9410</u>	MIOS_TRAN_KEY_9410	<u>876</u>
		<u>023</u>			<u>242</u>			<u>953</u>
		<u>046</u>			<u>505</u>	<u>9411</u>	RESOLUTION_9411	<u>048</u>
		<u>059</u>			<u>599</u>			<u>405</u>
		<u>069</u>			<u>865</u>	<u>9412</u>	RESPONSE_HRS_9412	<u>412</u>
		<u>070</u>	<u>9260</u>	TYPE_CGO_CD_9260	<u>016</u>	<u>9414</u>	SEG_SEQ_9414	<u>044</u>
		<u>079</u>			<u>311</u>			<u>071</u>
		<u>081</u>			<u>523</u>			<u>105</u>
		<u>082</u>	<u>9275</u>	WTR_CMDTY_CD_9275	<u>016</u>			<u>384</u>
		<u>083</u>			<u>523</u>			<u>609</u>
		<u>092</u>	<u>9303</u>	SVC_COMMD_LVL_9303	<u>588</u>			<u>778</u>
		<u>101</u>	<u>9306</u>	AUTODIN_CIC_9306	<u>841</u>			<u>838</u>
		<u>103</u>	<u>9308</u>	SNF_END_DT_9308	<u>089</u>			<u>854</u>
		<u>151</u>	<u>9309</u>	SNF_TYP_UPDT_9309	<u>089</u>	<u>9415</u>	SEGMENT_CD_9415	<u>071</u>
		<u>176</u>	<u>9310</u>	AUTODIN_MSG_9310	<u>612</u>			<u>384</u>
		<u>189</u>			<u>843</u>			<u>385</u>
		<u>222</u>	<u>9311</u>	ARCH_BEG_DT_9311	<u>913</u>			<u>389</u>
		<u>225</u>	<u>9312</u>	ARCH_END_DT_9312	<u>913</u>			<u>404</u>
		<u>245</u>	<u>9314</u>	RSTR_STAT_FLG_9314	<u>141</u>			<u>406</u>
		<u>328</u>			<u>913</u>			<u>411</u>
		<u>494</u>	<u>9325</u>	ORG_STDZN_DEC_9325	<u>016</u>			<u>609</u>
		<u>495</u>			<u>523</u>			<u>778</u>
		<u>502</u>	<u>9368</u>	SIC_CD_SQ_IND_9368	<u>079</u>			<u>838</u>
		<u>504</u>	<u>9381</u>	LOG_MSG_TS_9381	<u>084</u>			<u>853</u>
		<u>522</u>			<u>085</u>			<u>854</u>
		<u>598</u>			<u>086</u>			<u>957</u>
		<u>686</u>	<u>9382</u>	EDIT_STAT_9382	<u>084</u>	<u>9416</u>	SEGMENT_DATA_9416	<u>071</u>
		<u>725</u>	<u>9383</u>	EDIT_CMPLT_TS_9383	<u>084</u>			<u>384</u>
		<u>772</u>	<u>9384</u>	EDIT_RESULTS_9384	<u>084</u>			<u>609</u>
		<u>773</u>	<u>9385</u>	RELED_MSG_TS_9385	<u>084</u>			<u>778</u>
		<u>775</u>	<u>9386</u>	RECVD_MSG_TS_9386	<u>084</u>	<u>9418</u>	SEGMENT_FLAG_9418	<u>411</u>
		<u>779</u>	<u>9387</u>	MED_TRAIL_9387	<u>084</u>	<u>9419</u>	SEGMENT_POS_9419	<u>411</u>
		<u>780</u>	<u>9388</u>	RECVD_TD_QUE_9388	<u>084</u>	<u>9420</u>	SEGMENT_STATS_9420	<u>403</u>
		<u>781</u>	<u>9389</u>	MSG_TX_9389	<u>085</u>	<u>9424</u>	TM_BATCH_NBR_9424	<u>606</u>
		<u>917</u>			<u>619</u>			<u>851</u>
		<u>929</u>	<u>9390</u>	DB2_SQL_ERR_9390	<u>086</u>	<u>9425</u>	TM_BATCH_SEQ_9425	<u>851</u>
		<u>930</u>	<u>9391</u>	DB2_SQL_STA_9391	<u>086</u>	<u>9426</u>	TM_BATCH_TRNS_9426	<u>851</u>
		<u>931</u>	<u>9392</u>	CICS_ERR_9392	<u>086</u>	<u>9427</u>	TM_COMPLT_TS_9427	<u>601</u>
		<u>932</u>	<u>9393</u>	ERR_MSG_9393	<u>086</u>			<u>852</u>
		<u>937</u>	<u>9394</u>	RE_PRCSD_TS_9394	<u>084</u>	<u>9429</u>	TM_FILE_NAME_9429	<u>601</u>
		<u>953</u>	<u>9401</u>	IMM_SOS_9401	<u>331</u>			<u>852</u>
<u>9255</u>	SIN_SUBM_ACTY_9255	<u>094</u>			<u>519</u>	<u>9430</u>	TM_REC_NBR_9430	<u>084</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>085</u>	<u>9436</u>	UPDT_STAT_KEY_9436	<u>375</u>			<u>536</u>
		<u>151</u>	<u>9437</u>	TRANS_NBR_9437	<u>385</u>			<u>608</u>
		<u>408</u>			<u>389</u>			<u>770</u>
		<u>475</u>			<u>481</u>			<u>771</u>
		<u>476</u>	<u>9438</u>	TRANS_REF_KEY_9438	<u>600</u>			<u>775</u>
		<u>481</u>			<u>852</u>			<u>874</u>
		<u>586</u>	<u>9440</u>	TRANS_TYP_FLG_9440	<u>383</u>			<u>875</u>
		<u>587</u>	<u>9441</u>	TYPE_OF_TRNS_9441	<u>602</u>			<u>924</u>
		<u>604</u>			<u>608</u>			<u>948</u>
		<u>610</u>			<u>776</u>			<u>957</u>
		<u>612</u>	<u>9442</u>	UNDEF_SEGMENT_9442	<u>481</u>	<u>9481</u>	SGML_ELE_NAME_9481	<u>337</u>
		<u>619</u>	<u>9443</u>	VALID_HX_DIC_9443	<u>383</u>	<u>9482</u>	SRT_ALLOWED_9482	<u>337</u>
		<u>632</u>	<u>9444</u>	VALID_LFU_DIC_9444	<u>383</u>	<u>9483</u>	MULT_MED_TRAN_9483	<u>603</u>
		<u>665</u>	<u>9445</u>	LFU_TRANS_KEY_9445	<u>605</u>	<u>9484</u>	RE_OP_AUTO_TS_9484	<u>841</u>
		<u>666</u>	<u>9446</u>	TRANS_TS_STAT_9446	<u>604</u>	<u>9485</u>	SEC_AD_IND_CD_9485	<u>115</u>
		<u>667</u>	<u>9451</u>	EXTR_RTN_CD_9451	<u>879</u>			<u>116</u>
		<u>715</u>			<u>993</u>			<u>125</u>
		<u>843</u>	<u>9452</u>	ACCUM_RTN_CD_9452	<u>879</u>			<u>950</u>
		<u>872</u>			<u>993</u>	<u>9486</u>	AUTODIN_DT_TM_9486	<u>012</u>
		<u>945</u>	<u>9453</u>	CARRY_OVR_FLG_9453	<u>879</u>	<u>9487</u>	JRNL_TMSTMP_9487	<u>012</u>
		<u>961</u>			<u>993</u>	<u>9500</u>	DFLT_RELE_TDQ_9500	<u>383</u>
		<u>994</u>	<u>9454</u>	CARRY_OVR_RTN_9454	<u>879</u>			<u>613</u>
<u>9432</u>	TRAILER_9432	<u>397</u>			<u>993</u>	<u>9501</u>	HELD_CNT_9501	<u>613</u>
<u>9433</u>	TRANS_COUNT_9433	<u>397</u>	<u>9455</u>	CARRY_OVR_CNT_9455	<u>879</u>	<u>9502</u>	RELED_CNT_9502	<u>613</u>
<u>9434</u>	TRANS_ERR_FLG_9434	<u>851</u>			<u>993</u>	<u>9503</u>	RELE_DATA_9503	<u>614</u>
<u>9435</u>	TRANS_KEY_9435	<u>052</u>	<u>9456</u>	UPDT_RTN_CD_9456	<u>879</u>			<u>616</u>
		<u>071</u>			<u>993</u>	<u>9504</u>	REORG_FLAG_9504	<u>614</u>
		<u>375</u>	<u>9457</u>	UPDT_CNT_9457	<u>879</u>			<u>616</u>
		<u>405</u>			<u>993</u>	<u>9506</u>	CIT_ELGBL_IND_9506	<u>398</u>
		<u>408</u>	<u>9458</u>	FORCED_FLAG_9458	<u>879</u>	<u>9507</u>	JCL_JOB_NM_9507	<u>617</u>
		<u>474</u>			<u>993</u>	<u>9508</u>	TM_JOB_STAT_9508	<u>617</u>
		<u>475</u>	<u>9459</u>	ROLL_UP_DEPT_9459	<u>959</u>	<u>9509</u>	TM_COMMIT_RT_9509	<u>617</u>
		<u>476</u>	<u>9460</u>	ROLL_UP_CD_9460	<u>959</u>	<u>9510</u>	TM_CKPNT_WS_9510	<u>617</u>
		<u>600</u>	<u>9461</u>	JOB_CTL_JUL_9461	<u>879</u>	<u>9511</u>	TM_CKPNT_CT_1_9511	<u>617</u>
		<u>601</u>			<u>993</u>	<u>9512</u>	TM_CKPNT_CT_2_9512	<u>617</u>
		<u>602</u>	<u>9462</u>	STORED_JUL_DT_9462	<u>879</u>	<u>9513</u>	TM_CKPNT_CT_3_9513	<u>617</u>
		<u>604</u>	<u>9479</u>	MULTI_INP_FLG_9479	<u>926</u>	<u>9514</u>	TM_CKPNT_CT_4_9514	<u>617</u>
		<u>605</u>	<u>9480</u>	RTN_CD_9480	<u>048</u>	<u>9515</u>	RESTRT_COMMIT_9515	<u>710</u>
		<u>609</u>			<u>061</u>	<u>9525</u>	RPLM_NSN_STDZ_9525	<u>016</u>
		<u>616</u>			<u>064</u>			<u>523</u>
		<u>776</u>			<u>105</u>	<u>9542</u>	MGMT_EXCP_NTS_9542	<u>093</u>
		<u>777</u>			<u>291</u>			<u>865</u>
		<u>778</u>			<u>292</u>	<u>9544</u>	SUBJ_SI_SUB_P_9544	<u>094</u>
		<u>838</u>			<u>368</u>			<u>515</u>
		<u>852</u>			<u>374</u>	<u>9545</u>	SUBJ_IMM_M_CD_9545	<u>094</u>
		<u>854</u>			<u>375</u>			<u>515</u>
		<u>876</u>			<u>405</u>	<u>9546</u>	SUBJ_IM_CDNG_9546	<u>094</u>
		<u>953</u>			<u>476</u>			<u>515</u>
		<u>957</u>			<u>484</u>	<u>9547</u>	SICA_LOA_9547	<u>093</u>

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		<u>152</u>	<u>9698</u>	PIC_STAT_CNT_9698	<u>030</u>	<u>9742</u>	PRE_EDIT_NM_9742	<u>603</u>
		<u>296</u>	<u>9704</u>	STAT_DEPT_NM_9704	<u>698</u>	<u>9751</u>	ACTY_CATEGORY_9751	<u>382</u>
		<u>865</u>	<u>9705</u>	STATS_ACCS_DT_9705	<u>062</u>			<u>475</u>
<u>9553</u>	CL_ASST_MODH3_9553	<u>001</u>	<u>9711</u>	DRPD_SEG_1_9711	<u>074</u>	<u>9756</u>	DIC_CATEGORY_9756	<u>181</u>
		<u>073</u>	<u>9712</u>	DRPD_SEG_6_9712	<u>074</u>			<u>383</u>
<u>9554</u>	CL_ASST_MODH2_9554	<u>099</u>	<u>9713</u>	DRPD_SEG_7_9713	<u>074</u>			<u>408</u>
		<u>518</u>	<u>9714</u>	DRPD_SEG_9_9714	<u>074</u>			<u>961</u>
		<u>594</u>	<u>9715</u>	DRPD_SEG_A_9715	<u>074</u>	<u>9759</u>	ORIG_IMAG_KEY_9759	<u>385</u>
<u>9562</u>	KWA_NO_NOTI_9562	<u>409</u>	<u>9716</u>	DRPD_SEG_B_9716	<u>074</u>			<u>399</u>
<u>9563</u>	KWA_ACTY_NOTI_9563	<u>409</u>	<u>9717</u>	DRPD_SEG_C_9717	<u>074</u>			<u>848</u>
<u>9564</u>	KWA_NATO_ZZ_9564	<u>409</u>	<u>9718</u>	DRPD_SEG_D_9718	<u>074</u>	<u>9763</u>	RR_TRANS_KEY_9763	<u>389</u>
<u>9576</u>	M8B6_STAT_CNT_9576	<u>371</u>	<u>9719</u>	DRPD_SEG_E_9719	<u>074</u>			<u>401</u>
		<u>572</u>	<u>9720</u>	DRPD_SEG_F_9720	<u>074</u>			<u>402</u>
<u>9577</u>	DIC_STAT_CNT_9577	<u>820</u>	<u>9721</u>	DRPD_SEG_G_9721	<u>074</u>			<u>995</u>
<u>9587</u>	DIC_STAT_CNT_9587	<u>065</u>	<u>9722</u>	DRPD_SEG_H_9722	<u>074</u>			<u>996</u>
<u>9589</u>	DIC_STAT_CNT_9589	<u>065</u>	<u>9723</u>	DRPD_SEG_J_9723	<u>074</u>	<u>9764</u>	SELECT_KEY_9764	<u>407</u>
<u>9591</u>	DIC_STAT_CNT_9591	<u>065</u>	<u>9724</u>	DRPD_SEG_K_9724	<u>074</u>	<u>9765</u>	SSN_9765	<u>012</u>
<u>9592</u>	DIC_STAT_CNT_9592	<u>065</u>	<u>9725</u>	DRPD_SEG_L_9725	<u>074</u>			<u>054</u>
<u>9593</u>	DIC_STAT_CNT_9593	<u>065</u>	<u>9726</u>	DRPD_SEG_M_9726	<u>074</u>			<u>084</u>
<u>9594</u>	DIC_STAT_CNT_9594	<u>065</u>	<u>9727</u>	DRPD_SEG_N_9727	<u>074</u>			<u>841</u>
<u>9670</u>	PIC_STAT_CNT_9670	<u>372</u>	<u>9728</u>	DRPD_SEG_P_9728	<u>074</u>			<u>843</u>
<u>9671</u>	PIC_STAT_CNT_9671	<u>372</u>	<u>9729</u>	DRPD_SEG_Q_9729	<u>074</u>	<u>9771</u>	VALID_POSIT_9771	<u>853</u>
<u>9672</u>	PIC_STAT_CNT_9672	<u>372</u>	<u>9730</u>	DRPD_SEG_R_9730	<u>074</u>	<u>9779</u>	FIIG_TI_9779	<u>322</u>
<u>9673</u>	PIC_STAT_CNT_9673	<u>372</u>	<u>9731</u>	DRPD_SEG_V_9731	<u>074</u>	<u>9801</u>	OP_SEQ_FLD_9801	<u>715</u>
<u>9681</u>	PIC_STAT_CNT_9681	<u>551</u>	<u>9732</u>	DRPD_SEG_W_9732	<u>074</u>			<u>945</u>
<u>9682</u>	PIC_STAT_CNT_9682	<u>551</u>	<u>9733</u>	DRPD_SEG_Y_9733	<u>074</u>	<u>9802</u>	OP_DATA_GP_9802	<u>383</u>
<u>9683</u>	PIC_STAT_CNT_9683	<u>551</u>	<u>9734</u>	DRPD_SEG_Z_9734	<u>074</u>			<u>715</u>
<u>9684</u>	PIC_STAT_CNT_9684	<u>551</u>	<u>9735</u>	ALL_SEGS_DRPD_9735	<u>074</u>			<u>945</u>
<u>9692</u>	PIC_STAT_CNT_9692	<u>441</u>	<u>9736</u>	IP_DS_NM_9736	<u>603</u>	<u>9803</u>	USER_DEF_FLG_9803	<u>715</u>
<u>9693</u>	PIC_STAT_CNT_9693	<u>441</u>	<u>9737</u>	DS_REJ_FLG_9737	<u>603</u>			<u>945</u>
<u>9694</u>	PIC_STAT_CNT_9694	<u>441</u>	<u>9738</u>	STAT_IP_DS_9738	<u>603</u>	<u>9804</u>	OP_DIST_FREQ_9804	<u>783</u>
<u>9695</u>	PIC_STAT_CNT_9695	<u>441</u>	<u>9739</u>	DS_CT_9739	<u>603</u>	<u>9975</u>	DRN_VAL_9975	<u>105</u>
<u>9697</u>	PIC_STAT_CNT_9697	<u>030</u>	<u>9740</u>	DIC_IP_DS_CT_9740	<u>603</u>			