References and Included Studies

(1) Institute of Medicine. Committee on the National Quality Report on Health Care Delivery. Envisioning the National Health Care Quality Report. Washington, D.C.: National Academy Press, 2001.

(2) McGlynn EA. Introduction and overview of the conceptual framework for a national quality measurement and reporting system. Med Care 2003;41(1 Suppl):I1-7.

(3) Chassin MR, Galvin RW. The urgent need to improve health care quality. Institute of Medicine National Roundtable on Health Care Quality. JAMA 1998;280(11):1000-5.

(4) Committee on the Quality of Health Care in America, Institute of Medicine. Crossing the quality chasm: a new health system for the 21st century. Washington, DC: National Academy Press, 2001.

(5) McGlynn EA, Asch SM, Adams J, et al. The quality of health care delivered to adults in the United States. N Engl J Med 2003;348(26):2635-45.

(6) Kahn KL, Malin JL, Adams J, et al. Developing a reliable, valid, and feasible plan for quality-of-care measurement for cancer: how should we measure? Med Care 2002;40(6 Suppl):III73-85.

(7) Solberg LI, Mosser G, McDonald S. The three faces of performance measurement: improvement, accountability, and research. Jt Comm J Qual Improv 1997;23(3):135-47.

(8) Agency for Healthcare Research and Quality. National Quality Measures Clearinghouse. 2003. Available at: http://www.qualitymeasures.ahrq.gov/resources/measure_use. Accessed April 2, 2003.

(9) The National Roundtable on Health Care Quality, Division of Health Care Services, Institute of Medicine. Measuring the quality of health care. National Academy Press, 1999.

(10) Schneider EC, Zaslavsky AM, Epstein AM. Racial disparities in the quality of care for enrollees in medicare managed care. JAMA 2002;287(10):1288-94.

(11) Malin JL, Asch SM, Kerr EA, et al. Evaluating the quality of cancer care: development of cancer quality indicators for a global quality assessment tool. Cancer 2000;88(3):701-7.

(12) McGlynn EA. Selecting common measures of quality and system performance. Med Care 2003;41(1 Suppl):I39-47.

(13) Sauerland S, Neugebauer E. Consensus conferences must include a systematic search and categorization of the evidence. Surg Endosc 2000;14(10):908-10.

(14) McGlynn EA, Kerr EA, Asch SM. New approach to assessing clinical quality of care for women: the QA Tool system. Womens Health Issues 1999;9(4):184-92.

(15) McGlynn EA. Choosing and evaluating clinical performance measures. Jt Comm J Qual Improv 1998;24(9):470-9.

(16) Brook RH. The RAND/UCLA appropriateness method. In: McCormick KA, Moore SR, Siegel RA, editors. Clinical practice guideline development: methodology perspectives. Rockville, MD: Agency for Health Care Policy and Research (AHCPR publication no. 95-0009); 1994, p.59-70.

(17) Asch SM, Kerr EA, Hamilton EG, et al. Quality of care for oncologic conditions and HIV: a review of the literature and quality indicators. Santa Monica, CA: RAND, 2000.

(18) Streiner DL, Norman GR. Health measurement scales. A practical guide to their development and use. 2 ed. New York: Oxford University Press, 2000.

(19) Center for Health Policy Studies, Harvard School of Public Health Center for Quality of Care Research and Education. Understanding and choosing clinical performance measures for quality improvement: development of typology. Final report. Rockville, MD: Agency for Healthcare Research and Quality (AHRQ), 1995.

(20) Lawthers AW, Palmer H. In search of a few good performance measures. In: Seltzer J, Nash DB, editors. Models for measuring quality in managed care: analysis and impact.

Note: Appendixes and Evidence Tables cited in this report are provided electronically at http://www.ahrq.goc/clinic/epcindex.htm

New York, NY: Faulkner and Gray's Healthcare Information Center, 1997.

(21) Institute of Medicine. Clinical Practice Guidelines: Directions for a new program. Washington, DC: National Academy Press, 1990.

(22) Rubin HR, Pronovost P, Diette GB. The advantages and disadvantages of process-based measures of health care quality. Int J Qual Health Care 2001;13(6):469-74.

(23) President's Advisory Commission on Consumer Protection and Quality in the Health Care Industry. Quality first: better health care for all Americans. 1998.

(24) Berwick DM, James B, Coye MJ. Connections between quality measurement and improvement. Med Care 2003; 41(1 Suppl):I30-8.

(25) James B. Information system concepts for quality measurement. Med Care 2003;41(1 Suppl):I71-9.

(26) Cancer facts and figures 2003. American Cancer Society, 2003. Available at: www.cancer.org.

(27) SEER Cancer Statistics Review, 1975-2000. Bethesda, MD: National Cancer Institute, 2003.

(28) Pruthi S. Detection and evaluation of a palpable breast mass. Mayo Clin Proc 2001;76(6):641-7.

(29) Donegan WL. Evaluation of a palpable breast mass. N Engl J Med 1992;327(13):937-42.

(30) Kerlikowske K, Smith-Bindman R; Ljung BM, et al. Evaluation of abnormal mammography results and palpable breast abnormalities. Ann Intern Med 2003;139(4):274-84.

(31) Ciatto S, Bravetti P, Bonardi R, et al. The role of mammography in women under 30. Radiol Med (Torino) 1990;80(5):676-8.

(32) Flobbe K, Nelemans PJ, Kessels AG, et al. The role of ultrasonography as an adjunct to mammography in the detection of breast cancer. a systematic review. Eur J Cancer 2002;38(8):1044-50.

(33) Mehta TS. Current uses of ultrasound in the evaluation of the breast. Radiol Clin North Am 2003;41(4):841-56.

(34) Schnall MD. Breast MR imaging. Radiol Clin North Am 2003;41(1):43-50.

(35) Rose C, Dose J, Avril N. Positron emission tomography for the diagnosis of breast cancer. Nucl Med Commun 2002;23(7):613-8.

(36) Cheung KL, Graves CR, Robertson JF. Tumour marker measurements in the diagnosis and monitoring of breast cancer. Cancer Treat Rev 2000;26(2):91-102.

(37) Miki Y, Swensen J, Shattuck-Eidens D, et al. A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. Science 1994;266(5182):66-71.

(38) Wooster R, Neuhausen SL, Mangion J, et al. Localization of a breast cancer susceptibility gene, BRCA2, to chromosome 13q12-13. Science 1994;265(5181):2088-90.

(39) Mincey BA. Genetics and the management of women at high risk for breast cancer. Oncologist 2003;8(5):466-73.

(40) Rastogi P, Vogel VG. Update on breast cancer prevention. Oncology (Huntingt) 2003;17(6):799-805.

(41) Singletary SE, Greene FL. Revision of breast cancer staging: the 6th edition of the TNM Classification. Semin Surg Oncol 2003;21(1):53-9.

(42) Wilcken N, Hornbuckle J, Ghersi D. Chemotherapy alone versus endocrine therapy alone for metastatic breast cancer. Cochrane Database Syst Rev 2003;(2):CD002747.

(43) Veronesi U, Cascinelli N, Mariani L, et al. Twenty-year follow-up of a randomized study comparing breast-conserving surgery with radical mastectomy for early breast cancer. N Engl J Med 2002;347(16):1227-32.

(44) Veronesi U, Paganelli G, Viale G, et al. A randomized comparison of sentinel-node biopsy with routine axillary dissection in breast cancer. N Engl J Med 2003;349(6):546-53.

(45) Radiotherapy for early breast cancer. Cochrane Database Syst Rev 2002;(2):CD003647.

(46) Favourable and unfavourable effects on long-term survival of radiotherapy for early breast cancer: an overview of the randomised trials. Early Breast Cancer Trialists' Collaborative Group. Lancet 2000;355(9217):1757-70.

(47) Nag S, Kuske RR, Vicini FA, et al. Brachytherapy in the treatment of breast cancer. Oncology (Huntingt) 2001;15(2):195-202, 205.

(48) Veronesi U, Galimberti V, Zurrida S, et al. Sentinel lymph node biopsy as an indicator for axillary dissection in early breast cancer. Eur J Cancer 2001;37(4):454-58.

(49) Aapro MS. Adjuvant therapy of primary breast cancer: a review of key findings from the 7th international conference, St. Gallen, February 2001. Oncologist 2001;6(4):376-85.

(50) Goldhirsch A, Wood WC, Gelber RD, et al. Meeting highlights: updated international expert consensus on the primary therapy of early breast cancer. J Clin Oncol 2003;21(17):3357-65.

(51) Gradishar WJ. Adjuvant systemic therapy of early stage breast cancer. Curr Treat Options Oncol 2003;4(2):141-50.

(52) Henderson IC, Berry DA, Demetri GD, et al. Improved outcomes from adding sequential Paclitaxel but not from escalating Doxorubicin dose in an adjuvant chemotherapy regimen for patients with node-positive primary breast cancer. J Clin Oncol 2003;21(6):976-83.

(53) Mamounas EP, Bryant J, Lembersky BC, et al. Paclitaxel (T) following doxorubicin/cyclophosphamide (AC) as adjuvant chemotherapy for node-positive breast cancer: Results from NSABP B-28. Proc Am Soc Clin Oncol 22[4(abstract 12)]. 2003.

(54) Ghersi D, Wilcken N, Simes J, et al. Taxane containing regimens for metastatic breast cancer. Cochrane Database Syst Rev 2003;(1):CD003366.

(55) Kelleher M, Miles D. 21. The adjuvant treatment of breast cancer. Int J Clin Pract 2003;57(3):195-9.

(56) Fisher B, Dignam J, Bryant J, et al. Five versus more than five years of tamoxifen for lymph node-negative breast cancer: updated findings from the National Surgical Adjuvant Breast and Bowel Project B-14 randomized trial. J Natl Cancer Inst 2001;93(9):684-90.

(57) Abrams JS. Tamoxifen: five versus ten years--is the end in sight? J Natl Cancer Inst 2001;93(9):662-4.

(58) Stewart HJ, Prescott RJ, Forrest AP. Scottish adjuvant tamoxifen trial: a randomized study updated to 15 years. J Natl Cancer Inst 2001;93(6):456-62.

(59) Early Breast Cancer Trialists' Collaborative Group. Tamoxifen for early breast cancer. [Review] [31 refs]. Cochrane Database Syst Rev 2001;(1):CD000486.

(60) Early Breast Cancer Trialists' Collaborative Group. Ovarian ablation for early breast cancer.[update of Cochrane Database Syst Rev. 2000;(2):CD000485]. [Review] [19 refs]. Cochrane Database Syst Rev 2000;(3):CD000485.

(61) Smith IE, Dowsett M. Aromatase inhibitors in breast cancer. N Engl J Med 2003;348(24):2431-42.

(62) Baum M, Budzar AU, Cuzick J, et al. Anastrozole alone or in combination with tamoxifen versus tamoxifen alone for adjuvant treatment of postmenopausal women with early breast cancer: first results of the ATAC randomised trial. Lancet 2002;359(9324):2131-9.

(63) Ravdin P. Aromatase inhibitors for the endocrine adjuvant treatment of breast cancer. Lancet 2002;359(9324):2126-7.

(64) Goss PE, Ingle JN, Martino S, et al. A randomized trial of letrozole in postmenopausal women after five years of tamoxifen therapy for early-stage breast cancer. N Engl J Med 2003;349(19):1793-1802.

(65) Bryant J, Wolmark N. Letrozole after tamoxifen for breast cancer--what is the price of success? N Engl J Med 2003;349(19):1855-7.

(66) Slamon DJ, Leyland-Jones B, Shak S, et al. Use of chemotherapy plus a monoclonal antibody against HER2 for metastatic breast cancer that overexpresses HER2. N Engl J Med 2001;344(11):783-92.

(67) Vogel CL, Cobleigh MA, Tripathy D, et al. Efficacy and safety of trastuzumab as a single agent in first-line treatment of HER2-overexpressing metastatic breast cancer. J Clin Oncol 2002;20(3):719-26.

(68) Slamon DJ, Godolphin W, Jones LA, et al. Studies of the HER-2/neu proto-oncogene in human breast and ovarian cancer. Science 1989;244(4905):707-12.

(69) Klijn JG, Blamey RW, Boccardo F, et al. Combined tamoxifen and luteinizing hormone-releasing hormone (LHRH) agonist versus LHRH agonist alone in premenopausal advanced breast cancer: a meta-analysis of four randomized trials.[comment]. J Clin Oncol 2001;19(2):343-53.

(70) Campos SM, Winer EP. Hormonal therapy in postmenopausal women with breast cancer. Oncology 2003;64(4):289-99.

(71) Dixon JM, Anderson TJ, Miller WR. Neoadjuvant endocrine therapy of breast cancer: a surgical perspective. Eur J Cancer 2002;38(17):2214-21.

(72) Wolff AC, Davidson NE. Primary systemic therapy in operable breast cancer. J Clin Oncol 2000;18(7):1558-69.

(73) Bear HD, Anderson S, Brown A, et al. The effect on tumor response of adding sequential preoperative docetaxel to preoperative doxorubicin and cyclophosphamide: preliminary results from National Surgical Adjuvant Breast and Bowel Project Protocol B-27. J Clin Oncol 2003;21(22):4165-74.

(74) Sakorafas GH, Tsiotou AG, Pavlakis G. Follow-up after primary treatment for breast cancer. [Review] [52 refs]. Acta Oncol 2000;39(8):935-40.

(75) Emens LA, Davidson NE. The follow-up of breast cancer. [Review] [67 refs]. Semin Oncol 2003;30(3):338-48.

(76) American Society of Clinical Oncology (ASCO). ASCO patient guide: follow-up care for breast cancer. 2001.

(77) Melville A, Haward B. Producing evidence-based guidance on cancer services: challenges and lessons [abstract]. Annual Meeting of International Society of Technology Assessment in Health Care 1997;13:93.

(78) Ganz PA, Desmond KA, Leedham B, et al. Quality of life in long-term, disease-free survivors of breast cancer: a follow-up study. J Natl Cancer Inst 2002;94(1):39-49.

(79) Thorne S, Balneaves L, Reimer J. Practical support for women with breast cancer. Can Oncol Nurs J 1999;9(2):74-7,-82-5.

(80) Rosenbaum EH, Rosenbaum I. Supportive Cancer Care. Naperville, IL: Sourcebooks Inc, 2001.

(81) Ferrell BR, Grant MM, Funk BM, et al. Quality of life in breast cancer survivors: implications for developing support services. Oncol Nurs Forum 1998;25(5):887-95.

(82) Davies M, Sque M. Living on the outside looking in: a theory of living with advanced breast cancer. Int J Palliat Nurs 2002;8(12):583-90.

(83) Graham ID, Harrison MB, Brouwers M, et al. Facilitating the use of evidence in practice: evaluating and adapting clinical practice guidelines for local use by health care organizations. J Obstet Gynecol Neonatal Nurs 2002;31(5):599-611.

(84) AGREE Collaboration. Appraisal of guidelines for research and evaluation. 2003.

(85) Shekelle PG, Ortiz E, Rhodes S, et al. Validity of the Agency for Healthcare Research and Quality clinical practice guidelines: how quickly do guidelines become outdated? JAMA 2001;286(12):1461-7.

(86) Moher D, Cook DJ, Eastwood S, et al. Improving the quality of reports of meta-analyses of randomised controlled trials: the QUOROM statement. Quality of Reporting of Meta-analyses. Lancet 1999;354(9193):1896-1900.

(87) Bossuyt PM, Reitsma JB, Bruns DE, et al. The STARD statement for reporting studies of diagnostic accuracy: explanation and elaboration. Ann Intern Med 2003;138(1):W1-12.

(88) Jadad AR, Moore RA, Carroll D, et al. Assessing the quality of reports of randomized clinical trials: is blinding necessary? Control Clin Trials 1996;17(1):1-12.

(89) Schulz KF. Subverting randomization in controlled trials. JAMA 1995;274(18):1456-8.

(90) McGlynn EA. An evidence-based national quality measurement and reporting system. Med Care 2003;41(1 Suppl):I8-15.

(91) National Library of Medicine. Search strategy used to create the systematic reviews subset on PubMed (last modified March 2003). 2003.

(92) Berlin JA. Does blinding of readers affect the results of meta-analyses? University of Pennsylvania Meta-analysis Blinding Study Group. Lancet 1997;350(9072):185-6.

(93) Cunningham R. Perspectives. Indefinite results in ABMT (autologous bone marrow transplantation) trials add to challenges for practice standards, quality assurance in cancer care. Medicine & Health 1999;53(16):suppl 1-4.

(94) Breast care services: results of ECRI benchmarking study. Executive Briefings; no. 56. Plymouth Meeting, PA: ECRI, 1997; 10 p.

(95) Saeki T. What is the Japanese consensus on adjuvant chemotherapy in breast cancer? Breast Cancer 2003;10(1):15-20.

(96) Roila FB. Adjuvant systemic therapies in women with breast cancer: an audit of clinical practice in Italy. Ann Oncol 2003;14(6):843-8.

(97) Meijer WS. [Follow-up after oncological surgery].[comment]. [Dutch]. Ned Tijdschr Geneeskd 2002;146(4):186-7.

(98) Recht A, Edge SB, Solin LJ, et al. Postmastectomy radiotherapy: clinical practice guidelines of the American Society of Clinical Oncology. J Clin Oncol 2001;19(5):1539-69.

(99) Hillner BE, Smith TJ, Desch CE. Hospital and physician volume or specialization and outcomes in cancer treatment: importance in quality of cancer care. [Review] [69 refs]. J Clin Oncol 2000;18(11):2327-40.

(100) Schwartz GF, Solin LJ, Olivotto IA, et al. The Consensus Conference on the treatment of in situ ductal carcinoma of the breast, April 22-25, 1999. [Review] [3 refs]. Hum Pathol 2000;31(2):131-9.

(101) Duigou F, Herlin P, Marnay J, et al. Variation of flow cytometric DNA measurement in 1,485 primary breast carcinomas according to guidelines for DNA histogram interpretation. Cytometry 2000;42(1):35-42.

(102) Bland KI, Scott-Conner CE, Menck H, et al. Axillary dissection in breast-conserving surgery for stage I and II breast cancer: a National Cancer Data Base study of patterns of omission and implications for survival. J Am Coll Surg 1999;188(6):586-95.

(103) Lyman G, Djulbegovic B. Review and Evaluation of Clinical Practice Guidelines in Oncology. (Meeting abstract). 1998.

(104) Health care guideline: breast cancer treatment. In: Institute for Clinical Systems Integration 1996 health care guidelines, Volume 1 1996; Bloomington, MN:ICSI-52.

(105) Parvanova V. [Modern indications for postmastectomy radiotherapy application]. [Bulgarian]. Rentgenologiya i Radiologiya 2002;41(4):275-80.

(106) Roumen RMH, Pijpers HJ, Thunnissen FBJM, et al. [Summary of the guideline 'sentinel node biopsy in breast cancer']. [Dutch]. Ned Tijdschr Geneeskd 2000;144(39):1864-7.

(107) Nattinger AB, Gottlieb MS, Hoffman RG, et al. Minimal increase in use of breast-conserving surgery from 1986 to 1990. Med Care 1996;34(5):479-89.

(108) Berner AS. [Fine-needle aspiration cytology or core biopsy when diagnosing tumours of the breast.]. Tidsskr Nor Laegeforen 2003;123(12):1677-9.

(109) Appleton MA, Douglas-Jones AG, Morgan JM. Evidence of effectiveness of clinical audit in improving histopathology reporting standards of mastectomy specimens. J Clin Pathol 1998;51(1):30-3.

(110) Bernhard J, Hurny C, Coates AS, et al. Quality of life assessment in patients receiving adjuvant therapy for breast cancer: the IBCSG approach. The International Breast Cancer Study Group.[erratum appears in Ann Oncol 1998 Feb;9(2):231]. Ann Oncol 1997;8(9):825-35.

(111) Bickell NA, Aufses AH, Jr., Chassin MR. The quality of early-stage breast cancer care. Ann Surg 2000;232(2):220-4.

(112) Bickell NA, McEvoy MD. Physicians' reasons for failing to deliver effective breast cancer care: a framework for underuse.[comment]. Med Care 2003;41(3):442-6.

(113) Bower JE, Ganz PA, Desmond KA, et al. Fatigue in breast cancer survivors: occurrence, correlates, and impact on quality of life. J Clin Oncol 2000;18(4):743-53.

(114) Brenin DR, Morrow M, Moughan J, et al. Management of axillary lymph nodes in breast cancer: a national patterns of care study of 17,151 patients. Ann Surg 1999;230(5):686-91.

(115) Northouse LL, Caffey M, Deichelbohrer L, et al. The quality of life of African American women with breast cancer. Res Nurs Health 1999;22(6):449-60.

(116) Cheung KL. Management of primary breast cancer in Hong Kong -- can the guidelines be met? Eur J Surg Oncol 1999;25(3):255-60.

(117) Chie WC, Huang CS, Chen JH, et al. Measurement of the quality of life during different clinical phases of breast cancer. J Formos Med Assoc 1999;98(4):254-60.

(118) Christensen LB, Rank FE, Blichert-Toft M, et al. [Mammographic screening in the municipality of Copenhagen 1991-1997. Evaluation of the preoperative assessment]. [Danish]. Ugeskr Laeger 2002;164(2):191-5.

(119) Cochrane RA, Singhal H, Monypenny IJ, et al. Evaluation of general practitioner referrals to a specialist breast clinic according to the UK national guidelines. Eur J Surg Oncol 1997;23(3):198-201.

(120) Cornfeld MJ, Jadwin A, O'Grady P, et al. Feasibility of assessing quality in medical oncology practices. Cancer Pract 2001;9(5):231-5.

(121) Craft PS, Zhang Y, Brogan J, et al. Implementing clinical practice guidelines: a community-based audit of breast cancer treatment. Australian Capital Territory and South Eastern New South Wales Breast Cancer Treatment Group.[comment]. Med J Aust 2000;172(5):213-6.

(122) DeMichele A, Putt M, Zhang Y, et al. Older age predicts a decline in adjuvant chemotherapy recommendations for patients with breast carcinoma: evidence from a tertiary care cohort of chemotherapy-eligible patients. Cancer 2003;97(9):2150-9.

(123) Dow KH, Lafferty P. Quality of life, survivorship, and psychosocial adjustment of young women with breast cancer after breast-conserving surgery and radiation therapy. Oncol Nurs Forum 2000;27:1555-64.

(124) Du X, Goodwin JS. Increase of chemotherapy use in older women with breast carcinoma from 1991 to 1996. Cancer 2001;92(4):730-7.

(125) Du XL, Key CR, Osborne C, et al. Discrepancy between consensus recommendations and actual community use of adjuvant chemotherapy in women with breast cancer.[summary for patients in Ann Intern Med. 2003 Jan 21;138(2):I16; PMID: 12529113]. Ann Intern Med 2003;138(2):90-7.

(126) Edge SB, Gold K, Berg CD, et al. Patient and provider characteristics that affect the use of axillary dissection in older women with stage I-II breast carcinoma. Cancer 2002;94(10):2534-41.

(127) Engel J, Nagel G, Breuer E, et al. Primary breast cancer therapy in six regions of Germany. Eur J Cancer 2002;38(4):578-85.

(128) Foroudi F, Tyldesley S, Walker H, et al. An evidence-based estimate of appropriate radiotherapy utilization rate for breast cancer. Int J Radiat Oncol Biol Phys 2002;3(5):1240-53.

(129) Frazer GH, Brown CH, III, Graves TK. A longitudinal outcome assessment of quality of life indicators among selected cancer patients. J Rehabil Outcomes Measure 1998;2(2):40-7.

(130) Guadagnoli E, Shapiro C, Gurwitz JH, et al. Age-related patterns of care: evidence against ageism in the treatment of early-stage breast cancer. J Clin Oncol 1997;15(6):2338-44.

(131) Guadagnoli E, Shapiro CL, Weeks JC, et al. The quality of care for treatment of early stage breast carcinoma: is it consistent with national guidelines? Cancer 1998;83(2):302-9.

(132) Guadagnoli E, Weeks JC, Shapiro CL, et al. Use of breast-conserving surgery for treatment of stage I and stage II breast cancer. J Clin Oncol 1998;16(1):101-6.

(133) Haas JS, Cook EF, Puopolo AL, et al. Differences in the quality of care for women with an abnormal mammogram or breast complaint.[comment]. J Gen Intern Med 2000;15(5):321-8.

(134) Harlan LC, Abrams J, Warren JL, et al. Adjuvant therapy for breast cancer: practice patterns of community physicians. J Clin Oncol 2002;20(7):1809-17.

(135) Hebert-Croteau N, Brisson J, Latreille J, et al. Compliance with consensus recommendations for the treatment of early stage breast carcinoma in elderly women. Cancer 1999;85(5):1104-13.

(136) Hislop TG, Coldman AJ, Olivotto IA, et al. Local and regional therapy for women with breast cancer in British Columbia. Breast J 2003;9(3):192-9.

(137) Imperato PJ, Waisman J, Wallen M, et al. Breast cancer pathology practices among Medicare patients undergoing unilateral extended simple mastectomy. J Womens Health Gend Based Med 2002;11(6):537-47.

(138) Jackson SM, Baerg B. Compliance with radiation treatment guidelines in a provincial setting. Cancer Prev Control 1999;3(3):196-201.

(139) Jansen SJ, Stiggelbout AM, Nooij MA, et al. Response shift in quality of life measurement in early-stage breast cancer patients undergoing radiotherapy. Qual Life Res 2000;9(6):603-15.

(140) Keating NL, Weeks JC, Landrum MB, et al. Discussion of treatment options for early-stage breast cancer: effect of provider specialty on type of surgery and satisfaction. Med Care 2001;39(7):681-91.

(141) Khawaja AR, Allan SM. Audit of referral practice to a fast-access breast clinic before the guaranteed 2-week wait. Ann R Coll Surg Engl 2001;83(1):58-60.

(142) Lazovich D, White E, Thomas DB, et al. Change in the use of breast-conserving surgery in western Washington after the 1990 NIH Consensus Development Conference. Arch Surg 1997;132(4):418-23.

(143) Lazovich D, Solomon CC, Thomas DB, et al. Breast conservation therapy in the United States following the 1990 National Institutes of Health Consensus Development Conference on the treatment of patients with early stage invasive breast carcinoma. Cancer 1999;86(4):628-37.

(144) Legorreta AP, Liu X, Parker RG. Examining the use of breast-conserving treatment for women with breast cancer in a managed care environment. Am J Clin Oncol 2000;23(5):438-41.

(145) Mandelblatt JS, Berg CD, Meropol NJ, et al. Measuring and predicting surgeons' practice styles for breast cancer treatment in older women. Med Care 2001;39(3):228-42.

(146) Mandelblatt JS, Kerner JF, Hadley J, et al. Variations in breast carcinoma treatment in older medicare beneficiaries: is it black or white. Cancer 2002;95(7):1401-14.

(147) McCarthy DO, Blamey RW, Robertson JF, et al. A one-year audit of 255 operable breast cancers. Eur J Surg Oncol 1997;23(5):399-402.

(148) Molenaar S, Sprangers MA, Rutgers EJ, et al. Decision support for patients with early-stage breast cancer: effects of an interactive breast cancer CDROM on treatment decision, satisfaction, and quality of life. J Clin Oncol 2001;19(6):1676-87.

(149) Mor V, Malin M, Allen S. Age differences in the psychosocial problems encountered by breast cancer patients. J Natl Cancer Inst Monogr 1994;(16):191-7.

(150) Mor V, Laliberte LL, Petrisek AC, et al. Impact of breast cancer treatment guidelines on surgeon practice patterns: results of a hospital-based intervention. Surgery 2000;128(5):847-61.

(151) Morrow M, White J, Moughan J, et al. Factors predicting the use of breast-conserving therapy in stage I and II breast carcinoma.[comment]. J Clin Oncol 2001;19(8):2254-62.

(152) Nattinger AB, Hoffmann RG, Kneusel RT, et al. Relation between appropriateness of primary therapy for early-stage breast carcinoma and increased use of breast-conserving surgery.[comment]. Lancet 2000;356(9236):1148-53.

(153) Osoba D, Burchmore M. Health-related quality of life in women with metastatic breast cancer treated with trastuzumab (Herceptin). Semin Oncol 1999;26(4 Suppl 12):84-8.

(154) Ottevanger PB, De Mulder PH, Grol RP, et al. Effects of quality of treatment on prognosis in primary breast cancer patients treated in daily practice. Anticancer Res 2002;22(1A):459-65.

(155) Palazzi M, De Tomasi D, D'Affronto C, et al. Are international guidelines for the prescription of adjuvant treatment for early breast cancer followed in clinical practice? Results of a population-based study on 1547 patients. Tumori 2002;88(6):503-6.

(156) Perez DJ, Williams SM, Christensen EA, et al. A longitudinal study of health related quality of life and utility measures in patients with advanced breast cancer. Qual Life Res 2001;10:587-93.

(157) Ray-Coquard I, Philip T, Lehmann M, et al. Impact of a clinical guidelines program on medical practice in a French cancer center (Meeting abstract). J Clin Oncol 1997;16.

(158) Ray-Coquard I, Philip T, Lehmann M, et al. Impact of a clinical guidelines program for breast and colon cancer in a French cancer center. JAMA 1997;278(19):1591-5.

(159) Ray-Coquard I, Philip T, de Laroche G, et al. A controlled "before-after" study: impact of a clinical guidelines programme and regional cancer network organization on medical practice. Br J Cancer 2002;86(3):313-21.

(160) Sauven P, Bishop H, Patnick J, et al. The National Health Service Breast Screening Programme and British Association of Surgical Oncology audit of quality assurance in breast screening 1996-2001. Br J Surg 2003;90(1):82-7.

(161) Sawka C, Olivotto I, Coldman A, et al. The association between population-based treatment guidelines and adjuvant therapy for node-negative breast cancer. British Columbia/Ontario Working Group. Br J Cancer 1997;75(10):1534-42.

(162) Shank B, Moughan J, Owen J, et al. The 1993-94 patterns of care process survey for breast irradiation after breast-conserving surgery-comparison with the 1992 standard for breast conservation treatment. The Patterns of Care Study, American College of Radiology. Int J Radiat Oncol Biol Phys 2000;48(5):1291-9.

(163) Silliman RA, Demissie S, Troyan SL. The care of older women with early-stage breast cancer: what is the role of surgeon gender? Med Care 1999;37(10):1057-67.

(164) Solin LJ, Schultz DJ, Hanchak NA, et al. Patterns of treatment for older women with newly diagnosed breast carcinoma. Am J Clin Oncol 1999;22(2):107-13.

(165) Tyldesley S, Foroudi F, Barbera L, et al. The appropriate rate of breast conserving surgery: an evidence-based estimate. Clin Oncol (R Coll Radiol) 2003;15(3):144-55.

(166) White J, Morrow M, Moughan J, et al. Compliance with breast-conservation standards for patients with early-stage breast carcinoma. Cancer 2003;97(4):893-904.

(167) Wilkinson NW, Shahryarinejad A, Winston JS, et al. Concordance with breast cancer pathology reporting practice guidelines.[comment]. J Am Coll Surg 2003;196(1):38-43.

(168) Nagel G, Rohrig B, Hoyer H, et al. [A population-based study on variations in the use of adjuvant radiotherapy in breast cancer patients]. [German]. Strahlenther Onkol 2002;178(11):589-96.

(169) Dillman RO, Chico S. Radiologic tests after a new diagnosis of breast cancer. Eff Clin Pract 2000;3(1):1-6.

(170) Malin JL, Schuster MA, Kahn KA, et al. Quality of breast cancer care: what do we know?. [Review] [87 refs]. J Clin Oncol 2002;20(21):4381-93.

(171) Malin JL, Asch SM, Kerr EA, et al. Evaluating the quality of cancer care: development of cancer quality indicators for a global quality assessment tool. Cancer 2000;88(3):701-7.

(172) McGlynn EA, Kerr EA, Adams J, et al. Quality of health care for women: a demonstration of the quality assessment tools system. Med Care 2003;41(5):616-25.

(173) American Cancer Society. American Cancer Society estimates for 1996. Based on projected resident population of the United States. Washington, DC: US Bureau of the Census, 1996.

(174) McGlynn EA, Brook RH. Keeping quality on the policy agenda. Health Aff (Millwood) 2001;20(3):82-90.

(175) Galvin RS, McGlynn EA. Using performance measurement to drive improvement: a road map for change. Med Care 2003;41(1 Suppl):I48-60.

(176) Leatherman ST, Hibbard JH, McGlynn EA. A research agenda to advance quality measurement and improvement. Med Care 2003;41(1 Suppl):I80-6.

(177) Hibbard JH. Engaging health care consumers to improve the quality of care. Med Care 2003;41(1 Suppl):I61-70.

Listing of Studies Excluded at Level 2

[Breast cancer diagnostics. Finnish Breast Cancer Group]. [Finnish]. Duodecim 1999;115(13):1426-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

[Early diagnosis--guidelines and preparation. Meeting of Experts, Berlin, 8-9 September 1999]. [German]. Radiologe 1999;39(10):M163-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

[Management of estrogen deficiency in women after breast cancer therapy]. [Review] [30 refs] [Polish]. Pol Arch Med Wewn 2001;105(5):355-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

[Quality control in anatomo-cytopathology. Breast cancer]. [Review] [24 refs] [French]. Arch Anat Cytol Pathol 1995;43(1-2):101-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Advanced breast carcinoma in the postmenopause - Is anastrozole a potential new gold standard?. Dtsch Apoth Ztg 1999;139(40):48-50. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Best at 100 top. Breast cancer management. Mod Healthc 2001;26:Suppl:32-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Breast cancer consensus report. Med J Aust 1994;161 Suppl:S1-16. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Breast cancer diagnosis. Screening and evaluation. Institute for Clinical Systems Improvement. Postgrad Med 2000;108(5):191-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Breast cancer--new health outcomes and accountability. Manag Care Interface 1998;11(1):38 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cancer: a special case. Nurs Times 1994;90(21):3-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Certified case manager news. Mammography recommendations updated: HHS affirms value of mammography for detecting breast cancer. Care Management 2002;8(3):44. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Consensus conference 2000: adjuvant therapy for breast cancer. National Institutes of Health Consensus Development Conference Statement November 1-3, 2000. Cancer Control 2000;8(1):55. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Consensus Conference on 'Follow-up of Breast Cancer Patients'. Ann Oncol 1995;6 (Suppl 2):69-70. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Delayed diagnosis of breast cancer. Int J Qual Health Care 1998;10(6):561. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Employer group wants expanded measures. Disease State Management 1996;2(7):78-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Every defect is a treasure. Int J Qual Health Care 1996;8(3):297-8. Not breast cancer in women.

Executive summary of the health care productivity report. J Ambul Care Manage 2001;24(2):1-10. Not breast cancer in women.

From the Centers for Disease Control and Prevention. Strategies for providing follow-up and treatment services in the National Breast and Cervical Cancer Early Detection Program--United States, 1997. JAMA 1998;279(24):1941-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Full-field digital mammography. TEC Bull (Online) 2002;19(1):1-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Guidelines for surgeons in the management of symptomatic breast disease in the United Kingdom. Eur J Surg Oncol 1995;21 Suppl A:1-13. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

High-quality mammography: information for referring providers. J Am Acad Nurse Pract 1995;7(2):73-82. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hospitals unite to improve breast cancer treatment. Rep Med Guidel Outcomes Res 2000;11(13):10-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mammography: what's a woman to do?. Johns Hopkins Med Lett Health After 50 2002;14(4):4-5. Not breast cancer diagnosis or treatment.

NCCN practice guidelines. Screening for and evaluation of suspicious breast lesions. National Comprehensive Cancer Network. Acta Radiol Oncol 1998;12(11A):89-138. Not breast cancer diagnosis or treatment.

New "patient-friendly" version of clinical breast cancer guidelines. CA Cancer J Clin 1999;49(2):68. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

NIH consensus panel recommends a range of adjuvant therapies for women with breast cancer. J Am Coll Surg 2001;192(2):288. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

NIH recommends range of adjuvant breast cancer therapies. Cancer Pract 2001;9(2):57. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Oncology Section of the American Physical Therapy Association position statement -- Physical therapy: management of lymphedema in patients with a history of cancer. Rehabil Oncol 2000;18(1):9-12. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Quality standards and certification requirements for mammography facilities--FDA. Interim rule with request for comments. Fed Regist 1993;58(243):67565-72. Not breast cancer in women.

Recommendations for the reporting of breast carcinoma. Association of Directors of Anatomic and Surgical Pathology. Am J Clin Pathol 1995;104(6):614-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Recommendations for the reporting of breast carcinoma. Association of Directors of Anatomic and Surgical Pathology. Mod Pathol 1996;9(1):77-81. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Recommendations of the Association of Directors of Anatomic and Surgical Pathology. Part I. Immediate management of mammographically detected breast lesions. Hum Pathol 1993;24(7):689-90. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Regional differences are part of breast cancer care. Healthc Benchmarks 2001;8(8):91-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Requirements for accrediting bodies of mammography facilities--FDA. Interim rule with request for comments. Fed Regist 1993;58(243):67558-65. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Researchers test system to custom-tailor guidelines. Clin Resour Manag 2001;3(1):8-10. Not breast cancer in women.

Standardization of breast radiotherapy (START) trial. START Trial Management Group. Clin Oncol (R Coll Radiol) 1999;11(3):145-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Statement of the American Society of Human Genetics on genetic testing for breast and ovarian cancer predisposition. Am J Hum Genet 1994;55(5):i-iv. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Summaries for patients. Chemotherapy in women with breast cancer.[original report in Ann Intern Med. 2003 Jan 21;138(2):90-7; PMID: 12529090]. Ann Intern Med 2003;138(2):I16. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Teamworks. Reducing turnaround time (TAT) for breast cancer diagnosis. Joint Commission Benchmark 2002;4(2):8-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

The Fox Chase Cancer Center and Free University Hospital Investigators' Workshop and Consensus Conference on Paclitaxel. Part 1: Breast Cancer I. Semin Oncol 1996;23(5 Suppl 11):1-70. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

The Fox Chase Cancer Center and Free University Hospital Investigators' Workshop and Consensus Conference on Paclitaxel. Part 4: Breast Cancer II. Marrakech, Morocco, January 18-20, 1996 and St Croix, US Virgin Islands, March 13-16, 1996. Semin Oncol 1996;24(1 Suppl 3):1-49. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

The requirements of a specialist breast unit.[comment]. Eur J Cancer 2000;36(18):2288-93. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

The Steering Committee on Clinical Practice Guidelines for the Care and Treatment of Breast Cancer. CMAJ 1998;10:158 Suppl 3:S1-2. Not breast cancer diagnosis or treatment.

Treatment of estrogen deficiency symptoms in women surviving breast cancer. Part 6: Executive summary and consensus statement. Proceedings of a conference held at Boar's Head Inn, Charlottesville, Virginia, September 21-23, 1997. Acta Radiol Oncol 1997;13(6):859-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Treatment of estrogen deficiency symptoms in women surviving breast cancer. The Hormone Foundation, Canadian Breast Cancer Research Initiative, National Cancer Institute of Canada, Endocrine Society, and the University of Virginia Cancer Center and Woman's Place. [Review] [44 refs]. J Clin Endocrinol Metab 1998;83(6):1993-2000. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Treatment of estrogen deficiency symptoms in women surviving breast cancer. [Review] [44 refs]. Climacteric 1998;1(2):148-58. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Tumour markers in breast cancer--EGTM recommendations. European Group on Tumor Markers. [Review] [41 refs]. Anticancer Res 1999;19(4A):2803-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Unprecedented survival with Xeloda (capecitabine) combination in metastatic breast cancer: XELODA combination extends breast cancer survival and sets a new standard of care. Scottish Nurse 2002;7(1):43 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Abrams J, Chen T, Giusti R. Special communication from the National Cancer Institute. Survival after breast-sparing surgery versus mastectomy. J Natl Cancer Inst 1994;86(22):1672-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Adderley U. Topical agents and dressings for fungating wounds. Cochrane Database Syst Rev 2003;1, 2003. Not breast cancer in women.

Ader M. Investigational treatments: coverage, controversy, and consensus. Ann Health Law 1996;(5):45-60. Not breast cancer in women.

Aikin JL. Clinical trials corner. Setting a new standard of care in adjuvant breast cancer chemotherapy. Innovations in Breast Cancer Care 2000;5(2):35-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Akid M. Breast cancer. Are we failing the screen test?. Nurs Times 2002;98(18):14. May Not breast cancer diagnosis or treatment.

Alder S. Guidelines for the surgical management of breast cancer: comment. Aust N Z J Surg 1999;69(10):748. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Alderman AK, McMahon L, Wilkins EG. The national utilization of immediate and early delayed breast reconstruction and the effect of sociodemographic factors. Keisei Geka 2003;111(2):695-703. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Alferi SM, Carver CS, Antoni MH, et al. An exploratory study of social support, distress, and life disruption among low-income Hispanic women under treatment for early stage breast cancer. Health Psychol 2001;20(1):41-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Allgar VL, Neal RD, Pascoe SW. Grading referrals to specialist breast units. Guidance on referral needs to be evidence based. BMJ 2002;325(7360):392 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Alliot F, Launois R. [Lymphedema and quality of life]. [Review] [11 refs] [French]. Rev Med Interne 2002;23 Suppl 3431s-435s. Not breast cancer in women.

American College, of Obstetricians, Gynecologists. ACOG Practice Bulletin: Clinical Management Guidelines for Obstetrician-Gynecologists: Number 39, October 2002. Selective estrogen receptor modulators. Curr Opin Obstet Gynecol 2002;100(4):835-43. Not breast cancer in women.

Andersen H, Haustermans K, Glindtvad K. A clinical quality management support system. Stud Health Technol Inform 1997;43 Pt B849-53. Not breast cancer in women.

Anderson EA, Zwelling LA. Measuring service quality at the University of Texas M.D. Anderson Cancer Center. Int J Health Care Qual Assur 1996;9(7):9-22. Not breast cancer diagnosis or treatment.

Antman KH. Overview of the six available randomized trials of high-dose chemotherapy with blood or marrow transplant in breast cancer. J Natl Cancer Inst Monogr 2001;30:114-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Antman KH. A critique of the eleven randomised trials of high-dose chemotherapy for breast cancer. Eur J Cancer 2001;37(2):173-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Arcarese JS. Why MQSA? Why now?. Radiol Technol 1994;66(1):53-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Austin C. First person. Good of small things. Health Serv J 2003;113(5842):29. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Badger C. Physical therapies for reducing and controlling lymphoedema of the limbs. Cochrane Database Syst Rev 2003;1, 2003. Not breast cancer in women.

Badwe RA, Mittra I, Havaldar R. Timing of surgery during the menstrual cycle and prognosis of breast cancer. J Biosci 2000;25(1):113-20. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bailar JC. Surgery for early breast cancer--can less be more? N Engl J Med 1995;333(22):1496-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Baker JA, Soo MS. Breast US: assessment of technical quality and image interpretation. Radiology 2002;223(1):229-38. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ballard-Barbash R, Potosky AL, Harlan LC, et al. Factors associated with surgical and radiation therapy for early stage breast cancer in older women. J Natl Cancer Inst 1996;88(11):716-26. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Barnett GR. "Best practice" in surgical management of breast cancer.[comment]. Med J Aust 1997;167(10):557-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bartelink H, Horiot JC, Poortmans P, et al. Recurrence rates after treatment of breast cancer with standard radiotherapy with or without additional radiation.[comment]. N Engl J Med 2001;345(19):1378-87. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bartlett EE, Holman KI. Reducing malpractice risk and increasing quality in managed care. Manag Care Interface 1998;11(5):68-72. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bassett L, Winchester DP, Caplan RB, et al. Stereotactic core-needle biopsy of the breast: a report of the Joint Task Force of the American College of Radiology, American College of Surgeons, and College of American Pathologists. Breast J 1997;3(6):317-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bates T, Evans RG. Audit of brachial plexus neuropathy following radiotherapy. Clin Oncol (R Coll Radiol) 1995;7(4):236. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Baum M, Ravdin PM. Decision-making in early breast cancer: guidelines and decision tools. Eur J Cancer 2002;38(6):745-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Beckmann MW, Schnurch HG, Bodden-Heidrich R, et al. Early cancer detection programmes for women at high risk for breast and ovarian cancer: a proposal of practical guidelines. [Review] [87 refs]. Eur J Cancer Prev 1996;5(6):468-75. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Begg CB. The mammography controversy.[comment]. [Review] [16 refs]. Oncologist 2002;7(3):174-6. Not breast cancer diagnosis or treatment.

Beitler AL, Hurd TC, Edge SB. The evaluation of palpable breast masses: common pitfalls and management guidelines. Surg Oncol 1997;6(4):227-34. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bell CM, Ma M, Campbell S, et al. Methodological issues in the use of guidelines and audit to improve clinical effectiveness in breast cancer in one United Kingdom health region. Eur J Surg Oncol 2000;26(2):130-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bellocq J-P. Quality assurance in breast diseases. Ann Pathol 1997;17(5 Suppl.):70-1. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Benz C, Clark G, Conzen S, et al. Consensus statement: Expedition Inspiration fund for breast cancer research meeting 2002. Breast Cancer Res Treat 2003;78(1):127-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Berg WA, D'Orsi CJ, Jackson VP, et al. Does training in the Breast Imaging Reporting and Data System (BI-RADS) improve biopsy recommendations or feature analysis agreement with experienced breast imagers at mammography?. Radiology 2002;224(3):871-80. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bernhard J, Sullivan M, Hurny C, et al. Clinical relevance of single item quality of life indicators in cancer clinical trials. Br J Cancer 2001;84(9):1156-65. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bertino JR, O'Connor OA. Do we need a new strategy to treat metastatic breast cancer?. Curr Oncol Rep 1999;1(2):85-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bickell NA, Chassin MR. Determining the quality of breast cancer care: do tumor registries measure up?[comment]. Ann Intern Med 2000;132(9):705-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bickell NA, Aufses AH, Chassin M. Engaging clinicians in a quality improvement strategy for early-stage breast cancer treatment. Qual Manag Health Care 1998;6(3):63-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bijker N, Rutgers EJ, Peterse JL, et al. Variations in diagnostic and therapeutic procedures in a multicentre, randomized clinical trial (EORTC 10853) investigating breast-conserving treatment for DCIS. Eur J Surg Oncol 2001;27(2):135-40. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bilous M, Dowsett M, Hanna W, et al. Current perspectives on HER2 testing: A review of National Testing Guidelines. Mod Pathol 2003;16(2):173-82. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bland KI. Failure of routine axillary nodal sampling to predict survival outcomes in lymph node-negative (N0) breast cancer.[comment]. Ann Surg 2003;237(2):168-70. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bland KI, Menck HR, Scott-Conner CE, et al. The National Cancer Data Base 10-year survey of breast carcinoma treatment at hospitals in the United States. Cancer 1998;83(6):1262-73. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Boccardo F, Blamey RW, Klijn JG, et al. LHRH-Agonist (LHRH-A) + Tamoxifen (TAM) Versus LHRH-A Alone in Premenopausal Women with Advanced Breast Cancer (ABC): Results of a Meta-Analysis of Four Trials (Meeting abstract). Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Boehm T, Garzoli E, Marincek B. [Differential diagnosis of benign and malignant mammary lesions with special regard to the BI-RADS((R)) classification system in mammography]. [German]. Gynakol Geburtshilfliche Rundsch 2002;42(4):191-200. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Boerner S, Fornage BD, Singletary E, et al. Ultrasound-guided fine-needle aspiration (FNA) of nonpalpable breast lesions: a review of 1885 FNA cases using the National Cancer Institute-supported recommendations on the uniform approach to breast FNA.[comment]. Cancer 1999;87(1):19-24. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bontenbal M, Nortier JW, Beex LV, et al. [Adjuvant systemic therapy for patients with resectable breast cancer: guideline from the Dutch National Breast Cancer Platform and the Dutch Society for Medical Oncology]. [Dutch]. Ned Tijdschr Geneeskd 2000;144(21):984-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Booth-Clibborn N, Milne R, Oliver S. Searching for high-quality evidence to prepare patient information. Health Info Libr J 2001;18(2):75-82. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bouaud J, Seroussi B, Antoine EC, et al. Hypertextual navigation operationalizing generic clinical practice guidelines for patient-specific therapeutic decisions. Proc AMIA Symp 1998, Annual Symposium.488-92. Not breast cancer diagnosis or treatment.

Bourez RL, Rutgers EJ, Van De Velde CJ, et al. Will we need lymph node dissection at all in the future?. [Review] [148 refs]. Clin Breast Cancer 2002;3(5):315-22. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Brandt RT, Lynch HT. BRCA1 and BRCA2: to test or not to test. Breast Cancer Res Treat 2001;67(2):187-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Branston L, Greening S. Are computerised pathology reporting guidelines an effective technology for improving the quality of cancer reporting and registration? [abstract]. Annu Meet Int Soc Technol Assess Health Care 2002;13159. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Branston L K, Greening S, Newcombe RG, et al. The implementation of guidelines and computerised forms improves the completeness of cancer pathology reporting. The CROPS project: a randomised controlled trial in pathology. Eur J Cancer 2002;38(6):764-72. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bressoud D, Casabianca A, De Wolf C, et al. Guidelines to improve communication/information on breast cancer. Med Hyg (Geneve) 2003;Date of Publication26 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Broadstock M, Michie S, Marteau T. Psychological consequences of predictive genetic testing: a systematic review. [Review] [73 refs]. Eur J Hum Genet 2000;8(10):731-8. Not breast cancer diagnosis or treatment.

Browman GP, Levine MN, Mohide EA, et al. The practice guidelines development cycle: a conceptual tool for practice guidelines development and implementation. J Clin Oncol 1995;13(2):502-12. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Brown ML, Hankey BF, Ballard-Barbash R. Measuring the quality of breast cancer care. Ann Intern Med 2000;133(11):920. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Brown SC. More on breast cancer guidelines.[comment]. CMAJ 1998;158(11):1425-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Buick DL., Petrie KJ, Booth R, et al. Emotional and functional impact of radiotherapy and chemotherapy on patients with primary breast cancer. 2000;1839-62. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bultz B D, Speca M. Comment on: The EUSOMA Position Paper on the requirements of a specialist breast unit, Eur J Cancer 2000;36:2288-93. Eur J Cancer 2001;37(12):1579-80. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Bunnell CA, Winer EP. Lumping versus splitting: the splitters take this round. J Clin Oncol 2002;20(17):3576-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Busch E, Kemeny M, Fremgen A, et al. Patterns of breast cancer care in the elderly. Cancer 1996;78(1):101-11. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Buysse DJ. Pittsburgh Sleep Quality Index. Andrykowski, M.A, Curran SL, Lightner R. Off-treatment fatigue in breast cancer survivors: A controlled comparison. J Behav Med 1998;21:1-18. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Buzdar AU, Come SE, Brodie A, et al. Proceedings of the First International Conference on Recent Advances and Future Directions in Endocrine Therapy for Breast Cancer: summary consensus statement. Clin Cancer Res 2001;7(12 Suppl):4335s-7s. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cammilluzzi E. [6th International Conference. Adjuvant therapy of breast cancer in the first stages. 26-28 February 1998, St. Gallen, Switzerland]. [Italian]. Clin Ter 1998;149(2):99-103. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Candeira M, Schuch W, Greiner L, et al. American Cancer Society Lymphedema Workshop: Workgroup V: Collaboration and advocacy. Cancer 1998;83(12 Suppl American):2888-90. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Capron AM. Practice guidelines: how good are medicine's new recipes?. J Law Med Ethics 1995;23(1):47-8. Not breast cancer in women.

Carder PJ, Liston JC. Will the spectrum of lesions prompting a "B3" breast core biopsy increase the benign biopsy rate?. J Clin Pathol 2003;56(2):133-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Carlson RW, Edge SB, Theriault RL, et al. NCCN: Breast cancer. [Review] [44 refs]. Cancer Control 2001;8(6 Suppl 2):54-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cataliotti L, Costa A, Daly PA, et al. Florence statement on breast cancer, 1998 forging the way ahead for more research on and better care in breast cancer. Eur J Cancer 1999;35(1):14-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Catterall A. Guidelines for surgeons in the management of symptomatic breast disease in the United Kingdom. Eur J Surg Oncol 1996;22(2):202. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cell Markers And Cytogenetics Committees College Of American Pathologists. Clinical laboratory assays for HER-2/neu amplification and overexpression: quality assurance, standardization, and proficiency testing. [Review] [53 refs]. Arch Pathol Lab Med 2002;126(7):803-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cersosimo RJ. Topotecan: a new topoisomerase I inhibiting antineoplastic agent. [Review] [85 refs]. Ann Pharmacother 1998;32(12):1334-43. Not breast cancer diagnosis or treatment.

Chaudhry R, Goel V, Sawka C. Breast cancer survival by teaching status of the initial treating hospital. [erratum appears in CMAJ 2001 May 1;164(9):1280]. CMAJ 2001;164(2):183-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Chen EA, Carlson GA, Coughlin BF, et al. Routine chest roentgenography is unnecessary in the work-up of stage I and II breast cancer. J Clin Oncol 2000;18(20):3503-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Chui SY, Lyerly HK. Disparities in breast carcinoma treatment in Asian/Pacific Islander women. A challenge to the provider. Cancer 2002;95(11):2257-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Clarke M, Godwin J. Systematic reviews using individual patient data: a map for the minefields?. Ann Oncol 1998;9(8):827-33. Not breast cancer in women.

Cockburn J, Pit S, Zorbas H, et al. Investigating breast symptoms in primary care: enhancing concordance with current best advice. Cancer Detect Prev Suppl 2001;25(5):407-13. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Coia LR, Hanks GE. Quality assessment in the USA: how the Patterns of Care study has made a difference. Semin Radiat Oncol 1997;7(2):146-56. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cole BF, Gelber RD, Goldhirsch A. A quality-adjusted survival meta-analysis of adjuvant chemotherapy for premenopausal breast cancer. International Breast Cancer Study Group. Stat Med 1995;14(16):1771-84. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Coleman C. Building quality into comprehensive breast care: a practical approach. [Review] [81 refs]. Surg Oncol Clin N Am 2000;9(2):319-37. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Coleman J. MCO trends. HMO quality report shows wide variability and improvement areas. Case Manager 1998;9(2):38-43. Not breast cancer diagnosis or treatment.

Conner-Spady B, Cumming C, Nabholtz J, et al. Responsiveness of the EuroQol in breast cancer patients undergoing high dose chemotherapy. Qual Life Res 2001;10:479-86. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Consenso Nacional sobre Tratamiento del Cancer Mamario. [1st revision of the National Consensus on Breast Cancer Treatment]. [Spanish]. Ginecol Obstet Mex 2002;70:349-60. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Contesso G, Mathieu MC, Guinebretiere JM. [Standardization of tests for the pathology of the breast]. [Review] [29 refs] [French]. Bull Cancer 1996;83(12):1053-60. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Costa SD, Von Minckwitz G. Recommendations of the Sixth International Conference on Adjuvant Therapy of Breast Cancer, St. Gallen, 1998. Tumor Diagnostik und Therapie 1998;19(1):1-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cottu PH, Cuvier C, Espie M. High-dose adjuvant chemotherapy for breast cancer: State of the art. Forum (Genova) 2002;12(1):36-40. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cox CE. Lymphatic mapping in breast cancer: combination technique. Ann Surg Oncol 2001;8(9 Suppl):67S-70S. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cox CE, Bass SS, Ku NN, et al. Sentinel lymphadenectomy: a safe answer to less axillary surgery?. Recent Results Cancer Res 1998;152:170-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cox CE, Bass SS, McCann CR, et al. Lymphatic mapping and sentinel lymph node biopsy in patients with breast cancer. Annu Rev Med 2000;51:525-42. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cox CE, Pendas S, Cox JM, et al. Guidelines for sentinel node biopsy and lymphatic mapping of patients with breast cancer. Ann Surg 1998;227(5):645-51. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cox CE, Salud CJ, Cantor A, et al. Learning curves for breast cancer sentinel lymph node mapping based on surgical volume analysis. J Am Coll Surg 2001;193(6):593-600. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cramer SF. Error identification.[comment]. Am J Surg Pathol 1999;23(5):610-13. Not breast cancer in women.

Crowe P, Temple W. Management of the axilla in early breast cancer: is it time to change tack?. Aust N Z J Surg 2000;70(4):288-96. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Cruse H, Winiarek. Quality and methods of developing practice guidelines. BMC Health Serv Res 2002;2(1):1 Not breast cancer in women.

Cuevas-Renaud C, De Jesus Sobrevilla-Calvo P, Almanza J. Development of a scale to measure psychosocial concerns of Mexican women with advanced cancer. Psychooncology 2000;9:79-83. Not breast cancer diagnosis or treatment.

Cuzick J, Stewart H, Rutqvist L, et al. Cause-specific mortality in long-term survivors of breast cancer who participated in trials of radiotherapy. J Clin Oncol 1994;12(3):447-53. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

D'Orazio A, O'Shaughnessy JA, Jain VK, et al. The addition of carboplatin to trastuzumab/paclitaxel improves efficacy in HER2-overexpressing metastatic breast cancer. Clin Breast Cancer 2003;3(6):378-80. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Damstra RJ, Kaandorp CJE. Dutch Institute for Healthcare Improvement guideline 'lymphedema'. Ned Tijdschr Geneeskd 2003;147(14):648-52. Not breast cancer in women.

Daniels N, Sabin J. Limits to health care: fair procedures, democratic deliberation, and the legitimacy problem for insurers. Philos Public Aff 1997;26(4):303-50. Not breast cancer in women.

Daniels N, Sabin JE. Last chance therapies and managed care. Pluralism, fair procedures, and legitimacy. Hastings Cent Rep 1998;28(2):27-41. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

David M, Sindermann H, Junge K, et al. Topical treatment of skin metastases with 6% miltefosine solution (Miltex) in patients with breast cancer. A meta-analysis of 443 patients (Meeting abstract). Am J Clin Oncol 1997;16. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Davidson NE, Levine M. Breast cancer consensus meetings: vive la difference?[comment]. J Clin Oncol 2002;20(7):1719-20. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

de Bock GH, Vliet Vlieland TP, Hageman GC, et al. The assessment of genetic risk of breast cancer: a set of GP guidelines. Fam Pract 1999;16(1):71-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

de Rijke JM, Schouten LJ, Schouten HC, et al. Age-specific differences in the diagnostics and treatment of cancer patients aged 50 years and older in the province of Limburg, The Netherlands.[comment]. Ann Oncol 1996;7(7):677-85. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

de Vries EG, Willemse PH. [Dutch Institute for Healthcare Improvement guideline, "Treatment of breast carcinoma": important document but an open attitude to new "evidence" is necessary]. [Dutch]. Ned Tijdschr Geneeskd 2002;146(45):2120-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Deb RA, Matthews P, Elston CW, et al. An audit of "equivocal" (C3) and "suspicious" (C4) categories in fine needle aspiration cytology of the breast. Cytopathology 2001;12(4):219-26. Not breast cancer in women.

Decruyenaere M, Evers-Kiebooms G, Claes E, et al. Psychosocial aspects of familial breast and ovarian cancer: psychological guidelines for genetic testing. Dis Markers 1999;15(1-3):152-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dee KE, Sickles EA. Medical audit of diagnostic mammography examinations: comparison with screening outcomes obtained concurrently. AJR Am J Roentgenol 2001;176(3):729-33. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Demissie S, Silliman RA, Lash TL. Adjuvant tamoxifen: predictors of use, side effects, and discontinuation in older women. J Clin Oncol 2001;19(2):322-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dershaw DD. Equipment, technique, quality assurance, and accreditation for imaging-guided breast biopsy procedures. Radiol Clin North Am 2000;38(4):773-89. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Diel IJ. [Meta-analysis of prognostic significance of tumor cell demonstration in the bone marrow or: "Looking for an independent prognostic factor"]. [German]. Sonderb Z Strahlenther Onkol 1999;175(1):45-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dignam JJ. Efficacy of systemic adjuvant therapy for breast cancer in African-American and Caucasian women. J Natl Cancer Inst 2001;Monographs.(30):36-43. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dillman RO, Chico S. Radiologic tests after a new diagnosis of breast cancer. Eff Clin Pract 2000;3(1):1-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dittrich C. [Drug therapy of breast carcinoma]. [Review] [111 refs] [German]. Wien Med Wochenschr 2000;150(4):72-86. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dixon JM, Gregory K, Johnston S, et al. Breast cancer: non-metastatic. Clin Evid 2002;(7):1603-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Djulbegovic B, Hozo I, Lyman GH. Linking evidence-based medicine therapeutic summary measures to clinical decision analysis. MedGenMed 2000;E6 Not breast cancer in women.

Doren M, Holst ThV, Distler W, et al. Role of raloxifene in the treatment of women at risk for osteoporosis - A commentary. Journal fur Menopause 1999;6(4):18-20. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dressler LG, Geradts J, Burroughs M, et al. Policy guidelines for the utilization of formalin-fixed, paraffin-embedded tissue sections: the UNC SPORE experience. University of North Carolina Specialized Program of Research Excellence. Breast Cancer Res Treat 1999;58(1):31-9. Not breast cancer in women.

Du X, Goodwin JS. Patterns of use of chemotherapy for breast cancer in older women: findings from Medicare claims data. J Clin Oncol 2001;19(5):1455-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Du X, Freeman JL, Freeman DH, et al. Temporal and regional variation in the use of breast-conserving surgery and radiotherapy for older women with early-stage breast cancer from 1983 to 1995. J Gerontol A Biol Sci Med Sci 1999;54(9):M474-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dudley RA, Bowers LV, Luft HS. Reconciling quality measurement with financial risk adjustment in health plans. Jt Comm J Qual Improv 2000;26(3):137-46. Not breast cancer in women.

Dunning AM, Healey CS, Pharoah PD, et al. A systematic review of genetic polymorphisms and breast cancer risk. [Review] [67 refs]. Cancer Epidemiol Biomarkers Prev 1999;8(10):843-54. Not breast cancer diagnosis or treatment.

Dunsis A. Local impact of the NHMRC early breast cancer guidelines: where to from here?[comment]. Med J Aust 1998;168(3):141. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dunst J. [Effects of radiotherapy and surgery in early breast carcinoma. A meta-analysis of randomized trials]. [German]. Sonderb Z Strahlenther Onkol 1996;172(7):405-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dunst J. [Local recurrence of ductal in situ carcinoma of the breast]. [German]. Sonderb Z Strahlenther Onkol 1999;175(7):348-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Dvorak M, Fisher CG. Clinical practice guidelines: breast cancer pain. CMAJ 2002;167(1):14-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Eccles DM, Evans DG, Mackay J. Guidelines for a genetic risk based approach to advising women with a family history of breast cancer. UK Cancer Family Study Group (UKCFSG). J Med Genet 2000;37(3):203-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Edge SB. Breast cancer practice guidelines: evaluation and quality improvement. Acta Radiol Oncol 1997;11(11A):151-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Edwards MJ, Israel PZ. Beyond the credentialing and privileging controversy surrounding image-guided breast biopsy. The rationale for a national registry for quantifying outcomes. Bull Am Coll Surg 1997;82(6):20-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Edwards MJ, Staren ED, Fine RE. Consensus statement on fine-needle aspiration.[comment]. Am J Surg 1997;174(4):386. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Eidtmann H, Jonat W. Treatment of breast carcinoma. Onkologe 2002;8(Suppl 1):S11-4 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Eisinger F, Alby N, Bremond A, et al. [INSERM-FNCLCC collective expertise. Recommendations for medical management of women with genetic risk of developing breast and/or ovarian cancer]. [French]. Ann Genet 1999;42(1):51-64. Not breast cancer diagnosis or treatment.

Eisinger F, Alby N, Bremond A, et al. [Inserm ad hoc committee: Recommendations for the management of women with a genetic risk for developing cancer of the breast and/or the ovary]. [French]. Bull Cancer 1999;86(3):307-13. Not breast cancer diagnosis or treatment.

Eisinger F, Geller G, Burke W, et al. Cultural basis for differences between US and French clinical recommendations for women at increased risk of breast and ovarian cancer. Lancet 1999;353(9156):919-20. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ellis IO, Dowsett M, Bartlett J, et al. Recommendations for HER2 testing in the UK. J Clin Pathol 2000;53(12):890-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Elmore JG, Carney PA. Does practice make perfect when interpreting mammography? J Natl Cancer Inst 2002;94(5):321-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Engel J, Holzel D, Sauer H. Breast carcinoma: Recommendations for medical reports on guidance in the interdisciplinary process of care. Geburtshilfe Frauenheilkd 1997;57(2):M26-8. Not breast cancer diagnosis or treatment.

Engstrom CA. Clinical pathways and continuous quality improvement in ambulatory care for patients with advanced breast cancer. Innovations in Breast Cancer Care 1999;1(2):41-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

ESMO. ESMO Minimum Clinical Recommendations for diagnosis, adjuvant treatment and follow-up of primary breast cancer. Ann Oncol 2001;12(8):1047-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Espie M, Cottu PH. [Adjuvant treatment for breast cancer. Results of the consensus conference of Saint-Gall (February 2001)]. [French]. Gynecol Obstet Fertil 2002;30(1):86-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Euhus DM, Peters GN, Leitch AM, et al. Validating the performance of the mammary sentinel lymph node team. J Surg Oncol 2002;79(4):209-15. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Evers GC. [Clinical nursing research. New standards for quality assurance for nursing and patient]. [German]. Pflege 2000;13(3):133-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fallowfield LJ. Quality of life measurement in breast cancer. J R Soc Med 1993;86(1):10-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fentiman IS, Christiaens MR. Quality assurance of surgery in clinical trials. Eur J Cancer 1994;30A(2):136-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fetscher S, Mertelsmann R. The clinical role of growth factors in the treatment of breast cancer. [Review] [36 refs]. Biomed Pharmacother 1998;52(3):101-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fietkau R. Influence of the timing of surgery and postoperative radiotherapy on treatment results. Strahlenther Onkol 2000;176(10):452-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fisher B, Anderson S, Redmond CK. Surgery for early breast cancer.[comment]. N Engl J Med 1996;334(15):987-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fitzgibbons PL, LiVolsi VA. Recommendations for handling radioactive specimens obtained by sentinel lymphadenectomy. Surgical Pathology Committee of the College of American Pathologists, and the Association of Directors of Anatomic and Surgical Pathology. Am J Surg Pathol 2000;24(11):1549-51. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fitzgibbons PL, Page DL, Weaver D, et al. Prognostic factors in breast cancer. College of American Pathologists Consensus Statement 1999. [Review] [167 refs]. Arch Pathol Lab Med 2000;124(7):966-78. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Foord K, Guy R, Apthorp L, et al. Updated audit database for breast imaging/histopathology correlation. Clin Radiol 2001;56(9):755-62. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Foy JE. Going the extra mile in patient care. An innovative program helps breast cancer patients navigate the healthcare system. Healthc Exec 2002;17(6):66-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Frassica DA, Zellars R. Radiation oncology: The year in review. Curr Opin Oncol 2002;14(6):594-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Freshwater MF. "Standard of care" for immediate breast reconstruction. Keisei Geka 2001;107(6):1612. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Friedrichs K, Holzel F, Janicke F. Combination of taxanes and anthracyclines in first-line chemotherapy of metastatic breast cancer: an interim report. Eur J Cancer 2002;38(13):1730-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Fries MH, Holt C, Carpenter I, et al. Guidelines for evaluation of patients at risk for inherited breast and ovarian cancer: recommendations of the Department of Defense Familial Breast/Ovarian Cancer Research Project. Mil Med 2002;167(2):93-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Furst CJ. Radiotherapy for cancer. Quality of life. Acta Oncol (Madr) 1996;35 Suppl 7141-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Gaisser A, Lindner UK. Consensus recommendations for adjuvant therapy of primary breast cancer. The 6th International Conference, 25-28 February 1998 in St. Gallen. Onkologe 1998;4(5):459-64. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Galvis CO, Raab SS, D'Amico F, et al. Pathologists' assistants practice: a measurement of performance. Am J Clin Pathol 2001;116(6):816-22. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ganz PA. Breast cancer 2002: where do we stand?[comment]. CA Cancer J Clin 2002;52(5):253-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Gazmararian JA, Lewis N. Health services research in the Prudential Health Care System. [Review] [5 refs]. Med Care Res Rev 1996;53 Suppl:S82-91 Not breast cancer diagnosis or treatment.

Gelber RD, Bonetti M, Cole BF, et al. Quality of life assessment in the adjuvant setting: is it relevant? International Breast Cancer Study Group. [Review] [23 refs]. Recent Results Cancer Res 1998;152373-89. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Gelber RD, Cole BF, Goldhirsch A, et al. Adjuvant chemotherapy plus tamoxifen compared with tamoxifen alone for postmenopausal breast cancer: meta-analysis of quality-adjusted survival. Lancet 1996;347(9008):1066-71. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ghersi D. Two drug combinations vs combinations of 3 or more cytotoxic drugs for metastatic breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ghersi D. Single agent vs combination chemotherapy for metastatic breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ghersi D. Platinum containing regimens for metastatic breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ghersi D. Larger vs smaller dose of the same dru/s regimen for metastatic breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ghersi D. Antitumour antibiotic containing regimens for metastatic breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ghersi D. Addition of dru/s to a chemotherapy regimen for metastatic breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Giard RW, Blok P. [Summary of the guideline 'Sentinel Node Biopsy for Breast Cancer']. [Dutch]. Ned Tijdschr Geneeskd 2001;145(1):50-1. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Gibbs WW. What are obstacles to ideal care? Sci Am 1996;275(3):166. Not breast cancer in women.

Gillis CR, Hole DJ. Survival outcome of care by specialist surgeons in breast cancer: a study of 3786 patients in the west of Scotland. BMJ 1996;312(7024):145-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ginsburg D. Chemotherapy for older women with node-positive breast cancer. CMAJ 2001;165(5):525. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Glasziou PP, Cole BF, Gelber RD, et al. Quality adjusted survival analysis with repeated quality of life measures. Stat Med 1998;17(11):1215-29. Not breast cancer in women.

Goel V. Health services research in breast cancer: background paper for a Canadian Breast Cancer Research Initiative workshop. Cancer Prev Control 1998;2(4):173-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Goel V, Olivotto I, Hislop TG, et al. Patterns of initial management of node-negative breast cancer in two Canadian provinces. British Columbia/Ontario Working Group. CMAJ 1997;156(1):25-35. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Going JJ, Mallon EA, Leake RE, et al. What the clinician needs from the pathologist: evidence-based reporting in breast cancer. [Review] [153 refs]. Eur J Cancer 2001;37 Suppl 7:S5-17. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Gold R, Caulfield TA, Ray PN. Gene patents and the standard of care. CMAJ 2002;167(3):256-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Goldhirsch A, Castiglione-Gertsch M. -Adjuvant systemic therapy of breast carcinoma-. [German]. Arch Gynecol Obstet 1995;256 Suppl:S93-103. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Goldhirsch A, Wood WC, Senn HJ, et al. IX. International consensus conference on primary treatment of breast cancer. [Review] [15 refs]. Recent Results Cancer Res 1996;140:325-35. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Goodwin JS, Freeman JL, Mahnken JD, et al. Geographic variations in breast cancer survival among older women: implications for quality of breast cancer care. J Gerontol A Biol Sci Med Sci 2002;57(6):M401-6 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Goolsby MJ. Clinical practice guidelines. American College of Radiology appropriateness criteria. J Am Acad Nurse Pract 2001;13(7):293-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Greely HT. Genetic testing for cancer susceptibility: challenges for creators of practice guidelines. Acta Radiol Oncol 1997;11(11A):171-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Green M, Hortobagyi GN. Neoadjuvant chemotherapy for operable breast cancer. [Review] [60 refs]. Acta Radiol Oncol 889;16(7):871-84. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Greer AL, Goodwin JS, Freeman JL, et al. Bringing the patient back in. Guidelines, practice variations, and the social context of medical practice. Int J Technol Assess Health Care 2002;18(4):747-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Greinix H. [Place of high-dose therapy in breast cancer. Austrotransplant consensus conference 1999]. [German]. Wien Klin Wochenschr 2000;112(13):601-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Grilli R. A shared effort toward better quality of care. The Consensus Conference on Breast Cancer Follow-up. Consensus Conference Organizing Committee. Ann Oncol 1995;6 Suppl 2:5-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Grilli R, Lomas J. Evaluating the message: the relationship between compliance rate and the subject of a practice guideline. Med Care 1994;32(3):202-13. Not breast cancer in women.

Grilli R, Minozzi S, Tinazzi A, et al. Do specialists do it better? The impact of specialization on the processes and outcomes of care for cancer patients. [Review] [61 refs]. Ann Oncol 1998;9(4):365-74. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Grilli R, Minozzi S, Tinazzi A, et al. A systematic review on the impact of specialization on process and outcomes of care for cancer patients [abstract]. Annu Meet Int Soc Technol Assess Health Care 1995;1387. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Guthrie TH. Breast cancer litigation: an update with practice guidelines. Breast J 1999;5(5):335-9. Not breast cancer diagnosis or treatment.

Haas BK. The effect of managed care on breast cancer detection, treatment, and research. [Review] [36 refs]. Nurs Outlook 1997;45(4):167-72. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hagen NA, Whylie B. Putting clinical practice guidelines into the hands of cancer patients. CMAJ 1998;158(3):347-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hammond EH, Flinner RL. Clinically relevant breast cancer reporting: using process measures to improve anatomic pathology reporting. Arch Pathol Lab Med 1997;121(11):1171-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hammond ME, Fitzgibbons PL, Compton CC, et al. College of American Pathologists Conference XXXV: solid tumor prognostic factors-which, how and so what? Summary document and recommendations for implementation. Cancer Committee and Conference Participants. [Review] [14 refs]. Arch Pathol Lab Med 2000;124(7):958-65. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Harada Y, Ohuchi N, Ishida T, et al. Tumor markers in breast cancer. [Review] [31 refs] [Japanese]. Gan To Kagaku Ryoho 2001;28(7):1035-40. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Harmer V. Benign breast disease. Nurs Times 2001;97(47):32-3. Not breast cancer in women.

Harris JR, Halpin-Murphy P, McNeese M, et al. Consensus Statement on postmastectomy radiation therapy. [Review] [3 refs]. Int J Radiat Oncol Biol Phys 1999;44(5):989-90. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Hayes NA. Analyzing current practice patterns: lessons from Amgen's Project ChemoInsight. Oncol Nurs Forum 2001;28(2 Suppl):11-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hebert-Croteau N, Brisson J, Latrielle J, et al. Compliance with consensus recommendations for the treatment of early stage breast carcinoma in elderly women. Cancer 1999;85:1104-13. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Helbich TH, Buchberger W, Rudas M, et al. [Stereotactically and sonographically guided vacuum-assisted breast biopsy: a national consensus for Austria]. [German]. Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr 2002;174(4):517-22. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hellman S. Sun Valley summary. Consensus and action items Expedition Inspiration meeting 2000. Breast Cancer Res Treat 2001;66(3):179-82. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hellriegel KP, Schulz KD. [After care of breast carcinoma patients--recommendations from the Berlin consensus conference]. [German]. Fortschr Med 1996;114(5):43-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hellriegel KP, Schulz KD. Postoperative care of patients with carcinomas of the mamma - Recommendations of a Consensus Conference. Onkologie 1996;19(1):94-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Henson DE, Oberman HA, Hutter RV. Practice protocol for the examination of specimens removed from patients with cancer of the breast: a publication of the Cancer Committee, College of American Pathologists. Members of the Cancer Committee, College of American Pathologists, and the Task Force for Protocols on the Examination of Specimens from Patients with Breast Cancer. Arch Pathol Lab Med 1997;121(1):27-33. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hietanen PS. Measurement and practical aspects of quality of life in breast cancer. [Review] [40 refs]. Acta Oncol (Madr) 1996;35(1):39-42. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hill DJ, White VM, Giles GG, et al. Changes in the investigation and management of primary operable breast cancer in Victoria.[comment]. Med J Aust 114;161(2):110-1. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hillner BE, McDonald MK, Penberthy L, et al. Measuring standards of care for early breast cancer in an insured population. J Clin Oncol 1997;15(4):1401-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hillner BE, Penberthy L, Desch CE, et al. Variation in staging and treatment of local and regional breast cancer in the elderly. Breast Cancer Res Treat 1996;40(1):75-86. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hiraoka M, Mitsumori M, Shibuya K. Adjuvant radiation therapy following mastectomy for breast cancer. [Review] [37 refs]. Breast Cancer Res Treat 2002;9(3):190-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hislop TG, Olivotto IA, Coldman AJ, et al. Variations in breast conservation surgery for women with axillary lymph node negative breast cancer in British Columbia. Can J Public Health 1996;Revue Canadienne de Sante Publique. 87(6):390-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hoda SA, Rosen PP. Practical considerations in the pathologic diagnosis of needle core biopsies of breast. [Review] [13 refs]. Am J Clin Pathol 2002;118(1):101-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hoffken K. Aromatase inhibitors of the 3rd generation in the therapy of breast carcinoma. Onkologe 1999;5(1):58-67. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hoffman FA, Rheinstein PH, Houn F. The Mammography Quality Standards Act of 1992. Am Fam Physician 1994;49(8):1965-70. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hogle WP. Pacing the standard of nursing practice in radiation oncology.[erratum appears in Clin J Oncol Nurs 2002 Mar-Apr;6(2):71]. Clin J Oncol Nurs 2001;5(6):253-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Holzel D, Engel J. [Value of centralization of patient management exemplified by breast carcinoma]. [German]. Sonderb Z Strahlenther Onkol 2002;178(2):113-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hoppszallern S. FDA issues regulations on certification requirements for mammography facilities. Hosp Technol Ser 1994;13(2):1-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hossfeld DK. [High-dosage treatment of breast cancer - against]. [German]. Dtsch Med Wochenschr 2001;126(39):1092. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Houn F, Finder C. The Mammography Quality Standards Act and interventional mammography procedures. Bull Am Coll Surg 1997;82(3):14-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Howell A. Tamoxifen versus the newer SERMs: what is the evidence?. [Review] [87 refs]. Ann Oncol 2000;11 Suppl 3:255-65. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Howell D. Complete decongestive therapy for lymphedema following breast cancer treatment. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hughes KS, Barbarisi LJ, Rossi RL, et al. Using continuous quality improvement (CQI) to improve the care of patients with breast cancer. Adm Radiol J 1997;16(6-7):19-20. Not breast cancer diagnosis or treatment.

Hunter RD. Increasing delays in starting radical radiotherapy treatment - The challenges. Clin Oncol (R Coll Radiol) 2003;15(2):39-40. Not breast cancer in women.

Hurny C, Bernhard J, Coates A. Quality of life assessment in the International Breast Cancer Study Group: past, present, and future. [Review] [27 refs]. Recent Results Cancer Res 1998;152:390-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Hynes D, Weaver F, Ippolito D, et al. Quality of care for mastectomy patients treated at VA hospitals: results from a national study[abstract]. Abstr Book Assoc Health Serv Res 199;16:352 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ikeda T, Jinno H, Masamura S, et al. Current status of adjuvant endocrine therapy for hormone responsive breast cancer. [Review] [14 refs] [Japanese]. Gan To Kagaku Ryoho 2001;28(7):902-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

International Breast, Cancer Consensus, Conference. International consensus conference. Image-detected breast cancer: state of the art diagnosis and treatment. Breast J 2002;8(2):70-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Iredale R. Genetic service delivery for individuals at risk of familial breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Iscoe NA, Goel V, Wu K, et al. Variation in breast cancer surgery in Ontario. CMAJ 1994;150(3):345-52. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ishizaki T, Imanaka Y, Hirose M, et al. A first look at variations in use of breast conserving surgery at five teaching hospitals in Japan. Int J Qual Health Care 2002;14(5):411-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Jacobson JS, Verret WJ. Complementary and alternative therapy for breast cancer: the evidence so far. Cancer Pract 2001;9(6):307-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

James M. Fraction size in radiation treatment for breast conservation in early breast cancer. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Jassem J, Pienkowski, T., Pluzanska A, et al. Doxorubicin and paclitaxel versus fluorouracil, doxorubicin, and cyclophosphamide. J Clin Oncol 2001;19:3441-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Jencks SF, Cuerdon T, Burwen DR, et al. Quality of medical care delivered to Medicare beneficiaries: a profile at state and national levels.[comment]. JAMA 2000;284(13):1670-6. Not breast cancer diagnosis or treatment.

Jerusalem G, Bours V, Fillet G. [Adjuvant treatment of breast cancer: meta-analysis and therapeutic recommendations]. [French]. Rev Med Liege 2000;55(5):356-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Johnson TP, Ford L, Warnecke RB, et al. Effect of a National Cancer Institute Clinical Alert on breast cancer practice patterns. J Clin Oncol 1994;12(9):1783-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Johnston S, Stebbing J. Breast cancer: metastatic. Clin Evid 2002;(7):1579-602. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Jonas S, Wild C, Schamberger C. ["Screening" in special situations. Assessing predictive genetic screening for hereditary breast and colorectal cancer]. [German]. Z Arztl Fortbild Qualitatssich 2003;97(1):67-71. Not breast cancer diagnosis or treatment.

Kaegi E. Unconventional therapies for cancer: 6. 714-X. Task Force on Alternative Therapeutic of the Canadian Breast Cancer Research Initiative. [Review] [22 refs]. CMAJ 1998;158(12):1621-4. Not breast cancer in women.

Kattlove H, Sherwood M, Dubois R. Development of a guideline for adjuvant treatment of early stage breast cancer: a new approach to blend evidence and expert panel opinion (Meeting abstract). Am J Clin Oncol 1997;16. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kaufmann M, Von Minckwitz G. [Report on the NIH Consensus Development Conference on Adjuvant Therapy of Breast Carcinoma]. [German]. Onkologie 2001;24(2):190-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kefford R, Tucker K, Friedlander M, et al. Cancer in the family. Part 2. [Review] [20 refs]. Aust Fam Physician 1998;27(1-2):40-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kelemen PR. Comprehensive review of sentinel lymphadenectomy in breast cancer. [Review] [111 refs]. Clin Breast Cancer 2000;1(2):111-25. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kell SH, Allison JJ, Brown KC, et al. Measurement of mammography rates for quality improvement. Qual Manag Health Care 1999;7(2):11-9. Not breast cancer diagnosis or treatment.

Kennedy MJ. Issues relating to the inclusion of high-dose chemotherapy in breast cancer treatment guidelines. Acta Radiol Oncol 1997;11(11A):121-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kerbrat P, Laguerre B, Lefeuvre C. [Post-treatment follow-up of breast cancer patients: comments on the guidelines of the American Society of Clinical Oncology (ASCO)]. [French]. Bull Cancer 1997;84(10):991-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Khalkhali I, Diggles LE, Taillefer R, et al. Procedure guideline for breast scintigraphy. Society of Nuclear Medicine. Eur J Nucl Med 1999;40(7):1233-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kim JJ. Part V. Adjuvant therapies for ductal carcinoma in situ. [Review] [42 refs]. Curr Probl Cancer 2000;24(3):163-74. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kimura M, Tominaga T. Outstanding problems with response evaluation criteria in solid tumors (RECIST) in breast cancer. Breast Cancer Res Treat 2002;9(2):153-59. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Klabunde CNS. Quality assurance in follow-up and initial treatment for screening mammography programs in 22 countries. Int J Qual Health Care 2002;14(6):449-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Knapick P. LCIS: is it cancer?[comment]. Am J Nurs 2001;101(9):13. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kodish E, Wiesner GL, Mehlman M, et al. Genetic testing for cancer risk: how to reconcile the conflicts.[comment]. JAMA 1998;279(3):179-81. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kohler P. [Experiences with a clinical cancer registry for radiotherapy]. [German]. Sonderb Z Strahlenther Onkol 2001;177(5):259-63. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kopans DB. Breast imaging and the standard of care for the symptomatic patient. Radiology 1993;187(3):608-11. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kouloulias VE. Quality assurance in radiotherapy. [Review] [46 refs]. Eur J Cancer 2003;39(4):415-22. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kreienberg R, Hiddemann W. New options in the treatment of breast cancer. Onkologe 2000;6(Suppl 1):S1. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kricker A, Armstrong B, Smith C, et al. An audit of breast cancer pathology reporting in Australia in 1995. Br J Cancer 1999;80(3-4):563-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Kuhn T, Helms G, Kreienberg R. Surgical treatment of breast cancer: Current standards and new developments. Onkologe 2002;8(8):837-46. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lagios MD. Pathologic practice standards for breast carcinoma: tumor size, reliable data, or miscues?[comment]. J Am Coll Surg 2003;196(1):91-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lambird PA, Oneson RH. College of American Pathologists Foundation Conference VII: Ethical guidelines for biomedical technology development and application--the breast cancer paradigm: recommendations and summary. Arch Pathol Lab Med 1994;118(11):1093-95. Not breast cancer in women.

Landau DB, Laing RW. An audit of indications and techniques for supraclavicular fossa irradiation in early breast cancer in the United Kingdom. Clin Oncol (R Coll Radiol) 2000;12(3):172-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lantz PM, Richardson LC, Macklem DJ, et al. Strategies for follow-up and treatment services in state breast and cervical cancer screening programs. Womens Health Issues 1999;9(1):42-9. Not breast cancer diagnosis or treatment.

Lantz PV, Zemencuk JK, Katz SJ. Is mastectomy overused? A call for an expanded research agenda. Health Serv Res 2002;37(2):417-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lawrence WD; Association of Directors of Anatomic and Surgical Pathology. ADASP recommendations for processing and reporting of lymph node specimens submitted for evaluation of metastatic disease. [Review] [36 refs]. Virchows Arch B Cell Pathol Incl Mol Pathol 2001;439(5):601-3. Not breast cancer in women.

Lazovich DA, White E, Thomas DB, et al. Underutilization of breast-conserving surgery and radiation therapy among women with stage I or II breast cancer. JAMA 1991;266(24):3433-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lee-Feldstein A, Anton-Culver H, Feldstein P J. Treatment differences and other prognostic factors related to breast cancer survival. Delivery systems and medical outcomes. JAMA 1994;271(15):1163-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Leitch AM, Meek AG, Smith RA, et al. American Cancer Society Lymphedema Workshop. Workgroup I: Treatment of the axilla with surgery and radiation--preoperative and postoperative risk assessment. [Review] [8 refs]. Cancer 1998;83(12 Suppl American):2877-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Leong SP. Selective sentinel lymph node mapping and dissection for breast cancer. [Review] [60 refs]. Cancer Treat Res 2002;11165-79. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Levine MN. Breast Cancer Chemotherapy Questionnaire. Gunnars B, Nygren P, Glimelius B. Assessment of quality of life during chemotherapy. Acta Oncol 2001;40:175-84. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lewis BE. Research at Fallon Community Health Plan. [Review] [13 refs]. Med Care Res Rev 1996;53 Suppl: 92-103. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lewis C. FDA sets higher standards for mammography. FDA Consum 1999;33(1):13-7. Not breast cancer diagnosis or treatment.

Lewis JA, Manne SL, DuHamel KN, et al. Social support, intrusive thoughts, and quality of life in breast cancer survivors. J Behav Med 2001;24(3):231-45. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lickley HL. Primary breast cancer in the elderly. [Review] [86 refs]. Can J Surg 1997;40(5):341-51. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Liebert B, Parle M, White K, et al. Establishing an evidence base for the specialist breast nurse: a model for Australian breast cancer care. Aust Health Rev 2001;24(1):192-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lievens Y, Poortmans P, Van den Bogaert W. A glance on quality assurance in EORTC study 22922 evaluating techniques for internal mammary and medial supraclavicular lymph node chain irradiation in breast cancer. Radiother Oncol 2001;60(3):257-65. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lillie-Blanton M. Mammography Quality Standards Act: X-ray quality improved, access unaffected, but impact on health outcomes unknown: testimony before the Subcommittee on Health and the Environment, Committee on Commerce, House of Representatives. Washington, DC: Committee on Commerce 1998;10 p. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lin PP, Allison DC, Wainstock J, et al. Impact of axillary lymph node dissection on the therapy of breast cancer patients. J Clin Oncol 1993;11(8):1536-44. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lind DS. Breast cancer testing: What is appropriate?. J Surg Oncol 2002;81(3):111-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Linver M, Newman J. MQSA: the final rule. Radiol Technol 1999;70(4):338-53. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Linver MN. Audits measure practice quality of mammography. Diagn Imaging (San Franc) 2000;22(7):57-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Look MP. Pooled analysis of uPA and PAI-1 for prognosis in primary breast cancer patients. EORTC Receptor and Biomarker Study Group. Int J Biol Markers 2000;15(1):70-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Look MP, van Putten WL, Duffy MJ, et al. Pooled analysis of prognostic impact of urokinase-type plasminogen activator and its inhibitor PAI-1 in 8377 breast cancer patients. J Natl Cancer Inst 2002;94(2):116-28. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Loprinzi CL. It is now the age to define the appropriate follow-up of primary breast cancer patients.[comment]. J Clin Oncol 1994;12(5):881-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Loprinzi CL, Thome SD. Understanding the utility of adjuvant systemic therapy for primary breast cancer.[comment]. J Clin Oncol 2001;19(4):972-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lucci A, Kelemen PR, Miller C, et al. National practice patterns of sentinel lymph node dissection for breast carcinoma.[comment]. J Am Coll Surg 2001;192(4):453-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lumley T, Simes RJ, Gebski V, et al. Combining components of quality of life to increase precision and evaluate trade-offs. Stat Med 2001;20(21):3231-49. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Lyon D. Cancer services. Appraising grace. Health Serv J 2002;112(5812):26-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ma M, Bell J, Campbell S, et al. Breast cancer management: is volume related to quality? Clinical Advisory Panel. Br J Cancer 1997;75(11):1652-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Macleod U, Ross S, Twelves C, et al. Primary and secondary care management of women with early breast cancer from affluent and deprived areas: retrospective review of hospital and general practice records.[comment]. BMJ 2000;320(7247):1442-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Madjar H, Rickard M, Jellins J, et al. IBUS guidelines for the ultrasonic examination of the breast. IBUS International Faculty. International Breast Ultrasound School. Eur J Ultrasound 1999;9(1):99-102. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mahajan DK, London SN. Mifepristone (RU486): a review. [Review] [80 refs]. Fertil Steril 1997;68(6):967-76. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mahoney L. Breast cancer guidelines. CMAJ 1998;158(9):1131. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mahoney L, Ali J, Burul C, et al. Guideline for the management of breast lumps.[comment]. Can J Surg 1998;41(6):476-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Malin JL, Kahn KL, Adams J, et al. Validity of cancer registry data for measuring the quality of breast cancer care. J Natl Cancer Inst 2002;94(11):835-44. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Malin JL, Schuster MA, Kahn KA, et al. Quality of breast cancer care: what do we know?. [Review] [87 refs]. J Clin Oncol 2002;20(21):4381-93. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Malycha P, Tyson S. National breast surgery audit. Aust N Z J Surg 2000;70(12):834-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mandelblatt JS, Ganz PA, Kahn KL. Proposed agenda for the measurement of quality-of-care outcomes in oncology practice. [Review]. [71 refs]. J Clin Oncol 1999;17(8):2614-22. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mandelblatt JS, Hadley J, Kerner JF, et al. Patterns of breast carcinoma treatment in older women: patient preference and clinical and physical influences. Cancer 2000;89(3):561-73. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mannion R, Goddard M. Impact of published clinical outcomes data: case study in NHS hospital trusts. BMJ 2001;323(7307):260-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Martin RC, Edwards MJ, Wong SL, et al. Practical guidelines for optimal gamma probe detection of sentinel lymph nodes in breast cancer: results of a multi-institutional study. For the University of Louisville Breast Cancer Study Group. Surgery 2000;128(2):139-44. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Martinez MJ. Radioisotopes for metastatic bone pain. Cochrane Database Syst Rev 2003;1, 2003. Not breast cancer in women.

Mastboom WJB, Gerritsen JJGM, Koch PWAA, et al. The sentinel node procedure: Standard intervention in the surgical treatment of breast cancer (multiple letters). Ned Tijdschr Geneeskd 1998;142(50):2754-5 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mayer-Oakes SA, Barnes C. Developing indicators for the Medicare Quality Indicator System (MQIS): challenges and lessons learned. Jt Comm J Qual Improv 1997;23(7):381-90. Not breast cancer in women.

McCormick B, Mendenhall NP, Shank BM, et al. Local regional recurrence and salvage surgery. American College of Radiology. ACR Appropriateness Criteria. Radiology 2000;215 Suppl:1181-92. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

McCrohan J, Morin RL. Proposition: federally mandated imaging standards (e.g., MQSA) serve the best interests of patients. Med Phys 1998;25(6):811-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

McGlynn EA. Choosing chronic disease measures for HEDIS: conceptual framework and review of seven clinical areas. Manag Care Q 1996;4(3):54-77. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

McGregor M. Clinical practice guidelines for the treatment of breast cancer [abstract]. Annu Meet Int Soc Technol Assess Health Care 1999;15:60. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

McMasters KM, Giuliano AE, Ross MI, et al. Sentinel-lymph-node biopsy for breast cancer--not yet the standard of care. N Engl J Med 1998;339(14):990-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

McQuay HJ, Carroll D, Moore RA. Radiotherapy for painful bone metastases: a systematic review. [Review] [24 refs]. Clin Oncol (R Coll Radiol) 1997;9(3):150-4. Not breast cancer in women.

McQuellon RP, Kimmick G, Hurt GJ. Quality-of-life measurement in women with breast cancer. Breast J 1997;3(4):178-86. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Meakins JL. The management of breast lumps.[comment]. Can J Surg 1998;41(6):420. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Meguerditchian AN, Falardeau M, Martin G. Male breast carcinoma. [Review] [50 refs]. Can J Surg 2002;45(4):296-302. Not breast cancer in women.

Meijer WS. [Follow-up after oncological surgery].[comment]. [Dutch]. Ned Tijdschr Geneeskd 2002;146(4):186-7. Not breast cancer in women.

Meiser B, Eisenbruch M, Barlow-Stewart K, et al. Cultural aspects of cancer genetics: setting a research agenda. J Med Genet 2001;38(7):425-9. Not breast cancer diagnosis or treatment.

Mendenhall NP. Age-related variations in the use of axillary dissection. Int J Radiat Oncol Biol Phys 2002;54(3):637-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Meterissian S. Breast cancer guidelines. CMAJ 2002;166(10):1254. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Meyskens FL, Jungi WF, Gerber M, et al. WHO consensus conference on diet and cancer. Members of the breast cancer panel. [Review] [21 refs]. Eur J Cancer Prev 2000;9(3):213-6. Not breast cancer diagnosis or treatment.

Mille D, Roy T, Carrere MO, et al. Economic impact of harmonizing medical practices: compliance with clinical practice guidelines in the follow-up of breast cancer in a French Comprehensive Cancer Center. J Clin Oncol 2000;18(8):1718-24. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Miner TJ, Shriver CD, Flicek PR, et al. Guidelines for the safe use of radioactive materials during localization and resection of the sentinel lymph node. Ann Surg Oncol 1999;6(1):75-82. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Minter RM, Spengler KK, Topping DP, et al. Institutional validation of breast cancer treatment guidelines. J Surg Res 2001;100(1):106-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Moller P, Apold J, Maehle L, et al. [European guidelines for health care in hereditary breast cancer]. [Norwegian]. Tidsskr Nor Laegeforen 2000;120(6):726-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Monda LA. Mammography processor quality assurance. [Review] [28 refs]. Radiol Technol 2002;74(1):46-68. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Moormeier J. Breast cancer in black women. [Review] [98 refs]. Ann Intern Med 1996;124(10):897-905. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Moritz S, Bates T, Henderson SM, et al. Variation in management of small invasive breast cancers detected on screening in the former south east Thames region: observational study.[comment]. BMJ 1997;315(7118):1266-72. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Morrow M. The local therapy for breast cancer as a model for evidence-based medical care. CA Cancer J Clin 2002;8(4):288-94. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Morrow T, Siegel. Chemotherapy dose intensity determination as a quality of care measure for managed care organizations in the treatment of early-stage breast cancer. Am J Med Qual 2002;17(6):218-24. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mosconi P, Colozza M, De Laurentiis M, et al. Survival, quality of life and breast cancer. [Review] [36 refs]. Ann Oncol 2001;12 Suppl 3:S15-9 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Moskowitz H, Barr J, Curry M. Improving quality of care in Connecticut--the example of breast health. Conn Med 2001;65(9):569-70. Not breast cancer diagnosis or treatment.

Motomura K, Komoike Y, Nagumo S, et al. Sentinel node biopsy to avoid axillary lymph node dissection in breast cancer. [Review] [32 refs]. Breast Cancer Res Treat 2002;9(4):337-43. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Mourits MJ, van der Zee AG, Willemse PH, et al. [Tamoxifen; wider indications, more frequent controls?]. [Dutch]. Ned Tijdschr Geneeskd 2001;145(36):1766-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Moutardier V, Houvenaeghel G. [Breast cancer sentinel lymph node biopsy: learning curve and quality control measures]. [French]. Bull Cancer 2001;88(12):1246-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Moyer A. Psychosocial outcomes of breast-conserving surgery versus mastectomy: a meta-analytic review.[erratum appears in Health Psychol 1997 Sep;16(5):442]. Health Psychol 1997;16(3):284-98. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nag S, Kuske RR, Vicini FA, et al. Brachytherapy in the treatment of breast cancer. [Review] [76 refs]. Acta Radiol Oncol 2001;15(2):195-202. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nagel G, Rohrig B, Hoyer H, et al. [A population-based study on variations in the use of adjuvant radiotherapy in breast cancer patients]. [German]. Sonderb Z Strahlenther Onkol 2002;178(11):589-96. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nakhleh RE, Jones B, Zarbo RJ. Mammographically directed breast biopsies: a College of American Pathologists Q-Probes study of clinical physician expectations and of specimen handling and reporting characteristics in 434 institutions. Arch Pathol Lab Med 1997;121(1):11-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Namer M. Therapeutic algorithm of metastatic breast cancer. Cahiers D'Oncologie 1998;7(Suppl 6):S13-5 Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nassar BA, Ludman MD, Costa MT, et al. More on breast cancer guidelines.[comment]. CMAJ 1998;158(11):1429-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

National Institutes of Health Consensus Development Conference: adjuvant therapy for breast cancer. Bethesda, Maryland, USA. November 1-3, 2000. [Proceedings] [89 refs]. J Natl Cancer Inst Monogr 2001;(30):1-152. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nattinger AB. Quality of care for breast cancer. Med Care 2003;41(3):341-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nattinger AB, Gottlieb MS, Hoffman RG, et al. Minimal increase in use of breast-conserving surgery from 1986 to 1990. Med Care 1996;34(5):479-89. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Neven P, Vernaeve H. Guidelines for monitoring patients taking tamoxifen treatment. [Review] [55 refs]. Drug Saf 2000;22(1):1-11. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Newman L. Report examines management of suspicious breast lesions. J Natl Cancer Inst 2001;93(22):1683-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

NHS Centre, for Reviews, Dissemination. The effect of psychological interventions on anxiety and depression in cancer patients. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

NHS Centre, for Reviews, Dissemination. Stereotactic radiosurgery for metastases to the brain. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer in women.

NHS Centre, for Reviews, Dissemination. Psychotherapy groups and cancer patient survival. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer in women.

NHS Centre, for Reviews, Dissemination. Stereotactic radiosurgery for metastases to the brain. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer in women.

NHS Centre, for Reviews, Dissemination. Systematic review of cancer treatment programmes in remote and rural areas (Structured abstract). Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer in women.

NHS Centre, for Reviews, Dissemination. The effect of psychological interventions on anxiety and depression in cancer patients. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer in women.

NHS Centre, for Reviews, Dissemination. Systematic review of cancer treatment programmes in remote and rural areas (Structured abstract). Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer diagnosis or treatment.

NHS Centre, for Reviews, Dissemination. Psychotherapy groups and cancer patient survival. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer diagnosis or treatment.

NHS Centre, for Reviews, Dissemination. Stereotactic radiosurgery for metastases to the brain. Database of Abstracts of Reviews of Effectiveness 2003;Issue 1, 2003. Not breast cancer diagnosis or treatment.

Niederhuber JE. Seeking calmer waters in a sea of controversy.[comment]. Oncologist 2002;7(3):172-3. Not breast cancer diagnosis or treatment.

Nielsen DL, Kamby C. [Radiotherapy of primary breast cancer. An analysis of a systematic Cochrane review]. [Danish]. Ugeskr Laeger 2003;165(3):219-21. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nieweg OE, Tanis PJ, de Vries JD, et al. [Summary of the guideline 'Sentinel Lymph Node Biopsy for Breast Cancer']. [Dutch]. Ned Tijdschr Geneeskd 2001;145(1):51-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Noel G, Mazeron J-J. Regional radiotherapy increases neither morbidity nor mortality due to cardiac ischemia after mastectomy. Bull Cancer 1999;86(12):968-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Noguchi M. A survival benefit from locoregional therapy: implication for Halsted's hypothesis. Breast Cancer Res Treat 2002;9(1):3-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Noonan R. A risk management and quality improvement approach to delayed breast cancer diagnosis. Journal of Legal Nurse Consultants 2002;13(2):14-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Noorani H, McGahan L, Hall A. Ethical, psycho-social and policy implications arising from predictivegenetic testing. I. Breast cancer [abstract]. Annu Meet Int Soc Technol Assess Health Care 1993;1442. Not breast cancer in women.

Nortier JW, Nooy M, Beex L. [Hormone replacement therapy after breast cancer].[comment]. [Dutch]. Ned Tijdschr Geneeskd 1998;142(21):1229-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Nugent N, Hill AD, Casey M, et al. Safety guidelines for radiolocalised sentinel node resection. Ir J Med Sci 2001;170(4):236-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

O'Higgins N, Linos DA, Blichert-Toft M, et al. European guidelines for quality assurance in the surgical management of mammographically detected lesions. [Review] [10 refs]. Eur J Surg Oncol 1998;24(2):96-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Oates-Whitehead R. Methods of providing information to women making a decision about genetic screening and prophylactic surgery. Cochrane Database Syst Rev 2003;1, 2003. Not breast cancer diagnosis or treatment.

Oates-Whitehead R M. Wound drainage after axillary dissection for carcinoma of the breast. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ohkawa T, Kaneyasu Y, Karasawa K, et al. [Radiotherapy for breast cancers]. [Review] [17 refs] [Japanese]. Nippon Rinsho 2000;58 Suppl:173-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Olbrisch RR. [Guidelines and quality assurance in plastic breast surgery]. [German]. Langenbecks Arch Chir Suppl Kongressbd 1997;114173-7. Not breast cancer in women.

Olivotto A, Coldman AJ, Hislop TG, et al. Compliance with practice guidelines for node-negative breast cancer. J Clin Oncol 1997;15(1):216-22. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Olivotto IA, Kan L, King S. Waiting for a diagnosis after an abnormal screening mammogram. SMPBC diagnostic process workgroup. Screening Mammography Program of British Columbia. Can J Public Health 2000;Revue Canadienne de Sante Publique. 91(2):113-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Orell SR, Farshid G. False-positive reports in fine needle biopsy of breast lesions. [Review] [39 refs]. Pathology 2001;33(4):428-36. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Osteen RT, Cady B, Chmiel JS, et al. 1991 national survey of carcinoma of the breast by the Commission on Cancer. J Am Coll Surg 1994;178(3):213-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Osteen RT, Cady B, Friedman M, et al. Patterns of care for younger women with breast cancer. J Natl Cancer Inst 1994;Monographs.(16):43-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ottevanger PB, Verhagen CA, Beex LV. Quality of adjuvant chemotherapy in primary breast cancer in a non-trial setting. A comprehensive cancer centre study. The Breast Cancer Group of the Dutch Comprehensive Cancer Centre East (IKO). Eur J Cancer 1999;35(3):386-91. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ottosson-Lonn S, Wallgren A. [Reduced breast cancer mortality. Early treatment, as endocrine and cytostatic adjuvant therapy is effective].[comment]. [Review] [10 refs] [Swedish]. Lakartidningen 1998;95(34):3494-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Overgaard M. Overview of randomized trials in high risk breast cancer patients treated with adjuvant systemic therapy with or without postmastectomy irradiation. Semin Radiat Oncol 1999;9(3):292-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Page DL. Breast cancer pathology reporting practice and guidelines. J Am Coll Surg 2003;196(1):89-90. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Paik S, Bryant J, Tan-Chiu E, et al. Real-world performance of HER2 testing--ational Surgical Adjuvant Breast and Bowel Project experience. J Natl Cancer Inst 2002;94(11):852-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Paridaens, R., Biganzoli, L., Bruning, P, et al. Paclitaxel versus doxorubicin as first-line single-agent chemotherapy for metastatic breast cancer: A European organization for research and treatment of cancer randomized study with cross-over. J Clin Oncol 2000;18:724-33. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Parker LS, Majeske RA. Standards of care and ethical concerns in genetic testing and screening. [Review] [41 refs]. Clin Obstet Gynecol 1996;39(4):873-84. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Parle M, Gallagher J, Gray C, et al. From evidence to practice: factors affecting the specialist breast nurse's detection of psychological morbidity in women with breast cancer. Psychooncology 2001;10(6):503-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Patel R, Smith D, Reid I. Delay in diagnosis in breast cancer.[comment]. Lancet 1999;353(9170):2154-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Payne R, Medina E, Hampton JW. Quality of life concerns in patients with breast cancer: evidence for disparity of outcomes and experiences in pain management and palliative care among African-American women. [Review] [38 refs]. Cancer 2003;97(1 Suppl):311-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Pearson ML, Ganz PA, McGuigan K, et al. The case identification challenge in measuring quality of cancer care. [Review] [66 refs]. J Clin Oncol 2002;20(21):4353-60. Not breast cancer in women.

Penault-Llorca F, Jacquemier J, Le Doussal V, et al. Quality challenge for immunohistochemistry: Example of the ERBB-2 status in breast cancer. Ann Pathol 1999;19(4):280-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Perry B. Quality improvement in a managed care organization from a medical director's perspective: an interview with Bruce Perry. Interview by Douglas Roblin. Jt Comm J Qual Improv 2000;26(10):601-10. Not breast cancer in women.

Pfisterer J, Hilpert F, Budach W, et al. Treatment of non-invasive breast cancer. Onkologe 2002;8(8):826-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Picardi N. [Guideline concepts of the present-day surgery in breast cancer]. [Review] [71 refs] [Italian]. Ann Ital Chir 1999;70(3):321-33. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Piccart M. Closing remarks and treatment guidelines. [Review] [11 refs]. Eur J Cancer 2001;37 Suppl 1: 30-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Piccart MJ, van de V, Straehle C. The EORTC strategy for the early 2000's. Clin Breast Cancer 2000;1(2):166-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Pierce LJ, Lichter AS. Defining the role of post-mastectomy radiotherapy: the new evidence. Acta Radiol Oncol 1011;10(7):991-1002. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Pinson NY. The breast and cervical cancer treatment program: accepting inequality for undocumented women?. Berkeley Women's Law Journal 2002;17122-36. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Polednak AP. Frequency of prophylactic contralateral mastectomy among breast cancer patients. J Am Coll Surg 2001;192(6):804-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Polgar C, Fodor J, Major T, et al. Radiotherapy confined to the tumor bed following breast conserving surgery: Current status, controversies, and future prospects. Sonderb Z Strahlenther Onkol 2002;178(11):597-606. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Porpiglia M, Genta F, Vicelli R, et al. The role of aromatase inhibitors in the treatment of breast neoplasms: An evaluation of clinical efficacy and the tolerability profile. Minerva Ginecol 2002;54(2):115-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Port ER, Fey J, Gemignani ML, et al. Reoperative sentinel lymph node biopsy: a new option for patients with primary or locally recurrent breast carcinoma. J Am Coll Surg 2002;195(2):167-72. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Porter GA, McMulkin H, Lovrics PJ. Sentinel lymph node biopsy in breast cancer: Canadian practice patterns. Ann Surg Oncol 2003;10(3):255-60. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Potosky AL, Merrill RM, Riley GF, et al. Breast cancer survival and treatment in health maintenance organization and fee-for-service settings.[comment]. J Natl Cancer Inst 1997;89(22):1683-91. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Prechtel K, Prechtel D. [Current standards for the diagnosis of breast carcinoma in routine practice]. [German]. Pathologe 2001;22(4):281-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Purushotham AD, Pain SJ, Miles D, et al. Variations in treatment and survival in breast cancer. [Review] [61 refs]. Lancet Oncol 2001;2(12):719-25. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Pyrhonen S, Ellmen J, Vuorinen J, et al. Meta-analysis of trials comparing toremifene with tamoxifen and factors predicting outcome of antiestrogen therapy in postmenopausal women with breast cancer. Breast Cancer Res Treat 1999;56(2):133-43. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Quinn CM, Lioe T. Essential parameters in breast cancer: histopathology reporting guidelines. Ir Med J 2002;95(1):8-11. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Quintana Vargas I, Belles Medall D, Martinez Romero G, et al. Adjuvant chemotherapy for breast cancer: Inter-centre variability and compliance with current guidelines. Farm Hosp 2002;26(4):219-23. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Raabe NK, Kaaresen R, Fossa SD. Analysis of adjuvant treatment in postmenopausal patients with stage II invasive breast carcinoma--a pattern of care study and quality assurance of 431 consecutive patients in Oslo 1980-1989. Acta Oncol (Madr) 1997;36(3):255-60. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Randal J. Taxane evidence inconclusive in adjuvant setting. J Natl Cancer Inst 2001;93(3):168-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rankin N, Newell S, Sanson-Fisher R, et al. Consumer participation in the development of psychosocial clinical practice guidelines: opinions of women with breast cancer. Eur J Cancer Care (Engl) 2000;9(2):97-104. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ravaioli A, Pasini G, Polselli A, et al. Staging of breast cancer: new recommended standard procedure. Breast Cancer Res Treat 2002;72(1):53-60. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Recht A, Rutgers EJ, Fentiman IS, et al. The fourth EORTC DCIS Consensus meeting (Chateau Marquette, Heemskerk, The Netherlands, 23-24 January 1998)--conference report. [Review] [42 refs]. Eur J Cancer 1998;34(11):1664-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Redman S, Reeve TS. Breast cancer guidelines in action. Med J Aust 2000;172(5):196-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rees CE, Bath PA. The information needs and source preferences of women with breast cancer and their family members: a review of the literature published between 1988 and 1998. [Review] [54 refs]. J Adv Nurs 2000;31(4):833-41. Not breast cancer diagnosis or treatment.

Reid RL. More on breast cancer guidelines. CMAJ 1998;158(11):1426-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Reilly J, Mitchell A, Blue J, et al. Breast cancer audit: adapting national audit frameworks for local review of clinical practice. Health Bull (Edinb) 2001;59(1):60-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rew DA. Towards a scientific basis for oncoplastic breast surgery. Eur J Surg Oncol 2003;29(2):105-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rhodes A, Jasani B, Balaton AJ, et al. Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on in house tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries. J Clin Pathol 2000;53(4):292-301. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Richards MA, Wolfe CD, Tilling K, et al. Variations in the management and survival of women under 50 years with breast cancer in the South East Thames region. Br J Cancer 1996;73(6):751-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ridner SH. Breast cancer lymphedema: pathophysiology and risk reduction guidelines. Oncol Nurs Forum 2002; 29(9):1285-93. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Riedinger JM, Gauchez AS. Tumor markers in breast cancer management, clinical practice and recommendations. J Radiol Electrol Med Nucl 2002;26(1):22-30. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Riemsma RP, Pattenden J, Bridle C, et al. A systematic review of the effectiveness of interventions based on a stages-of-change approach to promote individual behaviour change. Health Technol Assess 2002;6(24):1-231. Not breast cancer in women.

Riley GF, Potosky AL, Klabunde CN, et al. Stage at diagnosis and treatment patterns among older women with breast cancer: an HMO and fee-for-service comparison. JAMA 1999;281(8):720-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ring A, Head J. 25th Annual San Antonio Breast Cancer Symposium, San Antonio, Texas, USA, 10-14 December 2002 update on clinical research. Breast Cancer Res Treat 2003;5(2):113-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Robert G, Milne R. A Delphi study to establish national cost-effectiveness research priorities for positron emission tomography. Eur J Radiol 1999;30(1):54-60. Not breast cancer diagnosis or treatment.

Robinson RG, Preston DF, Schiefelbein M, et al. Strontium 89 therapy for the palliation of pain due to osseous metastases. [Review] [38 refs]. JAMA 1995;274(5):420-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Roche H, Dalenc F, Gladieff L. Optimal use of anthracyclines and taxanes: Combination or sequential treatment?. Cahiers D'Oncologie 2002;4(1):69-74. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rockson SG, Miller LT, Senie R, et al. American Cancer Society Lymphedema Workshop. Workgroup III: Diagnosis and management of lymphedema. [Review] [8 refs]. Cancer 1998;83(12 Suppl American):2882-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Roetzheim RG, Chirikos TN. Breast cancer detection and outcomes in a disability beneficiary population. J Health Care Poor Underserved 2002;13(4):461-76. Not breast cancer diagnosis or treatment.

Rogers PB, Plowman PN. Regional node radiotherapy for breast cancer. Lancet 1998;351(9099):374. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rollins G. Amid controversy, task force recommends more widespread use of mammograms. Rep Med Guidel Outcomes Res 1995;13(6):1-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rollins G. Study finds significant differences in breast cancer treatment. Rep Med Guidel Outcomes Res 2001;12(4):1-2. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rollins G. Consensus statement outlines adjuvant treatment options for women with breast cancer. Rep Med Guidel Outcomes Res 2001;12(2):9-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rollins G. Landmark hormone replacement therapy study stopped after finding more harms than benefits. Rep Med Guidel Outcomes Res 2002;13(15):5-7. Not breast cancer in women.

Romain S, Spyratos F, Goussard J, et al. Improvement of quality control for the assessment of steroid receptors: Distribution of values in more than 40,000 breast cancers. Immuno-Analyse et Biologie Specialisee 1997;12(1):21-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rosalki JR, Karp SJ. Guidance on the creation of evidence-linked guidelines for COIN. Clin Oncol (R Coll Radiol) 1999;11(1):28-32. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rosalki JR, Karp SJ. The COIN workstation: state of the future art.[comment]. Clin Oncol (R Coll Radiol) 1999;11(1):15-27. Not breast cancer in women.

Rose VL. NCCN and ACS collaborate on a patient's version of the NCCN practice guidelines for breast cancer. National Comprehensive Cancer Network. American Cancer Society. Am Fam Physician 1999;60(7):2169-70. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Roumen RM. [Prognostic benefits evaluated: new guidelines for systemic adjuvant therapy for axillary node-negative breast cancer vs. implementation of sentinel node biopsy procedure]. [Dutch]. Ned Tijdschr Geneeskd 2000;144(21):980-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Roumen RM, Pijpers HJ, Thunnissen FB, et al. [Summary of the guideline 'Sentinel node biopsy in breast cancer.' Dutch Work Group 'Sentinel Node Biopsy for Breast Cancer'].[comment]. [Dutch]. Ned Tijdschr Geneeskd 2000;144(39):1864-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ruers T J, Roumen R M. [The sentinel node biopsy in patients with breast cancer: recommendations for the introduction of this procedure. Dutch Working Group Sentinel Node Biopsy in Breast Cancer]. [Dutch]. Ned Tijdschr Geneeskd 1998;142(41):2237-40. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ruether A. Enzyme therapy in oncology. Cochrane Database Syst Rev 2003;1, 2003. Not breast cancer in women.

Runowicz CD, Passik SD, Hann D, et al. American Cancer Society Lymphedema Workshop. Workgroup II: Patient education--pre-and posttreatment. Cancer 1998;83(12 Suppl American):2880-1. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rust S. Improvement of women's breast health services. J Ambul Care Manage 2003;26(3):199-208. Not breast cancer diagnosis or treatment.

Rutgers EJ, Tuut MK. [CBO guideline 'Breast cancer: screening and diagnosis']. [Dutch]. Ned Tijdschr Geneeskd 2001;145(3):115-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rutgers EJ, Nortier JW, Beex I, et al. [Tamoxifen; wider indications, more frequent controls?]. [Dutch]. Ned Tijdschr Geneeskd 2001;145(36):1766-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Rutqvist LE. Breast cancer. Acta Oncol (Madr) 1996;35 Suppl 7:54-63. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sabel M, Aichinger U, Schulz-Wendtland R, et al. Full-field digital mammography: Physical principles and clinical aspects. Rontgenpraxis 1999;52(5-6):171-7. Not breast cancer in women.

Sack H. [Breast-conserving treatment compared to mastectomy in early breast carcinoma: a meta-analysis of 10-year survival]. [German]. Sonderb Z Strahlenther Onkol 1998;174(1):47-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sainsbury R, Rider L, Smith A, et al. Does it matter where you live? Treatment variation for breast cancer in Yorkshire. The Yorkshire Breast Cancer Group. Br J Cancer 1995;71(6):1275-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sakamoto J, Nakakawaji K, Uchida T, et al. [Fourth Early Breast Cancer Trialists' Collaborative Group meeting in Oxford--meta-analysis of early breast cancer clinical trials]. [Japanese]. Gan To Kagaku Ryoho 1996;23(3):373-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sanders GD, Nease RF, Owens DK. Publishing web-based guidelines using interactive decision models. [Review] [106 refs]. J Eval Clin Pract 2001;7(2):175-89. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Santen R, Pritchard K, Burger H. The consensus conference on treatment of estrogen deficiency symptoms in women surviving breast cancer. Obstet Gynecol Surv 1998;53(10 Suppl):1-83. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sauer H. [New after-care guidelines in breast carcinoma]. [Review] [14 refs] [German]. Geburtshilfe Frauenheilkd 1996;56(9):M141-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sauer R. [The effect of local control on overall survival after the breast-conserving therapy of breast carcinoma]. [German]. Sonderb Z Strahlenther Onkol 1996;172(4):181-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sauer R, Schulz KD, Hellriegel KP, et al. [Radiation therapy after mastectomy--interdisciplinary consensus puts and end to a controversy. German Society of Senology]. [Review] [64 refs] [German]. Sonderb Z Strahlenther Onkol 2001;177(1):1-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Scharl A, Kaufmann M. Sentinel lymph node biopsy in carcinoma of the breast - Standard of care for the next millennium?. Geburtshilfe Frauenheilkd 1999;59(4):139-41. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schmid L, Delbruck H, Bartsch H, et al. [Structural quality of oncologic rehabilitation. Viewpoint of the Professional Committee of Rehabilitation, After-care and Social Medicine of the German Cancer Society]. [German]. Rehabilitation 2000;39(6):350-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schmidt F, Hartwagner KA, Spork EB, et al. Medical audit after 26,711 breast imaging studies: improved rate of detection of small breast carcinomas (classified as Tis or T1a,b). Cancer 1998;83(12):2516-20. Not breast cancer diagnosis or treatment.

Schmidt-Forgber I. [Effect of treatment delay on survival in patients with breast cancer: a systematic review]. [German]. Sonderb Z Strahlenther Onkol 2000;176(5):243. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schofield M J, Walkom S, Sanson-Fisher R. Patient-provider agreement on guidelines for preparation for breast cancer treatment. Behav Med 1997;23(1):36-45. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schwartz GF. Consensus Conference on the Classification of Ductal Carcinoma in situ. The current treatment of ductal carcinoma in situ. Breast J 2001;7(5):308-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schwartz GF, Giuliano AE, Veronesi U, et al. Proceedings of the consensus conference on the role of sentinel lymph node biopsy in carcinoma of the breast, April 19-22, 2001, Philadelphia, Pennsylvania. Cancer 2002;94(10):2542-51. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schwartz GF, Giuliano AE, Veronesi U, et al. Proceedings of the consensus conference on the role of sentinel lymp node biopsy in carcinoma of the breast April 19-22, 2001, Philadelphia, PA, USA. Breast Cancer Res Treat 2002;11(4):362-73. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schwartz GF, Solin LJ, Olivotto IA, et al. [The consensus conference on the treatment of in situ ductal carcinoma of the breast, April 22-25, 1999]. [French]. Bull Cancer 2000;87(6):499-506. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Schwartz GF, Solin LJ, Olivotto IA, et al. Consensus Conference on the Treatment of In Situ Ductal Carcinoma of the Breast, April 22-25, 1999. Cancer 2000;88(4):946-54. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Segal M. Mammography facilities must meet quality standards. FDA Consum 1994;28(2):8-12. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sener SF. Sentinel lymphadenectomy for breast cancer. A standard of surgical care?. Cancer Pract 2000;8(4):195-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Seroussi B, Bouaud J, Antoine EC. Users' evaluation of OncoDoc, a breast cancer therapeutic guideline delivered at the point of care. Proc AMIA Symp 1999, Annual Symposium 384-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Seroussi B, Bouaud J, Antoine E C. ONCODOC: a successful experiment of computer-supported guideline development and implementation in the treatment of breast cancer. Artif Intell Med 2001;22(1):43-64. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Shan K, Lincoff AM, Young JB. Anthracycline-induced cardiotoxicity. [Review] [146 refs]. Ann Intern Med 1996;125(1):47-58. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Shannon J, Douglas-Jones AG, Dallimore NS. Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results? J Clin Pathol 2001;54(10):762-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Shimozuma K. Assessment of quality of life in breast cancer patients. [Review] [9 refs] [Japanese]. Nippon Rinsho 2000;58 Suppl:497-501. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Shimozuma K. Quality of life assessment. [Review] [26 refs]. Breast Cancer Res Treat 2002;9(2):100-6. Not breast cancer diagnosis or treatment.

Shivers S, Cox C, Leight G, et al. Final results of the Department of Defense multicenter breast lymphatic mapping trial. Ann Surg Oncol 2002;9(3):248-55. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Siebert W. Quality - The doctor as risk factor. Gynakol Prax 2002;26(4):597-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Siegelmann-Danieli N, Ron I, Kaufman B, et al. Hormone replacement therapy in breast cancer survivors: the Israeli Society for Clinical Oncology and Radiotherapy policy letter. [Hebrew]. Harefuah 1996;141(11):994-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Silliman RA, Lash TL. Do variations in breast cancer care matter?[comment]. Med Care 2002;40(3):177-80. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Silliman RA, Troyan SL, Guadagnoli E, et al. The impact of age, marital status, and physician-patient interactions on the care of older women with breast carcinoma. Cancer 1997;80(7):1326-34. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Silverstein MJ. State-of-the-art breast units--a possibility or a fantasy? A comment from the US. [comment]. Eur J Cancer 2000;36(18):2283-5. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Simmons J. AAHP identifies best practices for breast cancer. Qual Lett Healthc Lead 1998;10(9):13-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Singh N, Wells CA. Assessment of accuracy in breast cytology. Cytopathology 2001;12(4):211-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Singh-Ranger G, Mokbel K; American Society of Clinical Oncology. Advances in breast oncology: the 2002 ASCO meeting. Curr Med Res Opin 2002;18(7):401-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Singletary SE, Allred C, Ashley P, et al. Revision of the American Joint Committee on Cancer staging system for breast cancer. J Clin Oncol 2002;20(17):3628-36. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Skrutkowska M, Weijer C. Do patients with breast cancer participating in clinical trials receive better nursing care?[comment]. Oncol Nurs Forum 1997;24(8):1411-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sledge GW. Chemotherapy for breast cancer: What's new? What's useful?. Clin Breast Cancer 2003;3(6):367. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sloane JP, Amendoeira I, Apostolikas N, et al. Consistency achieved by 23 European pathologists from 12 countries in diagnosing breast disease and reporting prognostic features of carcinomas. European Commission Working Group on Breast Screening Pathology. Virchows Arch B Cell Pathol Incl Mol Pathol 1999;434(1):3-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Smith TJ, Hillner BE. Ensuring quality cancer care by the use of clinical practice guidelines and critical pathways. [Review] [51 refs]. J Clin Oncol 2001;19(11):2886-97. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Smith TJ, Somerfield MR. The ASCO experience with evidence-based clinical practice guidelines. Acta Radiol Oncol 1997;11(11A):223-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sorscher S, Levonian P. BCRA 1 testing guidelines for high-risk patients. J Clin Oncol 1997;15(4):1711. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Spillane AJ, Sacks NP. Role of axillary surgery in early breast cancer: review of the current evidence. Aust N Z J Surg 2000;70(7):515-24. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sprangers MA, Cull A, Groenvold M, et al. The European Organization for Research and Treatment of Cancer approach to developing questionnaire modules: an update and overview. EORTC Quality of Life Study Group. Qual Life Res 1998;7(4):291-300. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Stanfill PH, Weber D. A review of breast conservation in Columbia/HCA healthcare facilities. J Oncol Manag 1998;7(5):19-23. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Staniszewska MA, Papierz S. [Mammography in Lodz--doses and conditions of diagnostic devices]. [Polish]. Med Pr 2002;53(4):307-310. Not breast cancer in women.

Stebbing JJ, Gaya A. The evidence-based use of induction chemotherapy in breast cancer. [Review] [66 refs]. Breast Cancer Res Treat 2001;8(1):23-37. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Steene Jan V, Storme Gu. Meta-Analysis of Breast Cancer Surgery Trials Confirms Significant Factors for Overall Survival Benefit Due to Adjuvant Radiotherapy. (Meeting abstract). 1999 ASCO Annual Meeting. Abstract 279. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Stefoski Mikeljevic J, Haward RA, Johnston C, et al. Surgeon workload and survival from breast cancer. Br J Cancer 2003;89(3):487-91. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Strom EA. Breast IMRT: New tools leading to new vision. Int J Radiat Oncol Biol Phys 2002;54(5):1297-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Struikmans H, van Tienhoven G, Jobsen JJ, et al. [Locoregional radiotherapy after mastectomy and chemotherapy for breast cancer: prolonged survival and better local tumor control]. [Dutch]. Ned Tijdschr Geneeskd 1999;143(2):71-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Susman E. NCCN drops mention of high-dose chemotherapy from breast cancer treatment guidelines. Oncology Times 2001;23(5):34. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Sweep CG, Geurts-Moespot J. EORTC external quality assurance program for ER and PgR measurements: trial 1998/1999. European Organisation for Research and Treatment of Cancer. Int J Biol Markers 2000;15(1):62-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Swinbanks D. Korea leaps before it looks over gene therapy guidelines. Nature 1997;387(6628):6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Tafra L, McMasters K , Whitworth P, et al. Credentialing issues with sentinel lymph node staging for breast cancer. Am J Surg 2000;180(4):268-73. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Takahashi K, Nishimura S, Tada K, et al. Indications and limits of breast conserving treatment. [Review] [20 refs] [Japanese]. Gan To Kagaku Ryoho 2002;29(7):1125-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Tamaki Y, Miyoshi Y, Noguchi S. Adjuvant hormonal therapy. [Review] [17 refs]. Breast Cancer Res Treat 2002;9(3):185-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Tardivon AA, Guinebretiere JM, Dromain C, et al. Imaging and management of nonpalpable lesions of the breast. [Review] [72 refs]. Eur J Radiol 2002;42(1):2-9. Not breast cancer diagnosis or treatment.

Tashiro H. Standard chemotherapy for metastatic breast cancer. [Review] [45 refs] [Japanese]. Nippon Rinsho 2000;58 Suppl:246-53. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

The BRIDGE, Study Group. Responses of primary health care professionals to UK national guidelines on the management and referral of women with breast conditions. J Eval Clin Pract 2002;8(3):319-25. Not breast cancer in women.

Theriault R L. Fitting new modalities into practice guidelines. Acta Radiol Oncol 1997;11(11A):145-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Thompson BL, O'Connor P, Boyle R, et al. Measuring clinical performance: comparison and validity of telephone survey and administrative data. Health Serv Res 2001;36(4):813-25. Not breast cancer in women.

Thuerlimann B. International consensus meeting on the treatment of primary breast cancer 2001, St. Gallen, Switzerland. Breast Cancer Res Treat 2001;8(4):294-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Tjalma W, Colpaert C, Schrijvers D, et al. Guidelines for the treatment of in situ ductal carcinoma of the breast. Tijdschr Geneeskd 1999;55(19):1360-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Trillet-Lenoir V, Freyer G. [Advantage of using tumor markers in colorectal and breast cancers. Guidelines of the American Society of Clinical Oncology (ASCO)]. [French]. Bull Cancer 1997;84(7):767-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Troeng T. [Surgical quality indicators in practice--some experiences]. [Swedish]. Lakartidningen 2002;99(14):1612-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Tubiana M, Holland R, Kopans DB, et al. Commission of the European Communities "Europe Against Cancer" Programme. European School of Oncology Advisory Report. Management of non-palpable and small lesions found in mass breast screening. [Review] [70 refs]. Eur J Cancer 1994;30A(4):538-47. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Turner MJ. Local impact of the NHMRC early breast cancer guidelines. [comment]. Med J Aust 1998;168(10):525. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Umemura S, Sakamoto G, Sasano H, et al. Evaluation of HER2 status: for the treatment of metastatic breast cancers by humanized anti-HER2 Monoclonal antibody (trastuzumab) (Pathological committee for optimal use of trastuzumab). [Review] [38 refs]. Breast Cancer Res Treat 2001;8(4):316-20. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Urban N. Developing measures of mammography performance. Med Care 2002;40(6 Suppl):III86-8. Not breast cancer diagnosis or treatment.

USPSTF. Postmenopausal hormone replacement therapy for the primary prevention of chronic condition. Recommendations and rationale. U.S. Preventive Services Task Force. Am Fam Physician 2003;67(2):358-64. Not breast cancer in women.

Vacher-Lavenu MC. Quality control in histology-cytology. Breast cancer. Arch Anat Cytol Pathol 1995;43(1-2):101-16. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vaidya JS, Baum M, Haffty BG. Management of early-onset breast cancer and BRCA1 or BRCA2 status [1] (multiple letters). Lancet 2002;360(9333):640-1. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Valdagni R, Italia C, Montanaro P, et al. Quality assurance in early breast cancer treatment: clinical aspects of postoperative, external, whole breast irradiation. [Review] [64 refs]. Recent Results Cancer Res 1996;140:251-61. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vamvakas EC. Perioperative blood transfusion and cancer recurrence: meta-analysis for explanation. Transfusion 1995;35(9):760-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Van de Steene J, Soete G, Storme G. Adjuvant radiotherapy for breast cancer significantly improves overall survival: the missing link. Radiother Oncol 2000;55(3):263-72. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

van Diest PJ, Rahusen FD, Torrenga H, et al. [Summary of the guideline 'Sentinel Lymph Node Biopsy for Breast Cancer']. [Dutch]. Ned Tijdschr Geneeskd 2001;145(1):53-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

van Enckevort PJ, TenVergert EM, Schrantee S, et al. Economic evaluations of systemic adjuvant breast cancer treatments: methodological issues and a critical review. Crit Rev Oncol Hematol 1999;32(2):113-24. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

van Leeuwen D. Developing a prioritization matrix for improving breast care--a complex project. J Healthc Qual 2002;24(2):42-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

van Tienhoven G, Tuut MK, Nortier JWR, et al. Dutch Institute for Healthcare Improvement guideline 'treatment of breast cancer': Important document, but an open attitude to new evidence is necessary [1]. Ned Tijdschr Geneeskd 2003;147(8):362-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vandenberg TA, Bramwell VH, Levine M. Caution with breast-conserving surgery [1] (multiple letters). CMAJ 2002;167(10):1099. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vastag B. Consensus panel recommendations for treatment of early breast cancer. JAMA 2000;284(21):2707-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Venables K, Winfield E, Deighton A, et al. A survey of radiotherapy quality control practice in the United Kingdom for the START trial. Radiother Oncol 2001;60(3):311-8. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vennin P. [Standards, Options and Recommendations (SOR) on hormone therapy in nonmetastatic cancer of the breast]]. [French]. Bull Cancer 2000;87(12):948-50. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vennin P, Taieb S, Carpentier P. [About standard: from rule to patient. Breast cancer as an example]. [French]. Bull Cancer 2001;88(2):221-2. Not breast cancer diagnosis or treatment.

Verkooijen HM, Fioretta G, De Wolf C, et al. Management of women with ductal carcinoma in situ of the breast: a population-based study. Ann Oncol 2002;13(8):1236-45. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vernon SW, Heckel V, Jackson GL. Medical outcomes of care for breast cancer among health maintenance organization and fee-for-service patients. Clin Cancer Res 1995;1(2):179-84. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Veronesi U, Salvadori B, Luini A, et al. Breast conservation is a safe method in patients with small cancer of the breast. Long-term results of three randomised trials on 1,973 patients. Eur J Cancer 1995;31A(10):1574-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Viehweg P, Heywang-Kohbrunner SH. MRI enhancement: Contrast products and the breast tissue specificity. Stud Mitt Gesch Benediktinerorden 1996;6(2):94-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Viehweg P, Paprosch I, Strassinopoulou M, et al. Contrast-enhanced magnetic resonance imaging of the breast: interpretation guidelines. [Review] [50 refs]. Top Magn Reson Imaging 1998;9(1):17-43. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Vinh-Hung V, Burzykowski T, Van de Steene J, et al. Post-surgery radiation in early breast cancer: survival analysis of registry data. Radiother Oncol 2002;64(3):281-90. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Von Eschenbach AC. NCI remains committed to current mammography guidelines. Oncologist 2002;7(3):170-1. Not breast cancer diagnosis or treatment.

Von Minckwitz G. [There are now evidence-based guidelines for breast carcinoma. There are evidence-based guidelines for breast carcinoma. Individual therapy out? (interview by Dr. Judith Neumaier)]. [German]. MMW Fortschr Med 2002;144(23):10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Von Minckwitz G, Kaufmann M. Primary and adjuvant systematic therapy in operable breast cancer. Onkologe 2002;8(8):847-52. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Von Minckwitz G, Brunnert K, Costa SD, et al. [Evidence-based recommendations on primary treatment of carcinomas of the breast]. [Review] [72 refs] [German]. Zentralbl Gynakol 2002;124(5):293-303. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Von Minckwitz G, Costa S D, Brunnert K, et al. [Evidence-based recommendations on treating locoregional and distant metastases of carcinomas of the breast]. [Review] [54 refs] [German]. Zentralbl Gynakol 2002;124(5):284-92. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

von Smitten K. What is the impact of guidelines for the surgical treatment of breast cancer? Ann Chir Gynaecol 1998;87(1):6-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Voogd AC, Louwman WJ, Coebergh JWW, et al. New guidelines for adjuvant systemic treatment in breast cancer: Consequences at a hospital level. Ned Tijdschr Geneeskd 2000;144(33):1572-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Voogd AC, Louwman WJ, Coebergh JW, et al. [Impact of the new guidelines for adjuvant systemic treatment of breast cancer at hospital level]. [Dutch]. Ned Tijdschr Geneeskd 2000;144(33):1572-4. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Voogd A C, van Beek MW, Crommelin MA, et al. Management of early breast cancer in southeast Netherlands since 1984. A population-based study. Regional Breast Cancer Study Group. Acta Oncol (Madr) 1994;33(7):753-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Wadman M. Panel softens cancer gene test warning. Nature 1996;380(6575):573. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Wagner SK. Quality does not ensure breast center profitability. Diagn Imaging (San Franc) 1998;20(5):29-6. Not breast cancer in women.

Walley DR, Augustine E, Saslow D, et al. American Cancer Society Lymphedema Workshop. Workgroup IV: Lymphedema treatment resources--professional education and availability of patient services. Cancer 1998;83(12 Suppl American):2886-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Ward JE, Rissel C, Slaytor E. "Best practice" in surgical management of breast cancer.[comment]. Med J Aust 1997;168(3):141. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Warsi AA, White S, McCulloch PM. Completeness of data entry in three cancer surgery database. Eur J Surg Oncol 2002;28(8):850-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Watanabe T. Treatment of metastatic breast cancer patients: what is the standard care of the patients?. Jpn J Clin Oncol 1998;28(6):355-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Weeks JC. Outcomes assessment in the NCCN. Oncology 1997;11(11A):137-40. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial.

Weeks JC. A guide for the guideline reader.[comment]. Breast Cancer Res Treat 1997;43(3):277-8. Not breast cancer in women

Welch HG, Mogielnicki J. Presumed benefit: lessons from the American experience with marrow transplantation for breast cancer.[comment]. BMJ 2002;324(7345):1088-92. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Wenzel C, Schmidinger M, Huber H. [Is there progress in chemotherapy for breast cancer?]. [Review] [115 refs] [German]. Wien Klin Wochenschr 2001;113(9):306-20. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Weston A, Godbold JH. Polymorphisms of H-ras-1 and p53 in breast cancer and lung cancer: a meta-analysis. Environ Health Perspect 1997;105 Suppl 4:919-26. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Whelan T, Marcellus D, Clark R, et al. Adjuvant radiotherapy for early breast cancer: patterns of practice in Ontario. CMAJ 1993;149(9):1273-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Wickramanayake PD, Katay I, Josting A, et al. Systemic adjuvant therapy for breast cancer. Med Klin 1996;91(10):646-53. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Wilson E, Feakins R. The use of a standard proforma in breast cancer reporting.[comment]. J Clin Pathol 2002;55(9):719. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Winchester D. Surgeons and interventional radiologists: doing what's best for the patient. J Am Coll Surg 1998;186(5):570-3. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Winchester DP, Cox JD. Standards for diagnosis and management of invasive breast carcinoma. American College of Radiology. American College of Surgeons. College of American Pathologists. Society of Surgical Oncology. [Review] [138 refs]. CA Cancer J Clin 1998;48(2):83-107. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Wobbes Th. The Dutch College of General Practitioners' practice guideline 'diagnosis of breast cancer'; reaction from the field of surgery. Ned Tijdschr Geneeskd 2003;147(12):535-7. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Wolf E. Change in the first-line therapy of breast cancer is emerging. Pharmazeutische Zeitung 1999;144(39):41. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Yarbro JW, Page DL, Fielding LP, et al. American Joint Committee on Cancer prognostic factors consensus conference.[comment]. [Review] [38 refs]. Cancer 1999;86(11):2436-46. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Yaziji H, Gown AM. Controversies and guidelines in tissue-based HER-2/neu testing in breast cancer. MLO Med Lab Obs 2002;34(6):12-6. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Yong WS, Khin LW, Samuel. Timing of breast surgery in premenopausal breast cancer patients. Cochrane Database Syst Rev 2003;1, 2003. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Young WW, Marks SM, Kohler SA, et al. Dissemination of clinical results. Mastectomy versus lumpectomy and radiation therapy. Med Care 1996;34(10):1003-17. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Zagame L, Mignot L. Adjuvant chemotherapy of breast cancer. Rev Prat 2002;16(576):829-31. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Zander AR, Kroger N. High-dosage treatment of breast cancer - In favour. Dtsch Med Wochenschr 2001;126(39):1091. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Zarbo RJ. The oncologic pathology report. Quality by design. Arch Pathol Lab Med 2000;124(7):1004-10. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Zellars R, Wolff AC. Local failure and prognostic factors in ductal carcinoma in situ: concentration on recent publications. [Review] [15 refs]. Curr Opin Obstet Gynecol 2003;15(1):9-12. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial

Zujewski JA. "Build quality in"--HER2 testing in the real world.[comment]. J Natl Cancer Inst 2002;94(11):788-9. Not a quality measure/ment, clinical practice guideline, systematic review or commentary/editorial