

Bibliography

Aabakken L, Karesen R, Serck-Hanssen A, et al. Transpapillary biopsies and brush cytology from the common bile duct. *Endoscopy* 1986 Mar 18(2):49-51.

Abdul Ghani AK. Selective pre-operative cholangiography and scoring method for selection. *Bangladesh Med Res Counc Bull* 1989 Dec 15(2):81-9.

Acosta JM, Ronzano GD, Pellegrini CA. Ampullary obstruction monitoring in acute gallstone pancreatitis: a safe, accurate, and reliable method to detect pancreatic ductal obstruction. *Am J Gastroenterol* 2000 Jan 95(1):122-7. .

Acosta JM, Rubio Galli OM, Rossi R, et al. Effect of duration of ampullary gallstone obstruction on severity of lesions of acute pancreatitis. *J Am Coll Surg* 1997 May 184(5):499-505.

Adamek HE, Albert J, Breer H, et al. Pancreatic cancer detection with magnetic resonance cholangiopancreatography and endoscopic retrograde cholangiopancreatography: a prospective controlled study. *Lancet* 2000 Jul 15 356(9225):190-3.

Adamek HE, Albert J, Weitz M, et al. A prospective evaluation of magnetic resonance cholangiopancreatography in patients with suspected bile duct obstruction. *Gut* 1998 Nov 43(5):680-3.

Adamek HE, Breer H, Karschkes T, et al. Magnetic resonance imaging in gastroenterology: time to say good-bye to all that endoscopy? *Endoscopy* 2000 May 32(5):406-10.

Adamek HE, Maier M, Jakobs R, et al. Management of retained bile duct stones: a prospective open trial comparing extracorporeal and intracorporeal lithotripsy. *Gastrointest Endosc* 1996 Jul 44(1):40-7.

Adams DB, Anderson MC. Changing concepts in the surgical management of pancreatic pseudocysts. *Am Surg* 1992 Mar 58(3):173-80.

Adams DB, Srinivasan A. Failure of percutaneous catheter drainage of pancreatic pseudocyst. *Am Surg* 2000 Mar 66(3):256-61.

Adams DB, Tarnasky PR, Hawes RH, et al. Outcome after laparoscopic cholecystectomy for chronic acalculous cholecystitis. *Am Surg* 1998 Jan 64(1):1-5

Adzick NS, Shamberger RC, Winter HS, et al. Surgical treatment of pancreas divisum causing pancreatitis in children. *J Pediatr Surg* 1989 Jan 24(1):54-8.

Agent DM, Bartelsman JF, Tijtgaat GN. Endoscopic retrograde cholangiopancreatographic aspects of choledocholithiasis and its sequelae. *Radiol Clin (Basel)* 1978 47(6):397-411.

Ahearne PM, Baillie JM, Cotton PB, et al. An endoscopic retrograde cholangiopancreatography (ERCP)-based algorithm for the management of pancreatic pseudocysts. *Am J Surg* 1992 Jan 163(1):111-5.

Aiyer MK, Burdick JS, Sonnenberg A. Outcome of surgical and endoscopic management of biliary pancreatitis. *Dig Dis Sci* 1999 Aug 44(8):1684-90.

al Karawi MA, el Shiekh Mohamed AR, al Shahri MG, et al. Endoscopic sphincterotomy in acute gallstone pancreatitis and cholangitis: a Saudi hospital experience. *Hepatogastroenterology* 1993 Aug 40(4):396-401.

al Shahri AM, Mohamed ARES, Bushnak MA, et al. Acute biliary pancreatitis six-and-a-half years' experience. *Saudi Med J* 1992 13(1):46-48.

Alam MK. Assessment of indicators for predicting choledocholithiasis before laparoscopic cholecystectomy. *Ann*

Saudi Med 1998 18(6):511-513.

Alcaraz MJ, De la Morena EJ, Polo A, et al. A comparative study of magnetic resonance cholangiography and direct cholangiography. *Rev Esp Enferm Dig* 2000 Jul 92(7):427-38.

al-Hadeedi S, Leaper DJ. Falls in hemoglobin saturation during ERCP and upper gastrointestinal endoscopy. *World J Surg* 1991 Jan-Feb 15(1):88-94.

Alhalel R, Haber GB. Endoscopic therapy of pancreatic stones. *Gastrointest Endosc Clin N Am* 1995 Jan 5(1):195-215.

Aliperti G. Complications related to diagnostic and therapeutic endoscopic retrograde cholangiopancreatography. *Gastrointest Endosc Clin N Am* 1996 Apr 6(2):379-407.

al-Mofarreh MA, Laajam MA. Periapillary cysts: endoscopic management. *Am J Gastroenterol* 1992 Feb 87(2):211-3.

Alonso Casado O, Hernandez Gallardo D, Moreno Gonzalez E, et al. Intraductal papillary-mucinous tumors: an entity which is infrequent and difficult to diagnose. *Hepatogastroenterology* 2000 Jan-Feb 47(31):275-84.

Alponat A, Kum CK, Rajnakova A, et al. Predictive factors for synchronous common bile duct stones in patients with cholelithiasis. *Surg Endosc* 1997 Sep 11(9):928-32.

AlQasabi Q, Mofti AB, Suleiman SI, et al. Operative cholangiography in laparoscopic cholecystectomy: Is it essential? *Ann Saudi Med* 1997 17(2):167-169.

Alsumait AR, Jabbari M, Goresky CA. Pancreaticocolonic fistula: a complication of pancreatitis. *Can Med Assoc J* 1978 Oct 7 119(7):715-9.

Alvarez C, Livingston EH, Ashley SW, et al. Cost-benefit analysis of the work-up for pancreatic cancer. *Am J Surg* 1993 Jan 165(1):53-8.

Alveyn CG, Robertson DA, Wright R, et al. Prevention of sepsis following endoscopic retrograde cholangiopancreatography. *J Hosp Infect* 1991 Sep 19 Suppl C:65-70.

American Gastroenterological Association Medical Position Statement: Treatment of Pain in Chronic Pancreatitis. *Gastroenterology* 1998 115:763-4.

Amman RW, Akovbiantz A, Larglader F, et al. Course and outcome of chronic pancreatitis: Longitudinal study of a mixed medical-surgical series of 245 patients. *Gastroenterology* 1984 86:820-828.

Ammann RW, Buellhaupt B, Zurich Pancreatitis Study Group. The natural history of pain in alcoholic chronic pancreatitis. *Gastroenterology* 1999 116:1132-40.

Ammori BJ, Birbas K, Davides D, et al. Routine vs "on demand" postoperative ERCP for small bile duct calculi detected at intraoperative cholangiography. Clinical evaluation and cost analysis. *Surg Endosc* 2000 Dec 14(12):1123-6.

Amouyal P, Amouyal G, Levy P, et al. Diagnosis of choledocholithiasis by endoscopic ultrasonography. *Gastroenterology* 1994 Apr 106(4):1062-7.

Anacker H, Lamarque JL, Pistolesi GF. Efficiency of different radiodiagnostic techniques in pancreatic disorders. *Eur J Radiol* 1981 Mar 1(1):79-84.

Anacker H, Rupp N, Reiser M. Magnetic resonance (MR) in the diagnosis of pancreatic disease. *Eur J Radiol* 1984 Nov 4(4):265-9.

- Anacker H, Weiss HD, Kramann B. Endoscopic retrograde pancreaticocholangiography in chronic diseases of the pancreas and in papillary stenoses. *Gastrointest Radiol* 1978 Aug 31 3(3):325-34.
- Andersen JR, Sorensen SM, Kruse A, et al. Randomised trial of endoscopic endoprosthesis versus operative bypass in malignant obstructive jaundice. *Gut* 1989 Aug 30(8):1132-5.
- Anderson SD, Holley HC, Berland LL, et al. Causes of jaundice during hepatic artery infusion chemotherapy. *Radiology* 1986 Nov 161(2):439-42.
- Andonov V, Tcholakova E, Ananoshev N, et al. Diagnostic strategies for evaluation and prognosticating the outcome of jaundice among patients with cholestasis caused by neoplastic diseases of the hepatobiliary system and the pancreas. *Folia Med (Plovdiv)* 1999 41(1):72-4.
- Andriulli A, Leandro G, Niro G, et al. Pharmacologic treatment can prevent pancreatic injury after ERCP: a meta-analysis. *Gastrointest Endosc* 2000 Jan 51(1):1-7.
- Andrus CH, Dean PA, Ponsky JL. Evaluation of safe, effective intravenous sedation for utilization in endoscopic procedures. *Surg Endosc* 1990 4(3):179-83.
- Apel D, Riemann JF. Emergency endoscopy. *Can J Gastroenterol* 2000 Mar 14(3):199-203.
- Appelros S, Borgstrom A. Incidence, aetiology and mortality rate of acute pancreatitis over 10 years in a defined urban population in Sweden. *Br J Surg* 1999 Apr 86(4):465-70.
- Aranha GV, Prinz RA, Freeark RJ, et al. The spectrum of biliary tract obstruction from chronic pancreatitis. *Arch Surg* 1984 May 119(5):595-600.
- Ariyama J, Sumida M, Shimaguchi S, et al. Integrated approach to the diagnosis of pancreatic carcinoma. *Radiat Med* 1983 Jan-Mar 1(1):46-51.
- Arregui ME, Davis CJ, Arkush AM, et al. Laparoscopic cholecystectomy combined with endoscopic sphincterotomy and stone extraction or laparoscopic choledochoscopy and electrohydraulic lithotripsy for management of cholelithiasis with choledocholithiasis. *Surg Endosc* 1992 Jan-Feb 6(1):10-5.
- Arrowsmith JB, Gerstman BB, Fleischer DE, et al. Results from the American Society for Gastrointestinal Endoscopy/U.S. Food and Drug Administration collaborative study on complication rates and drug use during gastrointestinal endoscopy. *Gastrointest Endosc* 1991 Jul-Aug 37(4):421-7.
- Arslan A, Geitung JT, Viktil E, et al. Pancreaticobiliary diseases. Comparison of 2D single-shot turbo spin-echo MR cholangiopancreatography with endoscopic retrograde cholangiopancreatography. *Acta Radiol* 2000 Nov 41(6):621-6.
- Ashby K, Lo SK. The role of pancreatic stenting in obstructive ductal disorders other than pancreas divisum. *Gastrointest Endosc* 1995 Oct 42(4):306-11.
- Ashton CE, McNabb WR, Wilkinson ML, et al. Endoscopic retrograde cholangiopancreatography in elderly patients. *Age Ageing* 1998 Nov 27(6):683-8. Comment in: *Age Ageing*. 1999 Sep;28(5):498-9.
- Avisse C, Flament JB, Delattre JF. Ampulla of Vater. Anatomic, embryologic, and surgical aspects. *Surg Clin North Am* 2000 Feb 80(1):201-12.
- Axon AT. Endoscopic retrograde cholangiopancreatography in chronic pancreatitis. Cambridge classification. *Radiol Clin North Am* 1989 Jan 27(1):39-50.
- Bain VG, Abraham N, Jhangri GS, et al. Prospective study of biliary strictures to determine the predictors of

malignancy. *Can J Gastroenterol* 2000 May 14(5):397-402.

Bakkevoll KE, Arnesjo B, Kambestad B. Carcinoma of the pancreas and papilla of Vater--assessment of resectability and factors influencing resectability in stage I carcinomas. A prospective multicentre trial in 472 patients. *Eur J Surg Oncol* 1992 Oct 18(5):494-507.

Bakkevoll KE, Arnesjo B, Kambestad B. Carcinoma of the pancreas and papilla of Vater: presenting symptoms, signs, and diagnosis related to stage and tumour site. A prospective multicentre trial in 472 patients. Norwegian Pancreatic Cancer Trial. *Scand J Gastroenterol* 1992 Apr 27(4):317-25.

Balci NC, Semelka RC. Radiologic diagnosis and staging of pancreatic ductal adenocarcinoma. *Eur J Radiol* 2001 May 38(2):105-12.

Banerjee AK, Grainger SL, Thompson RP. Trial of low versus high osmolar contrast media in endoscopic retrograde cholangiopancreatography. *Br J Clin Pract* 1990 Nov 44(11):445-7.

Banks PA. Practice guidelines in acute pancreatitis. *Am J Gastroenterol* 1997 92(3):377-386.

Barish M, Soto J, Ferrucci J. Magnetic resonance pancreatography. *Endoscopy* 1997 Aug 29(6):487-95.

Barish MA, Ferrucci JT. MR cholangiopancreatography challenges invasive methods. *Diagn Imaging (San Franc)* 1998 Apr 20(4):32-6.

Barish MA, Yucel EK, Soto JA, et al. MR cholangiopancreatography: efficacy of three-dimensional turbo spin-echo technique. *AJR Am J Roentgenol* 1995 Aug 165(2):295-300.

Barkin JS, Goldstein JA. Diagnostic approach to pancreatic cancer. *Gastroenterol Clin North Am* 1999 Sep 28(3):709-22, xi.

Barkun AN, Barkun JS, Fried GM, et al. Useful predictors of bile duct stones in patients undergoing laparoscopic cholecystectomy. McGill Gallstone Treatment Group. *Ann Surg* 1994 Jul 220(1):32-9.

Barkun JS, Fried GM, Barkun AN, et al. Cholecystectomy without operative cholangiography. Implications for common bile duct injury and retained common bile duct stones. *Ann Surg* 1993 Sep 218(3):371-7; discussion 377-9. Comment in: *Ann Surg* 1995 Jan;221(1):117-9.

Bar-Meir S, Rotmensch S. A comparison between peroral choledochoscopy and endoscopic retrograde cholangiopancreatography. *Gastrointest Endosc* 1987 Feb 33(1):13-4.

Baron PL, Kay C, Hoffman B. Pancreatic imaging. *Surg Oncol Clin N Am* 1999 Jan 8(1):35-58.

Barr LL, Frame BC, Coulanjon A. Proposed criteria for preoperative endoscopic retrograde cholangiography in candidates for laparoscopic cholecystectomy. *Surg Endosc* 1999 Aug 13(8):778-81.

Barthet M, Affriat C, Bernard JP, et al. Is biliary lithiasis associated with pancreatographic changes? *Gut* 1995 May 36(5):761-5.

Barthet M, Portal I, Boujaoude J, et al. Endoscopic ultrasonographic diagnosis of pancreatic cancer complicating chronic pancreatitis. *Endoscopy* 1996 Aug 28(6):487-91.

Barthet M, Sahel J, Bodiou-Bertei C, et al. Endoscopic transpapillary drainage of pancreatic pseudocysts. *Gastrointest Endosc* 1995 Sep 42(3):208-13.

Barton P, Steininger R, Maier A, et al. Biliary sludge after liver transplantation: 2. Treatment with interventional techniques versus surgery and/or oral chemolysis. *AJR Am J Roentgenol* 1995 Apr 164(4):865-9.

- Bassi C, Falconi M, Caldiron E, et al. Assessment and treatment of severe pancreatitis. Protease inhibitor. *Digestion* 1999 60 Suppl 1(5-8).
- Basso N, Pizzuto G, Surgo D, et al. Laparoscopic cholecystectomy and intraoperative endoscopic sphincterotomy in the treatment of cholecysto-choledocholithiasis. *Gastrointest Endosc* 1999 Oct 50(4):532-5.
- Bastid C, Sahel J, Filho M, et al. Diameter of the main pancreatic duct in chronic calcifying pancreatitis. Measurement by ultrasonography versus pancreatography. *Pancreas* 1990 Sep 5(5):524-7.
- Beck IT. Critical review of diagnostic methods used in chronic pancreatic disease. *Can J Gastroenterol* 1995 9(1):51-60.
- Becker CD, Grossholz M, Becker M, et al. Choledocholithiasis and bile duct stenosis: diagnostic accuracy of MR cholangiopancreatography. *Radiology* 1997 Nov 205(2):523-30.
- Becker CD, Grossholz M, Mentha G, et al. MR cholangiopancreatography: technique, potential indications, and diagnostic features of benign, postoperative, and malignant conditions. *Eur Radiol* 1997 7(6):865-74.
- Beebe DS, Bubrick MP, Onstad GR, et al. Management of pancreatic pseudocysts. *Surg Gynecol Obstet* 1984 Dec 159(6):562-4.
- Benjamin IS. Surgical possibilities for bile duct cancer: standard surgical treatment. *Ann Oncol* 1999 10(Suppl 4):239-42.
- Bentz JS, Kochman ML, Faigel DO, et al. Endoscopic ultrasound-guided real-time fine needle aspiration: clinicopathologic features of 60 patients. *Diagn Cytopathol* 1998 18(2):98-109.
- Berdah SV, Orsoni P, Bege T, et al. Follow-up of selective endoscopic ultrasonography and/or endoscopic retrograde cholangiography prior to laparoscopic cholecystectomy: a prospective study of 300 patients. *Endoscopy* 2001 Mar 33(3):216-20.
- Bergamaschi R, Tuech JJ, Braconier L, et al. Selective endoscopic retrograde cholangiography prior to laparoscopic cholecystectomy for gallstones. *Am J Surg* 1999 Jul 178(1):46-9.
- Bergman JJ, Rauws EA, Fockens P, et al. Randomised trial of endoscopic balloon dilation versus endoscopic sphincterotomy for removal of bile duct stones. *Lancet* 1997 Apr 19 349(9059):1124-9.
- Bergman JJ, Tytgat GN, Huibregtse K. Endoscopic dilatation of the biliary sphincter for removal of bile duct stones: an overview of current indications and limitations. *Scand J Gastroenterol Suppl* 1998 225:59-65.
- Bergman JJ, van Berkel AM, Bruno MJ, et al. A randomized trial of endoscopic balloon dilation and endoscopic sphincterotomy for removal of bile duct stones in patients with a prior Billroth II gastrectomy. *Gastrointest Endosc* 2001 Jan 53(1):19-26.
- Bergman JJ, van Berkel AM, Bruno MJ, et al. Is endoscopic balloon dilation for removal of bile duct stones associated with an increased risk for pancreatitis or a higher rate of hyperamylasemia? *Endoscopy* 2001 May 33(5):416-20.
- Bergman JJ, van Berkel AM, Groen AK, et al. Biliary manometry, bacterial characteristics, bile composition, and histologic changes fifteen to seventeen years after endoscopic sphincterotomy. *Gastrointest Endosc* 1997 May 45(5):400-5.
- Bergman JJ, van der Mey S, Rauws EA, et al. Long-term follow-up after endoscopic sphincterotomy for bile duct stones in patients younger than 60 years of age. *Gastrointest Endosc* 1996 Dec 44(6):643-9.
- Bhutani MS, Hawes RH, Baron PL, et al. Endoscopic ultrasonography guided fine needle aspiration of malignant

pancreatic lesions. *Endoscopy* 1997 29:854-8.

Bhutani MS, Hawes RH, Baron PL, et al. Endoscopic ultrasound guided fine needle aspiration of malignant pancreatic lesions. *Endoscopy* 1997 Nov;29(9):854-8.

Bhutani MS. Endoscopic ultrasound in pancreatic diseases. Indications, limitations, and the future. *Gastroenterol Clin North Am* 1999 Sep 28(3):747-70, xi.

Bilbao MK, Dotter CT, Lee TG, et al. Complications of endoscopic retrograde cholangiopancreatography (ERCP). A study of 10,000 cases. *Gastroenterology* 1976 Mar 70(3):314-20.

Binmoeller KF, Jue P, Seifert H, et al. Endoscopic pancreatic stent drainage in chronic pancreatitis and a dominant stricture: long-term results. *Endoscopy* 1995 Nov 27(9):638-44.

Binmoeller KF, Schafer TW. Endoscopic management of bile duct stones. *J Clin Gastroenterol* 2001 Feb 32(2):106-18.

Binmoeller KF, Seifert H, Gerke H, et al. Papillary roof incision using the Erlangen-type pre-cut papillotome to achieve selective bile duct cannulation. *Gastrointest Endosc* 1996 Dec 44(6):689-95.

Birk D, Schoenberg MH, Gansauge F, et al. Carcinoma of the head of the pancreas arising from the uncinate process. *Br J Surg* 1998 Apr 85(4):498-501.

Boender J, Nix GA, de Ridder MA, et al. Endoscopic papillotomy for common bile duct stones: factors influencing the complication rate. *Endoscopy* 1994 Feb 26(2):209-16.

Boender J, Nix GA, Schutte HE, et al. Malignant common bile duct obstruction: factors influencing the success rate of endoscopic drainage. *Endoscopy* 1990 Nov 22(6):259-62.

Boraschi P, Braccini G, Gigoni R, et al. MR cholangiopancreatography: value of axial and coronal fast Spin-Echo fat-suppressed T2-weighted sequences. *Eur J Radiol* 1999 Dec 32(3):171-81.

Boraschi P, Neri E, Braccini G, et al. Choledocolithiasis: diagnostic accuracy of MR cholangiopancreatography. Three-year experience. *Magn Reson Imaging* 1999 Nov 17(9):1245-53.

Born P, Rosch T, Bruhl K, et al. Long-term outcome in patients with advanced hilar bile duct tumors undergoing palliative endoscopic or percutaneous drainage. *Z Gastroenterol* 2000 Jun 38(6):483-9.

Bornman PC, Beckingham IJ, Krige JE. Gallstone pancreatitis--a critical review of current treatment strategies. *S Afr J Surg* 2000 Dec 38(4):97-9.

Bornman PC, Harries-Jones EP, Tobias R, et al. Prospective controlled trial of transhepatic biliary endoprosthesis versus bypass surgery for incurable carcinoma of head of pancreas. *Lancet* 1986 I:69-71.

Bornman PC, Marks IN, Girdwood AH, et al. Is pancreatic duct obstruction or stricture a major cause of pain in calcific pancreatitis? *Br J Surg* 1980 Jun 67(6):425-8.

Borsch G, Wegener M, Wedmann B, et al. Clinical evaluation, ultrasound, cholescintigraphy, and endoscopic retrograde cholangiography in cholestasis. A prospective comparative clinical study. *J Clin Gastroenterol* 1988 Apr 10(2):185-90.

Bortolotti M, Caletti GC, Brocchi E, et al. Endoscopic manometry in the diagnosis of the postcholecystectomy pain syndrome. *Digestion (Digestion)* 1983 28(3):153-157.

Bose SM, Mazumdar A, Prakash V S, et al. Evaluation of the predictors of choledocholithiasis: comparative analysis of clinical, biochemical, radiological, radionuclear, and intraoperative parameters. *Surg Today* 2001

31(2):117-22.

Botoman VA, Kozarek RA, Novell LA, et al. Long-term outcome after endoscopic sphincterotomy in patients with biliary colic and suspected sphincter of Oddi dysfunction. *Gastrointest Endosc* 1994 Mar-Apr 40(2 Pt 1):165-70.

Bottger T, Engelman R, Seifert JK, et al. Preoperative diagnostics in pancreatic carcinoma: would less be better? *Langenbecks Arch Surg* 1998 Aug 383(3-4):243-8.

Bottger TC, Boddin J, Duber C, et al. Diagnosing and staging of pancreatic carcinoma-what is necessary? *Oncology* 1998 Mar-Apr 55(2):122-9.

Bozkurt T, Braun U, Leferink S, et al. Comparison of pancreatic morphology and exocrine functional impairment in patients with chronic pancreatitis. *Gut* 1994 Aug 35(8):1132-6.

Bozkurt T, Orth KH, Butsch B, et al. Long-term clinical outcome of post-cholecystectomy patients with biliary-type pain: results of manometry, non-invasive techniques and endoscopic sphincterotomy. *Eur J Gastroenterol Hepatol* 1996 Mar 8(3):245-9.

Branch S. ERCP-induced pancreatitis. *Curr Treat Options Gastroenterol* 2000 Oct 3(5):363-370.

Brand B, Wiese L, Thonke F, et al. Outcome of endoscopic sphincterotomy in patients with pain of suspected biliary or papillary origin and inconclusive cholangiography findings. *Endoscopy* 2001 May 33(5):405-8.

Brand RE, Matamoros A. Imaging techniques in the evaluation of adenocarcinoma of the pancreas. *Dig Dis* 1998 Jul-Aug 16(4):242-52.

Brandabur JJ, Kozarek RA, Ball TJ, et al. Nonoperative versus operative treatment of obstructive jaundice in pancreatic cancer: cost and survival analysis. *Am J Gastroenterol* 1988 Oct 83(10):1132-9.

Brandwein SL, Farrell JJ, Centeno BA, et al. Detection and tumor staging of malignancy in cystic, intraductal, and solid tumors of the pancreas by EUS. *Gastrointest Endosc* 2001 Jun 53(7):722-727.

Bret PM, Reinhold C, Taourel P, et al. Pancreas divisum: evaluation with MR cholangiopancreatography. *Radiology* 1996 Apr 199(1):99-103.

Broughan TA, Sivak MV, Hermann RE. The management of retained and recurrent bile duct stones. *Surgery* 1985 Oct 98(4):746-51.

Buffet C, Fourre C, Altman C, et al. Bile levels of carcino-embryonic antigen in patients with hepatopancreatobiliary disease. *Eur J Gastroenterol Hepatol* 1996 Feb 8(2):131-4.

Bulkin AJ, Tebyani N, Dorazio RA. Gallstone pancreatitis in the era of laparoscopic cholecystectomy. *Am Surg* 1997 Oct 63(10):900-3.

Burtin P, Palazzo L, Canard JM, et al. Diagnostic strategies for extrahepatic cholestasis of indefinite origin: endoscopic ultrasonography or retrograde cholangiography? Results of a prospective study. *Endoscopy* 1997 Jun 29(5):349-55.

Buscail L, Escourrou J, Moreau J, et al. Endoscopic ultrasonography in chronic pancreatitis: a comparative prospective study with conventional ultrasonography, computed tomography, and ERCP. *Pancreas* 1995 Apr 10(3):251-7.

Buscarini E, Buscarini L. The role of endosonography in the diagnosis of choledocholithiasis. *Eur J Ultrasound* 1999 Nov 10(2-3):117-25.

Caletti G, Fusaroli P, Bocus P. Endoscopic ultrasonography. *Digestion* 1998 Aug 59(5):509-29.

Calvo MM, Calderon A, Heras I, et al. Magnetic resonance study of the pancreatic duct. *Rev Esp Enferm Dig* 1999 Apr 91(4):287-96.

Canto MI, Chak A, Stellato T, et al. Endoscopic ultrasonography versus cholangiography for the diagnosis of choledocholithiasis. *Gastrointest Endosc* 1998 Jun 47(6):439-48.

Carlson GL, Rhodes M, Stock S, et al. Role of endoscopic retrograde cholangiopancreatography in the investigation of pain after cholecystectomy. *Br J Surg* 1992 Dec 79(12):1342-5.

Caroli-Bosc FX, Montet JC, Salmon L, et al. Effect of endoscopic sphincterotomy on bile lithogenicity in patients with gallbladder in situ. *Endoscopy* 1999 Aug 31(6):437-41.

Carr-Locke DL, Conn MI, Faigel DO, et al. Technology status evaluation: Magnetic resonance cholangiopancreatography. *Gastrointest Endosc* 1999 49(6):858-860.

Carr-Locke DL. Post-cholecystectomy symptoms and manometric data. *Ital J Gastroenterol* 1989 21(3):183-186.

Carroll BJ, Phillips EH, Rosenthal R, et al. One hundred consecutive laparoscopic cholangiograms. Results and conclusions. *Surg Endosc* 1996 Mar 10(3):319-23.

Catalano MF, Lahoti S, Alcocer E, et al. Dynamic imaging of the pancreas using real-time endoscopic ultrasonography with secretin stimulation. *Gastrointest Endosc* 1998 Dec 48(6):580-7.

Catalano MF, Lahoti S, Geenen JE, et al. Prospective evaluation of endoscopic ultrasonography, endoscopic retrograde pancreatography, and secretin test in the diagnosis of chronic pancreatitis. *Gastrointest Endosc* 1998 Jul 48(1):11-7.

Cavina E, Franceschi M, Sidoti F, et al. Laparo-endoscopic "rendezvous": a new technique in the choledocholithiasis treatment. *Hepatogastroenterology* 1998 Sep-Oct 45(23):1430-5.

Cellier C, Cuillierier E, Palazzo L, et al. Intraductal papillary and mucinous tumors of the pancreas: accuracy of preoperative computed tomography, endoscopic retrograde pancreatography and endoscopic ultrasonography, and long-term outcome in a large surgical series. *Gastrointest Endosc* 1998 Jan 47(1):42-9.

Chak A, Hawes RH, Cooper GS, et al. Prospective assessment of the utility of EUS in the evaluation of gallstone pancreatitis. *Gastrointest Endosc* 1999 May 49(5):599-604.

Chalmers AG. The role of imaging in acute pancreatitis. *Eur J Gastroenterol Hepatol* 1997 Feb 9(2):106-16.

Chan AC, Chung SC, Wyman A, et al. Selective use of preoperative endoscopic retrograde cholangiopancreatography in laparoscopic cholecystectomy. *Gastrointest Endosc* 1996 Mar 43(3):212-5.

Chan YL, Chan AC, Lam WW, et al. Choledocholithiasis: comparison of MR cholangiography and endoscopic retrograde cholangiography. *Radiology* 1996 Jul 200(1):85-9.

Chang KJ, Katz KD, Durbin TE, et al. Endoscopic ultrasound-guided fine-needle aspiration. *Gastrointest Endosc* 1994 40(6):694-9.

Chang KJ, Nguyen P, Erickson RA, et al. The clinical utility of endoscopic ultrasound-guided fine-needle aspiration in the diagnosis and staging of pancreatic carcinoma. *Gastrointest Endosc* 1997 May 45(5):387-93.

Chang L, Lo S, Stabile BE, et al. Preoperative versus postoperative endoscopic retrograde cholangiopancreatography in mild to moderate gallstone pancreatitis: a prospective randomized trial. *Ann Surg* 2000 Jan 231(1):82-7.

- Chang L, Lo SK, Stabile BE, et al. Gallstone pancreatitis: a prospective study on the incidence of cholangitis and clinical predictors of retained common bile duct stones. *Am J Gastroenterol* 1998 Apr 93(4):527-31. Comment in: *Am J Gastroenterol*. 1998 Apr;93(4):493-6.
- Chang WH, Kortan P, Haber GB. Outcome in patients with bifurcation tumors who undergo unilateral versus bilateral hepatic duct drainage. *Gastrointest Endosc* 1998 May 47(5):354-62.
- Changchien CS, Chuah SK, Chiu KW. Is ERCP necessary for symptomatic gallbladder stone patients before laparoscopic cholecystectomy? *Am J Gastroenterol* 1995 Dec 90(12):2124-7.
- Chang-Chien CS. Do juxtapapillary diverticula of the duodenum interfere with cannulation at endoscopic retrograde cholangiopancreatography? A prospective study. *Gastrointest Endosc* 1987 Aug 33(4):298-300.
- Chari ST, DiMagno EP. Chronic pancreatitis. *Curr Opin Gastroenterol* 1999 15(5):398-403.
- Chen Yang K, Abdulian John D, Escalante-Glorsky Susana, et al. Clinical outcome of post-ERCP pancreatitis: Relationship to history of previous pancreatitis. *American Journal of Gastroenterology* 1995 90(12):2120-2123.
- Chen YK, Foliente RL, Santoror MJ, et al. Endoscopic sphincterotomy-induced pancreatitis: increased risk associated with non dilated bile ducts and sphincter of Oddi dysfunction. *Am J Gastroenterol* 1994 89:327-333.
- Chen YK, McCarter TL, Santoro MJ, et al. Utility of endoscopic retrograde cholangiopancreatography in the evaluation of idiopathic abdominal pain. *Am J Gastroenterol* 1993 Sep 88(9):1355-8.
- Chevillotte G, Sahel J, Pietri H, et al. Acute recurrent pancreatitis associated with pancreas divisum clinical study of 12 cases. *Gastroenterol Clin Biol* 1984 8(4):352-358.
- Chopra KB, Peters RA, O'Toole PA, et al. Randomised study of endoscopic biliary endoprosthesis versus duct clearance for bile duct stones in high-risk patients. *Lancet* 1996 Sep 21 348(9030):791-3.
- Choudari CP, Sherman S, Fogel EL, et al. Success of ERCP at a referral center after a previously unsuccessful attempt. *Gastrointest Endosc* 2000 Oct 52(4):478-83.
- Choudhry U, Ruffolo T, Jamidar P, et al. Sphincter of Oddi dysfunction in patients with intact gallbladder: Therapeutic response to endoscopic sphincterotomy. *Gastrointest Endosc* 1993 39(4):492-495.
- Chrysikopoulos H, Papanikolaou N, Pappas J, et al. MR cholangiopancreatography at 0.5 T with a 3D inversion recovery turbo-spin-echo sequence. *Eur Radiol* 1997 7(8):1318-22.
- Ciriza C, Dajil S, Jimenez C, et al. Five-year analysis of endoscopic retrograde cholangiopancreatography in the Hospital del Bierzo. *Rev Esp Enferm Dig* 1999 Oct 91(10):693-702.
- Clair DG, Carr-Locke DL, Becker JM, et al. Routine cholangiography is not warranted during laparoscopic cholecystectomy. *Arch Surg* 1993 May 128(5):551-4.
- Clarke BD, Lehman GA. "Cloggology" revisited: endoscopic or surgical decompression of malignant biliary obstruction. *Am J Gastroenterol* 1990 Nov 85(11):1533-4.
- Coakley FV, Schwartz LH. Magnetic resonance cholangiopancreatography. *J Magn Reson Imaging* 1999 Feb 9(2):157-62.
- Cochrane Methods Working Group on Systematic Review of Screening and Diagnostic Tests: Recommended Methods. Available online at <http://www.cochrane.org/cochrane/sadt.doc1.htm>; updated 6 June 1996.
- Concato J, Feinstein AR, Holford TR. The risk of determining risk with multivariable models. *Ann Intern Med* 1993 118:201-210.

- Conio M, Demarquay JF, De Luca L, et al. Endoscopic treatment of pancreatobiliary malignancies. *Crit Rev Oncol Hematol* 2001 Feb;37(2):127-35.
- Contractor QQ, Boujemla M, Contractor TQ, et al. Abnormal common bile duct sonography. The best predictor of choledocholithiasis before laparoscopic cholecystectomy. *J Clin Gastroenterol* 1997 Sep 25(2):429-32.
- Cooperman M, Ferrara JJ, Carey LC, et al. Endoscopic retrograde cholangiopancreatography. Its use in the evaluation of nonjaundiced patients with the postcholecystectomy syndrome. *Arch Surg* 1981 May 116(5):606-9.
- Cooperman M, Ferrara JJ, Carey LC, et al. Idiopathic acute pancreatitis: the value of endoscopic retrograde cholangiopancreatography. *Surgery* 1981 Oct 90(4):666-70.
- Coppola R, Riccioni ME, Ciletti S, et al. Analysis of complications of endoscopic sphincterotomy for biliary stones in a consecutive series of 546 patients. *Surg Endosc* 1997 Feb 11(2):129-32.
- Corazziari E, Cicala M, Habib FI. Hepatoduodenal bile transit in cholecystectomized subjects - relationship with sphincter of Oddi function and diagnostic value. *Dig Dis Sci* 1994 39:1985-93.
- Corazziari E, Shaffer EA, Hogan WJ, et al. Functional disorders of the biliary tract and pancreas. *Gut* 1999 Sep 45 (Suppl 2):II48-54.
- Cortas GA, Mehta SN, Abraham NS, et al. Selective cannulation of the common bile duct: a prospective randomized trial comparing standard catheters with sphincterotomes. *Gastrointest Endosc* 1999 Dec 50(6):775-9.
- Cotton PB, Lehman G, Vennes J, et al. Endoscopic sphincterotomy complications and their management: an attempt at consensus. *Gastrointest Endosc* 1991 May-Jun 37(3):383-93.
- Cremer M, Deviere J, Delhay M, et al. Stenting in severe chronic pancreatitis: results of medium-term follow-up in seventy-six patients. *Endoscopy* 1991 May 23(3):171-6.
- Cremer M, Deviere J, Dumonceau JM, et al. Endoscopic management of chronic pancreatitis. *Dig Surg* 11(3-6):290-299.
- Cuschieri A, Croce E, Faggioni A, et al. EAES ductal stone study. Preliminary findings of multi-center prospective randomized trial comparing two-stage vs single-stage management. *Surg Endosc* 1996 Dec 10(12):1130-5.
- Cuschieri A, Lezoche E, Morino M, et al. E.A.E.S. multicenter prospective randomized trial comparing two-stage vs single-stage management of patients with gallstone disease and ductal calculi. *Surg Endosc* 1999 Oct 13(10):952-7.
- Dancygier H, Nattermann C. The role of endoscopic ultrasonography in biliary tract disease: obstructive jaundice. *Endoscopy* 1994 Nov 26(9):800-2.
- Daradkeh S, Shennak M, Abu-Khalaf M. Selective use of perioperative ERCP in patients undergoing laparoscopic cholecystectomy. *Hepatogastroenterology* 2000 Sep 47(35):1213-5.
- Darweesh RM, Dodds WJ, Hogan WJ, et al. Efficacy of quantitative hepatobiliary scintigraphy and fatty-meal sonography for evaluating patients with suspected partial common duct obstruction. *Gastroenterology* 1988 Mar 94(3):779-86.
- Davids PH, Groen AK, Rauws EA, et al. Randomised trial of self-expanding metal stents versus polyethylene stents for distal malignant biliary obstruction. *Lancet* 1992 Dec 19-26 340(8834-8835):1488-92.
- Davids PHP, Tanka AKF, Rauws EAJ, et al. Benign biliary strictures: Surgery or endoscopy? *Ann Surg* 1993 217(3):237-243.

- Davidson B, Varsamidakis N, Dooley J, et al. Value of exfoliative cytology for investigating bile duct strictures. *Gut* 1992 Oct 33(10):1408-11.
- Davis WZ, Cotton PB, Arias R, et al. ERCP and sphincterotomy in the context of laparoscopic cholecystectomy: academic and community practice patterns and results. *Am J Gastroenterol* 1997 Apr 92(4):597-601.
- de Ledingen V, Lecesne R, Raymond JM, et al. Diagnosis of choledocholithiasis: EUS or magnetic resonance cholangiography? A prospective controlled study. *Gastrointest Endosc* 1999 Jan 49(1):26-31.
- de Peralta-Venturina MN, Wong DK, Purslow MJ, et al. Biliary tract cytology in specimens obtained by direct cholangiographic procedures: a study of 74 cases. *Diagn Cytopathol* 1996 Jun 14(4):334-48.
- De Waele B, Peterson T, Smekens L, et al. Common bile duct stones in acute biliary pancreatitis: an endoscopic study. *Surg Laparosc Endosc* 1997 Jun 7(3):248-50.
- Deans GT, Sedman P, Martin DF, et al. Are complications of endoscopic sphincterotomy age related? *Gut* 1997 Oct 41(4):545-8.
- Del Favero G, Fabris C, Angonese C, et al. Cytology in the diagnosis of pancreatic cancer. *Int J Pancreatol* 1988 3 (Suppl 1):S137-41.
- Delhay M, Vandermeeren A, Baize M, et al. Extracorporeal shock-wave lithotripsy of pancreatic calculi. *Gastroenterology* 1992 Feb 102(2):610-20.
- Demarquay JF, Dumas R, Buckley MJ, et al. Endoscopic retrograde cholangiopancreatography in patients with Billroth II gastrectomy. *Ital J Gastroenterol Hepatol* 1998 Jun 30(3):297-300.
- Demartines N, Eisner L, Schnabel K, et al. Evaluation of magnetic resonance cholangiography in the management of bile duct stones. *Arch Surg* 2000 Feb 135(2):148-52.
- DePalma GD, Galloro G, Iovino P et al. Unilateral versus bilateral endoscopic hepatic duct drainage in patients with malignant hilar biliary obstruction. Results of a prospective, randomized, and controlled study. *Gastrointest Endosc* 2001 53:547-53.
- Deprez P. Approach of suspected common bile duct stones: endoscopic ultrasonography. *Acta Gastroenterol Belg* 2000 Jul-Sep 63(3):295-8.
- Desa LA, Williamson RC. On-table pancreatography: importance in planning operative strategy. *Br J Surg* 1990 Oct 77(10):1145-50.
- Devereaux CE, Binmoeller KF. Endoscopic retrograde cholangiopancreatography in the next millennium. *Gastrointest Endosc Clin N Am* 2000 Jan 10(1):117-33, vii.
- Devriere J, Baize M, Buset M, et al. Complications of internal endoscopic biliary drainage. *Acta Endoscopica* 1986 16(19-29).
- Devriere J, Baize M, de Toeuf J, et al. Long-term follow-up of patients with hilar malignant stricture treated by endoscopic internal biliary drainage. *Gastrointest Endosc* 1988 Mar-Apr 34(2):95-101.
- Dickinson RJ, Davies S. Post-ERCP pancreatitis and hyperamylasaemia: the role of operative and patient factors. *Eur J Gastroenterol Hepatol* 1998 May 10(5):423-8.
- Diederichs CG, Staib L, Vogel J, et al. Values and limitations of 18F-fluorodeoxyglucose-positron-emission tomography with preoperative evaluation of patients with pancreatic masses. *Pancreas* 2000 Mar 20(2):109-16.

- Dilawari JB, Kataria S, Rao PN, et al. Endoscopic retrograde cholangio pancreatography and percutaneous transhepatic cholangiography in obstructive jaundice. *Indian J Med Res* 1982 75(Feb):287-293.
- DiMagno EP, Malagelada JR, Taylor WF, et al. A prospective comparison of current diagnostic tests for pancreatic cancer. *N Engl J Med* 1977 Oct 6 297(14):737-42.
- DiMagno EP. Toward understanding (and management) of painful chronic pancreatitis. *Gastroenterology* 1999 116(5):1252-7.
- DiSario JA, Freeman ML, Bjorkman DJ, et al. Endoscopic balloon dilatation vs. sphincterotomy (EDES) for bile duct stones removal. *Digestion* 1998 59(Suppl 3):26.
- Dixit VK, Jain AK, Agrawal AK, et al. Obstructive jaundice--a diagnostic appraisal. *J Assoc Physicians India* 1993 Apr 41(4):200-2.
- Dorman JP, Franklin ME, Glass JL. Laparoscopic common bile duct exploration by choledochotomy. An effective and efficient method of treatment of choledocholithiasis. *Surg Endosc* 1998 Jul 12(7):926-8.
- Dowsett JF, Williams SJ, Hatfield ARW, et al. Does stent diameter matter in the endoscopic palliation of malignant biliary obstruction: a randomized trial of 10 FG versus 12 FG endoprotheses. *Gastroenterology* 1989 96:A128.
- Drugova B, Balas V, Horacek F, et al. Comparison of efficiency of pharmacoangiography and other investigative methods (endoscopic retrograde cholangiopancreatography, computer tomography, ultrasound) in the diagnosis of pancreatic tumors. *Acta Univ Carol Med* 1984 30(7-8):545-564.
- Ducreux M, Liguory C, Lefebvre JF, et al. Management of malignant hilar biliary obstruction by endoscopy. Results and prognostic factors. *Dig Dis Sci* 1992 May 37(5):778-83.
- Duensing RA, Williams RA, Collins JC, et al. Managing choledocholithiasis in the laparoscopic era. *Am J Surg* 1995 Dec 170(6):619-23.
- Dumonceau JM, Deviere J, Le Moine O, et al. Endoscopic pancreatic drainage in chronic pancreatitis associated with ductal stones: long-term results. *Gastrointest Endosc* 1996 Jun 43(6):547-55.
- Duvnjak M, Rotkvic I, Vucelic B, et al. The value of pancreatic pseudocyst amylase concentration in the detection of pseudocyst communication with the pancreatic duct. *Am J Gastroenterol* 1991 May 86(5):595-8.
- Dwerryhouse SJ, Brown E, Vipond MN. Prospective evaluation of magnetic resonance cholangiography to detect common bile duct stones before laparoscopic cholecystectomy. *Br J Surg* 1998 Oct 85(10):1364-6.
- Earnshaw JJ, Hayter JT, Teastale C, et al. Should endoscopic stenting be the initial treatment of malignant biliary obstruction? *Ann R Coll Surg Engl* 1992 74:338-41.
- Edmundowicz SA. Common bile duct stones. *Gastrointest Endosc Clin N Am* 1995 Oct 5(4):817-24.
- Eisen GM, Chutkan R, Goldstein JL, et al. Endoscopic therapy of chronic pancreatitis. *Gastrointest Endosc* 2000 52:843-8.
- Elias E, Hamlyn AN, Jain S, et al. A randomized trial of percutaneous transhepatic cholangiography with the Chiba needle versus endoscopic retrograde cholangiography for bile duct visualization in jaundice. *Gastroenterology* 1976 Sep 71(3):439-43.
- Ell C, Rabenstein T, Schneider HT, et al. Safety and efficacy of pancreatic sphincterotomy in chronic pancreatitis. *Gastrointest Endosc* 1998 Sep 48(3):244-9.
- Elta GH, Barnett JL, Wille RT, et al. Pure cut electrocautery current for sphincterotomy causes less post-procedure

pancreatitis than blended current. *Gastrointest Endosc* 1998 Feb 47(2):149-53.

Elton E, Howell DA, Parsons WG, et al. Endoscopic pancreatic sphincterotomy: indications, outcome, and a safe stentless technique. *Gastrointest Endosc* 1998 Mar 47(3):240-9.

Endo Y, Morii T, Tamura H, et al. Cytodiagnosis of pancreatic malignant tumors by aspiration, under direct vision, using a duodenal fibroscope. *Gastroenterology* 1974 67(5):944-951.

England RE, Martin DF. Endoscopic and percutaneous intervention in malignant obstructive jaundice. *Cardiovasc Intervent Radiol* 1996 Nov-Dec 19(6):381-7.

Enns R, Baillie J. Review article: the treatment of acute biliary pancreatitis. *Aliment Pharmacol Ther* 1999 Nov 13(11):1379-89.

Erickson RA, Garza AA. EUS with EUS-guided fine-needle aspiration as the first endoscopic test for the evaluation of obstructive jaundice. *Gastrointest Endosc* 2001 Apr 53(4):475-84.

Esber EJ, Sherman S. The interface of endoscopic retrograde cholangiopancreatography and laparoscopic cholecystectomy. *Gastrointest Endosc Clin N Am* 1996 Jan 6(1):57-80.

Eversman D, Fogel EL, Rusche M, et al. Frequency of abnormal pancreatic and biliary sphincter manometry compared with clinical suspicion of sphincter of Oddi dysfunction. *Gastrointest Endosc* 1999 Nov 50(5):637-41.

Falkenstein DB, Riccobono C, Sidhu G, et al. The endoscopic intrahepatic cholangiogram. Clinicopathologic correlation with postmortem cholangiograms. *Invest Radiol* 1975 Jul-Aug 10(4):358-65.

Fan ST, Lai EC, Mok FP, et al. Early treatment of acute biliary pancreatitis by endoscopic papillotomy. *N Engl J Med* 1993 Jan 28 328(4):228-32.

Fanelli RD, Gersin KS. Laparoscopic endobiliary stenting: a simplified approach to the management of occult common bile duct stones. *J Gastrointest Surg* 2001 Jan-Feb 5(1):74-80.

Fanning NF, Horgan PG, Keane FB. Evolving management of common bile duct stones in the laparoscopic era. *J R Coll Surg Edinb* 1997 Dec 42(6):389-94.

Farup PG, Tjora S. Sphincter of Oddi dysfunction. Dynamic cholescintigraphy and endoscopic retrograde cholangiopancreatography with papillotomy in diagnosis, treatment, and follow-up study. *Scand J Gastroenterol* 1989 Oct 24(8):956-60.

Feinberg SB, Schreiber DR, Goodale R. Comparison of ultrasound pancreatic scanning and endoscopic retrograde cholangiopancreatograms: a retrospective study. *J Clin Ultrasound* 1977 Apr 5(2):96-100.

Feller ER. Endoscopic retrograde cholangiopancreatography in the diagnosis of unexplained pancreatitis. *Arch Intern Med* 1984 Sep 144(9):1797-9.

Ferrari Jr AP, Lichtenstein DR, Slivka A, et al. Brush cytology during ERCP for the diagnosis of biliary and pancreatic malignancies. *Gastrointest Endosc* 1994 Mar-Apr 40(2 Pt 1):140-5.

Ferrucci JT. MRI and MRCP in pancreaticobiliary malignancy. *Ann Oncol* 1999 10 Suppl 4:18-9.

Festen C, Severijnen R, vd Staak F, et al. Chronic relapsing pancreatitis in childhood. *J Pediatr Surg* 1991 Feb;26(2):182-3.

Fiore NF, Ledniczky G, Wiebke EA, et al. An analysis of perioperative cholangiography in one thousand laparoscopic cholecystectomies. *Surgery* 1997 Oct 122(4):817-21.

- Fleischmann D, Ringl H, Schofl R, et al. Three-dimensional spiral CT cholangiography in patients with suspected obstructive biliary disease: comparison with endoscopic retrograde cholangiography. *Radiology* 1996 Mar 198(3):861-8.
- Fletcher DR, Hurley RA, Hardy KJ. The effect of selective therapy on malignant obstructive jaundice. *Med J Aust* 1989 Nov 20 151(10):560-4.
- Fockens P, Johnson TG, van Dullemen HM, et al. Endosonographic imaging of pancreatic pseudocysts before endoscopic transmural drainage. *Gastrointest Endosc* 1997 Nov 46(5):412-6.
- Foley WD, Stewart ET, Lawson TL, et al. Computed tomography, ultrasonography, and endoscopic retrograde cholangiopancreatography in the diagnosis of pancreatic disease: a comparative study. *Gastrointest Radiol* 1980 Feb 1 5(1):29-35.
- Folsch UR, Nitsche R, Ludtke R, et al. Early ERCP and papillotomy compared with conservative treatment for acute biliary pancreatitis. The German Study Group on Acute Biliary Pancreatitis. *N Engl J Med* 1997 Jan 23 336(4):237-42.
- Foutch PG, Kerr DM, Harlan JR, et al. A prospective, controlled analysis of endoscopic cytotechniques for diagnosis of malignant biliary strictures. *Am J Gastroenterol* 1991 May 86(5):577-80.
- Foutch PG. A prospective assessment of results for needle-knife papillotomy and standard endoscopic sphincterotomy. *Gastrointest Endosc* 1995 Jan 41(1):25-32.
- Franceschi D, Brandt C, Margolin D, et al. The management of common bile duct stones in patients undergoing laparoscopic cholecystectomy. *Am Surg* 1993 Aug 59(8):525-32.
- Frederic N, Deltenre M, d'Hondt M, et al. Comparative study of ultrasound and ERCP in the diagnosis of hepatic, biliary and pancreatic diseases: a prospective study based on a continuous series of 424 patients. *Eur J Radiol* 1983 Aug 3(3):208-11.
- Freeman M, DiSario JA, Nelson DB, et al. Risk factors for post-ERCP pancreatitis: a prospective, multicenter study. *Gastrointest Endosc* 2001 Oct;54(4):425-34.
- Freeman ML. Complications of endoscopic biliary sphincterotomy: a review. *Endoscopy* 1997 May 29(4):288-97.
- Freeman ML. Outcome assessment for endoscopic retrograde cholangiopancreatography. *Clin Perspect Gastroenterol* 2000 3(3):143-149.
- Freeman ML. Procedure-specific outcomes assessment for endoscopic retrograde cholangiopancreatography. *Gastrointest Endosc Clin N Am* 1999 Oct 9(4):639-47, vii.
- Freeman ML. Toward improving outcomes of ERCP: Endoscopist's experience: Does it make a difference? *Gastrointest Endosc* 1998 48(1):96-102.
- Freeman ML, Nelson DB, Sherman S, et al. Complications of endoscopic biliary sphincterotomy. *N Engl J Med* 1996 Sep 26 335(13):909-18.
- Freeman ML, Nelson DB, Sherman S, et al. Same-day discharge after endoscopic biliary sphincterotomy: observations from a prospective multicenter complication study. The Multicenter Endoscopic Sphincterotomy (MESH) Study Group. *Gastrointest Endosc* 1999 May 49(5):580-6.
- Freeny PC, Ball TJ. Endoscopic retrograde cholangiopancreatography (ERCP) and percutaneous transhepatic cholangiography (PTC) in the evaluation of suspected pancreatic carcinoma: diagnostic limitations and contemporary roles. *Cancer* 1981 Mar 15 47(6 Suppl):1666-78.

- Frey CF, Burbige EJ, Meinke WB, et al. Endoscopic retrograde cholangiopancreatography. *Am J Surg* 1982 Jul 144(1):109-14.
- Frick MP, O'Leary JF, Walker Jr HC, et al. Accuracy of endoscopic retrograde cholangiopancreatography (ERCP) in differentiating benign and malignant pancreatic disease. *Gastrointest Radiol* 1982 7(3):241-244.
- Froeschle G, Meyer-Pannwitt U, Brueckner M, et al. A comparison between surgical, endoscopic and percutaneous management of pancreatic pseudocysts--long term results. *Acta Chir Belg* 1993 May-Jun 93(3):102-6.
- Frossard JL, Hadengue A, Amouyal G, et al. Choledocholithiasis: a prospective study of spontaneous common bile duct stone migration. *Gastrointest Endosc* 2000 Feb 51(2):175-9.
- Frossard JL, Sosa-Valencia L, Amouyal G, et al. Usefulness of endoscopic ultrasonography in patients with "idiopathic" acute pancreatitis. *Am J Med* 2000 Aug 15 109(3):196-200.
- Fuji T, Amano H, Ohmura R, et al. Endoscopic pancreatic sphincterotomy--technique and evaluation. *Endoscopy* 1989 Jan;21(1):27-30.
- Fulcher AS, Turner MA, Capps GW, et al. Half-Fourier RARE MR cholangiopancreatography: experience in 300 subjects. *Radiology* 1998 Apr 207(1):21-32.
- Fulcher AS, Turner MA, Capps GW. MR cholangiography: technical advances and clinical applications. *Radiographics* 1999 Jan-Feb 19(1):25-41.
- Fulcher AS, Turner MA, Franklin KJ, et al. Primary sclerosing cholangitis: evaluation with MR cholangiography-a case-control study. *Radiology* 2000 Apr 215(1):71-80.
- Fullarton GM, Allan A, Hilditch T, et al. Quantitative 99mTc-DISIDA scanning and endoscopic biliary manometry in sphincter of Oddi dysfunction. *Gut* 1988 29(10):1397-1401.
- Fullarton GM, Murray WR. Evaluation of endoscopic sphincterotomy in sphincter of Oddi dysfunction. *Endoscopy* 1992 24:199-202.
- Furukawa T, Tsukamoto Y, Naitoh Y, et al. Differential diagnosis between benign and malignant localized stenosis of the main pancreatic duct by intraductal ultrasound of the pancreas. *Am J Gastroenterol* 1994 Nov 89(11):2038-41.
- Furukawa T, Tsukamoto Y, Naitoh Y, et al. Differential diagnosis of pancreatic diseases with an intraductal ultrasound system. *Gastrointest Endosc* 1994 Mar-Apr 40(2 Pt 1):213-9.
- Furukawa T, Tsukamoto Y, Naitoh Y, et al. Evaluation of intraductal ultrasonography in the diagnosis of pancreatic cancer. *Endoscopy* 1993 Nov 25(9):577-81.
- Gagnon P, Boustiere C, Ponchon T, et al. Percutaneous fine-needle aspiration cytologic study of main pancreatic duct stenosis under pancreatographic guidance. *Cancer* 1991 May 1 67(9):2395-400.
- Geenen JE, Hogan WJ, Dodds WJ, et al. The efficacy of endoscopic sphincterotomy after cholecystectomy in patients with sphincter-of-Oddi dysfunction. *N Engl J Med* 1989 Jan 12 320(2):82-7.
- Geenen JE, Vennes JA, Silvis SE. Resume of a seminar on endoscopic retrograde sphincterotomy (ERS). *Gastrointest Endosc* 1981 Feb 27(1):31-8.
- Georgopoulos SK, Schwartz LH, Jarnagin WR, et al. Comparison of magnetic resonance and endoscopic retrograde cholangiopancreatography in malignant pancreaticobiliary obstruction. *Arch Surg* 1999 Sep 134(9):1002-7.
- Gholson CF, Favrot D, Vickers B, et al. Delayed hemorrhage following endoscopic retrograde sphincterotomy for

choledocholithiasis. *Dig Dis Sci* 1996 May 41(5):831-4.

Gibbons JC, Williams SJ. Progress in the endoscopic management of benign biliary strictures. *J Gastroenterol Hepatol* 1998 Feb 13(2):116-24.

Gigot JF. Actual management of common bile duct stones: a continuous evolving approach. *Ann Ital Chir* 1998 Nov-Dec 69(6):741-50.

Gilinsky NH, Bornman PC, Girdwood AH, et al. Diagnostic yield of endoscopic retrograde cholangiopancreatography in carcinoma of the pancreas. *Br J Surg* 1986 Jul 73(7):539-43.

Gillams A, Cheslyn-Curtis S, Russell RC, et al. Can cholangiography be safely abandoned in laparoscopic cholecystectomy? *Ann R Coll Surg Engl* 1992 Jul 74(4):248-51.

Gilmore IT, Pemberton J, Thompson RPH. Retrograde cholangiopancreatography in the diagnosis of carcinoma of the pancreas. *Gastrointest Endosc* 1982 28(2):77-78.

Giovannini M, Seitz JF. Endoscopic ultrasonography with a linear-type echoendoscope in the evaluation of 94 patients with pancreatobiliary disease. *Endoscopy* 1994 Sep 26(7):579-85.

Glasbrenner B, Ardan M, Boeck W, et al. Prospective evaluation of brush cytology of biliary strictures during endoscopic retrograde cholangiopancreatography. *Endoscopy* 1999 Nov 31(9):712-7.

Glasbrenner B, Schwarz M, Pauls S, et al. Prospective comparison of endoscopic ultrasound and endoscopic retrograde cholangiopancreatography in the preoperative assessment of masses in the pancreatic head. *Dig Surg* 2000 17(5):468-74.

Glatli A, Stain SC, Baer HU, et al. Unresectable malignant biliary obstruction: treatment by self-expandable biliary endoprosthesis. *HTB Surg* 1993 6:175-84.

Gmelin E, Weiss HD. Tumours in the region of the papilla of Vater. Diagnosis via endoscopy, biopsy, brush cytology, ERPC and CT-scan. *Eur J Radiol* 1981 Nov 1(4):301-6.

Go VL, Taylor WF, DiMagno EP. Efforts at early diagnosis of pancreatic cancer: the Mayo Clinic Experience. *Cancer* 1981 Mar 15 47(6 Suppl):1698-705.

Godil A, Chen YK. Endoscopic management of benign pancreatic disease. *Pancreas* 2000 20(1):1-13.

Goff JS. Common bile duct sphincter of Oddi stenting in patients with suspected sphincter dysfunction. *Am J Gastroenterol* 1995 90:586-9.

Goldberg HI, Gordon R. Diagnostic and interventional procedures for the biliary tract. *Curr Opin Radiol* 1991 Jun 3(3):453-62.

Goldberg HI. Imaging of the biliary tract. *Curr Opin Radiol* 1992 Jun 4(3):62-9.

Golub R, Cantu R, Tan M. The prediction of common bile duct stones using a neural network. *J Am Coll Surg* 1998 Dec 187(6):584-90.

Goodale RL, Condie RM, Gajl-Peczalska K, et al. Clinical and secretory differences in pancreatic cancer and chronic pancreatitis. *Ann Surg* 1981 Aug 194(2):193-8.

Goodale RL, Gajl-Peczalska K, Dressel T, et al. Cytologic studies for the diagnosis of pancreatic cancer. *Cancer* 1981 Mar 15 47(6 Suppl):1652-5.

Goodman AJ, Neoptolemos JP, Carr-Locke DL, et al. Detection of gall stones after acute pancreatitis. *Gut* 1985

Feb 26(2):125-32.

Gorelick AB, Scheiman JM, Fendrick AM. Identification of patients with resectable pancreatic cancer: at what stage are we? *Am J Gastroenterol* 1998 Oct 93(10):1995-6.

Gorgul A, Kayhan B, Menten BB, et al. The comparison of the effect of somatostatin and SMS 201-995 on enzyme change following endoscopic retrograde cholangiopancreatography. *Gazi Med J* 1998 9(1):9-13.

Gottlieb K, Sherman S. ERCP and biliary endoscopic sphincterotomy-induced pancreatitis. *Gastrointest Endosc Clin N Am* 1998 Jan 8(1):87-114.

Grace PA, Williamson RCN. Modern management of pancreatic pseudocysts. *Br J Surg* 1993 80(May):573-581.

Graham SM, Flowers JL, Scott TR, et al. Laparoscopic cholecystectomy and common bile duct stones. The utility of planned perioperative endoscopic retrograde cholangiography and sphincterotomy: experience with 63 patients. *Ann Surg* 1993 Jul 218(1):61-7.

Granke K, Jordan FT, Mazzeo RJ, et al. Endoscopic papillotomy: impact on community hospital treatment of common duct stones. *Am Surg* 1988 Jun 54(6):347-51.

Grant TH, Efrusy ME. Ultrasound in the evaluation of chronic pancreatitis. *J Am Osteopath Assoc* 1981 81(3):183-188.

Greenberger NJ, Toskes PP, Isselbacher KJ. Acute and chronic pancreatitis. Ch. 274 In: Isselbacher KJ, Braunwald E, Wilson JD, et al., eds. *Harrison's Principles of Internal Medicine*, 13th edition. 1994 McGraw-Hill, Inc.; New York, NY: 1520-32.

Greenen JE, Rolny P. Endoscopic therapy of acute and chronic pancreatitis. *Gastrointestinal Endoscopy* 1991 37:377-382.

Greenlee RT, Hill-Harmon MB, Murray T, et al. Cancer statistics, 2001. *CA Cancer J Clin* 2001 Jan-Feb;51(1):15-36.

Gregg J, Solomon J, Clark G. Pancreas divisum and its association with choledochal sphincter stenosis. Diagnosis by endoscopic retrograde cholangiopancreatography and endoscopic biliary manometry. *Am J Surg* 1984 Mar 147(3):367-71.

Gregg JA, Clark G, Barr C, et al. Postcholecystectomy syndrome and its association with ampullary stenosis. *Am J Surg* 1980 Mar 139(3):374-8.

Gregg JA, McDonald DG. Endoscopic retrograde cholangiopancreatography and gray-scale abdominal ultrasound in the diagnosis of jaundice. *Am J Surg* 1979 May 137(5):611-5.

Gregg JA, Taddeo AE, Milano AF, et al. Duodenoscopy and endoscopic pancreatography in patients with positive morphine prostigmine tests. *Am J Surg* 1977 Sep 134(3):318-21.

Gregor JC, Ponich TP, Detsky AS. Should ERCP be routine after an episode of "idiopathic" pancreatitis? A cost-utility analysis. *Gastrointest Endosc* 1996 Aug 44(2):118-23.

Gress F, Gottlieb K, Sherman S, et al. Endoscopic ultrasonography-guided fine-needle aspiration biopsy of suspected pancreatic cancer. *Ann Intern Med* 2001 Mar 20 134(6):459-64.

Gress FG, Hawes RH, Savides TJ, et al. Endoscopic ultrasound-guided fine-needle aspiration biopsy using linear array and radial scanning endosonography. *Gastrointest Endosc* 1997 45:243-50.

Griffanti-Bartoli F, Arnone GB, Ceppa P, et al. Malignant tumors in the head of the pancreas and the periampullary

- region. Diagnostic and prognostic aspects. *Anticancer Res* 1994 Mar-Apr 14(2B):657-66.
- Grimm H, Maydeo A, Soehendra N. Endoluminal ultrasound for the diagnosis and staging of pancreatic cancer. *Baillieres Clin Gastroenterol* 1990 Dec 4(4):869-88.
- Grimm H, Meyer WH, Nam VC, et al. New modalities for treating chronic pancreatitis. *Endoscopy* 1989 Mar 21(2):70-4.
- Grimon G, Buffet C, Andre L, et al. Biliary pain in postcholecystectomy patients without biliary obstruction. A prospective radionuclide study. *Dig Dis Sci* 1991 Mar 36(3):317-20.
- Gross GW. Management of bile duct stones in the era of laparoscopic cholecystectomy. *Dig Dis* 1998 Mar-Apr 16(2):99-110.
- Gross BH, Harter LP, Gore RM, et al. Ultrasonic evaluation of common bile duct stones: prospective comparison with endoscopic retrograde cholangiopancreatography. *Radiology* 1983 Feb 146(2):471-4.
- Guelrud M. Papillary stenosis. *Endoscopy* 1988 Aug 20 Suppl 1:193-202.
- Guelrud M, Morera C, Rodriguez M, et al. Normal and anomalous pancreaticobiliary union in children and adolescents. *Gastrointest Endosc* 1999 Aug 50(2):189-93.
- Guelrud M, Morera C, Rodriguez M, et al. Sphincter of Oddi dysfunction in children with recurrent pancreatitis and anomalous pancreaticobiliary union: an etiologic concept. *Gastrointest Endosc* 1999 Aug 50(2):194-9.
- Guelrud M, Mujica C, Jaen D, et al. The role of ERCP in the diagnosis and treatment of idiopathic recurrent pancreatitis in children and adolescents. *Gastrointest Endosc* 1994 Jul-Aug;40(4):428-36.
- Guibaud L, Bret PM, Reinhold C, et al. Bile duct obstruction and choledocholithiasis: diagnosis with MR cholangiography. *Radiology* 1995 Oct 197(1):109-15.
- Gulla N, Patriti A, Patriti A, et al. Minimally invasive treatment of cholelithiasis in the elderly. *Minerva Chir* 2001 Jun 56(3):223-8.
- Guthrie CM, Haddock G, De Beaux AC, et al. Changing trends in the management of extrahepatic cholangiocarcinoma. *Br J Surg* 1993 Nov 80(11):1434-9.
- Hainsworth PJ, Rhodes M, Gompertz RH, et al. Imaging of the common bile duct in patients undergoing laparoscopic cholecystectomy. *Gut* 1994 Jul 35(7):991-5.
- Hall TJ, Blackstone MO, Cooper MJ, et al. Prospective evaluation of endoscopic retrograde cholangiopancreatography in the diagnosis of periampullary cancers. *Ann Surg* 1978 Mar 187(3):313-7.
- Hall-Craggs MA, Allen CM, Owens CM, et al. MR cholangiography: clinical evaluation in 40 cases. *Radiology* 1993 Nov 189(2):423-7.
- Halme L, Doepel M, von Numers H, et al. Complications of diagnostic and therapeutic ERCP. *Ann Chir Gynaecol* 1999 88(2):127-31.
- Hamilton I, Lintott DJ, Rothwell J, et al. Acute pancreatitis following endoscopic retrograde cholangiopancreatography. *Clin Radiol* 1983 Sep 34(5):543-6.
- Hammarstrom LE, Andersson R, Stridbeck H, et al. Influence of bile duct stones on patient features and effect of endoscopic sphincterotomy on early outcome of edematous gallstone pancreatitis. *World J Surg* 1999 Jan 23(1):12-7.

- Hammarstrom LE, Holmin T, Stridbeck H, et al. Long-term follow-up of a prospective randomized study of endoscopic versus surgical treatment of bile duct calculi in patients with gallbladder in situ. *Br J Surg* 1995 Nov 82(11):1516-21.
- Hammarstrom LE, Stridbeck H, Ihse I. Effect of endoscopic sphincterotomy and interval cholecystectomy on late outcome after gallstone pancreatitis. *Br J Surg* 1998 Mar 85(3):333-6.
- Hammarstrom LE, Stridbeck H, Ihse I. Endoscopic drainage in benign pancreatic disease: immediate and medium term outcome. *Eur J Surg* 1997 Aug 163(8):577-89.
- Hammarstrom LE, Stridbeck H, Ihse I. Factors predictive of early complications of endoscopic treatment of bile duct calculi. *Hepatogastroenterology* 1997 Sep-Oct 44(17):1246-55.
- Hansen HH, Toftgaard C, Rokkjor MJ, et al. Food-stimulated cholescintigraphy as a supplement to ERC in patients with suspected bile flow obstruction. A preliminary study. *Rontgenblatter* 1990 Nov 43(11):484-6.
- Hanssen LE, Osnes M, Myren J. Pancreatic secretion obtained by endoscopic cannulation of the main pancreatic duct and secretin release after duodenal acidification in man. *Scandinavian Journal of Gastroenterology (Scand. J. Gastroenterol.)* 1978 13(3):325-330.
- Harada H, Sasaki T, Yamamoto N, et al. Assessment of endoscopic aspiration cytology and endoscopic retrograde cholangio-pancreatography in patients with cancer of the hepato-biliary tract. Part II. *Gastroenterol Jpn* 1977 12(1):59-64.
- Harada H, Sasaki T, Yamamoto N, et al. Assessment of endoscopic aspiration cytology and endoscopic retrograde cholangi-pancreatography (ERCP) in patients with cancer of the pancreas. Part I. *Gastroenterol Jpn* 1977 12(1):52-8.
- Harada H, Tanaka J, Shundo T, et al. A diagnostic approach to inflammatory disease of the pancreas by means of endoscopic retrograde cholangio-pancreatography. *Gastroenterol Jpn* 1977 12(5):387-94.
- Harris A, Chan AC, Torres-Viera C, et al. Meta-analysis of antibiotic prophylaxis in endoscopic retrograde cholangiopancreatography (ERCP). *Endoscopy* 1999 Nov 31(9):718-24.
- Hart R, Classen M. Complications of diagnostic gastrointestinal endoscopy. *Endoscopy* 1990 Sep 22(5):229-33. Comment in: *Endoscopy*. 1991 Jul;23(4):245-6.
- Hastbacka J, Jarvinen H, Kivilaakso E, et al. Results of sphincteroplasty in patients with spastic sphincter of Oddi. Predictive value of operative biliary manometry and provocation tests. *Scand J Gastroenterol* 1986 Jun 21(5):516-20.
- Hastier P, Buckley MJ, Francois E, et al. A prospective study of pancreatic disease in patients with alcoholic cirrhosis: comparative diagnostic value of ERCP and EUS and long-term significance of isolated parenchymal abnormalities. *Gastrointest Endosc* 1999 Jun 49(6):705-9.
- Hatfield ARW, Terblanche J, Fataar S, et al. Preoperative external biliary drainage in obstructive jaundice. *Lancet* 1982 2(896-9).
- Hauer-Jensen M, Karesen R, Nygaard K, et al. Predictive ability of choledocholithiasis indicators. A prospective evaluation. *Ann Surg* 1985 Jul 202(1):64-8.
- Hauer-Jensen M, Karesen R, Nygaard K, et al. Prospective randomized study of routine intraoperative cholangiography during open cholecystectomy: long-term follow-up and multivariate analysis of predictors of choledocholithiasis. *Surgery* 1993 Mar 113(3):318-23.
- Hawasli A, Lloyd L, Cacucci B. Management of choledocholithiasis in the era of laparoscopic surgery. *Am Surg*

2000 May 66(5):425-30.

Hawasli A, Lloyd L, Pozios V, et al. The role of endoscopic retrograde cholangio-pancreatogram in laparoscopic cholecystectomy. *Am Surg* 1993 May 59(5):285-8.

Hawes RH, Zaidi S. Endoscopic ultrasonography of the pancreas. *Gastrointest Endosc Clin N Am* 1995 Jan 5(1):61-80.

He X, Zheng C, Zhang Z, et al. Congenital choledochal cyst - Report of 56 cases. *Chin Med Sci J* 2000 15(1):52-54.

Heili MJ, Wintz NK, Fowler DL. Choledocholithiasis: endoscopic versus laparoscopic management. *Am Surg* 1999 Feb 65(2):135-8.

Heinerman M, Pimpl W, Waclawiczek HW, et al. Combined endoscopic and surgical approach to primary gallstone disease. *Surg Endosc* 1987 1(4):195-8.

Heinerman PM, Boeckl O, Pimpl W. Selective ERCP and preoperative stone removal in bile duct surgery. *Ann Surg* 1989 Mar 209(3):267-72.

Heslin MJ, Brooks AD, Hochwald SN, et al. A preoperative biliary stent is associated with increased complications after pancreatoduodenectomy. *Arch Surg* 1998 Feb;133(2):149-54.

Hildell J, Aspelin P, Wehlin L. Gray scale ultrasound and endoscopic ductography in the diagnosis of pancreatic disease. *Acta Chir Scand* 1979 145(4):239-45.

Himal HS. Common bile duct stones: the role of preoperative, intraoperative, and postoperative ERCP. *Semin Laparosc Surg* 2000 Dec 7(4):237-45.

Himal HS. Preoperative endoscopic retrograde cholangiopancreatography (ERCP) is not necessary in mild gallstone pancreatitis. *Surg Endosc* 1999 Aug 13(8):782-3.

Hintze RE, Adler A, Veltzke W, et al. Clinical significance of magnetic resonance cholangiopancreatography (MRCP) compared to endoscopic retrograde cholangiopancreatography (ERCP). *Endoscopy* 1997 Mar 29(3):182-7.

Ho JT, Yap CK. Magnetic resonance cholangiopancreatography: value of using the half-Fourier acquisition single-shot turbo spin-echo (HASTE) sequence. *Ann Acad Med Singapore* 1999 May 28(3):366-70.

Ho KY, Montes H, Sossenheimer MJ, et al. Features that may predict hospital admission following outpatient therapeutic ERCP. *Gastrointest Endosc* 1999 May 49(5):587-92.

Hoare AM, West RJ, Cockel R. The reasons for failure of endoscopic retrograde cholangio-pancreatography in patients with jaundice. *Clin Radiol* 1978 Mar 29(2):201-3.

Hochwald SN, Burke EC, Jarnagin WR, et al. Association of preoperative biliary stenting with increased postoperative infectious complications in proximal cholangiocarcinoma. *Arch Surg* 1999 Mar 134(3):261-6.

Hochwalk SN, Dobryansky M BA, Rofsky NM, et al. Magnetic resonance cholangiopancreatography accurately predicts the presence or absence of choledocholithiasis. *J Gastrointest Surg* 1998 Nov-Dec 2(6):573-9.

Hogan WJ, Geenen JE. Biliary dyskinesia. *Endoscopy* 1988 Aug 20(Suppl 1):179-83.

Holzknicht N, Gauger J, Sackmann M, et al. Breath-hold MR cholangiography with snapshot techniques: prospective comparison with endoscopic retrograde cholangiography. *Radiology* 1998 Mar 206(3):657-64.

Homma T. Criteria for pancreatic disease diagnosis in Japan: Diagnostic criteria for chronic pancreatitis. *Pancreas*

1998 16(3):250-254.

Honickman SP, Mueller PR, Wittenberg J, et al. Ultrasound in obstructive jaundice: prospective evaluation of site and cause. *Radiology* 1983 May 147(2):511-5.

Horsmans Y, De Grez T, Lefebvre V, et al. Double common bile duct with ectopic drainage of the left lobe into the stomach. Case report and review of the literature. *Acta Gastro-Enterol Belg* 1996 59(4):256-257.

Howard TJ, Tan T, Lehman GA, et al. Classification and management of perforations complicating endoscopic sphincterotomy. *Surgery* 1999 Oct 126(4):658-63.

Howell DA, Beveridge RP, Bosco J, et al. Endoscopic needle aspiration biopsy at ERCP in the diagnosis of biliary strictures. *Gastrointest Endosc* 1992 Sep-Oct 38(5):531-5.

Howell DA, Elton E, Parsons WG. Endoscopic management of pseudocysts of the pancreas. *Gastrointest Endosc Clin N Am* 1998 Jan 8(1):143-62.

Hoyuela C, Cugat E, Bretcha P, et al. Must ERCP Be routinely performed if choledocholithiasis is suspected? *Dig Surg* 1999 16(5):411-4.

Huang MJ, Liaw YF, Wu CS. Comparison of intravenous radionuclide cholescintigraphy and endoscopic retrograde cholangiography in the diagnosis of intrahepatic gall-stones. *Br J Radiol* 1981 Apr 54(640):302-6.

Huibregtse K. Biliary stenting: cosmetic or clinical value? *Scand J Gastroenterol Suppl* 1992 192:77-9.

Huibregtse K, Smits ME. Endoscopic management of diseases of the pancreas. *Am J Gastroenterol* 1994 89(8):S66-S77.

Hunt DR, Blumgart LH. Preoperative differentiation between carcinoma of the pancreas and chronic pancreatitis: the contribution of cytology. *Endoscopy* 1982 Sep 14(5):171-3.

Ihre T, Hellers G. Complications and endoscopic retrograde cholangio-pancreatography. A review of the literature and presentation of a duodenal perforation. *Acta Chir Scand* 1977 143(3):167-171.

Iida F, Kusama J. Surgical evaluation of endoscopic retrograde cholangiography for biliary tract diseases. *Jpn J Surg* 1982 12(4):257-61.

Ikedo S, Tanaka M, Itoh H, et al. Emergency decompression of bile duct in acute obstructive suppurative cholangitis by duodenoscopic cannulation: A lifesaving procedure. *World J Surg* 1981 5(4):587-593.

Ikedo S, Tanaka M, Matsumoto S, et al. Endoscopic sphincterotomy: long-term results in 408 patients with complete follow-up. *Endoscopy* 1988 Jan 20(1):13-7.

Inamoto K, Tanaka S, Yamazaki H, et al. Computed tomography of the carcinoma of the ampulla of vater. *Fortschr Geb Rontgenstr Nuklearmed* 1982 136(6):689-693.

Inui K, Nakazawa S, Yoshino J, et al. Endoluminal ultrasonography for pancreatic diseases. *Gastroenterol Clin North Am* 1999 Sep 28(3):771-81.

Irie H, Honda H, Aibe H, et al. MR cholangiopancreatographic differentiation of benign and malignant intraductal mucin-producing tumors of the pancreas. *Am J Roentgenol* 2000 174(5):1403-1408.

Irie H, Honda H, Tajima T, et al. Optimal MR cholangiopancreatographic sequence and its clinical application. *Radiology* 1998 Feb 206(2):379-87.

Irwig L, Tosteson ANA, Gatsonis C et al. Guideline for meta-analysis evaluating diagnostic tests. *Ann Intern Med*

1994 120:667-676.

Ishikawa M, Tagami Y, Toyota T, et al. Can three-dimensional helical CT cholangiography before laparoscopic cholecystectomy be a substitute study for endoscopic retrograde cholangiography? *Surg Laparosc Endosc Percutan Tech* 2000 Dec 10(6):351-6.

Itoh H, Shimono R, Hamamoto K. Evaluation of common bile duct stenosis in chronic pancreatitis using cholescintigraphy. *Eur J Nucl Med* 1988 14(3):137-40.

Jacob L, Geenen JE, Catalano MF, et al. Prevention of pancreatitis in patients with idiopathic recurrent pancreatitis: a prospective nonblinded randomized study using endoscopic stents. *Endoscopy* 2001 Jul 33(7):559-62.

Jailwala J, Fogel EL, Sherman S, et al. Triple-tissue sampling at ERCP in malignant biliary obstruction. *Gastrointest Endosc* 2000 Apr 51(4 Pt 1):383-90.

Jamidar P, Sherman S, Hawes R. Efficacy of endoscopic sphincterotomy for patients with sphincter of Oddi dysfunction: randomized, controlled study. *Gastrointest Endosc* 1992 38:253.

Jander HP, Galbraith J, Aldrete JS. Percutaneous transhepatic cholangiography using the Chiba needle: comparison with retrograde pancreatocholecystography. *South Med J* 1980 Apr 73(4):415-21.

Jenkins SA, Berein A. Review article: the relative effectiveness of somatostatin and octreotide therapy in pancreatic disease. *Aliment Pharmacol Ther* 1995 Aug 9(4):349-61. Comment in: *Aliment Pharmacol Ther*. 1995 Oct;9(5):581-3.

Jimenez Cuenca I, del Olmo Martinez L, Perez Homs M. Helical CT without contrast in choledocholithiasis diagnosis. *Eur Radiol* 2001 11(2):197-201.

Johnson AS, Ferrara JJ, Steinberg SM, et al. The role of endoscopic retrograde cholangiopancreatography: sphincterotomy versus common bile duct exploration as a primary technique in the management of choledocholithiasis. *Am Surg* 1993 Feb 59(2):78-84.

Johnson GK, Geenen JE, Johanson JF, et al. Evaluation of post-ERCP pancreatitis: potential causes noted during controlled study of differing contrast media. Midwest Pancreaticobiliary Study Group. *Gastrointest Endosc* 1997 Sep 46(3):217-22.

Jowell PS, Baillie J, Branch MS, et al. Quantitative assessment of procedural competence. A prospective study of training in endoscopic retrograde cholangiopancreatography. *Ann Intern Med* 1996 Dec 15 125(12):983-9.

Kalloo AN, Pasricha PJ. Therapy of sphincter of Oddi dysfunction. *Gastrointest Endosc Clin N Am* 1996 Jan 6(1):117-25.

Kameya S, Kuno N, Kasugai T. The diagnosis of pancreatic cancer by pancreatic juice cytology. *Acta Cytol* 1981 Jul-Aug 25(4):354-60.

Kaneko T, Nakao A, Inoue S, et al. Intraoperative ultrasonography by high-resolution annular array transducer for intraductal papillary mucinous tumors of the pancreas. *Surgery* 2001 Jan 129(1):55-65.

Kaneko T, Nakao A, Nomoto S, et al. Intraoperative pancreatoscopy with the ultrathin pancreatoscope for mucin-producing tumors of the pancreas. *Arch Surg* 1998 Mar 133(3):263-7.

Kapoor R, Kaushik SP, Saraswat VA, et al. Prospective randomized trial comparing endoscopic sphincterotomy followed by surgery with surgery alone in good risk patients with choledocholithiasis. *HPB Surg* 1996 9(3):145-8.

Kapoor R, Pradeep R, Sikora SS, et al. Appraisal of surgical and endoscopic management of choledocholithiasis. *Aust N Z J Surg* 1994 Sep 64(9):599-603.

Kapur BM, Mishra MC, Rao PS, et al. Gall bladder and common bile duct stones--when is direct cholangiography indicated. *HPB Surg* 1989 Oct 1(3):201-5.

Karsten TM, Allema JH, Reinders M, et al. Preoperative biliary drainage, colonisation of bile and postoperative complications in patients with tumours of the pancreatic head: a retrospective analysis of 241 consecutive patients. *Eur J Surg* 1996 Nov 162(11):881-8.

Katayama H, Spinazzi A, Fouillet X, et al. Iomeprol: Current and future profile of a radiocontrast agent. *Investigative Radiology (Invest. Radiol.)* 2001 36(2):87-96.

Katon RM, Bilbao MK, Parent JA, et al. Endoscopic retrograde cholangiopancreatography in patients with gastrectomy and gastrojejunostomy (Billroth II). A case for the forward look. *Gastrointestinal Endoscopy (Gastrointest. Endosc.)* 1975 21(4):164-165.

Keith RG, Shapero TF, Saibil FG. Treatment of pancreatitis associated with pancreas divisum by dorsal duct sphincterotomy alone. *Can J Surg* 1982 25(6):622-626.

Khaira HS, Ridings PC, Gompertz RH. Routine laparoscopic cholangiography: a means of avoiding unnecessary endoscopic retrograde cholangiopancreatography. *J Laparoendosc Adv Surg Tech* 1999 Feb 9(1):17-22.

Khaira HS, Ridings PC, Gompertz RH. Routine laparoscopic cholangiography: a means of avoiding unnecessary endoscopic retrograde cholangiopancreatography. *J Laparoendosc Adv Surg Tech A* 1999 Feb 9(1):17-22.

Kim KH, Kim W, Lee HI, et al. Prediction of common bile duct stones: its validation in laparoscopic cholecystectomy. *Hepatogastroenterology* 1997a Nov-Dec 44(18):1574-9.

Kim MH, Lee SK, Lee MH, et al. Endoscopic retrograde cholangiopancreatography and needle-knife sphincterotomy in patients with Billroth II gastrectomy: a comparative study of the forward-viewing endoscope and the side-viewing duodenoscope. *Endoscopy* 1997b Feb 29(2):82-5.

Kim MH, Myung SJ, Kim YS, et al. Routine biliary sphincterotomy may not be indispensable for endoscopic pancreatic sphincterotomy. *Endoscopy* 1998 Oct;30(8):697-701.

Kim MJ, Mitchell DG, Ito K, et al. Biliary dilatation: differentiation of benign from malignant causes--value of adding conventional MR imaging to MR cholangiopancreatography. *Radiology* 2000 Jan 214(1):173-81.

Kim SM, Kim SH, Choi SY, et al. Surgical treatment of periampullary cancer--review of 766 surgical experiences of 8 hospitals. *J Korean Med Sci* 1992 Dec 7(4):297-303.

Kimchi NA, Mindrul V, Broide E, et al. The contribution of endoscopy and biopsy to the diagnosis of periampullary tumors. *Endoscopy* 1998 Aug 30(6):538-43.

Kimmings AN, Van Deventer SJH, Rauws EAJ, et al. Systemic inflammatory response in acute cholangitis and after subsequent treatment. *Eur J Surg* 2000 166(9):700-705.

Kinami S, Yao T, Kurachi M, et al. Clinical evaluation of 3D-CT cholangiography for preoperative examination in laparoscopic cholecystectomy. *J Gastroenterol* 1999 Feb 34(1):111-8.

Kiviluoto T, Kivisaari L, Kivilaakso E, et al. Pseudocysts in chronic pancreatitis. Surgical results in 102 consecutive patients. *Arch Surg* 1989 Feb 124(2):240-3.

Kloiber R, AuCoin R, Hershfield NB, et al. Biliary obstruction after cholecystectomy: diagnosis with quantitative cholescintigraphy. *Radiology* 1988 Dec 169(3):643-7.

Knox TA. Endoscopic ultrasound. Diagnostic and therapeutic uses. *Surg Endosc* 1998 Aug 12(8):1088-90.

Kocjan Gabrijela, Smith Ann Nisbet. Bile duct brushings cytology: Potential pitfalls in diagnosis. *Diag Cytopathol* 1997 16(4):358-363.

Kohler A, Maier M, Benz C, et al. A new HF current generator with automatically controlled system (Endocut mode) for endoscopic sphincterotomy--preliminary experience. *Endoscopy* 1998 May 30(4):351-5.

Kok T, Van der Sluis A, Klein JP, et al. Ultrasound and cholangiography for the diagnosis of biliary complications after orthotopic liver transplantation: a comparative study. *J Clin Ultrasound* 1996 Mar-Apr 24(3):103-15.

Kolars JC, Allen MO, Ansel H, et al. Pancreatic pseudocysts: clinical and endoscopic experience. *Am J Gastroenterol* 1989 Mar 84(3):259-64.

Komaki R, Wilson JF, Cox JD, et al. Carcinoma of the pancreas: Results of irradiation for unresectable lesions. *Int J Radiat Oncol Biol Phys* 1980 6(2):209-212.

Kondylis PD, Simmons DR, Agarwal SK, et al. Abnormal intraoperative cholangiography. Treatment options and long-term follow-up. *Arch Surg* 1997 Apr 132(4):347-50.

Koo KP, Traverso LW. Do preoperative indicators predict the presence of common bile duct stones during laparoscopic cholecystectomy? *Am J Surg* 1996 May 171(5):495-9.

Kositichaiwat S, Kositichaiwat C, Kanchanapitak A, et al. Diagnostic value of endoscopic transampullary biopsy for malignant bile duct stricture. *J Med Assoc Thai* 2000 Sep 83(9):992-8.

Kozarek RA. Endoscopy in the management of malignant obstructive jaundice. *Gastrointest Endosc Clin N Am* 1996 Jan 6(1):153-76.

Kozarek R, Terrance J. Endoscopic pancreatic duct sphincterotomy: indications, technique and analysis of results. *Gastrointestinal Endoscopy* 1994 40(5):592-8.

Kozarek RA, Ball TJ, Patterson DJ, et al. Endoscopic approach to pancreas divisum. *Dig Dis Sci* 1995 Sep 40(9):1974-81.

Kozarek RA, Ball TJ, Patterson DJ. Endoscopic approach to pancreatic duct calculi and obstructive pancreatitis. *Am J Gastroenterol* 1992 May 87(5):600-3.

Kozarek RA, Patterson DJ, Ball TJ, et al. Endoscopic placement of pancreatic stents and drains in the management of pancreatitis. *Ann Surg* 1989 Mar 209(3):261-6.

Kozarek RA, Traverso LW. Endoscopic treatment of chronic pancreatitis - An alternative to surgery? *Dig Surg* 1996 13(2):90-100.

Kubota Y, Takaoka M, Tani K, et al. Endoscopic transpapillary biopsy for diagnosis of patients with pancreaticobiliary ductal strictures. *Am J Gastroenterol* 1993 Oct 88(10):1700-4.

Kuo WH, Pasricha PJ, Kalloo AN. The role of sphincter of Oddi manometry in the diagnosis and therapy of pancreatic disease. *Gastrointest Endosc Clin N Am* 1998 Jan 8(1):79-85.

Kuo YT, Jaw TS, Wang CK, et al. Diagnostic efficacy of non-breath-hold magnetic resonance cholangiopancreatography. *J Formos Med Assoc* 1999 98(2):97-103.

Kurzawinski T, Deery A, Davidson BR. Diagnostic value of cytology for biliary stricture. *Br J Surg* 1993 Apr 80(4):414-21.

Kurzawinski T, Deery A, Dooley J, et al. A prospective controlled study comparing brush and bile exfoliative

cytology for diagnosing bile duct strictures. *Gut* 1992 Dec 33(12):1675-7.

Kurzwinski TR, Deery A, Dooley JS, et al. A prospective study of biliary cytology in 100 patients with bile duct strictures. *Hepatology* 1993 Dec 18(6):1399-403.

Kwon AH, Inui H, Imamura A, et al. Preoperative assessment for laparoscopic cholecystectomy: Feasibility of using spiral computed tomography. *Ann Surg* 1998 227(3):351-356.

Lachter J, Rubin A, Shiller M, et al. Linear EUS for bile duct stones. *Gastrointest Endosc* 2000 Jan 51(1):51-4.

Lai EC, Lo CM, Choi TK, et al. Urgent biliary decompression after endoscopic retrograde cholangiopancreatography. *Am J Surg* 1989 Jan 157(1):121-5.

Lai EC, Mok FP, Fan ST, et al. Preoperative endoscopic drainage for malignant obstructive jaundice. *Br J Surg* 1994 81:1195-1198.

Lai ECS, Mok FPT, Tan ESY, et al. Endoscopic biliary drainage for severe acute cholangitis. *New Engl J Med* 1992 326(24):1582-6.

Lambert ME, Betts CD, Hill J, et al. Endoscopic sphincterotomy: the whole truth. *Br J Surg* 1991 Apr 78(4):473-6.

Lameris JS, Stoker J, Dees J, et al. Non-surgical palliative treatment of patients with malignant biliary obstruction--the place of endoscopic and percutaneous drainage. *Clin Radiol* 1987 Nov 38(6):603-8.

Lammer J, Hausegger KA, Fluckiger F, et al. Common bile duct obstruction due to malignancy: Treatment with plastic versus metal stents. *Radiology* 1996 201(167-172).

Lans JI, Geenen JE, Johanson JF, et al. Endoscopic therapy in patients with pancreas divisum and acute pancreatitis: a prospective, randomized, controlled clinical trial. *Gastrointest Endosc* 1992 Jul-Aug;38(4):430-4.

Lawson JM, Baillie J. Endoscopic therapy for pancreatic pseudocysts. *Gastrointest Endosc Clin N Am* 1995 Jan 5(1):181-93.

Le Borgne J, de Calan L, Partensky C. Cystadenomas and cystadenocarcinomas of the pancreas: a multiinstitutional retrospective study of 398 cases. French Surgical Association. *Ann Surg* 1999 Aug 230(2):152-61.

Lecesne R, Taourel P, Bret PM, et al. Acute pancreatitis: interobserver agreement and correlation of CT and MR cholangiopancreatography with outcome. *Radiology* 1999 Jun 211(3):727-35.

Lee JG, Leung J. Tissue sampling at ERCP in suspected pancreatic cancer. *Gastrointest Endosc Clin N Am* 1998 Jan 8(1):221-35.

Lee JG, Leung JW, Baillie J, et al. Benign, dysplastic, or malignant--making sense of endoscopic bile duct brush cytology: results in 149 consecutive patients. *Am J Gastroenterol* 1995 May 90(5):722-6.

Lee MG, Lee HJ, Kim MH, et al. Extrahepatic biliary diseases: 3D MR cholangiopancreatography compared with endoscopic retrograde cholangiopancreatography. *Radiology* 1997 Mar 202(3):663-9.

Leese T, Neoptolemos JP, Baker AR, et al. Management of acute cholangitis and the impact of endoscopic sphincterotomy. *Br J Surg* 1986 Dec 73(12):988-92.

Lehman GA, Sherman S, Nisi R, et al. Pancreas divisum: results of minor papilla sphincterotomy. *Gastrointest Endosc* 1993 Jan-Feb 39(1):1-8.

Lehman GA, Sherman S. Diagnosis and therapy of pancreas divisum. *Gastrointest Endosc Clin N Am* 1998 Jan 8(1):55-77.

- Lehman GA, Sherman S. Sphincter of Oddi dysfunction. *Int J Pancreatol* 1996 20(1):11-25.
- Leung JWC, Emery R, Cotton PB, et al. Management of malignant obstructive jaundice at the Middlesex hospital. *Br J Surg* 1983 70:584-6.
- Libera ED, Siqueira ES, Morais M, et al. Pancreatic pseudocysts transpapillary and transmural drainage. *HPB Surg* 2000 11(5):333-8.
- Lilly MC, Arregui ME. A balanced approach to choledocholithiasis. *Surg Endosc* 2001 May 15(5):467-72.
- Lin OS, Soetikno RM, Young HS. The utility of liver function test abnormalities concomitant with biliary symptoms in predicting a favorable response to endoscopic sphincterotomy in patients with presumed sphincter of Oddi dysfunction. *Am J Gastroenterol* 1998 93(10):1833-6.
- Liu CL, Lo CM, Chan JK, et al. EUS for detection of occult cholelithiasis in patients with idiopathic pancreatitis. *Gastrointest Endosc* 2000 Jan 51(1):28-32.
- Liu CL, Lo CM, Fan ST. Acute biliary pancreatitis: diagnosis and management. *World J Surg* 1997 Feb 21(2):149-54.
- Liu CL, Lo CM, Lai EC, et al. Endoscopic retrograde cholangiopancreatography and endoscopic endoprosthesis insertion in patients with Klatskin tumors. *Arch Surg* 1998 Mar 133(3):293-6.
- Liu TH, Consorti ET, Kawashima A, et al. Patient evaluation and management with selective use of magnetic resonance cholangiography and endoscopic retrograde cholangiopancreatography before laparoscopic cholecystectomy. *Ann Surg* 2001 Jul 234(1):33-40.
- Liu TH, Consorti ET, Kawashima A, et al. The efficacy of magnetic resonance cholangiography for the evaluation of patients with suspected choledocholithiasis before laparoscopic cholecystectomy. *Am J Surg* 1999 Dec 178(6):480-4.
- Lo CY, Lai ECS, Lo CM, et al. Endoscopic sphincterotomy: 7-year experience. *World J Surg* 1997 21(1):67-71.
- Lobo DN, Balfour TW, Iftikhar SY, et al. Periapillary diverticula and pancreaticobiliary disease. *Br J Surg* 1999 May 86(5):588-97.
- Lobo DN, Balfour TW, Iftikhar SY. Periapillary diverticula: consequences of failed ERCP. *Ann R Coll Surg Engl* 1998 Sep 80(5):326-31.
- LoGiudice JA, Geenen JE, Hogan WJ, et al. Efficacy of the morphine-prostigmin test for evaluating patients with suspected papillary stenosis. *Dig Dis Sci* 1979 Jun 24(6):455-8.
- Logrono R, Kurtycz DF, Molina CP, et al. Analysis of false-negative diagnoses on endoscopic brush cytology of biliary and pancreatic duct strictures: the experience at 2 university hospitals. *Arch Pathol Lab Med* 2000 Mar 124(3):387-92.
- Lokich JJ, Kane RA, Harrison DA, et al. Biliary tract obstruction secondary to cancer: management guidelines and selected literature review. *J Clin Oncol* 1987 Jun 5(6):969-81.
- Lomanto D, Pavone P, Laghi A, et al. Magnetic resonance-cholangiopancreatography in the diagnosis of biliopancreatic diseases. *Am J Surg* 1997 Jul 174(1):33-8.
- Lomas DJ, Bearcroft PW, Gimson AE. MR cholangiopancreatography: prospective comparison of a breath-hold 2D projection technique with diagnostic ERCP. *Eur Radiol* 1999 9(7):1411-7.

- Loperfido S, Angelini G, Benedetti G, et al. Major early complications from diagnostic and therapeutic ERCP: a prospective multicenter study. *Gastrointest Endosc* 1998 Jul 48(1):1-10.
- Lygidakis NJ, van der Heyde MN, Lubbers MJ. Evaluation of preoperative biliary drainage in the surgical management of pancreatic head carcinoma. *Acta Chir Scand* 1987 Nov-Dec 153(11-12):665-8.
- Lygidakis NJ. Surgical approaches to recurrent choledocholithiasis. Choledochoduodenostomy versus T-tube drainage after choledochotomy. *Am J Surg* 1983 May 145(5):636-9.
- Macaulay SE, Schulte SJ, Sekijima JH, et al. Evaluation of a non-breath-hold MR cholangiography technique. *Radiology* 1995 Jul 196(1):227-32.
- Macken E, Drijckoningen M, Van Aken E, et al. Brush cytology of ductal strictures during ERCP. *Acta Gastroenterol Belg* 2000 Jul-Sep 63(3):254-9.
- Mackie CR, Cooper MJ, Lewis MH, et al. Non-operative differentiation between pancreatic cancer and chronic pancreatitis. *Ann Surg* 1979 Apr 189(4):480-7.
- Mackie CR, Dhorajiwalla J, Blackstone MO, et al. Value of new diagnostic aids in relation to the disease process in pancreatic cancer. *Lancet* 1979 Aug 25 2(8139):385-9.
- Madacsy L, Middelfart HV, Matzen P, et al. Quantitative hepatobiliary scintigraphy and endoscopic sphincter of Oddi manometry in patients with suspected sphincter of Oddi dysfunction: Assessment of flow-pressure relationship in the biliary tract. *Eur J Gastroenterol Hepatol* 2000 12(7):777-786.
- Madura JA. Pancreas divisum: stenosis of the dorsally dominant pancreatic duct. A surgically correctable lesion. *Am J Surg* 1986 Jun 151(6):742-5.
- Madura JA, Fiore AC, O'Connor KW, et al. Pancreas divisum. Detection and management. *Am Surg* 1985 Jun 51(6):353-7.
- Madura JA, McCammon RL, Paris JM, et al. The Nardi test and biliary manometry in the diagnosis of pancreaticobiliary sphincter dysfunction. *Surgery* 1981 90(4):588-595.
- Maes B, Hastier P, Buckley MJ, et al. Extensive aetiological investigations in acute pancreatitis: results of a 1-year prospective study. *Eur J Gastroenterol Hepatol* 1999 Aug 11(8):891-6.
- Magnuson TH, Bender JS, Duncan MD, et al. Utility of magnetic resonance cholangiography in the evaluation of biliary obstruction. *J Am Coll Surg* 1999 Jul 189(1):63-71.
- Maldonado ME, Brady PG, Mamel JJ, et al. Incidence of pancreatitis in patients undergoing sphincter of Oddi manometry (SOM). *Am J Gastroenterol* 1999 Feb 94(2):387-90.
- Malfertheiner P, Buchler M. Indications for endoscopic or surgical therapy in chronic pancreatitis. *Endoscopy* 1991 23:185-190.
- Malka D, Hammel P, Vilgrain V, et al. Chronic obstructive pancreatitis due to a pancreatic cyst in a patient with autosomal dominant polycystic kidney disease. *Gut* 1998 42(1):131-134.
- Mallery S, Van Dam J. Interventional endoscopic ultrasonography: current status and future direction. *J Clin Gastroenterol* 1999 Dec 29(4):297-305.
- Manfredi R, Costamagna G, Brizi MG, et al. Pancreas divisum and "santorinicele": diagnosis with dynamic MR cholangiopancreatography with secretin stimulation. *Radiology* 2000 Nov 217(2):403-8.
- Mansfield JC, Griffin SM, Wadehra V, et al. A prospective evaluation of cytology from biliary strictures. *Gut* 1997

May 40(5):671-7.

Marotta F, Hada R, Morello P, et al. ERCP in the assessment of patients with post-cholecystectomy syndrome: benefits and limitations. *Neth J Med* 1989 Dec 35(5-6):232-40.

Marshall JB. Acute pancreatitis. A review with an emphasis on new developments. *Arch Intern Med* 1993 May 24 153(10):1185-98.

Martin EW, Catalano P, Cooperman M, et al. Surgical decision-making in the treatment of pancreatic pseudocysts. Internal versus external drainage. *Am J Surg* 1979 Dec 138(6):821-4.

Masci E, Toti G, Mariani A, et al. Complications of diagnostic and therapeutic ERCP: a prospective multicenter study. *Am J Gastroenterol* 2001 Feb 96(2):417-23.

Masetti R, Antinori A, Coppola R, et al. Choledochocoele: changing trends in diagnosis and management. *Surg Today* 1996 26(4):281-5.

Masui T, Takehara Y, Ichijo K, et al. Evaluation of the pancreas: a comparison of single thick-slice MR cholangiopancreatography with multiple thin-slice volume reconstruction MR cholangiopancreatography. *AJR Am J Roentgenol* 1999 Dec 173(6):1519-26.

Materne R, Van Beers BE, Gigot JF, et al. Extrahepatic biliary obstruction: magnetic resonance imaging compared with endoscopic ultrasonography. *Endoscopy* 2000 Jan 32(1):3-9.

Mathur SK, Soonawalla ZF, Shah SR, et al. Role of biliary scintiscan in predicting the need for cholangiography. *Br J Surg* 2000 Feb 87(2):181-5.

Matos C, Nicaise N, Metens T, et al. Secretin-enhanced MR pancreatography. *Semin Ultrasound CT MR* 1999 Oct 20(5):340-51.

Matsuda Y, Shimakura K, Akamatsu T. Factors affecting the patency of stents in malignant biliary obstructive disease: Univariate and multivariate analysis. *Am J Gastroenterol* 1991 86(7):843-849.

Matsumoto S, Harada H, Tanaka J, et al. Evaluation of cytology and tumor markers of pure pancreatic juice for the diagnosis of pancreatic cancer at early stages. *Pancreas* 1994 Nov 9(6):741-7.

Matzen P, Haubek A, Holst-Christensen J, et al. Accuracy of direct cholangiography by endoscopic or transhepatic route in jaundice--a prospective study. *Gastroenterology* 1981 Aug 81(2):237-41.

Matzen P, Malchow-Moller A, Lejerstofte J, et al. Endoscopic retrograde cholangiopancreatography and transhepatic cholangiography in patients with suspected obstructive jaundice. A randomized study. *Scand J Gastroenterol* 1982 Sep 17(6):731-5.

Mavrogiannis C, Liatsos C, Romanos A, et al. Needle-knife fistulotomy versus needle-knife precut papillotomy for the treatment of common bile duct stones. *Gastrointest Endosc* 1999 Sep 50(3):334-9.

May GR, Cotton PB, Edmunds SE, et al. Removal of stones from the bile duct at ERCP without sphincterotomy. *Gastrointest Endosc* 1993 Nov-Dec 39(6):749-54.

McCarthy J, Geenen JE, Hogan WJ. Preliminary experience with endoscopic stent placement in benign pancreatic diseases. *Gastrointest Endosc* 1988 Jan-Feb 34(1):16-8.

McGuire DE, Venu RP, Brown RD, et al. Brush cytology for pancreatic carcinoma: an analysis of factors influencing results. *Gastrointest Endosc* 1996 Sep 44(3):300-4.

McPherson GA, Benjamin IS, Hodgson JH, et al. Pre-operative percutaneous transhepatic biliary drainage: the

results of a controlled trial. *Br J Surg* 1984 71(371-375).

Meakem TJ, Schnall MD. Magnetic resonance cholangiography. *Gastroenterol Clin North Am* 1995 Jun 24(2):221-38.

Meguid A, Scheeres DE, Mellinger JD. Endoscopic retrograde cholangiopancreatography in a general surgery training program. *Am Surg* 1998 Jul 64(7):622-5.

Mehta SN, Pavone E, Barkun JS, et al. Predictors of post-ERCP complications in patients with suspected choledocholithiasis. *Endoscopy* 1998 Jun 30(5):457-63.

Memon MA, Hassaballa H, Memon MI. Laparoscopic common bile duct exploration: the past, the present, and the future. *Am J Surg* 2000 Apr 179(4):309-15.

Mendler MH, Bouillet P, Sautereau D, et al. Value of MR cholangiography in the diagnosis of obstructive diseases of the biliary tree: a study of 58 cases. *Am J Gastroenterol* 1998 Dec 93(12):2482-90.

Menezes N, Marson LP, Debeaux AC, et al. Prospective analysis of a scoring system to predict choledocholithiasis. *Br J Surg* 2000 Sep 87(9):1176-81.

Menzel J, Poremba C, Dietl KH, et al. Tumors of the papilla of Vater--inadequate diagnostic impact of endoscopic forceps biopsies taken prior to and following sphincterotomy. *Ann Oncol* 1999 Oct 10(10):1227-31.

Mergener K, Baillie J. Endoscopic treatment for acute biliary pancreatitis. When and in whom? *Gastroenterol Clin North Am* 1999 Sep 28(3):601-13, ix.

Meyer C, Le JV, Rohr S, et al. Management of common bile duct stones by laparoscopic cholecystectomy and endoscopic sphincterotomy: pre-, per- or postoperative sphincterotomy? *Dig Surg* 1999 16(1):26-31.

Millar AJ, Rode H, Stunden RJ, et al. Management of pancreatic pseudocysts in children. *J Pediatr Surg* 1988 Feb 23(2):122-7.

Millat B, Borie F, Decker G. Treatment of choledocholithiasis: therapeutic ERCP versus peroperative extraction during laparoscopic cholecystectomy. *Acta Gastroenterol Belg* 2000 Jul-Sep 63(3):301-3.

Millat B, Borie F, Fingerhut A. Prospective trials in laparoscopic bile duct exploration. *Semin Laparosc Surg* 2000 Dec 7(4):279-87.

Misra SP, Dwivedi M. Endoscopic management of choledocholithiasis: to cut, stretch or relax? *J Gastroenterol Hepatol* 1998 Dec 13(12):1180-2.

Miyazaki T, Yamashita Y, Tang Y, et al. Single-shot MR cholangiopancreatography of neonates, infants, and young children. *AJR Am J Roentgenol* 1998 Jan 170(1):33-7.

Mohandas KM, Swaroop VS, Gullar SU, et al. Diagnosis of malignant obstructive jaundice by bile cytology: results improved by dilating the bile duct strictures. *Gastrointest Endosc* 1994 Mar-Apr 40(2 Pt 1):150-4.

Montariol T, Msika S, Charlier A, et al. Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography--a multicenter, prospective controlled study. French Associations for Surgical Research. *Surgery* 1998 Jul 124(1):6-13.

Moossa AR, Levin B. The diagnosis of "early" pancreatic cancer: the University of Chicago experience. *Cancer* 1981 Mar 15 47(6 Suppl):1688-97.

Moossa AR. Investigative approaches to the problem of pancreatic cancer. *Ann R Coll Surg Engl* 1979 Mar 61(2):100-6.

- Moreaux J. Traditional surgical management of common bile duct stones: a prospective study during a 20-year experience. *Am J Surg* 1995 Feb 169(2):220-6.
- Morgan DE, Logan K, Baron TH, et al. Pancreas divisum: implications for diagnostic and therapeutic pancreatography. *AJR Am J Roentgenol* 1999 Jul 173(1):193-8.
- Mori K, Nagakawa T, Ohta T, et al. Acute pancreatitis associated with anomalous union of the pancreaticobiliary ductal system. *J Clin Gastroenterol* 1991 Dec 13(6):673-7.
- Morrin MM, Farrell RJ, McEntee G, et al. MR cholangiopancreatography of pancreaticobiliary diseases: Comparison of single-shot RARE and multislice HASTE sequences. *Clin Radiol* 2000 55:866-873.
- Morrow CE, Cohen JI, Sutherland DE, et al. Chronic pancreatitis: long-term surgical results of pancreatic duct drainage, pancreatic resection, and near-total pancreatectomy and islet autotransplantation. *Surgery* 1984 Oct 96(4):608-16.
- Moss AA, Federle M, Shapiro HA, et al. The combined use of computed tomography and endoscopic retrograde cholangiopancreatography in the assessment of suspected pancreatic neoplasm: a blind clinical evaluation. *Radiology* 1980 Jan 134(1):159-63.
- Motte S, Deviere J, Dumonceau JM, et al. Risk factors for septicemia following endoscopic biliary stenting. *Gastroenterology* 1991 Nov 101(5):1374-81.
- Mujica VR, Barkin JS, Go VL. Acute pancreatitis secondary to pancreatic carcinoma. Study Group Participants. *Pancreas* 2000 Nov 21(4):329-32.
- Mukai H, Yasuda K, Nakajima M. Differential diagnosis of mucin-producing tumors of the pancreas by intraductal ultrasonography and peroral pancreatoscopy. *Endoscopy* 1998 Aug 30 Suppl 1:A99-102.
- Mullens JE. Endoscopic retrograde cholangiopancreatography (ERCP) in the diagnosis of chronic pancreatitis. *Surgery* 1978 Sep 84(3):308-12.
- Murison MS, Gartell PC, McGinn FP. Does selective peroperative cholangiography result in missed common bile duct stones? *J R Coll Surg Edinb* 1993 Aug 38(4):220-4.
- Musella M, Barbalace G, Capparelli G, et al. Magnetic resonance imaging in evaluation of the common bile duct. *Br J Surg* 1998 Jan 85(1):16-9.
- Nagai N, Greenway CD, Shah SM, et al. Nonsurgical diagnosis of pancreatic mass. *South Med J* 1980 Apr 73(4):467-72.
- Nakaizumi A, Tatsuta M, Uehara H, et al. Effectiveness of the cytologic examination of pure pancreatic juice in the diagnosis of early neoplasia of the pancreas. *Cancer* 1995 Sep 1 76(5):750-7.
- Nakaizumi A, Tatsuta M, Uehara H, et al. Usefulness of simple endoscopic aspiration cytology of pancreatic juice for diagnosis of early pancreatic neoplasm. A prospective study. *Dig Dis Sci* 1997 Aug 42(8):1796-803.
- Nakaizumi A, Uehara H, Takenaka A, et al. Diagnosis of pancreatic cancer by cytology and measurement of oncogene and tumor markers in pure pancreatic juice aspirated by endoscopy. *Hepatogastroenterology* 1999 Jan-Feb 46(25):31-7.
- Nakamura R, Machado R, Amikura K, et al. Role of fine needle aspiration cytology and endoscopic biopsy in the preoperative assessment of pancreatic and peripancreatic malignancies. *Int J Pancreatol* 1994 Aug 16(1):17-21.
- Nattermann C, Goldschmidt AJ, Dancygier H. Endosonography in chronic pancreatitis--a comparison between

endoscopic retrograde pancreatography and endoscopic ultrasonography. *Endoscopy* 1993 Nov 25(9):565-70.

Nealon WH, Townsend CM, Thompson JC. Preoperative endoscopic retrograde cholangiopancreatography (ERCP) in patients with pancreatic pseudocyst associated with resolving acute and chronic pancreatitis. *Ann Surg* 1989 May 209(5):532-8.

Nebel OT, Silvis SE, Rogers G, et al. Complications associated with endoscopic retrograde cholangiopancreatography. Results of the 1974 A/S/G/E survey. *Gastrointest Endosc* 1975 22(1):34-36.

Neblett WW, O'Neill JA. Surgical management of recurrent pancreatitis in children with pancreas divisum. *Ann Surg* 2000 Jun 231(6):899-908.

Neitlich JD, Topazian M, Smith RC, et al. Detection of choledocholithiasis: comparison of unenhanced helical CT and endoscopic retrograde cholangiopancreatography. *Radiology* 1997 Jun 203(3):753-7.

Nelsen KM, Kastan DJ, Shetty PC, et al. Utilization pattern and efficacy of nonsurgical techniques to establish drainage for high biliary obstruction. *J Vasc Interv Radiol* 1996 Sep-Oct 7(5):751-6.

Nelson DB, Freeman ML. Major hemorrhage from endoscopic sphincterotomy: Risk factor analysis. *J Clin Gastroenterol* 1994 19(4):283-287.

Neoptolemos JP, Bailey IS, Carr-Locke DL. Sphincter of Oddi dysfunction: results of treatment by endoscopic sphincterotomy. *Br J Surg* 1988 May 75(5):454-9.

Neoptolemos JP, Carr-Locke DL, London NJ, et al. Controlled trial of urgent endoscopic retrograde cholangiopancreatography and endoscopic sphincterotomy versus conservative treatment for acute pancreatitis due to gallstones. *Lancet* 1988 Oct 29 2(8618):979-83.

Neoptolemos JP, London N, Slater ND, et al. A prospective study of ERCP and endoscopic sphincterotomy in the diagnosis and treatment of gallstone acute pancreatitis. A rational and safe approach to management. *Arch Surg* 1986 Jun 121(6):697-702.

Neoptolemos JP, Shaw DE, Carr-Locke DL. A multivariate analysis of preoperative risk factors in patients with common bile duct stones. Implications for treatment. *Ann Surg* 1989 Feb 209(2):157-61.

Neri E, Caramella D, Boraschi P, et al. Magnetic resonance virtual endoscopy of the common bile duct stones. *Surgical Endoscopy (Surg. Endosc.)* 1999 13(6):632-633.

Neuhaus H, Zillinger C, Born P, et al. Randomized study of intracorporeal laser lithotripsy versus extracorporeal shock-wave lithotripsy for difficult bile duct stones. *Gastrointest Endosc* 1998 May 47(5):327-34.

Ng T, Amaral JF. Timing of endoscopic retrograde cholangiopancreatography and laparoscopic cholecystectomy in the treatment of choledocholithiasis. *J Laparoendosc Adv Surg Tech A* 1999 Feb 9(1):31-7.

Ng WW, Lai KH, Tam TN, et al. Palliation of malignant biliary obstruction with nasobiliary drainage prior to endoscopic stenting. *Adv Ther* 1997 14(1):21-26.

Niederau C, Grendell JH. Diagnosis of pancreatic carcinoma. Imaging techniques and tumor markers. *Pancreas* 1992 7(1):66-86.

Nitsche R, Folsch UR, Ludtke R, et al. Urgent ERCP in all cases of acute biliary pancreatitis? A prospective randomized multicenter study. *Eur J Med Res* 1995 Dec 18 1(3):127-31.

Nix GA, Schmitz PI, Wilson JH, et al. Carcinoma of the head of the pancreas. Therapeutic implications of endoscopic retrograde cholangiopancreatography findings. *Gastroenterology* 1984 Jul 87(1):37-43.

- Nix GA, Schmitz PI. Diagnostic features of chronic pancreatitis distal to benign and to malignant pancreatic duct obstruction. *Diagn Imaging* 1981 50(3):130-7.
- Nix GA, Van Overbeeke IC, Wilson JH, et al. ERCP diagnosis of tumors in the region of the head of the pancreas. Analysis of criteria and computer-aided diagnosis. *Dig Dis Sci* 1988 May 33(5):577-86.
- Noda T, Ohno Y, Oshibuchi T, et al. A retrospective study in the diagnosis of 301 jaundiced cases. *Acta Med Nagasaki* 1985 30(1-3):195-203.
- Norton ID, Clain JE. The role of transabdominal ultrasonography, helical computed tomography, and magnetic resonance cholangiopancreatography in diagnosis and management of pancreatic disease. *Curr Gastroenterol Rep* 2000 Apr 2(2):120-4.
- Norton ID, Petersen BT. Interventional treatment of acute and chronic pancreatitis. Endoscopic procedures. *Surg Clin North Am* 1999 Aug 79(4):895-911, xii.
- Norton SA, Alderson D. Endoscopic ultrasonography in the evaluation of idiopathic acute pancreatitis. *Br J Surg* 2000 87:1650-1655.
- Norton SA, Alderson D. Prospective comparison of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography in the detection of bile duct stones. *Br J Surg* 1997 Oct 84(10):1366-9.
- Novis BH, Bornman PC, Girdwood AW, et al. Endoscopic manometry of the pancreatic duct and sphincter zone in patients with chronic pancreatitis. *Dig Dis Sci* 1985 Mar 30(3):225-8.
- Novis BH, Narunsky L, Bank S. Endoscopic retrograde cholangiopancreatography in the evaluation of pancreatic disease. *S Afr Med J* 1976 Sep 11 50(39):1501-5.
- Nowak A, Nowakowska-Dulawa E, Marek TE, et al. Final results of the prospective, randomized controlled study on endoscopic sphincterotomy versus conventional management in acute biliary pancreatitis. *Gastroenterol* 1995; 108:A380.
- Obertop H, Gouma DJ. Essentials in biliopancreatic staging: a decision analysis. *Ann Oncol* 1999 10 Suppl 4:150-2.
- Ochi Y, Mukawa K, Kiyosawa K, et al. Comparing the treatment outcomes of endoscopic papillary dilation and endoscopic sphincterotomy for removal of bile duct stones. *J Gastroenterol Hepatol* 1999 Jan 14(1):90-6.
- Ohara H, Hoshino M. Single application extracorporeal shock wave lithotripsy is the first choice for patients with pancreatic duct stones. *Am J Gastroenterol* 1996 91(7):1388-1394.
- Ohtsuka T, Inoue K, Ohuchida J, et al. Carcinoma arising in choledochocoele. *Endoscopy* 2001 Jul 33(7):614-9.
- Ohtsuka T, Tanaka M, Inoue K, et al. Is peripapillary choledochoduodenal fistula an indication for endoscopic sphincterotomy? *Gastrointest Endosc* 2001 Mar 53(3):313-317.
- Okai T, Watanabe H, Yamaguchi Y, et al. EUS and K-ras analysis of pure pancreatic juice collected via a duodenoscope after secretin stimulation for diagnosis of pancreatic mass lesion: a prospective study. *Gastrointest Endosc* 1999 Dec 50(6):797-803.
- Onken JE, Brazer SR, Eisen GM, et al. Predicting the presence of choledocholithiasis in patients with symptomatic cholelithiasis. *Am J Gastroenterol* 1996 91(4):762-7.
- Ono K, Kobayashi S, Sakamoto K, et al. A clinical study of acute pancreatitis following endoscopic retrograde cholangiopancreatography. *Dig Endosc* 1997 9(1):38-42.

- Oren A, Breumelhof R, Timmer R, et al. Abnormal clotting parameters before therapeutic ERCP: do they predict major bleeding? *Eur J Gastroenterol Hepatol* 1999 Oct 11(10):1093-7.
- Osnes M, Serck-Hanssen A, Kristensen O, et al. Endoscopic retrograde brush cytology in patients with primary and secondary malignancies of the pancreas. *Gut* 1979 Apr 20(4):279-84.
- Pace RF, Chamberlain MJ, Passi RB. Diagnosing papillary stenosis by technetium-99m HIDA scanning. *Can J Surg* 1983 Mar 26(2):191-3.
- Palazzo L, Girollet PP, Salmeron M, et al. Value of endoscopic ultrasonography in the diagnosis of common bile duct stones: comparison with surgical exploration and ERCP. *Gastrointest Endosc* 1995 Sep 42(3):225-31.
- Pasanen P, Partanen K, Pikkarainen P, et al. Complications of endoscopic retrograde cholangiopancreatography in jaundiced and cholestatic patients. *Ann Chir Gynaecol* 1992 81(1):28-31.
- Pasanen P, Partanen K, Pikkarainen P, et al. Diagnostic accuracy of ultrasound, computed tomography and endoscopic retrograde cholangiopancreatography in the detection of pancreatic cancer in patients with jaundice or cholestasis. *In Vivo* 1992 May-Jun 6(3):297-301.
- Pasanen P, Partanen K, Pikkarainen P, et al. Ultrasonography, CT, and ERCP in the diagnosis of choledochal stones. *Acta Radiol* 1992 Jan 33(1):53-6.
- Pasanen PA, Eskelinen M, Partanen K, et al. A prospective study of the value of imaging, serum markers and their combination in the diagnosis of pancreatic carcinoma in symptomatic patients. *Anticancer Res* 1992 Nov-Dec 12(6B):2309-14.
- Pasanen PA, Partanen K, Pikkarainen P, et al. A prospective study on the value of ultrasound, computed tomography and endoscopic retrograde cholangiopancreatography in the diagnosis of unjaundiced cholestasis. *In Vivo* 1994 Mar-Apr 8(2):227-30.
- Pasanen PA, Partanen K, Pikkarainen P, et al. Diagnostic accuracy of ultrasound, computed tomography, and endoscopic retrograde cholangiopancreatography in the detection of obstructive jaundice. *Scand J Gastroenterol* 1991 Nov 26(11):1157-64.
- Pasanen PA, Partanen KP, Pikkarainen PH, et al. A comparison of ultrasound, computed tomography and endoscopic retrograde cholangiopancreatography in the differential diagnosis of benign and malignant jaundice and cholestasis. *Eur J Surg* 1993 Jan 159(1):23-9.
- Pasanen PA, Pikkarainen PH, Alhava EM, et al. Clinical evaluation and imaging methods in the diagnosis of jaundice and cholestasis. *Theor Surg* 1992 7(4):180-185.
- Pathak R, Cooperman AM. Surgery and pancreas divisum: A dwindling role? *Surg Clin North Am* 2001 81(2):479-482.
- Paul A. Diagnosis and treatment of common bile duct stones (CBDS). Results of a consensus development conference. Scientific Committee of the European Association for Endoscopic Surgery (E.A.E.S.). *Surg Endosc* 1998 Jun 12(6):856-64.
- Pavone P, Laghi A, Catalano C, et al. MR cholangiopancreatography (MRCP) at 0.5 T: technique optimisation and preliminary results. *Eur Radiol* 1996 6(2):147-52.
- Pavone P, Laghi A, Catalano C, et al. Non-invasive evaluation of the biliary tree with magnetic resonance cholangiopancreatography: initial clinical experience. *Ital J Gastroenterol* 1996 Feb-Mar 28(2):63-9.
- Pedersen FM, Lassen AT, De Muckadell OBS. Randomized trial of stent placed above and across the sphincter of Oddi in malignant bile duct obstruction. *Gastrointest Endosc* 1998 48(6):574-579.

Pedersen FM. Endoscopic management of malignant biliary obstruction. Is stent size of 10 French gauge better than 7 French gauge? *Scand J Gastroenterol* 1993 Feb 28(2):185-9.

Peng NJ, Lai KH, Tsay DG, et al. Efficacy of quantitative cholescintigraphy in the diagnosis of sphincter of Oddi dysfunction. *Nucl Med Commun* 1994 Nov 15(11):899-904.

Pereira-Lima JC, Jakobs R, Busnello JV, et al. The Role of Serum Liver Enzymes in the Diagnosis Ofcholedocholithiasis. *Hepatogastroenterology* 2000 47(36):1522-1525.

Persson B. Relation of size and number of common duct calculi to success of sphincterotomy and stone extraction. *Gastrointest Radiol* 1991 Summer 16(3):212-4.

Pezzilli R, Billi P, Barakat B, et al. Ultrasonographic evaluation of the common bile duct in biliary acute pancreatitis patients: comparison with endoscopic retrograde cholangiopancreatography. *J Ultrasound Med* 1999 Jun 18(6):391-4.

Pfau PR, Kochman ML. Endoscopic management of biliary tract disease. *Curr Opin Gastroenterol* 1999 15(5):448-453.

Phillips EH, Carroll BJ, Pearlstein AR, et al. Laparoscopic choledochoscopy and extraction of common bile duct stones. *World J Surg* 1993 Jan-Feb 17(1):22-8.

Pickuth D, Spielmann RP. Detection of choledocholithiasis: comparison of unenhanced spiral CT, US, and ERCP. *Hepatogastroenterology* 2000 Nov-Dec 47(36):1514-7.

Pitt HA, Gomes AS, Lois JF, et al. Does preoperative percutaneous biliary drainage reduce operative risk or increase hospital cost? *Ann Surg* 1985 201(5):545-553.

Podolsky I, Kortan P, Haber GB. Endoscopic sphincterotomy in outpatients. *Gastrointest Endosc* 1989 35(5):372-376.

Polkowski M, Palucki J, Regula J, et al. Helical computed tomographic cholangiography versus endosonography for suspected bile duct stones: a prospective blinded study in non-jaundiced patients. *Gut* 1999 Nov 45(5):744-9.

Polkowski M, Palucki J, Regula J, et al. Helical computed tomographic cholangiography versus endosonography for suspected bile duct stones: a prospective blinded study in non-jaundiced patients. *Gut* 1999 Nov 45(5):744-9.

Ponchon T, Bory R, Hedelius F, et al. Endoscopic stenting for pain relief in chronic pancreatitis: results of a standardized protocol. *Gastrointestinal Endoscopy* 1999 42(4):452-456.

Ponchon T, Gagnon P, Berger F, et al. Value of endobiliary brush cytology and biopsies for the diagnosis of malignant bile duct stenosis: results of a prospective study. *Gastrointest Endosc* 1995 Dec 42(6):565-72.

Ponsky JL, Duppler DW. Endoscopic sphincterotomy and removal of pancreatic duct stones. *Am Surg* 1987 Oct 53(10):613-6.

Prat F, Amouyal G, Amouyal P, et al. Prospective controlled study of endoscopic ultrasonography and endoscopic retrograde cholangiography in patients with suspected common-bile duct lithiasis. *Lancet* 1996 Jan 13 347(8994):75-9.

Prat F, Chapat O, Ducot B, et al. A randomized trial of endoscopic drainage methods for inoperable malignant strictures of the common bile duct. *Gastrointest Endosc* 1998 Jan 47(1):1-7.

Pugliese V, Antonelli G, Vincenti M, et al. Endoductal tissue sampling of biliary strictures through endoscopic retrograde cholangiopancreatography (ERCP). *Tumori* 1997 May-Jun 83(3):698-702.

Pugliese V, Conio M, Nicolo G, et al. Endoscopic retrograde forceps biopsy and brush cytology of biliary strictures: a prospective study. *Gastrointest Endosc* 1995 Dec 42(6):520-6.

Rabenstein T, Ruppert T, Schneider HT, et al. Benefits and risks of needle-knife papillotomy. *Gastrointest Endosc* 1997 46(3):207-211.

Rabenstein T, Schneider HT, Bulling D, et al. Analysis of the risk factors associated with endoscopic sphincterotomy techniques: Preliminary results of a prospective study, with emphasis on the reduced risk of acute pancreatitis with low-dose anticoagulation treatment. *Endoscopy* 2000 32:10-19.

Raikaar GV, Melin MM, Ress A, et al. Cost-effective analysis of surgical palliation versus endoscopic stenting in the management of unresectable pancreatic cancer. *Ann Surg Oncol* 1996 Sep 3(5):470-5.

Rao KJ, Varghese NM, Blake H, et al. Endoscopic biliary stenting in a district general hospital. *Gut* 1995 Aug 37(2):279-83.

Rawat B, Loewy J. Value of three-dimensional gradient-echo magnetic resonance cholangiography in diagnosing choledocholithiasis. *Can Assoc Radiol J* 1996 Aug 47(4):265-9.

Regan F, Fradin J, Khazan R, et al. Choledocholithiasis: evaluation with MR cholangiography. *AJR Am J Roentgenol* 1996 Dec 167(6):1441-5.

Regan F, Schaefer DC, Smith DP, et al. The diagnostic utility of HASTE MRI in the evaluation of acute cholecystitis. Half-Fourier acquisition single-shot turbo SE. *J Comput Assist Tomogr* 1998 Jul-Aug 22(4):638-42.

Regan F, Smith D, Khazan R, et al. MR cholangiography in biliary obstruction using half-Fourier acquisition. *J Comput Assist Tomogr* 1996 Jul-Aug 20(4):627-32.

Regan F. Clinical applications of half-Fourier (HASTE) MR sequences in abdominal imaging. *Magn Reson Imaging Clin N Am* 1999 May 7(2):275-88.

Reinhold C, Taourel P, Bret PM, et al. Choledocholithiasis: evaluation of MR cholangiography for diagnosis. *Radiology* 1998 Nov 209(2):435-42.

Rhodes M, Sussman L, Cohen L, et al. Randomised trial of laparoscopic exploration of common bile duct versus postoperative endoscopic retrograde cholangiography for common bile duct stones. *Lancet* 1998 Jan 17 351(9097):159-61.

Rhodes M, Sussman L, Cohen L, et al. Randomised trial of laparoscopic exploration of common bile duct versus postoperative endoscopic retrograde cholangiography for common bile duct stones. *Lancet* 1998 Jan 17 351(9097):159-61.

Rieger R, Sulzbacher H, Woisetschlager R, et al. Selective use of ERCP in patients undergoing laparoscopic cholecystectomy. *World J Surg* 1994 Nov-Dec 18(6):900-4.

Rieger R, Wayand W. Yield of prospective, noninvasive evaluation of the common bile duct combined with selective ERCP/sphincterotomy in 1390 consecutive laparoscopic cholecystectomy patients. *Gastrointest Endosc* 1995 Jul 42(1):6-12.

Rijna H, Borgstein PJ, Meuwissen SG, et al. Selective preoperative endoscopic retrograde cholangiopancreatography in laparoscopic biliary surgery. *Br J Surg* 1995 Aug 82(8):1130-3.

Riker A, Libutti SK, Bartlett DL. Advances in the early detection, diagnosis, and staging of pancreatic cancer. *Surg Oncol* 1997 Nov 6(3):157-69.

- Robertson GS, Jagger C, Johnson PR, et al. Selection criteria for preoperative endoscopic retrograde cholangiopancreatography in the laparoscopic era. *Arch Surg* 1996 Jan 131(1):89-94.
- Roberts-Thomson IC, Toouli J. Abnormal responses to morphine-neostigmine in patients with undefined biliary type pain. *Gut* 1985 26(12):1367-1372.
- Roesch W, Phillip J, Gebhardt CH. Endoscopic duct obstruction in chronic pancreatitis. *Endoscopy* 1979 11(1):43-46.
- Rolny P, Anderberg B, Ihse I, et al. Pancreatitis after sphincter of Oddi manometry. *Gut* 1990 31(7):821-824.
- Rolny P. Endoscopic bile duct stent placement as a predictor of outcome following endoscopic sphincterotomy in patients with suspected sphincter of Oddi dysfunction. *Euro J Gastroenterol Hepatol* 1997 9(467-471).
- Rosch T, Lorenz R, Braig C, et al. Endoscopic ultrasound in pancreatic tumor diagnosis. *Gastrointest Endosc* 1991 May-Jun 37(3):347-52.
- Rosch T, Schusdziarra V, Born P, et al. Modern imaging methods versus clinical assessment in the evaluation of hospital in-patients with suspected pancreatic disease. *Am J Gastroenterol* 2000 Sep 95(9):2261-70.
- Rosseland AR, Solhaug JH. Early or delayed endoscopic papillotomy (EPT) in gallstone pancreatitis. *Ann Surg* 1984 Feb;199(2):165-7.
- Roston AD, Jacobson IM. Evaluation of the pattern of liver tests and yield of cholangiography in symptomatic choledocholithiasis: a prospective study. *Gastrointest Endosc* 1997 May 45(5):394-9.
- Rothschild JG, Kaplan MM, Millan VG, et al. Management of biliary obstruction. A comparison of percutaneous, endoscopic, and operative techniques. *Arch Surg* 1989 May 124(5):556-9.
- Rupp N, Kramann B, Gullotta U, et al. Biliary drainage by teflon endoprosthesis in obstructive jaundice--experiences in 69 patients treated by PTCD or ERCD. *Eur J Radiol* 1983 Feb 3(1):42-50.
- Ruppin H, Amon R, Ettl W, et al. Acute pancreatitis after endoscopic/radiological pancreaticography (ERP). *Endoscopy* 1974 6(2):94-98.
- Ryan ME. Cytologic brushings of ductal lesions during ERCP. *Gastrointest Endosc* 1991 Mar-Apr 37(2):139-42.
- Ryan ME, Baldauf MC. Comparison of flow cytometry for DNA content and brush cytology for detection of malignancy in pancreaticobiliary strictures. *Gastrointest Endosc* 1994 Mar-Apr 40(2 Pt 1):133-9.
- Sahai AV, Zimmerman M, Aabakken L, et al. Prospective assessment of the ability of endoscopic ultrasound to diagnose, exclude, or establish the severity of chronic pancreatitis found by endoscopic retrograde cholangiopancreatography. *Gastrointest Endosc* 1998 Jul 48(1):18-25.
- Sandy JT, Taylor RH, Christensen RM, et al. Pancreatic pseudocyst. Changing concepts in management. *Am J Surg* 1981 May 141(5):574-6.
- Santucci L, Natalini G, Sarpi L, et al. Selective endoscopic retrograde cholangiography and preoperative bile duct stone removal in patients scheduled for laparoscopic cholecystectomy: a prospective study. *Am J Gastroenterol* 1996 Jul 91(7):1326-30.
- Santucci L, Natalini G, Sarpi L, et al. Selective endoscopic retrograde cholangiography and preoperative bile duct stone removal in patients scheduled for laparoscopic cholecystectomy: a prospective study. *Am J Gastroenterol* 1996 Jul 91(7):1326-30.
- Sarli L, Costi R, Gobbi S, et al. Asymptomatic bile duct stones: selection criteria for intravenous cholangiography

and/or endoscopic retrograde cholangiography prior to laparoscopic cholecystectomy. *Eur J Gastroenterol Hepatol* 2000 Nov 12(11):1175-80.

Satterfield ST, McCarthy JH, Geenen JE, et al. Clinical experience in 82 patients with pancreas divisum: preliminary results of manometry and endoscopic therapy. *Pancreas* 1988 3(3):248-53.

Sauter G, Grabein B, Huber G, et al. Antibiotic prophylaxis of infectious complications with endoscopic retrograde cholangiopancreatography. A randomized controlled study. *Endoscopy* 1990 Jul 22(4):164-7.

Sbeih F, Aljohani M, Altraif I, et al. Role of endoscopic retrograde cholangiopancreatography before and after laparoscopic cholecystectomy. *Ann Saudi Med* 1998 18(2):117-119.

Scheurer U. Acute pancreatitis: ERCP and papillotomy. *Dig Surg* 11(3-6):226-230.

Schlup MM, Williams SM, Barbezat GO. ERCP: a review of technical competency and workload in a small unit. *Gastrointest Endosc* 1997 Jul 46(1):48-52.

Schmassmann A, Von Gunten E, Knuchel J, et al. Wallstents versus plastic stents in malignant biliary obstruction: Effects of stent patency of the first and second stent on patient compliance and survival. *Am J Gastroenterol* 1996 91(4):654-659.

Schneider HT, May A. Piezoelectric shock wave lithotripsy of pancreatic duct stones. *Am J Gastroenterol* 1994 89(11):2042-2048.

Schoefl R, Haefner M, Wrba F, et al. Forceps biopsy and brush cytology during endoscopic retrograde cholangiopancreatography for the diagnosis of biliary stenoses. *Scand J Gastroenterol* 1997 Apr 32(4):363-8.

Schoeman MN, Huibregtse K. Pancreatic and ampullary carcinoma. *Gastrointest Endosc Clin N Am* 1995 Jan 5(1):217-36.

Schreiber F, Gurakuqi GC, Pristautz H, et al. Sonographically-guided extracorporeal shockwave lithotripsy for pancreatic stones in patients with chronic pancreatitis. *J Gastroenterol Hepatol* 1996 Mar 11(3):247-51.

Schumacher B, Frieling T, Haussinger D, et al. Endoscopic treatment of symptomatic choledocholithiasis. *Hepatogastroenterology* 1998 May-Jun 45(21):672-6.

Schutte H, Yarmuch J, Latorre R, et al. Endoscopic bile duct stone removal prior to laparoscopic cholecystectomy. *J Laparoendosc Surg* 1994 Jun 4(3):191-7.

Schutz SM, Abbott RM. Grading ERCPs by degree of difficulty: a new concept to produce more meaningful outcome data. *Gastrointest Endosc* 2000 May 51(5):535-9.

Schwacha H, Allgaier HP, Deibert P, et al. A sphincterotome-based technique for selective transpapillary common bile duct cannulation. *Gastrointest Endosc* 2000 Sep 52(3):387-91.

Scudera PL, Koizumi J, Jacobson IM. Brush cytology evaluation of lesions encountered during ERCP. *Gastrointest Endosc* 1990 May-Jun 36(3):281-4.

Sears RJ, Duckworth CW, Decaestecker C, et al. Image cytometry as a discriminatory tool for cytologic specimens obtained by endoscopic retrograde cholangiopancreatography. *Cancer* 1998 Apr 25 84(2):119-26.

Sees DW, Martin RR. Comparison of preoperative endoscopic retrograde cholangiopancreatography and laparoscopic cholecystectomy with operative management of gallstone pancreatitis. *Am J Surg* 1997 Dec 174(6):719-22.

Seifert E. Endoscopic retrograde cholangiopancreatography. Evaluation based on experience with 805

examinations. *Am J Gastroenterol* 1977 Dec 68(6):542-9.

Seki K, Suda T, Aoyagi Y, et al. Diagnosis of pancreatic adenocarcinoma by detection of human telomerase reverse transcriptase messenger RNA in pancreatic juice with sample qualification. *Clin Cancer Res* 2001 Jul 7(7):1976-81.

Semelka RC, Kroeker MA, Shoenut JP, et al. Pancreatic disease: prospective comparison of CT, ERCP, and 1.5-T MR imaging with dynamic gadolinium enhancement and fat suppression. *Radiology* 1991 Dec 181(3):785-91.

Sewnath ME, Birjmohun RS, Rauws EA, et al. The effect of preoperative biliary drainage on postoperative complications after pancreaticoduodenectomy. *J Am Coll Surg* 2001 Jun 192(6):726-34.

Shah RJ, Martin SP. Endoscopic retrograde cholangiopancreatography in the diagnosis and management of pancreatic diseases. *Curr Gastroenterol Rep* 2000 Apr 2(2):133-45.

Shahmir M, Schuman BM. Complications of fiberoptic endoscopy. *Gastrointest Endosc* 1980 Aug 26(3):86-91.

Sharma VK, Howden CW. Metaanalysis of randomized controlled trials of endoscopic retrograde cholangiography and endoscopic sphincterotomy for the treatment of acute biliary pancreatitis. *Am J Gastroenterol* 1999 Nov 94(11):3211-4.

Sherman S. Endoscopic drainage of malignant hilar obstruction: Is one biliary stent enough or should we work to place two? *Gastrointest Endosc* 2001 53(6):681-4.

Shepherd HA, Royle G, Ross APR, et al. Endoscopic biliary endoprosthesis in the palliation of malignant obstruction of the distal common bile duct: a randomized trial. *Br J Surg* 1988 75:1166-8.

Sherman S, Troiano FP, Hawes RH, et al. Frequency of abnormal sphincter of Oddi manometry compared with the clinical suspicion of sphincter of Oddi dysfunction. *Am J Gastroenterol* 1991 May;86(5):586-90.

Sherman S, Lehman G, Jamidar P. Efficacy of endoscopic sphincterotomy and surgical sphincteroplasty for patients with sphincter of Oddi dysfunction (SOD): randomized, controlled study. *Gastrointest Endosc* 1994 40(2 of 2):125A.

Sherman S, Hawes RH, Savides TJ, et al. Stent-induced pancreatic ductal and parenchymal changes: correlation of endoscopic ultrasound with ERCP. *Gastrointest Endosc* 1996 Sep 44(3):276-82.

Sherman S, Lehman GA, Hawes RH, et al. Pancreatic ductal stones: frequency of successful endoscopic removal and improvement in symptoms. *Gastrointest Endosc* 1991 Sep-Oct 37(5):511-7.

Sherman S, Lehman GA. Endoscopic therapy of pancreatic disease. *Gastroenterologist* 1997 Dec 5(4):262-77.

Sherman S, Ruffolo TA, Hawes RH, et al. Complications of endoscopic sphincterotomy. A prospective series with emphasis on the increased risk associated with sphincter of Oddi dysfunction and nondilated bile ducts. *Gastroenterology* 1991 Oct 101(4):1068-75.

Sherman S, Troiano FP, Hawes RH, et al. Frequency of abnormal sphincter of Oddi manometry compared with the clinical suspicion of sphincter of Oddi dysfunction. *Am J Gastroenterol* 1991 May 86(5):586-90.

Shim CS, Joo JH, Park CW, et al. Effectiveness of endoscopic ultrasonography in the diagnosis of choledocholithiasis prior to laparoscopic cholecystectomy. *Endoscopy* 1995 Aug 27(6):428-32.

Siegel JH, Cooperman AM, Pullano W, et al. Pancreas divisum: observation, endoscopic drainage, and surgical treatment results in 65 patients. *Surg Laparosc Endosc* 1993 Aug 3(4):281-5.

Siegel JH, Rodriquez R, Cohen SA, et al. Endoscopic management of cholangitis: critical review of an alternative technique and report of a large series. *Am J Gastroenterol* 1994 Aug 89(8):1142-6.

- Siegel JH, Veerappan A, Tucker R. Bipolar versus monopolar sphincterotomy: a prospective trial. *Am J Gastroenterol* 1994 Oct 89(10):1827-30.
- Siegmán-Igra Y, Spinrad S, Rattan J. Septic complications following endoscopic retrograde cholangiopancreatography: the experience in Tel Aviv Medical Center. *J Hosp Infect* 1988 Jul 12(1):7-12.
- Smith AC, Dowsett JF, Russell RC, et al. Randomised trial of endoscopic stenting versus surgical bypass in malignant low bile duct obstruction. *Lancet* 1994 Dec 17 344(8938):1655-60.
- Smith AC, Dowsett JS, Hattfield ARW, et al. Prospective randomized trial of bypass surgery versus endoscopic stenting in patients with malignant obstructive jaundice. *Gut* 1989 30 (1513 (abstract)).
- Smith M, Sherman S. Alterations in pancreatic ductal morphology following polyethylene pancreatic stent therapy. *Gastrointest Endosc* 1996 44(3):268-75.
- Smithline A, Silverman W, Rogers D et al. Effect of prophylactic main pancreatic duct stenting on the incidence of biliary endoscopic sphincterotomy-induced pancreatitis in high-risk patients. *Gastrointestinal Endoscopy* 1993 39(5):652-7.
- Smits ME, Badiga SM, Rauws EA, et al. Long-term results of pancreatic stents in chronic pancreatitis. *Gastrointest Endosc* 1995 Nov 42(5):461-7.
- Smits ME, Rauws EA, Tytgat GN, et al. Endoscopic treatment of pancreatic stones in patients with chronic pancreatitis. *Gastrointest Endosc* 1996 Jun 43(6):556-60.
- Snady H, Cooperman A, Siegel J. Endoscopic ultrasonography compared with computed tomography with ERCP in patients with obstructive jaundice or small peri-pancreatic mass. *Gastrointest Endosc* 1992 Jan-Feb 38(1):27-34.
- Songur Y, Oguz D, Gurkaynak G, et al. Endoscopic ultrasonography and endoscopic retrograde pancreatography in the diagnosis of chronic pancreatitis. *Dig Endosc* 2000 12(1):37-41.
- Sostre S, Kalloo AN, Spiegler EJ, et al. A noninvasive test of sphincter of Oddi dysfunction in postcholecystectomy patients: the scintigraphic score. *J Nucl Med* 1992 Jun 33(6):1216-22.
- Soto JA, Alvarez O, Munera F, et al. Diagnosing bile duct stones: comparison of unenhanced helical CT, oral contrast-enhanced CT cholangiography, and MR cholangiography. *AJR Am J Roentgenol* 2000 Oct 175(4):1127-34.
- Soto JA, Barish MA, Alvarez O, et al. Detection of choledocholithiasis with MR cholangiography: comparison of three-dimensional fast spin-echo and single- and multisection half-Fourier rapid acquisition with relaxation enhancement sequences. *Radiology* 2000 Jun 215(3):737-45.
- Soto JA, Barish MA, Yucel EK, et al. Magnetic resonance cholangiography: comparison with endoscopic retrograde cholangiopancreatography. *Gastroenterology* 1996 Feb 110(2):589-97.
- Soto JA, Barish MA, Yucel EK, et al. Pancreatic duct: MR cholangiopancreatography with a three-dimensional fast spin-echo technique. *Radiology* 1995 Aug 196(2):459-64.
- Soto JA, Velez SM, Guzman J. Choledocholithiasis: diagnosis with oral-contrast-enhanced CT cholangiography. *AJR Am J Roentgenol* 1999 Apr 172(4):943-8.
- Speer AG, Cotton PB, MacRae KD. Endoscopic management of malignant biliary obstruction: stents of 10 French gauge are preferable to stents of 8 French gauge. *Gastrointest Endosc* 1988 34(5):412-417.
- Speer AG, Cotton PB, Russell RCG, et al. Randomized trial of endoscopic versus percutaneous stent insertion in

malignant obstructive jaundice. *Lancet* 1987 ii:57-62.

Speer AG, Cotton PB. Endoscopic treatment of pancreatic cancer. *Int J Pancreatol* 1988 3(Suppl. 1):S147-S158.

Srinathan SK, Barkun JS, Mehta SN, et al. Evolving management of mild-to-moderate gallstone pancreatitis. *J Gastrointest Surg* 1998 Jul-Aug 2(4):385-90.

Stahl TJ, Allen MO, Ansel HJ, et al. Partial biliary obstruction caused by chronic pancreatitis. An appraisal of indications for surgical biliary drainage. *Ann Surg* 1988 Jan 207(1):26-32.

Stain SC, Cohen H, Tsushiysha M, et al. Choledocholithiasis. Endoscopic sphincterotomy or common bile duct exploration. *Ann Surg* 1991 Jun 213(6):627-33.

Stain SC, Marsri LS, Froes ET, et al. Laparoscopic cholecystectomy: laboratory predictors of choledocholithiasis. *Am Surg* 1994 Oct 60(10):767-71.

Stephens RV, Burdick GE. Microscopic transduodenal sphincteroplasty and transampullary septoplasty for papillary stenosis. *Am J Surg* 1986 Dec 152(6):621-7.

Stiegmann GV. Bile duct calculi--the new challenges. *HPB Surg* 1998 10(6):409-10.

Stiegmann GV, Goff JS, Mansour A, et al. Precholecystectomy endoscopic cholangiography and stone removal is not superior to cholecystectomy, cholangiography, and common duct exploration. *Am J Surg* 1992 Feb 163(2):227-30.

Stiris MG, Tennoe B, Aadland E, et al. MR cholangiopancreatography and endoscopic retrograde cholangiopancreatography in patients with suspected common bile duct stones. *Acta Radiol* 2000 May 41(3):269-72.

Strohm WD, Kurtz W, Hagenmuller F, et al. Diagnostic efficacy of endoscopic ultrasound tomography in pancreatic cancer and cholestasis. *Scand J Gastroenterol Suppl* 1984 102(18-23).

Suc B, Escat J, Cherqui D, et al. Surgery vs endoscopy as primary treatment in symptomatic patients with suspected common bile duct stones. A multicenter randomized trial. *Arch Surg* 1998 133(7):702-708.

Sugawa C, Clift D, Walt AJ. Endoscopic retrograde cholangiopancreatography after cholecystectomy. *Surg Gynecol Obstet* 1983 Sep 157(3):247-51.

Sugawa C, Raouf R, Bradley V, et al. Peroral endoscopic cholangiography and pancreatography. The surgeon's helper. *Arch Surg* 1974 109(2):231-237.

Sugawa C, Walt AJ. Endoscopic retrograde pancreatography in the surgery of pancreatic pseudocysts. *Surgery* 1979 Oct 86(4):639-47.

Sugiyama M, Atomi Y, Hachiya J. Magnetic resonance cholangiography using half-Fourier acquisition for diagnosing choledocholithiasis. *Am J Gastroenterol* 1998 Oct 93(10):1886-90.

Sugiyama M, Atomi Y, Wada N, et al. Endoscopic transpapillary bile duct biopsy without sphincterotomy for diagnosing biliary strictures: a prospective comparative study with bile and brush cytology. *Am J Gastroenterol* 1996 Mar 91(3):465-7.

Sugiyama M, Atomi Y. Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography. *Surgery* 1998 Jul 124(1):14-21.

Sugiyama M, Atomi Y. Endoscopic ultrasonography for diagnosing choledocholithiasis: a prospective comparative

- study with ultrasonography and computed tomography. *Gastrointest Endosc* 1997 Feb 45(2):143-6.
- Sung JY, Chung SCS, Tsui CP, et al. Omitting side-holes in biliary stents does not improve drainage of the obstructed biliary system: a prospective randomized trial. *Gastrointest Endosc* 1994 40:321-5.
- Suramo I, Lehtola J, Leinonen A, et al. The diagnostic accuracy of gray-scale ultrasonography compared with ERP and arteriography in the detection of pancreatic carcinoma. *Scand J Gastroenterol* 1979 14(8):993-6.
- Swobodnik W, Meyer W, Brecht-Kraus D, et al. Ultrasound, computed tomography and endoscopic retrograde cholangiopancreatography in the morphologic diagnosis of pancreatic disease. *Klin Wochenschr* 1983 Mar 15 61(6):291-6.
- Takahashi M, Saida Y, Itai Y, et al. Reevaluation of spiral CT cholangiography: Basic considerations and reliability for detecting choledocholithiasis in 80 patients. *J Comput Assist Tomography* 2000 24:859-865.
- Takehara Y, Ichijo K, Tooyama N, et al. Breath-hold MR cholangiopancreatography with a long-echo-train fast spin-echo sequence and a surface coil in chronic pancreatitis. *Radiology* 1994 Jul 192(1):73-8.
- Talamini G, Bassi C. The "natural" history of pain in chronic pancreatitis. *Gastroenterology* 2000 118(1):235-43.
- Tanaka M, Sada M, Eguchi T, et al. Comparison of routine and selective endoscopic retrograde cholangiography before laparoscopic cholecystectomy. *World J Surg* 1996 Mar-Apr 20(3):267-70.
- Tandon M, Topazian M. Endoscopic ultrasound in idiopathic acute pancreatitis. *Am J Gastroenterol* 2001 Mar 96(3):705-9.
- Tanner AR, Dwarakanath AD, Tait NP. The potential impact of high-quality MRI of the biliary tree on ERCP workload. *Eur J Gastroenterol Hepatol* 2000 Jul 12(7):773-6.
- Tanner AR. ERCP: present practice in a single region. Suggested standards for monitoring performance. *Eur J Gastroenterol Hepatol* 1996 Feb 8(2):145-8.
- Targarona EM, Ayuso RM, Bordas JM, et al. Randomised trial of endoscopic sphincterotomy with gallbladder left in situ versus open surgery for common bile-duct calculi in high-risk patients. *Lancet* 1996 Apr 6 347(9006):926-9.
- Tarnasky PR, Hawes RH. Endoscopic diagnosis and therapy of unexplained (idiopathic) acute pancreatitis. *Gastrointest Endosc Clin N Am* 1998 Jan 8(1):13-37.
- Tarnasky PR, Palesch YY, Cunningham JT, et al. Pancreatic stenting prevents pancreatitis after biliary sphincterotomy in patients with sphincter of Oddi dysfunction. *Gastroenterology* 1998 Dec 115(6):1518-24.
- Tascilar M, Sturm PD, Caspers E, et al. Diagnostic p53 immunostaining of endobiliary brush cytology: preoperative cytology compared with the surgical specimen. *Cancer* 1999 Oct 25 87(5):306-11.
- Taylor BR, Ho CS. Nonsurgical treatment of common-bile-duct stones. *Can J Surg* 1984 Jan 27(1):28-32.
- ten Hoopen-Neumann H, Gerhards MF, van Gulik TM, et al. Occurrence of implantation metastases after resection of Klatskin tumors. *Dig Surg* 1999 16(3):209-13.
- Teplick SK, Flick P, Brandon JC. Transhepatic cholangiography in patients with suspected biliary disease and nondilated intrahepatic bile ducts. *Gastrointest Radiol* 1991 Summer 16(3):193-7.
- Testoni PA, Caporuscio S, Bagnolo F, et al. Idiopathic recurrent pancreatitis: long-term results after ERCP, endoscopic sphincterotomy, or ursodeoxycholic acid treatment. *Am J Gastroenterol* 2000 Jul 95(7):1702-7.
- Tham TC, Lichtenstein DR, Vandervoort J, et al. Role of endoscopic retrograde cholangiopancreatography for

suspected choledocholithiasis in patients undergoing laparoscopic cholecystectomy. *Gastrointest Endosc* 1998 Jan 47(1):50-6.

Thatcher BS, Sivak MV, Tedesco FJ, et al. Endoscopic sphincterotomy for suspected dysfunction of the sphincter of Oddi. *Gastrointest Endosc* 1987 Apr 33(2):91-5.

Thomas MJ, Pellegrini CA, Way LW. Usefulness of diagnostic tests for biliary obstruction. *Am J Surg* 1982 Jul 144(1):102-8.

Thompson MH. Influence of endoscopic papillotomy on the management of bile duct stones. *Br J Surg* 1986 73(10):779-781.

Thornton JR, Lobo AJ, Lintott DJ, et al. Value of ultrasound and liver function tests in determining the need for endoscopic retrograde cholangiopancreatography in unexplained abdominal pain. *Gut* 1992 Nov 33(11):1559-61.

Tio TL, Tytgat GNJ, Cikot RJLM, et al. Ampullopapillary carcinoma: Preoperative TNM classification with endosonography. *Radiology* 1990 175(2):455-461.

Tio TL, Wijers OB, Sars PR, et al. Preoperative TNM classification of proximal extrahepatic bile duct carcinoma by endosonography. *Semin Liver Dis* 1990 May 10(2):114-20.

Tobin RS, Vogelzang RL, Gore RM, et al. A comparative study of computed tomography and ERCP in pancreaticobiliary disease. *J Comput Tomogr* 1987 Jul 11(3):261-6.

Toouli J. What is sphincter of Oddi dysfunction? *Gut* 1989 30(6):753-761.

Toouli J, Craig A. Sphincter of Oddi function and dysfunction. *Canadian J Gastroenterol* 2000 14:411-419.

Toouli J, Roberts-Thomson IC, Kellow J, et al. Manometry based randomised trial of endoscopic sphincterotomy for sphincter of Oddi dysfunction. *Gut* 2000 Jan 46(1):98-102.

Topazian M, Kozarek R, Stoler R, et al. Clinical utility of endoscopic retrograde cholangiopancreatography. *Gastrointest Endosc* 1997 Nov 46(5):393-9.

Traverso LW. A cost analysis of the treatment of common bile duct stones discovered during cholecystectomy. *Semin Laparosc Surg* 2000 Dec 7(4):302-7.

Treacy PJ, Worthley CS. Pancreatic stents in the management of chronic pancreatitis. *Aust NZ J Surg* 1996 Apr;66(4):210-3.

Trede M, Rumstadt B, Wendl K, et al. Ultrafast magnetic resonance imaging improves the staging of pancreatic tumors. *Ann Surg* 1997 Oct 226(4):393-405.

Trias M, Targarona EM, Ros E, et al. Prospective evaluation of a minimally invasive approach for treatment of bile-duct calculi in the high-risk patient. *Surg Endosc* 1997 Jun 11(6):632-5.

Trondsen E, Edwin B, Reiertsen O, et al. Prediction of common bile duct stones prior to cholecystectomy: a prospective validation of a discriminant analysis function. *Arch Surg* 1998 Feb 133(2):162-6.

Trondsen E, Edwin B, Reiertsen O, et al. Selection criteria for endoscopic retrograde cholangiopancreatography (ERCP) in patients with gallstone disease. *World J Surg* 1995 Nov-Dec 19(6):852-6.

Tsitouridis I, Kouklakis G, Tsitouridis K, et al. MR cholangiopancreatography evaluation of the biliary tree. *Hellenic Journal of Gastroenterology (Hell. J. Gastroenterol.)* 1997 10(4):307-310.

Tzovaras G, Rowlands BJ. Diagnosis and treatment of sphincter of Oddi dysfunction. *Br J Surg* 1998 May

85(5):588-95.

Tzovaras G, Shukla P, Kow L, et al. What are the risks of diagnostic and therapeutic endoscopic retrograde cholangiopancreatography? *Aust N Z J Surg* 2000 Nov 70(11):778-82.

Uomo G, Galloro V, Rabitti PG, et al. Early endoscopic cholangiopancreatography and sphincterotomy in acute biliary pancreatitis: report of 50 cases. *Ital J Gastroenterol* 1991 Dec;23(9):564-6.

Uomo G, Manes G, Ragozzino A, et al. Periapillary extraluminal duodenal diverticula and acute pancreatitis: an underestimated etiological association. *Am J Gastroenterol* 1996 Jun 91(6):1186-8.

Urbach DR, Khajanchee YS, Jobe BA, et al. Cost-effective management of common bile duct stones: a decision analysis of the use of endoscopic retrograde cholangiopancreatography (ERCP), intraoperative cholangiography, and laparoscopic bile duct exploration. *Surg Endosc* 2001 Jan 15(1):4-13.

Vahldiek G, Broemel T, Klapdor R. MR-cholangiopancreatography (MRCP) and MR-angiography: morphologic changes with magnetic resonance imaging. *Anticancer Res* 1999 Jul-Aug 19(4A):2451-8.

Vaira D, Dowsett JF, Hatfield AR, et al. Is duodenal diverticulum a risk factor for sphincterotomy? *Gut* 1989 Jul 30(7):939-42.

van Berkel AM, Boland C, Redekop WK, et al. A prospective randomized trial of Teflon versus polyethylene stents for distal malignant biliary obstruction. *Endoscopy* 1998 Oct 30(8):681-6.

Van Camp JM, Polley TZ, Coran AG. Pancreatitis in children: Diagnosis and etiology in 57 patients. *Pediatr Surg Int* 1994 9(7):492-497.

Van Dam J, Sivak MV. Mechanical lithotripsy of large common bile duct stones. *Cleve Clin J Med* 1993 Jan-Feb 60(1):38-42.

van der Hul RL, Plaisier PW, Lameris JS, et al. Proximal cholangiocarcinoma: a multidisciplinary approach. *Eur J Surg* 1994 Apr 160(4):213-8.

Van Stiegmann G, Pearlman NW, Goff JS, et al. Endoscopic cholangiography and stone removal prior to cholecystectomy. A more cost-effective approach than operative duct exploration? *Arch Surg* 1989 Jul 124(7):787-9.

Vandervoort J, Soetikno RM, Montes H, et al. Accuracy and complication rate of brush cytology from bile duct versus pancreatic duct. *Gastrointest Endosc* 1999 Mar 49(3 Pt 1):322-7.

Varghese JC, Farrell MA, Courtney G, et al. A prospective comparison of magnetic resonance cholangiopancreatography with endoscopic retrograde cholangiopancreatography in the evaluation of patients with suspected biliary tract disease. *Clin Radiol* 1999 Aug 54(8):513-20.

Varghese JC, Liddell RP, Farrell MA, et al. Diagnostic accuracy of magnetic resonance cholangiopancreatography and ultrasound compared with direct cholangiography in the detection of choledocholithiasis. *Clin Radiol* 2000 Jan 55(1):25-35.

Varghese JC, Liddell RP, Farrell MA, et al. Diagnostic accuracy of magnetic resonance cholangiopancreatography and ultrasound compared with direct cholangiography in the detection of choledocholithiasis. *Clin Radiol* 2000 Jan 55(1):25-35.

Varshney S, Johnson CD. Pancreas divisum. *Int J Pancreatol* 1999 Apr 25(2):135-41.

Venu RP, Geenen JE, Hogan W, et al. Idiopathic recurrent pancreatitis. An approach to diagnosis and treatment. *Dig Dis Sci* 1989 Jan 34(1):56-60.

- Venu RP, Geenen JE, Kini M, et al. Endoscopic retrograde brush cytology. A new technique. *Gastroenterology* 1990 Nov 99(5):1475-9.
- Vitale GC, Larson GM, George M, et al. Management of malignant biliary stricture with self-expanding metallic stent. *Surg Endosc* 1996 Oct 10(10):970-3.
- Vitale GC, Reed DN, Nguyen CT, et al. Endoscopic treatment of distal bile duct stricture from chronic pancreatitis. *Surg Endosc* 2000 Mar 14(3):227-31.
- Voyles CR, Sanders DL, Hogan R. Common bile duct evaluation in the era of laparoscopic cholecystectomy. 1050 cases later. *Ann Surg* 1994 Jun 219(6):744-50; discussion 750-2.
- Wagner HJ, Knyrim K, Vakil N et al. Plastic endoprotheses versus metal stents in the palliative treatment of malignant hilar biliary obstruction. A prospective and randomized trial. *Endoscopy* 1993 Mar;25(3):213-8.
- Wang CH, Mo LR, Lin RC, et al. Rapid diagnosis of choledocholithiasis using biochemical tests in patients undergoing laparoscopic cholecystectomy. *Hepatogastroenterology* 2001 May-Jun 48(39):619-21.
- Warshaw AL, Banks PA, Fernandez-del Castillo C. AGA Technical Review: Treatment of Pain in Chronic Pancreatitis. *Gastroenterology* 1998 115:765-76.
- Warshaw AL, Richter JM, Schapiro RH. The cause and treatment of pancreatitis associated with pancreas divisum. *Ann Surg* 1983 Oct 198(4):443-52.
- Watanabe Y, Dohke M, Ishimori T, et al. High-resolution MR cholangiopancreatography. *Crit Rev Diagn Imaging* 1998 Apr 39(2-3):115-258.
- WebMD/Lycos. Choledocholithiasis. Web page from Adam.com, available at: http://webmd.lycos.com/content/asset/adam_disease_bile_calculus. Last dated: 1999; last accessed: November 2001.
- Wehrmann T, Schmitt T, Stergiou N, et al. Topical application of nitrates onto the papilla of Vater: manometric and clinical results. *Endoscopy* 2001 Apr 33(4):323-8.
- Wehrmann T, Schmitt TH, Arndt A, et al. Endoscopic injection of botulinum toxin in patients with recurrent acute pancreatitis due to pancreatic sphincter of Oddi dysfunction. *Aliment Pharmacol Ther* 2000 14(11):1469-1477.
- Wehrmann T, Wiemer K, Lembcke B, et al. Do patients with sphincter of Oddi dysfunction benefit from endoscopic sphincterotomy? A 5-year prospective trial. *Eur J Gastroenterol Hepatol* 1996 Mar;8(3):251-6
- Weizel A, Czygan P. Demonstration of a liver abscess by ERC. *Endoscopy* 1976 8(2):110-111.
- Weltz C, Pappas TN. Pancreatography and the surgical management of pseudocysts. *Gastrointest Endosc Clin N Am* 1995 Jan 5(1):269-79.
- Wiersema MJ, Kochman ML, Cramer HM, et al. Endosonography-guided real-time fine-needle aspiration biopsy. *Gastrointest Endosc* 1994 Nov-Dec 40(6):700-7.
- Wiersema MJ, Vilman P, Giovannini M, et al. Endosonography-guided fine-needle aspiration biopsy: diagnostic accuracy and complication assessment. *Gastroenterology* 1997 112:1087-95.
- Williams DB, Sahai AV, Aabakken L, et al. Endoscopic ultrasound guided fine needle aspiration biopsy: a large single center experience. *Gut* 1999 44:720-6.
- Wojtun S, Gil J, Gietka W, et al. Endoscopic sphincterotomy for choledocholithiasis: a prospective single-center

study on the short-term and long-term treatment results in 483 patients. *Endoscopy* 1997 May 29(4):258-65.

Yamaguchi T, Saisho H, Ohto M. Usefulness of percutaneous histological biopsy in the diagnosis of chronic pancreatitis with inflammatory mass (CPM). *J Intervent Radiol* 1994 9(4):165-170.

Yamakawa T, Sakai S, Mu ZB, et al. Laparoscopic management of common bile duct stones. *J Hepatobiliary Pancreat Surg* 2000 7(1):9-14.

Yamashita Y, Abe Y, Tang Y, et al. In vitro and clinical studies of image acquisition in breath-hold MR cholangiopancreatography: single-shot projection technique versus multislice technique. *AJR Am J Roentgenol* 1997 Jun 168(6):1449-54.

Yap I, Wee A, Tay HH, et al. Primary biliary cirrhosis--an uncommon disease in Singapore. *Singapore Med J* 1996 Feb 37(1):48-50.

Yeh TS, Jan YY, Tseng JH, et al. Malignant perihilar biliary obstruction: magnetic resonance cholangiopancreatographic findings. *Am J Gastroenterol* 2000 Feb 95(2):432-40.

Yeoh KG, Zimmerman MJ, Cunningham JT, et al. Comparative costs of metal versus plastic biliary stent strategies for malignant obstructive jaundice by decision analysis. *Gastrointest Endosc* 1999 Apr 49(4 Pt 1):466-71.

Zeman RK, Burrell MI, Dobbins J, et al. Postcholecystectomy syndrome: evaluation using biliary scintigraphy and endoscopic retrograde cholangiopancreatography. *Radiology* 1985 Sep 156(3):787-92.

Zidi SH, Prat F, Le Guen O, et al. Use of magnetic resonance cholangiography in the diagnosis of choledocholithiasis: prospective comparison with a reference imaging method. *Gut* 1999 Jan 44(1):118-22.

Zoepf T, Zoepf DS, Arnold JC, et al. The relationship between juxtapapillary duodenal diverticula and disorders of the biliopancreatic system: Analysis of 350 patients. *Gastrointest Endosc* 2001 Jul 54(1):56-61.

Zuckerman GR. Negative outcomes related to gastrointestinal endoscopic procedures. Definitions, classification, and quality review process. *Gastrointest Endosc Clin N Am* 1996 Apr 6(2):461-70.