References and Included Studies

Adams AB, Shirasugi N, Durham MM, et al. Calcineurin inhibitor-free CD28 blockade-based protocol protects allogeneic islets in nonhuman primates. Diabetes 2002; 51:265-70.

Adang EM, Engel GL, van Hooff JP, et al. Comparison before and after transplantation of pancreas-kidney and pancreas-kidney with loss of pancreas--a prospective controlled quality of life study. Transplantation 1996; 62(6):754-8.

Alejandro R. New developments in islet isolation technology. City of Hope Rachmiel Levine Symposium; 2002 Oct 9-12; Anaheim, CA.

Alejandro R. Islet transplant immunosuppressive strategies and clinical results. 1st Islet Transplant Congress, November 13-16, 2003a, Miami, FL

Alejandro R, Ferreira JV, Froud T, et al. Insulin independence in 13 patients following transplantation of cultured human islets. American Transplant Congress (ATC) 2003, Washington, DC, Abstract 568.

Alejandro R, Lehmann R, Ricordi C, et al. Long-term function (6 years) of islet allografts in type 1 diabetes. Diabetes 1997; 46:1983-9.

American Diabetes Association. Pancreas transplantation for patients with type 1 diabetes. Diabetes Care 2003; 26:S120.

American Diabetes Association. Position statement: Pancreas transplantation for patients with type 1 diabetes. Diabetes Care 2000; 23(1):117.

American Diabetes Association. Report and recommendations of the San Antonio conference on diabetic neuropathy. Consensus statement. Diabetes 1988; 37:1000-4.

American Diabetes Association. Standards of Medical Care for Patients with Diabetes Mellitus. Diabetes Care 2003; 26:S33-S50.

Annenberg Second Annual Symposium: Islet Transplantation 2002 and Beyond. December 5-7, Rancho Mirage, CA.

Ault A. Edmonton's islet success tough to duplicate elsewhere. Lancet 2003; 361:2054.

Baidal DA, Froud T, Ferreira JV, et al. Evaluation of islet allograft function in type 1 DM patients following intrahepatic islet cell transplantation. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 015.

Baidal DA, Froud T, Ferreira JV, et al. The bag method for islet cell infusion. Cell Transplant 2003; 12:809-813.

Ballinger WF, Lacy PE. Transplantation of intact pancreatic islets in rats. Surgery 1972; 72:175-86.

BCBSA Technology Evaluation Center. Use of intermittent or continuous interstitial fluid glucose monitoring in patients with diabetes mellitus. TEC Assessments 2002; 17(2):1-43. Available online at: http://bcbs.com/tec/vol17/17_02.pdf.

Becker BN, Brazy PC, Becker YT. Simultaneous pancreas-kidney transplantation reduces excess mortality in type 1 diabetic patients with end-stage renal disease. Kidney Int 2000; 57(5): 2129-35.

Berney T, Bucher P, Kessler L, et al. Islet after kidney (IAK) transplantation in patients with type 1 diabetes using a novel immunosuppression protocol: preliminary results of the GRAGIL 1B multicenter trial. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 013.

Berney T, Bucher P, Mathe Z, et al. Successful application of the Edmonton protocol to solitary islet transplant (SIT), islet after kidney (IAK) and simultaneous islet-kidney (SIK) transplantation at the University of Geneva. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003a, Dublin, Ireland, Abstract 014.

Berney T, Bucher P, Mathe Z, et al. Islet of Langerhans allogeneic transplantation at the University of Geneva in the steroid-free era. American Transplant Congress (ATC) 2003b, Washington, DC, Abstract 401.

Bertuzzi F, Grohovaz F, Maffi P, et al. Successful [correction of Succesful] transplantation of human islets in recipients bearing a kidney graft. Diabetologia 2002;45(1):77-84.

Birkeland SA, Beck-Nielsen H, Rohr N, et al. Steroid-free immunosuppression in kidney-islet transplantation: a long-term follow-up. Transplantation 2002;73(9):1527.

Bolli GB. Hypoglycaemia unawareness. Diabetes Metab 1997; 23:29-35.

Brandhorst H, Brandhorst D, Hesse F, et al. Successful human islet isolation utilizing recombinant collagenase. Diabetes 2003; 52(5):1143-6.

Brendel MD, Hering BJ, Schultz AO, et al. International Islet Transplant Registry update of worldwide human islet transplantations. 19th International Congress of the Transplantation Society 2002 August 25-30; Miami, FL.

Bretzel RG, Brandhorst D, Brandhorst H, et al. Improved survival of intraportal pancreatic islet cell allografts in patients with type-1 diabetes mellitus by refined peritransplant management. J Mol Med 1999; 77:140-3.

Bunnapradist S, Cho YW, Cecka JM, et al. Kidney allograft and patient survival in type I diabetic recipients of cadaveric kidney alone versus simultaneous pancreas kidney transplants: a multivariate analysis of the UNOS database. J Am Soc Nephrol 2003; 14(1):208-13.

Cagliero E. Islet transplant immunosuppressive strategies and clinical results. 1st Islet Transplant Congress, November 13-16, 2003a, Miami, FL

Campbell S. American Diabetes Association islet cell replacement initiative. City of Hope Rachmiel Levine Symposium; 2002 Oct 9-12; Anaheim, CA.

Casey JJ, Lakey JR, Ryan EA, et al. Portal venous pressure changes after sequential clinical islet transplantation. Transplantation 2002; 74(7):913-5.

Cecka JM. The UNOS Scientific Renal Transplant Registry. Clin Transpl 1996; 1-14.

Centers for Disease Control and Prevention. National diabetes fact sheet: general information and national estimates on diabetes in the United States, 2002. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2003. Available online at http://www.cdc.gov/diabetes/pubs/factsheet.htm

Chow VC, Pai RP, Chapman JR, et al. Diabetic retinopathy after combined kidney-pancreas transplantation. Clin Transplant 1999; 13(4):356-62.

Cox DJ, Irvine A, Gonder-Frederick L, et al. Fear of hypoglycemia: quantification, validation, and utilization. Diabetes Care 1987; 10(5):617-21.

Cretin N, Caulfield A, Fournier B, et al. Insulin independence and normalization of oral glucose tolerance test after islet cell allotransplantation. Transpl Int 2001; 14:343-5.

Davalli AM, Maffi P, Socci C, et al. Insights from a successful case of intrahepatic islet transplantation into a type 1 diabetic patient. J Clin Endocrinol Metab 2000; 85:3847-52.

Davalli AM, Ogawa Y, Ricordi C, et al. A selective decrease in the beta cell mass of human islets transplanted into diabetic nude mice. Transplantation 1995; 59(6):817-20.

de Vos P, Hamel AF, Tatarkiewicz K. Considerations for successful transplantation of encapsulated pancreatic islets. Diabetologia 2002; 45:159-73.

Elliott MD, Kapoor A, Parker MA, et al. Improvement in hypertension in patients with diabetes mellitus after kidney/pancreas transplantation. Circulation 2001; 104:563-9.

Fanelli CG, Epifano L, Rambotti AM, et al. Meticulous prevention of hypoglycemia normalizes the glycemic thresholds and magnitude of most of neuroendocrine responses to, symptoms of, and cognitive function during hypoglycemia in intensively treated patients with short-term IDDM. Diabetes 1993; 42:1683-9.

Fernandez LA, Lehmann R, Luzi L, et al. The effects of maintenance doses of FK506 versus cyclosporin A on glucose and lipid metabolism after orthotopic liver transplantation. Transplantation. 1999; 68(10):1532-41.

Fioretto P, Mauer SM, Bilous RW, et al. Effects of pancreas transplantation on glomerular structure in insulin-dependent diabetic patients with their own kidneys. Lancet 1993; 342:1193-6.

Fioretto P, Steffes MW, Sutherland DER, et al. Reversal of lesions of diabetic nephropathy after pancreas transplantation. N Engl J Med 1998; 339:69-75.

Fiorina P, Folli F, Maffi P, et al. Islet transplantation improves vascular diabetic complications in patients with diabetes who underwent kidney transplantation: a comparison between kidney-pancreas and kidney-alone transplantation. Transplantation 2003; 75:1296-1301.

Fraga DW, Sabek O, Hathaway DK, et al. A comparison of media supplement methods for the extended culture of human islet tissue. Transplantation 1998; 65:1060-6.

Fraker CA, Alejandro R, Ricordi C. Use of oxygenated perfluorocarbon toward making every pancreas count. Transplantation 2002; 74:1811-2.

Freise CE, Kang SM, Feng S, et al. Excellent results with steroid free maintenance immunosuppression in simultaneous pancreas-kidney transplantation. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 049.

Froud T, Ferreira J, Hafiz M, et al. Islet after kidney transplantation revisited. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 61.

Froud T, Yrizarry JM, Alejandro R, et al. Use of D-STAT™ to prevent bleeding following percutaneous transhepatic intraportal islet transplantation. Cell Transplant (In press).

Furlong WJ, Geeny DH, Torrance GW, et al. The Health Utilities Index (HUI) system for assessing health-related quality of life in clinical studies. Ann Med 2001; 33:375-84.

Gaber AO, Fraga DW, Callicutt CS, et al. Improved in vivo pancreatic islet function after prolonged in vitro islet culture. Transplantation 2001; 72:1730-6.

Geiger MC, Caulfield A, Froud JV, et al. Is there a role for infliximab in islet cell transplantation trials? American Transplant Congress; 2002 Apr 25-May 1; Washington DC.

Goral S, Helderman JH. The evolution and future of immunosuppression in renal transplantation. Semin Nephrol 1997; 17(4):364-72.

Gores PF, Najarian JS, Stephanian E, et al. Insulin independence in type I diabetes after transplantation of unpurified islets from single donor with 15-deoxyspergualin. Lancet 1993; 341(8836):19-21.

Goss JA, Brunicardi FC, Feliciano S, et al. Achievement of insulin independence via pancreatic islet transplantation using a remote islet isolation center: A first year review. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 011.

Goss JA, Schock AP, Brunicardi FC, et al. Achievement of insulin independence in three consecutive type-1 diabetic patients via pancreatic islet transplantation using islets isolated at a remote islet isolation center. Transplantation 2002; 74(12):1761-6.

Goss JA, Soltes G, Goodpastor SE, et al. Pancreatic islet transplantation: the radiographic approach. Transplantation 2003; 76(1):199-203.

Gruessner RW. Tac in pancreas transplantation: a multicenter analysis. Clin Transplant 1997; 11:299-312.

Gruessner AC, Sutherland DE. Analysis of United States (US) and non-US pancreas transplants as reported to the International Pancreas Transplant Registry (IPTR) and to the United Network for Organ Sharing (UNOS). Clin Transplant 1998; 53-73.

Gruessner AC, Sutherland DE. Pancreas transplant outcomes for United States (US) and non-US cases as reported to the United Network for Organ Sharing (UNOS) and the International Pancreas Transplant Registry (IPTR) as of October 2002. Clin Transplant 2002; :41-77.

Hafiz M, Froud T, Ferreira J, et al. Improvement in islet graft function following removal of tacrolimus from the immunosuppressive regimen in a single islet transplant recipient. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 060.

Harris MI. Diabetes in America, 2nd ed, National Diabetes Data Group, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases. 1995. NIH Publication No. 95-1468. Summary.

Hathaway DK, Hartwig MS, Milstead J, et al. Improvement in quality of life reported by diabetic recipients of kidney-only and pancreas-kidney allografts. Transplant Proc 1994; 26(2):512-4.

Hering BJ, Bretzel RG, Hopt UT, et al. New protocol toward prevention of early human islet allograft failure. Transplant Proc 1994; 26(2):570-1.

Hering BJ, Kandaswamy R, Ansite JD, et al. Successful single donor islet transplantation in type 1 diabetes. American Transplant Congress (ATC) 2003, Washington, DC, Abstract 567.

Hering BJ, Kandaswamy R, Harmon JV, et al. Transplantation of cultured islets from two-layer preserved pancreases in Type 1 diabetes with anti-Cd3 antibody. Am J Transplant 2004 (In press).

Hering BJ, Kandaswamy R, Parkey J, et al. Graft survival analysis in 20 Type 1 diabetic islet allograft recipients. American Transplant Congress, May 14-19, 2004, Boston, MA. Submitted.

Hering BJ, Matsumoto I, Sawada T, et al. Impact of two-layer pancreas preservation on islet isolation and transplantation. Transplantation 2002; 74(12):1813-6.

Hering BJ. Update on ITN trial and new developments in immunosuppressive regimens for islet transplantation. City of Hope Rachmiel Levine Symposium; 2002 Oct 9-12; Anaheim, CA.

Herold KC, Hagopian W, Auger JA, et al. Anti-CD3 monoclonal antibody in new-onset type 1 diabetes mellitus. N Engl J Med 2002; 346:1692-8.

Hirshberg B, Rother KI, Digon BJ 3rd, et al. Benefits and risks of solitary islet transplantation for type 1 diabetes using steroid-sparing immunosuppression: the National Institutes of Health experience. Diabetes Care 2003; 26(12):3288-95.

Holohan TV. Simultaneous pancreas-kidney and sequential pancreas-after-kidney transplantation. Health Technol Assess (Rockv) 1995; (4):1-53.

Hricik DE, Phinney MS, Weigel KA, et al. Long-term renal function in Type I diabetics after kidney or kidney-pancreas transplantation. Transplantation 1997; 64(9):1283-8.

Immune Tolerance Network Clinical Trial Research Summary. Multicenter trial of solitary islet transplantation in type 1 diabetic patients using the Edmonton protocol of steroid-free immunosuppression. Available at: http://www.immunetolerance.org/research/islet/trials/shapiro1.html. Last accessed November 2003.

International Islet Transplant Registry (ITR). ITR Newsletter 2001; 8(1):1-20.

International Pancreas Transplant Registry (IPTR). 2003 Midyear Update. http://www.iptr.umn.edu/ar_midyear2003/03_midyear_update_index.htm. Accessed Dec 9 2003.

Jindal RM, Sidner RA, Milgrom ML. Post-transplant diabetes mellitus. The role of immunosuppression. Drug Safety 1997;16(4):242-57.

Johnson JA, Kotovych M, Ryan EA, et al. Reduced fear of hypoglycemia in successful islet transplantation. Diabetes Care [Letter](In press).

Johnson JA. Self-reported health quality of life in islet transplant recipients. Islet Transplantation 2002 and Beyond: 2nd Annual Symposium; 2002 Dec 5-7; Rancho Mirage, CA.

Jordan ML, Chakrabarti P, Luke P, et al. Results of pancreas transplantation after steroid withdrawal under Tac immunosuppression. Transplantation 2000; 69(2):265-71.

Jordan ML, Shapiro R, Gritsch HA, et al. Long-term results of pancreas transplantation under Tac immunosuppression. Transplantation 1999; 67(2):266-72.

Kandaswamy R, Asolati M, Gruessner A, et al. A prospective, randomized trial of steroid free maintenance vs. delayed steroid withdrawal using a sirolimus-tacrolimus regimen in simultaneous pancreas-kidney transplants (SPK). 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 051..

Kaufman DB, Baker MS, Chen X, et al. Sequential kidney/islet transplantation using prednisone-free immunosuppression. Am J Transplant 2002; 2(7):674-7.

Kaufman DB, Leventhal JR, Gallon LG, et al. Pancreas transplantation in the prednisone-free era. American Transplant Congress (ATC) 2003, Washington, DC, Abstract 665.

Kawai T, Sogawa H, Koulmanda M, et al. Long-term islet allograft function in the absence of chronic immunosuppression: a case report of a nonhuman primate previously made tolerant to a renal allograft from the same donor. Transplantation 2001; 72:351-4.

Kendall DM, Rooney DP, Smets YFC, et al. Pancreas transplantation restores epinephrine response and symptom recognition during hypoglycemia in patients with long-standing type I diabetes and autonomic neuropathy. Diabetes 1997; 46:249-57.

Kiebert GM, van Oosterhout EC, van Bronswijk H, et al. Quality of life after combined kidney-pancreas or kidney transplantation in diabetic patients with end-stage renal disease. Clin Transplant 1994; 8(3):239-45.

Knight RJ, Schanzer H, Guy S, et al. Impact of kidney-pancreas transplantation on the progression of peripheral vascular disease in diabetic patients with end-stage renal disease. Transplant Proc 1998; 30(5):1947-9.

Koznarova R, Saudek F, Sosna T, et al. Beneficial effect of pancreas and kidney transplantation on advanced diabetic retinopathy. Cell Transplant 2000; 9(6):903-8.

La Rocca E, Fiorina P, Astorri E. Patient survival and cardiovascular events after kidney-pancreas transplantation: comparison with kidney transplantation alone in uremic IDDM patients. Cell Transplant 2000; 9(6):929-32.

Lakey JR, Kneteman NM, Rajotte RV, et al. Effect of core pancreas temperature during cadaveric procurement on human islet isolation and functional viability. Transplantation 2002; 73:1106-10.

LaPorte RE, Matsushima M, Chang YF. Diabetes in America, 2nd ed. National Diabetes Data Group, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases. NIH Publication No. 95-1468. 1995. Prevalence and incidence of insulin-dependent diabetes.

Larsen CP. JDRF Center for Islet Transplantation at Emory University. 1st Islet Transplant Congress, November 13-16, 2003, Miami, FL.

Larsen JL, Stratta RJ. Pancreas transplantation: A treatment option for insulin-dependent diabetes mellitus. Diabetes Metab 1996; 22(2):139-46.

Lederer E. Pancreas transplants for diabetic nephropathy: a time for reassessment. Am J Kidney Dis 2000; 35(6):1238-41.

Lehmann R, Weber M, Zuellig R, et al. Islet graft and kidney function in combined islet-kidney transplantation under a glucocorticoid-free immunosuppression (Edmonton protocol). 63rd Scientific Sessions of the American Diabetes Association (ADA), June 13-17 2003, New Orleans, Abstract 285-OR.

Linetsky E, Bottino R, Lehmann R, et al. Improved human islet isolation using a new enzyme blend, liberase. Diabetes 1997; 46:1120-3.

Lumelsky N, Blondel O, Laeng P, et al. Differentiation of embryonic stem cells to insulin-secreting structures similar to pancreatic islets. Science 2001; 292:1389-94.

Maffi P, Bertuzzi F, De Taddeo F, et al. Islet transplantation alone: A review of ten cases. 9th Congress of the International Pancreas and Islet Transplant Association. 8-11 July 2003, Dublin, Ireland, Abstract 063.

Markmann JF, Deng S, Desai NM, et al. The use of non-heart-beating donors for isolated pancreatic islet transplantation. Transplantation 2003; 75(9):1423-9.

Markmann JF, Deng S, Huang X, et al. Insulin independence following isolated islet transplantation and single islet infusions. Ann Surg 2003; 237(6):741-9.

Markmann JF, Deng S, Huang X, et al. Reversal of diabetes using islets procured from a single non-heart beating donor. 62nd Scientific Sessions of the American Diabetes Association; 2000 June 14-18; San Francisco.

Markmann JF, Rosen M, Siegelman ES, et al. Magnetic resonance-defined periportal steatosis following intraportal islet transplantation: a functional footprint of islet graft survival? Diabetes 2003; 52(7):1591-4.

Matsumoto S, Kandaswamy R, Sutherland DE, et al. Clinical application of the two-layer (University of Wisconsin solution/perfluorochemical plus O2) method of pancreas preservation before transplantation. Transplantation 2000; 70(5):771-4.

Matsumoto S, Kuroda Y. Perfluorocarbon for organ preservation before transplantation. Transplantation 2002; 74:1804-9.

McAlister VC, Gao Z, Peltekian K, et al. Sirolimus-tacrolimus combination immunosuppression. Lancet 2000; 355:376-7.

Meyer C, Hering BJ, Grosmann R, et al. Improved glucose counterregulation and autonomic symptoms after intraportal islet transplants alone in patients with long-standing type I diabetes mellitus. Transplantation 1998; 66:233-40.

Morrison CP, Wemyss-Holden SA, Dennison AR, et al. Islet yield remains a problem in islet autotransplantation. Arch Surg 2002; 137:80-3.

Morrissey PE, Shaffer D, Madras PN, et al. Progression of peripheral vascular disease after combined kidney-pancreas transplantation in diabetic patients with end-stage renal failure. Transplant Proc 1997; 29(1-2):662-3.

Meyer C, Hering BJ, Grossmann R, et al. Improved glucose counterregulation and autonomic symptoms after intraportal islet transplants alone in patients with long-standing type I diabetes mellitus. Transplantation 1998; 66(2):233-40.

Najarian JS. Islet cell transplantation in treatment of diabetes. Hosp Pract 1977; 12:63-9.

Najarian JS, Kaufman DB, Fryd DS, et al. Long-term survival following kidney transplantation in 100 type I diabetic patients. Transplantation 1989; 47:106-13.

Najarian JS, Sutherland DE, Baumgartner D, et al. Total or near total pancreatectomy and islet autotransplantation for treatment of chronic pancreatitis. Ann Surg 1980; 192(4): 526-42.

Nakache R, Merhav H, Klausner JM. Peripheral vascular disease in pancreas allograft recipients. Transplant Proc 1999; 31(4):1889.

Nakache R, Tyden G, Groth CG. Long-term quality of life in diabetic patients after combined pancreas-kidney transplantation or kidney transplantation. Transplant Proc 1994; 26(2):510-1.

Nathan DM, Lachin J, Cleary P, et al., for the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications (DCCT/EDIC) Research Group. Intensive Diabetes Therapy and Carotid Intima–Media Thickness in Type 1 Diabetes Mellitus. N Engl J Med 2003; 348:2294-303.

Navarro X, Kennedy WR, Loewenson RB, et al. Influence of pancreas transplantation on cardiorespiratory reflexes, nerve conduction, and mortality in diabetes mellitus. Diabetes 1990; 39:802-6.

Navarro X, Sutherland DER, Kennedy WR. Long-term effects of pancreatic transplantation on diabetic neuropathy. Ann Neurol 1997; 42:727-36.

Nishimura R, LaPorte RE, Dorman JS, et al. Mortality trends in type 1 diabetes. The Allegheny County (Pennsylvania) Registry 1965-1999. Diabetes Care 2001; 24(5):823-7.

Office of Legislative Policy and Analysis. Legislative updates: 108th Congress. Pending Legislation: Pancreatic Islet Cell Transplantation Act of 2003; H.R. 1068, S. 518, S. Amendment 1023 to S. 1. 2003. Available online at: http://olpa.od.nih.gov/legislation/108/pendinglegislation/pancreatic.asp

Ojo AO, Meier-Kriesche HU, Hanson JA, et al. The impact of simultaneous pancreas-kidney transplantation on long-term patient survival. Transplantation 2001; 71:82-90.

Organ Procurement and Transplantation Network. Available online at http://www.optn.org/latestData/viewDataReports.asp. Last accessed July 6, 2003.

Organ Procurement and Transplantation Network/United Network for Organ Sharing Kidney and Pancreas Transplantation Committee. Analysis of pancreas disposition and transplantation by region, donor age, donor BMI, and share type, 2000-2002. Prepared for Kidney and Pancreas Transplantation Committee meeting May 15, 2003. Report provided by Dr. Bernhard Hering, December 19, 2003.

Owen RJ, Ryan EA, O'Kelly K, et al. Percutaneous transhepatic pancreatic islet cell transplantation in type 1 diabetes mellitus: radiologic aspects. Radiology 2003; 229(1):165-70.

Panaro F, Testa G, Bogetti D, et al. Auto-islet transplantation after pancreatectomy. Expert Opin Biol Ther 2003; 3(2):207-14.

Papalois BE, Troppmann C, Gruessner AC, et al. Long-term peritoneal dialysis before transplantation and intra-abdominal infection after simultaneous pancreas-kidney transplantations. Arch Surg 1996; 131(7):761-6.

Parker DC, Greiner DL, Phillips NE, et al. Survival of mouse pancreatic islet allografts in recipients treated with allogeneic small lymphocytes and antibody to CD40 ligand. Proc Natl Acad Sci USA 1995; 92:9560-4.

Paty BW, Lanz K, Kendall DM, et al. Restored hypoglycemic counterregulation is stable in successful pancreas transplant recipients for up to 19 years after transplantation. Transplantation 2001;72(6):1103-7.

Paty BW, Ryan EA, Shapiro AM, et al. Intrahepatic islet transplantation in type 1 diabetic patients does not restore hypoglycemic hormonal counterregulation or symptom recognition after insulin independence. Diabetes 2002; 51(12):3428-34.

Pelletier RP, Hennessy PK, Adams PW, et al. High incidence of donor-reactive delayed-type hypersensitivity reactivity in transplant patients. Am J Transplant 2002; 2(10):926-33.

Peripheral Neuropathy Association. Quantitative sensory testing: a consensus report from the Peripheral Neuropathy Association. Neurology 1993; 43:1050-2.

Piehlmeier W, Bullinger M, Kirchberger I, et al. Prospective study of the quality of life in Type I diabetic patients before and after organ transplantation. Transplant Proc 1994; 26(2):522-3.

Portuese E, Orchard T. Diabetes in America, 2nd ed. National Diabetes Data Group, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases. NIH Publication No. 95-1468. 1995. Mortality in insulin-dependent diabetes.

Preiksaitis JK, Lakey JR, LeBlanc BA, et al. Cytomegalovirus (CMV) is not transmitted by pancreatic islet transplantation. American Transplant Congress 2002. April 25-May 1, Washington DC.

Recasens M, Ricart MJ, Valls-Sole J, et al. Long-term follow-up of diabetic polyneuropathy after simultaneous pancreas and kidney transplantation in type 1 diabetic patients. Transplant Proc 2002; 34(1):200-3.

Reddy KS, Stablein D, Taranto S, et al. Long-term survival following simultaneous kidney-pancreas transplantation versus kidney transplantation alone in patients with type 1 diabetes mellitus and renal failure. Am J Kidney Dis 2003; 41(2):464-70.

Renard E. Implantable closed-loop glucose-sensing and insulin delivery: the future for insulin pump therapy. Curr Opin Pharmacol 2002; 2(6):708-16.

Renard E, Shah R, Miller M, et al. Sustained safety and accuracy of central IV glucose sensors connected to implanted insulin pumps and short-term closed-loop trials in diabetic patients. Abstract 155-OR. American Diabetes Association 63rd Scientific Sessions; 2003 Jun 13-17; New Orleans, LA.

Ricordi C, Fraker C, Szust J, et al. Improved human islet isolation outcome from marginal donors following addition of oxygenated perfluorocarbon to the cold-storage solution. Transplantation 2003; 75(9):1524-7.

Ricordi C, Fraker J, Szust IH, et al. Successful human islet transplantation from marginal donors. XIX International Congress of the Transplantation Society; 2002 Aug 25-30; Miami, FL.

Ricordi C, Lacy PE, Finke EH, et al. Automated method for isolation of human pancreatic islets. Diabetes 1988; 37:413-20.

Ricordi C, Tzakis AG, Carroll PB, et al. Human islet isolation and allotransplantation in 22 consecutive cases. Transplantation 1992; 53:407-14.

Riddell SR. Transplantation-related malignancies. In: Cancer: Principles and Practice of Oncology (6th ed), VT DeVita, Jr, S Hellman SA Rosenberg, eds. Lippincott Williams & Wilkins: Philadelphia, 2001, pp. 2597-2608.

Robertson RP. Multi-center update on recent islet transplantation results. Islet Transplantation 2002 and Beyond: 2nd Annual Symposium; 2002 Dec 5-7; Rancho Mirage, CA.

Robertson RP. Prevention of recurrent hypoglycemia in type 1 diabetes by pancreas transplantation. Acta Diabetol 1999; 36:3-9.

Robertson RP, Holohan TV, Genuth S. Pancreas transplantation for type I diabetes. J Clin Endocrinol Metab 1998; 83(6):1868-74.

Robertson RP, Lanz KJ, Sutherland DE, et al. Prevention of diabetes for up to 13 years by autoislet transplantation after pancreatectomy for chronic pancreatitis. Diabetes 2001; 50(1):47-50.

Robertson RP, Sutherland DE, Kendall DM, et al. Metabolic characterization of long-term successful pancreas transplants in Type I diabetes. J Invest Med 1996; 44(9):549-55.

Ryan EA, Lakey JR, Paty BW, et al. Successful islet transplantation: Continued insulin reserve provides long-term glycemic control. Diabetes 2002; 51(7):2148-57.

Ryan EA, Lakey JR, Rajotte RV, et al. Clinical outcomes and insulin secretion after islet transplantation with the Edmonton protocol. Diabetes 2001; 50(4):710-9.

Ryan EA, Shandro T, Vantyghem MC, et al. Assessing severity of hypoglycemia and glycemic lability pre and post islet transplant. 63rd Scientific Sessions of the American Diabetes Association (ADA), June 13-17 2003, New Orleans, Abstract 288-OR.

Sacks DB. Tietz Textbook of Clinical Chemistry. 3rdd, Philadelphia: WB Saunders Company; 1999. Chapter 24, Carbohydrates.

Scharp DW, Lacy PE, Santiago JV, et al. Insulin independence after islet transplantation into type I diabetic patient. Diabetes 1990; 39:515-8.

Secchi A, Taglietti MV, Socci C, et al. Insulin secretory patterns and blood glucose homeostasis after islet allotransplantation in IDDM patients: comparison with segmental- or whole-pancreas transplanted patients through a long term longitudinal study. J Mol Med 1999; 77(1): 133-9

Shapiro AM. Long-term clinical outcomes: the Edmonton experience. Islet Transplantation 2002 and Beyond: 2nd Annual Symposium; 2002 Dec 5-7; Rancho Mirage, CA.

Shapiro AM. State-of-the-art in clinical islet transplantation. 1st Islet Transplant Congress, November 13-16, 2003, Miami, FL.

Shapiro AM, Gallant H, Hao E, et al. Portal vein immunosuppressant levels and islet graft toxicity. Transplant Proc 1998; 30(2):641.

Shapiro J, Hering B, Ricordi C, et al. International multicenter trial of islet transplantation using the Edmonton protocol in patients with type 1 diabetes. American Transplant Congress (ATC) 2003, Washington, DC, Abstract 3.

Shapiro J, Lakey J, Paty B, et al. Clinical islet transplantation in Edmonton - 3-year outcomes and new developments. 63rd Scientific Sessions of the American Diabetes Association (ADA), June 13-17 2003, New Orleans, Abstract 284-OR.

Shapiro AM, Ricordi C, Hering B. Edmonton's islet success has indeed been replicated elsewhere [Letter]. Lancet 2003; 362(9391):1242.

Shapiro AM, Lakey JRT, Ryan EA, et al. Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen. New Engl J Med 2000; 343(4):230-8.

Sharp D. Islet encapsulation and immune isolation technologies. City of Hope Rachmiel Levine Symposium; 2002 Oct 9-12; Anaheim, CA.

Shen K, Qin X, Xiao H, et al. Mature insulin production by engineered non-beta cells. Chin Med J (Engl) 2002; 115:532-5.

Smets YFC, Westendorp FGJ, van der Pijl JW, et al. Effect of simultaneous pancreas-kidney transplantation on mortality of patients with type-1 diabetes mellitus and end-stage renal failure. Lancet 1999; 353:1915-9.

Steinman TI, Becker BN, Frost AE, et al. Guidelines for the referral and management of patients eligible for solid organ transplantation. Transplantation 2001; 71(9):1189-1204.

Stratta RJ. Review of immunosuppressive usage in pancreas transplantation. Clin Transplant 1999; 13:1-12.

Stratta RJ, Shokouh-Amiri MH, Egidi MF, et al. Long-term experience with simultaneous kidney-pancreas transplantation with portal-enteric drainage and tacrolimus/mycophenolate mofetil-based immunosuppression. Clin Transplant 2003; 17(Suppl 9):69-77.

Stratta RJ, Taylor RJ, Sindhi R, et al. Analysis of early readmissions after combined pancreas-kidney transplantation. Am J Kidney Dis 1996; 28(6):867-77.

Stratta RJ, Weide LG, Sindhi R, et al. Solitary pancreas transplantation: Experience with 62 consecutive cases. Diabetes Care 1997; 20:362-8.

Sutherland DE. Present status of pancreas transplantation alone in nonuremic diabetic patients. Transplant Proc 1994; 26(2):379-83.

Sutherland DE, Goetz FC, Sibley RK. Recurrence of disease in pancreas transplants. Diabetes 1989; 38(Suppl 1):85-7.

Sutherland DE, Gruessner RW, Dunn DL, et al. Lessons learned from more than 1,000 pancreas transplants at a single institution. Ann Surg 2001; 233(4):463-501.

Terada I, Hyde C. The SF-36: an instrument for measuring quality of life in ESRD patients. EDTNA ERCA J 2002; 28(2):73-6, 83.

The Diabetes Control and Complications Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long term complications in insulin-dependent diabetes mellitus. N Engl J Med 1993; 329:977-86.

Tyden G, Bolinder J, Solders G. Improved survival in patients with insulin-dependent diabetes mellitus and end-stage diabetic nephropathy 10 years after combined pancreas and kidney transplantation. Transplantation 1999; 67(5): 645-8.

Tyden G, Reinholt, FP, Sundkvist G, et al. Recurrence of autoimmune diabetes mellitus in recipients of cadaveric pancreatic grafts. N Engl J Med 1996; 335(12): 860-3.

U.S. Food and Drug Administration. October 9-10, 2003 Biological Response Modifiers Advisory Committee meeting notice, draft agenda, draft questions, briefing information, slides, and transcripts. Available at http://www.fda.gov/ohrms/dockets/ac/cber03.html#BiologicalResponseModifiers. Last accessed November 2003.

Valdes-Gonzalez RA, Elliot RB, Dorantes LM, et al. Porcine islet xenografts can survive and function in type 1 diabetic patients in the presence of both pre-existing and elicited anti-pig antibodies. XIX International Congress of the Transplantation Society; 2002 Aug 25-30; Miami, FL.

Venstrom JM, McBride MA, Rother KI, et al. Survival after pancreas transplantation in patients with diabetes and preserved kidney function. JAMA 2003; 290(2):2817-23.

Vu MD, Qi S, Xu D, et al. Synergistic effects of mycophenolate mofetil and sirolimus in prevention of acute heart, pancreas, and kidney allograft rejection and in reversal of ongoing heart allograft rejection in the rat. Transplantation 1998; 66:1575-80.

Vu MD, Qi S, Xu D, et al. Tacrolimus (FK506) and sirolimus (rapamycin) in combination are not antagonistic but produce extended graft survival in cardiac transplantation in the rat. Transplantation 1997; 64:1853-6.

Wahoff DC, Papalois BE, Najarian JS, et al. Autologous islet transplantation to prevent diabetes after pancreatic resection. Ann Surg 1995; 222(4):562-75.

Wagner K, Herget S, Heemann U. Experimental and clinical experience with the use of Tac (FK506) in kidney transplantation. Clin Nephrol 1996; 45(5):332-5.

Ware JE Jr, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. Med Care 1992; 30:473-83.

Warnock GL, Kneteman NM, Ryan EA, et al. Long-term follow-up after transplantation of insulin-producing pancreatic islets into patients with type 1 (insulin-dependent) diabetes mellitus. Diabetologia 1992; 35:89-95.

Weber DJ, McFarland RD, Irony I. Selected Food and Drug Administration review issues for regulation of allogeneic islets of Langerhans as somatic cell therapy. Transplantation 2002; 74(11):1-5.

Weber DJ. Regulation of islets as a biological product: FDA update. City of Hope Rachmiel Levine Symposium; 2002 Oct 9-12; Anaheim, CA.

Wilczek HE, Jaremko G, Tyden G, et al. Evolution of diabetic nephropathy in kidney grafts. Transplantation 1995; 59(1):51-7.

Winsett RP, Stratta RJ, Alloway R, et al. Immunosuppressant side effect profile does not differ between organ transplant types. Clin Transplant 2001; 15(Suppl 6):46-50.

Writing Team for the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Research Group. Effect of intensive therapy on the microvascular complications of type 1 diabetes mellitus. JAMA 2002; 287(19):2563-9.

Writing Team for the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Research Group. Sustained effect of intensive treatment of type 1 diabetes mellitus on development and progression of diabetic nephropathy: the Epidemiology of Diabetes Interventions and Complications (EDIC) study. JAMA 2003; 290(16):2159-67.

Zavala EY, Hanaway M, Peddi, et al. Peri and post operative resource utilization for islet transplantation: the initial transplantation. American Transplant Congress (ATC) 2003, Washington, DC, Abstract 1452.

Zehrer CL, Gross CR. Patient perceptions of benefits and concerns following pancreas transplantation. Diabetes Educ 1994; 20(3):216-20.

Zehrer CL, Gross CR. Quality of life of pancreas transplant recipients. Diabetologia 1991; 34(Suppl 1):S145-9.