Bibliography

Abeywardena MY, Charnock JS. Dietary lipid modification of myocardial eicosanoids following ischemia and reperfusion in the rat. Lipids 1995 Dec;30(12):1151-6.

al Makdessi S, Brandle M, Ehrt M, et al. Myocardial protection by ischemic preconditioning: the influence of the composition of myocardial phospholipids. Molecular & Cellular Biochemistry 1995 Apr 12;145(1):69-73.

Bayer BL, Forster W. Actions of prostaglandin precursors and other unsaturated fatty acids on conduction time and refractory period in the cat heart in situ. Br J Pharmacol 1979 Jun;66(2):191-5.

Benediktsdottir VE, Gudbjarnason S. Modification of the fatty acid composition of rat heart sarcolemma with dietary cod liver oil, corn oil or butter. J Mol Cell Cardiol 1988 Feb;20(2):141-7.

Billman GE, Hallaq H, Leaf A. Prevention of ischemia-induced ventricular fibrillation by omega 3 fatty acids. Proceedings of the National Academy of Sciences of the United States of America 1994 May 10;91(10):4427-30.

Billman GE, Kang JX, Leaf A. Prevention of sudden cardiac death by dietary pure omega-3 polyunsaturated fatty acids in dogs. Circulation 1999;99(18):2452-7.

Black SC, Katz S, McNeill JH. Cardiac performance and plasma lipids of omega-3 fatty acid-treated streptozocin-induced diabetic rats. Diabetes 1989 Aug;38(8):969-74.

Bogdanov KY, Spurgeon HA, Vinogradova TM, et al. Modulation of the transient outward current in adult rat ventricular myocytes by polyunsaturated fatty acids. Am J Physiol 1998 Feb;274(2 Pt 2):H571-H579.

Charnock JS, Abeywardena MY, Tan D, et al. Omega-3 and omega-6 PUFA's have different effects on the phospholipid fatty acid composition of rat myocardial muscle when added to a saturated fatty acid dietary supplement. Nutrition Research 1991;11(9):1013-24.

Charnock JS, McLennan PL, Abeywardena MY. Dietary modulation of lipid metabolism and mechanical performance of the heart. Molecular and Cellular Biochemistry 1992 Nov;116(1-2):19-25.

Chemla D, Javouhey-Donzel A, Suard I, et al. Influence of dietary polyunsaturated fatty acids on contractility, lusitropy and compliance of isolated rat myocardium. J Mol Cell Cardiol 1995 Aug;27(8):1745-55.

Chen MF, Hsu HC, Lee YT. Effects of fish oil supplementation on the changes in myocardial cyclic adenosine monophosphate, inositol 1,4,5-triphosphate and mitochondrial calcium levels during acute coronary occlusion-reperfusion in cholesterol-fed rabbits. Int J Cardiol 1994 Aug;46(1):23-31.

Courtois M, Khatami S, Fantini E, et al. Polyunsaturated fatty acids in cultured cardiomyocytes: effect on physiology and beta-adrenoceptor function. American Journal of Physiology 1992 Feb;262(2:Pt 2):t-6.

Croset M, Kinsella JE. Changes in phospholipid fatty acid composition of mouse cardiac organelles after feeding graded amounts of docosahexaenoate in presence of high levels of linoleate. Effect on cardiac ATPase activities. Ann Nutr Metab **1989a** ;33(3):125-42.

Croset M, Black JM, Swanson JE, et al. Effects of dietary n-3 polyunsaturated fatty acids on phosp holipid composition and calcium transport in mouse cardiac sarcoplasmic reticulum. Lipids **1989b** Apr;24(4):278-85.

Culp BR, Lands WE, Lucches BR, et al. The effect of dietary supplementation of fish oil on experimental myocardial infarction. Prostaglandins 1980 Dec;20(6):1021-31.

de Jonge HW, Dekkers DH, Bastiaanse EM, et al. Eicosapentaenoic acid incorporation in membrane phospholipids modulates receptor-mediated phospholipase C and membrane fluidity in rat ventricular myocytes in culture. J Mol Cell Cardiol 1996 May;28(5):1097-108.

Demaison L, Bouveret P, Grynberg A. Polyunsaturated fatty acid composition and lipid metabolism in cultured cardiomyocyte and isolated working rat heart. Nutrition Research 1993;13(9):1003-15.

Durot I, Athias P, Oudot F, et al. Influence of phospholipid long chain polyunsaturated fatty acid composition on neonatal rat cardiomyocyte function in physiological conditions and during glucose-free hypoxia-reoxygenation. Molecular & Cellular Biochemistry 1997 Oct;175(1-2):253-62.

Fallon, S and Enig MG. Tripping Lightly Down the Prostaglandin Pathways.The Price-Pottenger Nutrition Foundation. Avaliable online at <http://www.price-pottenger.org/Articles/Prostaglandin.htm>. 2001.

Fay MP, Freedman LS. Meta-analyses of dietary fats and mammary neoplasms in rodent experiments. Breast Cancer Research & Treatment 1997 Nov;46(2-3):215-23.

Fay MP, Freedman LS, Clifford CK, et al. Effect of different types and amounts of fat on the development of mammary tumors in rodents: a review. Cancer Research 1997 Sep 15;57(18):3979-88.

Fay MP, Graubard BI, Freedman LS, et al. Conditional logistic regression with sandwich estimators: application to a meta-analysis. Biometrics 1998 Mar;54(1):195-208.

Ferrier GR, Redondo I, Zhu J, et al. Differential effects of docosahexaenoic acid on contractions and L-type Ca2+ current in adult cardiac myocytes. Cardiovasc Res 2002 Jun;54(3):601-10.

Fournier A, Fantini E, Sergiel JP, et al. Influence of the phospholipid content in docosahexaenoic acid on electrophysiology and contraction of rat heart muscle cells. Cardioscience 1995 Mar;6(1):71-8.

Gillis AM, Keashly R, Watson PA, et al. Influence of dietary fat on the pharmacodynamics of propafenone in isolated, perfused rabbit hearts. Circulation 1992 Apr;85(4):1501-9.

Goel DP, Maddaford TG, Pierce GN. Effects of omega-3 polyunsaturated fatty acids on cardiac sarcolemmal Na(+)/H(+) exchange. Am J Physiol Heart Circ Physiol 2002 Oct;283(4):H1688-H1694.

Grynberg A, Fantini E, Athias P, et al. Modification of the n-6/n-3 fatty acid ratio in the phospholipids of rat ventricular myocytes in culture by the use of synthetic media: functional and biochemical consequences in normoxic and hypoxic conditions. J Mol Cell Cardiol 1988 Oct;20(10):863-74.

Grynberg A, Fournier A, Sergiel JP, et al. Effect of docosahexaenoic acid and eicosapentaenoic acid in the phospholipids of rat heart muscle cells on adrenoceptor responsiveness and mechanism. J Mol Cell Cardiol 1995 Nov;27(11):2507-20.

Gudmundsdottir E, Benediktsdottir VE, Gudbjarnason S. Combined effects of age and dietary fat on beta 1-receptors and Ca2+ channels in rat hearts. Am J Physiol 1991 Jan;260(1 Pt 2):H66-H72.

Hallaq H, Sellmayer A, Smith TW, et al. Protective effect of eicosapentaenoic acid on ouabain toxicity in neonatal rat cardiac myocytes. Proc Natl Acad Sci U S A 1990 Oct;87(20):7834-8.

Hallaq H, Smith TW, Leaf A. Modulation of dihydropyridine-sensitive calcium channels in heart cells by fish oil fatty acids. Proc Natl Acad Sci U S A 1992 Mar 1;89(5):1760-4.

Hartog JM, Lamers JM, Achterberg PW, et al. The effects of dietary mackerel oil on the recovery of cardiac function after acute ischaemic events in the pig. Basic Res Cardiol 1987;82 Suppl 1:223-34.

Heard SO, McGuire K, Haw MP, et al. Dietary enrichment with omega-3 fatty acids partially protects against lipopolysaccharide-induced atrial depression in rats. Circ Shock 1992;36(2):140-6.

Honen BN, Saint DA. Polyunsaturated dietary fats change the properties of calcium sparks in adult rat atrial myocytes. Journal of Nutritional Biochemistry 2002;13(6):322-9.

Honore E, Barhanin J, Attali B, et al. External blockade of the major cardiac delayed-rectifier K+ channel (Kv1.5) by polyunsaturated fatty acids. Proceedings of the National Academy of Sciences of the United States of America 1994 Mar 1;91(5):1937-41.

Hornstra, G. Omega-3 long-chain polyunsaturated fatty acids and health benefits. Amended and updated version of the English translation of <<Oméga-3 et bénéfice santé>>, initially published by Catherine Anselmino, Centre d'Etude et d'Information sur les Vitamines, Roche Vitamines France, Neuilly-sur-Seine (NutriScience). Available online: <http://www.vita-web.com/whatsnew/Omega 3.pdf>. Catherine Anselmino, Centre d'Etude et d'Information sur les Vitamines, Roche Vitamines France, Neuilly-sur-Seine (NutriScience).

Institute of Medicine. Dietary Reference Intakes: Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrition). 2002. The National Academy Press.

Isensee H, Jacob R. Differential effects of various oil diets on the risk of cardiac arrhythmias in rats. Journal of Cardiovascular Risk 1994 Dec;1(4):353-9.

Jahangiri A, Leifert WR, Patten GS, et al. Termination of asynchronous contractile activity in rat atrial myocytes by n-3 polyunsaturated fatty acids. Molecular & Cellular Biochemistry 2000 Mar;206(1-2):33-41.

James MJ, Gibson RA, Cleland LG. Dietary polyunsaturated fatty acids and inflammatory mediator production. Am J Clin Nutr 2000;71(1 SUPPL.):343S-8S.

Juan H, Peskar BA, Simmet T. Effect of exogenous 5,8,11,14,17-eicosapentaenoic acid on cardiac anaphylaxis. Br J Pharmacol 1987 Feb;90(2):315-25.

Kang JX, Leaf A. Effects of long-chain polyunsaturated fatty acids on the contraction of neonatal rat cardiac myocytes. Proceedings of the National Academy of Sciences of the United States of America, Vol 91(21) (pp 9886-9890), 1994 1994.

Kang JX, Xiao YF, Leaf A. Free, long-chain, polyunsaturated fatty acids reduce membrane electrical excitability in neonatal rat cardiac myocytes. Proc Natl Acad Sci U S A **1995a** Apr 25;92(9):3997-4001.

Kang JX, Leaf A. Prevention and termination of beta-adrenergic agonist-induced arrhythmias by free polyunsaturated fatty acids in neonatal rat cardiac myocytes. Biochem Biophys Res Commun **1995b** Mar 17;208(2):629-36.

Kang JX, Leaf A. Protective effects of free polyunsaturated fatty acids on arrhythmias induced by lysophosphatidylcholine or palmitoylcarnitine in neonatal rat cardiac myocytes. Eur J Pharmacol 1996 Feb 15;297(1-2):97-106.

Kang JX, Li Y, Leaf A. Regulation of sodium channel gene expression by class I antiarrhythmic drugs and n - 3 polyunsaturated fatty acids in cultured neonatal rat cardiac myocytes. Proc Natl Acad Sci U S A 1997 Mar 18;94(6):2724-8.

Karmazyn M, Horackova M, Murphy MG. Effects of dietary cod liver oil on fatty-acid composition and calcium transport in isolated adult rat ventricular myocytes and on the response of isolated hearts to ischemia and reperfusion. Can J Physiol Pharmacol 1987;65(2):201-9.

Kinoshita I, Itoh K, Nishida-Nakai M, et al. Antiarrhythmic effects of eicosapentaenoic acid during myocardial infarction--enhanced cardiac microsomal (Ca(2+)-Mg2+)-ATPase activity. Jpn Circ J 1994 Dec;58(12):903-12.

Krummel D. Nutrition in Cardiovascular Disease. In: Mahan LK and Escot-Stump S, editors. Krause's Food, Nutrition, and Diet Therapy. W.B. Saunder Company; 1996

Ku K, Oku H, Alam MS, et al. Influences of dietary omega-3 polyunsaturated fatty acids on the recovery of cardiac and renal functions after preservation in hyperlipidemic rats. Transplantation 1997 Aug 15;64(3):399-404.

Lamers JM, Hartog JM, Guarnieri C, et al. Lipid peroxidation in normoxic and ischaemic-reperfused hearts of fish oil and lard fat fed pigs. J Mol Cell Cardiol 1988 Jul;20(7):605-15.

Laustiola K, Salo MK, Metsa-Ketela T. Altered physiological responsiveness and decreased cyclic AMP levels in rat atria after dietary cod liver oil supplementation and its possible association with an increased membrane phospholipid n-3/n-6 fatty acid ratio. Biochim Biophys Acta 1986 Oct 31;889(1):95-102.

Leifert WR, McMurchie EJ, Saint DA. Inhibition of cardiac sodium currents in adult rat myocytes by n-3 polyunsaturated fatty acids. J Physiol (Lond) 1999 Nov 1;520 Pt 3:671-9.

Leifert WR, Jahangiri A, Saint DA, et al. Effects of dietary n-3 fatty acids on contractility, Na+ and K+ currents in a rat cardiomyocyte model of arrhythmia. Journal of Nutritional Biochemistry **2000a**;11(7-8):382-92.

Leifert WR, Jahangiri A, McMurchie EJ. Membrane fluidity changes are associated with the antiarrhythmic effects of docosahexaenoic acid in adult rat cardiomyocytes. Journal of Nutritional Biochemistry **2000b**; 11(1):38-44.

Leifert WR, Dorian CL, Jahangiri A, et al. Dietary fish oil prevents asynchronous contractility and alters Ca²⁺ handling in adult rat cardiomyocytes. Journal of Nutritional Biochemistry 2001;12(6):365-76.

Li Y, Kang JX, Leaf A. Differential effects of various eicosanoids on the production or prevention of arrhythmias in cultured neonatal rat cardiac myocytes. Prostaglandins 1997 Aug;54(2):511-30.

Lo HM, Lin FY, Huang TS, et al. Effects of linolenic acid on the canine heart. J Formos Med Assoc 1991 Jun;90(6):536-40.

Macleod JC, Macknight AD, Rodrigo GC. The electrical and mechanical response of adult guinea pig and rat ventricular myocytes to omega3 polyunsaturated fatty acids. Eur J Pharmacol 1998 Sep 4;356(2-3):261-70.

Maixent JM, Gerbi A, Barbey O, et al. Dietary fish oil promotes positive inotropy of ouabain in the rat heart. Am J Physiol Heart Circ Physiol 1999;277(6 46-6):H2290-H2297.

McLennan P, Howe P, Abeywardena M, et al. The cardiovascular protective role of docosahexaenoic acid. Eur J Pharmacol 1996 Apr 4;300(1-2):83-9.

McLennan PL, Abeywardena MY, Charnock JS.Reversal of the arrhythmogenic effects of long-term saturated fatty acid intake by dietary n-3 and n-6 polyunsaturated fatty acids. American Journal of Clinical Nutrition 1990 Jan;51(1):53-8.

McLennan PL, Bridle TM, Abeywardena MY, et al. Dietary lipid modulation of ventricular fibrillation threshold in the marmoset monkey. American Heart Journal 1992 Jun;123(6):1555-61.

McLennan PL, Bridle TM, Abeywardena MY, et al. Comparative efficacy of n-3 and n-6 polyunsaturated fatty acids in modulating ventricular fibrillation threshold in marmoset monkeys. Am J Clin Nutr 1993 Nov;58(5):666-9.

Minarovic I, Vojtko R, Sebokova E, et al. Effect of the high-fat diet on the calcium channels in rat myocardium. Annals of the New York Academy of Sciences, Vol 827 (pp 550-555), 1997 1997.

Mohrman, DE and Heller, LJ. Cardiovascular Physiology. Nogueira, I and Boyle, PJ. 5th. 2003. New York, Lange Medical Books/McGraw-Hill.

Nair SS, Leitch JW, Falconer J, et al. Prevention of cardiac arrhythmia by dietary (n-3) polyunsaturat ed fatty acids and their mechanism of action. [Review] [93 refs]. Journal of Nutrition 1997 Mar;127(3):383-93.

Negretti N, Perez MR, Walker D, et al. Inhibition of sarcoplasmic reticulum function by polyunsaturated fatty

acids in intact, isolated myocytes from rat ventricular muscle. J Physiol (Lond) 2000;523(2):367-75.

O'Neill SC, Perez MR, Hammond KE, et al. Direct and indirect modulation of rat cardiac sarcoplasmic reticulum function by n-3 polyunsaturated fatty acids. J Physiol (Lond) 2002 Jan 1;538(Pt 1):179-84.

Oskarsson HJ, Godwin J, Gunnar RM, et al. Dietary fish oil supplementation reduces myocardial infarct size in a canine model of ischemia and reperfusion. J Am Coll Cardiol 1993 Apr;21(5):1280-5.

Otsuji S, Shibata N, Hirota H, et al. Highly purified eicosapentaenoic acid attenuates tissue damage in experimental myocardial infarction. Jpn Circ J 1993 Apr;57(4):335-43.

Pepe S, Bogdanov K, Hallaq H, et al. Omega 3 polyunsaturated fatty acid modulates dihydropyridine effects on L-type Ca2+ channels, cytosolic Ca2+, and contraction in adult rat cardiac myocytes. Proc Natl Acad Sci U S A 1994 Sep 13;91(19):8832-6.

Pepe S, McLennan PL. Dietary fish oil confers direct antiarrhythmic properties on the myocardium of rats. Journal of Nutrition 1996 Jan;126(1):34-42.

Pepe S, Tsuchiya N, Lakatta EG, et al. PUFA and aging modulate cardiac mitochondrial membrane lipid composition and Ca2+ activation of PDH. Am J Physiol Heart Circ Physiol 1999;276(1 45-1):H149-H158.

Philipson KD, Ward R. Effects of fatty acids on Na+-Ca2+ exchange and Ca2+ permeability of cardiac sarcolemmal vesicles. J Biol Chem 1985 Aug 15;260(17):9666-71.

Philipson KD, Ward R. Modulation of Na+-Ca2+ exchange and Ca2+ permeability in cardiac sarcolemmal vesicles by doxylstearic acids. Biochim Biophys Acta 1987 Feb 12;897(1):152-8.

Ponsard B, Durot I, Delerive P, et al. Cross-influence of membrane polyunsaturated fatty acids and hypoxia-reoxygenation on alpha- and beta-adrenergic function of rat cardiomyocytes. Lipids 1999 May;34(5):457-66.

Reig J. Rat myocardial tissue lipids and their effect on ventricular electrical activity: Influence on dietary lipids. Cardiovasc Res 1993;27(3).

Reithmann C, Scheininger C, Bulgan T, et al. Exposure to the n-3 polyunsaturated fatty acid docosahexaenoic acid impairs alpha 1-adrenoceptor-mediated contractile responses and inositol phosphate formation in rat cardiomyocytes. Naunyn-Schmiedebergs Archives of Pharmacology 1996 Jul;354(2):109-19.

Riemersma RA, Sargent CA. Dietary fish oil and ischaemic arrhythmias. J Intern Med Suppl 1989;Supplement. 225(731):111-6.

Rinaldi B, Di Pierro P, Vitelli MR, et al. Effects of docosahexaenoic acid on calcium pathway in adult rat cardiomyocytes. Life Sci 2002 Jul;71(9):993-1004.

Rodrigo GC, Dhanapala S, Macknight AD. Effects of eicosapentaenoic acid on the contraction of intact, and spontaneous contraction of chemically permeabilized mammalian ventricular myocytes. J Mol Cell Cardiol 1999 Apr;31(4):733-43.

Simopoulos AP. Evolutionary aspects of omega-3 fatty acids in the food supply. Prostaglandins Leukotrienes and Essential Fatty Acids 1999;60(5-6):421-9.

Swanson JE, Lokesh BR, Kinsella JE. Ca2+-Mg2+ ATPase of mouse cardiac sarcoplasmic reticulum is affected by membrane n-6 and n-3 polyunsaturated fatty acid content. J Nutr 1989 Mar;119(3):364-72.

Taffet GE, Pham TT, Bick DL, et al. The calcium uptake of the rat heart sarcoplasmic reticulum is altered by dietary lipid. J Membr Biol 1993 Jan;131(1):35-42.

USDA. Individual Fatty Acid Intakes: Results from the 1995 Continuing Survey of Food Intakes by Individuals (data table set 4). Available online at <http://www.barc.usda.gov/bhnrc/foodsurvey/home.htm>.

Vitelli MR, Filippelli A, Rinaldi B, et al. Effects of docosahexaenoic acid on [Ca²⁺]<inf>i</inf> increase induced by doxorubicin in ventricular rat cardiomyocytes. Life Sci 2002;71(16):1905-16.

Weylandt KH, Kang JX, Leaf A. Polyunsaturated fatty acids exert antiarrhythmic actions as free acids rather than in phospholipids. Lipids 1996 Sep;31(9):977-82.

Xiao YF, Kang JX, Morgan JP, et al. Blocking effects of polyunsaturated fatty acids on Na+ channels of neonatal rat ventricular myocytes. Proc Natl Acad Sci U S A 1995 Nov 21;92(24):11000-4.

Xiao YF, Gomez AM, Morgan JP, et al. Suppression of voltage-gated L-type Ca2+ currents by polyunsaturated fatty acids in adult and neonatal rat ventricular myocytes. Proc Natl Acad Sci U S A 1997 Apr 15;94(8):4182-7.

Xiao YF, Morgan JP, Leaf A. Effects of polyunsaturated fatty acids on cardiac voltage-activated K(+) currents in adult ferret cardiomyocytes. Sheng Li Hsueh Pao - Acta Physiologica Sinica 2002 Aug 25;54(4):271-81.

Yang BC, Saldeen TG, Bryant JL, et al. Long-term dietary fish oil supplementation protects against ischemia-reperfusion-induced myocardial dysfunction in

isolated rat hearts. American Heart Journal 1993 Dec;126(6):1287-92.