Excluded Studies

Aguilaniu B, Flore P, Page E, et al. Effects of indomethacin and polyunsaturated fatty acid diet on exercise-induced hypoxaemia in master athletes. Eur J Appl Physiol 1998;77(1-2):81-8. Purpose of exposure/intervention was not the treatment or prevention of asthma

Antova T, Pattenden S, Nikiforov B, et al. Nutrition and respiratory health in children in six Central and Eastern European countries. Thorax 2003;58(3):231-6. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Arm JP, Lee TH. The use of fish oil in bronchial asthma. Allergy Proc 1989;10(3):185-7. Not a primary study.

Asero R. Is walnut really a birch-pollen-related fruit? Allergy 1998; 3(9):908-9. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Austen KF. The role of arachidonic acid metabolites in local and systemic inflammatory processes. Drugs 1987;33:Suppl-7. Not a primary study.

Bakos N, Szemere P. Immunopathologic disorders in atopic dermatitis. Orvosi Hetilap 1997;138(10):587-92. (Hungarian). Not a primary study.

Bardin PG, Holgate ST. Present and future antiinflammatory strategies for the treatment of asthma. Drugs of Today 1991;27(2):107-15. Not a primary study.

Barham JB, Edens MB, Fonteh AN, et al. Addition of eicosapentaenoic acid to gamma-linolenic acid-supplemented diets prevents serum arachidonic acid accumulation in humans. J Nutr 2000;130(8):1925-31. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Beck M, Zelczak G, Lentze MJ. Abnormal fatty acid composition in umbilical cord blood of infants at high risk of atopic disease. Acta Paediatrica 2000;89(3):279-84. Does not involve omega-3 fatty acids as exposure/intervention.

Bischoff SC, Ockenga J, Manns MP. Artificial nutrition in internal intensive care medicine. Internist 2000;41(10):1041-61. (German) Not a primary study.

Booyens J, Louwrens CC, Katzeff IE. The use of drugs for the inhibition of prostaglandin or leukotriene synthesis from arachidonic acid is theoretically hazardous. Med Hypotheses 1985;17(4):321-7. Not a primary study.

Britton J. Nutrition and obstructive lung disease: Risk factors and treatments. European Respiratory Review 2000;10(75):475-9. Not a primary study.

Calder PC, Yaqoob P, Thies F, et al. Fatty acids and lymphocyte functions. [Review] [109 refs]. Br J Nutr 2002;87:Suppl-48. Not a primary study.

Calder PC. Dietary fatty acids and the immune system. Lipids 1999;34(6 SUPPL.):S137-S40. Not a primary study.

Calder PC. n-3 polyunsaturated fatty acids as pharmacologic agents: A fishy tale? Nutrition 1997;13(11-12):1002-4. Not a primary study.

Calder PC. Polyunsaturated fatty acids, inflammation, and immunity. [Review] [165 refs]. Lipids 2001;36(9):1007-24. Not a primary study.

Corburn J. Combining community-based research and local knowledge to confront asthma and subsistence-fishing hazards in Greenpoint/Williamsburg, Brooklyn, New York. Environ Health Perspect 2002;110:Suppl-8. Not a primary study.

Crawford MA, Costeloe K, Ghebremeskel K, et al. The inadequacy of the essential fatty acid content of present preterm feeds. [erratum appears in eur J Pediatr 1998 Feb;157(2):160.]. [Review] [28 refs] Eur J Pediatr 1998;157:Suppl-7. Not a primary study.

Dawson JK, Abernethy VE, Graham DR, et al. A woman who took cod-liver oil and smoked. Lancet 1996;347(9018):1804. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Denzlinger C. [Leukotrienes promote inflammation and proliferation. Interaction with other mediator systems--modulation by therapeutic measures]. [German]. Fortschr Med 1998;116(3):41. Not a primary study.

Denzlinger C. Biology and pathophysiology of leukotrienes. Crit Rev Oncol-Hematol 1996;23(3):167-223. Not a primary study.

Ebden P, Bevan C, Banks J, et al. A study of evening primrose seed oil in atopic asthma. Prostaglandins Leukotrienes & Essential Fatty Acids 1989;35(2):69-72. Does not involve omega-3 fatty acids as exposure/intervention.

Engstrom K, Luostarinen R, Saldeen T. Whole blood production of thromboxane, prostacyclin and leukotriene B4 after dietary fish oil supplementation in man: effect of vitamin E. Prostaglandins Leukot Essent Fatty Acids 1996;54(6):419-25. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Engstrom K, Wallin R, Saldeen T. Effect of low-dose aspirin in combination with stable fish oil on whole blood production of eicosanoids. Prostaglandins Leukot Essent

Fatty Acids 2001;64(6):291-7. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Ergas D, Eilat E, Mendlovic S, et al. n-3 fatty acids and the immune system in autoimmunity. Isr Med Assoc J 2002;4(1):34-8. Not a primary study.

Essential fatty acids, prostaglandins & leukotrienes. The Second International Congress. London, March 1985. Proceedings. Progress in Lipid Research 1986;25(1-4):1-693. Not a primary study.

Fish oil supplements. [Dutch]. Geneesmiddelenbulletin 1999;33(4):37-42. Not a primary study.

Fluge O, Omenaas E, Eide GE et al. Fish consumption and respiratory symptoms among young adults in a Norwegian community. Eur Respir J 1998;12(2):336-40. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Friedman Z, Demers LM. Essential fatty acids, prostaglandins, and respiratory distress syndrome of the newborn. Pediatrics 1978; 1(3):341-7. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Furst P, Kuhn KS. Fish oil emulsions: What benefits can they bring? Clin Nutr 2000;19(1):7-14. Not a primary study.

Gadek JE, DeMichele SJ, Karlstad MD, et al. Effect of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants in patients with acute respiratory distress syndrome. Enteral Nutrition in ARDS Study Group. [see comments.]. Crit Care Med 1999;27(8):1409-20. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Gil A. Polyunsaturated fatty acids and inflammatory diseases. Biomed Pharmacother 2002;56(8):388-96. Not a primary study.

Godden DJ, Devereux GS, Anderson WJ. Environmental lung disease: The role of diet. Monaldi Arch Chest Dis 1999;54(6):479-84. Not a primary study.

Griese M, Schur N, Laryea MD, et al. Fatty acid composition of phospholipids of plasma and of mononuclear blood cells in children with allergic asthma and the influence of glucocorticoids. Eur J Pediatr 1990;149(7):508-12. Does not involve omega-3 fatty acids as exposure/intervention.

Grimble RF. Stress proteins in disease: Metabolism on a knife edge. Clin Nutr 2001;20(6):469-76. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Grimminger F, Seeger W, Mayer K. Use of n-3 fatty acid-containing lipid emulsions in the intensive care unit environment: The clinician's view. Clin Nutr 2002;21(Suppl 2):23-9. Not a primary study.

Haban P, Zidekova E, Klvanova J. Supplementation with long-chain n-3 fatty acids in non-insulin-dependent diabetes mellitus (NIDDM) patients leads to the lowering of oleic acid content in serum phospholipids. Eur J Nutr 2000;39(5):201-6. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Haby M, Peat J, Marks GB. Asthma in preschool children: prevalence and risk factors. Thorax 2001;56:589-95. Does not involve omega-3 fatty acids as exposure/intervention.

Hammarstrom S. Leukotrienes. [Review] [145 refs]. Ann Rev Biochem 1983;52:355-77. Not a primary study.

Hamvas A, Patterson BW. Pulmonary dysfunction and the integrity of the pulmonary surfactant system. Nutrition 2002;18(7-8):680-1. Not a primary study.

Hasselmann M, Kummerlen C. Lipids and lung in the intensive care unit. [French]. Reanimation Urgences 2001;10(6):543-9. Not a primary study.

Hederos CA, Berg A. Epogam evening primrose oil treatment in atopic dermatitis and asthma. Arch Dis Child 1996;75(6):494-7. Does not involve omega-3 fatty acids as exposure/intervention.

Henderson WR. Omega-3 supplementation in CF [abstract]. 6th North American Cystic Fibrosis Conference 1992. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Higgs GA. The effects of dietary intake of essential fatty acids on prostaglandin and leukotriene synthesis. Proc Nutr Soc 1985;44(2):181-7. Not a primary study.

Hinman JW, Weeks JR. The prostaglandins: biology and biochemistry. J Reprod Med 1972;9(6):262-5. Not a primary study.

Hodge L, Peat JK, Salome C. Increased consumption of polyunsaturated oils may be a cause of increased prevalence of childhood asthma. [see comments.]. Aust N Z J Med 1994;24(6):727. Not a primary study.

Horrobin DF. Low prevalences of coronary heart disease (CHD), psoriasis, asthma and rheumatoid arthritis in Eskimos: are they caused by high dietary intake of eicosapentaenoic acid (EPA), a genetic variation of essential fatty acid (EFA) metabolism or a combination of both? Med Hypotheses 1987;22(4):421-8. Not a primary study.

Hui KP, Barnes NC. Inhibition of leukotriene synthesis: New therapy in asthma? Pulm Pharmacol 1993;6(1):3-9. Not a primary study.

In't, V, Sterk PJ, Bel EH. Alternative strategies in the treatment of bronchial asthma. Clin Exp Allergy 2000;30(1):16-33. Not a primary study.

Increasing fish oil intake - Any net benefits? Drug Ther Bull 1996;34(8):60-2. Not a primary study.

Kehn P, Fernandes G. The importance of omega-3 fatty acids in the attenuation of immune-mediated diseases. J Clin Immunol 2001;21(2):99-101. Not a primary study.

Kelley DS. Modulation of human immune and inflammatory responses by dietary fatty acids. [Review] [51 refs]. Nutrition 2001;17(7-8):669-73. Not a primary study.

Kelley DS, Taylor PC, Nelson GJ, et al. Docosahexaenoic acid ingestion inhibits natural killer cell activity and production of inflammatory mediators in young healthy men. Lipids 1999;34(4):317-24. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Kurlandsky LE, Bennink MR, Webb PM, et al. The absorption and effect of dietary supplementation with omega-3 fatty acids on serum leukotriene B4 in patients with cystic fibrosis. Pediatr Pulmonol 1994;18(4):211-7. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Kurosawa M, Sunaga Y, Tanaka T. Antipyretic effect of Lumbricus spencer in acetylsalicylic acid-induced asthma. Arzneimittel-Forschung 1996;46(2):172-4. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Lands WEM, Valagussa F, Marchioli R. Biochemistry and physiology of eicosanoid precursors in cell membranes. Evidence and perspectives on n-3 polyunsaturated fatty acids in cardiovascular disease 2001; biological background, and research priorities on n-3 fatty acids", Research Centre of the Italian National Association of Hospital Cardiologists (ANMCO), Florence, Italy, 17-19 February 2000. European-Heart-Journal-Supplements. 2001, 3(D):D22-D25. Not a primary study.

Lawrence R, Sorrell T. Eicosapentaenoic acid in cystic fibrosis: evidence of a pathogenetic role for leukotriene B4. Lancet 1993;342(8869):465-9. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Lee TH, Arm JP, Horton CE, et al. Effects of dietary fish oil lipids on allergic and inflammatory diseases. Allergy Proc 1991;12(5):299-303. Not a primary study.

Lee TH, Arm JP. The effects of a fish oil enriched diet on experimentally-induced and clinical asthma. Adv Prostaglandin Thromboxane Leukot Res 1989;19:606-9. Not a primary study.

Lee TH, Drazen JM, Lewis RA, et al. Substrate and regulatory functions of eicosapentaenoic and docosahexaenoic acids for the 5-lipoxygenase pathway. Implications for pulmonary responses. [Review] [80 refs]. Progress in Biochemical Pharmacology 1985;20:1-17. Not a primary study.

Lehr M. Cytosolic phospholipase A2 as a target for drug design. Drugs of the Future 2000;25(8):823-32. Not a primary study.

Leon FE. Salmon, ventilation, and mycotoxin inhalation. [letter; comment.]. Lancet 1995;346(8991-8992):1707. Not a primary study.

Lizenko MV, Petrovskismall l, Bakhirev AM. [Relationship of the levels of arachidonic and eicosapentaenoic acid in blood serum and low density lipoproteins in patients with bronchial asthma and change in the value during restricted-diet therapy]. [Russian]. Vopr Med Khim 1998;44(2):213-8. Does not involve omega-3 fatty acids as exposure/intervention.

Lossl K, Skou HA, Christensen JH, et al. The effect of n-3 fatty acids on leukotriene formation from neutrophils in patients on hemodialysis. Lipids 1999;34:Suppl. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Mancuso P. Anti-inflammatory effects on n-3 and n-6 fatty acids in endotoxin-induced lung injury (respiratory distress, pulmonary edema). Dissertation Abstracts International 1996; ume:58-06. Does not involve human participants.

Mariethoz E, Lacroix J-S, Moeschler MB, et al. Meeting on Allergy and the Environment. Rev Environ Health 1999;14(2):63-78. Not a primary study.

Mayer K, Grimm H, Grimminger F, et al. Parenteral nutrition with n-3 lipids in sepsis. [Review] [67 refs]. Br J Nutr 2002;87:Suppl-75. Not a primary study.

McCarty MF. The reported clinical utility of taurine in ischemic disorders may reflect a down-regulation of neutrophil activation and adhesion. Med Hypotheses 1999;53(4):290-9. Not a primary study.

Meletis CD, Ballen K. Nutrient support to minimize the allergic cascade. Alternative & Complementary Therapies 1999;5(2):102-5. Not a primary study.

Mermer C, Mercola J. Omega-3s and childhood asthma. Thorax 2002;57(3):281. Not a primary study.

Miedema I, Feskens EJM, Heederik D, et al. Dietary determinants of long-term incidence of chronic nonspecific lung diseases: The Zutphen study. Am J Epidemiol 1993;138(1):37-45. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Miller AL. The etiologies, pathophysiology, and alternative/complementary treatment of asthma. [Review]

[204 refs]. Altern Med Rev 2001;6(1):20-47. Not a primary study.

Mohan IK, Das UN. Oxidant stress, anti-oxidants, nitric oxide and essential fatty acids in bronchial asthma. Med Sci Res 1997;25(5):307-9. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Moncada S, Salmon JA. Leukocytes and tissue injury: The use of eicosapentaenoic acid in the control of white cell activation. Wien Klin Wochenschr 1986;98(4):104-6. Not a primary study.

Morris A, Noakes M, Clifton PM. The role of n-6 polyunsaturated fat in stable asthmatics. J Asthma 2001;38(4):311-9. Does not involve omega-3 fatty acids as exposure/intervention.

Munck A. Cystic fibrosis: Nutritional therapy against inflammation, oxidative stress, and infection. [French]. Nutrition Clinique et Metabolisme 2000;14(3):201-5. Not a primary study.

Nakajima T, Azuma E, Hashimoto M, et al. [Factors aggravating bronchial asthma in urban children (II)--The involvement of atopy and serum fatty acids, and their interaction with urban living environment]. [Japanese].

Nippon Koshu Eisei Zasshi - Japanese Journal of Public Health 1998;45(5):423-36. Does not involve omega-3 fatty acids as exposure/intervention.

Norum KR, Drevon CA. Fats and health. Acta Med Scand 1988;224(4):289-91. Not a primary study.

Omega-3 white book. Omega-3 polyunsaturated fatty acids and oleic monounsaturated acids: Their role in health. [Spanish]. Nutricion Clinica: Dietetica Hospitalaria 2002;22(3):23-33. Not a primary study.

Peat JK, Allen J, Oddy W. Beyond breast-feeding. J Allergy Clin Immunol 1999;104(3 Pt 1):526-9. Not a primary study.

Peat JK. Can asthma be prevented? Evidence from epidemiological studies of children in Australia and New Zealand in the last decade. Clin Exp Allergy 1998;28(3):261-5. Not a primary study.

Pelton R. Nutrients can reduce asthma severity. American Druggist 1998;215(5):34-6. Not a primary study.

Perdomo-Ponce D, Benarroch L, Gonzalez-Cerrutti R, et al. [Family education, a model for allergy prevention]. [Spanish]. Investigacion Clinica 1996;37(4):221-45. Does not involve omega-3 fatty acids as exposure/intervention.

Piper PJ. Release and metabolism of prostaglandins in lung tissue. Pol J Pharmacol Pharm 1974;26(1):61-72. Does not involve human participants.

Planas M, Masclans JR, Iglesia R, et al. Eicosanoids and fat emulsions in acute respiratory distress syndrome patients. Nutrition 1997;13(3):202-5. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Plata-Salaman CR. Tumor necrosis factor production in response to lipids: Immunomodulatory activity with clinical applicability? Nutrition 1994;10(2):179-80. Not a primary study.

Quirce S, Fernandez-Nieto M, Polo F, et al. Soybean trypsin inhibitor is an occupational inhalant allergen. J Allergy Clin Immunol 2002;109(1):178. Does not involve omega-3 fatty acids as exposure/intervention.

Ramos L, Lopez C, Ramadan S, et al. [Contamination of soybean by environmental fungi]. [Spanish]. Medicina (Mex) 2001;61(2):249-50. Not a primary study.

Ramwell PW, Foegh M, Loeb R, et al. Synthesis and metabolism of prostaglandins, prostacyclin, and thromboxanes: the arachidonic acid cascade. Semin Perinatol 1980;4(1):3-13. Not a primary study.

Recently introduced products. Drug & Therapeutics Bulletin 1991;29(5):17-9. Not a primary study.

Rijcken B, Britton J. Epidemiology of chronic obstructive pulmonary disease. European Respiratory Monograph 1998;3(7):41-73. Not a primary study.

Sadikot SM. Omega-6 and omega-3 fatty acids in health and disease. Journal of the Diabetic Association of India 1993;33(2):40-8. Not a primary study.

Sakai K, Okuyama H, Shimazaki H, et al. Fatty acid compositions of plasma lipids in atopic dermatitis/asthma patients. Arerugi - Japanese Journal of Allergology 1994;43(1):37-43. Does not involve omega-3 fatty acids as exposure/intervention.

Salmon JA, Terano T. Supplementation of the diet with eicosapentaenoic acid: a possible approach to the treatment of thrombosis and inflammation. Proc Nutr Soc 1985;44(3):385-9. Not a primary study.

Sampson MJ, Davies IR, Brown JC, et al. n-3 polyunsaturated fatty acid supplementation, monocyte adhesion molecule expression and pro-inflammatory mediators in Type 2 diabetes mellitus. Diabetic Medicine 2001;18(1):51-8. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Samuelsson B, Funk CD, Hoshiko S, et al. Molecular biology of leukotriene and lipoxin formation. Adv Prostaglandin Thromboxane Leukot Res 1989;19:1-10. Does not involve human participants.

Schmidt EB, Varming K, Moller JM, et al. No effect of a very low dose of n-3 fatty acids on monocyte function in healthy humans. Scand J Clin Lab Invest 1996;56(1):87-92. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Schwartz J, Weiss ST. Dietary factors and their relation to respiratory symptoms. The Second National Health and Nutrition Examination Survey. Am J Epidemiol 1990;132(1):67-76. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Schwartz J, Weiss ST. The relationship of dietary fish intake to level of pulmonary function in the first National Health and Nutrition Survey (NHANES I). [see comments.]. Eur Respir J 1994;7(10):1821-4. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Seaton A, Devereux G. Diet, infection and wheezy illness: lessons from adults. Pediatr Allergy Immunol 2000;11(Suppl.13):37-40. Not a primary study.

Shahar E, Boland LL, Folsom AR, et al. Docosahexaenoic acid and smoking-related chronic obstructive pulmonary disease. The Atherosclerosis Risk in Communities Study Investigators. Am J Respir Crit Care Med 1999;159(6):1780-5. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Shahar E, Folsom AR, Melnick SL, et al. Dietary n-3 polyunsaturated fatty acids and smoking-related chronic obstructive pulmonary disease. Atherosclerosis Risk in Communities Study Investigators. N Engl J Med 1994;331(4):228-33. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Simopoulos AP. The importance of the ratio of omega-6/omega-3 essential fatty acids. Biomed Pharmacother 2002;56(8):365-79. Not a primary study.

Suchner U, Katz DP, Furst P, et al. Impact of sepsis, lung injury, and the role of lipid infusion on circulating prostacyclin and thromboxane A(2). Intensive Care Med 2002;28(2):122-9. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Terano T, Kojima T, Seya A et al. The effect of highly purified eicosapentaenoic acid in patients with psoriasis. Adv Prostaglandin Thromboxane Leukot Res 1989;19:610-3. Purpose of exposure/intervention was not the treatment or prevention of asthma.

The 1988 report of the Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure. [see comments]. Arch Intern Med 1988;148(5):1023-38. Not a primary study.

Thien F, Woods R, Walters EH. Asthma spoils from polyunsaturated oils? [letter; comment]. Aust N Z J Med 1995;25(1):63-4. Not a primary study.

Thies F, Miles EA, Nebe-von-Caron G, et al. Influence of dietary supplementation with long-chain n-3 or n-6 polyunsaturated fatty acids on blood inflammatory cell populations and functions and on plasma soluble adhesion molecules in healthy adults. Lipids 2001;36(11):1183-93. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Truswell AS, Marks GB, Haby MM, et al. Polyunsaturated fats and asthma [2] (Multiple letters). Thorax 2002;57(1):93-4. Not a primary study.

Varming K, Schmidt EB, Svaneborg N, et al. The effect of n-3 fatty acids on neutrophil chemiluminescence. Scand J Clin Lab Invest 1995;55(1):47-52. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Vincent D. Relationship of dietary fish intake to level of pulmonary function. [letter; comment]. Eur Respir J 1995;8(3):507. Not a primary study.

von Schacky C, Kiefl R, Jendraschak E, et al. n-3 fatty acids and cysteinyl-leukotriene formation in humans in vitro, ex vivo, and in vivo. J Lab Clin Med 1993;121(2):302-9. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Weber PC, Fischer S, von Schacky C, et al. The conversion of dietary eicosapentaenoic acid to prostanoids and leukotrienes in man. Prog Lipid Res 1986;25(1-4):273-6. Purpose of exposure/intervention was not the treatment or prevention of asthma.

Weiland SK, von Mutius E, Husing A, et al. Intake of trans fatty acids and prevalence of childhood asthma and allergies in Europe. ISAAC Steering Committee. Lancet 1999;353(9169):2040-1. Does not involve omega-3 fatty acids as exposure/intervention.

Westcott JY. The measurement of leukotrienes in human fluids. Clin Rev Allergy Immunol 1999;17(1-2):153-77. Not a primary study.

Wolfram G, Adam O. [Clinical significance of essential fatty acids (author's transl)]. [German]. MMW - Munchener Medizinische Wochenschrift 1980;122(48):1721-4. Not a primary study.

Woods RK, Thien FC, Abramson MJ. Dietary marine fatty acids (fish oil) for asthma in adults and children. [update of Cochrane Database Syst Rev. 2000;(4):CD001283 ; 11034708.]. [Review] [23 refs]. Cochrane Database Syst Rev 2002;(3):CD001283. Not a primary study.

Xi GL, Guo XY, Chen RL. [Studies on antiasthmatic agents. II. Synthesis of some omega-(3-hydroxy-1,4-naphthoquinonyl-2)-alkanoic acids and mannich bases of 2-hydroxy-1,4-naphthoquinone (author's transl)]. [Chinese]. Yao Hsueh Hsueh Pao - Acta Pharmaceutica Sinica 1980;15(9):548-54. Does not involve human participants.

Yu G, Bjorksten B. Polyunsaturated fatty acids in school children in relation to allergy and serum IgE levels. Pediatr Allergy Immunol 1998;9(3):133-8. Purpose of

exposure/intervention was not the treatment or prevention of asthma.

Yuksel H, Coskun S, Onag A. Pumpkin seed aspiration into the middle of the trachea in a wheezy infant unresponsive to bronchodilators. Pediatr Emerg Care 2001;17(4):312-3. Does not involve omega-3 fatty acids as exposure/intervention.

Ziboh VA. Prostaglandins and other Lipid Mediators: Foreword. Prostaglandins Other Lipid Mediat 2000;63(1-2):1-2. Not a primary study