References

Skin tests used in type I allergy testing Position paper. Sub-Committee on Skin Tests of the European Academy of Allergology and Clinical Immunology. [Review] [290 refs]. Allergy 1989;44 Suppl 10:1-59.

Corrected abstracts: American Academy of Allergy, Asthma and Immunology 56th annual meeting. J Allergy Clin Immunol 2000 Mar;105(3):593-648.

Aberg N. Asthma and allergic rhinitis in Swedish conscripts. Clin Exp Allergy 1989 Jan;19(1):59-63.

Aberg N, Hesselmar B, Aberg B et al. Increase of asthma, allergic rhinitis and eczema in Swedish schoolchildren between 1979 and 1991. [see comments]. Clin Exp Allergy 1995 Sep;25(9):815-9.

Adelroth E, Rak S, Haahtela T et al. Recombinant humanized mAb-E25, an anti-IgE mAb, in birch pollen-induced seasonal allergic rhinitis. J Allergy Clin Immunol 2000 Aug;106(2):253-9.

Adkinson NF, Jr. Immunotherapy for allergic rhinitis. [letter; comment]. N Engl J Med 1999 Aug 12;341(7):522-4.

Allen DB. Systemic effects of intranasal steroids: an endocrinologist's perspective. [Review] [55 refs]. J Allergy Clin Immunol 2000 Oct;106(4 Suppl):S179-S190.

Anderson HR, Pottier AC, Strachan DP. Asthma from birth to age 23: incidence and relation to prior and concurrent atopic disease. Thorax 1992 Jul;47(7):537-42.

Anderson WV, Marshall NE, Clark MC. A double-blind controlled trial of disodium cromoglycate in seasonal allergic rhinitis. Practitioner 1972 May;208(247):676-9.

Arlian LG, Platts-Mills TA. The biology of dust mites and the remediation of mite allergens in allergic disease. [Review] [96 refs]. J Allergy Clin Immunol 2001 Mar;107(3 Suppl):S406-S413.

Backhouse CI, Finnamore VP, Gosden CW. Treatment of seasonal allergic rhinitis with flunisolide and terfenadine. J Int Med Res 1986;14(1):35-41.

Backhouse CI, Rosenberg R. Prophylaxis of whole season hay fever symptomatology: a comparison of terfenadine with chlorpheniramine. Br J Clin Pract 1987 Nov;41(11):995-9.

Backman A, Holopainen E, Salo OP. Sodium cromoglycate in chronic allergic rhinitis. Acta Allergologica 1977;Suppl 13:55-9.

Balle V, Illum P. Disodium cromoglycate nasal spray in the treatment of perennial rhinitis. Acta Otolaryngol 1977 Sep;84(3-4):287-91.

Banov CH, Lieberman P, Vasomotor Rhinitis Study Groups. Efficacy of azelastine nasal spray in the treatment of vasomotor (perennial nonallergic) rhinitis. Ann Allergy Asthma Immunol 2001 Jan;86(1):28-35.

Beckman DB, Grammer LC. Pharmacotherapy to prevent the complications of allergic rhinitis. [Review] [81 refs]. Allergy Asthma Proc 1999 Jul;20(4):215-23.

Bellanti JA, Wallerstedt DB. Allergic rhinitis update: Epidemiology and natural history. [Review] [18 refs]. Allergy Asthma Proc 2000 Nov;21(6):367-70.

Bende M, Rundcrantz H. Treatment of perennial secretory rhinitis. ORL J Otorhinolaryngol Relat Spec 1985;47(6):303-6.

Bernstein DI, Creticos PS, Busse WW et al. Comparison of triamcinolone acetonide nasal inhaler with astemizole in the treatment of ragweed-induced allergic rhinitis. J Allergy Clin Immunol 1996 Mar;97(3):749-55.

Blair H. Natural history of childhood asthma. 20-year follow-up. Archives of Disease in Childhood 1977 Aug;52(8):613-9.

Blair H, Herbert RL. Treatment of seasonal allergic rhinitis with 2 percent sodium cromoglycate (BP) solution. Clin Allergy 1973 Sep;3(3):283-8.

Blair H, Viner AS. A double blind trial of a 2% solution of sodium cromoglycate in perennial rhinitis. Clin Allergy 1975 Jun;5(2):139-43.

Borish LC, Nelson HS, Corren J et al. Efficacy of soluble IL-4 receptor for the treatment of adults with asthma. J Allergy Clin Immunol 2001 Jun;107(6):963-70.

Borum P, Larsen FS. Seasonal allergic rhinitis treated with a beta-2-adrenostimulant. Allergy 1987 Feb;42(2):141-5.

Bousquet J, Lockey R, Malling HJ. Allergen immunotherapy: therapeutic vaccines for allergic diseases. A WHO position paper. [Review] [58 refs]. J Allergy Clin Immunol 1998 Oct;102(4 Pt 1):558-62.

Bousquet J, Lockey R, Malling H. WHO Position Paper. Allergen Immunotherapy: Therapeutic Vaccines for allergic diseases. Allergy 1998;53(suppl 54).

Bradley CM, Nicholson AN. Studies on the central effects of the H1-antagonist, loratadine. Eur J Clin Pharmacol 1987;32(4):419-21.

Brain DJ, Singh KP, Trotter CM et al. Sodium cromoglycate 2 per cent solution in perennial rhinitis: a clinical and histological study. J Laryngol Otol 1974 Oct;88(10):1001-17.

Brogden RN, Speight TM, Avery GS. Sodium cromoglycate (cromolyn sodium). II. Allergic rhinitis and other conditions. [Review] [31 refs]. Drugs 1974;7(3):283-96.

Broms P, Malm L. Oral vasoconstrictors in perennial non-allergic rhinitis. Allergy 1982 Feb;37(2):67-74.

Bronsky EA, Dockhorn RJ, Meltzer EO et al. Fluticasone propionate aqueous nasal spray compared with terfenadine tablets in the treatment of seasonal allergic rhinitis. J Allergy Clin Immunol 1996 Apr;97(4):915-21.

Bronsky EA, Druce H, Findlay SR et al. A clinical trial of ipratropium bromide nasal spray in patients with perennial nonallergic rhinitis. J Allergy Clin Immunol 1995 May;95(5 Pt 2):1117-22.

Brostoff J, Lockhart JD. Controlled trial of terfenadine and chlorpheniramine maleate in perennial rhinitis. Postgrad Med J 1982 Jul;58(681):422-3.

Bryan SA, O'Connor BJ, Matti S et al. Effects of recombinant human interleukin-12 on eosinophils, airway hyper-responsiveness, and the late asthmatic response. [see comments]. Lancet 2000 Dec 23;356(9248):2149-53.

Buckley CE, Buchman E, Falliers CJ et al. Terfenadine treatment of fall hay fever. Ann Allergy 1988 Feb;60(2):123-8.

Chapman MD, Wood RA. The role and remediation of animal allergens in allergic diseases. [Review] [92 refs]. J Allergy Clin Immunol 2001 Mar;107(3 Suppl):S414-S421.

Coffman DA. A controlled trial of disodium cromoglycate in seasonal allergic rhinitis. Br J Clin Pract 1971 Sep;25(9):403-6.

Collins JG. Prevalence of selected chronic conditions: United States, 1990-1992. Vital Health Stat 10 1997 Jan;(194):1-89.

Condemi J, Schulz R, Lim J. Triamcinolone acetonide aqueous nasal spray versus loratadine in seasonal allergic rhinitis: efficacy and quality of life. Ann Allergy Asthma Immunol 2000 May;84(5):533-8.

Corren J. Allergic rhinitis: treating the adult. [Review] [45 refs]. J Allergy Clin Immunol 2000 Jun;105(6 Pt 2):S610-S615.

Corren J. Intranasal corticosteroids for allergic rhinitis: how do different agents compare?. [Review] [43 refs]. J Allergy Clin Immunol 1999 Oct;104(4 Pt 1):S144-S149.

Corren J, Harris AG, Aaronson D et al. Efficacy and safety of loratadine plus pseudoephedrine in patients with seasonal allergic rhinitis and mild asthma [published erratum appears in J Allergy Clin Immunol 1998 Jun;101(6 Pt 1):792]. J Allergy Clin Immunol 1997 Dec;100(6 Pt 1):781-8.

D'Ambrosio FP, Gangemi S, Merendino RA et al. Comparative study between fluticasone propionate and cetirizine in the treatment of allergic rhinitis [published erratum appears in Allergol Immunopathol (Madr) 1999 May-Jun;27(3):173]. Allergol Immunopathol (Madr) 1998 Nov;26(6):277-82.

Darnell R, Pecoud A, Richards DH. A double-blind comparison of fluticasone propionate aqueous nasal spray, terfenadine tablets and placebo in the treatment of patients with seasonal allergic rhinitis to grass pollen. Clin Exp Allergy 1994 Dec;24(12):1144-50.

Demoly P, Michel F, and Bousquet J. In vivo methods for study of allergy. Skin tests, techniques and interpretation. In: Middleton E, Reed C, Ellis Eet al., editors. Allergy, Principles and Practice. St. Louis: Mosby Co; 1998. p. 530-9.

Druce HM, Spector SL, Fireman P et al. Double-blind study of intranasal ipratropium bromide in nonallergic perennial rhinitis. Ann Allergy 1992 Jul;69(1):53-60.

Druce HM, Thoden WR, Mure P et al. Brompheniramine, loratadine, and placebo in allergic rhinitis: a placebo-controlled comparative clinical trial. J Clin Pharmacol 1998 Apr;38(4):382-9.

Druce HM, Wright RH, Kossoff D et al. Cholinergic nasal hyperreactivity in atopic subjects. J Allergy Clin Immunol 1985 Sep;76(3):445-52.

Durham SR, Walker SM, Varga EM et al. Long-term clinical efficacy of grass-pollen immunotherapy [see comments]. N Engl J Med 1999 Aug 12;341(7):468-75.

Dykewicz MS, Fineman S, Skoner DP et al. Diagnosis and management of rhinitis: complete guidelines of the Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology. American Academy of Allergy, Asthma, and Immunology. Ann Allergy Asthma Immunol 1998 Nov;81(5 Pt 2):478-518.

Engstrom I, Oberger E, Blyckert A et al. Disodium cromoglycate in the treatment of seasonal allergic rhinoconjunctivitis in children. Ann Allergy 1971 Oct;29(10):505-9.

Fagerberg E, Zetterstrom O. A trial of disodium cromoglycate in perennial rhinitis. Acta Allergologica 1975 Jul;30(2-3):63-72.

Falliers CJ, Brandon ML, Buchman E et al. Double-blind comparison of cetirizine and placebo in the treatment of seasonal rhinitis. Ann Allergy 1991 Mar;66(3):257-62.

Fireman P. Therapeutic approaches to allergic rhinitis: treating the child. [Review] [24 refs]. J Allergy Clin Immunol 2000 Jun;105(6 Pt 2):S616-S621.

Fleming DM, Crombie DL. Prevalence of asthma and hay fever in England and Wales. Br Med J (Clin Res Ed) 1987 Jan 31;294(6567):279-83.

Frew AJ, Plummeridge MJ. Alternative agents in asthma. [Review] [82 refs]. J Allergy Clin Immunol 2001 Jul;108(1):3-10.

Frostad AB. The treatment of seasonal allergic rhinitis with a 2% aqueous solution of sodium cromoglycate delivered by a metered dose nasal spray. Clin Allergy 1977 Jul;7(4):347-53.

Gastpar H, Dieterich HA. Comparative study of the efficacy and tolerance of terfenadine and clemastine in patients with seasonal allergic rhinitis. Arzneimittelforschung 1982;32(9a):1211-3.

Gehanno P, Deschamps E, Garay E et al. Vasomotor rhinitis: clinical efficacy of azelastine nasal spray in comparison with placebo. ORL J Otorhinolaryngol Relat Spec 2001 Mar;63(2):76-81.

Gehanno P, Desfougeres JL. Fluticasone propionate aqueous nasal spray compared with oral loratadine in patients with seasonal allergic rhinitis. Allergy 1997 Apr;52(4):445-50.

Georgitis JW. Nasal atropine sulfate: efficacy and safety of 0.050% and 0.075% solutions for severe rhinorrhea. Arch Otolaryngol Head Neck Surg 1998 Aug;124(8):916-20.

Georgitis JW, Banov C, Boggs PB et al. Ipratropium bromide nasal spray in non-allergic rhinitis: efficacy, nasal cytological response and patient evaluation on quality of life. Clin Exp Allergy 1994 Nov;24(11):1049-55.

Girard JP, Bertrand J. Study of 2% solution of sodium cromoglycate in perennial rhinitis assessed by subjective and objective parameters. Clin Allergy 1975 Sep;5(3):301-9.

Graf P, Enerdal J, Hallen H. Ten days' use of oxymetazoline nasal spray with or without benzalkonium chloride in patients with vasomotor rhinitis. Arch Otolaryngol Head Neck Surg 1999 Oct;125(10):1128-32.

Grant JA, Nicodemus CF, Findlay SR et al. Cetirizine in patients with seasonal rhinitis and concomitant asthma: prospective, randomized, placebo-controlled trial [see comments]. J Allergy Clin Immunol 1995 May;95(5 Pt 1):923-32.

Green M. Double-blind study of nasal decongestion with oxymetazoline and phenylephrine in asthmatic children with rhinitis. Rev Allergy 1966 Sep;20(9):863-8.

Grossman J, Banov C, Boggs P et al. Use of ipratropium bromide nasal spray in chronic treatment of nonallergic perennial rhinitis, alone and in combination with other perennial rhinitis medications. J Allergy Clin Immunol 1995 May;95(5 Pt 2):1123-7.

Gundel RH, Wegner CD, Letts LG. Adhesion molecules in a primate model of allergic asthma: clinical implications for respiratory care. [Review] [75 refs]. Springer Semin Immunopathol 1993;15(1):75-88.

Gutkowski A, Del Carpio J, Gelinas B et al. Comparative study of the efficacy, tolerance and side-effects of dexchlorpheniramine maleate 6 mg b.i.d. with terfenadine 60 mg b.i.d. J Int Med Res 1985;13(5):284-8.

Handelman NI, Friday GA, Schwartz HJ et al. Cromolyn sodium nasal solution in the prophylactic treatment of pollen-induced seasonal allergic rhinitis. J Allergy Clin Immunol 1977 Mar;59(3):237-42.

Hasegawa M, Saito Y, Watanabe K. The effect of sodium cromoglycate on the antigen-induced nasal reaction in allergic rhinitis as measured by rhinomanometry and symptomatology. Clin Allergy 1976 Jul;6(4):359-63.

Henderson LL, Swedlund HA, Van Dellen RG et al. Evaluation of IgE tests in an allergy practice. J Allergy Clin Immunol 1971 Dec;48(6):361-5.

Hetherington HD. Hay fever in a student population. A trial of disodium cromoglycate. Med J Aust 1973 Mar 10;1(10):493-4.

Hilberg O. Effect of terfenadine and budesonide on nasal symptoms, olfaction, and nasal airway patency following allergen challenge. Allergy 1995 Aug;50(8):683-8.

Hindmarch I, Shamsi Z. Antihistamines: models to assess sedative properties, assessment of sedation, safety and other side-effects. [Review] [42 refs]. Clin Exp Allergy 1999 Jul;29 Suppl 3:133-42.

Holopainen E, Backman A, Salo OP. Effect of disodium cromoglycate on seasonal allergic rhinitis. Lancet 1971 Jan 9;1(7689):55-7.

Holopainen E, Viner T, Backman A et al. Clinical trial of a two per cent solution of DSCG in perennial rhinitis. Acta Allergologica 1975 Oct;30(4):216-26.

Hopper I, Dawson JP. The effect of disodium cromoglycate in perennial rhinitis. J Laryngol Otol 1972 Jul;86(7):725-30.

Hopper JL, Jenkins MA, Carlin JB et al. Increase in the self-reported prevalence of asthma and hay fever in adults over the last generation: a matched parent-offspring study. Aust J Public Health 1995 Apr;19(2):120-4.

Howarth PH. Allergic rhinitis: a rational choice of treatment. [Review] [90 refs]. Respir Med 1989 May;83(3):179-88.

Howarth PH. Leukotrienes in rhinitis. [Review] [50 refs]. Am J Respir Crit Care Med 2000 Feb;161(2 Pt 2):S133-S136.

Hugonot L, Hugonot R, Beaumont D. A double-blind comparison of terfenadine and mequitazine in the symptomatic treatment of acute pollinosis. J Int Med Res 1986;14(3):124-30.

Illum P, Meistrup-Larsen U, Moesner J et al. Disodium cromoglycate (Lomudal) in the treatment of hay fever. Acta Allergologica 1973 Dec;28(5):416-24.

Ingels K, Durdurez JP, Cuvelier C et al. Nasal biopsy is superior to nasal smear for finding eosinophils in nonallergic rhinitis. Allergy 1997 Mar;52(3):338-41.

Ioannidis JP, Lau J. Can quality of clinical trials and meta-analyses be quantified? [letter; comment]. Lancet 1998 Aug 22;352(9128):590-1.

Jen A, Baroody F, de Tineo M et al. As-needed use of fluticasone propionate nasal spray reduces symptoms of seasonal allergic rhinitis. J Allergy Clin Immunol 2000 Apr;105(4):732-8.

Jenssen AO. Measurement of resistance to air flow in the nose in a trial with sodium cromoglycate (BP)solution in allergen-induced nasal stenosis. Clin Allergy 1973 Sep;3(3):277-82.

Jessen M, Bylander A. Treatment of non-allergic nasal hypersecretion with ipratropium and beclomethasone. Rhinology 1990 Jun;28(2):77-81.

Johansen LV, Bjerrum P, Illum P. Treatment of seasonal allergic rhinitis--a double blind, group comparative study of terfenadine and dexchlorpheniramine. Rhinology 1987 Mar;25(1):35-40.

Jokinen K, Sipila P. Intranasal ipratropium in the treatment of vasomotor rhinitis. Rhinology 1983 Dec;21(4):341-5.

Jones AS. Non-allergic perennial rhinitis. [Review] [56 refs]. Biomed Pharmacother 1988;42(8):499-503.

Jordana G, Dolovich J, Briscoe MP et al. Intranasal fluticasone propionate versus loratadine in the treatment of adolescent patients with seasonal allergic rhinitis. J Allergy Clin Immunol 1996 Feb;97(2):588-95.

Juni P, Witschi A, Bloch R et al. The hazards of scoring the quality of clinical trials for meta-analysis. [see comments]. JAMA 1999 Sep 15;282(11):1054-60.

Juniper EF, Guyatt GH, Ferrie PJ et al. First-line treatment of seasonal (ragweed) rhinoconjunctivitis. A randomized management trial comparing a nasal steroid spray and a nonsedating antihistamine [see comments]. CMAJ 1997 Apr 15;156(8):1123-31.

Juniper EF, Kline PA, Hargreave FE et al. Comparison of beclomethasone dipropionate aqueous nasal spray, astemizole, and the combination in the prophylactic treatment of ragweed pollen-induced rhinoconjunctivitis. J Allergy Clin Immunol 1989 Mar;83(3):627-33.

Kay AB. Overview of 'allergy and allergic diseases: with a view to the future'. [Review] [105 refs]. Br Med Bull 2000;56(4):843-64.

Kay AB. Allergy and allergic diseases. First of two parts. [Review] [62 refs]. N Engl J Med 2001 Jan 4;344(1):30-7.

Kay AB. Allergy and allergic diseases. Second of two parts. [Review] [95 refs]. N Engl J Med 2001 Jan 11;344(2):109-13.

Kay GG. The effects of antihistamines on cognition and performance. [Review] [9 refs]. J Allergy Clin Immunol 2000 Jun;105(6 Pt 2):S622-S627.

Kirkegaard J, Mygind N, Molgaard F et al. Ordinary and high-dose ipratropium in perennial nonallergic rhinitis. J Allergy Clin Immunol 1987 Apr;79(4):585-90.

Kirkegaard J, Mygind N, Molgaard F et al. Ipratropium treatment of rhinorrhea in perennial nonallergic rhinitis. A Nordic multicenter study. Acta Otolaryngol Suppl 1988;449:93-5.

Knight A, Underdown BJ, Demanuele F et al. Disodium cromoglycate in ragweed-allergic rhinitis. J Allergy Clin Immunol 1976 Aug;58(2):278-83.

Lau J, Ioannidis JP, Schmid CH. Quantitative synthesis in systematic reviews. Ann Intern Med 1997 Nov 1;127(9):820-6.

Leckie MJ, ten Brinke A, Khan J et al. Effects of an interleukin-5 blocking monoclonal antibody on eosinophils, airway hyper-responsiveness, and the late asthmatic response. [see comments]. Lancet 2000 Dec 23;356(9248):2144-8.

Leiferman KM, Yunginger JW, Larson JB et al. The effect of immune milk as a treatment for ragweed pollinosis. Ann Allergy 1975 Dec;35(6):367-71.

Leone C, Teodoro C, Pelucchi A et al. Bronchial responsiveness and airway inflammation in patients with nonallergic rhinitis with eosinophilia syndrome. J Allergy Clin Immunol 1997 Dec;100(6 Pt 1):775-80.

Levit KR, Lazenby HC, Cowan CA et al. National health expenditures, 1990. Health Care Financ Rev 1991;13(1):29-54.

Lijmer JG, Mol BW, Heisterkamp S et al. Empirical evidence of design-related bias in studies of diagnostic tests. [see comments]. [erratum appears in JAMA 2000 Apr 19;283(15):1963]. JAMA 1999 Sep 15;282(11):1061-6.

Lockey RF. Adverse reactions associated with skin testing and immunotherapy. [Review] [11 refs]. Allergy Proc 1995 Nov;16(6):293-6.

Lofkvist T, Rundcrantz H, Svensson G. Treatment of vasomotor rhinitis with intranasal disodium cromoglycate (SCG). Results from a double-blind cross-over study. Acta Allergologica 1977 Feb;32(1):35-43.

Lohr KN, Carey TS. Assessing "best evidence": issues in grading the quality of studies for systematic reviews. [Review] [36 refs]. Joint Commission Journal on Quality Improvement 1999 Sep;25(9):470-9.

Lund VJ. Seasonal allergic rhinitis--a review of current therapy. [Review] [7 refs]. Allergy 1996;51(28 Suppl):5-7.

Malmberg H, Grahne B, Holopainen E et al. Ipratropium (Atrovent) in the treatment of vasomotor rhinitis of elderly patients. Clin Otolaryngol 1983 Aug;8(4):273-6.

Malmberg H, Holopainen E, Grahne B et al. Astemizole in the treatment of hay fever. Allergy 1983 May;38(4):227-31.

Manners B, Ezeoke A. Serum IgE levels and the use of sodium cromoglycate (BP) in hay fever: a study of forty-six patients from a single general practice. Clin Allergy 1973 Sep;3(3):311-8.

McDowell MK, Spitz E. Treatment of chronic perennial allergic rhinitis: a double-blind trial of cromolyn sodium. Ann Allergy 1977 Sep;39(3):169-74.

McLeod RL, Mingo GG, Herczku C et al. Combined histamine H1 and H3 receptor blockade produces nasal decongestion in an experimental model of nasal congestion. Am J Rhinol 1999 Sep;13(5):391-9.

McMenamin P. Costs of hay fever in the United States in 1990. [see comments]. Ann Allergy 1994 Jul;73(1):35-9.

Meltzer EO. An overview of current pharmacotherapy in perennial rhinitis. [Review] [106 refs]. J Allergy Clin Immunol 1995 May;95(5 Pt 2):1097-110.

Meltzer EO. Quality of life in adults and children with allergic rhinitis. [Review] [46 refs]. J Allergy Clin Immunol 2001 Jul;108(1 Suppl):S45-S53.

Meltzer EO. Role for cysteinyl leukotriene receptor antagonist therapy in asthma and their potential role in allergic rhinitis based on the concept of "one linked airway disease". [Review] [81 refs]. Ann Allergy Asthma Immunol 2000 Feb;84(2):176-85.

Meltzer EO, Orgel HA, Bronsky EA et al. Ipratropium bromide aqueous nasal spray for patients with perennial allergic rhinitis: a study of its effect on their symptoms, quality of life, and nasal cytology. J Allergy Clin Immunol 1992 Aug;90(2):242-9.

Moneret-Vautrin DA, Hsieh V, Wayoff M et al. Nonallergic rhinitis with eosinophilia syndrome a precursor of the triad: nasal polyposis, intrinsic asthma, and intolerance to aspirin. Ann Allergy 1990 Jun;64(6):513-8.

Mosbech H, Osterballe O. Does the effect of immunotherapy last after termination of treatment? Follow-up study in patients with grass pollen rhinitis. Allergy 1988 Oct;43(7):523-9.

Munch EP, Soborg M, Norreslet TT et al. A comparative study of dexchlorpheniramine maleate sustained release tablets and budesonide nasal spray in seasonal allergic rhinitis. Allergy 1983 Oct;38(7):517-24.

Mygind N, Nielsen LP, Hoffmann HJ et al. Mode of action of intranasal corticosteroids. [Review] [141 refs]. J Allergy Clin Immunol 2001 Jul;108(1 Suppl):S16-S25.

Mygind N, Dahl R, Bisgaard H. Leukotrienes, leukotriene receptor antagonists, and rhinitis. [Review] [39 refs]. Allergy 2000 May;55(5):421-4.

Naclerio RM, Proud D, Moylan B et al. A double-blind study of the discontinuation of ragweed immunotherapy. J Allergy Clin Immunol 1997 Sep;100(3):293-300.

Nelson BL, Jacobs RL. Response of nonallergic rhinitis with eosinophilia (NARES) syndrome to 4% cromoly sodium nasal solution. J Allergy Clin Immunol 1982 Aug;70(2):125-8.

Nelson HS, Oppenheimer J, Buchmeier A et al. An assessment of the role of intradermal skin testing in the diagnosis of clinically relevant allergy to timothy grass. J Allergy Clin Immunol 1996 Jun;97(6):1193-201.

Ng ML, Warlow RS, Chrishanthan N et al. Preliminary criteria for the definition of allergic rhinitis: a systematic evaluation of clinical parameters in a disease cohort (I). Clin Exp Allergy 2000 Sep;30(9):1314-31.

Nightingale CH. Treating allergic rhinitis with second-generation antihistamines. [Review] [95 refs]. Pharmacotherapy 1996 Sep;16(5):905-14.

Nolen TM. Sedative effects of antihistamines: safety, performance, learning, and quality of life. [see comments]. [Review] [63 refs]. Clin Ther 1997 Jan;19(1):39-55.

Ortolani C, Foresi A, Di Lorenzo G et al. A double-blind, placebo-controlled comparison of treatment with fluticasone propionate and levocabastine in patients with seasonal allergic rhinitis. FLNCO2 Italian Study Group. Allergy 1999 Nov;54(11):1173-80.

Pastorello EA, Ortolani C, Gerosa S et al. Antihistaminic treatment of allergic rhinitis: a double-blind study with terfenadine versus dexchlorpheniramine. Pharmatherapeutica 1987;5(2):69-75.

Pedersen PA, Weeke ER. Asthma and allergic rhinitis in the same patients. Allergy 1983 Jan;38(1):25-9.

Pedersen S. Assessing the effect of intranasal steroids on growth. [Review] [29 refs]. J Allergy Clin Immunol 2001 Jul;108(1 Suppl):S40-S44.

Posey WC, Nelson HS. Controlled trials with four per cent cromolyn spray in seasonal allergic rhinitis. Clin Allergy 1977 Sep;7(5):485-96.

Raphael GD, Baraniuk JN, Kaliner MA. How and why the nose runs. J Allergy Clin Immunol 1991 Feb;87(2):457-67.

Ratner PH, van Bavel JH, Martin BG et al. A comparison of the efficacy of fluticasone propionate aqueous nasal spray and loratadine, alone and in combination, for the treatment of seasonal allergic rhinitis. J Fam Pract 1998 Aug;47(2):118-25.

Reid MJ, Lockey RF, Turkeltaub PC et al. Survey of fatalities from skin testing and immunotherapy 1985-1989. J Allergy Clin Immunol 1993 Jul;92(1 Pt 1):6-15.

Renvall U, Lindqvist N. A double-blind clinical study with Monydrin tablets in patients with non-allergic chronic rhinitis. J Int Med Res 1979;7(3):235-9.

Rice DP, Hodgson TA, Kopstein AN. The economic costs of illness: a replication and update. Health Care Financ Rev 1985;7(1):61-80.

Robinson AC, Cherry JR, Daly S. Double-blind cross-over trial comparing beclomethasone dipropionate and terfenadine in perennial rhinitis. Clin Exp Allergy 1989 Sep;19(5):569-73.

Ross RN. The costs of allergic rhinitis. Am J Manag Care 1996;2(3):285-90.

Ross RN, Nelson HS, Finegold I. Effectiveness of specific immunotherapy in the treatment of allergic rhinitis: an analysis of randomized, prospective, single- or double-blind, placebo-controlled studies. Clin Ther 2000 Mar;22(3):342-50.

Scadding GK, Richards DH, Price MJ. Patient and physician perspectives on the impact and management of perennial and seasonal allergic rhinitis. Clin Otolaryngol 2000 Dec;25(6):551-7.

Schenkel EJ, Skoner DP, Bronsky EA et al. Absence of growth retardation in children with perennial allergic rhinitis after one year of treatment with mometasone furoate aqueous nasal spray. Pediatrics 2000 Feb;105(2):E22.

Schoenwetter W, Lim J. Comparison of intranasal triamcinolone acetonide with oral loratadine for the treatment of patients with seasonal allergic rhinitis. Clin Ther 1995 May;17(3):479-92.

Settipane GA. Allergic rhinitis--update. Otolaryngology - Head & Neck Surgery 1986 Apr;94(4):470-5.

Settipane RA, Lieberman P. Update on nonallergic rhinitis. [Review] [93 refs]. Ann Allergy Asthma Immunol 2001 May;86(5):494-507.

Settipane RJ, Hagy GW, Settipane GA. Long-term risk factors for developing asthma and allergic rhinitis: a 23-year follow-up study of college students. [Review] [11 refs]. Allergy Proc 1994 Jan;15(1):21-5.

Shaikh WA. Ephedrine-saline nasal wash in allergic rhinitis. J Allergy Clin Immunol 1995 Nov;96(5 Pt 1):597-600.

Shore L. Disodium cromoglycate (Rynacrom) in the treatment of nasal allergy in children. S Afr Med J 1972 Mar 11;46(11):279-81.

Silberg WM, Lundberg GD, Musacchio RA. Assessing, controlling, and assuring the quality of medical information on the Internet: Caveant lector et viewor--Let the reader and viewer beware. [see comments]. JAMA 1997 Apr 16;277(15):1244-5.

Sipila P, Sorri M, Pukander J. Double-blind comparison of nedocromil sodium (1% nasal spray) and placebo in rhinitis caused by birch pollen. Clin Otolaryngol 1987 Oct;12(5):365-70.

Sjogren I, Jonsson L, Koling A et al. The effect of ipratropium bromide on nasal hypersecretion induced by methacholine in patients with vasomotor rhinitis. A double-blind, cross-over, placebo-controlled and randomized dose-response study. Acta Otolaryngol 1988 Nov;106(5-6):453-9.

Skoner DP. Allergic rhinitis: definition, epidemiology, pathophysiology, detection, and diagnosis. [Review] [39 refs]. J Allergy Clin Immunol 2001 Jul;108(1 Suppl):S2-S8.

Skoner DP, Rachelefsky GS, Meltzer EO et al. Detection of growth suppression in children during treatment with intranasal beclomethasone dipropionate. Pediatrics 2000 Feb;105(2):E23.

Smith JM. Epidemiology and natural history of asthma, allergic rhinitis and atopic dermatitis (eczema). In: Middleton E, editors. Allergy: principles and practice. St. Louis: Mosby; 1983. p. 891-929.

Sorri M, Jokinen K, Palva A. Disodium chromoglycate therapy in perennial rhinitis. Acta Otolaryngol Suppl 1979;360:30-2.

Spector SL. Overview of comorbid associations of allergic rhinitis. [Review] [95 refs]. J Allergy Clin Immunol 1997 Feb;99(2):S773-S780.

Sunderman J, Crawford WA. Sodium cromoglycate in the treatment of chronic allergic rhinitis. Med J Aust 1973 Jun 16;1(24):1189-90.

Svensson G. Topical treatment of seasonal allergic rhinitis with a beta-adrenoceptor stimulant (KWD 2131). Rhinology 1982 Sep;20(3):159-66.

Svensson C, Greiff L, Andersson M et al. Antiallergic actions of high topical doses of terbutaline in human nasal airways. Allergy 1995 Nov;50(11):884-90.

Svensson G, Hegardt B, Lofkvist T. Effects of topical use of beta-adrenoceptor stimulants of nasal mucosa. Rhinomanometric evaluations in experiments with terbutaline and KWD 2131. Acta Otolaryngol 1980 Sep;90(3-4):297-303.

Svensson G, Hegardt B, Lofkvist T. Influence of a beta-adrenoceptor stimulant, KWD 2131, in nasal histamine provocation tests. Rhinomanometric evaluations in normal persons and patients with hay fever. Acta Otolaryngol 1981 Nov;92(5-6):535-41.

Tanner LA, Reilly M, Meltzer EO et al. Effect of fexofenadine HCL on quality of life and work, classroom, and daily activity impairment in patients with seasonal allergic rhinitis. Am J Manag Care 1999 Apr;5(4 Suppl):s235-s247.

Thoden WR, Druce HM, Furey SA et al. Brompheniramine maleate: a double-blind, placebo-controlled comparison with terfenadine for symptoms of allergic rhinitis. Am J Rhinol 1998 Jul;12(4):293-9.

Thompson AK, Juniper E, Meltzer EO. Quality of life in patients with allergic rhinitis. [Review] [39 refs]. Ann Allergy Asthma Immunol 2000 Nov;85(5):338-47.

Thorne MG, Bradbeer WH. Disodium chromoglycate in the treatment of perennial allergic rhinitis. Acta Allergologica 1972 Sep;27(4):307-20.

van Bavel J, Findlay SR, Hampel FC, Jr. et al. Intranasal fluticasone propionate is more effective than terfenadine tablets for seasonal allergic rhinitis [published erratum appears in Arch Intern Med 1995 Feb 13;155(3):276]. Arch Intern Med 1994 Dec 12;154(23):2699-704.

van Cauwenberge P, Bachert C, Passalacqua G et al. Consensus statement on the treatment of allergic rhinitis. European Academy of Allergology and Clinical Immunology. Allergy 2000 Feb;55(2):116-34.

van der Bijl WJ. Report on a trial of SCG 2% nasal solution (metered dose) in hayfever. Rhinology 1977 Jun;15(2):97-102.

Warland A, Kapstad B. The effect of disodium cromoglycate in perennial allergic rhinitis. A controlled clinical study. Acta Allergologica 1977 Jun;32(3):195-9.

Wegner CD, Gundel RH, Reilly P et al. Intercellular adhesion molecule-1 (ICAM-1) in the pathogenesis of asthma. Science 1990 Jan 26;247(4941):456-9.

Weiler JM, Bloomfield JR, Woodworth GG et al. Effects of fexofenadine, diphenhydramine, and alcohol on driving performance. A randomized, placebo-controlled trial in the Iowa driving simulator [see comments]. Ann Intern Med 2000 Mar 7;132(5):354-63.

Weiner JM, Abramson MJ, Puy RM. Intranasal corticosteroids versus oral H1 receptor antagonists in allergic rhinitis: systematic review of randomised controlled trials. Br Med J 1998 Dec 12;317(7173):1624-9.

White MV. Muscarinic receptors in human airways. [Review] [36 refs]. J Allergy Clin Immunol 1995 May;95(5 Pt 2):1065-8.

Wight RG, Jones AS, Beckingham E et al. A double blind comparison of intranasal budesonide 400 micrograms and 800 micrograms in perennial rhinitis. Clin Otolaryngol 1992 Aug;17(4):354-8.

Wilson II, Coombes JA. Rynacrom (sodium cromoglycate) in intractable perennial rhinitis. N Z Med J 1975 Oct 22;82(550):265-6.

Wittig HJ, Belloit J, De F, I et al. Age-related serum immunoglobulin E levels in healthy subjects and in patients with allergic disease. J Allergy Clin Immunol 1980 Oct;66(4):305-13.

Wood RA, Phipatanakul W, Hamilton RG et al. A comparison of skin prick tests, intradermal skin tests, and RASTs in the diagnosis of cat allergy. J Allergy Clin Immunol 1999 May;103(5 Pt 1):773-9.

Wood SF. Astemizole and terfenadine compared in hay fever. Practitioner 1986 Jan;230(1411):41-4.

Woodcock A, Custovic A. Allergen avoidance: does it work?. [Review] [101 refs]. Br Med Bull 2000;56(4):1071-86.