

Table 3.64A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by How Close Friends Would Feel About Their Smoking One or More Packs of Cigarettes per Day: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Smoking Cigarettes ¹	(II) Drug Use	Close Friends' Feelings About Youths Smoking Cigarettes ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	19,405	PAST MONTH		
AGE		Any Illicit Drug ²	1,549	959
12-13	6,945	Marijuana	1,068	781
14-15	6,633	Any Illicit Drug Other Than Marijuana ²	714	422
16-17	5,827	Cigarettes	1,677	1,330
GENDER		Alcohol	2,723	1,308
Male	9,614	"Binge" Alcohol ³	1,513	949
Female	9,792	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,201	1,645
Not Hispanic	16,608	Marijuana	2,219	1,303
White Only	12,659	Any Illicit Drug Other Than Marijuana ²	1,819	980
Black Only	2,693	Cigarettes	2,956	1,707
American Indian or Alaska Native Only	133	Alcohol	5,776	2,134
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	752	LIFETIME		
More Than One Race	327	Any Illicit Drug ²	4,511	2,099
Hispanic	2,797	Marijuana	2,923	1,655
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	2,971	1,378
Large Metro	9,413	Cigarettes	5,461	2,372
Small Metro	6,001	Alcohol	7,396	2,598
Nonmetro	3,992	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.64B Percentages of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by How Close Friends Would Feel About Their Smoking One or More Packs of Cigarettes per Day: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Smoking Cigarettes ¹	(II) Drug Use	Close Friends' Feelings About Youths Smoking Cigarettes ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	83.3	PAST MONTH		
AGE		Any Illicit Drug ²	8.0	24.7
12-13	91.6	Marijuana	5.5	20.1
14-15	82.2	Any Illicit Drug Other Than Marijuana ²	3.7	10.9
16-17	76.3	Cigarettes	8.6	34.2
GENDER		Alcohol	14.0	33.7
Male	81.0	"Binge" Alcohol ³	7.8	24.4
Female	85.8	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	16.5	42.4
Not Hispanic	83.2	Marijuana	11.4	33.6
White Only	83.3	Any Illicit Drug Other Than Marijuana ²	9.4	25.2
Black Only	81.4	Cigarettes	15.2	44.0
American Indian or Alaska Native Only	77.6	Alcohol	29.8	55.0
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	91.2	LIFETIME		
More Than One Race	83.1	Any Illicit Drug ²	23.2	54.0
Hispanic	84.0	Marijuana	15.1	42.6
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	15.3	35.5
Large Metro	85.0	Cigarettes	28.1	61.1
Small Metro	82.7	Alcohol	38.1	66.9
Nonmetro	80.5	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.65A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Close Friends' Feelings About Their Trying Marijuana or Hashish Once or Twice: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	18,656	PAST MONTH		
AGE		Any Illicit Drug ²	1,040	1,464
12-13	6,982	Marijuana	587	1,256
14-15	6,404	Any Illicit Drug Other Than Marijuana ²	579	555
16-17	5,269	Cigarettes	1,409	1,593
GENDER		Alcohol	2,143	1,880
Male	9,212	"Binge" Alcohol ³	1,140	1,316
Female	9,443	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	2,410	2,432
Not Hispanic	15,917	Marijuana	1,394	2,123
White Only	12,055	Any Illicit Drug Other Than Marijuana ²	1,482	1,314
Black Only	2,647	Cigarettes	2,536	2,126
American Indian or Alaska Native Only	130	Alcohol	4,941	2,961
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	738	LIFETIME		
More Than One Race	309	Any Illicit Drug ²	3,701	2,900
Hispanic	2,739	Marijuana	2,058	2,515
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	2,539	1,801
Large Metro	8,860	Cigarettes	4,845	2,982
Small Metro	5,805	Alcohol	6,578	3,410
Nonmetro	3,992	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.65B Percentages of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Close Friends' Feelings About Their Trying Marijuana or Hashish Once or Twice: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	80.1	PAST MONTH		
AGE		Any Illicit Drug ²	5.6	31.7
12-13	92.1	Marijuana	3.1	27.2
14-15	79.5	Any Illicit Drug Other Than Marijuana ²	3.1	12.0
16-17	69.0	Cigarettes	7.6	34.5
GENDER		Alcohol	11.5	40.7
Male	77.7	"Binge" Alcohol ³	6.1	28.5
Female	82.7	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	12.9	52.6
Not Hispanic	79.8	Marijuana	7.5	45.9
White Only	79.3	Any Illicit Drug Other Than Marijuana ²	7.9	28.4
Black Only	80.3	Cigarettes	13.6	46.0
American Indian or Alaska Native Only	75.6	Alcohol	26.5	64.0
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	89.7	LIFETIME		
More Than One Race	78.5	Any Illicit Drug ²	19.8	62.7
Hispanic	82.1	Marijuana	11.0	54.4
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	13.6	39.0
Large Metro	80.1	Cigarettes	26.0	64.5
Small Metro	80.1	Alcohol	35.3	73.8
Nonmetro	80.5	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.66A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics, and (II) Selected Drug Use, by Close Friends' Feelings About Their Using Marijuana or Hashish Once a Month or More: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	19,141	PAST MONTH		
AGE		Any Illicit Drug ²	1,067	1,435
12-13	7,031	Marijuana	601	1,240
14-15	6,591	Any Illicit Drug Other Than Marijuana ²	597	537
16-17	5,519	Cigarettes	1,486	1,512
GENDER		Alcohol	2,316	1,708
Male	9,462	"Binge" Alcohol ³	1,217	1,237
Female	9,679	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	2,552	2,287
Not Hispanic	16,355	Marijuana	1,512	2,003
White Only	12,445	Any Illicit Drug Other Than Marijuana ²	1,538	1,255
Black Only	2,676	Cigarettes	2,699	1,958
American Indian or Alaska Native Only	127	Alcohol	5,249	2,654
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	756	LIFETIME		
More Than One Race	309	Any Illicit Drug ²	3,920	2,674
Hispanic	2,786	Marijuana	2,232	2,338
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	2,631	1,703
Large Metro	9,139	Cigarettes	5,105	2,720
Small Metro	5,912	Alcohol	6,923	3,064
Nonmetro	4,090	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.66B Percentages of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics, and (II) Selected Drug Use, by Close Friends' Feelings About Their Using Marijuana or Hashish Once a Month or More: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	82.2	PAST MONTH		
AGE		Any Illicit Drug ²	5.6	34.7
12-13	92.7	Marijuana	3.1	30.0
14-15	81.8	Any Illicit Drug Other Than Marijuana ²	3.1	13.0
16-17	72.3	Cigarettes	7.8	36.6
GENDER		Alcohol	12.1	41.3
Male	79.8	"Binge" Alcohol ³	6.4	29.9
Female	84.8	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	13.3	55.3
Not Hispanic	82.0	Marijuana	7.9	48.4
White Only	81.9	Any Illicit Drug Other Than Marijuana ²	8.0	30.3
Black Only	81.1	Cigarettes	14.1	47.3
American Indian or Alaska Native Only	73.8	Alcohol	27.4	64.2
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	92.0	LIFETIME		
More Than One Race	78.4	Any Illicit Drug ²	20.5	64.7
Hispanic	83.4	Marijuana	11.7	56.5
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	13.7	41.2
Large Metro	82.5	Cigarettes	26.7	65.8
Small Metro	81.5	Alcohol	36.2	74.1
Nonmetro	82.6	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.67A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Close Friends' Feelings About Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Drinking Alcoholic Beverages	(II) Drug Use	Close Friends' Feelings About Youths Drinking Alcoholic Beverages	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	19,273	PAST MONTH		
AGE		Any Illicit Drug ²	1,424	1,080
12-13	6,996	Marijuana	939	905
14-15	6,556	Any Illicit Drug Other Than Marijuana ²	692	439
16-17	5,721	Cigarettes	1,713	1,290
GENDER		Alcohol	2,496	1,529
Male	9,415	"Binge" Alcohol ³	1,340	1,119
Female	9,858	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,061	1,783
Not Hispanic	16,479	Marijuana	2,047	1,473
White Only	12,545	Any Illicit Drug Other Than Marijuana ²	1,771	1,020
Black Only	2,709	Cigarettes	2,939	1,719
American Indian or Alaska Native Only	129	Alcohol	5,501	2,399
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	750	LIFETIME		
More Than One Race	304	Any Illicit Drug ²	4,387	2,209
Hispanic	2,794	Marijuana	2,763	1,810
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	2,891	1,440
Large Metro	9,326	Cigarettes	5,403	2,423
Small Metro	5,930	Alcohol	7,150	2,836
Nonmetro	4,016	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.67B Percentages of Persons Aged 12 to 17 Reporting (I) That Their Close Friends Would Strongly or Somewhat Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Close Friends' Feelings About Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 2001

(I) Demographic Characteristic	Close Friends' Feelings About Youths Drinking Alcoholic Beverages	(II) Drug Use	Close Friends' Feelings About Youths Drinking Alcoholic Beverages	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	82.8	PAST MONTH		
AGE		Any Illicit Drug ²	7.4	27.0
12-13	92.3	Marijuana	4.9	22.7
14-15	81.5	Any Illicit Drug Other Than Marijuana ²	3.6	11.0
16-17	74.9	Cigarettes	8.9	32.3
GENDER		Alcohol	13.0	38.2
Male	79.4	"Binge" Alcohol ³	7.0	28.0
Female	86.4	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	15.9	44.6
Not Hispanic	82.7	Marijuana	10.6	36.8
White Only	82.6	Any Illicit Drug Other Than Marijuana ²	9.2	25.5
Black Only	82.2	Cigarettes	15.3	43.0
American Indian or Alaska Native Only	75.0	Alcohol	28.5	60.0
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	91.3	LIFETIME		
More Than One Race	77.4	Any Illicit Drug ²	22.8	55.3
Hispanic	83.7	Marijuana	14.3	45.3
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	15.0	36.0
Large Metro	84.3	Cigarettes	28.0	60.6
Small Metro	81.8	Alcohol	37.1	70.9
Nonmetro	81.1	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.