

Table 5.84A Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	22,811	2,346	20,465	10.3
AGE				
12-17	2,256	186	2,071	8.2
18-25	6,874	435	6,439	6.3
26 or Older	13,680	1,724	11,956	12.6
GENDER				
Male	15,008	1,488	13,521	9.9
Female	7,802	858	6,945	11.0
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	19,662	2,113	17,549	10.7
White	15,929	1,615	14,314	10.1
Black or African American	2,713	414	2,299	15.3
American Indian or Alaska Native	219	38	181	*
Native Hawaiian or Other Pacific Islander	73	2	71	*
Asian	386	9	377	2.3
Two or More Races	341	36	306	10.4
Hispanic or Latino	3,148	233	2,916	7.4

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug or alcohol; (2) abuse of any illicit drug or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.84B Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	9.7	1.0	8.7	10.3
AGE				
12-17	9.1	0.8	8.4	8.2
18-25	22.2	1.4	20.8	6.3
26 or Older	7.6	1.0	6.7	12.6
GENDER				
Male	13.2	1.3	11.9	9.9
Female	6.4	0.7	5.7	11.0
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	9.5	1.0	8.5	10.7
White	9.6	1.0	8.7	10.1
Black or African American	10.1	1.5	8.6	15.3
American Indian or Alaska Native	14.8	2.5	12.3	*
Native Hawaiian or Other Pacific Islander	9.0	0.2	8.8	*
Asian	4.3	0.1	4.2	2.3
Two or More Races	13.6	1.4	12.2	10.4
Hispanic or Latino	10.8	0.8	10.0	7.4

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug or alcohol; (2) abuse of any illicit drug or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.85A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing but Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²			Did Not Feel Need for Treatment ²
		Total	Made Effort	Made No Effort	
TOTAL	20,465	1,189	446	744	19,276
AGE					
12-17	2,071	83	*	*	1,987
18-25	6,439	271	58	213	6,168
26 or Older	11,956	835	*	*	11,121
GENDER					
Male	13,521	750	*	*	12,771
Female	6,945	440	*	*	6,505

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.85B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing but Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²			Did Not Feel Need for Treatment ²
		Total	Made Effort	Made No Effort	
TOTAL	100.00	5.8	37.5	62.5	94.2
AGE					
12-17	100.00	4.0	*	*	96.0
18-25	100.00	4.2	21.4	78.6	95.8
26 or Older	100.00	7.0	*	*	93.0
GENDER					
Male	100.00	5.5	*	*	94.5
Female	100.00	6.3	*	*	93.7

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.