Α Ability days, 2-3 Abstinence as part of young adult education, 9-26-9-28, 25-25-25-29 Abuse prevention. See Violence prevention. Access to health care, Leading Health Indicator. See Understanding and Improving Health, pp. 44-45. Access to quality health services—Focus Area 1. See also Health insurance. access to, 1-20—1-24 clinical preventive services, 1-4—1-5, 1-13—1-14 components of system, 1-3 disparities, 1-7—1-9 emergency services, 1-5—1-6, 1-30—1-31, 1-33—1-34 long-term care services, 1-6, 1-34—1-36 medical homes for special health care needs, 16-49—16-50 patient and family health education. 7-21-7-22 patient health education and promotion, 7-6 primary care, 1-5, 5-7—5-8 rehabilitative services, 1-6, 1-34—1-36, 28-16 service systems for special health care needs, 16-50—16-51 STDs and, 25-4—25-5 Acellular pertussis vaccine, 14-4, 14-12 Acquired immunodeficiency syndrome. See AIDS; HIV. Activity. See Physical activity. Activity limitations. See also Disabilities. arthritis and, 2-11-2-14 chronic back conditions and, 2-20-2-21 Acute myocardial infarctions (AMI), 12-10 Addictive disorders, mental disorders and, 18-6-18-7, 18-20 Administrative license revocation (ALR), 26-9, 26-46 Adolescent health. See also Teenagers. alcohol use, 26-3 binge drinking, 26-29-26-33 calcium recommended daily intakes, 19-34 chlamydia, 25-15-25-16, 25-30 contraception use, 9-23—9-26, 13-18 death rates, 16-21—16-23

dental caries in, 21-11-21-16

disabilities, 6-10—6-11, 6-20 drownings, 15-40—15-42 drug use, 26-5 emotional disturbances and, 18-6 externalizing disorders, 18-7 health instruction in schools, 7-4—7-5, 7-14 HIV, 13-16 homicides, 15-43-15-44 inhalants use, 26-37—26-38 marijuana use, 26-26-27 mental health and, 18-3, 18-16—18-17 motor vehicle crashes, 15-25—15-26, 26-13-26-14 noise-induced hearing loss, 28-17 otitis media, 28-14-28-15 overweight or obesity in, 19-4, 19-13-19-16 perceived risk of substance abuse, 26-41-26-43 physical activity and, 22-17—22-25 physical fighting among, 15-51—15-52 preventing alcohol and drug use, 26-22-26-29 proportion engaging in sexual intercourse, 9-20-9-22 quality of school meals and snacks, 19-40 riding with a driver drinking alcohol, 26-19-26-20 safety belt use, 15-29—15-30 sale of tobacco products to, 27-29 sexual behavior and STDs, 25-25-29 smoking and, 27-12—27-14, 27-15—27-18 smoking cessation attempts, 27-21—27-22 spit tobacco use, 27-6, 27-14-27-15 steroid use, 26-35-26-37 substance abuse disapproval, 26-38-26-41 past-month use, 26-25—26-27 suicide, 18-12-18-14 tobacco use, 27-4-27-5, 27-12-27-18 tobacco use disapproval, 27-30-27-31 unintended pregnancy and, 9-5—9-6. 9-19-9-20 vaccine coverage levels, 14-39—14-40, 14-42—14-44 weapons carried on school property, 15-52-15-54

Adolescents. See Editor's Note, I-1.

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Adult-onset diabetes. See Diabetes.	chronic obstructive pulmonary disease and
Adverse events. See also Medication errors.	24-9
elderly persons and adverse drug events,	EPA standards, 8-15
17-7	lung cancer and, 3-12
integrated system for monitoring and	motor vehicle emissions and, 8-5,
reporting events, 17-12—17-13	8-16—8-17
sources of risk, 17-3—17-5	nonattainment areas, 8-5, 8-10, 8-15
vaccines and, 14-49—14-50	in office buildings, 8-24—8-25
Affective disorders, 18-4—18-5	scope of problem, 8-5, 8-7
Aflatoxins, 10-5	smoking policies, 27-27—27-28
African Americans. See Editor's Note, I-1.	Alaska Natives. See Editor's Note, I-1.
Age factors	Alcohol use. See also Substance abuse.
arthritis, 2-6	abuse, 26-3
chronic kidney disease and, 4-4	administrative license revocation, 26-9,
diabetes and, 5-5	26-46
disability rates, 6-4	adolescents riding with a drinking driver,
heart disease and, 12-4—12-5	26-19—26-20
STDs and, 25-8—25-9	alcohol dependence, 26-3
stroke and, 12-4—12-5	annual consumption, 26-33
susceptibility of foodborne infections	binge drinking, 26-29—26-33
caused by Campylobacter species,	blood alcohol concentration, 26-9,
10-6, 10-7	26-46—26-27
vertebral fractures due to osteoporosis and,	cirrhosis death rate, 26-15—26-16
2-19—2-20	counseling services, 1-17
Age groups. See Editor's Note, I-1.	disapproval by adolescents, 26-39
Age-related macular degeneration, 28-4	drownings and, 15-41
Agoraphobia, suicide and, 18-20	education programs for students,
AIDS. See also HIV.	7-14—7-16
ACTG-076, 13-25	fetal alcohol syndrome and, 16-5, 16-45
blood transfusions and, 13-7, 13-10,	fetal mortality and, 16-18
17-4—17-5	followup care after emergency department
costs of, 13-5	treatment, 26-45
education programs for students,	hospital emergency department visits,
7-14—7-16	26-18—26-19
men who have sex with men and, 13-15	infant health and, 16-5, 16-43—16-45
occurrence of, 13-3, 13-5—13-7,	lost productivity in the workplace, 26-21
13-13—13-14	low-risk drinking guidelines, 26-34—26-25
perinatal transmission, 13-7	mental disorders and, 18-6—18-7
prevention education in prison systems,	motor vehicle crash deaths and, 15-7,
13-19	15-32
STDs and, 25-9—25-10	occurrence of, 26-3—26-4
time interval between AIDS diagnosis and	oral cancer and, 21-25
death, 13-24—13-25	oropharyngeal cancer and, 3-17
time interval between HIV diagnosis and	preventing adolescent use, 26-22—26-29
AIDS diagnosis, 13-24	risks of, 26-4
zidovudine therapy, 13-7, 13-15	treatment lag, 26-44—26-45
Air quality	violence and, 26-20—26-21
adverse health effects from toxic	

emissions, 8-17—8-18

Allergens	occurrence of, 2-3
food allergies and, 10-5—10-6, 10-14	pain and, 2-11
indoor levels, 8-24	physical activity and, 22-3
Alternative fuels, 8-16—8-17	public health impact, 2-3—2-4
Alzheimer's disease, 18-4, 18-8	racial disparities in rate of knee
Amblyopia, 28-5	replacements, 2-15—2-16
American Indians or Alaska Natives. See	risk factors, 2-7
Editor's Note, I-1.	Asian Americans; Asians or Pacific
Amputations, diabetes and, 5-3, 5-22—5-23	Islanders. See Editor's Note, I-1.
Anaphylaxis, food-induced, 10-5,	Aspirin, diabetes and, 5-29—5-30
10-14—10-15	Assaults
Anemia	by current or former intimate partners,
among low-income females in third	15-46—15-47
trimester of pregnancy, 19-37—19-38	occurrence of, 15-5, 15-51
causes of, 19-38	work-related, 20-14
Angioplasty, 12-11	Assisted living, 1-34
Anhedonia, depression and, 18-19	Assistive technology, disabilities and, 6-21
Animal feeds. See Food safety.	Asthma. See also Respiratory diseases;
Anorexia nervosa relapse rates,	Environmental health.
18-15—18-16	absence from school or work due to
Antibiotic-resistant infections, 14-16—14-18	asthma, 24-18
Antibiotics	activity limitations and, 24-17—24-18
common cold and, 14-32—14-33	appropriate care, 24-19—24-20
ear infections and, 14-31—14-32	beta antagonists, 24-7
intensive care unit use, 14-35	costs of, 8-9, 24-4—24-5
Antimicrobial resistance	death rates, 8-8—8-9, 8-11, 24-13—24-14
food safety and, 10-13	disparities, 24-5—24-6
infectious diseases and, 14-22—14-35	environmental health and, 8-8
Antiretroviral therapy for HIV infection, 13-6,	hospital emergency department visits,
13-23	24-16—24-17
Anxiety disorders	hospitalization rates, 8-11, 24-14—24-15
adults receiving treatment for,	hospitalization rates for pediatric cases,
18-18—18-20	1-27—1-29
occurrence of, 18-5	indoor allergen levels and, 8-24
Apnea. See Obstructive sleep apnea.	management of, 24-3, 24-7
Area Health Education Centers (AHECs),	occurrence of, 8-8, 24-3-24-4
7-23	patient education, 24-18—24-19
Arteriovenous fistulas, use for vascular	surveillance systems, 24-20
access in hemodialysis, 4-14—4-15	Atherosclerotic disease. See Cardiovascular
Arthritis—Focus Area 2	disease.
activity limitations, 2-11—2-14	Atrial fibrillation (AF), 12-5
costs of, 2-4	Attempted rape, 15-47—15-48
disparities, 2-6	Attention deficit/hyperactivity disorder
education interventions, 2-16	(ADHD), 18-7
employment rate and, 2-14—2-15	Automobiles. See Motor vehicles.
Haemophilus influenzae type b and, 14-5	Azidothymidine (AZT). See Zidovuline
joint symptoms, 2-11—2-14	therapy.
medical management of, 2-16	
mental health and, 2-14	

В	
Back conditions. See Chronic back conditions. Bacterial meningitis, 14-6, 14-15—14-16 Balloon angioplasty, 12-11 Barium enema, use in colorectal cancer diagnosis, 3-15 Beach closings, 8-20 Benzene, 8-17 Bicycling head injuries and, 15-13	Breastfeeding infant health and, 16-5—16-6, 16-46—16-48 iron deficiency prevention, 19-39 Bronchitis, 24-8—24-9 Brownfields, 8-23 Bulimia nervosa relapse rates, 18-15—18-16 C Calcium
helmet use, 15-33—15-34 motor vehicle emissions and, 8-16 for physical activity, 22-30—22-32 Binge drinking, 26-29—26-33 Binge eating. See Bulimia nervosa. Biological products. See Medical product safety.	blood pressure and, 19-35 deficiencies, 19-3—19-4, 19-33—19-35 osteoporosis and, 19-34—19-35 recommended daily intakes, 19-34 salt consumption and, 19-32 Campylobacter species, foodborne illness due to, 10-6—10-8, 10-10—10-11
Birth control. See Contraception. Birth defects fetal alcohol syndrome and, 16-45 fetal mortality and, 16-3, 16-15—16-16, 16-18—16-19 Blacks. See Editor's Note, I-1. Blindness. See also Vision. diabetes and, 5-3 occurrence of, 28-3 prevention of 28-6—28-7 Blood alcohol concentration (BAC), 26-9, 26-46—26-27 Blood lead levels (BLLs) lead-based paints and, 8-21—8-22 work exposures, 20-14—20-15 Blood pressure. See High blood pressure. Blood supply safety, 17-5, 17-16 Blood transfusions, AIDS and, 13-7, 13-10, 17-4—17-5 Blood-glucose monitoring, diabetes and, 5-30—5-31 Body mass index (BMI), 12-10, 19-5, 19-10, 19-14—19-15 Bone mineral density (BMD), osteoporosis and, 2-17—2-18 Bones, calcium intake and, 19-34 Breast cancer death rates, 3-12—3-13	Cancer—Focus Area 3. See also specific cancers. costs of, 3-3 death rates, 3-3—3-4, 3-10—3-19 dietary factors, 19-3, 19-29—19-30 disparities, 3-4—3-6 occurrence of, 3-3 overweight or obesity and, 19-5 physician counseling for prevention, 3-22 population-based State registries, 3-27 screening, 3-6—3-7, 3-22 sites of new cases, 3-4 survival rate, 3-28 tobacco use and, 27-3 Cardiopulmonary resuscitation (CPR), 12-17 Cardiovascular disease (CVD). See Heart disease. Caregivers, people with disabilities and, 6-22 Cataracts, 28-14 CD4+ testing, 13-23 Cellulitis, Haemophilus influenzae type b and, 14-5 Centers for excellence, health communication and, 11-17 Cerebral palsy among infants, 16-38—16-39 Cerebrovascular disease. See Stroke. Cervical cancer death rates, 3-13—3-14
risk factors, 3-13 screening, 3-6	Medicare coverage of screenings, 1-15 screening, 3-6—3-7, 3-14 Cesarean births, 16-30—16-31

Chemotherapy, oral health and, 21-5 suffocation death rate, 15-20—15-21 Child health—Focus Area 16 toxoplasmosis rates, 10-12 asthma and, 8-8 vaccination programs, 14-5 bacterial meningitis and, 14-15—14-16 vaccine coverage levels, 14-35—14-41 blindness or visual impairment, vision disorders and, 28-4-28-5 28-12-28-13 Child restraints, use of, 15-30 calcium recommended daily intakes, 19-34 Childbirth classes, 16-28—16-29 courses of antibiotics for ear infections. Childhood injury prevention, counseling 14-31—14-32 services regarding, 1-17 death rates, 16-19—16-20 Children. See Child health; Editor's deaths resulting from injury, 15-4, 15-17 Note. I-1. dental caries in, 21-3-21-4, 21-11-21-13 Chlamydia. See Sexually transmitted diabetes, 5-3 diseases. disabilities, 16-6 Cholesterol drownings, 15-41—15-42 heart disease and, 12-3, 12-7, 12-9, 12-29 education opportunities for children with high blood levels, 12-27—12-28 disabilities, 6-20 high-density lipoprotein, 12-10 emergency pediatric care, 1-33—1-34 low-density lipoprotein, 12-29 emotional disturbances and, 18-6 mean total blood levels, 12-25-12-26 externalizing disorders, 18-7 screening, 12-8—12-9, 12-28—12-29 food allergies, 10-5 Chronic back conditions—Focus Area 2. growth retardation among low-income See also Disabilities. children, 19-16-19-18 activity limitation and, 2-20-2-21 health instruction in schools, 7-4-7-5, 7-14 disparities, 2-7 hepatitis B virus infections, 14-12—14-13 ergonomic interventions, 2-8 hospitalization rates for pediatric asthma, occurrence of, 2-6 1-27-1-29 prevention interventions, 2-8 iron deficiencies, 19-36—19-37 risk factors, 2-21 lead poisoning, 8-21—8-22 work-related injuries, 20-12 maltreatment of, 15-45-15-46 Chronic kidney disease—Focus Area 4 medical homes for special health care angio-tensin-converting enzyme and, 4-7 needs, 16-49—16-50 cardiovascular disease complications. mental disorders, 18-3, 18-7, 4-11-4-12 18-13—18-14, 18-16—18-17 costs of, 4-5 noise-induced hearing loss, 28-17 counseling necessary prior to renal otitis media in, 28-14-28-15 replacement therapy, 4-13—4-14 overweight or obesity in, 19-4, diabetes and, 4-4-4-7, 4-19-4-20 19-13-19-16 dialysis, 4-4-4-5, 4-14-4-15 population-based immunization registries. disparities, 4-5-4-6 14-41—14-42 end-stage renal disease, 4-3—4-4, quality of school meals and snacks, 19-40 4-10-4-14, 4-19-4-20 regular dental visits for low-income interventions, 4-7 children, 21-31—21-32 occurrence of, 4-3-4-4 sepsis from sickling hemoglobinopathies, renal replacement therapy, 4-13-4-15 risk factors, 4-7 service systems for special health care transplantation, 4-3—4-7 needs, 16-50—16-51 transplantation waiting list, 4-16—4-18 source of ongoing care, 1-20 treated chronic kidney failure, 4-3-4-4, special health care needs, 16-49-16-51 4-10-4-14

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Chronic obstructive pulmonary disease	patient and family health education,
(COPD)	7-21—7-22
activity limitation, 24-20—24-21	people with disabilities and, 6-17—6-18
death rates, 24-21—24-22	prevention programs, 11-4
disparities, 24-9—24-10	Condoms
smoking and, 24-8	HIV prevention and, 13-8,
Chronic renal insufficiency, 4-3	13-16—13-18 STDs and 35-14
Cigarette smoking. See Tobacco use.	STDs and, 25-11
Cigars. See Tobacco use.	use among adolescents, 9-23—9-26,
Cirrhosis death rate, 26-15—26-16	13-18, 25-25—25-29
Cleft lip and palate, 21-5, 21-34—21-35	Conduct problems, 18-7
Clinical preventive care, 1-4—1-5, 1-13—1-14	Confidentiality in health communication, 11-8 Congenital heart defects, infant deaths due
Clinical preventive services (CPS). See	to, 16-15—16-16
Access to quality health services.	Congenital rubella syndrome, 14-12, 16-39
Clot-dissolving therapy. See thrombolytic	Congenital syphilis. See Sexually transmitted
agents.	diseases.
Cocaine. See Drug use.	Congestive heart failure. See Heart disease.
Cochlear implants, 28-16	Conjugate vaccines, 14-5—14-6
Cognitive-behavioral treatment, anorexia	Contraception
nervosa and, 18-16	emergency contraceptive pills, 9-17—9-18
Colds, antibiotics and, 14-32—14-33	health insurance coverage, 9-29—9-30
Colleges	male involvement, 9-18—9-19
binge drinking among students,	methods, 9-3—9-5
26-29—26-33	misinformation concerning, 9-8
health instruction for students, 7-14—7-16	oral contraceptives, 9-26
Colonoscopy, use in colorectal cancer	rates of use, 9-14—9-17
diagnosis, 3-15	use among adolescents, 9-23—9-26
Colorectal cancer (CRC)	young adult education, 9-26—9-28
death rates, 3-14—3-15	Coping skills. See also Mental health.
Medicare coverage of screenings, 1-15	stress and, 18-9
proportion of adults receiving screening	Coronary artery bypass surgery, 12-11
examinations, 3-24—3-25	Coronary heart disease (CHD). See Heart
risk factors, 3-15	disease.
screening, 3-7	Coronary stenting, 12-11
Communication disorders. See Disabilities.	Correctional institutions. See also Jail
Communications. See Health	system; Juvenile justice system; Prison
communication.	systems.
Community-based programs—	substance abuse treatment, 26-43
Focus Area 7. See also Educational	Cotinine, serum, 27-25—27-26
programs.	Counseling services
culturally and linguistically appropriate	health behaviors, 1-15—1-18
health promotion programs,	health insurance coverage, 1-15
7-23—7-24	medication use and risks, 17-15
disparities, 7-8	nutrition, 19-42—19-44
environmental health, 8-7	Cryptosporidiosis, 8-6
health centers with oral health component,	Cubans; Cuban Americans. See Editor's
21-33—21-34	Note, I-1.
health promotion programs, 7-22—7-24	Cyclospora cayetanensis, 10-11

D	
Dairy products	dental examinations, 5-28—5-29
calcium and, 19-35	diabetic retinopathy, 28-13
trans-fatty acids and, 19-30	diagnosis rates, 5-16—5-17
Data and information systems, 3-27,	diet and nutrition counseling and education,
8-29—8-30, 17-12—17-14, 23-19	19-42—19-44
Day care facilities and vaccine coverage	dietary factors, 19-3
levels for children, 14-38	dilated eye examinations, 5-25—5-26
Deafness. <i>See also</i> Hearing.	disparities, 5-8—5-9
Defibrillation, 12-11—12-12	education interventions, 5-12—5-13
Dementia. See Alzheimer's disease; Mental	foot examinations, 5-26—5-27
health.	foot ulcers, 5-21
Dental caries	glycosylated hemoglobin screening,
among children, 21-11—21-13	5-24—5-25
early childhood caries, 21-3	heart disease and, 12-8, 12-10
fluoride and, 21-4, 21-28	hospitalization rates, 1-27—1-29
sealants, 21-4, 21-26—21-27	macrovascular complications, 5-25
tooth extraction and, 21-17—21-18	microalbumin screening, 5-23
untreated, 21-4, 21-13—21-16	microvascular complications, 5-25
Dental examinations, diabetes and,	overweight or obesity and, 19-5
5-28—5-29	pregnancy and, 5-21
Dental health. See Oral health.	self-blood-glucose-monitoring, 5-30—5-31
Depression. See also Mental health.	stroke and, 12-8, 12-10
adults receiving treatment for,	transition points, 5-9
18-18—18-19	types of, 5-3, 5-13—5-16
among elderly, 18-8	vision disorders and, 28-4
costs of, 18-19	Dialysis. See also Chronic kidney disease.
disabilities and, 6-10—6-12	arteriovenous fistula use for vascular
gender factors, 18-8	access, 4-14—4-15
occurrence of, 18-4—18-5	health care coverage, 4-5
postpartum, 16-26	limitations of, 4-4
Dermatitis, 20-15—20-16	Diarrhea, reduction in infants through
Determinants of health, 18-20	breastfeeding, 16-47
Developing countries, environmental health	Diet. See Nutrition. See also Obesity;
and, 8-7—8-8	Overweight.
Developmental disabilities, among infants,	Digital divide, 11-9
16-38—16-39	Digital rectal examinations (DRE), 3-18
Device errors, 17-6	Dilated eye examinations, diabetes and,
Devices. See Medical product safety.	5-25—5-26
Diabetes—Focus Area 5	Diphtheria vaccine, 14-4, 14-12
amputations and, 5-3, 5-22—5-23	Disabilities—Focus Area 6. See also
aspirin consumption, 5-29—5-30	Editor's Note, I-1.
cardiovascular disease and, 5-3, 5-20—5-21	Americans with Disabilities Act (ADA), 6-3, 6-20—6-21
chronic kidney disease and, 4-4—4-7,	assistive devices, 6-21
4-19—4-20	caregivers, 6-22
complications, 5-3	causes of, 2-4
costs of, 5-4	childhood disabilities, 16-6
death rates, 5-17—5-20	

community residential care facilities,	occurrence of, 20-5
6-17—6-18	preventing adolescent use, 26-22—26-29
disparities, 6-5—6-6	treatment lag, 26-43
education opportunities for children and	violence and, 26-20—26-21
youth, 6-20	Drugs. See Medical product safety;
emotional support, 6-14—6-15	Medications; Substance Abuse.
employment rates, 6-18—6-19	
environmental barriers, 6-4—6-5, 6-21	E
family planning for disabled individuals, 9-8	Ear infections. See Otitis media.
health promotion programs, 6-6	Eating disorders
identifying people with disabilities, 6-9	gender factors, 18-8
life satisfaction issues, 6-16—6-17	relapse rates, 18-15—18-16
mammography screening, 6-6—6-7	Economic issues
mental health and, 6-10—6-12, 18-3—18-4,	AIDS and, 13-5
18-9	arthritis and, 2-4
occurrence of, 6-4	asthma and, 8-9, 24-4—24-5
osteoporosis risk, 6-6	cancer and, 3-3
social participation, 6-13—6-14	depression and, 18-19
surveillance programs, 6-22	diabetes and, 5-4
unintentional injuries and, 15-4	digital divide, 11-9
wellness and treatment services, 6-20	family planning, 9-7—9-8
Disaster planning, 8-26	food security, 19-44—19-46
Disparities. See Editor's Note, I-1; Healthy	foodborne illnesses and, 10-3
People 2010 Goal 2, Understanding and	infectious diseases and, 14-3
Improving Health, pp. 11-16.	injuries and, 15-4—15-5
Diving-related injuries, 15-13	kidney disease and, 4-5
Dog bites, injury rate from, 15-42—15-43	lost productivity due to alcohol and drug
Drinking and driving. See Alcohol use.	use, 26-21
Drinking water. See Water quality.	mental disorders and, 18-5—18-6
Drownings, 15-6, 15-40—15-42	obesity and, 19-5
Drug dependence, 26-5	poisonings and, 15-20
Drug use. See also Substance abuse.	unintended pregnancies, 9-5—9-6
AIDS and, 13-14—13-15	vaccines and, 14-4
anxiety disorders and, 18-19	vision disorders and, 28-3
death rate, 26-16—26-17	work-related injuries and, 20-3
disapproval by adolescents, 26-40—26-41	Edentulism, 21-18
education programs for students,	Education levels. See Editor's Note, I-1.
7-14—7-16	breastfeeding rates and, 16-47
followup care after emergency department	oral health and, 21-7
treatment, 26-45	tobacco use and, 27-6
HIV infection and, 9-7, 13-4	Educational programs—Focus Area 7. See
HIV/AIDS programs provided by treatment	also Community-based programs; Health
facilities, 13-19	communication.
hospital emergency department visits,	arthritis interventions, 2-16
26-18	for asthma, 24-18—24-19
infant health and, 16-5, 16-43—16-45	for children and youth with disabilities, 6-20
injection drug use treatment, 26-44	cholesterol control program, 12-9
lost productivity in the workplace, 26-21	diabetes programs, 5-12—5-13
mental disorders and, 18-6—18-7, 18-20	disparities, 7-8
	•

family planning, 9-8 health instruction in schools, 7-4-7-5, 7-14-7-16 health promotion programs for elderly persons, 7-25-7-26 high blood pressure control, 12-8 high school graduation rates, 7-12—7-13 nurse-to-student ratio in schools, 7-17 nutrition programs in schools, 19-6 patient and family education from health care organizations, 7-21-7-22 reproductive health issues for young adults, 9-26-9-28 worksite nutrition or weight management programs, 19-41-19-42 worksite programs, 7-5, 7-18—7-21 Elderly persons. See Editor's Note, I-1. adverse drug events, 17-7 Alzheimer's disease, 18-4 asthma deaths, 24-13-24-14 emergency department visits, 24-16-24-17 hospitalization for, 24-14-24-15 calcium recommended daily intakes, 19-34 congestive heart failure hospitalization rates, 12-18-12-19 depression and, 18-8 health promotion activity, 7-25—7-26 heart disease and, 12-4-12-5 hip fracture, 15-39-15-40 leisure-time physical activity, 22-8-22-9 medication reviews, 17-14 mental disorders, 18-3—18-4, 18-8, 18-22 pneumococcal infections, 14-16—14-17 pneumonia or influenza, hospitalization for, 1-27-1-29 stroke and, 12-4-12-5 tooth extraction, 21-18-21-20 vaccination, 14-45—14-49 vertebral fractures, hospitalization for, 2-18 Elevated serum creatinine, cardiovascular disease complications from, 4-12 Emergency contraceptive pills (ECP), 9-17-9-18 Emergency departments (EDs), 1-5—1-6, 1-30, 24-16—24-17 Emergency medical services (EMS). See Access to quality health services.

Emotional problems. See Mental health. Emphysema, 24-8-24-9 Employer-sponsored programs health promotion programs, 7-18—7-21 insurance plans, 1-15 nutrition programs, 19-41—19-42 weight management programs, 19-41-19-42 Employment rates arthritis and, 2-14—2-15 for people with disabilities, 6-18—6-19 End-stage renal disease (ESRD). See Chronic kidney disease. Endurance, physical activity and, 22-13-22-15, 22-17 Energy recovery, toxic pollutants from, 8-23-8-24

Environmental health—Focus Area 8. See also Respiratory diseases. air quality, 8-5, 8-9—8-10, 8-15—8-18 communities, 8-7 components of, 8-3 developing countries and, 8-7-8-8 disaster planning, 8-26 disease monitoring, 8-30 disparities, 8-10—8-11 education programs for students, 7-14—7-16 energy recovery and, 8-23-8-24 global community, 8-7—8-10, 8-31—8-32 hazardous waste, 8-6, 8-21—8-22 homes, 8-21-8-22 indoor air quality, 8-24-8-26 information systems, 8-29 infrastructure, 8-28-8-32 lead-based paints and, 8-21—8-22, 8-26-8-27 municipal solid waste, 8-24 pesticides and, 8-6-8-7, 8-28-8-29 substandard housing, 8-27 surveillance, 8-28-8-32

toxic substances, 8-6 urban sprawl and, 8-9 vector control programs, 8-30 water quality, 8-6, 8-18—8-20, 8-31—8-32

Environmental quality, Leading Health Indicator. See Understanding and Improving Health, pp. 40-41.

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Page I-11 Index

Environmental tobacco smoke (ETS), 27-24, public education, 9-8 27-28 spacing pregnancies, 9-12-9-14 Epiglottitis, Haemophilus influenzae type b for substance abusers, 9-7 and. 14-5 unintended pregnancy rates, 9-3—9-4, Errors. See also Medical product safety, 9-11—9-12, 9-16—9-17, 9-19—9-20 Fats, consumption of, 19-25—19-30 medication or device errors, 17-6 Escherichia coli O157:H7, foodborne illness Fecal occult blood tests, 3-15 Females. See Editor's Note, I-1. due to. 10-8, 10-10—10-12 Estrogen replacement therapy, osteoporosis Fetal alcohol syndrome (FAS), 16-5, 16-45 and, 2-9, 19-35 Fetal mortality Ethanol-blended fuels, 8-17 occurrence of, 16-4, 16-12-16-13 Ethnic groups. See Editor's Note, I-1. risk factors, 16-18 Ethnicity. See Editor's Note, I-1. Fighting. See also Violence prevention. among adolescents, 15-51—15-52 Exercise. See also Physical activity. counseling services regarding, 1-17 Firearms Externalizing disorders, 18-7 death rates, 15-14 loaded and unlocked firearms in homes, Eye examinations, diabetes and, 5-25—5-26 Eye injury. See Injuries and injury 15-15 prevention. nonfatal injuries, 15-15—15-16 Fires, residential, 15-6, 15-34—15-37 Fitness. See Physical activity. F Flexibility, physical activity and, Falls 22-15-22-17 death rate, 15-37—15-38 Fluoridated water. See Oral health. head and spinal cord injuries, 15-13 Fluoride, dental caries and, 21-4, 21-28 hip fracture rates, 15-39-15-40 Folic acid Families, access to health care, 1-22—1-24 maternal levels of, 16-41—16-42 Family planning—Focus Area 9. See also neural tube defects and, 16-6, 19-4 Pregnancy. Food insecurity. See Food security. abortions, 9-6, 9-20 Food labels, nutrition information and, 19-7 barriers to, 9-7 Food security, 19-5, 19-44-19-46 consequences of unintended pregnancies, Food safety—Focus Area 10 9-5-9-6 allergen risk, 10-5—10-6, 10-14—10-15 contraception use among adolescents, antimicrobial-resistant pathogens, 10-4, 9-23-9-26 10-13 contraceptive use, 9-3-9-5, 9-14-9-17 chemical contaminants, 10-4-10-5 costs of, 9-7—9-8 costs of foodborne illnesses, 10-3 costs of unintended pregnancies, 9-6 disparities, 10-6-10-7 disparities, 9-6—9-7 emerging pathogens, 10-4, 10-10—10-13 education for young adults on reproductive environmental health and, 8-9 health issues, 9-26—9-28 foodborne death rates, 10-3 emergency contraception, 9-17—9-18 foodborne illness rates. 10-3 health insurance coverage of contraceptive global food supply, 10-4-10-5 services and supplies, 9-29—9-30 naturally occurring toxins, 10-4—10-5 for homeless women, 9-7-9-8 parasites, 10-11—10-12 impaired fecundity, 9-28-9-29 pesticides and, 10-4-10-5, 10-16 male involvement, 9-18—9-19 preparation practices and, 10-4 for people with disabilities, 9-8

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

proportion of adolescents engaging in sexual intercourse, 9-20—9-22

retail employee training, 10-4, Gynecologic examinations, health insurance 10-15-10-16 coverage for, 1-15 storage practices and, 10-4 Foot examinations, diabetes and, 5-26-5-27 Haemophilus influenzae type b (Hib) Foot ulcers, diabetes and, 5-21 bacterial meningitis and, 14-6 Fractures developmental disabilities and, 16-39 hip, 15-39—15-40 invasive diseases caused by, 14-5—14-6 osteoporosis and, 2-7—2-8, 2-18—2-20 vaccine, 14-4-14-6, 14-12 Fruit, consumption of, 3-6, 3-15, 12-7, 19-3, Hashish, disapproval of by adolescents, 19-6, 19-8, 19-18—19-19, 19-24—19-25 26-40-26-41 Hazardous substances, 8-6 G hazardous waste sites, 8-22-8-23 Galactosemia screening, 16-48 Head injuries Gallbladder disease, overweight or obesity bicycle helmet use and, 15-33-15-34 and, 19-5 hospitalization rate for, 15-11—15-12 Gay men. See Editor's Note, I-1. Health behaviors, counseling services Gender. See Editor's Note, I-1. regarding, 1-15—1-18 Generalized anxiety disorder, adults Health care services. See Access to quality receiving treatment for, 18-18—18-20 health services. See also Genetic counseling, developmental Community-based programs; Educational disabilities and, 16-39 programs; Managed care organizations. Genetic markers, diabetes and, 5-6 Health care workers and needlestick injuries. Genital herpes. See Sexually transmitted 20-17-20-18 diseases. Health communication—Focus Area 11 Geocoding, 23-10-23-11 attributes of effective communication, 11-4 Geographic information systems (GIS), audience-centered perspectives, 11-6-11-7 23-10-23-11 centers for excellence, 11-17 Geographic location. See Editor's Note, I-1. Gestation length as cause of infant death, community-centered prevention, 11-4 16-3-16-4 digital divide, 11-9 disparities, 11-9-11-10 Gestational diabetes, 5-21 Gingivitis, 21-21 health literacy, 11-9, 11-15 Glaucoma, 28-4, 28-13 interactive media and, 11-7—11-8, Global environmental health, 8-7—8-10, 11-13—11-17 Internet and, 11-7—11-8, 11-13—11-15 8-31-8-32 Glycosylated hemoglobin, diabetes and, Leading Health Indicators, 11-5 5-24-5-25 mass media and, 11-7 Gonorrhea. See Sexually transmitted multidimensional interventions, 11-6 national health information infrastructure, diseases. Grain products consumption of, 19-22-19-25 privacy and confidentiality, 11-8 provider-patient communication, 11-8, folic acid fortification, 16-42 11-17-11-18 Group B Streptococcus (GBS) bacterial meningitis and, 14-6 research and evaluation, 11-15—11-16, 11-17 rate of new infections, 14-28—14-29 Growth retardation, low-income children and, targeting specific population segments, 11-6-11-7 19-16—19-18

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Health departments, role in health education	alcohol use, 26-4
and promotion, 7-7	artery-opening therapy, 12-17
Health improvement plans, 23-16—23-17	atrial fibrillation, 12-5
Health insurance	cholesterol levels and, 12-3, 12-7, 12-9,
contraception coverage, 9-29—9-30	12-29
coverage for nicotine dependency	chronic kidney failure and, 4-11—4-12
treatment, 27-23—27-24	congestive heart failure and, 12-18—12-19
employer-sponsored plans, 1-15	death rates, 12-4, 12-6—12-17
preventive services coverage, 1-15	diabetes and, 5-3, 5-20—5-21
proportion of people with insurance, 1-6	diet and nutrition counseling and education,
Health literacy, 7-16, 11-9, 11-15, 21-5	19-42—19-44
Health maintenance organizations (HMO).	dietary factors, 19-3, 19-29
See also Managed care organizations.	disparities, 12-5—12-7
coverage of contraceptive services and	early treatment of, 12-11—12-12, 12-17
supplies, 9-30	electric shock therapy, 12-17
monitoring and reporting adverse events,	heart attacks, 12-10—12-12, 12-17, 26-4
17-12—17-13	overweight or obesity and, 12-7, 19-5
preventive services, 1-9	physical activity and, 12-7, 22-3—22-4
Health professionals' training, 1-26,	recurrences, 12-12
23-14—23-15	saturated fatty acids and, 19-29
Health status, 21-23	screening, 12-13
Health status indicators, 23-9—23-12	smoking and, 12-8, 27-4
Health-related quality of life issues. See	treatment adherence difficulties,
Quality-of-life issues.	12-12—12-13
Healthy cities, 7-3, 7-22	Heavy metals, exposure to, 8-28—8-29
Healthy communities, 7-3, 7-22	Height loss, vertebral fractures due to
Healthy People 2010 objectives	osteoporosis and, 2-20
defined, RG-2—RG-10	Helicobacter pylori, 14-30
short titles. See Understanding and	Hemodialysis. See Dialysis.
Improving Health, pp. 53-62.	Hepatitis A virus (HAV)
target setting, RG-8	high-risk populations, 14-19
Hearing—Focus Area 28	rate of new cases, 14-18—14-19
adaptive devices, 28-16	risk to international travelers, 14-27—14-28
deafness, 28-7	vaccine, 14-4—14-5
disparities, 28-9	Hepatitis B virus (HBV)
examinations, 28-16	high-risk populations, 14-44—14-45
otitis media and, 28-8, 28-14—28-15	HIV infection and, 13-21—13-22
protection devices, equipment, and	infections in children and infants,
practices, 28-16—28-17	14-12—14-13
referral for evaluation and treatment, 28-16	needlestick injuries, 20-17—20-18
rehabilitation services, 28-16	occurrence of, 14-13—14-15
screening newborns, 28-8, 28-14	surface antigen screening, 17-4
Hearing aids, 28-16	vaccines, 14-12, 25-29
Heart attacks. See Heart disease.	Hepatitis C virus (HCV)
Heart defects, infant deaths due to,	chronically infected persons, 14-23—14-24
16-15—16-16	needlestick injuries, 20-17—20-18
Heart disease—Focus Area 12. See also	rate of new cases, 14-22—14-23
High blood pressure; Cholesterol.	High blood pressure
age factors, 12-4—12-5	calcium intake and, 19-35

chronic kidney disease and, 4-7 mental disorders and, 18-14—18-15 control of, 12-22-12-24 Homes education campaign, 12-8 blood lead levels and age of housing, 8-8 heart disease and, 12-12 environmental health, 8-8 occurrence of, 12-20-12-21 fires, 15-6, 15-34—15-35 overweight or obesity and, 19-5 indoor allergen levels, 8-24 salt consumption and, 19-32 lead-based paints, 8-21—8-22, 8-26—8-27 screening, 12-8, 12-24—12-25 medical homes for special care needs. 16-49-16-50 stroke and, 12-4, 12-6, 12-7 High-density lipoprotein (HDL), 12-10 radon levels, 8-12, 8-25—8-26 Hispanics or Latinos. See Editor's Note, I-1. smoke alarm use, 15-36—15-37 HIV (human immunodeficiency virus) substandard housing, 8-27 Focus Area 13 Homicides antiretroviral therapy, 13-6, 13-23 occurrence of, 15-4—15-6, 15-43—15-45 work-related, 20-5, 20-13-20-14 breastfeeding and, 16-5 condom use and, 13-8, 13-16—13-18 Hospice care, 1-34 Hospitalization rates contraception use among adolescents and, for ambulatory-care-sensitive conditions, 9-25-9-26 counseling and testing in prison systems, 1-27-1-29 13-19—13-20 for asthma, 24-14—24-15 for congestive heart failure, 12-18—12-19 death rates, 13-23—13-24 determinants of transmission, 13-7 for head injuries, nonfatal, 15-11—15-12 disparities, 13-8—13-10 for peptic ulcer disease, 14-29—14-31 for spinal cord injuries, nonfatal, drug use and, 13-14—13-15 education programs for students, 15-12-15-13 7-14-7-16 for vertebral fractures, 2-18 emergence of, 17-4 Hospitals hepatitis B virus and, 13-21—13-22 antibiotic use among intensive care unit interventions, 13-8 patients, 14-35 male involvement in prevention of, 9-18 emergency departments, 1-5—1-6, 1-42—15-43, 24-16—24-17, needlestick injuries, 20-17-20-18 26-18-26-19 occurrence of, 13-6, 13-16 opportunities, 13-10 infections acquired by intensive care unit perinatal transmission, 13-7, 13-25 patients, 14-34 prevention education in prison systems, level III, 16-29—16-30 patient and family health education, serostatus testing, 13-18 7-21-7-22 STDs and, 13-21—13-22, 25-9—25-10, pediatric emergency care, 1-33—1-34 25-23 Housing. See Homes. substance abuse and, 9-7 Human immunodeficiency virus. See HIV. time interval between HIV diagnosis and See also AIDS. AIDS diagnosis, 13-24 Human papillomavirus (HPV) treatment guidelines, 13-22-13-24 cervical cancer and, 3-14 tuberculosis and, 13-20—13-21 occurrence of infections, 25-20 young adult education, 9-26—9-28 Humped backs, vertebral fractures due to osteoporosis and, 2-20 zidovudine therapy, 13-7, 13-25 Home health care, 1-34 Hunger. See Food security. Homeless persons Hyperlipidemia, diet and nutrition counseling family planning for, 9-7-9-8 and education, 19-42-19-44

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Hypertension. See High blood pressure. Hypothyroidism screening, 16-6, 16-48	substance abuse and, 16-5 sudden infant death syndrome, 16-16—16-19
Illicit drugs. See Substance abuse. Immunization—Focus Area 14. See also Infectious diseases; Vaccines. disparities, 14-6 population-based registries, 14-41—14-42 Immunization, Leading Health Indicator. See Understanding and Improving Health, pp. 42-43. Impaired fecundity, 9-28—9-29 Income levels. See Editor's Note, I-1. Infant health—Focus Area 16. See also Maternal health. alcohol use and, 16-5, 16-43—16-45 birth defect-caused deaths, 16-15—16-16 breastfeeding and, 16-5—16-6, 16-46—16-48 causes of death, 16-3 cleft lips, cleft palates, and craniofacial abnormalities, 21-34—21-35 congenital heart defect-caused deaths, 16-15—16-16 congenital syphilis, 25-24 dental caries, 21-3 developmental disabilities, 16-38—16-39 disparities, 16-7—16-8 fetal alcohol syndrome, 16-5, 16-45 group B streptococcal disease, 14-28—14-29 hearing screening, 28-8, 28-14 hepatitis B virus infections, 14-12—14-13 illicit drug use and, 16-43—16-45 iron deficiency prevention, 19-39 low birth weight, 16-3—16-5, 16-32—16-33, 16-39 maternal age and, 16-4 mortality rates, 16-3—16-4, 16-7, 16-12—16-19 neural tube defects, 16-6, 16-40 newborn screening programs, 16-48—16-49 nonprone sleeping position, 16-36—16-38 perinatal HIV transmission, 13-7, 13-25 preterm births, 16-5, 16-34—16-36 spina bifida, 16-6, 16-40	tobacco use and, 16-5, 16-43—16-45 very low birth weight, 16-3—16-5, 16-29—16-30, 16-32—16-33 Infants. See Editor's Note, I-1. Infectious diseases—Focus Area 14. See also Immunization; specific diseases. antimicrobial resistance, 14-22—14-35 at-risk populations, 14-7 costs of, 14-3 death rates, 14-3 disparities, 14-6 global issues, 14-3 hospital-acquired infections in intensive care units, 14-34 international travel and, 14-27—14-28 perinatal infections, 14-12—14-13 protection strategies, 14-7 vaccine-preventable diseases, 14-4—14-5, 14-7—14-8, 14-11—14-22 Infertility, 9-29 STDs and, 25-7, 25-22—25-23 Influenza hospitalization rates, 14-5, 14-6, 14-45—14-49 Information technology (IT), medical product safety and, 17-8 Inhalants, use among adolescents, 26-37—26-38 Injection drug use (IDU) AIDS and, 13-14—13-15 treatment for, 26-44 Injuries and injury prevention—Focus Area 15. See also Occupational safety and health; Violence prevention. bicycle helmet use, 15-33—15-34 child restraint use, 15-30 childhood fatalities, 15-20 costs of injuries, 15-4—15-5 data collection, 15-22 death due to injuries, 15-3—15-4 developmental disabilities and, 16-39 disparities, 15-6—15-7 dog bite injuries, 28-14
STDs and, 25-24—25-25	

falls, death rate, 15-37—15-38 Iron deficiencies, 19-3—19-4, 19-36—19-39 firearms and, 15-14-15-16 fractures, 2-7—2-8, 2-18—2-20, J 15-39—15-40 Jail system. See also Correctional graduated driver licensing model laws, institutions; Juvenile justice system; 15-32-15-33 Prison systems. head injuries, nonfatal, 15-11—15-12 mental illness diversion programs, 18-20 hospital emergency department visits. STD screening, 25-30 15-22-15-23 Japanese Americans. See Editor's Note, I-1. motor vehicle crash death rates, 15-3, Joint symptoms, arthritis and, 2-11—2-14 15-4, 15-25—15-26 Juvenile diabetes. See Diabetes. motorcycle helmet use, 15-31 Juvenile justice system. See also nonfatal motor vehicle crash injuries, 15-4 Correctional institutions; Jail system; nonfatal pedestrian injuries on public roads. Prison systems. 15-28-15-29 mental disorder screening, 18-17 pedestrian death rate, 15-26—15-27 STD screening, 25-30 poisonings, 15-17—15-20 programs for students, 7-14-7-16 protective gear for school-sponsored Kidney disease. See Chronic kidney physical activities, 15-43 disease. residential fire death rate, 15-34-15-35 Knee replacements and racial disparities, safety belt use, 15-29—15-30 2-15-2-16 spinal cord injuries, nonfatal, 15-12—15-13 suffocation, 15-20—15-21 surveillance systems, 15-21 trauma care systems, 1-32 Laboratories, in support of public health unintentional injuries, 15-4-15-5, 15-24 services, 23-17 unintentional injury death rate, Latex allergies, 20-5 15-23—15-24 Latinos. See Editor's Note, I-1. Injury and Violence, Leading Health Lead Indicator. See Understanding and poisoning, 8-21—8-22 work exposures, 20-14—20-15 Improving Health, pp. 38-39. Lead-based paints, 8-21—8-22, 8-26—8-27 Insulin-dependent diabetes. See Diabetes. Insurance. See Health insurance. Leading Health Indicators Intensive care units (ICUs) identified, See Understanding and antibiotic use among patients, 14-35 Improving Health, pp. 24-45. hospital-acquired infections, 14-34 public health infrastructure and, 23-9, Intentional injuries. See Injuries and injury 23-11-23-12 prevention. Lesbians. See Editor's Note, I-1. International travel, infectious diseases and, Life satisfaction. See Quality-of-life issues. 14-27-14-28 Limitation in activity. See Activity limitations. Internet Listeria monocytogenes access for public health employees, 23-9 bacterial meningitis and, 14-6 access rates, 11-13—11-14 foodborne illness due to, 10-8, for health communication, 11-7—11-8, 10-10—10-11 11-13-11-17 Literacy, health communication and, 11-9, Intrauterine growth retardation (IUGR), 16-5 11-15 Intravenous polio vaccine (IPV), Long-term care services, 1-6 14-49-14-50

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Low back pain (LBP). See Chronic back	folic acid intake, 16-41—16-42
conditions.	illicit drug use and, 16-43—16-45
Low birth weight (LBW)	illness and complications due to pregnancy,
as cause of infant death, 16-3—16-4	16-24—16-26
developmental disabilities and, 16-39	intrauterine growth retardation and, 16-5
occurrence of, 16-32—16-33	mortality causes, 16-6—16-7
long-term disabilities and, 16-5	prenatal care, 16-26—16-28
risk factors, 16-5	tobacco use and, 16-43—16-45
Low-density lipoprotein (LDL), 12-29	weight gain during pregnancy, 16-36
Lung cancer	Measles
death rates, 3-11—3-12	occurrence of, 14-5, 14-8
risk factors, 3-12	resurgence of, 14-4, 14-37
Lyme disease, rate of new cases,	vaccine, 14-4, 14-12
14-21—14-22	Measles, mumps, rubella vaccine (MMR),
	14-4, 14-12
M	Medicaid
Major depressive disorder, 18-19	family planning programs, 9-6—9-7
Malaria, risk to international travelers,	vaccination programs for children, 14-5
14-27—14-28	Medical homes for special health care
Males. See Editor's Note, I-1.	needs, 16-49—16-50
Mammography	Medical product safety—Focus Area 17
barriers for people with disabilities and,	automated information systems,
6-6-6-7	17-13—17-14
breast cancer death reduction, 3-13	benefit-risk system, 17-3
health insurance coverage, 1-15	blood supply, 17-5, 17-16
Medicare coverage, 1-15	counseling on appropriate use and risks of
proportion of women receiving	medications, 17-15—17-16
mammograms, 3-26—3-27	disparities, 17-7
Managed care organizations (MCOs). See	information technology and, 17-8
also Health maintenance organizations.	integrated system for monitoring and
diabetes management and, 5-7	reporting adverse events, 17-12—17-13
patient and family health education,	known side effects of pharmaceuticals,
7-21—7-22	17-5—17-6
patient health education and promotion, 7-6	management of risk, 17-5—17-7
STD treatment of nonplan patients, 25-30	medication or device errors, 17-6
Manic depressive illness, 18-4—18-5	medication reviews for elderly patients,
Manufacturing process, toxic pollutants from,	17-14
8-23—8-24	prescription drug information,
Marijuana	17-14—17-15
disapproval by adolescents, 26-40—26-41	product defects, 17-5
infant health and, 16-44—16-45	risk communication, 17-8—17-9
use, 26-5, 26-26—26-27	sources of risk, 17-3—17-5
Maternal health—Focus Area 16. See also	Medical schools
Child health; Infant health.	preventive care training, 1-24—1-25
alcohol use and, 16-43—16-45	proportion of degrees awarded to members
cesarean birth, 16-30—16-31	of racial and ethnic groups, 1-25—1-26
childbirth classes, 16-28—16-29	
death rate, 16-23—16-24	
disparities, 16-7—16-8	

Medicare, 2-8, 6-18	cultural competence of mental health plans
End-Stage Renal Disease Program, 4-6	18-21
kidney disease costs, 4-5	defined, 18-3
preventive services coverage, 1-15	depression, 18-18—18-19
Medications	disabilities and, 6-10—6-12
automated information systems,	disparities, 18-7—18-9
17-13—17-14	eating disorders, 18-8, 18-15—18-16
counseling on appropriate use and risks,	emotional disturbances, 18-6
17-15—17-16	employment of persons with serious mental
errors, 17-4, 17-6, 17-13, 17-14	illness, 18-15
informational materials, 17-14—17-15	externalizing disorders, 18-7
known side effects, 17-5—17-6	homeless persons and, 18-14—18-15
medication reviews for elderly patients,	jail diversion programs, 18-20
17-14	juvenile justice facility screening, 18-17
product defects, 17-5	occurrence of, 18-3—18-4
Medicine. See Medications.	percentage of people seeking treatment,
Melanoma, 3-7. See also Skin cancer.	18-5
death rates, 3-18—3-19	resilience and, 18-9
risk factors, 3-19	schizophrenia, 18-4, 18-18-19
Men. See Editor's Note, I-1.	screening and assessment, 18-16
Meningitis	screening elderly persons, 18-22
bacterial, 14-6, 14-15—14-16	serious mental illness, 18-14—18-15,
developmental disabilities and, 16-39	18-18—18-20
Haemophilus influenzae type b and,	state activities, 18-21—18-22
14-5—14-6	stigma of, 18-9
Meningococcal disease, rate of new cases,	stress and, 18-9
14-20	substance abuse and, 18-20
Menopause	suicide, 18-12—18-14
bone loss rate, 2-8	treatment options, 18-5
counseling services, 1-16—1-18	treatment services for elderly persons,
Mental disorders. See Mental health.	18-22
Mental health—Focus Area 18	Mental Health, Leading Health Indicator.
addictive disorders and, 18-6—18-7, 18-20	See Understanding and Improving Health,
adults receiving treatment for,	pp. 36-37.
18-17—18-20	Mental illness
affective disorders, 18-4—18-5	defined, 18-3
among children, 18-7, 18-13—18-14,	occurrence of, 18-4
18-16—18-17	Mental retardation
among elderly persons, 18-3—18-4,	among infants, 16-38—16-39
18-8, 18-22	fetal alcohol syndrome and, 16-45
anxiety disorders, 18-5, 18-18—18-20	Metals. See Heavy metals.
arthritis and, 2-4, 2-14	Methylene chloride, 8-17
burden of disability study, 18-3	Mexicans; Mexican Americans. See Editor's
consumers' satisfaction with mental health	Note, I-1.
services, 18-21	Microalbumin, diabetes and, 5-23
costs of, 18-5—18-6	Microalbuminuria, chronic kidney disease
crisis interventions for elderly persons,	risk from, 4-7
18-22	Milk, calcium and, 19-35
	Monounsaturated fatty acids, 19-30

Mothers. See Editor's Note, I-1.	STDs and, 25-25
Motor vehicles	Neural tube defects, 16-6, 16-40
adolescents riding with a driver drinking	Newborn screening programs, 16-48—16-49
alcohol, 26-19—26-20	Nicotine. See also Smoking; Tobacco use.
alcohol use and, 26-46—26-47	dependency treatment, 27-23—27-24
alcohol-related crashes, 15-32	Noise-induced hearing loss, 28-8,
child restraint use, 15-30	28-16—28-17
crashes due to excessive sleepiness	Nonattainment areas, 8-5, 8-10
caused by obstructive sleep apnea,	Noninsulin-dependent diabetes. See
24-23	Diabetes.
deaths due to crashes, 15-3, 15-4,	Nursing home care, 1-34
15-25—15-26, 15-32	pressure ulcer occurrence, 1-33—1-36
emissions, 8-5, 8-16—8-17	regular dental visits for residents, 21-31
graduated driver licensing model laws,	Nutrition—Focus Area 19. See also
15-32—15-33	Obesity; Overweight.
nonfatal injuries due to crashes,	ABCs for health, 19-3
15-27—15-28	anemia among low-income females in third
safety belt use, 15-29—15-30	trimester of pregnancy, 19-37—19-38
work-related deaths, 20-5	away-from-home foods and, 19-7,
Motorcycles	19-30—19-32
head injuries and, 15-13	calcium deficiencies, 19-3—19-4,
helmet use, 15-31	19-33—19-35
	caloric intake from fat, 12-14
Mumps	· · · · · · · · · · · · · · · · · · ·
occurrence of, 14-5	counseling services, 1-17, 19-43—19-44
vaccine, 14-4, 14-12	diabetes and, 5-4—5-5
Muscular strength, physical activity and,	disease and, 19-3
22-13—22-15, 22-17	disparities, 19-5
Mycobacterium avium, 13-23	education programs for students,
Mycobacterium tuberculosis, 13-27	7-14—7-16
Mycotoxins, 10-5	fat consumption, 19-25—19-30
Myocardial infarctions. See Heart attacks.	folic acid intake, 19-4
Myopia, 28-4	Food Guide Pyramid, 19-3, 19-6
	food insecurity and, 19-5, 19-44—19-46
N	food label information, 19-7
National health information infrastructure,	fruit consumption, 19-18—19-19, 19-24—19-25
11-10	grain product consumption, 19-22—19-25
Native Americans. See American Indians or	growth retardation among low-income
Alaska Natives; Editor's Note, I-1.	children, 19-16—19-18
Native Hawaiians or other Pacific Islanders.	heart disease and, 12-7
See Editor's Note, I-1.	iron deficiencies, 19-3—19-4,
Nearsightedness, 28-4	19-36—19-39
Needle and syringe exchange programs,	proportion of adults at a healthy weight,
13-19	19-10—19-11, 19-10—19-20
Needlesticks injuries, 20-17—20-18	quality of school meals and snacks, 19-40
Neisseria meningitidis	sodium consumption, 19-30—19-32
bacterial meningitis and, 14-6	stroke and, 12-7
meningococcal disease and, 14-20	vegetable consumption, 19-20—19-22,
Neonates	19-24—19-25
mortality rate 16-3 16-13—16-15	10-2710-20

worksite nutrition or weight management Oppositional-defiant disorder, 18-7 programs, 19-41—19-42 Oral and pharyngeal cancers, 21-5, 21-22—21-25. See also Oropharyngeal Oral health-Focus Area 21. See also Obesity. See also Nutrition; Overweight. Teeth. adults and, 19-11-19-13 chemotherapy and, 21-5 body mass index (BMI), 19-5, 19-11, 19-15 cleft lip and palate, 21-5, 21-34-21-35 causes of, 19-15 community-based health centers with oral children and, 19-13—19-16 health component, 21-33—21-34 clinical practice guidelines, 12-10 craniofacial health surveillance system, costs of, 19-5 21-35 diabetes and, 5-4-5-5 dental caries, 21-3—21-4, 21-11—21-16 disease risks, 19-5 dental sealants, 21-4, 21-26—21-27 heart disease and, 12-7 disparities, 21-7 occurrence of, 12-14 long-term care residents, 21-31 proportion of adults at a healthy weight, oral and pharyngeal cancers, 21-5, 19-10-19-11 21-22-21-25 stroke and, 12-7 periodontal disease, 21-20—21-22 Obstructive sleep apnea (OSA) public dental health programs. disparities, 24-10—24-11 21-35-21-36 management of, 24-22 radiotherapy and, 21-5 vehicular crashes due to excessive regular dental visits and, 21-28—21-32 sleepiness caused by apnea, 24-23 school-based health centers with oral Occupational contact dermatitis (OCD), health component, 21-32-21-33 20-15 surveillance system, 21-35 Occupational safety and health—Focus tooth extraction among elderly persons, Area 20 21-18—21-20 assaults, 20-14 tooth extraction due to dental caries or blood lead concentrations, 20-14—20-15 periodontal disease, 21-17-21-18 cost of work-related injuries, 20-3 water fluoridation and, 21-4, 21-28 deaths from work-related injuries, 20-6, Oral polio vaccine (OPV), 14-49 20-9-20-10 Organophosphate pesticides. See disparities, 20-6 pesticides. eve injuries, 28-14 Oropharyngeal cancer. See also Oral and hearing protection, 28-16—28-17 pharyngeal cancers. homicides, 20-13—20-14 death rate, 3-16-3-17 needlestick injuries, 20-17—20-18 Osteoarthritis, 2-6-2-7 overexertion injuries, 20-11—20-12 overweight or obesity and, 19-5 pneumoconiosis deaths, 20-12-20-13 Osteopenia, 2-5 repetitive motion injuries, 20-11-20-12 Osteoporosis—Focus Area 2 skin diseases or disorders, 20-15-20-16 bone mineral density (BMD) and, stress reduction programs, 20-16—20-17 2-17-2-18 work-related injuries and illnesses, 20-3 calcium intake and, 19-34-19-35 work-related injuries resulting in medical disparities, 2-7 treatment, lost time from work, or estrogen replacement therapy and, 19-35 restricted work activity, 20-11 fractures and, 2-18—2-20 Older adults. See Elderly persons; Editor's occurrence of, 2-18 Note, I-1. people with disabilities and, 6-6

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Omega-3 polyunsaturated fatty acids, 19-29

Otitis media breastfeeding and, 16-47 courses of antibiotics for, 14-31—14-32 hearing disorders and, 28-8, 28-14—28-15	Pelvic pain, STDs and, 25-7 Penicillin-resistant infections, 14-16—14-18 Peptic ulcer disease, hospitalization rates for, 14-29—14-31
Overexertion injuries, 20-11—20-12	Perchloroethylene, 8-17
Over-the-counter drugs. See Medications.	Performance-enhancing substances,
Overweight—Focus Area 19. See also Nutrition; Obesity.	26-35—26-37 Perinatal mortality, 16-12—16-13
among children and adolescents, 19-4, 19-13—19-16	Periodontal disease. <i>See also</i> Oral health. occurrence of, 21-20—21-22
assessment of, 12-10	tobacco use and, 21-22
body mass index, 19-5	tooth extraction and, 21-17—21-18
breast cancer and, 3-13	Periodontitis, diabetes and, 5-29
causes of, 19-15	Personal care activities, arthritis and,
chronic back conditions and, 2-21	2-12—2-14
clinical practice guidelines, 12-10	Pertussis vaccine, 14-4, 14-12, 14-50
coronary heart disease and, 12-7 defined, 19-4	Pesticides environmental health and, 8-6—8-7, 8-23
diabetes and, 5-4—5-5	food safety and, 10-4—10-5, 10-16
disabilities and, 6-7	urine concentrations of metabolites,
disease risks, 19-5	8-28—8-29
occurrence, 12-14	Pfiesteria piscicida, 8-6
proportion of adults at a healthy weight,	Pharmacies
19-10—19-11	automated information systems,
stroke and, 12-7	17-13—17-14
Overweight and Obesity, Leading Health	counseling on appropriate use and risks of
Indicator. See Understanding and	medications, 17-15—17-16
Improving Health, pp. 28-29. Ozone, 8-5	Pharyngeal cancer. See Oral and pharyngeal cancers.
O2011e, 6-3	Phenylketonuria screening (PKU), 16-6,
Р	16-48
Pacific Islanders. See Editor's Note, I-1.	Physical activity—Focus Area 22
Pain, arthritis and, 2-11	access to school facilities outside of school
Paints, lead-based, 8-21—8-22, 8-26—8-27	hours, 22-25—22-26
Panic disorder, suicide and, 18-20	adolescents and, 22-17—22-25
Pap test	arthritis and, 22-3
cervical cancer death reduction, 3-14	asthma and, 24-17—24-18
health insurance coverage, 1-15	bicycling, 22-30—22-32
proportion of women receiving tests, 3-23—3-24	chronic obstructive pulmonary disease and, 24-20—24-21
Parasites. See Food safety.	coronary heart disease and, 22-3—22-4
Pathogens. See Food safety.	counseling services, 1-17 diabetes and, 5-4—5-5
Pedalcycles. See Bicycling.	disabilities and, 6-7
Pedestrians	disparities, 22-4—22-6
deaths on public roads, 15-26—15-27	education programs for students,
nonfatal injuries on public roads, 15-28—15-29	7-14—7-16
Pelvic inflammatory disease (PID), 16-26,	endurance and, 22-13—22-15, 22-17
25-21—25-23	flexibility and, 22-15—22-17

heart disease and, 12-7 Postmenopausal women and estrogen moderate physical activity, 22-9-22-11, replacement therapy, 19-35 Postneonatal mortality, 16-14—16-15 22-17-22-18 muscular strength and, 22-13—22-15, Postpartum depression, 16-26 22-17 Poverty level. See also Editor's Note, I-1. no leisure-time physical activity, 22-8—22-9 health insurance coverage and, 1-9 percentage of population engaging in, persons with source of ongoing care, 1-9 STDs and, 25-4 physician counseling for cancer prevention, Pregnancy. See also Contraception; Family 3-22 planning. protective gear for school-sponsored abortions, 9-6, 9-20, 16-44 activities, 15-43 AIDS transmission, 13-7 school physical education programs, 22-5, alcohol use, 16-5, 16-43-16-45 22-20-22-22 anemia among low-income females in third stroke and, 12-7 trimester, 19-37-19-38 television and, 22-23-22-25 childbirth classes, 16-28—16-29 vigorous physical activity, 22-11—22-13, consequences of unintended pregnancies, 22-19-22-20 9-5-9-6 walking, 22-27—22-29 costs of unintended pregnancies, 9-6 weight status and, 19-16 counseling services, 1-16—1-17 worksite programs, 22-25—22-26 ectopic, 16-6, 16-26, 25-7 Physical Activity, Leading Health education programs for students. 7-14-7-16 Indicator. See Understanding and Improving Health, pp. 26-27. folic acid levels, 16-41—16-42 Physical assaults, 15-51 gestational diabetes, 5-21 Physical examinations and health insurance hepatitis B virus screening, 14-12—14-13 coverage, 1-15 HIV transmission, 13-4, 13-7, 13-25 illicit drug use and, 16-43-16-45 Pneumococcal infections ear infections, 14-32 impaired fecundity, 9-28—9-29 penicillin-resistant infections, 14-16—14-18 iron deficiencies, 19-38-19-39 rate of new cases, 14-16-14-18 listeriosis risks, 10-11 vaccination rates, 14-5, 14-45—14-49 maternal illness and complications due to, Pneumoconiosis, 20-12—20-13 16-24—16-26 Pneumocystis carinii (PCP), 13-23 prenatal care, 16-26—16-28 Pneumonia risk among adolescents, 9-22 smoking cessation, 27-20-27-21 Haemophilus influenzae type b and, 14-5 hospitalization rates, 1-27—1-29 smoking during, 16-5 Poison control centers (PCCs), 1-31—1-32 spacing pregnancies, 9-12—9-14 Poisonings STD screening, 25-30—25-31 STDs and, 25-8 costs of, 15-20 death rate, 15-18-15-20 tobacco use and, 16-43-16-45, 27-3 nonfatal poisonings, 15-17—15-18 toxoplasmosis risks, 10-12 Polio unintended pregnancy rates, 9-3-9-4, 9-11—9-12, 9-16—9-17, 9-19—9-20 eradication, 14-37 intravenous polio vaccine, 14-49-14-50 weight gain, 16-36 Prescription drugs. See Medications. oral polio vaccine, 14-49 vaccine, 14-12 Pressure ulcers, occurrence among nursing vaccine-associated paralytic polio, 14-49 home residents, 1-33-1-36 Polyunsaturated fatty acids, 19-30 Preterm births, 16-33—16-44, 16-34—16-36

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

Preterm infants, 16-5 national performance standards, Preventive care, barriers to, 1-4—1-5 23-15-23-16 Preventive services. See Access to quality personnel competencies, 23-14 health services. population-based prevention research, Primary care. See Access to quality health 23-20 Services. Priority Data Needs and, 23-9—23-10, 23-11-23-12 Prison systems. See also Correctional release of data, 23-13 institutions: Jail system: Juvenile justice system. school curricula, 23-14 education in HIV/AIDS, STD, and TB tracking objectives, 23-12—23-13 prevention, 13-19 Puerto Ricans, See Editor's Note, I-1. HIV counseling and testing, 13-19—13-20 Purging. See Bulimia nervosa. Privacy in health communication, 11-8 Product defects, 17-5. See also Medical Q product safety. Quality of health care. See Access to quality Product safety. See Medical product safety. health services. Prostate cancer Quality-of-life issues death rates, 3-17—3-18 arthritis and, 2-11 risk factors, 3-7 disabilities and, 6-16—16-17 Prostate-specific antigen test (PSA), 3-18 Healthy People 2010 Goal 1. See Proteinuria Understanding and Improving Health, cardiovascular disease complications, 4-12 pp. 8-10. chronic kidney disease and, 4-20 Public dental health programs, 21-35—25-36 R Public education. See Educational Race. See Editor's Note, I-1. programs. Racial and ethnic groups. See Editor's Note, Public health. See Public health I-1. Infrastructure. Radioactive wastes, 8-6 Public health infrastructure—Focus Radiotherapy, oral health and, 21-5 Area 23. Radon in homes, 8-12, 8-25—8-26 continuing education for employees, 23-15 Rape, 15-47—15-48 data availability, 23-11 Rectal examinations. See Digital rectal disparities, 23-6 examinations. epidemiology services, 23-17 Recycling of municipal solid waste, 8-24 essential services, 23-4 Rehabilitation services evaluation of statutes, ordinances, and vision. 28-14 bylaws, 23-18 hearing, 28-16 expenditures, 23-19 Rehabilitative services, 1-6, 1-34—1-36 functions of, 23-3 Renal replacement therapy, 4-13—4-15 geographic information systems, Repetitive motion injuries, 20-11—20-12 23-10-23-11 Resilience, mental disorders and, 18-9 health improvement plans, 23-16—23-17 Respiratory diseases—Focus Area 24. See Health Status Indicators and, 23-9-23-10, also Asthma; Chronic obstructive 23-11-23-12 pulmonary disease (COPD); Internet access for employees, 23-9 Environmental health; Obstructive sleep laboratory services, 23-17 apnea (OSA) Leading Health Indicators and, asthma, 1-27—1-29, 8-8—8-9, 8-24 23-9-23-10, 23-11-23-12 chronic obstructive pulmonary disease, 24-8—24-10, 24-20—24-22

environmental health and, 8-8-8-9 physical education programs, 22-5, indoor allergen levels and, 8-24 22-20-22-22 protective gear for school-sponsored obstructive sleep apnea, 24-10—24-11, 24-22-24-23 physical activities, 15-43 overweight or obesity and, 19-5 quality of school meals and snacks, 19-40 Respiratory distress syndrome, as cause of smoke- and tobacco-free, 27-27 infant death, 16-3 vaccine coverage levels for children, 14-38 Respiratory infections, breastfeeding and, weapon carrying by adolescents on school property, 15-52-15-54 16-47 Screening tests, health insurance coverage Responsible Sexual Behavior, Leading Health Indicator. See Understanding and of, 1-15 Secondary disease prevention, 1-4 Improving Health, pp.34-35. diabetes and, 5-23 Retail food industry, 10-4, 10-15—10-16 Secondhand smoke. See Environmental Rheumatic conditions, objectives of treatment, 2-11—2-16 tobacco smoke. Rheumatoid arthritis, 2-7 Self-blood-glucose-monitoring, diabetes and, Rubella 5-30-5-31 occurrence of, 14-5 Senior centers, health education and outbreaks, 14-12 promotion by, 7-8 vaccine, 14-4, 14-12 Sepsis from sickling hemoglobinopathies, 16-49 Serious emotional disturbances (SED), 18-3 Serious mental illness (SMI) Safety belts, use of, 15-29—15-30 adults receiving treatment for, Salmonella serotype Enteritidis, foodborne 18-18-19 illness due to, 10-8, 10-12 employment and, 18-15 Salmonella species, foodborne illness due homeless persons and, 18-14—18-15 to, 10-8, 10-10—10-11, 10-13 iail diversion programs, 18-20 Salt, consumption of, 19-32 Serum cotinine, 27-25—27-26 Sanitation, water quality and, 8-31—8-32 Serum creatinine, cardiovascular disease Saturated fat, consumption of, complications caused by 19-25—19-27, 19-29—19-30 elevation, 4-12 Schizophrenia Sexual activity. See also Sexually adults receiving treatment for, transmitted diseases. 18-18-19 HIV and, 13-3—13-4 gender factors, 18-8 proportion of adolescents engaging in occurrence of, 18-4 sexual intercourse, 9-20-9-22 Schools. See also Educational programs; television program messages, 25-29 Medical schools. Sexual assault, 15-48—15-50 access to physical activity facilities outside Sexual orientation. See Editor's Note, I-1. of school hours, 22-25-22-26 Sexually transmitted diseases—Focus environmental health of, 8-26 Area 25 graduation rates, 7-12—7-13 adolescent sexual behavior and, health centers with oral health component, 25-25-25-29 21-32-21-34 behavioral factors, 25-4-25-7 health instruction for students, 7-4-7-5, biological factors, 25-3—25-4 7-14-7-16 cervical cancer and, 3-14 nurse-to-student ratio, 7-17 chlamydia, 16-26, 25-9, 25-15—25-16, nutrition education, 19-6 25-30

Key to page numbering: 1-62, Understanding and Improving Health; RG-1—RG-10, Reader's Guide; 1-1—1-47, Focus Area 1. Access to Quality Health Services; 2-1—2-28, Focus Area 2. Arthritis, Osteoporosis, and Chronic Back Conditions; and so forth. Understanding and Improving Health, Reader's Guide, and Focus Areas 1-14 are in Volume I; Focus Areas 15-28 and the Appendices are in Volume II.

congenital syphilis, 25-24 occurrence of, 3-3 contraception use among adolescents, prevention, 3-7 protective measures, 3-19-3-21 9-25-9-26 counseling services, 1-17 Skin diseases or disorders, occupational, disparities, 25-7—25-10 20-15-20-16 education programs for students, Sleep apnea, overweight or obesity and, 7-14-7-16 19-5 genital herpes, 25-19—25-20 Smoke alarms, 15-36—15-37 gonorrhea, 16-26, 25-9, 25-16—25-17 Smoking. See also Tobacco use. hepatitis B vaccines, 25-29 adolescent cessation attempts, HIV and, 13-8, 13-21—13-22, 25-9—25-10, 27-21-27-22 25-23 among adolescents, 27-4-27-5, 27-12-27-14, 27-15-27-18 human papillomavirus infection, 25-20 infertility and, 25-22-25-23 among adults, 27-10-27-11 male involvement in prevention of, 9-18 cessation attempts, 27-19—27-20 management of, 25-31 cessation counseling services, 1-17 neonatal consequences, 25-25 cessation during pregnancy, 27-20—27-21 occurrence of, 25-5 chronic obstructive pulmonary disease and, pelvic inflammatory disease and, 16-26 24-8 prevention, 25-11 environmental smoke exposure, prevention education in prison systems, 27-24-27-28 13-19 health insurance coverage for cessation referral services for sex partners, 25-31 counseling, 1-15 risk among adolescents, 9-22 heart disease and, 12-8, 12-10, 27-4 screening during pregnancy, 25-30-25-31 lung cancer and, 3-12 screening in youth detention facilities and occurrence, 12-14 jails, 25-30 oropharyngeal cancer and, 3-17 social factors, 25-4-25-7 Social activity participation, disabilities and, spread of infection in a population, 25-10 6-13-6-14 syphilis, 25-9, 25-17—25-19, 25-24 Social support, disabilities and, 6-14—6-15 television program messages concerning Socioeconomic status (SES). See Editor's sexual behavior, 25-29 Note, I-1. treatment of nonplan patients by managed Sodium, consumption of, 19-30—19-32 care providers, 25-30 Sources of ongoing care, 1-18—1-20 vaccines, 25-11, 25-29 Special health care needs young adult education, 9-26—9-28 medical homes for, 16-49—16-50 Sickle cell disease service systems for, 16-50-16-51 developmental disabilities and, 16-39 Spina bifida, 16-6, 16-40 screening, 16-6, 16-48 Spinal cord injuries, hospitalization rate for, sepsis, 16-49 15-12—15-13 Side effects Spit tobacco. See also Tobacco use. known side effects of pharmaceuticals, adolescent use, 27-6, 27-14-27-15 17-5—17-6 Steroids, use among adolescents, sources of risk from medical products, 26-35-26-37 17-3-17-5 Streptococcus, Group B Sight impairments. See Disabilities. bacterial meningitis and, 14-6 Sigmoidoscopy, use in colorectal cancer rate of new infections, 14-28-14-29 screening, 3-15 Streptococcus pneumoniae, bacterial Skin cancer. See also Melanoma. meningitis and, 14-6

Stress	drug-related hospital emergency
disabilities and, 6-7	department visits, 26-18
mental disorders and, 18-9	followup care, 26-45
worksite programs, 20-16—20-17	gender factors, 18-8
Stroke—Focus Area 12. See also Heart	mental disorders, 18-3
disease.	mood disorders and, 18-5
age factors, 12-4—12-5	occurrence of, 15-4, 15-5, 15-6,
clot-dissolving agents, 12-11	18-12—18-13
death rates, 12-4, 12-19—12-20	prevention programs for students,
dietary factors, 19-3	7-14—7-16
gender factors, 12-6	Syphilis. See Sexually transmitted diseases.
high blood pressure and, 12-4, 12-7	
occurrence of, 12-4	Т
overweight or obesity and, 12-7, 19-5	Talking therapy, anorexia nervosa and,
physical activity and, 12-7	18-16
prevention, 12-20	Teenagers. See Editor's Note, I-1.
risk factors, 12-4, 12-7—12-10	AIDS prevalence, 13-9
Substance abuse—Focus Area 26. See	dating violence, 15-50
also Alcohol use; Drug use.	emotional disturbances and, 18-6
comprehensive prevention efforts,	graduated driver licensing model laws,
26-45—26-46	15-32—15-33
disapproval by adolescents, 26-38—26-41	overweight or obesity, 19-13—19-16
disparities, 26-6—26-7	screening for mental disorders at juvenile
infant health and, 16-5, 16-43—16-45	justice facilities, 18-17
inhalants use among adolescents,	STDs and, 25-8—25-9
26-37—26-38	unintended pregnancy and, 9-5—9-6,
perceived risk by adolescents,	9-19—9-20
26-41—26-43	Teeth. See also Oral health.
risks of, 26-5—26-6	calcium intake and, 19-34
STDs and, 25-5—25-6	dental caries, 21-3—21-4, 21-11—21-16
steroid use among adolescents,	sealants, 21-4, 21-26—21-27
26-35—26-37	Television
treatment in correctional institutions, 26-43	physical activity and, 22-23—22-25
Substance Abuse, Leading Health	sexual behavior messages, 25-29
Indicator. See Understanding and	Tetanus vaccine, 14-4, 14-12
Improving Health, pp. 32-33.	Thinness, risks of excessive, 19-15
Substandard housing, 8-27	"Thrifty gene," diabetes and, 5-6
Sudden infant death syndrome (SIDS)	Thrombolytic agents, 12-11
as cause of death, 16-3, 16-18	Tinnitus, 28-10, 28-16—28-17
death rate, 16-16—16-19	Tobacco use—Focus Area 27. See also
nonprone sleeping position and,	Smoking.
16-37—16-38	adolescents and, 27-4—27-5,
suffocation and, 15-21	27-12—27-18
Suffocation, death rate, 15-20—15-21	advertising influencing adolescents,
Suicide	27-30—27-31
anxiety disorders and, 18-20	among adults, 27-10—27-11
attempts by adolescents, 18-13—18-14	comprehensive control programs,
depression and, 18-19	27-31—27-32
	disapproval by adolescents, 27-30—27-31
	alsapproval by adolescents, 21-30-21-31

disparities, 27-5—27-6	vaccination programs for children, 14-5
education programs for students,	Unintended pregnancy. See Pregnancy.
7-14—7-16	Unintentional injuries. See Injuries and injury
fetal mortality and, 16-18	prevention.
infant health and, 16-5, 16-43—16-45	Universities and health instruction for
insurance coverage for nicotine	students, 7-14—7-16
dependency treatment, 27-23—27-24	Urban sprawl, 8-9
oral cancer and, 21-25	Urinary microalbumin, diabetes and, 5-23
periodontal disease and, 21-22	
physician counseling for cancer prevention,	V
3-22	Vaccine-associated paralytic polio (VAPP),
pregnancy and, 27-3	14-49
sales to minors, 27-29	Vaccine-preventable diseases, 14-4—14-5,
tax on tobacco products, 27-34	14-7—14-8, 14-11—14-12, 14-37—14-40
tobacco control laws, 27-32—27-33	Vaccines. See also Immunization.
toxicity monitoring and reduction, 27-33	conjugate vaccines, 14-5—14-6
Tobacco Use, Leading Health Indicator.	coverage levels, 14-35—14-49
See Understanding and Improving Health,	financing for, 14-5
pp. 30-31.	function of, 14-3—14-4
Toxic substances. See also Lead.	hepatitis A virus, 14-4—14-5
environmental health and, 8-6, 8-28—8-29	measles and, 14-4
food safety and, 10-4—10-5	population-based registries, 14-41—14-42
Toxoplasma gondii, 10-12	safety, 14-49—14-50
Trans-fatty acids, 19-29—19-30	vaccination rates, 14-5
Transfusions. See Blood transfusions.	Varicella vaccine, 14-4, 14-12
Transplantation of kidneys, 4-3—4-7,	Vector control programs, 8-30
4-16—4-18	Vegetables, consumption of, 19-20—19-22,
Trauma care systems, 1-32	19-24—19-25
Treated chronic kidney failure. See End-	Vertebral fractures, osteoporosis and,
stage renal disease.	2-18—2-20
Treatment, storage, and disposal facilities, 8-10	Very low birth weight (VLBW), 16-3—16-5,
Tuberculosis (TB)	16-29—16-30, 16-32—16-33
curative therapy, 14-25—14-26	Violence prevention—Focus Area 15. See
detection of, 14-27	also Injuries and injury prevention.
HIV testing and, 13-20—13-21	alcohol-related violence, 26-20—26-21
latent infections, 14-27	disparities, 15-6—15-7
prevention education in prison systems,	drug-related violence, 26-20—26-21
13-19	homicide rate, 15-43—15-45
rate of new cases, 14-24—14-25	maltreatment of children, 15-45—15-46
Type 1 diabetes. See Diabetes.	physical assault by current or former
Type 2 diabetes. See Diabetes.	intimate partners, 15-46—15-47 physical assault rate, 15-51
Typhoid risk to international travelers,	physical assault rate, 15-51 physical fighting among adolescents,
14-27—14-28	15-51—15-52
	programs for students, 7-14—7-16
U	rape or attempted rape rates,
Underground storage tanks (USTs), 8-23	15-47—15-48
Uninsured persons, 1-14	sexual assault, 15-48—15-50
with source of ongoing care, 1-20	STDs and, 25-6
man coulde of origoning dure, 1-20	5755 and, 25 5

waanan aamiina ku adalaaanta oo aabaal	hady made index for healthy weight 10.10
weapon carrying by adolescents on school	body mass index for healthy weight, 19-10,
property, 15-52—15-54	19-15
Vision—Focus Area 28	excessive thinness risks, 19-15
adaptive devices, 28-5	physical activity and, 19-16
cataracts, 28-14	proportion of adults at a healthy weight,
causes of impairment, 28-5	19-10—19-11
childhood blindness or visual impairment,	Well-child care, health insurance coverage
28-12—28-13	for, 1-15
costs of disorders, 28-3	"Westernization," diabetes and, 5-4—5-5
diabetic retinopathy, 28-13	Whites. See Editor's Note, I-1.
dilated eye examinations, 28-12	Women. See Editor's Note, I-1.
disparities, 28-6	Work-related issues. See also Occupational
glaucoma, 28-13	safety and health.
occupational eye injury, 28-14	chronic back conditions, 2-21
protective eyewear, 28-14	health promotion programs, 7-5,
refractive error correction, 28-12	7-18—7-21
screening for preschool children, 28-12	HIV infection, 13-10
vision rehabilitation, 28-14	lost productivity due to alcohol and drug
visual devices, 28-5	use, 26-21
Vitamin D, 19-35	lung cancer and, 3-12
	nutrition programs, 19-41—19-42
W	smoking policies, 27-27
Walking	weight management programs,
as alternative mode of transportation, 8-16	19-41—19-42
for physical activity, 22-27—22-29	worksite physical activity programs,
Waste	22-25—22-26
environmental health and, 8-6	World Wide Web. See Internet.
hazardous sites, 8-22—8-23	
populations in census tracts surrounding	Υ
waste treatment, storage, and	Years of potential life lost (YPLL), injuries
disposal facilities, 8-10	and, 15-4, 15-6
recycling of municipal solid waste, 8-24	Young adults. See Editor's Note, I-1.
Water fluoridation, dental caries and, 21-4,	AIDS, new cases of, 13-9
21-28	binge drinking, 26-29—26-33
Water quality	chlamydia screening, 25-30
beach closings, 8-20	death rates, 16-21—16-23
community water system safety, 8-18	education of reproductive health issues,
fish contamination, 8-20	9-26—9-28
global environmental hazards, 8-31—8-32	graduated driver licensing model laws,
percentage of population served by private	15-32—15-33
wells, 8-18	occurrence of death due to injuries, 15-4
in rivers, lakes, and estuaries, 8-19—8-20	Youth. See Editor's Note, I-1.
scope of problem, 8-6	Toutil. See Editor's Note, 1-1.
waterborne disease outbreaks, 8-18—8-19	_
Water supply management, 8-19	Z
Weapons carried by adolescents on school	Zidovudine therapy, 13-7, 13-25
property, 15-52—15-54	
Weight status. See also Obesity;	
Overweight.	
C.O.Holgiit.	