Evidence Table C1. Articles/arms for class ANTI-BACTERIAL (TOPICAL).

| Comp-Trial | | TARGET HEADING | | | COMPARATOR | | | Outcome Table(s) |
|---|---|---|---|---|---|---|---|---|
| | | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | |
| **C.01.01** | **20** | **Clindamycin phosphate** | 1 % topical bid. | *Non-medicated soap and shampoo.* | **Vehicle** | No dose information | *pH adjusted to 6.7. Non-medicated soap and shampoo.* | Continuous Discrete |
| | | **Clindamycin hydrochloride** | 1 % topical bid. | *Non-medicated soap and shampoo.* | **Vehicle** | No dose information | *pH adjusted to 6.7. Non-medicated soap and shampoo.* | Continuous Discrete |
| | **33** | **Vehicle** | No dose information. | *Clindamycin pH adjusted.* | **Vehicle** | No dose information | | Continuous |
| | | **Clindamycin** | No dose information. | | **Vehicle** | No dose information | | Discrete |
| | **99** | **Clindamycin phosphate** | 1 % topical bid. | | **Placebo** | No dose information | *Purpose® soap before applying placebo.* | Continuous |
| | | **Clindamycin phosphate** | 1 % topical bid. | | **Placebo** | No dose information | *Purpose® soap before applying placebo.* | Continuous |
| | **144** | **Clindamycin phosphate** | 1 % topical bid. | *Vehicle water. Active treatment including oval anti-bacterial and retinoic acid. .* | **Vehicle** | No dose information | *Active treatment, including oral anti-bacterial and retinoic acid..* | Discrete |
| | **199** | **Clindamycin phosphate** | 1 % topical bid. | *Purpose® soap (bar).* | **Vehicle** | 4.3 g topical bid. | *Dose given on per one week basis. Purpose® soap (bar).* | Continuous Discrete |
| | **217** | **Clindamycin** | No dose information. | | **Vehicle** | No dose information | | Continuous |
| | **327** | **Clindamycin hydrochloride** | No dose information. | | **Vehicle** | No dose information | | Continuous Discrete |
| **C.01.02** | **305** | **Clindamycin** | 1 % topical bid. | *Ivory® soap; Suave® shampoo.* | **Nicotinamide** | 4 % topical bid. | *Ivory® soap; Suave® shampoo.* | Continuous Discrete |
| **C.01.03** | **20** | **Clindamycin phosphate** | 1 % topical bid. | *Non-medicated soap and shampoo.* | **Clindamycin hydrochloride** | 1 % topical bid. | *Non-medicated soap and shampoo.* | Continuous Discrete |
| | | **Clindamycin hydrochloride** | 1 % topical bid. | *Non-medicated soap and shampoo.* | **Clindamycin phosphate** | 1 % topical bid. | *Non-medicated soap and shampoo.* | Continuous Discrete |
| | **99** | **Clindamycin phosphate** | 1 % topical bid. | | **Clindamycin phosphate** | 1 % topical bid. | | Continuous |
| | | **Clindamycin phosphate** | 1 % topical bid. | | **Clindamycin phosphate** | 1 % topical bid. | | Continuous |
| | **131** | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | Continuous Discrete |
| | | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | Continuous |

"(M)" indicates that data are found on the Multi-Arm tables.

| Comp-Trial | | TARGET HEADING Treatment | Dose, route, frequency | *Comments, ancillary treatment* | COMPARATOR Treatment | Dose, route, frequency | *Comments, ancillary treatment* | Outcome Table(s) |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Discrete |
| | **143** | **Clindamycin hydrochloride** | 1 % topical (can't say) | | **Clindamycin phosphate** | 1 % topical (can't say) | | Continuous |
| | | **Clindamycin phosphate** | 1 % topical (can't say) | | **Clindamycin hydrochloride** | 1 % topical (can't say) | | Continuous |
| | **229** | **Clindamycin hydrochloride** | 2 % topical bid. | *Wash with sulfatic sulfactoral soap (Acne Aid®), apply hot facial pack with washcloth, then apply formulation.* | **Clindamycin phosphate** | 2 % topical bid. | *Wash with sulfatic sulfactoral soap (Acne Aid®), apply hot facial pack with washcloth, then apply formulation.* | Continuous (M) |
| | **267** | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | Continuous Discrete |
| | | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | **Clindamycin** | 1 % topical bid. | *Purpose® soap.* | Continuous Discrete |
| **C.01.04** | **158** | **Clindamycin phosphate** | 1 % topical bid. | *Patients were instructed to wash face with Purpose® soap pat the area dry with a towel, and wait 20 minutes before applying the study medication. Purpose® soap.* | **Erythromycin** | 2 % topical bid. | | Continuous Discrete |
| | **208** | **Clindamycin phosphate** | 1 topical bid. | | **Erythromycin** | 2 topical bid. | | Continuous Discrete |
| | **244** | **Clindamycin** | 1 % topical bid. | *Morning and bedtime. Purpose® soap.* | **Erythromycin** | 2 % topical bid. | *Morning and bedtime. Purpose® soap.* | Continuous Discrete |
| | **303** | **Clindamycin** | 1 % topical bid. | *Alpha Keri®-soap.* | **Erythromycin** | 1.5 % topical bid. | *Alpha Keri®-soap.* | Continuous Discrete |
| | **326** | **Clindamycin** | 1.5 % topical bid. | *If side effect present, treatment changed to once a day. Alpha Keri®-mild soap.* | **Erythromycin** | 1.5 % topical bid. | *If side effect present then treatment was once a day. Alpha Keri®-mild soap.* | Continuous Discrete |
| | | **Clindamycin** | 1.5 % topical bid. | *If side effect present, treatment changed to once a day. Alpha Keri®-mild soap.* | **Erythromycin** | 1.5 % topical bid. | *If side effect present then treatment was once a day. Alpha Keri®-mild soap.* | Continuous Discrete |
| **C.01.05** | **261** | **Clindamycin** | 1 % topical bid. | *Acne Aid® soap, Johnson®'s baby shampoo.* | **Tetracycline hydrochloride** | No dose information | | Continuous Discrete |

"(M)" indicates that data are found on the Multi-Arm tables.

| Comp-Trial | | TARGET HEADING | | | COMPARATOR | | | Outcome Table(s) |
|---|---|---|---|---|---|---|---|---|
| | | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | |
| **C.01.05** | **291** | **Clindamycin** | 1 % topical bid. | *Applied after washing.* | **Tetracycline** | No dose information | *Applied after washing.* | Continuous Discrete |
| **C.01.06** | **324** | **Clindamycin phosphate** | 1 % topical bid. | *Cetaphil® lotion - non-medicated lipid free cleanser bid.* | **Benzoyl peroxide** | 5 % topical bid. | *Cetaphil® lotion - non-medicated lipid free cleanser bid.* | Continuous |
| | **329** | **clindamycin phosphate** | 1 % topical bid. | | **Benzoyl Peroxide** | 5 5 topical bid. | | Continuous |
| **C.02.03** | **214** | **Benzoyl peroxide** | 5 % topical qhs. | | **Benzoyl peroxide** | 5 % topical qhs. | | Continuous (M) Discrete |
| | | **Clindamycin** | 1 % topical qhs. | | | | | |
| | **329** | **Benzoyl Peroxide** | 5 % topical qd. | *BP in am; CP in evening. Non-medicated mild soap..* | **Benzoyl Peroxide** | 5 5 topical bid. | | Continuous |
| | | **Clindamycin phosphate** | 1 % topical qd. | | | | | |
| **C.03.01** | **39** | **Erythromycin** | 1.5 % topical bid. | *Vehicle propylene glycol laureth.* | **Erythromycin base** | No dose information | *Vehicle propylene glycol laureth.* | Continuous Discrete |
| | **89** | **Erythromycin** | 1.5 % topical bid. | *Vehicle Laureth.* | **Placebo** | No dose information | *Vehicle Laureth -4.* | Continuous Discrete |
| | **157** | **Erythromycin** | 1 % topical bid. | *Vehicle.* | **Vehicle** | No dose information | *Vehicle.* | Continuous Discrete |
| | **184** | **Erythromycin** | 1.5 ml topical bid. | *Culic acid .047, 20% preparation, 170 micogram/sq cm. Non-medicated soap and shampoo.* | **Vehicle** | 1.5 ml topical bid. | *Non-medicated soap and shampoo.* | Continuous Discrete |
| | **205** | **Erythromycin** | 2 % topical bid. | *Applied medication under supervision at initial visit.* | **Vehicle** | No dose information | *Applied medication under supervision at initial visit.* | Continuous Discrete |
| | **274** | **Erythromycin** | 2 % topical bid. | *Non-medicated soap .* | **Vehicle** | No dose information | *Non-medicated soap.* | Continuous |
| | **277** | **Erythromycin** | 2 % topical bid. | *Vehicle's brand name is Neutrogena Vehicle/N. Neutrogena® Unscented soap.* | **Vehicle** | No dose information | *Neutrogena® Unscented soap.* | Continuous Discrete |
| | **285** | **Erythromycin** | 1.5 % topical bid. | | **Vehicle** | No dose information | | Continuous Discrete |

"(M)" indicates that data are found on the Multi-Arm tables.

| Comp-Trial | | TARGET HEADING | | | COMPARATOR | | | Outcome Table(s) |
|---|---|---|---|---|---|---|---|---|
| | | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | |
| C.03.025 | 39 | **Erythromycin** | 1.5 % topical bid. | *Vehicle propylene glycol laureth.* | **Benzoyl Peroxide** | 5 % topical bid. | | Continuous Discrete |
| C.04.01 | 151 | **Fusidin** | 2 % topical (can't say) | | **Vehicle** | No dose information | | Continuous Discrete |
| | 315 | **Fusidin** | 2 % topical bid. | | **Placebo** | No dose information | | Continuous |
| C.05.005 | 194 | **Meclocycline sulfosalicylate** | 1 % topical bid. | *Mild soap & shampoo supplied..* | **Vehicle** | No dose information | *Vehicle cream. Meoclocycline vehicle. Mild soap & shampoo supplied/.* | Continuous Discrete |
| | 195 | **Meclocycline sulfosalicylate** | 1 % topical qd. | | **Placebo** | No dose information | | Continuous Discrete |
| C.05.01 | 30 | **Meclocycline** | 1 % topical bid. | *A.M. Only for first week; wash off after 3 hrs. For first 3 weeks.* | **Benzoyl peroxide** | 5 % topical bid. | *A.M. Only for first week; wash off after 3 hrs for for first 3 weeks.* | Continuous Discrete |
| C.06.01 | 328 | **Metronidazole** | 0.75 % topical (can't say) | | **Placebo** | No dose information | | Continuous Discrete |
| C.07.01 | 287 | **Neomycin** | 0.5 % topical bid. | | **Sulphur**<br>**Hydrocortisone F**<br>**Resorcinol**<br>**Neomycin** | 2.7 % topical bid.<br>0.5 % topical bid.<br>1.5 % topical bid.<br>0.5 % topical bid. | *Bland soap.* | Discrete (M) |
| C.08.01 | 10 | **Placebo**<br>**Tetracycline** | 250 mg oral bid.<br>0.5 % topical bid. | | **Placebo**<br>**Vehicle** | 250 mg oral bid.<br>No dose information | | Continuous Discrete |
| | 23 | **Placebo**<br>**Tetracycline hydrochloride** | No dose information.<br>0.5 % topical (can't say) | *Non-antibacterial soap and shampoo.* | **Placebo**<br>**Placebo** | No dose information<br>No dose information | *Non-antibacterial soap and shampoo.* | Continuous |
| | 313 | **Placebo**<br>**Tetracycline hydrochloride** | No dose information.<br>0.5 % topical bid. | *0.5% tetracycline = 0.22% tetracycline hcl + 0.28% 4-epi-tracycline HCl. Non-antibacterial soaps and shampoo.* | **Placebo**<br>**Placebo** | No dose information<br>No dose information | *Non-antibacterial soaps and shampoo.* | Continuous |
| C.08.03 | 255 | **Placebo**<br>**Tetracycline** | No dose information.<br>No dose information. | | **Placebo** | No dose information | | Continuous Discrete |

"(M)" indicates that data are found on the Multi-Arm tables.

| Comp-Trial | | TARGET HEADING | | | COMPARATOR | | | Outcome Table(s) |
|---|---|---|---|---|---|---|---|---|
| | | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | Treatment | Dose, route, frequency | *Comments, ancillary treatment* | |
| | | | | | **Benzoyl peroxide** | 5 % topical qd. | | |
| **C.09.01** | **114** | **Triclosan** | No dose information. | *Non-medicated soap.* | **Vehicle** | No dose information | *Non-medicated soap.* | Continuous |
| **C.09.02** | **21** | **Triclosan** | No dose information. | *The vehicle is a surface cleanser; the active drug is an antibacterial agent; trichlorohydroxyliphenylether.* | **Unknown** | No dose information | *This is a combination antibacterial and detergent.* | Discrete |
| **C.09.03** | **114** | **Propylene phenoxetol** | 0.75 % topical bid. | | **Vehicle** | No dose information | *Non-medicated soap.* | Continuous |
| | | **Triclosan** | 0.1 % topical bid. | | | | | |

"(M)" indicates that data are found on the Multi-Arm tables.