

**Table 1.103A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	34,314	34,363	4,749 <sup>b</sup>	3,936	1,196	1,042
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,434	6,885	890	828	268	229
New England	2,209	2,219	264	260	94 <sup>a</sup>	63
Middle Atlantic	4,224	4,667	625	569	174	166
Midwest	7,420	7,641	980 <sup>b</sup>	745	225	197
East North Central	5,137	5,331	706 <sup>b</sup>	535	172	145
West North Central	2,282	2,309	275	210	52	52
South	10,248	9,794	1,644 <sup>b</sup>	1,213	428	355
South Atlantic	5,921	5,507	951 <sup>b</sup>	654	231	180
East South Central	1,347	1,236	224 <sup>a</sup>	138	61	47
West South Central	2,979	3,051	469	421	136	128
West	10,213	10,043	1,235	1,149	276	261
Mountain	3,043	3,057	426	360	103	80
Pacific	7,169	6,986	809	789	172	181
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	19,353	19,285	2,683 <sup>a</sup>	2,288	682	624
Small Metro	10,522	10,532	1,489 <sup>b</sup>	1,171	381	302
250K – 1 Mil. Pop.	6,746	6,909	924 <sup>a</sup>	773	248	172
< 250K Pop.	3,776	3,623	565 <sup>a</sup>	398	133	130
Nonmetro	4,439	4,546	578	477	133	116
Urbanized	2,166	2,449	263	255	52	61
Less Urbanized	1,952	1,723	248	186	68	54
Completely Rural	321	374	66	36	14 <sup>a</sup>	2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.103B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	14.6	14.5	2.0 <sup>b</sup>	1.7	0.5	0.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14.3	15.2	2.0	1.8	0.6	0.5
New England	18.7	18.7	2.2	2.2	0.8 <sup>a</sup>	0.5
Middle Atlantic	12.7	14.0	1.9	1.7	0.5	0.5
Midwest	13.9	14.2	1.8 <sup>b</sup>	1.4	0.4	0.4
East North Central	13.7	14.2	1.9 <sup>b</sup>	1.4	0.5	0.4
West North Central	14.3	14.3	1.7	1.3	0.3	0.3
South	12.2	11.6	2.0 <sup>b</sup>	1.4	0.5	0.4
South Atlantic	13.5	12.4	2.2 <sup>b</sup>	1.5	0.5	0.4
East South Central	9.5	8.7	1.6 <sup>b</sup>	1.0	0.4	0.3
West South Central	11.5	11.7	1.8	1.6	0.5	0.5
West	19.3	18.7	2.3	2.1	0.5	0.5
Mountain	19.9	19.6	2.8	2.3	0.7	0.5
Pacific	19.1	18.3	2.2	2.1	0.5	0.5
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	15.4	15.3	2.1 <sup>a</sup>	1.8	0.5	0.5
Small Metro	15.2	14.8	2.1 <sup>b</sup>	1.6	0.5	0.4
250K – 1 Mil. Pop.	14.8	14.7	2.0 <sup>a</sup>	1.6	0.5	0.4
< 250K Pop.	15.9	14.8	2.4 <sup>b</sup>	1.6	0.6	0.5
Nonmetro	11.1	11.3	1.4	1.2	0.3	0.3
Urbanized	13.5	13.7	1.6	1.4	0.3	0.3
Less Urbanized	9.9	9.5	1.3	1.0	0.3	0.3
Completely Rural	7.2	9.1	1.5	0.9	0.3 <sup>a</sup>	0.1

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.104A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	1,419 <sup>a</sup>	1,250	945 <sup>b</sup>	778	255	260
<b>GEOGRAPHIC DIVISION</b>						
Northeast	260	222	179	161	52	56
New England	82	80	60	56	24	18
Middle Atlantic	177	143	120	105	28	38
Midwest	312	268	197	174	57	57
East North Central	225	188	140	120	48	38
West North Central	87	79	56	53	9	19
South	489 <sup>a</sup>	393	350 <sup>b</sup>	247	95	84
South Atlantic	274 <sup>b</sup>	167	205 <sup>b</sup>	116	49	35
East South Central	64	56	42	37	13	11
West South Central	151	171	102	94	32	39
West	359	366	220	197	52	62
Mountain	130	139	94 <sup>a</sup>	65	19	29
Pacific	228	228	125	131	33	33
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	742	644	488	408	137	139
Small Metro	443	407	298	254	77	86
250K – 1 Mil. Pop.	287	270	197	165	47	55
< 250K Pop.	155	137	101	89	29	31
Nonmetro	234	198	159 <sup>a</sup>	116	42	35
Urbanized	101	87	71	56	19	12
Less Urbanized	106	91	67	47	20	22
Completely Rural	28	20	21	14	2	1

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.104B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	5.7 <sup>b</sup>	5.0	3.8 <sup>b</sup>	3.1	1.0	1.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	5.8	5.0	4.0	3.6	1.2	1.2
New England	7.1	6.8	5.1	4.8	2.1	1.5
Middle Atlantic	5.4	4.3	3.6	3.2	0.8	1.1
Midwest	5.5	4.7	3.5	3.0	1.0	1.0
East North Central	5.6	4.7	3.5	3.0	1.2	1.0
West North Central	5.1	4.7	3.3	3.1	0.5	1.1
South	5.6 <sup>b</sup>	4.4	4.0 <sup>b</sup>	2.8	1.1	0.9
South Atlantic	6.2 <sup>b</sup>	3.7	4.7 <sup>b</sup>	2.6	1.1	0.8
East South Central	4.5	3.8	3.0	2.5	0.9	0.7
West South Central	5.1	5.7	3.4	3.2	1.1	1.3
West	6.2	6.2	3.8	3.3	0.9	1.1
Mountain	7.6	8.0	5.5 <sup>b</sup>	3.8	1.1	1.7
Pacific	5.5	5.5	3.0	3.2	0.8	0.8
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	5.6 <sup>a</sup>	4.8	3.7 <sup>a</sup>	3.1	1.0	1.0
Small Metro	6.1	5.5	4.1	3.4	1.1	1.2
250K – 1 Mil. Pop.	5.9	5.4	4.0	3.3	1.0	1.1
< 250K Pop.	6.6	5.7	4.3	3.7	1.3	1.3
Nonmetro	5.4	4.6	3.7 <sup>a</sup>	2.7	1.0	0.8
Urbanized	5.9	4.7	4.1	3.0	1.1	0.6
Less Urbanized	5.0	4.6	3.2	2.3	1.0	1.1
Completely Rural	5.8	4.6	4.5	3.1	0.4	0.2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.105A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	7,517	7,377	2,610 <sup>b</sup>	2,112	589	545
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1,456	1,488	531	507	159	127
New England	476	487	181	178	69 <sup>a</sup>	42
Middle Atlantic	980	1,000	351	329	89	85
Midwest	1,694	1,661	570 <sup>a</sup>	456	94	121
East North Central	1,227	1,166	414 <sup>a</sup>	322	70	88
West North Central	467	494	156	133	24	33
South	2,344	2,293	845 <sup>b</sup>	620	214	178
South Atlantic	1,247	1,207	476 <sup>b</sup>	316	109	85
East South Central	329	307	128 <sup>b</sup>	66	30	22
West South Central	768	779	241	239	75	71
West	2,023	1,936	664	529	123	118
Mountain	648	621	228	172	46	30
Pacific	1,374	1,314	437	357	77	88
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	3,988	4,016	1,385 <sup>a</sup>	1,160	316	316
Small Metro	2,546	2,390	901 <sup>b</sup>	708	200	175
250K – 1 Mil. Pop.	1,566	1,617	526	482	121	100
< 250K Pop.	979 <sup>b</sup>	773	376 <sup>b</sup>	226	79	75
Nonmetro	983	971	324 <sup>a</sup>	244	73	54
Urbanized	504	515	172	145	32	35
Less Urbanized	413	403	121	93	30	17
Completely Rural	66	52	31 <sup>b</sup>	6	11	2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.105B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	24.2	23.3	8.4 <sup>b</sup>	6.7	1.9	1.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	26.4	26.4	9.7	9.0	2.9	2.3
New England	33.2	33.2	12.6	12.1	4.8 <sup>a</sup>	2.9
Middle Atlantic	24.1	24.0	8.6	7.9	2.2	2.0
Midwest	23.5	22.6	7.9 <sup>b</sup>	6.2	1.3	1.6
East North Central	24.7	22.9	8.3 <sup>b</sup>	6.3	1.4	1.7
West North Central	21.0	21.7	7.0	5.9	1.1	1.4
South	21.3	20.2	7.7 <sup>b</sup>	5.5	1.9	1.6
South Atlantic	23.1	21.6	8.8 <sup>b</sup>	5.7	2.0	1.5
East South Central	17.2	15.9	6.7 <sup>b</sup>	3.4	1.6	1.1
West South Central	20.7	20.5	6.5	6.3	2.0	1.9
West	27.7	26.1	9.1 <sup>a</sup>	7.1	1.7	1.6
Mountain	29.7	27.8	10.4 <sup>a</sup>	7.7	2.1	1.3
Pacific	26.9	25.4	8.5	6.9	1.5	1.7
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	25.1	24.2	8.7 <sup>b</sup>	7.0	2.0	1.9
Small Metro	25.0	23.4	8.9 <sup>b</sup>	6.9	2.0	1.7
250K – 1 Mil. Pop.	24.3	24.3	8.2	7.3	1.9	1.5
< 250K Pop.	26.3 <sup>b</sup>	21.7	10.1 <sup>b</sup>	6.3	2.1	2.1
Nonmetro	19.7	19.7	6.5 <sup>a</sup>	5.0	1.5	1.1
Urbanized	22.4	21.8	7.7	6.1	1.4	1.5
Less Urbanized	18.2	18.4	5.3	4.2	1.3	0.8
Completely Rural	14.3	14.3	6.7 <sup>b</sup>	1.7	2.4	0.4

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.106A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	25,378	25,736	1,194	1,046	352	238
<b>GEOGRAPHIC DIVISION</b>						
Northeast	4,718	5,175	179	161	57	46
New England	1,651	1,651	24	26	1	3
Middle Atlantic	3,067	3,524	155	135	57	43
Midwest	5,414	5,712	214	116	74	18
East North Central	3,686	3,977	151	92	55	18
West North Central	1,728	1,736	63	23	19	*
South	7,415	7,108	449	346	120	93
South Atlantic	4,401	4,133	270	222	73	59
East South Central	954	873	53	35	17	15
West South Central	2,060	2,101	126	89	29	19
West	7,831	7,741	351	424	101	81
Mountain	2,265	2,297	105	123	38	21
Pacific	5,566	5,444	247	301	63	60
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	14,623	14,624	810	720	229	169
Small Metro	7,534	7,735	289	209	104	41
250K – 1 Mil. Pop.	4,892	5,022	201	126	79 <sup>a</sup>	17
< 250K Pop.	2,641	2,713	88	83	25	24
Nonmetro	3,222	3,377	94	117	19	27
Urbanized	1,562	1,847	20	54	1	13
Less Urbanized	1,433	1,229	60	47	18	14
Completely Rural	227	301	14	16	1	*

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.106B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	14.1	14.2	0.7	0.6	0.2	0.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	13.4	14.7	0.5	0.5	0.2	0.1
New England	17.9	17.9	0.3	0.3	0.0	0.0
Middle Atlantic	11.9	13.6	0.6	0.5	0.2	0.2
Midwest	13.4	14.0	0.5	0.3	0.2	0.0
East North Central	13.0	13.9	0.5	0.3	0.2	0.1
West North Central	14.3	14.3	0.5	0.2	0.2	*
South	11.6	11.0	0.7	0.5	0.2	0.1
South Atlantic	13.0	12.0	0.8	0.6	0.2	0.2
East South Central	8.8	8.1	0.5	0.3	0.2	0.1
West South Central	10.7	10.9	0.7	0.5	0.2	0.1
West	19.7	19.1	0.9	1.0	0.3	0.2
Mountain	19.8	19.7	0.9	1.1	0.3	0.2
Pacific	19.6	18.8	0.9	1.0	0.2	0.2
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	15.1	15.2	0.8	0.7	0.2	0.2
Small Metro	14.5	14.4	0.6	0.4	0.2	0.1
250K – 1 Mil. Pop.	14.3	14.2	0.6	0.4	0.2 <sup>a</sup>	0.0
< 250K Pop.	14.9	14.7	0.5	0.5	0.1	0.1
Nonmetro	10.5	10.9	0.3	0.4	0.1	0.1
Urbanized	13.0	13.5	0.2	0.4	0.0	0.1
Less Urbanized	9.4	8.8	0.4	0.3	0.1	0.1
Completely Rural	6.5	9.2	0.4	0.5	0.0	*

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 1.107A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	32,895	33,113	3,804 <sup>b</sup>	3,158	941	783
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,174	6,663	711	668	216	173
New England	2,127	2,139	205	204	70	45
Middle Atlantic	4,047	4,524	506	464	146	129
Midwest	7,108	7,373	783 <sup>b</sup>	572	168	140
East North Central	4,913	5,143	565 <sup>a</sup>	415	125	107
West North Central	2,195	2,230	218	157	43	33
South	9,759	9,401	1,294 <sup>b</sup>	966	333	271
South Atlantic	5,648	5,340	745 <sup>a</sup>	538	182	145
East South Central	1,283	1,180	181 <sup>a</sup>	101	47	37
West South Central	2,828	2,880	368	327	104	89
West	9,854	9,677	1,016	953	224	199
Mountain	2,913	2,918	332	295	84	51
Pacific	6,941	6,758	683	658	140	147
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	18,610	18,640	2,195 <sup>a</sup>	1,880	546	485
Small Metro	10,080	10,125	1,190 <sup>b</sup>	917	304	216
250K – 1 Mil. Pop.	6,459	6,639	727	608	200 <sup>a</sup>	117
< 250K Pop.	3,621	3,486	464 <sup>a</sup>	309	104	99
Nonmetro	4,205	4,348	419	361	92	82
Urbanized	2,065	2,362	192	199	33	49
Less Urbanized	1,846	1,632	181	140	47	31
Completely Rural	293	354	45	22	12 <sup>a</sup>	2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.107B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	15.6	15.6	1.8 <sup>b</sup>	1.5	0.4	0.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	15.2	16.3	1.8	1.6	0.5	0.4
New England	20.0	20.0	1.9	1.9	0.7	0.4
Middle Atlantic	13.5	15.0	1.7	1.5	0.5	0.4
Midwest	14.9	15.3	1.6 <sup>b</sup>	1.2	0.4	0.3
East North Central	14.7	15.3	1.7 <sup>b</sup>	1.2	0.4	0.3
West North Central	15.3	15.5	1.5	1.1	0.3	0.2
South	13.0	12.4	1.7 <sup>b</sup>	1.3	0.4	0.4
South Atlantic	14.3	13.4	1.9 <sup>a</sup>	1.3	0.5	0.4
East South Central	10.1	9.2	1.4 <sup>a</sup>	0.8	0.4	0.3
West South Central	12.3	12.4	1.6	1.4	0.5	0.4
West	20.9	20.2	2.2	2.0	0.5	0.4
Mountain	21.4	21.0	2.4	2.1	0.6	0.4
Pacific	20.8	19.8	2.0	1.9	0.4	0.4
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	16.5	16.5	2.0 <sup>a</sup>	1.7	0.5	0.4
Small Metro	16.2	15.8	1.9 <sup>b</sup>	1.4	0.5 <sup>a</sup>	0.3
250K – 1 Mil. Pop.	15.9	15.8	1.8 <sup>a</sup>	1.4	0.5 <sup>a</sup>	0.3
< 250K Pop.	16.9	15.8	2.2 <sup>b</sup>	1.4	0.5	0.4
Nonmetro	11.7	12.1	1.2	1.0	0.3	0.2
Urbanized	14.4	14.8	1.3	1.2	0.2	0.3
Less Urbanized	10.5	10.1	1.0	0.9	0.3	0.2
Completely Rural	7.4	9.7	1.1	0.6	0.3 <sup>a</sup>	0.0

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.