Table 1.58A	Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older,
	by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

	TIME PERIOD							
	Lifetime		Pas	Past Year		Month		
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	46,558	47,882	14,680	14,986	6,210	6,336		
AGE								
12-17	3,389	3,351	2,283	2,289	979	997		
18-25	8,587 ^b	9,211	4,411	4,598	1,683 ^a	1,913		
26 or Older	34,582	35,320	7,986	8,099	3,549	3,426		
GENDER								
Male	24,371	24,844	7,472	7,559	3,086	3,123		
Female	22,187	23,038	7,208	7,427	3,125	3,213		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	41,814	43,006	12,635	12,974	5,366	5,449		
White	36,210	37,653	10,881	11,221	4,616	4,642		
Black or African American	3,626	3,486	1,122	1,139	526	505		
American Indian or Alaska Native	395	313	99	103	47	60		
Native Hawaiian or Other Pacific Islander	171 ^b	80	82	35	31	16		
Asian	962	844	283	329	59	165		
Two or More Races	450 ^a	630	167	147	88	61		
Hispanic or Latino	4,744	4,876	2,046	2,012	844	887		

*Low precision; no estimate reported. NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.58B	Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older,
	by Demographic Characteristics: Percentages, 2002 and 2003

	TIME PERIOD							
	Lifetime		Past Year		Past Month			
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	19.8	20.1	6.2	6.3	2.6	2.7		
AGE								
12-17	13.7	13.4	9.2	9.2	4.0	4.0		
18-25	$27.7^{\rm a}$	29.0	14.2	14.5	5.4 ^a	6.0		
26 or Older	19.3	19.5	4.5	4.5	2.0	1.9		
GENDER								
Male	21.5	21.6	6.6	6.6	2.7	2.7		
Female	18.3	18.8	5.9	6.1	2.6	2.6		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	20.3	20.7	6.1	6.2	2.6	2.6		
White	21.9	22.6	6.6	6.7	2.8	2.8		
Black or African American	13.5	12.7	4.2	4.2	2.0	1.8		
American Indian or Alaska Native	26.7	24.9	6.7	8.2	3.2	4.8		
Native Hawaiian or Other Pacific Islander	21.0	16.3	10.0	7.1	3.8	3.2		
Asian	10.6	8.6	3.1	3.4	0.7	1.7		
Two or More Races	17.9 ^a	24.5	6.7	5.7	3.5	2.4		
Hispanic or Latino	16.3	16.3	7.0	6.7	2.9	3.0		

*Low precision; no estimate reported. NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.59A	Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by
	Demographic Characteristics: Numbers in Thousands, 2002 and 2003

	TIME PERIOD						
	Lifetime		Past Year		Past Month		
Demographic Characteristic	2002	2003	2002	2003	2002	2003	
TOTAL	3,389	3,351	2,283	2,289	979	997	
GENDER							
Male	1,641	1,631	1,091	1,088	456	478	
Female	1,748	1,721	1,192	1,201	523	518	
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	2,829	2,809	1,924	1,951	826	852	
White	2,288	2,226	1,592	1,574	678	658	
Black or African American	370	420	224	264	108	129	
American Indian or Alaska							
Native	40	30	27	26	8	10	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	
Asian	63	65	38	42	22	27	
Two or More Races	47	53	33	36	8	19	
Hispanic or Latino	560	543	359	338	153	144	
GENDER/RACE/HISPANIC ORIGIN							
Male, White, Not Hispanic	1,113	1,094	754	752	314	328	
Female, White, Not Hispanic	1,175	1,132	838	821	363	330	
Male, Black, Not Hispanic	163	201	97	117	39	49	
Female, Black, Not Hispanic	207	219	128	146	68	79	
Male, Hispanic	285	255	192	161	87	65	
Female, Hispanic	276	287	167	177	66	79	

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.59B Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002 and 2003

	TIME PERIOD							
	Lifetime		Past Year		Past Month			
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	13.7	13.4	9.2	9.2	4.0	4.0		
GENDER								
Male	13.0	12.8	8.6	8.5	3.6	3.7		
Female	14.4	14.1	9.8	9.8	4.3	4.2		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	13.6	13.4	9.2	9.3	4.0	4.1		
White	14.7	14.3	10.3	10.1	4.4	4.2		
Black or African American	10.2	11.2	6.2	7.0	3.0	3.4		
American Indian or Alaska								
Native	21.2	17.2	14.3	14.5	4.4	5.9		
Native Hawaiian or Other								
Pacific Islander	*	*	*	*	*	*		
Asian	6.3	6.7	3.7	4.4	2.2	2.8		
Two or More Races	12.0	13.3	8.3	8.9	2.0	4.7		
Hispanic or Latino	14.3	13.3	9.1	8.3	3.9	3.6		
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	14.0	13.7	9.5	9.4	3.9	4.1		
Female, White, Not Hispanic	15.5	14.9	11.1	10.8	4.8	4.4		
Male, Black, Not Hispanic	9.0	10.7	5.3	6.2	2.2	2.6		
Female, Black, Not Hispanic	11.5	11.8	7.1	7.9	3.8	4.3		
Male, Hispanic	14.2	12.3	9.6	7.7	4.4	3.1		
Female, Hispanic	14.4	14.4	8.7	8.9	3.4	4.0		

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.60A Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

	TIME PERIOD							
	Lifetime		Past	Year	Past Month			
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	8,587 ^b	9,211	4,411	4,598	1,683 ^a	1,913		
GENDER								
Male	4,600	4,880	2,371	2,461	912 ^a	1,083		
Female	3,987 ^a	4,330	2,040	2,137	770	830		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7,459 ^a	7,926	3,865	3,971	1,467 ^a	1,662		
White	6,461 ^a	6,886	3,397	3,484	1,271 ^a	1,450		
Black or African American	574	593	275	263	125	109		
American Indian or Alaska Native	*	70	41	34	*	20		
Native Hawaiian or Other Pacific Islander	*	*	15	*	*	*		
Asian	172	215	64	104	11 ^b	51		
Two or More Races	125	127	74	66	32	26		
Hispanic or Latino	1,127	1,284	546	627	215	251		
EDUCATION								
< High School	1,930 ^a	2,148	1,048	1,142	403 ^b	526		
High School Graduate	2,945	3,171	1,433	1,566	575	643		
Some College	2,816	2,852	1,515	1,443	551	562		
College Graduate	896	1,040	415	447	153	182		
CURRENT EMPLOYMENT								
Full-Time	4,178	4,366	2,030	2,033	759	840		
Part-Time	2,049 ^a	2,312	1,084 ^a	1,269	395 ^a	508		
Unemployed	764 ^a	909	447	503	179	229		
Other ¹	1,596	1,624	850	792	350	336		

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.60BNonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by
Demographic Characteristics: Percentages, 2002 and 2003

	TIME PERIOD							
	Lifetime		Past Year		Past Month			
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	27.7 ^a	29.0	14.2	14.5	5.4 ^a	6.0		
GENDER								
Male	29.6	30.7	15.3	15.5	5.9 ^a	6.8		
Female	25.7^{a}	27.4	13.2	13.5	5.0	5.2		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	29.2	30.4	15.1	15.2	5.7 ^a	6.4		
White	33.5 ^a	35.1	17.6	17.7	6.6 ^a	7.4		
Black or African American	14.1	13.9	6.7	6.1	3.1	2.5		
American Indian or Alaska Native	*	38.0	18.8	18.7	*	10.9		
Native Hawaiian or Other Pacific Islander	*	*	9.1	*	*	*		
Asian	12.5	14.9	4.7	7.2	0.8^{b}	3.5		
Two or More Races	31.1	35.2	18.3	18.1	7.9	7.2		
Hispanic or Latino	20.5	22.7	9.9	11.1	3.9	4.4		
EDUCATION								
< High School	28.1 ^b	31.2	15.2	16.6	5.9 ^b	7.6		
High School Graduate	27.8	28.9	13.5	14.3	5.4	5.9		
Some College	28.8	28.8	15.5	14.6	5.6	5.7		
College Graduate	23.6	26.2	10.9	11.3	4.0	4.6		
CURRENT EMPLOYMENT								
Full-Time	28.8	30.0	14.0	14.0	5.2	5.8		
Part-Time	25.9 ^a	28.2	13.7 ^a	15.5	5.0 ^a	6.2		
Unemployed	31.1	33.7	18.2	18.7	7.3	8.5		
Other ¹	25.9	25.8	13.8	12.6	5.7	5.3		

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.61A Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

	TIME PERIOD							
	Lifetime		Past	Past Year		Month		
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	34,582	35,320	7,986	8,099	3,549	3,426		
GENDER								
Male	18,130	18,333	4,010	4,009	1,717	1,561		
Female	16,452	16,987	3,976	4,089	1,831	1,865		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	31,526	32,271	6,845	7,052	3,073	2,935		
White	27,461	28,541	5,892	6,163	2,667	2,534		
Black or African American	2,682	2,473	624	613	293	267		
American Indian or Alaska Native	270	212	32	43	12	30		
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*		
Asian	727	564	181	183	26	87		
Two or More Races	278 ^a	449	61	45	48	17		
Hispanic or Latino	3,056	3,049	1,141	1,047	476	492		
EDUCATION								
< High School	4,353	4,589	1,406	1,329	692	637		
High School Graduate	10,487	10,472	2,702	2,463	1,259	1,139		
Some College	10,085	10,080	2,153	2,414	945	1,022		
College Graduate	9,658	10,179	1,724	1,893	652	628		
CURRENT EMPLOYMENT								
Full-Time	23,501	24,221	5,159	5,093	2,126	1,722		
Part-Time	4,154	4,345	995	1,059	491	553		
Unemployed	1,435	1,498	532	464	233	221		
Other ¹	5,493	5,256	1,300	1,483	699	930		

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.61B Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

	TIME PERIOD							
	Lifetime		Past Year		Past Month			
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	19.3	19.5	4.5	4.5	2.0	1.9		
GENDER								
Male	21.2	21.2	4.7	4.6	2.0	1.8		
Female	17.5	17.9	4.2	4.3	1.9	2.0		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	19.7	20.1	4.3	4.4	1.9	1.8		
White	21.0	21.8	4.5	4.7	2.0	1.9		
Black or African American	14.0	12.7	3.3	3.2	1.5	1.4		
American Indian or Alaska Native	25.1	23.7	2.9	4.8	1.1	3.3		
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*		
Asian	10.9	7.7	2.7	2.5	0.4	1.2		
Two or More Races	16.2	24.8	3.5	2.5	2.8	0.9		
Hispanic or Latino	15.5	15.1	5.8	5.2	2.4	2.4		
EDUCATION								
< High School	14.3	14.8	4.6	4.3	2.3	2.1		
High School Graduate	18.3	18.6	4.7	4.4	2.2	2.0		
Some College	23.6	23.7	5.0	5.7	2.2	2.4		
College Graduate	19.8	19.9	3.5	3.7	1.3	1.2		
CURRENT EMPLOYMENT								
Full-Time	23.0	23.7	5.1	5.0	2.1 ^a	1.7		
Part-Time	21.3	21.2	5.1	5.2	2.5	2.7		
Unemployed	28.0	27.8	10.4	8.6	4.5	4.1		
Other ¹	10.4	10.0	2.5	2.8	1.3	1.8		

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.62A Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

	TIME PERIOD							
	Lifetime		Pas	Past Year		Month		
Demographic Characteristic	2002	2003	2002	2003	2002	2003		
TOTAL	43,169	44,530	12,397	12,697	5,231	5,339		
GENDER								
Male	22,730	23,213	6,381	6,471	2,630	2,645		
Female	20,439	21,317	6,016	6,226	2,601	2,695		
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	38,985	40,197	10,711	11,023	4,540	4,597		
White	33,922	35,427	9,289	9,647	3,938	3,984		
Black or African American	3,256	3,066	898	876	418	376		
American Indian or Alaska Native	355	282	72	78	39	50		
Native Hawaiian or Other Pacific Islander	150 ^b	67	72	25	28	7		
Asian	899	779	245	287	37	138		
Two or More Races	403 ^a	577	135	111	80	43		
Hispanic or Latino	4,184	4,333	1,686	1,674	691	742		
EDUCATION								
< High School	6,282	6,737	2,454	2,471	1,095	1,163		
High School Graduate	13,432	13,643	4,135	4,030	1,834	1,783		
Some College	12,901	12,931	3,669	3,857	1,496	1,584		
College Graduate	10,553	11,219	2,140	2,340	805	809		
CURRENT EMPLOYMENT								
Full-Time	27,680	28,586	7,189	7,126	2,885	2,562		
Part-Time	6,202	6,657	2,079	2,328	886	1,060		
Unemployed	2,198	2,408	979	967	411	451		
Other ¹	7,089	6,880	2,150	2,275	1,049	1,266		

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.62B Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	20.5	20.9	5.9	6.0	2.5	2.5
GENDER						
Male	22.5	22.7	6.3	6.3	2.6	2.6
Female	18.7	19.3	5.5	5.6	2.4	2.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.0	21.5	5.8	5.9	2.5	2.5
White	22.6	23.5	6.2	6.4	2.6	2.6
Black or African American	14.0	12.9	3.9	3.7	1.8	1.6
American Indian or Alaska Native	27.5	26.1	5.6	7.2	3.0	4.6
Native Hawaiian or Other Pacific Islander	20.6	16.1	9.8	5.9	3.9	1.6
Asian	11.2	8.9	3.0	3.3	0.5	1.6
Two or More Races	19.0 ^a	26.5	6.3	5.1	3.8	2.0
Hispanic or Latino	16.6	16.8	6.7	6.5	2.7	2.9
EDUCATION						
< High School	16.9	17.8	6.6	6.5	2.9	3.1
High School Graduate	19.8	20.3	6.1	6.0	2.7	2.7
Some College	24.5	24.6	7.0	7.3	2.8	3.0
College Graduate	20.1	20.3	4.1	4.2	1.5	1.5
CURRENT EMPLOYMENT						
Full-Time	23.8	24.4	6.2	6.1	2.5	2.2
Part-Time	22.6	23.2	7.6	8.1	3.2	3.7
Unemployed	29.0	29.8	12.9	12.0	5.4	5.6
Other ¹	12.0	11.7	3.7	3.9	1.8	2.1

*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.