

Table 1.83A Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	108,255	110,205	35,132	34,993	19,522	19,470
GEOGRAPHIC DIVISION						
Northeast	20,731	20,529	6,708	6,534	3,683	3,939
New England	6,054	6,092	2,180	2,130	1,044	1,252
Middle Atlantic	14,677	14,437	4,529	4,404	2,639	2,687
Midwest	24,907	25,175	7,748	7,879	4,322	4,237
East North Central	17,623	17,753	5,589	5,477	3,054	2,988
West North Central	7,284	7,422	2,158	2,402	1,269	1,248
South	35,703	37,244	11,490	11,543	6,368	6,304
South Atlantic	19,100	19,972	6,281	6,360	3,476	3,474
East South Central	5,710	6,133	1,828	1,677	1,072	953
West South Central	10,893	11,139	3,380	3,507	1,820	1,877
West	26,914	27,257	9,186	9,036	5,149	4,991
Mountain	7,602	8,054	2,521	2,660	1,402	1,470
Pacific	19,312	19,203	6,665	6,376	3,747	3,521
COUNTY TYPE¹						
Large Metro	59,918	60,373	19,477	19,016	10,920	10,509
Small Metro	32,364	33,299	10,794	10,988	5,837	6,142
250K – 1 Mil. Pop.	21,215	22,070	6,950	7,241	3,796	3,982
< 250K Pop.	11,149	11,229	3,844	3,747	2,041	2,160
Nonmetro	15,973	16,534	4,861	4,988	2,765	2,819
Urbanized	7,234	7,883	2,174	2,448	1,268	1,408
Less Urbanized	7,196	7,184	2,193	2,228	1,198	1,284
Completely Rural	1,543	1,466	494	311	299 ^a	127

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.83B Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	46.0	46.4	14.9	14.7	8.3	8.2
GEOGRAPHIC DIVISION						
Northeast	46.0	45.3	14.9	14.4	8.2	8.7
New England	51.3	51.3	18.5	17.9	8.8	10.5
Middle Atlantic	44.1	43.2	13.6	13.2	7.9	8.0
Midwest	46.6	46.8	14.5	14.7	8.1	7.9
East North Central	47.1	47.1	14.9	14.5	8.2	7.9
West North Central	45.5	46.1	13.5	14.9	7.9	7.8
South	42.6	43.9	13.7	13.6	7.6	7.4
South Atlantic	43.6	44.9	14.4	14.3	7.9	7.8
East South Central	40.3	43.1	12.9	11.8	7.6	6.7
West South Central	42.1	42.6	13.1	13.4	7.0	7.2
West	50.9	50.6	17.4	16.8	9.7	9.3
Mountain	49.6	51.6	16.5	17.0	9.2	9.4
Pacific	51.4	50.2	17.7	16.7	10.0	9.2
COUNTY TYPE¹						
Large Metro	47.6	47.9	15.5	15.1	8.7	8.3
Small Metro	46.7	46.6	15.6	15.4	8.4	8.6
250K – 1 Mil. Pop.	46.6	47.0	15.3	15.4	8.3	8.5
< 250K Pop.	46.9	45.9	16.2	15.3	8.6	8.8
Nonmetro	39.8	41.1	12.1	12.4	6.9	7.0
Urbanized	45.1	44.1	13.6	13.7	7.9	7.9
Less Urbanized	36.7	39.4	11.2	12.2	6.1	7.0
Completely Rural	34.8	35.8	11.1	7.6	6.7 ^a	3.1

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.84A Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	7,642	7,631	5,494	5,455	2,878	2,811
GEOGRAPHIC DIVISION						
Northeast	1,334	1,305	1,018	956	555	528
New England	382	385	297	293	177	156
Middle Atlantic	952	920	721	663	378	372
Midwest	1,780	1,693	1,274	1,215	629	609
East North Central	1,253	1,210	899	866	454	435
West North Central	527	483	375	348	176	174
South	2,701	2,709	1,908	1,906	1,010	932
South Atlantic	1,456	1,340	1,051	964	589 ^a	462
East South Central	415	438	286	298	132	143
West South Central	829	932	571	644	289	327
West	1,827	1,923	1,294	1,378	684	743
Mountain	568	577	405	428	208	229
Pacific	1,260	1,347	889	950	476	513
COUNTY TYPE¹						
Large Metro	4,073	3,901	2,918	2,786	1,501	1,412
Small Metro	2,223	2,407	1,609	1,722	888	917
250K – 1 Mil. Pop.	1,521	1,602	1,111	1,111	648	609
< 250K Pop.	702	805	498 ^a	611	239 ^a	308
Nonmetro	1,346	1,323	967	948	489	482
Urbanized	522	603	379	443	198	242
Less Urbanized	673	600	471	426	248	205
Completely Rural	150	119	118	78	43	36

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.84B Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	30.9	30.5	22.2	21.8	11.6	11.2
GEOGRAPHIC DIVISION						
Northeast	29.9	29.1	22.8	21.3	12.4	11.8
New England	33.1	32.8	25.7	25.0	15.3	13.3
Middle Atlantic	28.8	27.7	21.8	20.0	11.4	11.2
Midwest	31.3	29.7	22.4	21.3	11.1	10.7
East North Central	31.4	30.3	22.5	21.7	11.4	10.9
West North Central	30.9	28.4	22.0	20.5	10.3	10.2
South	30.8	30.4	21.7	21.4	11.5	10.4
South Atlantic	33.1 ^a	29.8	23.9	21.4	13.4 ^b	10.3
East South Central	29.1	30.1	20.0	20.5	9.2	9.8
West South Central	28.1	31.4	19.4	21.7	9.8	11.0
West	31.3	32.7	22.2	23.4	11.7	12.6
Mountain	33.3	33.4	23.7	24.8	12.2	13.3
Pacific	30.5	32.4	21.6	22.9	11.5	12.4
COUNTY TYPE¹						
Large Metro	30.8	29.3	22.1	20.9	11.4	10.6
Small Metro	30.7	32.5	22.2	23.3	12.3	12.4
250K – 1 Mil. Pop.	31.0	32.2	22.7	22.3	13.2	12.2
< 250K Pop.	30.0	33.3	21.3 ^a	25.2	10.2 ^a	12.7
Nonmetro	31.3	30.9	22.5	22.1	11.4	11.3
Urbanized	30.3	32.5	22.0	23.9	11.5	13.0
Less Urbanized	32.0	30.2	22.4	21.5	11.8	10.3
Completely Rural	31.6	27.1	24.7	17.6	9.1	8.2

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.85A Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	18,562	19,195	11,000	10,976	6,264	6,435
GEOGRAPHIC DIVISION						
Northeast	3,376	3,515	2,141	2,246	1,292	1,396
New England	978	1,013	658	675	403	430
Middle Atlantic	2,398	2,502	1,482	1,571	889	965
Midwest	4,425	4,600	2,596	2,535	1,469	1,409
East North Central	3,126	3,205	1,878	1,749	1,050	1,000
West North Central	1,298	1,395	717	786	419	409
South	6,333	6,486	3,642	3,540	2,079	2,094
South Atlantic	3,167	3,260	1,885	1,855	1,081	1,131
East South Central	1,078	1,036	591	544	317	293
West South Central	2,088	2,189	1,166	1,142	681	671
West	4,429	4,594	2,621	2,654	1,425	1,535
Mountain	1,372	1,385	819	758	440	437
Pacific	3,057	3,209	1,802	1,897	984	1,097
COUNTY TYPE¹						
Large Metro	9,453	9,941	5,655	5,721	3,284	3,439
Small Metro	6,276	6,337	3,751	3,624	2,103	2,072
250K – 1 Mil. Pop.	4,005	4,190	2,359	2,379	1,305	1,401
< 250K Pop.	2,270	2,147	1,392	1,245	798	671
Nonmetro	2,833	2,917	1,594	1,631	877	924
Urbanized	1,330	1,468	777	847	447	494
Less Urbanized	1,283	1,257	696	685	358	379
Completely Rural	219	192	121	99	73	51

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.85B Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	59.8	60.5	35.5	34.6	20.2	20.3
GEOGRAPHIC DIVISION						
Northeast	61.3	62.4	38.9	39.9	23.5	24.8
New England	68.2	68.9	45.9	45.9	28.1	29.3
Middle Atlantic	58.9	60.1	36.4	37.7	21.8	23.2
Midwest	61.5	62.5	36.1	34.5	20.4	19.2
East North Central	62.8	63.1	37.8 ^a	34.4	21.1	19.7
West North Central	58.3	61.3	32.2	34.6	18.8	18.0
South	57.4	57.3	33.0	31.3	18.9	18.5
South Atlantic	58.7	58.4	35.0	33.2	20.0	20.3
East South Central	56.4	53.6	30.9	28.1	16.6	15.1
West South Central	56.1	57.5	31.4	30.0	18.3	17.6
West	60.7	62.0	35.9	35.8	19.5	20.7
Mountain	62.8	61.9	37.5	33.9	20.2	19.6
Pacific	59.8	62.0	35.3	36.6	19.3	21.2
COUNTY TYPE¹						
Large Metro	59.5	59.9	35.6	34.5	20.7	20.7
Small Metro	61.7	62.1	36.9	35.5	20.7	20.3
250K – 1 Mil. Pop.	62.2	63.0	36.6	35.8	20.3	21.1
< 250K Pop.	61.0	60.4	37.4	35.0	21.4	18.9
Nonmetro	56.9	59.3	32.0	33.2	17.6	18.8
Urbanized	59.2	62.1	34.6	35.8	19.9	20.9
Less Urbanized	56.6	57.4	30.7	31.2	15.8	17.3
Completely Rural	47.1	52.8	25.9	27.3	15.6	14.0

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.86A Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	82,051	83,380	18,639	18,562	10,380	10,224
GEOGRAPHIC DIVISION						
Northeast	16,021	15,710	3,550	3,331	1,836	2,015
New England	4,694	4,694	1,224	1,161	465	666
Middle Atlantic	11,327	11,015	2,326	2,170	1,372	1,349
Midwest	18,702	18,881	3,878	4,130	2,224	2,219
East North Central	13,243	13,337	2,812	2,862	1,550	1,553
West North Central	5,459	5,543	1,066	1,268	674	666
South	26,669	28,049	5,939	6,097	3,279	3,278
South Atlantic	14,477	15,372	3,345	3,540	1,806	1,881
East South Central	4,216	4,659	952	834	623	517
West South Central	7,976	8,018	1,643	1,722	851	879
West	20,658	20,740	5,271	5,004	3,041	2,713
Mountain	5,662	6,093	1,298	1,474	753	803
Pacific	14,996	14,647	3,973	3,530	2,287	1,910
COUNTY TYPE¹						
Large Metro	46,391	46,531	10,904	10,510	6,135	5,658
Small Metro	23,865	24,555	5,435	5,643	2,846	3,153
250K – 1 Mil. Pop.	15,688	16,278	3,480	3,752	1,842	1,972
< 250K Pop.	8,177	8,277	1,954	1,891	1,004	1,181
Nonmetro	11,794	12,294	2,300	2,409	1,399	1,413
Urbanized	5,382	5,812	1,019	1,158	623	673
Less Urbanized	5,239	5,327	1,026	1,117	593	701
Completely Rural	1,173	1,155	256	134	183 ^a	40

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.86B Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	45.7	46.1	10.4	10.3	5.8	5.6
GEOGRAPHIC DIVISION						
Northeast	45.6	44.6	10.1	9.5	5.2	5.7
New England	50.9	50.8	13.3	12.6	5.0	7.2
Middle Atlantic	43.8	42.5	9.0	8.4	5.3	5.2
Midwest	46.1	46.4	9.6	10.1	5.5	5.4
East North Central	46.5	46.7	9.9	10.0	5.4	5.4
West North Central	45.2	45.7	8.8	10.5	5.6	5.5
South	41.7	43.5	9.3	9.4	5.1	5.1
South Atlantic	42.6	44.8	9.8	10.3	5.3	5.5
East South Central	39.0	43.0	8.8	7.7	5.8	4.8
West South Central	41.6	41.4	8.6	8.9	4.4	4.5
West	52.0	51.2	13.3	12.3	7.6	6.7
Mountain	49.6	52.3	11.4	12.7	6.6	6.9
Pacific	52.9	50.7	14.0	12.2	8.1	6.6
COUNTY TYPE¹						
Large Metro	48.0	48.4	11.3	10.9	6.3	5.9
Small Metro	46.0	45.7	10.5	10.5	5.5	5.9
250K – 1 Mil. Pop.	45.9	46.1	10.2	10.6	5.4	5.6
< 250K Pop.	46.1	44.8	11.0	10.2	5.7	6.4
Nonmetro	38.3	39.7	7.5	7.8	4.5	4.6
Urbanized	44.6	42.6	8.5	8.5	5.2	4.9
Less Urbanized	34.3	37.9	6.7	8.0	3.9	5.0
Completely Rural	33.6	35.1	7.3	4.1	5.2 ^a	1.2

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.87A Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	100,612	102,574	29,638	29,538	16,644	16,659
GEOGRAPHIC DIVISION						
Northeast	19,397	19,224	5,690	5,578	3,128	3,411
New England	5,671	5,707	1,883	1,837	868	1,096
Middle Atlantic	13,725	13,517	3,808	3,741	2,261	2,314
Midwest	23,127	23,481	6,474	6,665	3,693	3,628
East North Central	16,370	16,543	4,690	4,611	2,600	2,553
West North Central	6,758	6,939	1,784	2,054	1,093	1,075
South	33,002	34,535	9,582	9,637	5,358	5,372
South Atlantic	17,644	18,632	5,230	5,396	2,887	3,012
East South Central	5,295	5,695	1,543	1,378	940	810
West South Central	10,063	10,207	2,809	2,863	1,531	1,550
West	25,086	25,334	7,892	7,658	4,465	4,248
Mountain	7,034	7,477	2,116	2,231	1,193	1,240
Pacific	18,052	17,857	5,776	5,427	3,272	3,008
COUNTY TYPE¹						
Large Metro	55,844	56,472	16,559	16,230	9,419	9,096
Small Metro	30,141	30,892	9,186	9,267	4,949	5,225
250K – 1 Mil. Pop.	19,694	20,468	5,839	6,131	3,148	3,373
< 250K Pop.	10,447	10,424	3,346	3,136	1,802	1,853
Nonmetro	14,627	15,211	3,894	4,041	2,276	2,337
Urbanized	6,712	7,280	1,796	2,005	1,070	1,167
Less Urbanized	6,522	6,584	1,722	1,802	950	1,080
Completely Rural	1,392	1,347	376	233	256 ^a	91

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.87B Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	47.8	48.2	14.1	13.9	7.9	7.8
GEOGRAPHIC DIVISION						
Northeast	47.8	47.1	14.0	13.7	7.7	8.4
New England	53.3	53.3	17.7	17.1	8.1	10.2
Middle Atlantic	45.8	44.9	12.7	12.4	7.5	7.7
Midwest	48.4	48.8	13.6	13.9	7.7	7.5
East North Central	49.0	49.1	14.0	13.7	7.8	7.6
West North Central	47.2	48.2	12.5	14.3	7.6	7.5
South	44.0	45.5	12.8	12.7	7.1	7.1
South Atlantic	44.8	46.7	13.3	13.5	7.3	7.5
East South Central	41.6	44.6	12.1	10.8	7.4	6.3
West South Central	43.9	44.1	12.3	12.4	6.7	6.7
West	53.3	52.8	16.8	16.0	9.5	8.9
Mountain	51.7	53.8	15.6	16.1	8.8	8.9
Pacific	54.0	52.4	17.3	15.9	9.8	8.8
COUNTY TYPE¹						
Large Metro	49.6	50.1	14.7	14.4	8.4	8.1
Small Metro	48.6	48.3	14.8	14.5	8.0	8.2
250K – 1 Mil. Pop.	48.5	48.8	14.4	14.6	7.8	8.0
< 250K Pop.	48.7	47.3	15.6	14.2	8.4	8.4
Nonmetro	40.9	42.4	10.9	11.3	6.4	6.5
Urbanized	46.9	45.5	12.6	12.5	7.5	7.3
Less Urbanized	37.2	40.5	9.8	11.1	5.4	6.7
Completely Rural	35.2	36.8	9.5	6.4	6.5 ^a	2.5

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.