

Table 1.88C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	912	868	471	455	320	327
GEOGRAPHIC DIVISION						
Northeast	360	360	203	198	123	154
New England	197	220	124	115	62	96
Middle Atlantic	303	292	156	163	106	122
Midwest	330	337	185	171	130	132
East North Central	266	274	137	154	99	115
West North Central	196	195	125	76	85	65
South	566	522	263	261	197	184
South Atlantic	453	380	216	224	163	153
East South Central	215	209	77	68	57	60
West South Central	284	290	133	116	98	84
West	514	487	277	264	177	177
Mountain	213	219	91	96	66	70
Pacific	467	434	262	245	165	162
COUNTY TYPE¹						
Large Metro	715	708	364	353	243	252
Small Metro	478	430	253	251	172	184
250K – 1 Mil. Pop.	373	325	185	205	135	148
< 250K Pop.	296	261	169	140	106	108
Nonmetro	313	318	167	148	114	107
Urbanized	218	219	124	91	89	76
Less Urbanized	200	194	96	120	68	73
Completely Rural	118	98	39	28	24	14

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.88D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.39	0.37	0.20	0.19	0.14	0.14
GEOGRAPHIC DIVISION						
Northeast	0.80	0.80	0.45	0.44	0.27	0.34
New England	1.67	1.85	1.05	0.97	0.52	0.81
Middle Atlantic	0.91	0.87	0.47	0.49	0.32	0.37
Midwest	0.62	0.63	0.35	0.32	0.24	0.25
East North Central	0.71	0.73	0.37	0.41	0.26	0.31
West North Central	1.22	1.21	0.78	0.47	0.53	0.40
South	0.68	0.62	0.31	0.31	0.24	0.22
South Atlantic	1.03	0.86	0.49	0.51	0.37	0.34
East South Central	1.52	1.47	0.54	0.48	0.40	0.42
West South Central	1.10	1.11	0.52	0.44	0.38	0.32
West	0.97	0.90	0.52	0.49	0.33	0.33
Mountain	1.39	1.40	0.59	0.62	0.43	0.45
Pacific	1.24	1.14	0.70	0.64	0.44	0.42
COUNTY TYPE¹						
Large Metro	0.57	0.56	0.29	0.28	0.19	0.20
Small Metro	0.69	0.60	0.37	0.35	0.25	0.26
250K – 1 Mil. Pop.	0.82	0.69	0.41	0.44	0.30	0.32
< 250K Pop.	1.24	1.06	0.71	0.57	0.45	0.44
Nonmetro	0.78	0.79	0.42	0.37	0.29	0.27
Urbanized	1.36	1.23	0.77	0.51	0.55	0.42
Less Urbanized	1.02	1.07	0.49	0.66	0.35	0.40
Completely Rural	2.65	2.39	0.88	0.68	0.53	0.33

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.88P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.6011		0.2191		0.8202	
GEOGRAPHIC DIVISION						
Northeast	0.5702		0.7698		0.0440	
New England	1.0000		0.8515		0.0161	
Middle Atlantic	0.4719		0.8187		0.4958	
Midwest	0.3039		0.8247		0.9050	
East North Central	0.2917		0.7406		0.6133	
West North Central	0.7618		0.4490		0.6088	
South	0.3229		0.6293		0.5581	
South Atlantic	0.8975		0.9179		0.7798	
East South Central	0.2879		0.4511		0.6503	
West South Central	0.3962		0.6752		0.6389	
West	0.7509		0.1396		0.2120	
Mountain	0.4818		0.9003		0.7762	
Pacific	0.5381		0.1233		0.1319	
COUNTY TYPE¹						
Large Metro	0.7349		0.1878		0.5173	
Small Metro	0.9594		0.6510		0.8129	
250K – 1 Mil. Pop.	0.6584		0.7226		0.5864	
< 250K Pop.	0.6126		0.2341		0.7485	
Nonmetro	0.5594		0.8717		0.7225	
Urbanized	0.8821		0.9402		0.9163	
Less Urbanized	0.5566		0.5414		0.4230	
Completely Rural	0.9966		0.0910		0.0805	

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.89C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	88	91	79	79	58	60
GEOGRAPHIC DIVISION						
Northeast	34	38	30	36	22	29
New England	14	18	12	19	8	16
Middle Atlantic	31	34	27	30	21	24
Midwest	38	36	34	33	23	24
East North Central	30	29	28	27	19	19
West North Central	23	21	18	18	13	15
South	60	57	54	49	39	37
South Atlantic	43	41	40	39	31	30
East South Central	27	19	21	14	13	11
West South Central	30	33	26	26	19	17
West	41	49	37	38	29	29
Mountain	20	17	17	16	15	13
Pacific	36	45	33	34	25	26
COUNTY TYPE¹						
Large Metro	68	69	62	60	46	47
Small Metro	47	51	42	43	32	33
250K – 1 Mil. Pop.	41	43	36	36	28	27
< 250K Pop.	27	26	22	23	17	19
Nonmetro	33	32	29	26	18	20
Urbanized	20	19	19	16	13	14
Less Urbanized	25	22	22	18	14	13
Completely Rural	15	9	15	8	5	6

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.89D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.36	0.37	0.32	0.31	0.24	0.24
GEOGRAPHIC DIVISION						
Northeast	0.76	0.85	0.67	0.80	0.49	0.64
New England	1.19	1.50	1.05	1.59	0.71	1.40
Middle Atlantic	0.94	1.02	0.83	0.92	0.62	0.71
Midwest	0.66	0.63	0.59	0.57	0.40	0.43
East North Central	0.74	0.73	0.71	0.67	0.47	0.47
West North Central	1.34	1.24	1.08	1.08	0.74	0.91
South	0.68	0.63	0.61	0.55	0.45	0.41
South Atlantic	0.98	0.92	0.92	0.86	0.70	0.67
East South Central	1.86	1.28	1.45	0.97	0.92	0.75
West South Central	1.00	1.12	0.89	0.87	0.64	0.58
West	0.70	0.82	0.64	0.65	0.50	0.50
Mountain	1.16	1.00	1.00	0.93	0.88	0.75
Pacific	0.87	1.09	0.81	0.82	0.61	0.63
COUNTY TYPE¹						
Large Metro	0.51	0.52	0.47	0.45	0.35	0.36
Small Metro	0.65	0.69	0.58	0.58	0.44	0.45
250K – 1 Mil. Pop.	0.83	0.87	0.74	0.72	0.58	0.54
< 250K Pop.	1.13	1.09	0.95	0.95	0.73	0.78
Nonmetro	0.76	0.75	0.68	0.61	0.43	0.47
Urbanized	1.16	1.03	1.12	0.85	0.76	0.74
Less Urbanized	1.18	1.13	1.06	0.91	0.66	0.63
Completely Rural	3.14	2.05	3.18	1.88	1.12	1.33

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.89P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.0356		0.0780		0.3878	
GEOGRAPHIC DIVISION						
Northeast	0.1966		0.1381		0.3604	
New England	0.6962		0.3366		0.6559	
Middle Atlantic	0.2129		0.2220		0.4207	
Midwest	0.1651		0.2367		0.8948	
East North Central	0.0743		0.1963		0.6673	
West North Central	0.9707		0.8247		0.7940	
South	0.0663		0.2103		0.1450	
South Atlantic	0.0002		0.0021		0.0063	
East South Central	0.3138		0.7930		0.9571	
West South Central	0.0156		0.0134		0.1419	
West	0.7225		0.7239		0.3086	
Mountain	0.9277		0.8917		0.9632	
Pacific	0.7301		0.7458		0.2587	
COUNTY TYPE¹						
Large Metro	0.0060		0.0297		0.2676	
Small Metro	0.8930		0.7649		1.0000	
250K – 1 Mil. Pop.	0.2684		0.2030		0.2367	
< 250K Pop.	0.1193		0.0036		0.0382	
Nonmetro	0.9086		0.4408		0.9893	
Urbanized	0.1996		0.6296		0.4618	
Less Urbanized	0.9722		0.6642		0.5881	
Completely Rural	0.0581		0.0558		0.4160	

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.90C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	157	157	135	146	110	116
GEOGRAPHIC DIVISION						
Northeast	60	59	57	53	38	48
New England	39	26	34	22	22	19
Middle Atlantic	45	53	44	48	30	43
Midwest	63	71	59	64	49	45
East North Central	53	56	50	53	41	37
West North Central	33	42	31	36	27	25
South	106	101	83	84	69	66
South Atlantic	84	74	65	64	55	51
East South Central	40	41	29	29	24	22
West South Central	52	54	41	47	33	36
West	76	79	68	84	58	68
Mountain	34	33	27	30	24	27
Pacific	68	72	62	78	53	63
COUNTY TYPE¹						
Large Metro	114	113	98	105	78	94
Small Metro	84	91	82	88	67	59
250K – 1 Mil. Pop.	69	77	66	78	53	52
< 250K Pop.	53	49	51	45	41	30
Nonmetro	60	55	50	49	41	38
Urbanized	38	37	37	35	31	27
Less Urbanized	41	38	28	32	22	26
Completely Rural	16	14	12	11	10	9

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.90D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.51	0.50	0.43	0.46	0.36	0.37
GEOGRAPHIC DIVISION						
Northeast	1.08	1.05	1.03	0.94	0.69	0.85
New England	2.71	1.77	2.39	1.51	1.53	1.29
Middle Atlantic	1.10	1.27	1.08	1.14	0.75	1.03
Midwest	0.87	0.96	0.82	0.87	0.68	0.61
East North Central	1.06	1.11	1.00	1.04	0.82	0.73
West North Central	1.49	1.87	1.41	1.58	1.21	1.09
South	0.97	0.89	0.75	0.75	0.63	0.58
South Atlantic	1.55	1.32	1.21	1.14	1.02	0.91
East South Central	2.07	2.14	1.54	1.48	1.27	1.12
West South Central	1.40	1.41	1.10	1.23	0.89	0.96
West	1.05	1.07	0.93	1.13	0.80	0.92
Mountain	1.58	1.47	1.23	1.33	1.11	1.19
Pacific	1.33	1.39	1.21	1.51	1.04	1.22
COUNTY TYPE¹						
Large Metro	0.72	0.68	0.62	0.63	0.49	0.57
Small Metro	0.83	0.89	0.81	0.86	0.66	0.58
250K – 1 Mil. Pop.	1.07	1.16	1.02	1.18	0.82	0.77
< 250K Pop.	1.41	1.38	1.37	1.27	1.11	0.85
Nonmetro	1.20	1.11	1.00	0.99	0.82	0.77
Urbanized	1.69	1.56	1.67	1.49	1.40	1.15
Less Urbanized	1.82	1.73	1.24	1.48	0.95	1.17
Completely Rural	3.46	3.84	2.64	2.95	2.07	2.51

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.90P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.8370		0.0365		0.5307	
GEOGRAPHIC DIVISION						
Northeast	0.8312		0.8843		0.1527	
New England	0.7474		0.8368		0.1853	
Middle Atlantic	0.9946		0.9863		0.3479	
Midwest	0.6604		0.0594		0.0190	
East North Central	0.7653		0.0156		0.0171	
West North Central	0.2364		0.8543		0.4624	
South	0.9037		0.1234		0.3673	
South Atlantic	0.9625		0.4383		0.4665	
East South Central	0.5968		0.1022		0.5555	
West South Central	0.8169		0.4352		0.7909	
West	0.9342		0.4521		0.5921	
Mountain	0.3025		0.1092		0.7527	
Pacific	0.5829		0.8895		0.4815	
COUNTY TYPE¹						
Large Metro	0.6147		0.0380		0.8264	
Small Metro	0.8794		0.2329		0.2836	
250K – 1 Mil. Pop.	0.5325		0.7628		0.5623	
< 250K Pop.	0.5296		0.0998		0.0125	
Nonmetro	0.2032		0.8223		0.8265	
Urbanized	0.5321		0.8865		0.6855	
Less Urbanized	0.6062		0.9720		0.4647	
Completely Rural	0.2066		0.9786		0.9289	

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.91C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	888	831	407	387	279	284
GEOGRAPHIC DIVISION						
Northeast	348	356	198	181	122	140
New England	184	218	136	105	61	88
Middle Atlantic	295	286	141	149	106	111
Midwest	313	326	152	142	110	122
East North Central	250	266	105	120	81	100
West North Central	188	189	110	76	74	69
South	556	489	213	220	160	156
South Atlantic	440	359	171	189	129	128
East South Central	224	188	65	64	46	58
West South Central	276	274	112	97	82	71
West	504	470	240	220	159	147
Mountain	215	209	72	77	59	61
Pacific	454	421	230	206	149	133
COUNTY TYPE¹						
Large Metro	693	675	329	311	224	219
Small Metro	461	418	206	205	136	157
250K – 1 Mil. Pop.	354	317	141	167	109	118
< 250K Pop.	291	247	149	116	81	101
Nonmetro	307	310	133	122	100	93
Urbanized	214	211	98	74	77	66
Less Urbanized	195	185	82	102	63	64
Completely Rural	104	100	28	21	18	7

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.91D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.50	0.46	0.23	0.21	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	0.99	1.01	0.56	0.51	0.35	0.40
New England	2.00	2.36	1.47	1.13	0.66	0.95
Middle Atlantic	1.14	1.10	0.54	0.57	0.41	0.43
Midwest	0.77	0.80	0.38	0.35	0.27	0.30
East North Central	0.88	0.93	0.37	0.42	0.29	0.35
West North Central	1.55	1.56	0.91	0.62	0.61	0.57
South	0.87	0.76	0.33	0.34	0.25	0.24
South Atlantic	1.29	1.05	0.50	0.55	0.38	0.37
East South Central	2.07	1.74	0.60	0.59	0.43	0.53
West South Central	1.44	1.42	0.58	0.50	0.43	0.37
West	1.27	1.16	0.60	0.54	0.40	0.36
Mountain	1.88	1.79	0.63	0.66	0.52	0.53
Pacific	1.60	1.46	0.81	0.71	0.52	0.46
COUNTY TYPE¹						
Large Metro	0.72	0.70	0.34	0.32	0.23	0.23
Small Metro	0.89	0.78	0.40	0.38	0.26	0.29
250K – 1 Mil. Pop.	1.04	0.90	0.41	0.47	0.32	0.34
< 250K Pop.	1.64	1.33	0.84	0.62	0.46	0.55
Nonmetro	1.00	1.00	0.43	0.39	0.32	0.30
Urbanized	1.77	1.55	0.81	0.55	0.64	0.49
Less Urbanized	1.28	1.32	0.54	0.73	0.41	0.46
Completely Rural	2.99	3.03	0.80	0.65	0.52	0.22

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.91P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.4913		0.6227		0.9637	
GEOGRAPHIC DIVISION						
Northeast	0.6053		0.8582		0.0818	
New England	0.9708		0.8395		0.0240	
Middle Atlantic	0.5372		0.9547		0.6295	
Midwest	0.2793		0.2390		0.4665	
East North Central	0.1920		0.3423		0.7132	
West North Central	0.9733		0.4745		0.4872	
South	0.2155		0.8723		0.9394	
South Atlantic	0.5735		0.4656		0.6316	
East South Central	0.1918		0.8326		0.7394	
West South Central	0.6228		0.3517		0.4157	
West	0.6888		0.1359		0.0777	
Mountain	0.3811		0.6978		0.6820	
Pacific	0.4259		0.0823		0.0335	
COUNTY TYPE¹						
Large Metro	0.5111		0.4443		0.4967	
Small Metro	0.9333		0.9517		0.3909	
250K – 1 Mil. Pop.	0.6562		0.4006		0.4898	
< 250K Pop.	0.6521		0.3205		0.6059	
Nonmetro	0.7203		0.7014		0.7165	
Urbanized	0.7236		0.9598		0.9157	
Less Urbanized	0.6560		0.5510		0.5735	
Completely Rural	0.9110		0.3043		0.1242	

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.92C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	915	865	459	437	313	317
GEOGRAPHIC DIVISION						
Northeast	360	365	201	193	123	150
New England	193	223	126	112	62	93
Middle Atlantic	306	295	153	159	107	121
Midwest	325	336	174	167	125	130
East North Central	263	274	126	150	94	112
West North Central	191	194	120	75	82	66
South	572	511	257	253	190	177
South Atlantic	450	375	212	219	155	148
East South Central	224	198	74	66	58	56
West South Central	292	287	128	111	95	82
West	516	491	272	248	176	168
Mountain	216	219	85	93	67	70
Pacific	468	439	260	230	164	153
COUNTY TYPE¹						
Large Metro	721	706	357	340	239	242
Small Metro	477	427	246	237	165	178
250K – 1 Mil. Pop.	372	321	178	191	129	138
< 250K Pop.	297	260	167	135	104	109
Nonmetro	312	320	158	142	113	103
Urbanized	221	222	121	89	89	73
Less Urbanized	198	191	87	113	66	71
Completely Rural	109	98	33	25	23	11

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.92D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.44	0.41	0.22	0.21	0.15	0.15
GEOGRAPHIC DIVISION						
Northeast	0.89	0.89	0.50	0.47	0.30	0.37
New England	1.81	2.08	1.18	1.05	0.58	0.87
Middle Atlantic	1.02	0.98	0.51	0.53	0.36	0.40
Midwest	0.68	0.70	0.36	0.35	0.26	0.27
East North Central	0.79	0.81	0.38	0.44	0.28	0.33
West North Central	1.34	1.34	0.84	0.52	0.58	0.46
South	0.76	0.67	0.34	0.33	0.25	0.23
South Atlantic	1.14	0.94	0.54	0.55	0.39	0.37
East South Central	1.76	1.55	0.58	0.52	0.46	0.44
West South Central	1.28	1.24	0.56	0.48	0.41	0.36
West	1.10	1.02	0.58	0.52	0.37	0.35
Mountain	1.58	1.58	0.62	0.67	0.49	0.51
Pacific	1.40	1.29	0.78	0.68	0.49	0.45
COUNTY TYPE¹						
Large Metro	0.64	0.63	0.32	0.30	0.21	0.21
Small Metro	0.77	0.67	0.40	0.37	0.27	0.28
250K – 1 Mil. Pop.	0.92	0.76	0.44	0.46	0.32	0.33
< 250K Pop.	1.38	1.18	0.78	0.61	0.48	0.49
Nonmetro	0.87	0.89	0.44	0.40	0.32	0.29
Urbanized	1.55	1.39	0.85	0.56	0.62	0.46
Less Urbanized	1.13	1.18	0.50	0.69	0.38	0.44
Completely Rural	2.76	2.69	0.82	0.67	0.57	0.31

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.92P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.4596		0.3442		0.9449	
GEOGRAPHIC DIVISION						
Northeast	0.6639		0.9715		0.0314	
New England	0.9770		0.9225		0.0133	
Middle Atlantic	0.5677		0.9674		0.4096	
Midwest	0.2357		0.6435		0.9248	
East North Central	0.2106		0.9411		0.6562	
West North Central	0.7698		0.4150		0.6367	
South	0.2259		0.8183		0.7604	
South Atlantic	0.5695		0.6206		0.8052	
East South Central	0.2387		0.4678		0.6288	
West South Central	0.5960		0.2734		0.4145	
West	0.7092		0.1151		0.1523	
Mountain	0.5037		0.8820		0.7827	
Pacific	0.4994		0.1020		0.0862	
COUNTY TYPE¹						
Large Metro	0.5334		0.3263		0.6533	
Small Metro	0.9639		0.6059		0.8030	
250K – 1 Mil. Pop.	0.5850		0.5177		0.4219	
< 250K Pop.	0.5097		0.1046		0.5322	
Nonmetro	0.5736		0.7316		0.7124	
Urbanized	0.7596		0.8942		0.8255	
Less Urbanized	0.5429		0.4684		0.3591	
Completely Rural	0.8256		0.2438		0.1153	

*Low precision; no estimate reported.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.