

Table 3.24A Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	5,085 ^b	5,940	19,598 ^a	18,979
(I) Demographic Characteristic				
AGE				
12-13	1,675 ^b	2,052	6,573	6,364
14-15	1,851 ^b	2,166	6,600 ^b	6,076
16-17	1,560 ^a	1,722	6,426	6,539
GENDER				
Male	3,135 ^b	3,501	9,477	9,218
Female	1,951 ^b	2,439	10,121	9,761
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4,174 ^b	4,803	16,589	16,062
White	2,935 ^b	3,320	12,557	12,208
Black or African American	942 ^b	1,122	2,658	2,598
American Indian or Alaska Native	52	56	137	116
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	146	161	865	807
Two or More Races	83	118	309	283
Hispanic or Latino	912 ^b	1,137	3,010	2,917
COUNTY TYPE²				
Large Metro	2,789 ^b	3,242	10,391	10,026
Small Metro	1,439 ^b	1,726	5,774	5,656
Nonmetro	858 ^a	972	3,433	3,297
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,052	1,164	1,817 ^a	1,634
Marijuana	739	805	1,281	1,159
Any Illicit Drug Other Than Marijuana ³	574	616	841	794
Cigarettes	1,086	1,136	2,114 ^a	1,894
Alcohol	1,345	1,475	3,012	2,941
Binge Alcohol ⁴	918	975	1,720	1,678
PAST YEAR				
Any Illicit Drug ³	1,815 ^b	2,069	3,661 ^a	3,362
Marijuana	1,293	1,414	2,603 ^b	2,313
Any Illicit Drug Other Than Marijuana ³	1,226	1,361	2,099	1,977
Cigarettes	1,672	1,687	3,354 ^b	3,028
Alcohol	2,344 ^b	2,686	6,199 ^a	5,861
LIFETIME				
Any Illicit Drug ³	2,462 ^b	2,803	5,147 ^a	4,799
Marijuana	1,666	1,765	3,426 ^b	3,102
Any Illicit Drug Other Than Marijuana ³	1,825 ^b	2,087	3,433	3,216
Cigarettes	2,459	2,579	5,757 ^b	5,147
Alcohol	2,929 ^b	3,371	7,794 ^b	7,322

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.24B Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	20.6 ^b	23.8	79.4 ^b	76.2
(I) Demographic Characteristic				
AGE				
12-13	20.3 ^b	24.4	79.7 ^b	75.6
14-15	21.9 ^b	26.3	78.1 ^b	73.7
16-17	19.5	20.8	80.5	79.2
GENDER				
Male	24.9 ^b	27.5	75.1 ^b	72.5
Female	16.2 ^b	20.0	83.8 ^b	80.0
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	20.1 ^b	23.0	79.9 ^b	77.0
White	18.9 ^b	21.4	81.1 ^b	78.6
Black or African American	26.2 ^b	30.2	73.8 ^b	69.8
American Indian or Alaska Native	27.4	32.7	72.6	67.3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14.5	16.7	85.5	83.3
Two or More Races	21.2 ^a	29.4	78.8 ^a	70.6
Hispanic or Latino	23.3 ^b	28.0	76.7 ^b	72.0
COUNTY TYPE²				
Large Metro	21.2 ^b	24.4	78.8 ^b	75.6
Small Metro	19.9 ^b	23.4	80.1 ^b	76.6
Nonmetro	20.0 ^a	22.8	80.0 ^a	77.2
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	20.7	19.6	9.3	8.6
Marijuana	14.5	13.6	6.5	6.1
Any Illicit Drug Other Than Marijuana ³	11.3	10.4	4.3	4.2
Cigarettes	21.4 ^a	19.1	10.8	10.0
Alcohol	26.4	24.8	15.4	15.5
Binge Alcohol ⁴	18.0	16.4	8.8	8.8
PAST YEAR				
Any Illicit Drug ³	35.7	34.8	18.7	17.7
Marijuana	25.4	23.8	13.3 ^a	12.2
Any Illicit Drug Other Than Marijuana ³	24.1	22.9	10.7	10.4
Cigarettes	32.9 ^b	28.4	17.1 ^a	16.0
Alcohol	46.1	45.2	31.6	30.9
LIFETIME				
Any Illicit Drug ³	48.4	47.2	26.3	25.3
Marijuana	32.8 ^a	29.7	17.5 ^a	16.3
Any Illicit Drug Other Than Marijuana ³	35.9	35.1	17.5	16.9
Cigarettes	48.4 ^b	43.4	29.4 ^b	27.1
Alcohol	57.6	56.8	39.8	38.6

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.25A Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	3,925 ^b	4,519	20,756	20,386
(I) Demographic Characteristic				
AGE				
12-13	1,285 ^b	1,544	6,959	6,869
14-15	1,361 ^b	1,608	7,091 ^b	6,627
16-17	1,280	1,368	6,706	6,890
GENDER				
Male	2,300	2,468	10,314	10,239
Female	1,626 ^b	2,051	10,442	10,147
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3,217 ^b	3,667	17,547	17,195
White	2,289 ^b	2,564	13,203	12,963
Black or African American	709 ^a	824	2,896	2,895
American Indian or Alaska Native	57	44	132	130
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	87	132	922	834
Two or More Races	62	82	330	319
Hispanic or Latino	708 ^a	852	3,209	3,191
COUNTY TYPE²				
Large Metro	2,126 ^b	2,397	11,046	10,855
Small Metro	1,134 ^b	1,382	6,083	6,002
Nonmetro	665	741	3,626	3,529
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	953	959	1,911	1,840
Marijuana	681	684	1,334	1,280
Any Illicit Drug Other Than Marijuana ³	503	511	912	899
Cigarettes	934	959	2,265 ^a	2,066
Alcohol	1,170	1,234	3,182	3,180
Binge Alcohol ⁴	835	869	1,800	1,781
PAST YEAR				
Any Illicit Drug ³	1,525	1,667	3,947	3,763
Marijuana	1,086	1,159	2,805 ^a	2,567
Any Illicit Drug Other Than Marijuana ³	1,060	1,121	2,262	2,217
Cigarettes	1,368	1,373	3,657 ^b	3,338
Alcohol	1,991 ^a	2,182	6,549	6,361
LIFETIME				
Any Illicit Drug ³	2,018 ^a	2,245	5,589	5,348
Marijuana	1,362	1,438	3,726 ^a	3,427
Any Illicit Drug Other Than Marijuana ³	1,548	1,706	3,710	3,588
Cigarettes	1,975	2,060	6,241 ^b	5,659
Alcohol	2,410 ^b	2,690	8,306	7,999

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.25B Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	15.9 ^b	18.1	84.1 ^b	81.9
(I) Demographic Characteristic				
AGE				
12-13	15.6 ^b	18.3	84.4 ^b	81.7
14-15	16.1 ^b	19.5	83.9 ^b	80.5
16-17	16.0	16.6	84.0	83.4
GENDER				
Male	18.2	19.4	81.8	80.6
Female	13.5 ^b	16.8	86.5 ^b	83.2
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	15.5 ^b	17.6	84.5 ^b	82.4
White	14.8 ^b	16.5	85.2 ^b	83.5
Black or African American	19.7	22.1	80.3	77.9
American Indian or Alaska Native	30.0	25.4	70.0	74.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	8.6 ^a	13.7	91.4 ^a	86.3
Two or More Races	15.8	20.5	84.2	79.5
Hispanic or Latino	18.1 ^a	21.1	81.9 ^a	78.9
COUNTY TYPE²				
Large Metro	16.1 ^b	18.1	83.9 ^b	81.9
Small Metro	15.7 ^b	18.7	84.3 ^b	81.3
Nonmetro	15.5 ^a	17.3	84.5 ^a	82.7
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	24.3 ^a	21.2	9.2	9.0
Marijuana	17.4 ^a	15.1	6.4	6.3
Any Illicit Drug Other Than Marijuana ³	12.8	11.3	4.4	4.4
Cigarettes	23.8 ^a	21.2	10.9	10.1
Alcohol	29.8	27.3	15.3	15.6
Binge Alcohol ⁴	21.3	19.2	8.7	8.7
PAST YEAR				
Any Illicit Drug ³	38.8	36.9	19.0	18.5
Marijuana	27.7	25.6	13.5 ^a	12.6
Any Illicit Drug Other Than Marijuana ³	27.0	24.8	10.9	10.9
Cigarettes	34.8 ^b	30.4	17.6 ^a	16.4
Alcohol	50.7	48.3	31.6	31.2
LIFETIME				
Any Illicit Drug ³	51.4	49.7	26.9	26.2
Marijuana	34.7 ^a	31.8	18.0 ^a	16.8
Any Illicit Drug Other Than Marijuana ³	39.4	37.7	17.9	17.6
Cigarettes	50.3 ^b	45.6	30.1 ^b	27.8
Alcohol	61.4	59.5	40.0	39.2

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.26A Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Carried a Handgun ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	816	904	23,881	24,023
(I) Demographic Characteristic				
AGE				
12-13	200	233	8,060	8,202
14-15	314	301	8,139	7,929
16-17	302	369	7,682	7,892
GENDER				
Male	674	761	11,934	11,957
Female	142	143	11,947	12,066
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	657	719	20,114	20,157
White	470	538	15,026	14,994
Black or African American	141	128	3,466	3,594
American Indian or Alaska Native	*	8	*	168
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	8	27	1,004	944
Two or More Races	13	13	378	387
Hispanic or Latino	159	185	3,767	3,866
COUNTY TYPE²				
Large Metro	381	410	12,802	12,859
Small Metro	257	289	6,965	7,096
Nonmetro	178	205	4,114	4,068
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	283	294	2,578	2,503
Marijuana	213	217	1,801	1,744
Any Illicit Drug Other Than Marijuana ³	145	180	1,267	1,231
Cigarettes	248	273	2,950	2,756
Alcohol	277	324	4,078	4,090
Binge Alcohol ⁴	221	241	2,417	2,408
PAST YEAR				
Any Illicit Drug ³	379	428	5,095	4,998
Marijuana	287	331	3,608	3,390
Any Illicit Drug Other Than Marijuana ³	256	295	3,065	3,043
Cigarettes	319	367	4,707 ^b	4,344
Alcohol	443	509	8,104	8,033
LIFETIME				
Any Illicit Drug ³	470 ^a	565	7,140	7,028
Marijuana	355	401	4,736	4,462
Any Illicit Drug Other Than Marijuana ³	345 ^a	438	4,913	4,861
Cigarettes	459	531	7,760 ^b	7,192
Alcohol	544	598	10,181	10,090

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.26B Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Carried a Handgun ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	3.3	3.6	96.7	96.4
(I) Demographic Characteristic				
AGE				
12-13	2.4	2.8	97.6	97.2
14-15	3.7	3.7	96.3	96.3
16-17	3.8	4.5	96.2	95.5
GENDER				
Male	5.3	6.0	94.7	94.0
Female	1.2	1.2	98.8	98.8
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3.2	3.4	96.8	96.6
White	3.0	3.5	97.0	96.5
Black or African American	3.9	3.4	96.1	96.6
American Indian or Alaska Native	*	4.4	*	95.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.8	2.7	99.2	97.3
Two or More Races	3.2	3.3	96.8	96.7
Hispanic or Latino	4.1	4.6	95.9	95.4
COUNTY TYPE²				
Large Metro	2.9	3.1	97.1	96.9
Small Metro	3.6	3.9	96.4	96.1
Nonmetro	4.2	4.8	95.8	95.2
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	34.6	32.5	10.8	10.4
Marijuana	26.1	24.0	7.5	7.3
Any Illicit Drug Other Than Marijuana ³	17.8	19.9	5.3	5.1
Cigarettes	30.4	30.2	12.4 ^a	11.5
Alcohol	34.0	35.8	17.1	17.0
Binge Alcohol ⁴	27.0	26.7	10.1	10.0
PAST YEAR				
Any Illicit Drug ³	46.4	47.3	21.3	20.8
Marijuana	35.1	36.7	15.1 ^a	14.1
Any Illicit Drug Other Than Marijuana ³	31.3	32.7	12.8	12.7
Cigarettes	39.1	40.6	19.7 ^b	18.1
Alcohol	54.3	56.4	33.9	33.4
LIFETIME				
Any Illicit Drug ³	57.6	62.5	29.9	29.3
Marijuana	43.5	44.3	19.8 ^a	18.6
Any Illicit Drug Other Than Marijuana ³	42.3	48.5	20.6	20.2
Cigarettes	56.3	58.7	32.5 ^b	29.9
Alcohol	66.6	66.2	42.6	42.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.27A Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	1,076 ^b	904	23,625	24,013
(I) Demographic Characteristic				
AGE				
12-13	78	57	8,193	8,378
14-15	360	311	8,088	7,920
16-17	638 ^a	535	7,344 ^a	7,715
GENDER				
Male	768 ^a	653	11,846	12,060
Female	308 ^a	250	11,778	11,953
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	931 ^b	762	19,854	20,104
White	752 ^b	601	14,756	14,929
Black or African American	135	118	3,471	3,596
American Indian or Alaska Native	*	10	*	165
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	7	5	1,005	967
Two or More Races	15	24	377	377
Hispanic or Latino	146	141	3,771	3,909
COUNTY TYPE²				
Large Metro	556 ^a	472	12,629	12,792
Small Metro	346 ^a	265	6,879	7,114
Nonmetro	175	167	4,117	4,106
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	740 ^b	605	2,119	2,174
Marijuana	654 ^b	530	1,355	1,413
Any Illicit Drug Other Than Marijuana ³	374	325	1,038	1,074
Cigarettes	612	544	2,587	2,471
Alcohol	675	602	3,676	3,797
Binge Alcohol ⁴	553	493	2,079	2,146
PAST YEAR				
Any Illicit Drug ³	937 ^b	786	4,532	4,623
Marijuana	880 ^b	733	3,006	2,971
Any Illicit Drug Other Than Marijuana ³	677 ^b	538	2,644	2,789
Cigarettes	780 ^a	658	4,247	4,041
Alcohol	923 ^a	780	7,617	7,742
LIFETIME				
Any Illicit Drug ³	994 ^b	840	6,612	6,737
Marijuana	946 ^b	784	4,137	4,058
Any Illicit Drug Other Than Marijuana ³	801 ^b	653	4,455	4,630
Cigarettes	918 ^b	773	7,296 ^a	6,936
Alcohol	987 ^b	827	9,733	9,841

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.27B Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	4.4 ^b	3.6	95.6 ^b	96.4
(I) Demographic Characteristic				
AGE				
12-13	0.9	0.7	99.1	99.3
14-15	4.3	3.8	95.7	96.2
16-17	8.0 ^b	6.5	92.0 ^b	93.5
GENDER				
Male	6.1 ^a	5.1	93.9 ^a	94.9
Female	2.6 ^a	2.1	97.4 ^a	97.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4.5 ^b	3.7	95.5 ^b	96.3
White	4.8 ^b	3.9	95.2 ^b	96.1
Black or African American	3.7	3.2	96.3	96.8
American Indian or Alaska Native	*	5.9	*	94.1
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.7	0.5	99.3	99.5
Two or More Races	3.7	6.0	96.3	94.0
Hispanic or Latino	3.7	3.5	96.3	96.5
COUNTY TYPE²				
Large Metro	4.2 ^a	3.6	95.8 ^a	96.4
Small Metro	4.8 ^b	3.6	95.2 ^b	96.4
Nonmetro	4.1	3.9	95.9	96.1
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	68.8	67.0	9.0	9.1
Marijuana	60.8	58.7	5.7	5.9
Any Illicit Drug Other Than Marijuana ³	34.7	36.0	4.4	4.5
Cigarettes	56.9	60.3	10.9	10.3
Alcohol	62.7	66.6	15.6	15.8
Binge Alcohol ⁴	51.3	54.6	8.8	8.9
PAST YEAR				
Any Illicit Drug ³	87.0	87.0	19.2	19.3
Marijuana	81.7	81.1	12.7	12.4
Any Illicit Drug Other Than Marijuana ³	62.9	59.6	11.2	11.6
Cigarettes	72.4	72.8	18.0 ^a	16.8
Alcohol	85.8	86.3	32.2	32.2
LIFETIME				
Any Illicit Drug ³	92.3	92.9	28.0	28.1
Marijuana	87.8	86.8	17.5	16.9
Any Illicit Drug Other Than Marijuana ³	74.4	72.3	18.9	19.3
Cigarettes	85.3	85.5	30.9 ^b	28.9
Alcohol	91.7	91.6	41.2	41.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.28A Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	1,219	1,112	23,480	23,816
(I) Demographic Characteristic				
AGE				
12-13	209	191	8,053	8,243
14-15	415	432	8,034	7,803
16-17	595 ^a	489	7,393 ^a	7,770
GENDER				
Male	804	748	11,809	11,979
Female	414	364	11,670	11,837
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	980	887	19,801	19,994
White	736	660	14,768	14,876
Black or African American	175	160	3,434	3,566
American Indian or Alaska Native	*	9	*	167
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	20	33	990	938
Two or More Races	20	18	372	380
Hispanic or Latino	239	225	3,679	3,822
COUNTY TYPE²				
Large Metro	685	594	12,494	12,676
Small Metro	366	327	6,860	7,058
Nonmetro	168	191	4,127	4,082
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	534 ^a	435	2,326	2,361
Marijuana	410	359	1,601	1,601
Any Illicit Drug Other Than Marijuana ³	302	245	1,111	1,164
Cigarettes	487	457	2,712	2,569
Alcohol	564	556	3,786	3,851
Binge Alcohol ⁴	441	412	2,193	2,233
PAST YEAR				
Any Illicit Drug ³	786 ^a	678	4,682	4,746
Marijuana	623	563	3,266	3,157
Any Illicit Drug Other Than Marijuana ³	563 ^a	467	2,757	2,869
Cigarettes	636	602	4,390 ^a	4,110
Alcohol	841	809	7,699	7,728
LIFETIME				
Any Illicit Drug ³	933 ^a	810	6,674	6,780
Marijuana	734	653	4,350	4,206
Any Illicit Drug Other Than Marijuana ³	763 ^b	619	4,494	4,673
Cigarettes	846	777	7,369 ^a	6,947
Alcohol	964	896	9,757	9,789

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.28B Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	4.9	4.5	95.1	95.5
(I) Demographic Characteristic				
AGE				
12-13	2.5	2.3	97.5	97.7
14-15	4.9	5.2	95.1	94.8
16-17	7.4 ^b	5.9	92.6 ^b	94.1
GENDER				
Male	6.4	5.9	93.6	94.1
Female	3.4	3.0	96.6	97.0
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4.7	4.2	95.3	95.8
White	4.7	4.2	95.3	95.8
Black or African American	4.8	4.3	95.2	95.7
American Indian or Alaska Native	*	4.9	*	95.1
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.0	3.4	98.0	96.6
Two or More Races	5.1	4.6	94.9	95.4
Hispanic or Latino	6.1	5.6	93.9	94.4
COUNTY TYPE²				
Large Metro	5.2	4.5	94.8	95.5
Small Metro	5.1	4.4	94.9	95.6
Nonmetro	3.9	4.5	96.1	95.5
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	43.8	39.1	9.9	9.9
Marijuana	33.6	32.3	6.8	6.7
Any Illicit Drug Other Than Marijuana ³	24.8	22.0	4.7	4.9
Cigarettes	39.9	41.1	11.5	10.8
Alcohol	46.3	50.0	16.1	16.2
Binge Alcohol ⁴	36.2	37.1	9.3	9.4
PAST YEAR				
Any Illicit Drug ³	64.5	61.0	19.9	19.9
Marijuana	51.1	50.6	13.9	13.3
Any Illicit Drug Other Than Marijuana ³	46.2	42.0	11.7	12.0
Cigarettes	52.2	54.1	18.7 ^b	17.3
Alcohol	69.0	72.8	32.8	32.4
LIFETIME				
Any Illicit Drug ³	76.5	72.8	28.4	28.5
Marijuana	60.2	58.7	18.5	17.7
Any Illicit Drug Other Than Marijuana ³	62.6 ^a	55.7	19.1	19.6
Cigarettes	69.4	69.9	31.4 ^b	29.2
Alcohol	79.1	80.5	41.6	41.1

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.29A Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	1,933	2,071	22,771	22,852
(I) Demographic Characteristic				
AGE				
12-13	535	609	7,729	7,816
14-15	697	724	7,758	7,513
16-17	702	737	7,284	7,522
GENDER				
Male	1,227	1,310	11,389	11,412
Female	707	761	11,382	11,439
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	1,643	1,703	19,137	19,173
White	1,048	1,076	14,455	14,462
Black or African American	472	521	3,134	3,195
American Indian or Alaska Native	*	14	*	161
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	46	46	966	926
Two or More Races	40	36	352	364
Hispanic or Latino	291	368	3,635	3,678
COUNTY TYPE²				
Large Metro	1,080	1,136	12,106	12,130
Small Metro	569	582	6,655	6,800
Nonmetro	284 ^a	352	4,011	3,921
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	567	574	2,297	2,219
Marijuana	428	415	1,587	1,548
Any Illicit Drug Other Than Marijuana ³	305	310	1,110	1,093
Cigarettes	554	573	2,648	2,459
Alcohol	640	670	3,715	3,744
Binge Alcohol ⁴	468	479	2,168	2,172
PAST YEAR				
Any Illicit Drug ³	922	940	4,557	4,483
Marijuana	696	685	3,200	3,037
Any Illicit Drug Other Than Marijuana ³	630	659	2,697	2,674
Cigarettes	790	784	4,240 ^a	3,933
Alcohol	1,063	1,117	7,488	7,426
LIFETIME				
Any Illicit Drug ³	1,182	1,213	6,433	6,381
Marijuana	863	828	4,229	4,036
Any Illicit Drug Other Than Marijuana ³	898	942	4,365	4,353
Cigarettes	1,129	1,113	7,092 ^b	6,610
Alcohol	1,309	1,395	9,423	9,292

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.29B Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	7.8	8.3	92.2	91.7
(I) Demographic Characteristic				
AGE				
12-13	6.5	7.2	93.5	92.8
14-15	8.2	8.8	91.8	91.2
16-17	8.8	8.9	91.2	91.1
GENDER				
Male	9.7	10.3	90.3	89.7
Female	5.8	6.2	94.2	93.8
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	7.9	8.2	92.1	91.8
White	6.8	6.9	93.2	93.1
Black or African American	13.1	14.0	86.9	86.0
American Indian or Alaska Native	*	8.0	*	92.0
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	4.5	4.7	95.5	95.3
Two or More Races	10.3	9.0	89.7	91.0
Hispanic or Latino	7.4	9.1	92.6	90.9
COUNTY TYPE²				
Large Metro	8.2	8.6	91.8	91.4
Small Metro	7.9	7.9	92.1	92.1
Nonmetro	6.6 ^a	8.2	93.4 ^a	91.8
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	29.3	27.7	10.1	9.7
Marijuana	22.1	20.0	7.0	6.8
Any Illicit Drug Other Than Marijuana ³	15.8	15.0	4.9	4.8
Cigarettes	28.6	27.7	11.6 ^a	10.8
Alcohol	33.1	32.3	16.3	16.4
Binge Alcohol ⁴	24.2	23.1	9.5	9.5
PAST YEAR				
Any Illicit Drug ³	47.7	45.4	20.0	19.6
Marijuana	36.0	33.1	14.1	13.3
Any Illicit Drug Other Than Marijuana ³	32.6	31.8	11.8	11.7
Cigarettes	40.9	37.9	18.6 ^b	17.2
Alcohol	55.0	53.9	32.9	32.5
LIFETIME				
Any Illicit Drug ³	61.1	58.6	28.2	27.9
Marijuana	44.6 ^a	40.0	18.6	17.7
Any Illicit Drug Other Than Marijuana ³	46.5	45.5	19.2	19.0
Cigarettes	58.4 ^a	53.7	31.1 ^b	28.9
Alcohol	67.7	67.4	41.4	40.7

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.