

**Table 4.15A Numbers (in Thousands) of Persons Who First Used Alcohol in the United States, Their Mean Age at First Use, and Rates of First Use (Per 1,000 Person-Years of Exposure): 1965-2002, Based on 2002 and 2003 NSDUHs**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	3,283	1,824	1,459	17.4	95.6	224.2
<b>1966</b>	2,954	1,698	1,256	16.9	90.4	200.7
<b>1967</b>	3,609	2,013	1,595	17.1	108.2	237.0
<b>1968</b>	3,648	2,204	1,444	17.0	116.2	207.1
<b>1969</b>	3,955	2,217	1,738	17.1	115.7	270.4
<b>1970</b>	4,064	2,408	1,656	17.0	122.7	265.6
<b>1971</b>	3,918	2,430	1,488	16.8	122.6	237.4
<b>1972</b>	4,320	2,767	1,553	16.9	143.1	258.2
<b>1973</b>	4,140	2,676	1,464	16.5	141.9	250.2
<b>1974</b>	4,053	2,759	1,294	16.6	147.8	225.9
<b>1975</b>	3,999	2,630	1,368	16.8	140.5	228.2
<b>1976</b>	3,900	2,603	1,298	16.7	142.5	219.0
<b>1977</b>	4,103	2,850	1,253	16.4	161.4	224.2
<b>1978</b>	3,938	2,734	1,204	16.3	159.5	215.8
<b>1979</b>	3,959	2,773	1,186	16.3	169.6	218.0
<b>1980</b>	3,596	2,381	1,215	16.8	148.5	217.0
<b>1981</b>	3,744	2,526	1,218	16.5	161.2	225.0
<b>1982</b>	3,642	2,515	1,127	16.6	159.8	208.1
<b>1983</b>	3,219	2,195	1,024	16.6	140.0	201.0
<b>1984</b>	3,407	2,409	997	16.3	157.4	202.0
<b>1985</b>	3,288	2,233	1,055	16.8	147.9	219.7
<b>1986</b>	3,207	2,359	848	16.0	159.8	178.6
<b>1987</b>	3,086	2,101	985	16.6	145.9	197.6
<b>1988</b>	3,046	2,098	949	16.3	147.4	187.9
<b>1989</b>	3,220	2,121	1,099	16.7	151.8	210.5
<b>1990</b>	2,884	1,950	934	16.5	136.3	185.6
<b>1991</b>	2,961	1,887	1,074	16.7	127.0	218.6
<b>1992</b>	3,182	2,114	1,068	16.9	137.3	206.4
<b>1993</b>	3,190	2,234	956	16.4	141.3	190.2
<b>1994</b>	3,252	2,283	969	16.0	137.6	198.2
<b>1995</b>	3,278	2,258	1,021	16.2	133.5	207.3
<b>1996</b>	3,462	2,358	1,104	16.5	134.6	218.8
<b>1997</b>	3,697	2,635	1,062	16.1	146.0	214.5
<b>1998</b>	3,949	2,709	1,239	16.5	150.6	236.7
<b>1999</b>	4,258	3,007	1,251	16.3	165.5	239.9
<b>2000</b>	5,079	3,664	1,415	16.1	215.1	287.7
<b>2001<sup>2</sup></b>	5,259	3,830	1,429	16.2	225.7	288.8
<b>2002<sup>2</sup></b>	--	--	1,398	--	219.1	305.3

\*Low precision; no estimate reported.

-- Not available.

NOTE: Comparisons between years, particularly between recent estimates and those from 10 or more years prior, should be made with caution due to potential reporting and other biases.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure of persons in the age group measured in thousands of years.

<sup>2</sup> Estimated using 2003 data only.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 4.16A Numbers (in Thousands) of Persons Who First Used Alcohol in the United States by Underage and Legal Drinking Age Groups, Their Mean Age at First Use, and Rates of First Use (Per 1,000 Person-Years of Exposure): 1965-2002, Based on 2002 and 2003 NSDUHs**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 21	21 or Older		12-20	21-25
<b>1965</b>	3,283	2,694	589	17.4	123.1	172.2
<b>1966</b>	2,954	2,571	383	16.9	117.2	133.9
<b>1967</b>	3,609	3,123	486	17.1	142.0	148.9
<b>1968</b>	3,648	3,149	499	17.0	141.4	134.8
<b>1969</b>	3,955	3,257	698	17.1	146.4	228.3
<b>1970</b>	4,064	3,344	720	17.0	148.5	234.0
<b>1971</b>	3,918	3,261	657	16.8	144.4	197.3
<b>1972</b>	4,320	3,617	702	16.9	163.0	232.0
<b>1973</b>	4,140	3,712	428	16.5	171.5	135.1
<b>1974</b>	4,053	3,581	472	16.6	167.5	154.5
<b>1975</b>	3,999	3,456	543	16.8	161.1	165.3
<b>1976</b>	3,900	3,426	474	16.7	163.2	142.4
<b>1977</b>	4,103	3,640	463	16.4	179.3	153.9
<b>1978</b>	3,938	3,471	467	16.3	176.3	152.9
<b>1979</b>	3,959	3,545	414	16.3	187.6	142.0
<b>1980</b>	3,596	3,168	428	16.8	171.4	127.4
<b>1981</b>	3,744	3,350	393	16.5	185.3	122.3
<b>1982</b>	3,642	3,211	431	16.6	178.2	125.5
<b>1983</b>	3,219	2,814	405	16.6	156.9	140.1
<b>1984</b>	3,407	3,022	384	16.3	172.6	136.4
<b>1985</b>	3,288	2,869	419	16.8	167.4	148.9
<b>1986</b>	3,207	2,900	307	16.0	171.5	113.4
<b>1987</b>	3,086	2,669	417	16.6	160.3	150.3
<b>1988</b>	3,046	2,638	408	16.3	157.3	164.3
<b>1989</b>	3,220	2,763	457	16.7	167.3	169.8
<b>1990</b>	2,884	2,472	412	16.5	147.7	162.3
<b>1991</b>	2,961	2,467	495	16.7	144.4	194.5
<b>1992</b>	3,182	2,647	535	16.9	149.7	189.1
<b>1993</b>	3,190	2,766	424	16.4	152.2	160.6
<b>1994</b>	3,252	2,871	381	16.0	151.9	153.5
<b>1995</b>	3,278	2,857	422	16.2	148.0	172.9
<b>1996</b>	3,462	3,011	451	16.5	152.3	165.8
<b>1997</b>	3,697	3,281	416	16.1	160.5	169.7
<b>1998</b>	3,949	3,493	455	16.5	170.8	163.1
<b>1999</b>	4,258	3,752	506	16.3	181.3	190.9
<b>2000</b>	5,079	4,526	554	16.1	231.1	235.8
<b>2001<sup>2</sup></b>	5,259	4,654	605	16.2	239.2	244.4
<b>2002<sup>2</sup></b>	--	--	539	--	239.4	224.6

\*Low precision; no estimate reported.

-- Not available.

NOTE: Comparisons between years, particularly between recent estimates and those from 10 or more years prior, should be made with caution due to potential reporting and other biases.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure of persons in the age group measured in thousands of years.

<sup>2</sup> Estimated using 2003 data only.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 4.17A Numbers (in Thousands) of Persons Who First Used Any Cigarettes in the United States, Their Mean Age at First Use, and Rates of First Use (Per 1,000 Person-Years of Exposure): 1965-2002, Based on 2002 and 2003 NSDUHs**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	2,771	2,145	626	15.0	121.6	101.5
<b>1966</b>	2,621	1,907	714	15.4	109.9	101.3
<b>1967</b>	3,087	2,368	719	15.4	140.1	96.6
<b>1968</b>	3,020	2,192	828	15.5	123.7	108.5
<b>1969</b>	2,984	2,340	645	15.4	134.9	79.6
<b>1970</b>	3,152	2,433	719	15.1	131.9	92.9
<b>1971</b>	3,233	2,506	727	15.2	135.3	88.1
<b>1972</b>	3,520	2,776	744	15.0	153.3	90.1
<b>1973</b>	3,422	2,785	637	14.7	154.5	72.0
<b>1974</b>	3,387	2,720	666	14.9	151.9	76.3
<b>1975</b>	3,436	2,715	721	15.2	158.7	75.4
<b>1976</b>	3,348	2,573	775	15.3	153.3	80.5
<b>1977</b>	2,862	2,239	624	15.1	135.2	65.0
<b>1978</b>	3,139	2,515	624	15.2	154.9	60.6
<b>1979</b>	2,941	2,270	671	15.3	141.9	67.3
<b>1980</b>	2,724	1,988	736	15.8	126.2	70.9
<b>1981</b>	2,617	1,953	665	15.4	125.5	69.1
<b>1982</b>	2,514	1,994	521	15.5	129.6	50.0
<b>1983</b>	2,602	2,031	571	15.9	134.6	52.9
<b>1984</b>	2,412	1,912	500	15.2	123.5	52.1
<b>1985</b>	2,534	1,959	575	15.3	128.2	61.0
<b>1986</b>	2,364	1,827	537	15.5	119.5	55.9
<b>1987</b>	2,417	1,797	620	15.5	116.1	65.6
<b>1988</b>	2,484	1,787	697	15.6	116.8	71.3
<b>1989</b>	2,532	1,831	701	16.0	123.0	70.1
<b>1990</b>	2,420	1,777	644	15.6	116.5	64.1
<b>1991</b>	2,482	1,831	652	15.5	116.3	64.9
<b>1992</b>	2,625	1,892	733	15.9	117.8	67.9
<b>1993</b>	2,820	2,152	668	15.2	131.6	66.4
<b>1994</b>	2,866	2,144	722	15.3	125.2	70.4
<b>1995</b>	3,111	2,392	718	15.3	139.2	71.7
<b>1996</b>	3,249	2,486	763	15.3	141.7	79.9
<b>1997</b>	3,317	2,454	863	15.6	136.7	87.6
<b>1998</b>	3,257	2,521	736	15.5	141.8	75.9
<b>1999</b>	3,197	2,408	788	15.8	138.6	82.7
<b>2000</b>	2,966	2,247	719	15.8	129.6	74.1
<b>2001<sup>2</sup></b>	2,677	2,028	650	16.1	115.2	65.3
<b>2002<sup>2</sup></b>	--	--	658	--	100.1	59.6

\*Low precision; no estimate reported.

-- Not available.

NOTE: Comparisons between years, particularly between recent estimates and those from 10 or more years prior, should be made with caution due to potential reporting and other biases.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure of persons in the age group measured in thousands of years.

<sup>2</sup> Estimated using 2003 data only.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 4.18A Numbers (in Thousands) of Persons Who Began Daily Cigarette Use in the United States, Their Mean Age at First Use, and Rates of First Use (Per 1,000 Person-Years of Exposure): 1965-2002, Based on 2002 and 2003 NSDUHs**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	1,518	693	825	18.2	34.1	62.4
<b>1966</b>	1,613	843	770	17.8	41.7	57.4
<b>1967</b>	1,691	871	820	17.3	41.9	60.2
<b>1968</b>	1,664	684	979	18.2	30.5	64.5
<b>1969</b>	1,929	879	1,051	18.2	40.0	67.7
<b>1970</b>	1,771	882	890	18.1	40.4	50.5
<b>1971</b>	1,851	938	913	17.7	42.5	51.6
<b>1972</b>	2,021	1,052	970	17.4	47.4	56.1
<b>1973</b>	2,137	1,117	1,020	17.6	48.5	52.8
<b>1974</b>	2,003	1,130	874	17.5	49.7	46.4
<b>1975</b>	2,218	1,317	901	17.3	58.7	46.1
<b>1976</b>	1,971	1,107	864	17.7	50.7	40.7
<b>1977</b>	1,927	1,074	853	17.7	49.6	40.2
<b>1978</b>	1,930	1,024	906	18.2	48.3	41.4
<b>1979</b>	1,776	939	837	17.9	45.5	37.6
<b>1980</b>	1,707	872	835	18.3	41.7	34.6
<b>1981</b>	1,611	863	748	18.0	43.0	32.1
<b>1982</b>	1,699	864	835	18.2	42.8	36.0
<b>1983</b>	1,496	737	760	18.4	36.8	32.3
<b>1984</b>	1,425	729	696	18.0	37.7	30.8
<b>1985</b>	1,421	778	642	17.6	40.1	29.7
<b>1986</b>	1,364	783	581	18.0	41.5	24.2
<b>1987</b>	1,421	739	682	18.2	38.6	28.8
<b>1988</b>	1,302	618	684	18.8	33.9	28.8
<b>1989</b>	1,317	634	683	18.4	34.6	30.6
<b>1990</b>	1,441	704	737	18.7	39.1	31.6
<b>1991</b>	1,525	676	849	19.1	36.8	34.9
<b>1992</b>	1,485	735	750	18.7	39.1	31.1
<b>1993</b>	1,394	787	608	17.8	40.9	27.1
<b>1994</b>	1,627	845	782	18.2	42.1	34.0
<b>1995</b>	1,606	875	731	17.9	42.4	33.6
<b>1996</b>	1,940	1,038	902	18.8	49.2	38.6
<b>1997</b>	2,020	1,085	935	18.5	50.6	42.8
<b>1998</b>	1,866	1,024	842	18.0	46.6	40.7
<b>1999</b>	1,869	1,030	839	18.4	46.6	38.7
<b>2000</b>	1,911	1,030	881	18.4	45.5	38.6
<b>2001</b>	1,617	879	738	19.0	38.9	30.8
<b>2002<sup>2</sup></b>	1,360	734	626	19.4	31.8	24.6

\*Low precision; no estimate reported.

-- Not available.

NOTE: Comparisons between years, particularly between recent estimates and those from 10 or more years prior, should be made with caution due to potential reporting and other biases.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure of persons in the age group measured in thousands of years.

<sup>2</sup> Estimated using 2003 data only.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 4.19A Numbers (in Thousands) of Persons Who First Used Smokeless Tobacco in the United States, Their Mean Age at First Use, and Rates of First Use (Per 1,000 Person-Years of Exposure): 1965-2002, Based on 2002 and 2003 NSDUHs**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	595	384	210	17.5	16.7	8.0
<b>1966</b>	410	202	208	18.2	7.0	8.4
<b>1967</b>	630	334	296	17.8	12.0	11.2
<b>1968</b>	536	310	226	17.0	11.6	9.4
<b>1969</b>	598	369	229	17.1	13.3	8.1
<b>1970</b>	655	371	285	16.6	12.9	11.4
<b>1971</b>	668	366	303	17.7	12.0	8.9
<b>1972</b>	756	464	292	17.1	15.8	9.0
<b>1973</b>	866	514	351	17.2	19.5	12.0
<b>1974</b>	860	553	307	16.7	19.3	10.5
<b>1975</b>	940	594	346	17.1	19.2	10.3
<b>1976</b>	963	627	336	17.0	23.1	9.0
<b>1977</b>	1,195	718	477	17.5	27.4	13.7
<b>1978</b>	1,309	843	466	16.5	31.8	13.6
<b>1979</b>	1,410	933	477	17.1	37.7	11.9
<b>1980</b>	1,281	811	470	17.6	34.4	13.3
<b>1981</b>	1,391	864	526	17.2	37.8	14.6
<b>1982</b>	1,426	884	542	17.4	37.5	15.2
<b>1983</b>	1,282	897	385	16.9	41.4	11.2
<b>1984</b>	1,475	985	490	17.1	48.5	14.4
<b>1985</b>	1,149	836	313	16.1	41.9	9.8
<b>1986</b>	1,213	852	361	16.5	44.1	12.6
<b>1987</b>	974	630	344	17.6	32.9	11.0
<b>1988</b>	1,038	673	365	17.8	34.6	12.0
<b>1989</b>	930	580	350	17.1	30.3	13.6
<b>1990</b>	966	622	344	17.6	32.6	11.3
<b>1991</b>	964	580	385	18.6	29.9	12.0
<b>1992</b>	1,081	689	393	18.0	34.3	14.0
<b>1993</b>	976	655	321	16.6	31.7	13.2
<b>1994</b>	1,029	655	373	18.6	30.5	12.0
<b>1995</b>	1,014	666	348	17.8	29.9	12.0
<b>1996</b>	1,022	688	334	17.3	29.7	13.1
<b>1997</b>	1,007	662	345	18.2	28.4	13.0
<b>1998</b>	978	614	364	17.6	25.7	13.0
<b>1999</b>	996	652	344	17.3	26.7	13.2
<b>2000</b>	1,046	622	424	18.4	26.0	14.3
<b>2001</b>	1,008	574	434	18.6	24.3	14.9
<b>2002<sup>2</sup></b>	1,006	595	412	18.7	24.9	12.2

\*Low precision; no estimate reported.

-- Not available.

NOTE: Comparisons between years, particularly between recent estimates and those from 10 or more years prior, should be made with caution due to potential reporting and other biases.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure of persons in the age group measured in thousands of years.

<sup>2</sup> Estimated using 2003 data only.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 4.20A Numbers (in Thousands) of Persons Who First Used Cigars in the United States, Their Mean Age at First Use, and Rates of First Use (Per 1,000 Person-Years of Exposure): 1965-2002, Based on 2002 and 2003 NSDUHs**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	1,007	352	655	19.8	14.8	33.9
<b>1966</b>	1,295	597	698	18.3	27.0	40.6
<b>1967</b>	1,232	497	735	19.0	22.3	36.2
<b>1968</b>	1,270	470	801	19.2	20.9	38.9
<b>1969</b>	1,519	615	904	20.2	25.1	36.7
<b>1970</b>	1,282	444	838	19.9	18.0	36.0
<b>1971</b>	1,292	499	792	19.8	20.7	32.6
<b>1972</b>	1,540	651	889	18.9	27.0	37.2
<b>1973</b>	1,560	599	961	18.8	24.4	42.6
<b>1974</b>	1,387	506	881	20.2	19.9	31.8
<b>1975</b>	1,564	605	959	19.4	24.0	36.4
<b>1976</b>	1,453	520	933	20.6	21.9	31.4
<b>1977</b>	1,237	456	781	19.8	18.8	27.6
<b>1978</b>	1,290	426	864	20.1	18.3	30.5
<b>1979</b>	1,312	429	883	20.5	18.2	29.3
<b>1980</b>	1,387	390	997	21.0	16.6	32.7
<b>1981</b>	1,195	331	864	21.0	14.7	26.4
<b>1982</b>	1,476	384	1,092	22.1	17.8	32.7
<b>1983</b>	1,238	430	808	20.5	19.8	23.4
<b>1984</b>	1,240	322	918	20.8	15.3	30.6
<b>1985</b>	1,231	395	836	20.5	19.3	27.6
<b>1986</b>	1,169	391	777	20.6	19.7	23.9
<b>1987</b>	1,369	291	1,079	23.0	14.4	32.7
<b>1988</b>	1,566	375	1,191	22.0	18.9	36.4
<b>1989</b>	1,619	351	1,267	23.5	17.2	35.3
<b>1990</b>	1,480	346	1,134	22.4	18.0	35.4
<b>1991</b>	1,646	443	1,203	22.2	21.9	35.5
<b>1992</b>	1,893	465	1,427	23.0	22.6	41.0
<b>1993</b>	2,119	559	1,560	23.7	26.9	42.2
<b>1994</b>	2,446	765	1,681	22.3	36.4	50.2
<b>1995</b>	2,684	923	1,761	21.6	42.8	57.8
<b>1996</b>	3,197	1,030	2,167	21.9	46.6	73.3
<b>1997</b>	3,557	1,192	2,364	22.2	54.0	78.4
<b>1998</b>	3,686	1,402	2,284	22.0	62.5	76.9
<b>1999</b>	3,524	1,371	2,152	21.5	61.9	77.6
<b>2000</b>	3,527	1,494	2,033	21.9	67.8	67.9
<b>2001</b>	3,291	1,509	1,782	21.7	69.5	63.1
<b>2002<sup>2</sup></b>	3,003	1,381	1,622	20.9	62.4	56.0

\*Low precision; no estimate reported.

-- Not available.

NOTE: Comparisons between years, particularly between recent estimates and those from 10 or more years prior, should be made with caution due to potential reporting and other biases.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure of persons in the age group measured in thousands of years.

<sup>2</sup> Estimated using 2003 data only.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.