Table 5.38A Received Substance Use Treatment in the Past Year, by Detailed Age Categories: Numbers in Thousands, 2002 and 2003

		SUBST	ANCE FOR WH	ICH TREATM	ENT WAS RECI	EIVED IN PAS'	Γ YEAR	Drug or Alcohol <sup>1</sup> 2003  3,327  8  11  43  71  123  107  136					
	Any Illio		Alco		Both Any Illi Alco	cit Drug and		ug or Alcohol <sup>1</sup>					
Age Category	2002	2003	2002	2003	2002	2003	2002	2003					
TOTAL	2,013	1,802	2,405	2,359	1,319	1,255	3,483	3,327					
12	5	4	5	3	5	3	6	8					
13	7	4	2	6	2	3	11	11					
14	16	27	14	20	9	16	26	43					
15	59	45	47	37	36	28	87	71					
16	74	84	76	76	62	58	99	123					
17	93	78	83	73	59	54	140	107					
18	70	90	67	93	49	64	101	136					
19	43 <sup>a</sup>	87	57	65	23	41	97	123					
20	64	68	52	60	31	36	93	109					
21	73	72	72	86	39	53	121	115					
22	58	47	59	77	42	39	77	92					
23	40	57	55	70	27	41	75	102					
24	34 <sup>a</sup>	69	46 <sup>a</sup>	85	22 <sup>a</sup>	45	61 <sup>b</sup>	122					
25	35	54	45	62	23	33	61	94					
26-29	201	153	237	220	130	119	335	314					
30-34	214	120	236	232	158 <sup>a</sup>	74	333	283					
35-39	246	318	357	347	182	232	458	447					
40-44	208	197	278	292	126	160	399	383					
45-49	278 <sup>b</sup>	81	339 <sup>a</sup>	187	191 <sup>b</sup>	58	445 <sup>a</sup>	248					
50-54	151	129	167	134	90	79	261	240					
55-59	*	11	43	34	*	11	50	34					
60-64	14	8	33	71	14	8	52	71					
65 or Older	27	*	34	28	*	*	93	53					

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s). Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.38B Received Substance Use Treatment in the Past Year, by Detailed Age Categories: Percentages, 2002 and 2003

		SUBST	ANCE FOR WE	IICH TREATM	ENT WAS REC	EIVED IN PAS'	T YEAR	
	Any Illi	cit Drug		ohol	Both Any Illi			ug or Alcohol <sup>1</sup>
Age Category	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
13	0.2	0.1	0.0	0.1	0.0	0.1	0.3	0.2
14	0.4	0.7	0.3	0.5	0.2	0.4	0.6	1.0
15	1.4	1.1	1.1	0.9	0.9	0.7	2.1	1.7
16	1.8	2.0	1.9	1.8	1.5	1.4	2.5	2.9
17	2.3	1.9	2.1	1.8	1.5	1.3	3.5	2.6
18	1.6	2.0	1.5	2.0	1.1	1.4	2.3	2.9
19	1.1 <sup>a</sup>	2.2	1.4	1.7	0.6	1.1	2.4	3.2
20	1.6	1.7	1.3	1.5	0.8	0.9	2.3	2.7
21	1.8	1.8	1.8	2.2	1.0	1.3	3.0	2.9
22	1.5	1.2	1.5	1.9	1.1	1.0	2.0	2.3
23	1.1	1.4	1.4	1.8	0.7	1.0	2.0	2.5
24	$1.0^{a}$	1.9	1.3ª	2.3	0.6	1.2	$1.7^{\rm b}$	3.4
25	1.1	1.5	1.4	1.7	0.7	0.9	1.8	2.6
26-29	1.3	1.0	1.6	1.5	0.9	0.8	2.2	2.1
30-34	1.1	0.6	1.2	1.1	$0.8^{a}$	0.4	1.7	1.4
35-39	1.1	1.5	1.6	1.7	0.8	1.1	2.1	2.1
40-44	0.9	0.9	1.3	1.3	0.6	0.7	1.8	1.7
45-49	1.3 <sup>b</sup>	0.4	1.6 <sup>a</sup>	0.9	$0.9^{b}$	0.3	2.1 <sup>a</sup>	1.2
50-54	0.8	0.6	0.9	0.7	0.5	0.4	1.4	1.2
55-59	*	0.1	0.3	0.2	*	0.1	0.3	0.2
60-64	0.1	0.1	0.3	0.6	0.1	0.1	0.4	0.6
65 or Older	0.1	*	0.1	0.1	*	*	0.3	0.2

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s). Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.39A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATM	ENT WAS RE	CEIVED IN P	AST YEAR	
	Any Illi	cit Drug	Alc	ohol		Illicit Drug Icohol		it Drug or ohol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	2,013	1,802	2,405	2,359	1,319	1,255	3,483	3,327
AGE								
12-17	255	242	227	216	172	161	369	362
18-25	418 <sup>b</sup>	543	453 <sup>b</sup>	598	256 <sup>b</sup>	352	686 <sup>b</sup>	891
26 or Older	1,341	1,017	1,725	1,544	891	742	2,428	2,074
GENDER								
Male	1,262	1,188	1,743	1,647	951	842	2,334	2,266
Female	751	615	661	711	367	414	1,149	1,061
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,757	1,607	2,169	1,962	1,161	1,117	3,114	2,803
White	1,244	1,197	1,740	1,486	813	782	2,371	2,136
Black or African American	421	318	346	369	288	263	595	471
American Indian or Alaska Native	38	38	42	57	30	34	71	80
Native Hawaiian or Other Pacific Islander	3	*	2	5	2	*	4	10
Asian	14	16	15	15	9	12	20	39
Two or More Races	37	30	24	30	18	24	54	67
Hispanic or Latino	256	196	236	396	158	138	369	525

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s). Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.39B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATM	IENT WAS RE	CEIVED IN P.	AST YEAR	
	Any Illi	cit Drug	Alc	ohol		Illicit Drug lcohol		it Drug or ohol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
AGE								
12-17	1.0	1.0	0.9	0.9	0.7	0.6	1.5	1.4
18-25	1.3 <sup>a</sup>	1.7	1.5 <sup>b</sup>	1.9	$0.8^{a}$	1.1	$2.2^{b}$	2.8
26 or Older	0.7	0.6	1.0	0.9	0.5	0.4	1.4	1.1
GENDER								
Male	1.1	1.0	1.5	1.4	0.8	0.7	2.1	2.0
Female	0.6	0.5	0.5	0.6	0.3	0.3	0.9	0.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9	0.8	1.1	0.9	0.6	0.5	1.5	1.3
White	0.8	0.7	1.1	0.9	0.5	0.5	1.4	1.3
Black or African American	1.6	1.2	1.3	1.3	1.1	1.0	2.2	1.7
American Indian or Alaska Native	2.6	3.0	2.8	4.5	2.0	2.7	4.8	6.4
Native Hawaiian or Other Pacific Islander	0.4	*	0.3	1.1	0.3	*	0.5	2.1
Asian	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.4
Two or More Races	1.5	1.2	0.9	1.2	0.7	0.9	2.1	2.6
Hispanic or Latino	0.9	0.7	0.8	1.3	0.5	0.5	1.3	1.8

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s). Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.40A Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTANC	E FOR WHIC	CH TREATM	ENT WAS RE	ECEIVED IN	PAST YEAR	
	Any Illi	cit Drug	Alco	ohol	Both Any l and A	Illicit Drug lcohol		t Drug or bhol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	255	242	227	216	172	161	369	362
GENDER								
Male	142	147	117	134	85	99	218	215
Female	112	95	109	82	87	62	151	147
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	207	217	196	185	143	144	306	288
White	168	180	167	157	115	121	255	235
Black or African American	15	19	10	14	9	11	20	30
American Indian or Alaska Native	*	6	*	5	*	4	*	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1	3	1	3	1	2	1	4
Two or More Races	7	6	4	3	4	3	10	7
Hispanic or Latino	47	24	31	30	29	17	63	74
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	100	117	92	101	62	78	159	152
Female, White, Not Hispanic	67	63	75	56	53	42	97	83
Male, Black, Not Hispanic	9	12	6	10	6	7	14	19
Female, Black, Not Hispanic	5	7	3	4	3	4	5	11
Male, Hispanic	25	11	14	18	12	9	33	35
Female, Hispanic	22	13	17	13	17	8	30	39

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s). Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.40B Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002 and 2003

		SUBSTANC	E FOR WHIC	CH TREATM	IENT WAS RI	ECEIVED IN	PAST YEAR	
	Any Illio	cit Drug	Alco	ohol		Illicit Drug lcohol		t Drug or bhol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1.0	1.0	0.9	0.9	0.7	0.6	1.5	1.4
GENDER								
Male	1.1	1.2	0.9	1.0	0.7	0.8	1.7	1.7
Female	0.9	0.8	0.9	0.7	0.7	0.5	1.2	1.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.0	1.0	0.9	0.9	0.7	0.7	1.5	1.4
White	1.1	1.2	1.1	1.0	0.7	0.8	1.6	1.5
Black or African American American Indian or Alaska	0.4	0.5	0.3	0.4	0.3	0.3	0.5	0.8
Native	*	3.4	*	2.9	*	2.5	*	4.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.1	0.3	0.1	0.3	0.1	0.3	0.1	0.4
Two or More Races	1.7	1.4	1.0	0.7	1.0	0.7	2.5	1.8
Hispanic or Latino	1.2	0.6	0.8	0.7	0.7	0.4	1.6	1.8
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	1.3	1.5	1.2	1.3	0.8	1.0	2.0	1.9
Female, White, Not Hispanic	0.9	0.8	1.0	0.7	0.7	0.6	1.3	1.1
Male, Black, Not Hispanic	0.5	0.6	0.4	0.5	0.3	0.4	0.8	1.0
Female, Black, Not Hispanic	0.3	0.4	0.2	0.2	0.2	0.2	0.3	0.6
Male, Hispanic	1.2	0.5	0.7	0.8	0.6	0.4	1.7	1.7
Female, Hispanic	1.2	0.7	0.9	0.6	0.9	0.4	1.5	1.9

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s). Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.41A Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in **Thousands, 2002 and 2003** 

		SUBSTAN	CE FOR WHIC	CH TREATM	ENT WAS REC	CEIVED IN P	AST YEAR	
					Both Any I	_	Any Illici	
	Any Illio	eit Drug	Alco	hol	and Al	cohol	Alco	hol¹
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	418 <sup>b</sup>	543	453 <sup>b</sup>	598	256 <sup>b</sup>	352	686 <sup>b</sup>	891
GENDER								
Male	276 <sup>a</sup>	374	325 <sup>b</sup>	446	183 <sup>a</sup>	263	476 <sup>b</sup>	630
Female	143	169	128	152	73	89	211	261
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	352 <sup>a</sup>	452	402 <sup>a</sup>	487	220 <sup>a</sup>	294	596 <sup>a</sup>	715
White	269 <sup>a</sup>	346	329	397	165 <sup>a</sup>	227	480	567
Black or African American	45 <sup>a</sup>	84	42	68	30	55	63 <sup>a</sup>	109
American Indian or Alaska								
Native	11	4	9	9	*	4	15	15
Native Hawaiian or Other								
Pacific Islander	*	*	*	*	*	*	*	*
Asian	10	6	7	4	7	3	10	8
Two or More Races	17	6	16	7	15	5	28	10
Hispanic or Latino	66	91	51 <sup>b</sup>	111	36	58	90 <sup>b</sup>	176
EDUCATION								
< High School	178	189	167	180	112	134	266	286
High School Graduate	136 <sup>b</sup>	236	158 <sup>b</sup>	242	85 <sup>b</sup>	148	232 <sup>b</sup>	367
Some College	99	107	120	146	58	64	174	201
College Graduate	5	11	9 <sup>a</sup>	31	1	6	14 <sup>a</sup>	38
CURRENT EMPLOYMENT								
Full-Time	167ª	239	207 <sup>a</sup>	294	102 <sup>b</sup>	168	307 <sup>b</sup>	416
Part-Time	91	92	105	127	59	65	151	170
Unemployed	67	88	59	60	44	44	93	120
Other <sup>2</sup>	92	125	83	117	51	76	136	185

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Table 5.41B Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATM	ENT WAS RE	CEIVED IN P	AST YEAR	
	Any Illio	cit Drug	Alco	ohol	Both Any l and A	0	Any Illici Alco	
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1.3 <sup>a</sup>	1.7	1.5 <sup>b</sup>	1.9	$0.8^{a}$	1.1	2.2 <sup>b</sup>	2.8
GENDER								
Male	1.8 <sup>a</sup>	2.4	2.1 <sup>b</sup>	2.8	1.2 <sup>a</sup>	1.7	3.1 <sup>b</sup>	4.0
Female	0.9	1.1	0.8	1.0	0.5	0.6	1.4	1.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.4 <sup>a</sup>	1.7	1.6	1.9	$0.9^{a}$	1.1	$2.3^{a}$	2.7
White	$1.4^{\rm a}$	1.8	1.7	2.0	$0.9^{a}$	1.2	2.5	2.9
Black or African American	1.1 <sup>a</sup>	2.0	1.0	1.6	0.7	1.3	1.5 <sup>a</sup>	2.6
American Indian or Alaska								
Native	4.9	2.3	4.0	5.1	*	2.3	7.0	7.9
Native Hawaiian or Other								
Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.7	0.4	0.5	0.3	0.5	0.2	0.8	0.5
Two or More Races	4.3	1.7	4.0	2.0	3.6	1.5	6.8	2.8
Hispanic or Latino	1.2	1.6	$0.9^{b}$	2.0	0.7	1.0	1.6 <sup>b</sup>	3.1
EDUCATION								
< High School	2.6	2.8	2.4	2.6	1.6	1.9	3.9	4.2
High School Graduate	1.3 <sup>b</sup>	2.1	1.5 <sup>b</sup>	2.2	$0.8^{a}$	1.3	$2.2^{b}$	3.3
Some College	1.0	1.1	1.2	1.5	0.6	0.6	1.8	2.0
College Graduate	0.1	0.3	$0.2^{a}$	0.8	0.0	0.2	$0.4^{a}$	1.0
CURRENT EMPLOYMENT								
Full-Time	1.2 <sup>a</sup>	1.6	1.4 <sup>a</sup>	2.0	$0.7^{\rm b}$	1.2	2.1 <sup>b</sup>	2.9
Part-Time	1.2	1.1	1.3	1.5	0.7	0.8	1.9	2.1
Unemployed	2.7	3.3	2.4	2.2	1.8	1.6	3.8	4.5
Other <sup>2</sup>	1.5	2.0	1.3	1.9	0.8	1.2	2.2	2.9

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Table 5.42A Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in **Thousands, 2002 and 2003** 

		SUBSTAN	CE FOR WHI	CH TREATM	ENT WAS RE	CEIVED IN P	AST YEAR	
	Any Illi	cit Drug	Alc	ohol		Illicit Drug lcohol		it Drug or ohol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1,341	1,017	1,725	1,544	891	742	2,428	2,074
GENDER								
Male	844	666	1,301	1,067	684	480	1,640	1,421
Female	496	351	424	477	207	262	788	653
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,197	937	1,571	1,289	798	679	2,212	1,799
White	808	670	1,245 <sup>a</sup>	932	533	435	1,635	1,333
Black or African American	360	215	294	287	249	197	513	332
American Indian or Alaska								
Native	12	28	20	42	12	25	*	58
Native Hawaiian or Other								
Pacific Islander	*	*	*	*	*	*	*	*
Asian	3	6	8	8	2	6	8	27
Two or More Races	13	18	3	20	*	15	16	49
Hispanic or Latino	144	80	154	255	93	63	216	275
EDUCATION								
< High School	439	283	443	398	309	216	693	570
High School Graduate	492	384	583	549	344	267	785	688
Some College	277	245	369	420	144	184	568	550
College Graduate	131	105	330 <sup>a</sup>	177	94	76	382	266
CURRENT EMPLOYMENT								
Full-Time	639	534	879	925	386	371	1,285	1,249
Part-Time	140	91	181	170	82	67	271	212
Unemployed	197	75	269 <sup>a</sup>	98	189	53	281	126
Other <sup>2</sup>	364	317	396	351	234	252	591	487

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Table 5.42B Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHIC	CH TREATM	ENT WAS RE	CEIVED IN P.	AST YEAR	
	Any Illi	cit Drug	Alco	ohol		Illicit Drug lcohol		t Drug or bhol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.7	0.6	1.0	0.9	0.5	0.4	1.4	1.1
GENDER								
Male	1.0	0.8	1.5	1.2	0.8	0.6	1.9	1.6
Female	0.5	0.4	0.5	0.5	0.2	0.3	0.8	0.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.7	0.6	1.0	0.8	0.5	0.4	1.4	1.1
White	0.6	0.5	1.0 <sup>a</sup>	0.7	0.4	0.3	1.3	1.0
Black or African American	1.9	1.1	1.5	1.5	1.3	1.0	2.7	1.7
American Indian or Alaska								
Native	1.2	3.1	1.9	4.7	1.2	2.8	*	6.5
Native Hawaiian or Other								
Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.4
Two or More Races	0.7	1.0	0.2	1.1	*	0.8	0.9	2.7
Hispanic or Latino	0.7	0.4	0.8	1.3	0.5	0.3	1.1	1.4
EDUCATION								
< High School	1.4	0.9	1.5	1.3	1.0	0.7	2.3	1.8
High School Graduate	0.9	0.7	1.0	1.0	0.6	0.5	1.4	1.2
Some College	0.6	0.6	0.9	1.0	0.3	0.4	1.3	1.3
College Graduate	0.3	0.2	$0.7^{a}$	0.3	0.2	0.1	0.8	0.5
CURRENT EMPLOYMENT								
Full-Time	0.6	0.5	0.9	0.9	0.4	0.4	1.3	1.2
Part-Time	0.7	0.4	0.9	0.8	0.4	0.3	1.4	1.0
Unemployed	3.8	1.4	5.3 <sup>a</sup>	1.8	3.7 <sup>a</sup>	1.0	5.5 <sup>a</sup>	2.3
Other <sup>2</sup>	0.7	0.6	0.8	0.7	0.4	0.5	1.1	0.9

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Table 5.43A Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in **Thousands, 2002 and 2003** 

		SUBSTAN	CE FOR WHI	CH TREATM	ENT WAS RE	CEIVED IN P	AST YEAR	
						Illicit Drug		it Drug or
	Any Illi	icit Drug	Alc	ohol	and A	lcohol	Alc	ohol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1,759	1,560	2,178	2,143	1,147	1,094	3,115	2,965
GENDER								
Male	1,120	1,041	1,626	1,513	866	743	2,116	2,051
Female	639	520	552	629	281	351	999	915
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,549	1,389	1,973	1,777	1,018	973	2,808	2,514
White	1,077	1,016	1,573	1,329	698	662	2,115	1,901
Black or African American	406	299	336	355	279	252	576	441
American Indian or Alaska								
Native	23	32	29	51	17	30	54	73
Native Hawaiian or Other								
Pacific Islander	1	*	1	*	1	*	1	*
Asian	13	13	14	12	9	9	18	34
Two or More Races	30	25	20	27	15	21	44	59
Hispanic or Latino	209	171	205	366	129	121	306	451
EDUCATION								
< High School	618	472	609	578	420	350	959	856
High School Graduate	629	620	741	791	429	415	1,017	1,055
Some College	376	352	489	566	203	248	743	751
College Graduate	136	116	339	208	95	82	396	304
CURRENT EMPLOYMENT								
Full-Time	807	773	1,086	1,219	488	538	1,592	1,665
Part-Time	231	183	286	297	141	131	422	382
Unemployed	264	163	328 <sup>a</sup>	159	233	96	374	246
Other <sup>2</sup>	456	441	478	468	285	328	728	672

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Table 5.43B Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATM	ENT WAS RE	CEIVED IN P.	AST YEAR	
	Any Illi	cit Drug	Alco	ohol		Illicit Drug lcohol		it Drug or ohol <sup>1</sup>
Demographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.8	0.7	1.0	1.0	0.5	0.5	1.5	1.4
GENDER								
Male	1.1	1.0	1.6	1.5	0.9	0.7	2.1	2.0
Female	0.6	0.5	0.5	0.6	0.3	0.3	0.9	0.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.8	0.7	1.1	1.0	0.5	0.5	1.5	1.3
White	0.7	0.7	1.0	0.9	0.5	0.4	1.4	1.3
Black or African American	1.7	1.3	1.4	1.5	1.2	1.1	2.5	1.9
American Indian or Alaska								
Native	1.8	3.0	2.2	4.8	1.3	2.7	4.2	6.7
Native Hawaiian or Other								
Pacific Islander	0.1	*	0.1	*	0.1	*	0.1	*
Asian	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.4
Two or More Races	1.4	1.1	0.9	1.3	0.7	1.0	2.1	2.7
Hispanic or Latino	0.8	0.7	0.8	1.4	0.5	0.5	1.2	1.7
EDUCATION								
< High School	1.7	1.2	1.6	1.5	1.1	0.9	2.6	2.3
High School Graduate	0.9	0.9	1.1	1.2	0.6	0.6	1.5	1.6
Some College	0.7	0.7	0.9	1.1	0.4	0.5	1.4	1.4
College Graduate	0.3	0.2	0.6	0.4	0.2	0.1	0.8	0.6
CURRENT EMPLOYMENT								
Full-Time	0.7	0.7	0.9	1.0	0.4	0.5	1.4	1.4
Part-Time	0.8	0.6	1.0	1.0	0.5	0.5	1.5	1.3
Unemployed	3.5	2.0	4.3 <sup>a</sup>	2.0	3.1 <sup>a</sup>	1.2	4.9	3.0
Other <sup>2</sup>	0.8	0.7	0.8	0.8	0.5	0.6	1.2	1.1

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Table 5.44A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTAN	CE FOR WHI	ICH TREATM	IENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illi	Any Illicit Drug		Alcohol		icit Drug and ohol		it Drug or ohol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	2,013	1,802	2,405	2,359	1,319	1,255	3,483	3,327
GEOGRAPHIC DIVISION								
Northeast	485	343	484	396	290	234	742	554
New England	160	76	208	111	126	42	269	164
Middle Atlantic	325	267	276	285	164	192	473	390
Midwest	475	415	704	633	377	305	883	852
East North Central	329	273	473	426	251	204	618	567
West North Central	146	142	231	208	127	101	265	285
South	611	625	730	712	396	459	1,067	1,017
South Atlantic	317	339	406	381	210	249	598	574
East South Central	109	121	104	120	55	100	172	149
West South Central	185	165	220	211	131	110	296	293
West	443	420	487	617	255	258	793	905
Mountain	108	138	174	194	72	81	267	286
Pacific	336	282	312	423	184	177	526	619
COUNTY TYPE <sup>2</sup>								
Large Metro	1,115	992	1,240	1,224	717	667	1,834	1,776
Small Metro	661	520	786	726	422	360	1,117	977
250K - 1 Mil. Pop.	459	373	522	513	267	258	787	687
< 250K Pop.	202	147	264	213	154	103	330	290
Nonmetro	238	290	378	408	180	228	532	575
Urbanized	95	141	177	204	79	106	227	259
Less Urbanized	130	125	170	172	88	98	269	278
Completely Rural	14	24	31	33	13	24	36	38

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.44B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREAT!	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illio	cit Drug	Alco	ohol	Both Any Illi Alco	cit Drug and ohol	Any Illici Alco	t Drug or bhol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
GEOGRAPHIC DIVISION								
Northeast	1.1	0.8	1.1	0.9	0.6	0.5	1.6	1.2
New England	1.4	0.6	1.8	0.9	1.1	0.4	2.3	1.4
Middle Atlantic	1.0	0.8	0.8	0.9	0.5	0.6	1.4	1.2
Midwest	0.9	0.8	1.3	1.2	0.7	0.6	1.7	1.6
East North Central	0.9	0.7	1.3	1.1	0.7	0.5	1.7	1.5
West North Central	0.9	0.9	1.4	1.3	0.8	0.6	1.7	1.8
South	0.7	0.7	0.9	0.8	0.5	0.5	1.3	1.2
South Atlantic	0.7	0.8	0.9	0.9	0.5	0.6	1.4	1.3
East South Central	0.8	0.9	0.7	0.8	0.4	0.7	1.2	1.0
West South Central	0.7	0.6	0.9	0.8	0.5	0.4	1.1	1.1
West	0.8	0.8	0.9	1.1	0.5	0.5	1.5	1.7
Mountain	0.7	0.9	1.1	1.2	0.5	0.5	1.7	1.8
Pacific	0.9	0.7	0.8	1.1	0.5	0.5	1.4	1.6
COUNTY TYPE <sup>2</sup>								
Large Metro	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
Small Metro	1.0	0.7	1.1	1.0	0.6	0.5	1.6	1.4
250K - 1 Mil. Pop.	1.0	0.8	1.1	1.1	0.6	0.5	1.7	1.5
< 250K Pop.	0.8	0.6	1.1	0.9	0.6	0.4	1.4	1.2
Nonmetro	0.6	0.7	0.9	1.0	0.4	0.6	1.3	1.4
Urbanized	0.6	0.8	1.1	1.1	0.5	0.6	1.4	1.5
Less Urbanized	0.7	0.7	0.9	0.9	0.4	0.5	1.4	1.5
Completely Rural	0.3	0.6	0.7	0.8	0.3	0.6	0.8	0.9

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.45A Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATM	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illio	cit Drug	Alco	hol	Both Any Illi Alco		Any Illici Alco	
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	255	242	227	216	172	161	369	362
GEOGRAPHIC DIVISION								
Northeast	37	38	25	39	17	31	54	57
New England	15 <sup>b</sup>	3	10	4	4 <sup>a</sup>	1	23 <sup>a</sup>	10
Middle Atlantic	21	35	14 <sup>a</sup>	34	12 <sup>a</sup>	30	30	47
Midwest	82 <sup>b</sup>	50	81 <sup>a</sup>	54	62 <sup>b</sup>	33	119 <sup>a</sup>	82
East North Central	54 <sup>b</sup>	30	56 <sup>b</sup>	27	43 <sup>b</sup>	19	82 <sup>b</sup>	45
West North Central	29	20	24	27	19	14	37	37
South	75	89	67	59	55	51	105	118
South Atlantic	42	25	32	18	31	14	52	37
East South Central	8 <sup>a</sup>	20	12	11	7	11	17	24
West South Central	26	45	23	30	17	26	36	57
West	60	65	55	64	38	47	91	105
Mountain	23	30	14	25	9 <sup>a</sup>	24	34	37
Pacific	38	36	40	39	29	23	57	69
COUNTY TYPE <sup>2</sup>								
Large Metro	111	112	107	94	76	77	169	168
Small Metro	91	85	73	80	60	58	130	119
250K - 1 Mil. Pop.	58	50	42	50	36	33	83	74
< 250K Pop.	33	35	31	30	25	26	47	45
Nonmetro	52	45	47	42	35	26	70	75
Urbanized	19	26	18	21	15	15	23	37
Less Urbanized	27	18	23	19	14	10	41	34
Completely Rural	6	1	6	2	6	1	6	4

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.45B Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREAT	MENT WAS RE	CEIVED IN PA	ST YEAR	
	Any Illicit Drug		Alco	Alcohol		cit Drug and ohol	Any Illici Alco	t Drug or bhol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1.0	1.0	0.9	0.9	0.7	0.6	1.5	1.4
GEOGRAPHIC DIVISION								
Northeast	0.8	0.8	0.6	0.9	0.4	0.7	1.2	1.3
New England	1.3 <sup>b</sup>	0.2	0.9	0.4	$0.4^{a}$	0.1	$2.0^{a}$	0.9
Middle Atlantic	0.6	1.0	0.4	1.0	0.4	0.9	0.9	1.4
Midwest	1.4 <sup>b</sup>	0.9	1.4 <sup>a</sup>	0.9	1.1 <sup>b</sup>	0.6	2.1 <sup>a</sup>	1.4
East North Central	1.3 <sup>b</sup>	0.7	1.4 <sup>b</sup>	0.7	1.1 <sup>b</sup>	0.5	2.1 <sup>b</sup>	1.1
West North Central	1.7	1.2	1.4	1.6	1.1	0.8	2.2	2.2
South	0.9	1.0	0.8	0.7	0.6	0.6	1.2	1.3
South Atlantic	1.0	0.6	0.7	0.4	0.7	0.3	1.2	0.8
East South Central	$0.5^{a}$	1.3	0.9	0.8	0.5	0.8	1.2	1.6
West South Central	0.9	1.5	0.8	1.0	0.6	0.9	1.2	1.9
West	1.0	1.1	0.9	1.1	0.6	0.8	1.6	1.8
Mountain	1.3	1.7	0.8	1.5	$0.5^{a}$	1.4	2.0	2.1
Pacific	0.9	0.9	1.0	0.9	0.7	0.6	1.4	1.7
COUNTY TYPE <sup>2</sup>								
Large Metro	0.8	0.8	0.8	0.7	0.6	0.6	1.3	1.3
Small Metro	1.3	1.2	1.0	1.1	0.8	0.8	1.8	1.6
250K - 1 Mil. Pop.	1.2	1.0	0.9	1.0	0.7	0.7	1.7	1.5
< 250K Pop.	1.4	1.5	1.3	1.3	1.1	1.1	2.0	1.9
Nonmetro	1.2	1.0	1.1	1.0	0.8	0.6	1.6	1.7
Urbanized	1.1	1.4	1.0	1.1	0.9	0.8	1.3	2.0
Less Urbanized	1.3	0.9	1.1	1.0	0.7	0.5	1.9	1.7
Completely Rural	1.2	0.2	1.3	0.4	1.2	0.2	1.4	0.9

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.46A Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATN	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illio	cit Drug	Alco	Alcohol		cit Drug and bhol	Any Illici Alco	
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	418 <sup>b</sup>	543	453 <sup>b</sup>	598	256 <sup>b</sup>	352	686 <sup>b</sup>	891
GEOGRAPHIC DIVISION								
Northeast	82	104	64	87	47	61	111	139
New England	32	28	26	27	20	15	39	40
Middle Atlantic	50	77	38	60	27	46	72	98
Midwest	104	114	158	171	76	84	208	229
East North Central	68	80	104	112	47	60	141	151
West North Central	36	34	54	58	29	24	67	78
South	137	183	137	173	80	121	214	258
South Atlantic	64	98	73	94	37 <sup>a</sup>	67	112	137
East South Central	26	25	30	25	19	21	40	33
West South Central	46	59	33	54	23	33	61	89
West	95	142	95 <sup>b</sup>	168	53	86	154 <sup>b</sup>	264
Mountain	22	42	27 <sup>b</sup>	55	7 <sup>b</sup>	29	50 <sup>a</sup>	77
Pacific	73	100	67	113	46	57	104 <sup>a</sup>	188
COUNTY TYPE <sup>2</sup>								
Large Metro	216	285	189 <sup>b</sup>	303	133	180	311 <sup>b</sup>	448
Small Metro	147	173	172	209	83	113	256	304
250K - 1 Mil. Pop.	76 <sup>b</sup>	120	108	132	48 <sup>b</sup>	84	152	196
< 250K Pop.	71	53	64	77	34	29	105	108
Nonmetro	55	84	92	87	41	58	118	140
Urbanized	18	35	41	37	15	23	50	64
Less Urbanized	35	41	44	38	24	26	60	61
Completely Rural	1	9	7	12	1	9	8	14

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.46B Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATI	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illio	cit Drug	Alco	ohol	Both Any Illi Alco	cit Drug and ohol	Any Illici Alco	
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1.3 <sup>a</sup>	1.7	1.5 <sup>b</sup>	1.9	$0.8^{a}$	1.1	2.2 <sup>b</sup>	2.8
GEOGRAPHIC DIVISION								
Northeast	1.5	1.9	1.2	1.5	0.9	1.1	2.0	2.5
New England	2.2	1.9	1.8	1.8	1.4	1.0	2.7	2.8
Middle Atlantic	1.2	1.8	0.9	1.5	0.7	1.1	1.8	2.4
Midwest	1.4	1.6	2.2	2.3	1.1	1.1	2.9	3.1
East North Central	1.4	1.6	2.1	2.2	0.9	1.2	2.8	3.0
West North Central	1.6	1.5	2.4	2.6	1.3	1.1	3.0	3.4
South	1.2	1.6	1.2	1.5	0.7	1.1	1.9	2.3
South Atlantic	1.2	1.8	1.4	1.7	0.7	1.2	2.1	2.5
East South Central	1.4	1.3	1.6	1.3	1.0	1.1	2.1	1.7
West South Central	1.2	1.6	0.9	1.4	0.6	0.9	1.6	2.3
West	1.3	1.9	1.3 <sup>b</sup>	2.3	0.7	1.2	2.1 <sup>b</sup>	3.6
Mountain	1.0	1.9	1.3 <sup>b</sup>	2.5	$0.3^{b}$	1.3	2.3	3.4
Pacific	1.4	1.9	1.3	2.2	0.9	1.1	$2.0^{a}$	3.6
COUNTY TYPE <sup>2</sup>								
Large Metro	1.4	1.7	1.2 <sup>b</sup>	1.8	0.8	1.1	$2.0^{b}$	2.7
Small Metro	1.4	1.7	1.7	2.0	0.8	1.1	2.5	3.0
250K - 1 Mil. Pop.	1.2 <sup>b</sup>	1.8	1.7	2.0	$0.7^{b}$	1.3	2.4	3.0
< 250K Pop.	1.9	1.5	1.7	2.2	0.9	0.8	2.8	3.0
Nonmetro	1.1	1.7	1.9	1.8	0.8	1.2	2.4	2.8
Urbanized	0.8	1.5	1.8	1.6	0.7	1.0	2.2	2.7
Less Urbanized	1.5	1.9	2.0	1.7	1.1	1.2	2.7	2.8
Completely Rural	0.3	2.5	1.4	3.3	0.3	2.5	1.6	3.9

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.47A Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATM	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illi	Any Illicit Drug		ohol	Both Any Illi Alco	cit Drug and ohol		it Drug or ohol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1,341	1,017	1,725	1,544	891	742	2,428	2,074
GEOGRAPHIC DIVISION								
Northeast	366	201	395	270	226	142	577 <sup>a</sup>	358
New England	112	46	172	80	102	26	206	113
Middle Atlantic	254	155	223	190	124	116	371	245
Midwest	289	251	465	409	239	188	555	540
East North Central	207	163	313	286	161	125	395	371
West North Central	82	88	153	123	78	63	160	170
South	399	353	527	480	261	287	748	641
South Atlantic	211	216	300	269	142	169	434	400
East South Central	75	76	62	84	29	68	115	93
West South Central	113	61	164	127	91	50	199	148
West	287	213	337	385	165	126	548	535
Mountain	62	67	133	114	56	28	183	173
Pacific	225	146	205	271	109	98	365	362
COUNTY TYPE <sup>2</sup>								
Large Metro	787	594	945	827	509	410	1,353	1,160
Small Metro	422	262	541	438	279	189	731	554
250K - 1 Mil. Pop.	325	203	372	331	183	141	553	417
< 250K Pop.	98	59	169	106	95	48	178	137
Nonmetro	131	161	240	279	104	143	344	360
Urbanized	57	80	118	145	48	67	154	158
Less Urbanized	68	66	104	115	49	61	168	183
Completely Rural	6	15	18	19	6	15	22	19

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.47B Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREATI	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illio	cit Drug	Alco	ohol	Both Any Illi Alco	cit Drug and ohol	Any Illici Alco	t Drug or hol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.7	0.6	1.0	0.9	0.5	0.4	1.4	1.1
GEOGRAPHIC DIVISION								
Northeast	1.0	0.6	1.1	0.8	0.6	0.4	1.6 <sup>a</sup>	1.0
New England	1.2	0.5	1.9	0.9	1.1	0.3	2.2	1.2
Middle Atlantic	1.0	0.6	0.9	0.7	0.5	0.4	1.4	0.9
Midwest	0.7	0.6	1.1	1.0	0.6	0.5	1.4	1.3
East North Central	0.7	0.6	1.1	1.0	0.6	0.4	1.4	1.3
West North Central	0.7	0.7	1.3	1.0	0.6	0.5	1.3	1.4
South	0.6	0.5	0.8	0.7	0.4	0.4	1.2	1.0
South Atlantic	0.6	0.6	0.9	0.8	0.4	0.5	1.3	1.2
East South Central	0.7	0.7	0.6	0.8	0.3	0.6	1.1	0.9
West South Central	0.6	0.3	0.9	0.7	0.5	0.3	1.0	0.8
West	0.7	0.5	0.8	1.0	0.4	0.3	1.4	1.3
Mountain	0.5	0.6	1.2	1.0	0.5	0.2	1.6	1.5
Pacific	0.8	0.5	0.7	0.9	0.4	0.3	1.3	1.3
COUNTY TYPE <sup>2</sup>								
Large Metro	0.8	0.6	1.0	0.9	0.5	0.4	1.4	1.2
Small Metro	$0.8^{a}$	0.5	1.0	0.8	0.5	0.4	1.4	1.0
250K - 1 Mil. Pop.	$1.0^{\rm a}$	0.6	1.1	0.9	0.5	0.4	1.6	1.2
< 250K Pop.	0.6	0.3	1.0	0.6	0.5	0.3	1.0	0.7
Nonmetro	0.4	0.5	0.8	0.9	0.3	0.5	1.1	1.2
Urbanized	0.5	0.6	1.0	1.1	0.4	0.5	1.3	1.2
Less Urbanized	0.4	0.5	0.7	0.8	0.3	0.4	1.1	1.3
Completely Rural	0.2	0.4	0.5	0.6	0.2	0.4	0.6	0.6

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.48A Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

		SUBSTAN	CE FOR WH	ICH TREATN	MENT WAS RE	CEIVED IN PA	AST YEAR	
	Any Illi	cit Drug		cohol	Both Any Ill	icit Drug and ohol	Any Illic	it Drug or ohol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	1,759	1,560	2,178	2,143	1,147	1,094	3,115	2,965
GEOGRAPHIC DIVISION								
Northeast	448	305	459	357	273	203	688	497
New England	144	73	198	107	122	41	245	154
Middle Atlantic	304	232	262	251	152	162	442	343
Midwest	392	365	623	580	315	272	763	770
East North Central	275	244	417	399	207	185	536	522
West North Central	118	121	206	181	108	87	227	248
South	536	536	664	652	341	408	961	899
South Atlantic	275	314	374	363	179	235	546	537
East South Central	101	101	92	109	48	89	155	125
West South Central	159	121	198	180	114	84	259	236
West	383	355	432	553	218	211	702	800
Mountain	85	108	160	169	63	57	233	250
Pacific	298	246	272	384	155	154	469	550
COUNTY TYPE <sup>2</sup>								
Large Metro	1,004	880	1,134	1,130	641	590	1,665	1,608
Small Metro	569	435	712	646	361	302	987	858
250K - 1 Mil. Pop.	400	323	480	463	231	225	704	613
< 250K Pop.	169	112	233	183	130	77	283	245
Nonmetro	186	245	332	366	145	202	463	500
Urbanized	75	115	159	183	63	90	204	223
Less Urbanized	103	107	148	152	74	88	229	244
Completely Rural	8	24	25	31	8	24	30	34

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>&</sup>lt;sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Table 5.48B Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

		SUBSTAN	CE FOR WHI	CH TREAT!	MENT WAS RE	CEIVED IN PA	ST YEAR	
	Any Illio	cit Drug	Alco	ohol	Both Any Illi Alco	cit Drug and ohol	Any Illici Alco	t Drug or hol <sup>1</sup>
Geographic Characteristic	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.8	0.7	1.0	1.0	0.5	0.5	1.5	1.4
GEOGRAPHIC DIVISION								
Northeast	1.1	0.7	1.1	0.9	0.7	0.5	1.7	1.2
New England	1.4	0.7	1.9	1.0	1.1	0.4	2.3	1.4
Middle Atlantic	1.0	0.8	0.9	0.8	0.5	0.5	1.5	1.1
Midwest	0.8	0.8	1.3	1.2	0.7	0.6	1.6	1.6
East North Central	0.8	0.7	1.2	1.2	0.6	0.5	1.6	1.5
West North Central	0.8	0.8	1.4	1.3	0.8	0.6	1.6	1.7
South	0.7	0.7	0.9	0.9	0.5	0.5	1.3	1.2
South Atlantic	0.7	0.8	0.9	0.9	0.5	0.6	1.4	1.3
East South Central	0.8	0.8	0.7	0.9	0.4	0.7	1.2	1.0
West South Central	0.7	0.5	0.9	0.8	0.5	0.4	1.1	1.0
West	0.8	0.7	0.9	1.2	0.5	0.4	1.5	1.7
Mountain	0.6	0.8	1.2	1.2	0.5	0.4	1.7	1.8
Pacific	0.9	0.7	0.8	1.1	0.5	0.5	1.4	1.6
COUNTY TYPE <sup>2</sup>								
Large Metro	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
Small Metro	0.9	0.7	1.1	1.0	0.6	0.5	1.6	1.3
250K - 1 Mil. Pop.	1.0	0.8	1.2	1.1	0.6	0.5	1.7	1.5
< 250K Pop.	0.8	0.5	1.1	0.8	0.6	0.3	1.3	1.1
Nonmetro	0.5	0.7	0.9	1.0	0.4	0.6	1.3	1.4
Urbanized	0.5	0.7	1.1	1.1	0.4	0.6	1.4	1.4
Less Urbanized	0.6	0.7	0.8	0.9	0.4	0.5	1.3	1.5
Completely Rural	0.2	0.6	0.6	0.9	0.2	0.6	0.7	0.9

<sup>\*</sup>Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>&</sup>lt;sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>&</sup>lt;sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>&</sup>lt;sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.