### Table 5.50ASource of Payment for Last or Current Any Illicit Drug Treatment among Persons Who Received Any Illicit Drug Treatment in the Past<br/>Year, by Age Group: Numbers in Thousands, 2002 and 2003

			AGE GROUP (Years)						
	Total		12-17		18-25		26 or Older		
Source of Payment <sup>1</sup>	2002	2003	2002	2003	2002	2003	2002	2003	
Private Health Insurance	538	531	78	95	102 <sup>b</sup>	173	358	263	
Medicare	329	263	50	49	42 <sup>a</sup>	76	237	137	
Medicaid	393	303	45	43	48	72	300	188	
Public Assistance Other Than Medicaid	403	305	36	48	65	78	302	179	
Own Savings or Earnings	726	787	38	54	160 <sup>b</sup>	243	528	491	
Family Members	383	427	88	100	99	138	*	189	
Courts	238 <sup>a</sup>	143	44	36	68	55	126	52	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	139	63	4	8	11	29	124 <sup>a</sup>	26	
Employer	121	99	4	1	14	20	103	78	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

## Table 5.50BSource of Payment for Last or Current Any Illicit Drug Treatment among Persons Who Received Any Illicit Drug Treatment in the Past<br/>Year, by Age Group: Percentages, 2002 and 2003

			AGE GROUP (Years)						
	Total		12-17		18-25		26 or	Older	
Source of Payment <sup>1</sup>	2002	2003	2002	2003	2002	2003	2002	2003	
Private Health Insurance	26.7	29.5	30.7	39.2	24.4	31.9	26.7	25.9	
Medicare	16.3	14.6	19.6	20.4	10.1	14.0	17.7	13.5	
Medicaid	19.5	16.8	17.8	17.6	11.4	13.3	22.4	18.5	
Public Assistance Other Than Medicaid	20.0	16.9	14.3	19.6	15.5	14.4	22.5	17.6	
Own Savings or Earnings	36.1	43.7	14.8	22.2	38.3	44.8	39.4	48.2	
Family Members	19.0	23.7	34.5	41.4	23.7	25.4	*	18.6	
Courts	11.8	7.9	17.4	14.8	16.2	10.1	9.4	5.1	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	6.9	3.5	1.7	3.4	2.6	5.4	9.3ª	2.5	
Employer	6.0	5.5	1.5	0.6	3.4	3.7	7.7	7.6	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

## Table 5.51A Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

			AGE GROUP (Years)						
	Total		12-17		18-25		26 or	Older	
Source of Payment <sup>1</sup>	2002	2003	2002	2003	2002	2003	2002	2003	
Private Health Insurance	597	580	65	54	100	139	431	387	
Medicare	294	232	46	36	31 <sup>a</sup>	58	217	138	
Medicaid	337	283	38	31	45	54	254	199	
Public Assistance Other Than Medicaid	420	432	24	33	56	71	340	328	
Own Savings or Earnings	1,129	1,137	39	45	210 <sup>a</sup>	280	880	812	
Family Members	411	458	70	69	84	114	257	275	
Courts	270	165	34	26	61	55	176	84	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	233 <sup>a</sup>	78	4	4	13	18	216 <sup>a</sup>	57	
Employer	191	155	3	0	17	17	171	138	

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

# Table 5.51BSource of Payment for Last or Current Alcohol Treatment among Persons Who Received Alcohol Treatment in the Past Year, by Age<br/>Group: Percentages, 2002 and 2003

			AGE GROUP (Years)						
	Total		12-17		18-25		26 or	Older	
Source of Payment <sup>1</sup>	2002	2003	2002	2003	2002	2003	2002	2003	
Private Health Insurance	24.8	24.6	28.9	25.1	22.2	23.3	25.0	25.0	
Medicare	12.2	9.8	20.3	16.8	6.9	9.7	12.6	8.9	
Medicaid	14.0	12.0	16.7	14.2	9.8	9.0	14.7	12.9	
Public Assistance Other Than Medicaid	17.5	18.3	10.5	15.4	12.4	11.8	19.7	21.3	
Own Savings or Earnings	47.0	48.2	17.4	20.9	46.3	46.8	51.0	52.6	
Family Members	17.1	19.4	30.9	32.2	18.4	19.0	14.9	17.8	
Courts	11.2	7.0	15.0	12.2	13.4	9.2	10.2	5.4	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	9.7 <sup>a</sup>	3.3	1.7	1.8	2.9	3.0	12.5 <sup>b</sup>	3.7	
Employer	8.0	6.6	1.2	0.1	3.8	2.8	9.9	8.9	

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

## Table 5.52ASource of Payment for Last or Current Any Illicit Drug or Alcohol Treatment among Persons Who Received Any Illicit Drug or AlcoholTreatment in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

			AGE GROUP (Years)					
	Total		12-17		18-25		26 or Older	
Source of Payment <sup>1</sup>	2002	2003	2002	2003	2002	2003	2002	2003
Private Health Insurance	898	822	102	113	171 <sup>a</sup>	239	625	469
Medicare	438	352	64	67	58 <sup>a</sup>	102	317	183
Medicaid	501	408	54	50	73	98	374	260
Public Assistance Other Than Medicaid	637	553	43	61	96	106	498	386
Own Savings or Earnings	1,534	1,514	58	75	309 <sup>b</sup>	415	1,167	1,024
Family Members	593	650	121	131	154	205	319	314
Courts	377 <sup>a</sup>	228	56	47	93	78	229 <sup>a</sup>	104
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	265 <sup>a</sup>	125	7	11	16	35	242 <sup>a</sup>	79
Employer	237	183	6	2	21	29	210	152

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

## Table 5.52BSource of Payment for Last or Current Any Illicit Drug or Alcohol Treatment among Persons Who Received Any Illicit Drug or Alcohol<br/>Treatment in the Past Year, by Age Group: Percentages, 2002 and 2003

			AGE GROUP (Years)						
	Total		12-17		18-25		26 or Older		
Source of Payment <sup>1</sup>	2002	2003	2002	2003	2002	2003	2002	2003	
Private Health Insurance	25.8	24.7	27.6	31.3	24.9	26.9	25.7	22.6	
Medicare	12.6	10.6	17.4	18.6	8.4	11.4	13.0	8.8	
Medicaid	14.4	12.3	14.7	13.9	10.6	11.0	15.4	12.5	
Public Assistance Other Than Medicaid	18.3	16.6	11.8	17.0	13.9	11.9	20.5	18.6	
Own Savings or Earnings	44.0	45.5	15.8	20.7	45.0	46.5	48.1	49.4	
Family Members	17.0	19.5	32.7	36.3	22.4	23.0	13.1	15.1	
Courts	10.8 <sup>a</sup>	6.9	15.1	12.9	13.6 <sup>a</sup>	8.8	9.4	5.0	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	7.6 <sup>a</sup>	3.8	2.0	2.9	2.3	4.0	9.9 <sup>a</sup>	3.8	
Employer	6.8	5.5	1.5	0.4	3.1	3.3	8.6	7.3	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level. <sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.