Table 5.53ALocations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past
Year, by Age Group: Numbers in Thousands, 2002 and 2003

| | | | AGE GROUP (Years) | | | | | | | |
|--------------------------------------|-------|------|-------------------|------|-----------------|------|-------------|------|--|--|
| | Total | | 12-17 | | 18-25 | | 26 or Older | | | |
| Location of Treatment ¹ | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| Hospital as an Inpatient | 286 | 187 | 25 | 17 | 46 | 54 | 215 | 116 | | |
| Rehabilitation Facility - Inpatient | 441 | 318 | * | 29 | 80 | 88 | 316 | 201 | | |
| Rehabilitation Facility - Outpatient | 568 | 427 | 70^{a} | 39 | 99 | 126 | 399 | 262 | | |
| Mental Health Center - Outpatient | 328 | 207 | 37 | 23 | 73 | 44 | 218 | 139 | | |
| Emergency Room | 88 | 41 | 2 | 7 | 14 | 9 | 72 | 25 | | |
| Private Doctor's Office | 176 | 111 | 10 | 14 | 37 ^b | 10 | * | 87 | | |
| Self-Help Group | 751 | 617 | 84 | 57 | 132 | 150 | 535 | 410 | | |
| Prison/Jail | 106 | 109 | 16 | 14 | 26 | 21 | 64 | 74 | | |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.53BLocations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past
Year, by Age Group: Percentages, 2002 and 2003

| | | | AGE GROUP (Years) | | | | | | | |
|--------------------------------------|-------|------|-------------------|------|-------------------|------|-------|-------|--|--|
| | Total | | 12-17 | | 18-25 | | 26 or | Older | | |
| Location of Treatment ¹ | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| Hospital as an Inpatient | 14.2 | 10.4 | 9.6 | 7.0 | 11.0 | 10.0 | 16.0 | 11.4 | | |
| Rehabilitation Facility - Inpatient | 21.9 | 17.7 | * | 11.9 | 19.2 | 16.2 | 23.6 | 19.8 | | |
| Rehabilitation Facility - Outpatient | 28.2 | 23.7 | 27.6 ^a | 16.1 | 23.6 | 23.2 | 29.7 | 25.8 | | |
| Mental Health Center - Outpatient | 16.3 | 11.5 | 14.6 | 9.4 | 17.4 ^b | 8.2 | 16.3 | 13.7 | | |
| Emergency Room | 4.4 | 2.3 | 0.7 | 2.8 | 3.4 | 1.7 | 5.4 | 2.5 | | |
| Private Doctor's Office | 8.7 | 6.2 | 3.9 | 5.8 | 8.8 ^b | 1.8 | * | 8.6 | | |
| Self-Help Group | 37.3 | 34.2 | 32.9 | 23.7 | 31.6 | 27.5 | 39.9 | 40.3 | | |
| Prison/Jail | 5.2 | 6.0 | 6.4 | 6.0 | 6.1 | 3.9 | 4.7 | 7.2 | | |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

| | | | AGE GROUP (Years) | | | | | | | |
|--------------------------------------|-----------------|------|-------------------|------|-----------------|------|-------|-------|--|--|
| | Total | | 12-17 | | 18-25 | | 26 or | Older | | |
| Location of Treatment ¹ | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| Hospital as an Inpatient | 275 | 216 | 29 | 21 | 45 | 44 | 201 | 151 | | |
| Rehabilitation Facility - Inpatient | 396 | 303 | * | 26 | 75 | 79 | 280 | 198 | | |
| Rehabilitation Facility - Outpatient | 544 | 384 | 55 | 36 | 88 | 112 | 401 | 235 | | |
| Mental Health Center - Outpatient | 316 | 193 | 27 | 21 | 67 | 43 | 222 | 129 | | |
| Emergency Room | 92 ^a | 29 | 10 | 6 | 12 | 7 | 70 | 16 | | |
| Private Doctor's Office | 181 | 121 | 12 | 15 | 28 ^a | 12 | 141 | 94 | | |
| Self-Help Group | 737 | 635 | 72 | 50 | 127 | 137 | 538 | 447 | | |
| Prison/Jail | 112 | 103 | 18 | 9 | 29 | 19 | 65 | 75 | | |

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54BLocations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age
Group: Percentages, 2002 and 2003

| | | | AGE GROUP (Years) | | | | | | | |
|--------------------------------------|------------------|------|-------------------|------|------------------|------|-------|-------|--|--|
| | Total | | 12-17 | | 18-25 | | 26 or | Older | | |
| Location of Treatment ¹ | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| Hospital as an Inpatient | 11.5 | 9.2 | 12.9 | 9.8 | 9.9 | 7.3 | 11.7 | 9.8 | | |
| Rehabilitation Facility - Inpatient | 16.5 | 12.8 | * | 11.9 | 16.5 | 13.2 | 16.3 | 12.8 | | |
| Rehabilitation Facility - Outpatient | 22.6 | 16.3 | 24.1 | 16.7 | 19.5 | 18.8 | 23.3 | 15.2 | | |
| Mental Health Center - Outpatient | 13.1 | 8.2 | 12.0 | 9.9 | 14.8^{a} | 7.1 | 12.8 | 8.3 | | |
| Emergency Room | 3.8 ^a | 1.2 | 4.3 | 2.8 | 2.7 | 1.2 | 4.1 | 1.0 | | |
| Private Doctor's Office | 7.5 | 5.1 | 5.5 | 6.9 | 6.1 ^b | 2.0 | 8.2 | 6.1 | | |
| Self-Help Group | 30.7 | 26.9 | 31.7 | 23.3 | 28.1 | 23.0 | 31.2 | 29.0 | | |
| Prison/Jail | 4.7 | 4.4 | 8.1 | 4.2 | 6.4 | 3.1 | 3.8 | 4.8 | | |

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55ALocations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or AlcoholTreatment in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

| | | | AGE GROUP (Years) | | | | | | | |
|--------------------------------------|--------------------|-------|-------------------|------|------------------|------|--------------------|-------|--|--|
| | Total | | 12-17 | | 18-25 | | 26 or Older | | | |
| Location of Treatment ¹ | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| Hospital as an Inpatient | 859 ^a | 587 | 72 | 57 | 117 | 123 | 671 ^a | 407 | | |
| Rehabilitation Facility - Inpatient | 1,094 ^a | 752 | 83 | 65 | 160 | 185 | 852 ^b | 502 | | |
| Rehabilitation Facility - Outpatient | 1,536 | 1,243 | 127 | 111 | 269 | 316 | 1,140 ^a | 815 | | |
| Mental Health Center - Outpatient | 1,016 ^a | 729 | 79 | 73 | 169 | 159 | 768 ^a | 496 | | |
| Emergency Room | 469 ^b | 251 | 28 | 50 | 61 | 67 | 380 ^b | 134 | | |
| Private Doctor's Office | 523 | 377 | 49 | 56 | 80 | 81 | 394 | 240 | | |
| Self-Help Group | 2,021 | 1,911 | 173 | 132 | 351 ^b | 471 | 1,497 | 1,309 | | |
| Prison/Jail | 259 | 206 | 39 | 30 | 57 | 62 | 163 | 114 | | |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55B Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2002 and 2003

| | | | AGE GROUP (Years) | | | | | | | |
|--------------------------------------|-------------------|-------------------|-------------------|------|-------------------|------|-------------------|------|--|--|
| | То | Total 12-17 18-25 | | -25 | 26 or Older | | | | | |
| Location of Treatment ¹ | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| Hospital as an Inpatient | 24.7 ^a | 17.7 | 19.4 | 15.9 | 17.0 | 13.8 | 27.6 | 19.6 | | |
| Rehabilitation Facility - Inpatient | 31.4 ^b | 22.6 | 22.4 | 18.0 | 23.3 | 20.8 | 35.1 ^a | 24.2 | | |
| Rehabilitation Facility - Outpatient | 44.1 | 37.3 | 34.5 | 30.7 | 39.2 | 35.5 | 46.9 | 39.3 | | |
| Mental Health Center - Outpatient | 29.2 ^a | 21.9 | 21.5 | 20.3 | 24.7 ^a | 17.9 | 31.6 | 23.9 | | |
| Emergency Room | 13.5 ^b | 7.5 | 7.7 ^a | 13.9 | 8.9 | 7.5 | 15.6 ^b | 6.5 | | |
| Private Doctor's Office | 15.0 | 11.3 | 13.2 | 15.6 | 11.7 | 9.1 | 16.2 | 11.6 | | |
| Self-Help Group | 58.0 | 57.4 | 47.0 ^a | 36.4 | 51.1 | 52.8 | 61.7 | 63.1 | | |
| Prison/Jail | 7.4 | 6.2 | 10.5 | 8.4 | 8.3 | 6.9 | 6.7 | 5.5 | | |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level. ^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.