Table 5.53CLocations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past
Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

			AGE GROUP (Years)								
	To	Total		12-17		-25	26 or Older				
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003			
Hospital as an Inpatient	68	39	9	4	10	11	67	37			
Rehabilitation Facility - Inpatient	78	59	*	7	13	16	75	57			
Rehabilitation Facility - Outpatient	82	58	14	7	14	17	78	55			
Mental Health Center - Outpatient	67	38	11	5	14	10	66	35			
Emergency Room	31	12	1	3	5	3	30	11			
Private Doctor's Office	59	28	4	4	9	3	*	28			
Self-Help Group	91	75	16	9	18	21	87	71			
Prison/Jail	25	30	5	4	7	6	24	29			

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.53DLocations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past
Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

			AGE GROUP (Years)							
	Τα	Total		12-17		-25	26 or Older			
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003		
Hospital as an Inpatient	3.01	2.02	3.04	1.80	2.29	1.92	4.40	3.40		
Rehabilitation Facility - Inpatient	3.23	2.81	*	2.67	2.85	2.70	4.64	4.78		
Rehabilitation Facility - Outpatient	3.29	2.68	4.09	2.81	2.91	2.80	4.75	4.58		
Mental Health Center - Outpatient	2.93	1.87	3.75	2.09	2.87	1.78	4.35	3.06		
Emergency Room	1.48	0.65	0.44	1.23	1.07	0.63	2.19	1.07		
Private Doctor's Office	2.68	1.49	1.46	1.65	1.97	0.59	*	2.61		
Self-Help Group	3.37	3.13	4.70	3.35	3.40	3.17	4.86	5.14		
Prison/Jail	1.24	1.58	2.10	1.74	1.58	1.02	1.74	2.71		

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.53P	Locations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past
	Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

			AGE GROUP (Years)							
	То	tal	12-	12-17		-25	26 or	Older		
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003		
Hospital as an Inpatient	0.2884		0.4585		0.7305		0.4005			
Rehabilitation Facility - Inpatient	0.3375		*		0.4422		0.5805			
Rehabilitation Facility - Outpatient	0.2948		0.0204		0.9199		0.5550			
Mental Health Center - Outpatient	0.1684		0.2214		0.0039		0.6347			
Emergency Room	0.1930		0.0927		0.1750		0.2223			
Private Doctor's Office	0.3651		0.4067		0.0005		*			
Self-Help Group	0.5045		0.1103		0.3841		0.9576			
Prison/Jail	0.6895		0.8667		0.2248		0.4402			

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54CLocations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age
Group: Standard Errors of Numbers in Thousands, 2002 and 2003

			AGE GROUP (Years)								
	To	Total		-17	18	-25	26 or Older				
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003			
Hospital as an Inpatient	65	45	9	6	10	10	64	43			
Rehabilitation Facility - Inpatient	74	59	*	6	13	15	72	56			
Rehabilitation Facility - Outpatient	82	54	10	7	14	16	78	52			
Mental Health Center - Outpatient	66	36	7	5	13	10	65	33			
Emergency Room	29	9	4	4	4	3	29	8			
Private Doctor's Office	60	29	5	4	6	5	60	28			
Self-Help Group	89	77	14	9	17	20	85	74			
Prison/Jail	26	30	6	3	7	5	24	30			

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54DLocations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age
Group: Standard Errors of Percentages, 2002 and 2003

			AGE GROUP (Years)								
	Τα	otal	12	-17	18	-25	26 or	Older			
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003			
Hospital as an Inpatient	2.48	1.78	3.60	2.58	2.10	1.54	3.39	2.65			
Rehabilitation Facility - Inpatient	2.73	2.24	*	2.70	2.54	2.42	3.67	3.34			
Rehabilitation Facility - Outpatient	2.91	2.09	3.72	3.12	2.81	2.50	3.87	3.10			
Mental Health Center - Outpatient	2.49	1.44	2.93	2.41	2.69	1.70	3.44	2.05			
Emergency Room	1.19	0.40	1.93	1.73	0.91	0.52	1.61	0.53			
Private Doctor's Office	2.34	1.20	2.04	1.91	1.29	0.74	3.23	1.80			
Self-Help Group	2.95	2.70	4.89	3.66	3.13	2.86	3.98	3.90			
Prison/Jail	1.06	1.23	2.63	1.34	1.52	0.87	1.37	1.84			

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54P	Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age
	Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

			AGE GROUP (Years)						
	То	tal	12-	12-17		-25	26 or Older		
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003	
Hospital as an Inpatient	0.4466		0.4698		0.3343		0.6541		
Rehabilitation Facility - Inpatient	0.3133		*		0.3169		0.4954		
Rehabilitation Facility - Outpatient	0.0778		0.1162		0.8395		0.1067		
Mental Health Center - Outpatient	0.0878		0.5772		0.0114		0.2655		
Emergency Room	0.0382		0.5684		0.1584		0.0718		
Private Doctor's Office	0.3256		0.6041		0.0055		0.5407		
Self-Help Group	0.3571		0.1706		0.2193		0.6941		
Prison/Jail	0.8506		0.1882		0.0656		0.6390		

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55CLocations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol
Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

			AGE GROUP (Years)								
	Тс	Total		-17	18	-25	26 or Older				
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003			
Hospital as an Inpatient	103	66	12	9	16	17	100	63			
Rehabilitation Facility - Inpatient	112	80	15	11	19	22	107	76			
Rehabilitation Facility - Outpatient	124	94	16	13	23	27	119	88			
Mental Health Center - Outpatient	108	68	13	11	20	18	104	66			
Emergency Room	68	35	6	10	11	14	67	31			
Private Doctor's Office	81	45	9	9	13	12	79	43			
Self-Help Group	137	131	20	14	27	36	131	126			
Prison/Jail	39	37	8	7	10	11	37	34			

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55DLocations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol
Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

			AGE GROUP (Years)							
	To	tal	12-	-17	18-25		26 or Older			
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003		
Hospital as an Inpatient	2.47	1.79	2.76	2.48	2.14	1.76	3.37	2.79		
Rehabilitation Facility - Inpatient	2.54	2.08	3.48	2.76	2.39	2.20	3.43	3.14		
Rehabilitation Facility - Outpatient	2.59	2.34	3.21	3.03	2.55	2.36	3.54	3.55		
Mental Health Center - Outpatient	2.47	1.80	3.01	2.58	2.46	1.81	3.43	2.82		
Emergency Room	1.81	1.05	1.64	2.51	1.49	1.44	2.53	1.49		
Private Doctor's Office	2.06	1.30	2.22	2.32	1.75	1.31	2.91	2.01		
Self-Help Group	2.52	2.36	3.60	3.32	2.77	2.63	3.48	3.62		
Prison/Jail	1.11	1.07	2.12	1.95	1.41	1.25	1.49	1.57		

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55P	Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol
	Treatment in the Past Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

			AGE GROUP (Years)						
	То	tal	12-	17	18-25		26 or Older		
Location of Treatment ¹	2002	2003	2002	2003	2002	2003	2002	2003	
Hospital as an Inpatient	0.0177		0.3201		0.2499		0.0581		
Rehabilitation Facility - Inpatient	0.0058		0.3163		0.4243		0.0161		
Rehabilitation Facility - Outpatient	0.0522		0.3804		0.2971		0.1248		
Mental Health Center - Outpatient	0.0167		0.7473		0.0281		0.0793		
Emergency Room	0.0023		0.0354		0.4978		0.0007		
Private Doctor's Office	0.1235		0.4573		0.2424		0.1744		
Self-Help Group	0.8617		0.0302		0.6492		0.7753		
Prison/Jail	0.4366		0.4573		0.4735		0.5733		

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.