

**Table 5.84C Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	411	389	124	102	403	370	0.65	0.54
<b>AGE</b>								
12-17	51	50	17	12	49	49	1.11	0.78
18-25	113	110	24	26	111	107	0.42	0.45
26 or Older	389	358	121	96	380	341	1.02	0.82
<b>GENDER</b>								
Male	340	313	110	85	328	303	0.83	0.68
Female	226	207	53	55	224	196	0.90	0.85
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	377	352	120	97	365	334	0.72	0.58
White	336	309	109	73	330	298	0.80	0.54
Black or African American	144	131	48	57	132	122	2.19	2.98
American Indian or Alaska Native	30	27	11	13	28	25	*	*
Native Hawaiian or Other Pacific Islander	17	12	0	4	17	12	*	*
Asian	69	64	4	6	69	63	*	*
Two or More Races	45	36	7	9	45	34	2.85	*
Hispanic or Latino	143	141	30	33	144	137	1.22	1.32

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.84D Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	0.17	0.16	0.05	0.04	0.17	0.16	0.65	0.54
<b>AGE</b>								
12-17	0.21	0.20	0.07	0.05	0.20	0.20	1.11	0.78
18-25	0.36	0.35	0.08	0.08	0.36	0.34	0.42	0.45
26 or Older	0.22	0.20	0.07	0.05	0.21	0.19	1.02	0.82
<b>GENDER</b>								
Male	0.30	0.27	0.10	0.07	0.29	0.26	0.83	0.68
Female	0.19	0.17	0.04	0.04	0.18	0.16	0.90	0.85
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.18	0.17	0.06	0.05	0.18	0.16	0.72	0.58
White	0.20	0.19	0.07	0.04	0.20	0.18	0.80	0.54
Black or African American	0.54	0.48	0.18	0.21	0.49	0.44	2.19	2.98
American Indian or Alaska Native	2.06	2.14	0.74	1.00	1.92	1.96	*	*
Native Hawaiian or Other Pacific Islander	2.09	2.49	0.04	0.78	2.09	2.35	*	*
Asian	0.76	0.65	0.04	0.06	0.76	0.64	*	*
Two or More Races	1.81	1.39	0.29	0.36	1.79	1.32	2.85	*
Hispanic or Latino	0.49	0.47	0.10	0.11	0.50	0.46	1.22	1.32

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.84P Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	0.2451		0.1101		0.4933		0.1748	
<b>AGE</b>								
12-17	0.8962		0.2060		0.7761		0.1960	
18-25	0.4413		0.4130		0.3310		0.3121	
26 or Older	0.2910		0.0933		0.5853		0.1500	
<b>GENDER</b>								
Male	0.1069		0.1246		0.2422		0.2413	
Female	0.7599		0.5341		0.6201		0.4773	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.2988		0.1031		0.6003		0.1474	
White	0.3408		0.0327		0.7671		0.0478	
Black or African American	0.2244		0.8929		0.1489		0.5311	
American Indian or Alaska Native	0.2632		0.5149		0.3497		*	
Native Hawaiian or Other Pacific Islander	0.3963		0.1840		0.5876		*	
Asian	0.0595		0.7138		0.0610		*	
Two or More Races	0.4829		0.5010		0.3867		*	
Hispanic or Latino	0.5643		0.9426		0.5749		0.9366	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.85C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	430	387	84	77	50	38	68	67	418	375
<b>AGE</b>										
12-17	51	52	6	8	*	*	*	*	52	51
18-25	143	129	20	21	*	7	*	19	140	126
26 or Older	401	354	82	74	*	*	*	*	391	346
<b>GENDER</b>										
Male	351	318	65	67	*	*	*	*	342	310
Female	225	197	53	43	*	*	*	*	215	193

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.85D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.00	0.00	0.48	0.44	5.28	5.22	5.28	5.22	0.48	0.44
<b>AGE</b>										
12-17	0.00	0.00	0.45	0.59	*	*	*	*	0.45	0.59
18-25	0.00	0.00	0.36	0.38	*	4.68	*	4.68	0.36	0.38
26 or Older	0.00	0.00	0.77	0.71	*	*	*	*	0.77	0.71
<b>GENDER</b>										
Male	0.00	0.00	0.54	0.58	*	*	*	*	0.54	0.58
Female	0.00	0.00	0.92	0.75	*	*	*	*	0.92	0.75

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.85P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	.	.	0.2967		0.2837		0.2837		0.2967	
<b>AGE</b>										
12-17	.	.	0.6121		*		*		0.6121	
18-25	.	.	0.9571		*		*		0.9571	
26 or Older	.	.	0.2721		*		*		0.2721	
<b>GENDER</b>										
Male	.	.	0.5955		*		*		0.5955	
Female	.	.	0.3165		*		*		0.3165	

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.