Table 6.45C Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older With Serious Mental Illness and/or Illicit Drug or Alcohol Dependence or Abuse in the Past Year: Standard Errors of Numbers in Thousands, 2002 and 2003

Serious Mental Illness/Illicit Drug or	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}		Mental Health Treatment Only ¹		Substance Use Treatment at a Specialty Facility Only ²		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}	
Alcohol Dependence or Abuse	2002	2003	2002	2003	2002	2003	2002	2003
EITHER SMI OR DEPENDENCE/ABUSE ^{3,4}	351	379	331	357	75	68	106	70
SMI ³	294	340	281	331	28	38	90	56
SMI but not Dependence/Abuse ^{3,4}	267	299	265	297	19	12	25	22
Dependence/Abuse ⁴	224	214	192	181	72	67	103	66
Dependence/Abuse but not SMI ^{3,4}	176	139	158	117	69	57	58	41
Both SMI and Dependence/Abuse ^{3,4}	134	147	103	131	20	36	86	51
NEITHER SMI NOR DEPENDENCE/ABUSE ^{3,4}	494	510	485	507	67	41	44	27

^{*}Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Table 6.45D Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older With Serious Mental Illness and/or Illicit Drug or Alcohol Dependence or Abuse in the Past Year: Standard Errors of Percentages, 2002 and 2003

Serious Mental Illness/Illicit Drug or	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}		Mental Health Treatment Only ¹		Substance Use Treatment at a Specialty Facility Only ²		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}	
Alcohol Dependence or Abuse	2002	2003	2002	2003	2002	2003	2002	2003
EITHER SMI OR DEPENDENCE/ABUSE ^{3,4}	0.88	0.81	0.85	0.79	0.23	0.19	0.31	0.20
SMI ³	1.26	1.14	1.25	1.14	0.16	0.19	0.50	0.28
SMI but not Dependence/Abuse ^{3,4}	1.49	1.31	1.49	1.30	0.14	0.08	0.18	0.14
Dependence/Abuse ⁴	0.97	0.93	0.87	0.83	0.37	0.34	0.50	0.33
Dependence/Abuse but not SMI ^{3,4}	1.02	0.84	0.92	0.73	0.44	0.37	0.37	0.27
Both SMI and Dependence/Abuse ^{3,4}	2.27	2.16	2.12	2.21	0.49	0.86	1.93	1.15
NEITHER SMI NOR DEPENDENCE/ABUSE ^{3,4}	0.27	0.26	0.26	0.26	0.04	0.02	0.02	0.02

^{*}Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Table 6.45P Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older With Serious Mental Illness and/or Illicit Drug or Alcohol Dependence or Abuse in the Past Year: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Serious Mental Illness/Illicit Drug or	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}		Mental Health Treatment Only ¹		Substance Use Treatment at a Specialty Facility Only ²		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}	
Alcohol Dependence or Abuse	2002	2003	2002	2003	2002	2003	2002	2003
EITHER SMI OR DEPENDENCE/ABUSE ^{3,4}	0.8705		0.5296		0.8578		0.0199	
SMI ³	0.8633		0.7094		0.2096		0.0372	
SMI but not Dependence/Abuse ^{3,4}	0.5430		0.6100		0.8075		0.5275	
Dependence/Abuse ⁴	0.4405		0.9905		0.7949		0.0443	
Dependence/Abuse but not SMI ^{3,4}	0.0605		0.1343		0.6081		0.2414	
Both SMI and Dependence/Abuse ^{3,4}	0.3202		0.0680		0.0793		0.0664	
NEITHER SMI NOR DEPENDENCE/ABUSE ^{3,4}	0.9461		0.7006		0.0505		0.2737	

^{*}Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).