

**Table 7.62A Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Drug	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>ANY ILLICIT DRUG<sup>2</sup></b>	6,300	105	6,152
Marijuana and Hashish	4,575	86	4,452
Cocaine	601	8	587
Crack	116	1	115
Heroin	34	1	32
Hallucinogens	354	6	344
LSD	35	0	35
PCP	15	2	14
Ecstasy	223	4	217
Inhalants	131	1	130
Nonmedical Use of Any Psychotherapeutic <sup>3</sup>	2,329	30	2,285
Pain Relievers	1,630	21	1,596
Tranquilizers	692	5	684
Stimulants	492	7	483
Methamphetamine	207	1	205
Sedatives	124	2	123
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>2</sup></b>	2,961	35	2,907

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.62B Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Drug	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>ANY ILLICIT DRUG<sup>2</sup></b>	10.2	4.3	10.4
Marijuana and Hashish	7.4	3.5	7.6
Cocaine	1.0	0.3	1.0
Crack	0.2	0.0	0.2
Heroin	0.1	0.0	0.1
Hallucinogens	0.6	0.3	0.6
LSD	0.1	0.0	0.1
PCP	0.0	0.1	0.0
Ecstasy	0.4	0.1	0.4
Inhalants	0.2	0.0	0.2
Nonmedical Use of Any Psychotherapeutic <sup>3</sup>	3.8	1.2	3.9
Pain Relievers	2.6	0.9	2.7
Tranquilizers	1.1	0.2	1.2
Stimulants	0.8	0.3	0.8
Methamphetamine	0.3	0.0	0.3
Sedatives	0.2	0.1	0.2
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>2</sup></b>	4.8	1.4	4.9

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.63A Any Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	6,300	105	6,152
<b>AGE</b>			
15-17	994	12	975
18-25	2,573	71	2,476
26-44	2,733	22	2,701
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	5,632	90	5,502
White	4,534	62	4,447
Black or African American	780	24	746
American Indian or Alaska Native	60	*	59
Native Hawaiian or Other Pacific Islander	24	*	23
Asian	131	*	128
Two or More Races	102	*	99
Hispanic or Latino	668	15	651
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	54	N/A
Second	N/A	31	N/A
Third	N/A	18	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.63B Any Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	10.2	4.3	10.4
<b>AGE</b>			
15-17	16.5	12.8	16.5
18-25	16.4	7.5	16.9
26-44	6.8	1.6	7.0
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	10.8	4.7	11.0
White	11.4	4.4	11.6
Black or African American	9.5	8.0	9.4
American Indian or Alaska Native	15.4	*	16.3
Native Hawaiian or Other Pacific Islander	12.6	*	12.8
Asian	4.3	*	4.4
Two or More Races	15.4	*	15.9
Hispanic or Latino	7.2	3.0	7.4
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	7.7	N/A
Second	N/A	3.2	N/A
Third	N/A	2.3	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.64A Marijuana Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	4,575	86	4,452
<b>AGE</b>			
15-17	724	9	709
18-25	2,086	60	2,004
26-44	1,765	17	1,739
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	4,171	74	4,061
White	3,374	52	3,299
Black or African American	594	18	565
American Indian or Alaska Native	44	*	43
Native Hawaiian or Other Pacific Islander	10	*	10
Asian	78	*	74
Two or More Races	72	*	70
Hispanic or Latino	404	11	391
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	43	N/A
Second	N/A	25	N/A
Third	N/A	16	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.64B Marijuana Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	7.4	3.5	7.6
<b>AGE</b>			
15-17	12.0	9.5	12.0
18-25	13.3	6.3	13.7
26-44	4.4	1.2	4.5
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	8.0	3.9	8.1
White	8.5	3.7	8.6
Black or African American	7.2	6.2	7.1
American Indian or Alaska Native	11.3	*	12.0
Native Hawaiian or Other Pacific Islander	5.2	*	5.4
Asian	2.5	*	2.6
Two or More Races	11.0	*	11.2
Hispanic or Latino	4.3	2.2	4.5
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	6.1	N/A
Second	N/A	2.5	N/A
Third	N/A	2.1	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.65A Tobacco and Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Drug	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>ANY TOBACCO<sup>2</sup></b>	19,288	459	18,707
Cigarettes	18,655	438	18,110
Smokeless Tobacco	184	7	178
Cigars	1,876	35	1,815
Pipe Tobacco	160	8	152
<b>ALCOHOL</b>	31,647	238	31,246
Binge Alcohol Use <sup>3</sup>	13,849	99	13,676
Heavy Alcohol Use <sup>3</sup>	3,166	16	3,140

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.65B Tobacco and Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Drug	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>ANY TOBACCO<sup>2</sup></b>	31.3	18.9	31.7
Cigarettes	30.2	18.0	30.7
Smokeless Tobacco	0.3	0.3	0.3
Cigars	3.0	1.4	3.1
Pipe Tobacco	0.3	0.3	0.3
<b>ALCOHOL</b>	51.3	9.8	53.0
Binge Alcohol Use <sup>3</sup>	22.4	4.1	23.2
Heavy Alcohol Use <sup>3</sup>	5.1	0.7	5.3

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 7.66A Cigarette Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	18,655	438	18,110
<b>AGE</b>			
15-17	1,257	25	1,223
18-25	5,739	263	5,433
26-44	11,659	149	11,454
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	16,915	403	16,420
White	14,035	356	13,604
Black or African American	1,994	28	1,953
American Indian or Alaska Native	191	*	187
Native Hawaiian or Other Pacific Islander	69	*	67
Asian	372	*	368
Two or More Races	253	*	241
Hispanic or Latino	1,740	35	1,690
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	155	N/A
Second	N/A	150	N/A
Third	N/A	130	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.66B Cigarette Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	30.2	18.0	30.7
<b>AGE</b>			
15-17	20.9	25.9	20.7
18-25	36.7	27.8	37.2
26-44	29.1	10.8	29.8
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	32.3	21.0	32.7
White	35.2	25.0	35.6
Black or African American	24.2	9.3	24.7
American Indian or Alaska Native	49.2	*	52.0
Native Hawaiian or Other Pacific Islander	36.5	*	36.7
Asian	12.2	*	12.8
Two or More Races	38.4	*	38.6
Hispanic or Latino	18.7	6.8	19.3
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	22.0	N/A
Second	N/A	15.5	N/A
Third	N/A	17.3	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.67A Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	31,647	238	31,246
<b>AGE</b>			
15-17	1,717	14	1,694
18-25	8,722	100	8,577
26-44	21,208	124	20,975
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	28,113	194	27,783
White	23,042	154	22,802
Black or African American	3,384	19	3,336
American Indian or Alaska Native	194	*	186
Native Hawaiian or Other Pacific Islander	78	*	77
Asian	1,063	*	1,036
Two or More Races	352	*	346
Hispanic or Latino	3,534	44	3,464
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	138	N/A
Second	N/A	59	N/A
Third	N/A	35	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.67B Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	51.3	9.8	53.0
<b>AGE</b>			
15-17	28.5	14.5	28.7
18-25	55.7	10.5	58.7
26-44	53.0	8.9	54.6
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	53.7	10.1	55.3
White	57.8	10.8	59.6
Black or African American	41.0	6.4	42.2
American Indian or Alaska Native	49.8	*	51.7
Native Hawaiian or Other Pacific Islander	40.9	*	42.1
Asian	34.9	*	36.0
Two or More Races	53.3	*	55.6
Hispanic or Latino	37.9	8.6	39.6
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	19.6	N/A
Second	N/A	6.1	N/A
Third	N/A	4.7	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.68A Binge Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	13,849	99	13,676
<b>AGE</b>			
15-17	999	7	985
18-25	4,968	46	4,893
26-44	7,882	46	7,798
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	12,194	84	12,050
White	10,065	57	9,975
Black or African American	1,513	9	1,481
American Indian or Alaska Native	134	*	126
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	274	*	263
Two or More Races	156	*	154
Hispanic or Latino	1,655	15	1,626
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	77	N/A
Second	N/A	13	N/A
Third	N/A	5	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.68B Binge Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	22.4	4.1	23.2
<b>AGE</b>			
15-17	16.6	7.0	16.7
18-25	31.7	4.8	33.5
26-44	19.7	3.3	20.3
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	23.3	4.4	24.0
White	25.3	4.0	26.1
Black or African American	18.3	3.0	18.7
American Indian or Alaska Native	34.3	*	35.1
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	9.0	*	9.1
Two or More Races	23.7	*	24.7
Hispanic or Latino	17.8	2.9	18.6
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	10.9	N/A
Second	N/A	1.4	N/A
Third	N/A	0.7	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.69A Heavy Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	3,166	16	3,140
<b>AGE</b>			
15-17	218	0	216
18-25	1,380	7	1,365
26-44	1,568	9	1,559
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	2,945	15	2,924
White	2,568	11	2,553
Black or African American	237	1	233
American Indian or Alaska Native	27	*	25
Native Hawaiian or Other Pacific Islander	12	*	11
Asian	66	*	66
Two or More Races	36	*	35
Hispanic or Latino	221	1	217
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	12	N/A
Second	N/A	*	N/A
Third	N/A	1	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.69B Heavy Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs**

Demographic Characteristic	Total <sup>1</sup>	PREGNANCY STATUS	
		Pregnant	Not Pregnant
<b>TOTAL</b>	5.1	0.7	5.3
<b>AGE</b>			
15-17	3.6	0.1	3.7
18-25	8.8	0.7	9.3
26-44	3.9	0.6	4.1
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	5.6	0.8	5.8
White	6.4	0.8	6.7
Black or African American	2.9	0.5	2.9
American Indian or Alaska Native	6.8	*	7.0
Native Hawaiian or Other Pacific Islander	6.2	*	6.1
Asian	2.2	*	2.3
Two or More Races	5.4	*	5.6
Hispanic or Latino	2.4	0.2	2.5
<b>TRIMESTER<sup>2</sup></b>			
First	N/A	1.6	N/A
Second	N/A	*	N/A
Third	N/A	0.1	N/A

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>1</sup> Estimates in the Total column are for all females aged 15 to 44, including those with unknown pregnancy status.

<sup>2</sup> Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.