

Table 7.86C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG²	390	418	112	95	383	402
Marijuana and Hashish	316	329	97	76	315	324
Cocaine	127	147	53	65	116	129
Crack	67	92	36	58	60	63
Heroin	41	27	15	9	39	25
Hallucinogens	79	68	22	25	72	63
LSD	13	15	8	8	11	13
PCP	14	11	11	4	9	10
Ecstasy	62	53	18	23	59	47
Inhalants	59	37	7	6	59	37
Nonmedical Use of Any Psychotherapeutic ³	230	252	63	50	220	243
Pain Relievers	181	206	42	36	173	201
Tranquilizers	134	117	25	21	132	116
Stimulants	89	91	46	30	76	82
Methamphetamine	70	74	44	28	55	63
Sedatives	64	54	17	13	60	52
ANY ILLICIT DRUG OTHER THAN MARIJUANA²	277	293	83	77	261	279

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.86D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG²	0.18	0.19	1.93	1.78	0.18	0.18
Marijuana and Hashish	0.15	0.15	1.75	1.49	0.15	0.15
Cocaine	0.06	0.07	1.08	1.32	0.06	0.06
Crack	0.03	0.04	0.75	1.18	0.03	0.03
Heroin	0.02	0.01	0.31	0.18	0.02	0.01
Hallucinogens	0.04	0.03	0.47	0.54	0.03	0.03
LSD	0.01	0.01	0.17	0.17	0.01	0.01
PCP	0.01	0.01	0.22	0.09	0.00	0.00
Ecstasy	0.03	0.03	0.38	0.48	0.03	0.02
Inhalants	0.03	0.02	0.15	0.12	0.03	0.02
Nonmedical Use of Any Psychotherapeutic ³	0.11	0.12	1.24	1.00	0.11	0.12
Pain Relievers	0.09	0.10	0.86	0.75	0.08	0.10
Tranquilizers	0.06	0.05	0.52	0.44	0.06	0.06
Stimulants	0.04	0.04	0.94	0.61	0.04	0.04
Methamphetamine	0.03	0.03	0.90	0.59	0.03	0.03
Sedatives	0.03	0.03	0.35	0.27	0.03	0.03
ANY ILLICIT DRUG OTHER THAN MARIJUANA²	0.13	0.13	1.58	1.51	0.12	0.13

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.86P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG²	0.7561		0.8175		0.8671	
Marijuana and Hashish	0.9449		0.6117		0.9178	
Cocaine	0.2107		0.4893		0.2177	
Crack	0.8271		0.2083		0.6678	
Heroin	0.2646		0.5596		0.3350	
Hallucinogens	0.1025		0.9075		0.0953	
LSD	0.1444		0.3904		0.2234	
PCP	0.9865		0.6266		0.6589	
Ecstasy	0.0279		0.7876		0.0223	
Inhalants	0.2223		0.5662		0.2492	
Nonmedical Use of Any Psychotherapeutic ³	0.8811		0.9600		0.7929	
Pain Relievers	0.3265		0.9872		0.2659	
Tranquilizers	0.8539		0.8137		0.9143	
Stimulants	0.6452		0.3914		0.9443	
Methamphetamine	0.9817		0.6110		0.7454	
Sedatives	0.0857		0.5841		0.1336	
ANY ILLICIT DRUG OTHER THAN MARIJUANA²	0.9904		0.8993		0.8634	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.87C Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG²	357	368	110	84	344	355
Marijuana and Hashish	298	296	97	74	293	293
Cocaine	124	123	49	50	106	114
Crack	69	69	29	40	59	56
Heroin	32	27	15	9	29	25
Hallucinogens	67	68	22	25	60	63
LSD	13	15	8	8	11	13
PCP	14	11	11	4	9	10
Ecstasy	48	53	18	23	44	47
Inhalants	48	36	7	6	47	36
Nonmedical Use of Any Psychotherapeutic ³	198	224	63	50	187	213
Pain Relievers	159	185	42	36	150	179
Tranquilizers	108	97	25	21	105	95
Stimulants	89	89	46	30	75	80
Methamphetamine	70	74	44	28	55	63
Sedatives	50	36	17	13	46	34
ANY ILLICIT DRUG OTHER THAN MARIJUANA²	242	256	80	64	222	244

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.87D Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG²	0.25	0.26	1.99	1.76	0.25	0.26
Marijuana and Hashish	0.21	0.21	1.84	1.60	0.22	0.22
Cocaine	0.09	0.09	1.07	1.14	0.08	0.09
Crack	0.05	0.05	0.65	0.92	0.05	0.04
Heroin	0.02	0.02	0.34	0.20	0.02	0.02
Hallucinogens	0.05	0.05	0.51	0.60	0.05	0.05
LSD	0.01	0.01	0.18	0.19	0.01	0.01
PCP	0.01	0.01	0.24	0.10	0.01	0.01
Ecstasy	0.04	0.04	0.42	0.54	0.03	0.04
Inhalants	0.04	0.03	0.16	0.14	0.04	0.03
Nonmedical Use of Any Psychotherapeutic ³	0.15	0.16	1.33	1.11	0.14	0.16
Pain Relievers	0.12	0.14	0.93	0.83	0.12	0.14
Tranquilizers	0.08	0.07	0.57	0.48	0.08	0.07
Stimulants	0.07	0.07	1.01	0.68	0.06	0.06
Methamphetamine	0.05	0.06	0.97	0.66	0.04	0.05
Sedatives	0.04	0.03	0.38	0.29	0.04	0.03
ANY ILLICIT DRUG OTHER THAN MARIJUANA²	0.18	0.19	1.63	1.43	0.17	0.18

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.87P Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG²	0.9520		0.7054		0.8088	
Marijuana and Hashish	0.8166		0.5963		0.6543	
Cocaine	0.3428		0.5744		0.3098	
Crack	0.7839		0.2028		0.4134	
Heroin	0.5677		0.5797		0.7181	
Hallucinogens	0.2534		0.8497		0.2513	
LSD	0.1370		0.3745		0.2149	
PCP	0.9744		0.6381		0.6500	
Ecstasy	0.0909		0.8280		0.0751	
Inhalants	0.3432		0.5975		0.3828	
Nonmedical Use of Any Psychotherapeutic ³	0.6340		0.9742		0.5994	
Pain Relievers	0.1522		0.9004		0.1400	
Tranquilizers	0.9077		0.7871		0.8225	
Stimulants	0.6511		0.4206		0.9410	
Methamphetamine	0.9650		0.6411		0.6941	
Sedatives	0.0351		0.4850		0.0506	
ANY ILLICIT DRUG OTHER THAN MARIJUANA²	0.7417		0.8156		0.5927	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.88C Any Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	390	418	112	95	383	402
AGE						
18-49	357	368	110	84	344	355
18-25	146	155	40	45	138	144
26-34	201	199	63	53	190	197
35-49	246	250	79	57	237	245
GENDER/AGE						
Male 18 or Older	289	297	103	87	282	282
Male 18-49	262	263	101	75	249	252
Female 18 or Older	234	248	40	40	229	242
Female 18-49	205	216	40	40	200	209

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.88D Any Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.18	0.19	1.93	1.78	0.18	0.18
AGE						
18-49	0.25	0.26	1.99	1.76	0.25	0.26
18-25	0.37	0.40	1.80	1.89	0.38	0.40
26-34	0.52	0.52	4.16	4.20	0.52	0.54
35-49	0.36	0.36	4.53	4.04	0.36	0.36
GENDER/AGE						
Male 18 or Older	0.28	0.27	2.36	2.23	0.29	0.27
Male 18-49	0.39	0.38	2.45	2.16	0.39	0.38
Female 18 or Older	0.21	0.22	3.08	2.92	0.20	0.21
Female 18-49	0.28	0.31	3.12	3.05	0.28	0.30

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.88P Any Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.7561		0.8175		0.8671	
AGE						
18-49	0.9520		0.7054		0.8088	
18-25	0.8639		0.5540		0.9394	
26-34	0.7678		0.7909		0.8014	
35-49	0.6734		0.1868		0.9880	
GENDER/AGE						
Male 18 or Older	0.5435		0.5039		0.6978	
Male 18-49	0.6222		0.3983		0.8572	
Female 18 or Older	0.8143		0.3692		0.8549	
Female 18-49	0.4578		0.3751		0.5471	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.89C Any Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	229	205	72	79	215	186
AGE						
18-49	196	196	69	78	182	175
18-25	82	79	28	34	75	71
26-34	114	108	44	40	107	99
35-49	131	134	47	55	121	119
GENDER/AGE						
Male 18 or Older	183	166	66	72	173	146
Male 18-49	161	156	62	71	149	134
Female 18 or Older	126	116	29	33	116	110
Female 18-49	104	114	29	33	97	107

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.89D Any Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.11	0.09	1.43	1.51	0.10	0.09
AGE						
18-49	0.14	0.14	1.48	1.63	0.14	0.13
18-25	0.24	0.23	1.47	1.54	0.23	0.22
26-34	0.32	0.30	3.24	3.39	0.31	0.29
35-49	0.20	0.20	3.36	3.83	0.19	0.18
GENDER/AGE						
Male 18 or Older	0.18	0.16	1.75	1.92	0.18	0.15
Male 18-49	0.24	0.24	1.81	2.07	0.24	0.21
Female 18 or Older	0.11	0.10	2.21	2.48	0.11	0.10
Female 18-49	0.15	0.17	2.45	2.61	0.15	0.16

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.89P Any Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.3827		0.1939		0.1840	
AGE						
18-49	0.9903		0.0996		0.5815	
18-25	0.2286		0.0433		0.0267	
26-34	0.8879		0.6304		0.9208	
35-49	0.7344		0.5238		0.8385	
GENDER/AGE						
Male 18 or Older	0.2043		0.3976		0.0902	
Male 18-49	0.4462		0.2186		0.1996	
Female 18 or Older	0.8002		0.2129		0.9748	
Female 18-49	0.2870		0.2345		0.4326	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.90C Any Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	471	428	118	123	460	404
AGE						
18-49	390	367	115	115	370	344
18-25	164	149	45	48	151	136
26-34	222	202	76	72	210	194
35-49	255	241	75	74	243	227
GENDER/AGE						
Male 18 or Older	381	349	108	117	371	328
Male 18-49	310	296	104	110	291	276
Female 18 or Older	251	230	44	41	240	223
Female 18-49	203	202	44	41	195	195

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.90D Any Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.21	0.19	1.91	2.02	0.21	0.18
AGE						
18-49	0.27	0.25	1.91	2.10	0.27	0.25
18-25	0.39	0.37	1.92	1.81	0.38	0.36
26-34	0.58	0.53	4.43	5.00	0.58	0.52
35-49	0.37	0.35	4.34	4.67	0.36	0.34
GENDER/AGE						
Male 18 or Older	0.35	0.32	2.33	2.52	0.36	0.31
Male 18-49	0.44	0.41	2.30	2.57	0.44	0.40
Female 18 or Older	0.23	0.20	3.29	3.11	0.22	0.20
Female 18-49	0.29	0.29	3.47	3.25	0.28	0.29

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.90P Any Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.2436		0.4749		0.1804	
AGE						
18-49	0.4357		0.5925		0.3592	
18-25	0.2043		0.3811		0.0766	
26-34	0.9285		0.9520		1.0000	
35-49	0.5744		0.9362		0.5619	
GENDER/AGE						
Male 18 or Older	0.1319		0.3299		0.0656	
Male 18-49	0.2561		0.4000		0.1539	
Female 18 or Older	0.8784		0.6448		0.7669	
Female 18-49	0.8084		0.6666		0.7270	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.91C Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	458	481	98	90	447	476
AGE						
18-49	336	339	77	85	327	336
18-25	106	117	23	32	103	112
26-34	173	180	32	45	170	179
35-49	256	240	66	59	249	238
GENDER/AGE						
Male 18 or Older	258	282	75	67	247	281
Male 18-49	209	202	71	60	195	200
Female 18 or Older	352	374	58	55	346	371
Female 18-49	243	268	33	54	241	267

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.91D Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.21	0.20	1.75	1.71	0.21	0.21
AGE						
18-49	0.23	0.23	1.55	1.71	0.24	0.23
18-25	0.30	0.32	1.22	1.52	0.31	0.32
26-34	0.47	0.47	2.40	3.81	0.48	0.49
35-49	0.37	0.34	4.21	3.81	0.37	0.35
GENDER/AGE						
Male 18 or Older	0.25	0.26	1.91	1.79	0.25	0.27
Male 18-49	0.30	0.29	1.94	1.77	0.30	0.31
Female 18 or Older	0.30	0.31	3.85	3.48	0.30	0.31
Female 18-49	0.34	0.36	2.78	3.55	0.34	0.37

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.91P Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2002	2003	2002	2003	2002	2003
TOTAL 18 OR OLDER	0.0017		0.1936		0.0035	
AGE						
18-49	0.0034		0.0478		0.0132	
18-25	0.0723		0.0238		0.2467	
26-34	0.5889		0.1863		0.8006	
35-49	0.0118		0.6572		0.0141	
GENDER/AGE						
Male 18 or Older	0.0361		0.3130		0.0656	
Male 18-49	0.3955		0.3753		0.5309	
Female 18 or Older	0.0119		0.4285		0.0150	
Female 18-49	0.0025		0.0528		0.0080	

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.