Table 7.98C Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | | |
|-------------------------------------------------------|------|------|----------------------------------------------------------------------|------|------|------|--|
| | То | tal | Y | es | N | lo | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| ANY ILLICIT DRUG ¹ | | | | | | | |
| Total | 612 | 596 | 231 | 213 | 537 | 552 | |
| 12-17 | 111 | 110 | 49 | 48 | 99 | 100 | |
| 18-25 | 222 | 212 | 64 | 65 | 209 | 195 | |
| 26 or Older | 524 | 514 | 205 | 191 | 467 | 474 | |
| MARIJUANA | | | | | | | |
| Total | 479 | 478 | 187 | 177 | 424 | 445 | |
| 12-17 | 90 | 88 | 40 | 38 | 82 | 81 | |
| 18-25 | 191 | 196 | 59 | 58 | 184 | 183 | |
| 26 or Older | 410 | 400 | 168 | 155 | 368 | 375 | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | |
| Total | 455 | 440 | 179 | 168 | 411 | 399 | |
| 12-17 | 82 | 89 | 37 | 38 | 73 | 78 | |
| 18-25 | 153 | 148 | 46 | 50 | 139 | 137 | |
| 26 or Older | 396 | 386 | 165 | 154 | 367 | 343 | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.98D Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | | |
|-------------------------------------------------------|------|-------|-------------------------------------------------------------------------|------|------|------|--|
| | To | Total | | es | N | lo | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| ANY ILLICIT DRUG ¹ | | | | | | | |
| Total | 0.25 | 0.23 | 0.72 | 0.62 | 0.25 | 0.26 | |
| 12-17 | 0.38 | 0.36 | 1.02 | 0.85 | 0.41 | 0.40 | |
| 18-25 | 0.46 | 0.48 | 1.03 | 1.03 | 0.51 | 0.52 | |
| 26 or Older | 0.29 | 0.27 | 0.92 | 0.80 | 0.29 | 0.29 | |
| MARIJUANA | | | | | | | |
| Total | 0.20 | 0.19 | 0.59 | 0.51 | 0.21 | 0.21 | |
| 12-17 | 0.32 | 0.31 | 0.86 | 0.74 | 0.35 | 0.35 | |
| 18-25 | 0.43 | 0.46 | 0.99 | 0.95 | 0.49 | 0.51 | |
| 26 or Older | 0.23 | 0.21 | 0.76 | 0.66 | 0.23 | 0.23 | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | |
| Total | 0.18 | 0.18 | 0.55 | 0.50 | 0.19 | 0.19 | |
| 12-17 | 0.31 | 0.32 | 0.83 | 0.73 | 0.33 | 0.34 | |
| 18-25 | 0.37 | 0.40 | 0.82 | 0.87 | 0.40 | 0.44 | |
| 26 or Older | 0.21 | 0.21 | 0.73 | 0.66 | 0.23 | 0.21 | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.98P Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | | | PATED IN ONE O STANCE PROGI | |
|----------------------------------------------------|--------|-------|--------|------|--------------------------------|------|
| | То | Total | | es | N | 0 |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ANY ILLICIT DRUG ¹ | | | | | | |
| Total | 0.5217 | | 0.2092 | | 0.7947 | |
| 12-17 | 0.4872 | | 0.2703 | | 0.7432 | |
| 18-25 | 0.1830 | | 0.5073 | | 0.2476 | |
| 26 or Older | 0.7321 | | 0.2664 | | 0.9595 | |
| MARIJUANA | | | | | | |
| Total | 0.2191 | | 0.4547 | | 0.2811 | |
| 12-17 | 0.0780 | | 0.1907 | | 0.1711 | |
| 18-25 | 0.0365 | | 0.1932 | | 0.0881 | |
| 26 or Older | 0.6227 | | 0.7763 | | 0.6498 | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | |
| Total | 0.5682 | | 0.0397 | | 0.8207 | |
| 12-17 | 0.8608 | | 0.5160 | | 0.9411 | |
| 18-25 | 0.3854 | | 0.4929 | | 0.5009 | |
| 26 or Older | 0.6805 | | 0.0475 | | 0.6642 | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.99C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | | |
|----------------------------|-------|-------|------|----------------------------------------------------------------------|-------|-------|--|--|
| | Te | Total | | es | No | | | |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ALCOHOL | | | | | | | | |
| Total | 1,543 | 1,523 | 379 | 372 | 1,480 | 1,481 | | |
| 12-17 | 90 | 95 | 37 | 38 | 85 | 88 | | |
| 18-25 | 341 | 311 | 85 | 81 | 321 | 297 | | |
| 26 or Older | 1,459 | 1,443 | 366 | 355 | 1,405 | 1,405 | | |
| BINGE ALCOHOL ¹ | | | | | | | | |
| Total | 848 | 797 | 291 | 259 | 792 | 761 | | |
| 12-17 | 72 | 73 | 29 | 30 | 65 | 67 | | |
| 18-25 | 265 | 240 | 68 | 63 | 245 | 228 | | |
| 26 or Older | 782 | 730 | 278 | 245 | 725 | 696 | | |
| CIGARETTES | | | | | | | | |
| Total | 950 | 910 | 344 | 357 | 861 | 812 | | |
| 12-17 | 80 | 78 | 35 | 35 | 71 | 72 | | |
| 18-25 | 223 | 213 | 75 | 75 | 205 | 194 | | |
| 26 or Older | 870 | 847 | 322 | 333 | 791 | 761 | | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.99D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | | |
|----------------------------|------|-------|------|----------------------------------------------------------------------|------|------|--|--|
| | То | Total | | es | No | | | |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ALCOHOL | | | | | | | | |
| Total | 0.42 | 0.39 | 1.00 | 0.90 | 0.45 | 0.43 | | |
| 12-17 | 0.32 | 0.33 | 0.79 | 0.75 | 0.36 | 0.36 | | |
| 18-25 | 0.53 | 0.50 | 1.22 | 1.04 | 0.57 | 0.56 | | |
| 26 or Older | 0.53 | 0.49 | 1.38 | 1.28 | 0.56 | 0.53 | | |
| BINGE ALCOHOL ¹ | | | | | | | | |
| Total | 0.31 | 0.29 | 0.86 | 0.72 | 0.33 | 0.32 | | |
| 12-17 | 0.27 | 0.27 | 0.65 | 0.63 | 0.29 | 0.30 | | |
| 18-25 | 0.52 | 0.49 | 1.12 | 0.97 | 0.54 | 0.54 | | |
| 26 or Older | 0.39 | 0.35 | 1.18 | 1.00 | 0.41 | 0.38 | | |
| CIGARETTES | | | | | | | | |
| Total | 0.34 | 0.33 | 0.97 | 0.91 | 0.35 | 0.35 | | |
| 12-17 | 0.30 | 0.29 | 0.76 | 0.71 | 0.32 | 0.32 | | |
| 18-25 | 0.48 | 0.47 | 1.19 | 1.08 | 0.51 | 0.53 | | |
| 26 or Older | 0.42 | 0.41 | 1.31 | 1.26 | 0.43 | 0.42 | | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.99P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Participation in One or More Government Assistance Programs and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | | | PATED IN ONE O ISTANCE PROGI | |
|----------------------------|--------|-------|--------|------|---------------------------------|------|
| | То | Total | | Yes | | 0 |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.1065 | | 0.0427 | | 0.3755 | |
| 12-17 | 0.8725 | | 0.3571 | | 0.4671 | |
| 18-25 | 0.1799 | | 0.7218 | | 0.1445 | |
| 26 or Older | 0.0542 | | 0.0572 | | 0.1909 | |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.5430 | | 0.0233 | | 0.8217 | |
| 12-17 | 0.9274 | | 0.3074 | | 0.6618 | |
| 18-25 | 0.3381 | | 0.4144 | | 0.1359 | |
| 26 or Older | 0.3613 | | 0.0456 | | 0.8269 | |
| CIGARETTES | | | | | | |
| Total | 0.2244 | | 0.3174 | | 0.2836 | |
| 12-17 | 0.0511 | | 0.6580 | | 0.0353 | |
| 18-25 | 0.4180 | | 0.0644 | | 0.8306 | |
| 26 or Older | 0.3266 | | 0.5997 | | 0.3400 | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.100C Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | | |
|-----------------------------------------------------------------------|-------|------|-------------------------------------------------------------------------|------|------|------|--|
| | Total | | Yes | | No | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 478 | 436 | 177 | 166 | 426 | 401 | |
| 12-17 | 65 | 65 | 28 | 29 | 57 | 60 | |
| 18-25 | 164 | 149 | 52 | 47 | 150 | 142 | |
| 26 or Older | 435 | 394 | 169 | 155 | 389 | 362 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 231 | 211 | 115 | 94 | 193 | 187 | |
| 12-17 | 53 | 47 | 24 | 24 | 45 | 43 | |
| 18-25 | 82 | 79 | 32 | 35 | 75 | 73 | |
| 26 or Older | 205 | 183 | 108 | 83 | 170 | 160 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 441 | 403 | 153 | 146 | 398 | 373 | |
| 12-17 | 54 | 52 | 23 | 21 | 49 | 49 | |
| 18-25 | 145 | 132 | 44 | 40 | 133 | 127 | |
| 26 or Older | 413 | 368 | 147 | 139 | 369 | 340 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 458 | 481 | 204 | 216 | 414 | 422 | |
| 12-17 | | | | | | | |
| 18-25 | 106 | 117 | 46 | 49 | 95 | 106 | |
| 26 or Older | 439 | 458 | 198 | 216 | 400 | 394 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Table 7.100D Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | | |
|-----------------------------------------------------------------------|-------|------|-------------------------------------------------------------------------|------|------|------|--|
| | Total | | Yes | | No | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 0.19 | 0.17 | 0.55 | 0.49 | 0.19 | 0.18 | |
| 12-17 | 0.24 | 0.25 | 0.65 | 0.59 | 0.26 | 0.27 | |
| 18-25 | 0.39 | 0.37 | 0.91 | 0.80 | 0.42 | 0.41 | |
| 26 or Older | 0.23 | 0.21 | 0.75 | 0.64 | 0.23 | 0.22 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 0.10 | 0.09 | 0.37 | 0.29 | 0.09 | 0.09 | |
| 12-17 | 0.20 | 0.18 | 0.57 | 0.50 | 0.21 | 0.20 | |
| 18-25 | 0.24 | 0.23 | 0.61 | 0.64 | 0.26 | 0.25 | |
| 26 or Older | 0.11 | 0.10 | 0.49 | 0.37 | 0.11 | 0.10 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 0.18 | 0.16 | 0.48 | 0.43 | 0.19 | 0.17 | |
| 12-17 | 0.20 | 0.20 | 0.55 | 0.45 | 0.22 | 0.23 | |
| 18-25 | 0.36 | 0.34 | 0.82 | 0.69 | 0.39 | 0.39 | |
| 26 or Older | 0.22 | 0.20 | 0.66 | 0.58 | 0.22 | 0.21 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 0.21 | 0.20 | 0.73 | 0.71 | 0.22 | 0.21 | |
| 12-17 | | | | | | | |
| 18-25 | 0.30 | 0.32 | 0.85 | 0.85 | 0.32 | 0.34 | |
| 26 or Older | 0.24 | 0.23 | 0.88 | 0.87 | 0.25 | 0.23 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.
³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Table 7.100P Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | - | | | | PATED IN ONE O | |
|-----------------------------------------------------------------------|--------|------|--------|------|----------------|-----------|
| | To | tal | Yes | | N | [0 |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | |
| Total | 0.2368 | | 0.3894 | | 0.3449 | |
| 12-17 | 0.8360 | | 0.9034 | | 0.7367 | |
| 18-25 | 0.2043 | | 0.2753 | | 0.3976 | |
| 26 or Older | 0.3565 | | 0.5160 | | 0.4491 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | |
| Total | 0.2219 | | 0.1213 | | 0.5382 | |
| 12-17 | 0.1231 | | 0.4015 | | 0.1723 | |
| 18-25 | 0.2286 | | 0.9291 | | 0.1698 | |
| 26 or Older | 0.5501 | | 0.1104 | | 0.8455 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | |
| Total | 0.3627 | | 0.6371 | | 0.4226 | |
| 12-17 | 0.9592 | | 0.6952 | | 0.7771 | |
| 18-25 | 0.3726 | | 0.2289 | | 0.6742 | |
| 26 or Older | 0.4341 | | 0.9139 | | 0.4031 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | |
| Total | 0.0017 | | 0.0230 | | 0.0215 | |
| 12-17 | | | | | | |
| 18-25 | 0.0723 | | 0.1661 | | 0.2166 | |
| 26 or Older | 0.0056 | | 0.0476 | | 0.0396 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Table 7.101C Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|----------------------------------------------------|------|-------|-------------------------------------------------------|------|------|------|--|
| | То | Total | | es | No | | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| ANY ILLICIT DRUG ¹ | | | | | | | |
| Total | 612 | 596 | 153 | 131 | 578 | 581 | |
| 12-17 | 111 | 110 | 30 | 31 | 107 | 106 | |
| 18-25 | 222 | 212 | 38 | 37 | 221 | 209 | |
| 26 or Older | 524 | 514 | 141 | 120 | 493 | 498 | |
| MARIJUANA | | | | | | | |
| Total | 479 | 478 | 125 | 108 | 453 | 468 | |
| 12-17 | 90 | 88 | 24 | 23 | 87 | 85 | |
| 18-25 | 191 | 196 | 35 | 31 | 191 | 195 | |
| 26 or Older | 410 | 400 | 117 | 98 | 387 | 392 | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | |
| Total | 455 | 440 | 117 | 98 | 438 | 428 | |
| 12-17 | 82 | 89 | 25 | 24 | 79 | 84 | |
| 18-25 | 153 | 148 | 27 | 31 | 150 | 144 | |
| 26 or Older | 396 | 386 | 108 | 92 | 382 | 372 | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.101D Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEHOI | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|-------------------------------------------------------|------|-------|----------|-------------------------------------------------------|------|------|--|--|
| | To | Total | | es | No | | | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ANY ILLICIT DRUG ¹ | | | | | | | | |
| Total | 0.25 | 0.23 | 0.96 | 0.85 | 0.25 | 0.25 | | |
| 12-17 | 0.38 | 0.36 | 1.53 | 1.34 | 0.40 | 0.37 | | |
| 18-25 | 0.46 | 0.48 | 2.01 | 1.76 | 0.47 | 0.50 | | |
| 26 or Older | 0.29 | 0.27 | 1.10 | 1.00 | 0.29 | 0.28 | | |
| MARIJUANA | | | | | | | | |
| Total | 0.20 | 0.19 | 0.79 | 0.69 | 0.20 | 0.20 | | |
| 12-17 | 0.32 | 0.31 | 1.33 | 1.10 | 0.33 | 0.32 | | |
| 18-25 | 0.43 | 0.46 | 1.90 | 1.59 | 0.45 | 0.48 | | |
| 26 or Older | 0.23 | 0.21 | 0.92 | 0.82 | 0.23 | 0.22 | | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | | |
| Total | 0.18 | 0.18 | 0.72 | 0.64 | 0.19 | 0.18 | | |
| 12-17 | 0.31 | 0.32 | 1.38 | 1.13 | 0.32 | 0.32 | | |
| 18-25 | 0.37 | 0.40 | 1.57 | 1.56 | 0.38 | 0.41 | | |
| 26 or Older | 0.21 | 0.21 | 0.84 | 0.77 | 0.22 | 0.21 | | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.101P Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSEHOL | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|-------------------------------------------------------|--------|-------|----------|-------------------------------------------------------|--------|------|--|--|
| | To | Total | | es | N | 0 | | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ANY ILLICIT DRUG ¹ | | | | | | | | |
| Total | 0.5217 | | 0.7043 | | 0.5652 | | | |
| 12-17 | 0.4872 | | 0.3341 | | 0.6325 | | | |
| 18-25 | 0.1830 | | 0.7697 | | 0.1994 | | | |
| 26 or Older | 0.7321 | | 0.5794 | | 0.8378 | | | |
| MARIJUANA | | | | | | | | |
| Total | 0.2191 | | 0.9640 | | 0.1942 | | | |
| 12-17 | 0.0780 | | 0.1344 | | 0.1600 | | | |
| 18-25 | 0.0365 | | 0.3234 | | 0.0594 | | | |
| 26 or Older | 0.6227 | | 0.8211 | | 0.5564 | | | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | | |
| Total | 0.5682 | | 0.3243 | | 0.7462 | | | |
| 12-17 | 0.8608 | | 0.3836 | | 0.9793 | | | |
| 18-25 | 0.3854 | | 0.8075 | | 0.4001 | | | |
| 26 or Older | 0.6805 | | 0.2498 | | 0.9249 | | | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.102C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEHOI | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|----------------------------|-------|-------|----------|-------------------------------------------------------|-------|-------|--|--|
| | To | otal | Y | es | I | No | | |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ALCOHOL | | | | | | | | |
| Total | 1,543 | 1,523 | 286 | 275 | 1,497 | 1,491 | | |
| 12-17 | 90 | 95 | 22 | 24 | 87 | 94 | | |
| 18-25 | 341 | 311 | 49 | 48 | 333 | 312 | | |
| 26 or Older | 1,459 | 1,443 | 280 | 267 | 1,411 | 1,411 | | |
| BINGE ALCOHOL ¹ | | | | | | | | |
| Total | 848 | 797 | 207 | 186 | 822 | 768 | | |
| 12-17 | 72 | 73 | 19 | 19 | 68 | 71 | | |
| 18-25 | 265 | 240 | 41 | 39 | 257 | 240 | | |
| 26 or Older | 782 | 730 | 203 | 179 | 751 | 702 | | |
| CIGARETTES | | | | | | | | |
| Total | 950 | 910 | 246 | 256 | 920 | 855 | | |
| 12-17 | 80 | 78 | 22 | 23 | 77 | 75 | | |
| 18-25 | 223 | 213 | 43 | 43 | 220 | 208 | | |
| 26 or Older | 870 | 847 | 237 | 245 | 836 | 800 | | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.102D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|----------------------------|------|-------|-------------------------------------------------------|------|------|------|--|
| | To | Total | | es | No | | |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| ALCOHOL | | | | | | | |
| Total | 0.42 | 0.39 | 1.47 | 1.46 | 0.42 | 0.40 | |
| 12-17 | 0.32 | 0.33 | 1.29 | 1.16 | 0.34 | 0.35 | |
| 18-25 | 0.53 | 0.50 | 2.03 | 1.95 | 0.53 | 0.53 | |
| 26 or Older | 0.53 | 0.49 | 1.83 | 1.87 | 0.54 | 0.50 | |
| BINGE ALCOHOL ¹ | | | | | | | |
| Total | 0.31 | 0.29 | 1.20 | 1.11 | 0.32 | 0.29 | |
| 12-17 | 0.27 | 0.27 | 1.11 | 0.92 | 0.28 | 0.28 | |
| 18-25 | 0.52 | 0.49 | 2.03 | 1.76 | 0.52 | 0.51 | |
| 26 or Older | 0.39 | 0.35 | 1.49 | 1.41 | 0.40 | 0.36 | |
| CIGARETTES | | | | | | | |
| Total | 0.34 | 0.33 | 1.43 | 1.42 | 0.34 | 0.34 | |
| 12-17 | 0.30 | 0.29 | 1.22 | 1.05 | 0.31 | 0.30 | |
| 18-25 | 0.48 | 0.47 | 1.97 | 1.91 | 0.50 | 0.49 | |
| 26 or Older | 0.42 | 0.41 | 1.75 | 1.79 | 0.42 | 0.42 | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.102P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Supplemental Security Income (SSI) and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSEHOL | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|----------------------------|--------|-------|----------|-------------------------------------------------------|--------|------|--|--|
| | То | Total | | Yes | | 0 | | |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ALCOHOL | | | | | | | | |
| Total | 0.1065 | | 0.0953 | | 0.1899 | | | |
| 12-17 | 0.8725 | | 0.9258 | | 0.7926 | | | |
| 18-25 | 0.1799 | | 0.3640 | | 0.0934 | | | |
| 26 or Older | 0.0542 | | 0.1703 | | 0.0761 | | | |
| BINGE ALCOHOL ¹ | | | | | | | | |
| Total | 0.5430 | | 0.0580 | | 0.8970 | | | |
| 12-17 | 0.9274 | | 0.4651 | | 0.8788 | | | |
| 18-25 | 0.3381 | | 0.4027 | | 0.2221 | | | |
| 26 or Older | 0.3613 | | 0.0979 | | 0.6098 | | | |
| CIGARETTES | | | | | | | | |
| Total | 0.2244 | | 0.6970 | | 0.2477 | | | |
| 12-17 | 0.0511 | | 0.8678 | | 0.0300 | | | |
| 18-25 | 0.4180 | | 0.1936 | | 0.5857 | | | |
| 26 or Older | 0.3266 | | 0.9312 | | 0.3334 | | | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.103C Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|--------------------------------------------------------------------|-------|------|-------------------------------------------------------|------|------|------|--|
| | Total | | Yes | | No | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 478 | 436 | 125 | 102 | 464 | 420 | |
| 12-17 | 65 | 65 | 20 | 17 | 61 | 64 | |
| 18-25 | 164 | 149 | 31 | 30 | 158 | 149 | |
| 26 or Older | 435 | 394 | 119 | 97 | 416 | 379 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 231 | 211 | 63 | 61 | 219 | 201 | |
| 12-17 | 53 | 47 | 17 | 14 | 49 | 46 | |
| 18-25 | 82 | 79 | 19 | 21 | 78 | 77 | |
| 26 or Older | 205 | 183 | 57 | 56 | 194 | 173 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 441 | 403 | 116 | 90 | 430 | 391 | |
| 12-17 | 54 | 52 | 17 | 13 | 51 | 51 | |
| 18-25 | 145 | 132 | 27 | 25 | 139 | 132 | |
| 26 or Older | 413 | 368 | 112 | 86 | 396 | 358 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 458 | 481 | 147 | 167 | 434 | 447 | |
| 12-17 | | | | | | | |
| 18-25 | 106 | 117 | 25 | 28 | 102 | 115 | |
| 26 or Older | 439 | 458 | 144 | 167 | 415 | 419 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Table 7.103D Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|-----------------------------------------------------------------------|-------|------|-------------------------------------------------------|------|------|------|--|
| | Total | | Yes | | N | lo . | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 0.19 | 0.17 | 0.77 | 0.64 | 0.20 | 0.18 | |
| 12-17 | 0.24 | 0.25 | 1.13 | 0.83 | 0.24 | 0.26 | |
| 18-25 | 0.39 | 0.37 | 1.75 | 1.56 | 0.39 | 0.39 | |
| 26 or Older | 0.23 | 0.21 | 0.92 | 0.79 | 0.23 | 0.21 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 0.10 | 0.09 | 0.40 | 0.40 | 0.10 | 0.09 | |
| 12-17 | 0.20 | 0.18 | 1.02 | 0.68 | 0.20 | 0.19 | |
| 18-25 | 0.24 | 0.23 | 1.21 | 1.17 | 0.24 | 0.24 | |
| 26 or Older | 0.11 | 0.10 | 0.46 | 0.46 | 0.11 | 0.10 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 0.18 | 0.16 | 0.72 | 0.57 | 0.19 | 0.17 | |
| 12-17 | 0.20 | 0.20 | 1.00 | 0.69 | 0.21 | 0.21 | |
| 18-25 | 0.36 | 0.34 | 1.60 | 1.33 | 0.36 | 0.36 | |
| 26 or Older | 0.22 | 0.20 | 0.87 | 0.70 | 0.23 | 0.20 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 0.21 | 0.20 | 1.00 | 1.10 | 0.21 | 0.20 | |
| 12-17 | | | | | | | |
| 18-25 | 0.30 | 0.32 | 1.49 | 1.50 | 0.30 | 0.32 | |
| 26 or Older | 0.24 | 0.23 | 1.11 | 1.25 | 0.24 | 0.23 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Table 7.103P Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSEHOL | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | | |
|-----------------------------------------------------------------------|--------|------|----------|------|-------------------------------------------------------|------|--|--|--|
| | Total | | Yes | | No | | | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | | | |
| Total | 0.2368 | | 0.2103 | | 0.3955 | | | | |
| 12-17 | 0.8360 | | 0.2345 | | 0.8883 | | | | |
| 18-25 | 0.2043 | | 0.4193 | | 0.2708 | | | | |
| 26 or Older | 0.3565 | | 0.2862 | | 0.5303 | | | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | | | |
| Total | 0.2219 | | 0.5067 | | 0.2934 | | | | |
| 12-17 | 0.1231 | | 0.0955 | | 0.2603 | | | | |
| 18-25 | 0.2286 | | 0.7046 | | 0.2442 | | | | |
| 26 or Older | 0.5501 | | 0.6215 | | 0.6573 | | | | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | | | |
| Total | 0.3627 | | 0.2331 | | 0.5430 | | | | |
| 12-17 | 0.9592 | | 0.2756 | | 0.6658 | | | | |
| 18-25 | 0.3726 | | 0.5808 | | 0.4357 | | | | |
| 26 or Older | 0.4341 | | 0.3107 | | 0.6026 | | | | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | | | |
| Total | 0.0017 | | 0.0144 | | 0.0096 | | | | |
| 12-17 | | | | | | | | | |
| 18-25 | 0.0723 | | 0.6468 | | 0.0881 | | | | |
| 26 or Older | 0.0056 | | 0.0191 | | 0.0249 | | | | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Table 7.104C Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOU | SEHOLD RECEI | IVED FOOD STA | AMPS |
|-------------------------------------------------------|------|-------|------|--------------|---------------|------|
| | То | Total | | es | N | No . |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ANY ILLICIT DRUG ¹ | | | | | | |
| Total | 612 | 596 | 169 | 157 | 580 | 574 |
| 12-17 | 111 | 110 | 41 | 37 | 103 | 103 |
| 18-25 | 222 | 212 | 46 | 49 | 216 | 203 |
| 26 or Older | 524 | 514 | 145 | 140 | 496 | 497 |
| MARIJUANA | | | | | | |
| Total | 479 | 478 | 129 | 126 | 458 | 461 |
| 12-17 | 90 | 88 | 32 | 30 | 85 | 83 |
| 18-25 | 191 | 196 | 39 | 44 | 189 | 188 |
| 26 or Older | 410 | 400 | 111 | 113 | 392 | 388 |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | |
| Total | 455 | 440 | 138 | 129 | 431 | 415 |
| 12-17 | 82 | 89 | 30 | 27 | 76 | 83 |
| 18-25 | 153 | 148 | 34 | 35 | 147 | 142 |
| 26 or Older | 396 | 386 | 127 | 118 | 375 | 362 |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.104D Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOU | SEHOLD RECEI | VED FOOD STA | AMPS |
|-------------------------------------------------------|------|-------|------|--------------|--------------|------|
| | То | Total | | es | N | No . |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ANY ILLICIT DRUG ¹ | | | | | | |
| Total | 0.25 | 0.23 | 0.98 | 0.81 | 0.25 | 0.25 |
| 12-17 | 0.38 | 0.36 | 1.32 | 1.02 | 0.39 | 0.39 |
| 18-25 | 0.46 | 0.48 | 1.28 | 1.29 | 0.49 | 0.50 |
| 26 or Older | 0.29 | 0.27 | 1.34 | 1.16 | 0.29 | 0.28 |
| MARIJUANA | | | | | | |
| Total | 0.20 | 0.19 | 0.77 | 0.67 | 0.21 | 0.20 |
| 12-17 | 0.32 | 0.31 | 1.10 | 0.91 | 0.34 | 0.34 |
| 18-25 | 0.43 | 0.46 | 1.17 | 1.20 | 0.47 | 0.48 |
| 26 or Older | 0.23 | 0.21 | 1.04 | 0.96 | 0.23 | 0.22 |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | |
| Total | 0.18 | 0.18 | 0.82 | 0.70 | 0.19 | 0.18 |
| 12-17 | 0.31 | 0.32 | 1.04 | 0.82 | 0.32 | 0.33 |
| 18-25 | 0.37 | 0.40 | 1.06 | 1.04 | 0.39 | 0.43 |
| 26 or Older | 0.21 | 0.21 | 1.18 | 1.00 | 0.22 | 0.21 |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.104P Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Food Stamps and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOU | SEHOLD RECE | IVED FOOD STA | MPS |
|-------------------------------------------------------|--------|-------|--------|-------------|---------------|------|
| | Tot | Total | | Yes | | О |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ANY ILLICIT DRUG ¹ | | | | | | |
| Total | 0.5217 | | 0.0272 | | 0.8676 | |
| 12-17 | 0.4872 | | 0.6827 | | 0.5180 | |
| 18-25 | 0.1830 | | 0.2461 | | 0.3098 | |
| 26 or Older | 0.7321 | | 0.0417 | | 0.8849 | |
| MARIJUANA | | | | | | |
| Total | 0.2191 | | 0.1293 | | 0.3483 | |
| 12-17 | 0.0780 | | 0.6340 | | 0.0800 | |
| 18-25 | 0.0365 | | 0.0994 | | 0.0939 | |
| 26 or Older | 0.6227 | | 0.2841 | | 0.7862 | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | |
| Total | 0.5682 | | 0.0107 | | 0.9008 | |
| 12-17 | 0.8608 | | 0.9521 | | 0.8600 | |
| 18-25 | 0.3854 | | 0.4453 | | 0.5047 | |
| 26 or Older | 0.6805 | | 0.0114 | | 0.7224 | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.105C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Food Stamps and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOU | SEHOLD RECE | IVED FOOD ST | AMPS |
|----------------------------|-------|-------|------|-------------|--------------|-------|
| | To | Total | | es | No | |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 1,543 | 1,523 | 253 | 252 | 1,537 | 1,499 |
| 12-17 | 90 | 95 | 29 | 27 | 87 | 90 |
| 18-25 | 341 | 311 | 60 | 59 | 333 | 304 |
| 26 or Older | 1,459 | 1,443 | 240 | 240 | 1,460 | 1,418 |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 848 | 797 | 203 | 194 | 828 | 776 |
| 12-17 | 72 | 73 | 20 | 21 | 69 | 68 |
| 18-25 | 265 | 240 | 48 | 43 | 257 | 233 |
| 26 or Older | 782 | 730 | 191 | 185 | 763 | 707 |
| CIGARETTES | | | | | | |
| Total | 950 | 910 | 258 | 283 | 915 | 850 |
| 12-17 | 80 | 78 | 30 | 28 | 73 | 74 |
| 18-25 | 223 | 213 | 58 | 58 | 215 | 201 |
| 26 or Older | 870 | 847 | 234 | 265 | 841 | 794 |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.105D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Food Stamps and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOU | SEHOLD RECEI | IVED FOOD STA | AMPS |
|----------------------------|------|-------|------|--------------|---------------|------|
| | To | Total | | Yes | | lo |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.42 | 0.39 | 1.23 | 1.13 | 0.44 | 0.41 |
| 12-17 | 0.32 | 0.33 | 0.95 | 0.85 | 0.34 | 0.35 |
| 18-25 | 0.53 | 0.50 | 1.52 | 1.30 | 0.56 | 0.54 |
| 26 or Older | 0.53 | 0.49 | 1.81 | 1.69 | 0.55 | 0.51 |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.31 | 0.29 | 1.11 | 0.97 | 0.32 | 0.30 |
| 12-17 | 0.27 | 0.27 | 0.72 | 0.69 | 0.28 | 0.28 |
| 18-25 | 0.52 | 0.49 | 1.39 | 1.13 | 0.54 | 0.52 |
| 26 or Older | 0.39 | 0.35 | 1.62 | 1.45 | 0.40 | 0.37 |
| CIGARETTES | | | | | | |
| Total | 0.34 | 0.33 | 1.27 | 1.26 | 0.35 | 0.33 |
| 12-17 | 0.30 | 0.29 | 1.00 | 0.88 | 0.31 | 0.31 |
| 18-25 | 0.48 | 0.47 | 1.60 | 1.41 | 0.49 | 0.50 |
| 26 or Older | 0.42 | 0.41 | 1.79 | 1.82 | 0.43 | 0.41 |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.105P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Food Stamps and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUS | SEHOLD RECE | IVED FOOD STA | MPS |
|----------------------------|--------|-------|--------|-------------|---------------|------|
| Past Month Drug/Age | Tot | Total | | Yes | | 0 |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.1065 | | 0.0847 | | 0.2485 | |
| 12-17 | 0.8725 | | 0.3502 | | 0.5619 | |
| 18-25 | 0.1799 | | 0.6540 | | 0.1517 | |
| 26 or Older | 0.0542 | | 0.0820 | | 0.1266 | |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.5430 | | 0.0218 | | 0.9459 | |
| 12-17 | 0.9274 | | 0.2883 | | 0.7705 | |
| 18-25 | 0.3381 | | 0.4566 | | 0.1759 | |
| 26 or Older | 0.3613 | | 0.0383 | | 0.6441 | |
| CIGARETTES | | | | | | |
| Total | 0.2244 | | 0.5803 | | 0.1947 | |
| 12-17 | 0.0511 | | 0.5170 | | 0.0557 | |
| 18-25 | 0.4180 | | 0.1450 | | 0.6265 | |
| 26 or Older | 0.3266 | | 0.8903 | | 0.2572 | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.106C Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOU | SEHOLD RECEI | VED FOOD STA | AMPS |
|-----------------------------------------------------------------------|------|------|------|--------------|--------------|------|
| | To | tal | Yes | | No | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | |
| Total | 478 | 436 | 136 | 125 | 449 | 414 |
| 12-17 | 65 | 65 | 20 | 23 | 61 | 61 |
| 18-25 | 164 | 149 | 38 | 36 | 159 | 144 |
| 26 or Older | 435 | 394 | 127 | 114 | 410 | 372 |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | |
| Total | 231 | 211 | 93 | 67 | 213 | 199 |
| 12-17 | 53 | 47 | 18 | 19 | 49 | 44 |
| 18-25 | 82 | 79 | 25 | 25 | 79 | 74 |
| 26 or Older | 205 | 183 | 87 | 57 | 185 | 173 |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | |
| Total | 441 | 403 | 117 | 111 | 413 | 385 |
| 12-17 | 54 | 52 | 16 | 16 | 50 | 50 |
| 18-25 | 145 | 132 | 31 | 30 | 141 | 129 |
| 26 or Older | 413 | 368 | 111 | 105 | 388 | 350 |
| SERIOUS MENTAL ILLNESS ³ | | | | | | |
| Total | 458 | 481 | 164 | 153 | 429 | 459 |
| 12-17 | | | | | | |
| 18-25 | 106 | 117 | 34 | 38 | 100 | 110 |
| 26 or Older | 439 | 458 | 159 | 149 | 414 | 434 |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.106D Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEHOLD RECEIVED FOOD STAMPS | | | | |
|-----------------------------------------------------------------------|------|------|--------------------------------|------|------|------|--|
| | To | tal | Yes | | N | lo | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 0.19 | 0.17 | 0.81 | 0.69 | 0.19 | 0.18 | |
| 12-17 | 0.24 | 0.25 | 0.75 | 0.74 | 0.25 | 0.26 | |
| 18-25 | 0.39 | 0.37 | 1.16 | 1.01 | 0.41 | 0.39 | |
| 26 or Older | 0.23 | 0.21 | 1.17 | 0.97 | 0.23 | 0.21 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 0.10 | 0.09 | 0.59 | 0.39 | 0.09 | 0.09 | |
| 12-17 | 0.20 | 0.18 | 0.65 | 0.62 | 0.21 | 0.19 | |
| 18-25 | 0.24 | 0.23 | 0.84 | 0.77 | 0.25 | 0.24 | |
| 26 or Older | 0.11 | 0.10 | 0.85 | 0.52 | 0.11 | 0.10 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 0.18 | 0.16 | 0.70 | 0.62 | 0.18 | 0.17 | |
| 12-17 | 0.20 | 0.20 | 0.61 | 0.54 | 0.21 | 0.21 | |
| 18-25 | 0.36 | 0.34 | 0.99 | 0.87 | 0.38 | 0.37 | |
| 26 or Older | 0.22 | 0.20 | 1.03 | 0.90 | 0.22 | 0.20 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 0.21 | 0.20 | 1.10 | 1.01 | 0.21 | 0.21 | |
| 12-17 | | | | | | | |
| 18-25 | 0.30 | 0.32 | 1.10 | 1.13 | 0.31 | 0.33 | |
| 26 or Older | 0.24 | 0.23 | 1.37 | 1.25 | 0.24 | 0.23 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.106P Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Food Stamps and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUS | SEHOLD RECE | IVED FOOD STA | MPS |
|-----------------------------------------------------------------------|--------|------|--------|-------------|---------------|------|
| | To | tal | Y | Yes | | О |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | |
| Total | 0.2368 | | 0.1764 | | 0.3808 | |
| 12-17 | 0.8360 | | 0.2996 | | 0.5303 | |
| 18-25 | 0.2043 | | 0.5635 | | 0.2808 | |
| 26 or Older | 0.3565 | | 0.1328 | | 0.5755 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | |
| Total | 0.2219 | | 0.0086 | | 0.7429 | |
| 12-17 | 0.1231 | | 0.9438 | | 0.0813 | |
| 18-25 | 0.2286 | | 0.7420 | | 0.2489 | |
| 26 or Older | 0.5501 | | 0.0054 | | 0.6328 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | |
| Total | 0.3627 | | 0.3541 | | 0.4735 | |
| 12-17 | 0.9592 | | 0.8038 | | 1.0000 | |
| 18-25 | 0.3726 | | 0.5714 | | 0.4899 | |
| 26 or Older | 0.4341 | | 0.3738 | | 0.5452 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | |
| Total | 0.0017 | | 0.9359 | | 0.0015 | |
| 12-17 | | | | | | |
| 18-25 | 0.0723 | | 0.0738 | | 0.2452 | |
| 26 or Older | 0.0056 | | 0.6041 | | 0.0028 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.107C Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSE | CHOLD RECEIVE | ED CASH ASSIS | TANCE |
|-------------------------------------------------------|------|-------|-------|---------------|---------------|-------|
| | То | Total | | Yes | | lo |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ANY ILLICIT DRUG ¹ | | | | | | |
| Total | 612 | 596 | 104 | 104 | 596 | 577 |
| 12-17 | 111 | 110 | 27 | 27 | 107 | 108 |
| 18-25 | 222 | 212 | 35 | 32 | 219 | 206 |
| 26 or Older | 524 | 514 | 96 | 90 | 512 | 498 |
| MARIJUANA | | | | | | |
| Total | 479 | 478 | 85 | 81 | 467 | 465 |
| 12-17 | 90 | 88 | 20 | 23 | 89 | 86 |
| 18-25 | 191 | 196 | 32 | 29 | 188 | 191 |
| 26 or Older | 410 | 400 | 80 | 70 | 402 | 391 |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | |
| Total | 455 | 440 | 90 | 84 | 444 | 419 |
| 12-17 | 82 | 89 | 21 | 22 | 79 | 86 |
| 18-25 | 153 | 148 | 26 | 25 | 149 | 144 |
| 26 or Older | 396 | 386 | 83 | 76 | 390 | 367 |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.107D Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSE | CHOLD RECEIVE | ED CASH ASSIS | STANCE |
|-------------------------------------------------------|-------|------|-------|---------------|---------------|--------|
| | Total | | Yes | | N | Vo |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ANY ILLICIT DRUG ¹ | | | | | | |
| Total | 0.25 | 0.23 | 1.43 | 1.20 | 0.25 | 0.24 |
| 12-17 | 0.38 | 0.36 | 1.89 | 1.73 | 0.39 | 0.38 |
| 18-25 | 0.46 | 0.48 | 2.00 | 1.81 | 0.47 | 0.49 |
| 26 or Older | 0.29 | 0.27 | 2.25 | 1.84 | 0.29 | 0.27 |
| MARIJUANA | | | | | | |
| Total | 0.20 | 0.19 | 1.23 | 1.07 | 0.20 | 0.19 |
| 12-17 | 0.32 | 0.31 | 1.51 | 1.55 | 0.33 | 0.33 |
| 18-25 | 0.43 | 0.46 | 1.88 | 1.63 | 0.45 | 0.47 |
| 26 or Older | 0.23 | 0.21 | 1.92 | 1.64 | 0.23 | 0.21 |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | |
| Total | 0.18 | 0.18 | 1.24 | 1.01 | 0.19 | 0.18 |
| 12-17 | 0.31 | 0.32 | 1.56 | 1.45 | 0.31 | 0.32 |
| 18-25 | 0.37 | 0.40 | 1.61 | 1.54 | 0.38 | 0.41 |
| 26 or Older | 0.21 | 0.21 | 1.98 | 1.55 | 0.22 | 0.20 |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.107P Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Cash Assistance and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSE | HOLD RECEIV | ED CASH ASSIS | STANCE | |
|-------------------------------------------------------|--------|-------|--------|-------------|---------------|--------|--|
| | Tot | Total | | Yes | | 0 | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| ANY ILLICIT DRUG ¹ | | | | | | | |
| Total | 0.5217 | | 0.0688 | | 0.6563 | | |
| 12-17 | 0.4872 | | 0.8683 | | 0.4916 | | |
| 18-25 | 0.1830 | | 0.0478 | | 0.3357 | | |
| 26 or Older | 0.7321 | | 0.2064 | | 0.8357 | | |
| MARIJUANA | | | | | | | |
| Total | 0.2191 | | 0.1450 | | 0.2817 | | |
| 12-17 | 0.0780 | | 0.8053 | | 0.0630 | | |
| 18-25 | 0.0365 | | 0.0121 | | 0.1014 | | |
| 26 or Older | 0.6227 | | 0.4612 | | 0.6684 | | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | |
| Total | 0.5682 | | 0.1581 | | 0.6948 | | |
| 12-17 | 0.8608 | | 0.9926 | | 0.8493 | | |
| 18-25 | 0.3854 | | 0.2629 | | 0.5061 | | |
| 26 or Older | 0.6805 | | 0.2404 | | 0.7929 | | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.108C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSE | EHOLD RECEIV | ED CASH ASSIS | STANCE |
|----------------------------|-------|-------|-------|--------------|---------------|--------|
| | Te | Total | | Yes | | No |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 1,543 | 1,523 | 166 | 177 | 1,540 | 1,511 |
| 12-17 | 90 | 95 | 17 | 20 | 89 | 92 |
| 18-25 | 341 | 311 | 42 | 46 | 338 | 304 |
| 26 or Older | 1,459 | 1,443 | 161 | 166 | 1,457 | 1,429 |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 848 | 797 | 118 | 141 | 842 | 789 |
| 12-17 | 72 | 73 | 14 | 18 | 71 | 70 |
| 18-25 | 265 | 240 | 34 | 33 | 262 | 236 |
| 26 or Older | 782 | 730 | 108 | 135 | 777 | 721 |
| CIGARETTES | | | | | | |
| Total | 950 | 910 | 162 | 177 | 915 | 886 |
| 12-17 | 80 | 78 | 19 | 20 | 78 | 77 |
| 18-25 | 223 | 213 | 40 | 40 | 218 | 207 |
| 26 or Older | 870 | 847 | 151 | 165 | 840 | 827 |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.108D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSE | CHOLD RECEIVE | ED CASH ASSIS | TANCE |
|----------------------------|------|-------|-------|---------------|---------------|-------|
| | To | Total | | Yes | | Vo |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.42 | 0.39 | 1.79 | 1.82 | 0.43 | 0.39 |
| 12-17 | 0.32 | 0.33 | 1.27 | 1.49 | 0.33 | 0.33 |
| 18-25 | 0.53 | 0.50 | 2.26 | 1.97 | 0.54 | 0.52 |
| 26 or Older | 0.53 | 0.49 | 2.85 | 2.88 | 0.54 | 0.49 |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.31 | 0.29 | 1.62 | 1.73 | 0.32 | 0.29 |
| 12-17 | 0.27 | 0.27 | 1.06 | 1.33 | 0.28 | 0.27 |
| 18-25 | 0.52 | 0.49 | 2.09 | 1.75 | 0.52 | 0.50 |
| 26 or Older | 0.39 | 0.35 | 2.55 | 2.81 | 0.39 | 0.36 |
| CIGARETTES | | | | | | |
| Total | 0.34 | 0.33 | 1.93 | 1.94 | 0.34 | 0.33 |
| 12-17 | 0.30 | 0.29 | 1.40 | 1.47 | 0.31 | 0.30 |
| 18-25 | 0.48 | 0.47 | 2.31 | 2.28 | 0.48 | 0.49 |
| 26 or Older | 0.42 | 0.41 | 3.10 | 3.15 | 0.42 | 0.41 |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.108P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Cash Assistance and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSE | HOLD RECEIV | ED CASH ASSIS | TANCE |
|----------------------------|--------|-------|--------|-------------|---------------|----------|
| | To | Total | | Yes | | o |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.1065 | | 0.6366 | | 0.1295 | |
| 12-17 | 0.8725 | | 0.4700 | | 0.9776 | |
| 18-25 | 0.1799 | | 0.7167 | | 0.1645 | |
| 26 or Older | 0.0542 | | 0.4283 | | 0.0690 | |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.5430 | | 0.6748 | | 0.5758 | |
| 12-17 | 0.9274 | | 0.6159 | | 0.8400 | |
| 18-25 | 0.3381 | | 0.4595 | | 0.2259 | |
| 26 or Older | 0.3613 | | 0.7045 | | 0.3737 | |
| CIGARETTES | | | | | | |
| Total | 0.2244 | | 0.8308 | | 0.1909 | |
| 12-17 | 0.0511 | | 0.5785 | | 0.0319 | |
| 18-25 | 0.4180 | | 0.7655 | | 0.4183 | |
| 26 or Older | 0.3266 | | 0.7469 | | 0.2971 | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.109C Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSE | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|-----------------------------------------------------------------------|------|------|-------|------------------------------------|------|------|--|
| | To | tal | Yes | | No | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 478 | 436 | 87 | 86 | 463 | 420 | |
| 12-17 | 65 | 65 | 15 | 18 | 64 | 63 | |
| 18-25 | 164 | 149 | 23 | 26 | 161 | 145 | |
| 26 or Older | 435 | 394 | 84 | 76 | 422 | 379 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 231 | 211 | 57 | 50 | 226 | 204 | |
| 12-17 | 53 | 47 | 14 | 15 | 51 | 47 | |
| 18-25 | 82 | 79 | 15 | 17 | 81 | 76 | |
| 26 or Older | 205 | 183 | 54 | 44 | 200 | 177 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 441 | 403 | 74 | 72 | 425 | 390 | |
| 12-17 | 54 | 52 | 12 | 12 | 54 | 51 | |
| 18-25 | 145 | 132 | 19 | 20 | 142 | 129 | |
| 26 or Older | 413 | 368 | 72 | 67 | 400 | 358 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 458 | 481 | 100 | 103 | 450 | 476 | |
| 12-17 | | | | | | | |
| 18-25 | 106 | 117 | 25 | 29 | 103 | 110 | |
| 26 or Older | 439 | 458 | 96 | 102 | 433 | 451 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.109D Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSE | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | | |
|-----------------------------------------------------------------------|-------|------|-------|------------------------------------|------|------|--|--|
| | Total | | Yes | | N | lo | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | | |
| Total | 0.19 | 0.17 | 1.30 | 1.14 | 0.19 | 0.17 | | |
| 12-17 | 0.24 | 0.25 | 1.17 | 1.24 | 0.25 | 0.25 | | |
| 18-25 | 0.39 | 0.37 | 1.46 | 1.62 | 0.40 | 0.38 | | |
| 26 or Older | 0.23 | 0.21 | 2.08 | 1.68 | 0.23 | 0.20 | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | | |
| Total | 0.10 | 0.09 | 0.89 | 0.70 | 0.10 | 0.09 | | |
| 12-17 | 0.20 | 0.18 | 1.11 | 1.09 | 0.21 | 0.19 | | |
| 18-25 | 0.24 | 0.23 | 1.00 | 1.08 | 0.25 | 0.23 | | |
| 26 or Older | 0.11 | 0.10 | 1.41 | 1.04 | 0.11 | 0.10 | | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | | |
| Total | 0.18 | 0.16 | 1.09 | 0.97 | 0.18 | 0.16 | | |
| 12-17 | 0.20 | 0.20 | 0.96 | 0.91 | 0.21 | 0.20 | | |
| 18-25 | 0.36 | 0.34 | 1.29 | 1.30 | 0.37 | 0.35 | | |
| 26 or Older | 0.22 | 0.20 | 1.80 | 1.49 | 0.22 | 0.20 | | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | | |
| Total | 0.21 | 0.20 | 1.65 | 1.50 | 0.21 | 0.21 | | |
| 12-17 | | | | | | | | |
| 18-25 | 0.30 | 0.32 | 1.58 | 1.82 | 0.31 | 0.31 | | |
| 26 or Older | 0.24 | 0.23 | 2.19 | 1.98 | 0.24 | 0.24 | | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.109P Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Cash Assistance and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSE | HOLD RECEIV | ED CASH ASSIS | TANCE |
|------------------------------------------------|--------|------|--------|-------------|---------------|-------|
| | To | tal | Yes | | No | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| DEPENDENCE OR ABUSE FOR ANY | | | | | | |
| ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | |
| Total | 0.2368 | | 0.8968 | | 0.1957 | |
| 12-17 | 0.8360 | | 0.4589 | | 0.6713 | |
| 18-25 | 0.2043 | | 0.6156 | | 0.2461 | |
| 26 or Older | 0.3565 | | 0.9059 | | 0.3054 | |
| DEPENDENCE OR ABUSE FOR ANY | | | | | | |
| ILLICIT DRUG ^{1,2} | | | | | | |
| Total | 0.2219 | | 0.3692 | | 0.2744 | |
| 12-17 | 0.1231 | | 0.8266 | | 0.0948 | |
| 18-25 | 0.2286 | | 0.6126 | | 0.2614 | |
| 26 or Older | 0.5501 | | 0.3829 | | 0.6595 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | |
| Total | 0.3627 | | 0.4756 | | 0.2796 | |
| 12-17 | 0.9592 | | 0.9181 | | 0.9771 | |
| 18-25 | 0.3726 | | 0.7579 | | 0.4194 | |
| 26 or Older | 0.4341 | | 0.4281 | | 0.3307 | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | |
| Total | 0.0017 | | 0.8474 | | 0.0022 | |
| 12-17 | | | | | | |
| 18-25 | 0.0723 | | 0.6395 | | 0.0909 | |
| 26 or Older | 0.0056 | | 0.9568 | | 0.0062 | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.110C Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEH | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | | |
|-------------------------------------------------------|------|-------|--------|---------------------------------------|------|------|--|--|
| | То | Total | | Yes | | lo | | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ANY ILLICIT DRUG ¹ | | | | | | | | |
| Total | 612 | 596 | 108 | 122 | 596 | 578 | | |
| 12-17 | 111 | 110 | 28 | 21 | 107 | 108 | | |
| 18-25 | 222 | 212 | 38 | 42 | 217 | 205 | | |
| 26 or Older | 524 | 514 | 94 | 108 | 514 | 498 | | |
| MARIJUANA | | | | | | | | |
| Total | 479 | 478 | 90 | 98 | 460 | 465 | | |
| 12-17 | 90 | 88 | 22 | 17 | 88 | 86 | | |
| 18-25 | 191 | 196 | 35 | 38 | 187 | 190 | | |
| 26 or Older | 410 | 400 | 77 | 84 | 398 | 391 | | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | | |
| Total | 455 | 440 | 86 | 92 | 451 | 418 | | |
| 12-17 | 82 | 89 | 20 | 15 | 79 | 87 | | |
| 18-25 | 153 | 148 | 25 | 30 | 148 | 144 | | |
| 26 or Older | 396 | 386 | 80 | 87 | 396 | 368 | | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.110D Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEH | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | | |
|-------------------------------------------------------|------|-------|--------|---------------------------------------|------|------|--|--|
| | То | Total | | Yes | | No . | | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ANY ILLICIT DRUG ¹ | | | | | | | | |
| Total | 0.25 | 0.23 | 1.33 | 1.28 | 0.25 | 0.24 | | |
| 12-17 | 0.38 | 0.36 | 2.03 | 1.62 | 0.38 | 0.37 | | |
| 18-25 | 0.46 | 0.48 | 1.83 | 1.75 | 0.47 | 0.49 | | |
| 26 or Older | 0.29 | 0.27 | 1.94 | 1.89 | 0.29 | 0.27 | | |
| MARIJUANA | | | | | | | | |
| Total | 0.20 | 0.19 | 1.15 | 1.07 | 0.20 | 0.19 | | |
| 12-17 | 0.32 | 0.31 | 1.69 | 1.42 | 0.33 | 0.32 | | |
| 18-25 | 0.43 | 0.46 | 1.76 | 1.67 | 0.45 | 0.48 | | |
| 26 or Older | 0.23 | 0.21 | 1.66 | 1.52 | 0.22 | 0.21 | | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | | |
| Total | 0.18 | 0.18 | 1.11 | 1.04 | 0.19 | 0.17 | | |
| 12-17 | 0.31 | 0.32 | 1.62 | 1.25 | 0.31 | 0.32 | | |
| 18-25 | 0.37 | 0.40 | 1.38 | 1.42 | 0.38 | 0.41 | | |
| 26 or Older | 0.21 | 0.21 | 1.69 | 1.60 | 0.22 | 0.20 | | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.110P Any Illicit Drug Use, Marijuana Use, and Any Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Noncash Assistance and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSEHO | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | | |
|----------------------------------------------------|--------|-------|---------|---------------------------------------|--------|------|--|--|
| | Tot | Total | | Yes | | 0 | | |
| Past Year Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| ANY ILLICIT DRUG ¹ | | | | | | | | |
| Total | 0.5217 | | 0.6422 | | 0.5101 | | | |
| 12-17 | 0.4872 | | 0.3138 | | 0.6321 | | | |
| 18-25 | 0.1830 | | 0.5057 | | 0.2272 | | | |
| 26 or Older | 0.7321 | | 0.9232 | | 0.6859 | | | |
| MARIJUANA | | | | | | | | |
| Total | 0.2191 | | 0.8679 | | 0.1926 | | | |
| 12-17 | 0.0780 | | 0.6314 | | 0.0916 | | | |
| 18-25 | 0.0365 | | 0.4462 | | 0.0529 | | | |
| 26 or Older | 0.6227 | | 0.8646 | | 0.5526 | | | |
| ANY ILLICIT DRUG OTHER THAN MARIJUANA ¹ | | | | | | | | |
| Total | 0.5682 | | 0.4765 | | 0.6067 | | | |
| 12-17 | 0.8608 | | 0.2967 | | 0.9520 | | | |
| 18-25 | 0.3854 | | 0.4790 | | 0.4605 | | | |
| 26 or Older | 0.6805 | | 0.7273 | | 0.6741 | | | |

^{*}Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Table 7.111C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| Past Month Drug/Age | | | HOUSEH | OLD RECEIVED | NONCASH AS | SISTANCE |
|----------------------------|-------|-------|--------|--------------|------------|----------|
| | Te | Total | | Yes | | No |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 1,543 | 1,523 | 167 | 177 | 1,542 | 1,512 |
| 12-17 | 90 | 95 | 20 | 20 | 89 | 92 |
| 18-25 | 341 | 311 | 48 | 52 | 335 | 302 |
| 26 or Older | 1,459 | 1,443 | 155 | 166 | 1,461 | 1,435 |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 848 | 797 | 128 | 132 | 834 | 789 |
| 12-17 | 72 | 73 | 16 | 17 | 71 | 71 |
| 18-25 | 265 | 240 | 35 | 37 | 259 | 233 |
| 26 or Older | 782 | 730 | 120 | 125 | 770 | 723 |
| CIGARETTES | | | | | | |
| Total | 950 | 910 | 151 | 162 | 930 | 880 |
| 12-17 | 80 | 78 | 21 | 18 | 77 | 77 |
| 18-25 | 223 | 213 | 41 | 46 | 215 | 204 |
| 26 or Older | 870 | 847 | 143 | 149 | 857 | 820 |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.111D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEH | OLD RECEIVED | NONCASH ASS | SISTANCE |
|----------------------------|------|-------|--------|--------------|-------------|----------|
| | To | Total | | Yes | | lo |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.42 | 0.39 | 1.72 | 1.60 | 0.43 | 0.40 |
| 12-17 | 0.32 | 0.33 | 1.62 | 1.58 | 0.33 | 0.33 |
| 18-25 | 0.53 | 0.50 | 1.87 | 1.79 | 0.55 | 0.52 |
| 26 or Older | 0.53 | 0.49 | 2.56 | 2.52 | 0.54 | 0.50 |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.31 | 0.29 | 1.52 | 1.37 | 0.32 | 0.29 |
| 12-17 | 0.27 | 0.27 | 1.33 | 1.40 | 0.28 | 0.27 |
| 18-25 | 0.52 | 0.49 | 1.68 | 1.57 | 0.53 | 0.50 |
| 26 or Older | 0.39 | 0.35 | 2.28 | 2.15 | 0.39 | 0.36 |
| CIGARETTES | | | | | | |
| Total | 0.34 | 0.33 | 1.59 | 1.62 | 0.34 | 0.33 |
| 12-17 | 0.30 | 0.29 | 1.59 | 1.46 | 0.30 | 0.30 |
| 18-25 | 0.48 | 0.47 | 1.81 | 1.86 | 0.49 | 0.49 |
| 26 or Older | 0.42 | 0.41 | 2.53 | 2.48 | 0.42 | 0.41 |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.111P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Noncash Assistance and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSEHO | OLD RECEIVE | O NONCASH ASS | ISTANCE |
|----------------------------|--------|-------|---------|-------------|---------------|---------|
| | То | Total | | Yes | | 0 |
| Past Month Drug/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| ALCOHOL | | | | | | |
| Total | 0.1065 | | 0.6057 | | 0.0996 | |
| 12-17 | 0.8725 | | 0.6372 | | 0.7778 | |
| 18-25 | 0.1799 | | 0.1784 | | 0.2508 | |
| 26 or Older | 0.0542 | | 0.9835 | | 0.0582 | |
| BINGE ALCOHOL ¹ | | | | | | |
| Total | 0.5430 | | 0.4077 | | 0.6133 | |
| 12-17 | 0.9274 | | 0.8146 | | 0.9714 | |
| 18-25 | 0.3381 | | 0.8806 | | 0.2672 | |
| 26 or Older | 0.3613 | | 0.3108 | | 0.4252 | |
| CIGARETTES | | | | | | |
| Total | 0.2244 | | 0.2583 | | 0.2487 | |
| 12-17 | 0.0511 | | 1.0000 | | 0.0470 | |
| 18-25 | 0.4180 | | 0.4420 | | 0.4647 | |
| 26 or Older | 0.3266 | | 0.2204 | | 0.3715 | |

^{*}Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 7.112C Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

| | | | HOUSEH | OLD RECEIVED | NONCASH ASS | SISTANCE |
|-----------------------------------------------------------------------|------|------|--------|--------------|-------------|----------|
| | To | tal | Yes | | N | lo |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | |
| Total | 478 | 436 | 85 | 93 | 469 | 423 |
| 12-17 | 65 | 65 | 16 | 14 | 64 | 64 |
| 18-25 | 164 | 149 | 24 | 29 | 158 | 147 |
| 26 or Older | 435 | 394 | 77 | 85 | 433 | 382 |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | |
| Total | 231 | 211 | 63 | 50 | 216 | 202 |
| 12-17 | 53 | 47 | 14 | 12 | 52 | 46 |
| 18-25 | 82 | 79 | 15 | 24 | 80 | 76 |
| 26 or Older | 205 | 183 | 57 | 44 | 192 | 176 |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | |
| Total | 441 | 403 | 59 | 80 | 437 | 392 |
| 12-17 | 54 | 52 | 12 | 10 | 53 | 51 |
| 18-25 | 145 | 132 | 20 | 23 | 141 | 130 |
| 26 or Older | 413 | 368 | 54 | 75 | 410 | 358 |
| SERIOUS MENTAL ILLNESS ³ | | | | | | |
| Total | 458 | 481 | 88 | 121 | 449 | 467 |
| 12-17 | | | | | | |
| 18-25 | 106 | 117 | 23 | 33 | 102 | 112 |
| 26 or Older | 439 | 458 | 84 | 116 | 434 | 443 |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.112D Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Percentages, 2002 and 2003

| | | | HOUSEH | OLD RECEIVED | CEIVED NONCASH ASSISTANCE | | | |
|-----------------------------------------------------------------------|------|------|--------|--------------|---------------------------|------|--|--|
| | To | tal | Yes | | N | lo | | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | | |
| Total | 0.19 | 0.17 | 1.10 | 1.04 | 0.19 | 0.17 | | |
| 12-17 | 0.24 | 0.25 | 1.28 | 1.20 | 0.25 | 0.25 | | |
| 18-25 | 0.39 | 0.37 | 1.30 | 1.39 | 0.40 | 0.38 | | |
| 26 or Older | 0.23 | 0.21 | 1.64 | 1.53 | 0.23 | 0.21 | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | | |
| Total | 0.10 | 0.09 | 0.83 | 0.61 | 0.09 | 0.09 | | |
| 12-17 | 0.20 | 0.18 | 1.13 | 1.03 | 0.21 | 0.19 | | |
| 18-25 | 0.24 | 0.23 | 0.85 | 1.18 | 0.25 | 0.23 | | |
| 26 or Older | 0.11 | 0.10 | 1.24 | 0.87 | 0.11 | 0.10 | | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | | |
| Total | 0.18 | 0.16 | 0.81 | 0.91 | 0.18 | 0.16 | | |
| 12-17 | 0.20 | 0.20 | 1.04 | 0.84 | 0.21 | 0.20 | | |
| 18-25 | 0.36 | 0.34 | 1.14 | 1.13 | 0.37 | 0.36 | | |
| 26 or Older | 0.22 | 0.20 | 1.20 | 1.36 | 0.22 | 0.20 | | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | | |
| Total | 0.21 | 0.20 | 1.34 | 1.53 | 0.21 | 0.20 | | |
| 12-17 | | | | | | | | |
| 18-25 | 0.30 | 0.32 | 1.25 | 1.52 | 0.30 | 0.32 | | |
| 26 or Older | 0.24 | 0.23 | 1.77 | 2.05 | 0.24 | 0.23 | | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.

Table 7.112P Substance Dependence or Abuse and Serious Mental Illness in the Past Year, by Household Receipt of Noncash Assistance and Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

| | | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | | |
|-----------------------------------------------------------------------|--------|------|---------------------------------------|------|--------|------|--|
| | To | tal | Y | es | N | 0 | |
| Dependence or Abuse/Serious Mental Illness/Age | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG OR ALCOHOL ^{1,2} | | | | | | | |
| Total | 0.2368 | | 0.7228 | | 0.1801 | | |
| 12-17 | 0.8360 | | 0.7815 | | 0.7799 | | |
| 18-25 | 0.2043 | | 0.9007 | | 0.2064 | | |
| 26 or Older | 0.3565 | | 0.8352 | | 0.3005 | | |
| DEPENDENCE OR ABUSE FOR ANY ILLICIT DRUG ^{1,2} | | | | | | | |
| Total | 0.2219 | | 0.7316 | | 0.1989 | | |
| 12-17 | 0.1231 | | 0.9626 | | 0.1139 | | |
| 18-25 | 0.2286 | | 0.2774 | | 0.1205 | | |
| 26 or Older | 0.5501 | | 0.4383 | | 0.6336 | | |
| DEPENDENCE OR ABUSE FOR ALCOHOL ¹ | | | | | | | |
| Total | 0.3627 | | 0.3301 | | 0.2719 | | |
| 12-17 | 0.9592 | | 0.8585 | | 0.9245 | | |
| 18-25 | 0.3726 | | 0.8024 | | 0.4351 | | |
| 26 or Older | 0.4341 | | 0.2663 | | 0.3230 | | |
| SERIOUS MENTAL ILLNESS ³ | | | | | | | |
| Total | 0.0017 | | 0.0369 | | 0.0090 | | |
| 12-17 | | | | | | | |
| 18-25 | 0.0723 | | 0.0460 | | 0.2168 | | |
| 26 or Older | 0.0056 | | 0.1054 | | 0.0180 | | |

^{*}Low precision; no estimate reported.

⁻⁻ Not available.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).
² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and* Statistical Manual of Mental Disorders (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the Results from the 2003 National Survey on Drug Use and Health: National Findings.