PINC REVISION RECORDS

PINC Team Meeting August 2003 – Published February 2004

Members in attendance:

Darrell Griffin – Houma District GOMR Jack Leezy – FO – GOMR Tom Machado – New Orleans District GOMR Milford Cole – Lake Charles District GOMR Clarence Kershaw – Lake Jackson District GOMR John Sheive – Corpus Christi District GOMR Randy Howell – FO - Alaska Region Tom Perry – SEB – HQ Dick Giangerelli – SEB – HQ

The following is a detailed description of the changes made to each affected PINC on the PINC List in February 2004:

<u>General – Identification</u>

Revised l	PINC G-100	
(Change:	The Definition was revised.
]	Rational:	Revision to the definition was required to clarify the requirements In Subpart A.
Revised l	PINC G-101	
(Change:	The Definition was revised.
]	Rational:	Revision to the definition was required to clarify the requirements In Subpart A.
		Accident – Reporting
Added Pl	INC G-131	
	hange:	PINC was added.
R	ational:	Requirement in Subpart A for notification of all serious accidents, serious injuries, deaths, fires, explosions and blowouts.

Crane Rigging and Material Handling

Deleted PINC G-190	PINC was replaced by PINC I-181
Deleted PINC G-191	PINC was replaced by PINC I-101
Deleted PINC G-192	PINC was replaced by PINC I-103
Deleted PINC G-193	PINC was replaced by PINC I-161
Deleted PINC G-194	PINC was replaced by PINC I-162
	Cranes
Deleted PINC G-202	PINC was replaced by PINC I-182
Deleted PINC G-204	PINC was replaced by PINC I-102
Deleted PINC G-205	PINC was replaced by PINC I-141
Deleted PINC G-206	PINC was replaced by PINC I-142
Deleted PINC G-207	PINC was replaced by PINC I-143
Deleted PINC G-208	PINC was replaced by PINC I-144
Deleted PINC G-209	PINC was replaced by PINC I-145
Deleted PINC G-210	PINC was replaced by PINC I-146
Deleted PINC G-211	PINC was replaced by PINC I-131

Deleted PINC G-216	PINC was replaced by PINC I-132
Deleted PINC G-217	PINC was replaced by PINC I-152
Deleted PINC G-218	PINC was replaced by PINC I-151
Deleted PINC G-220	PINC was replaced by PINC I-104
Deleted PINC G-221	PINC was replaced by PINC I-117
Deleted PINC G-223	PINC was replaced by PINC I-183
Deleted PINC G-224	PINC was replaced by PINC I-105
Deleted PINC G-225	PINC was replaced by PINC I-133
Deleted PINC G-226	PINC was replaced by PINC I-153
Deleted PINC G-227	PINC was replaced by PINC I-147
	Crane Safety Devices
Added PINC I-111 Change: Rational:	PINC was added. The PINC was added to address the requirements in API SPEC 2C that was recently adopted into the regulations.
Added PINC I-112 Change: Rational:	PINC was added. The PINC was added to address the requirements in API SPEC 2C that was recently adopted into the regulations.
Added PINC I-113 Change: Rational:	PINC was added. The PINC was added to address the requirements in API SPEC 2C that was recently adopted into the regulations. 3

Added PINC I-114	PINC was added.
Change:	The PINC was added to address the requirements in
Rational:	API SPEC 2C that was recently adopted into the regulations.
Added PINC I-115	PINC was added.
Change:	The PINC was added to address the requirements in
Rational:	API SPEC 2C that was recently adopted into the regulations.
Added PINC I-116	PINC was added.
Change:	The PINC was added to address the requirements in
Rational:	API SPEC 2C that was recently adopted into the regulations.
	Crane Load Rating and test
Added PINC I-134	PINC was added.
Change:	The PINC was added to address the requirements in
Rational:	API SPEC 2C that was recently adopted into the regulations.
	Crane Certification
Added PINC I-171	

Change:	PINC was added.
Rational:	The PINC was added to address the requirements in
	API SPEC 2C that was recently adopted into the regulations.

Electrical

Deleted PINC G-231	PINC was replaced by PINC F-108
	Platform Electrical Systems Guidelines
Revised Appendix 20 Change: Rational:	Appendix 20 was completely revised: Appendix 20 was completely revised to include all Area classification and Electrical Requirements in order to conduct a through Electrical Inspection. <u>Electrical Classified Areas</u>
Added PINC F-101	PINC was added.
Change:	PINC was added to conduct a more detailed
Rational:	Electrical Inspection.
Added PINC F-104	PINC was added.
Change:	PINC was added to conduct a more detailed
Rational:	Electrical Inspection.
Added PINC F-105	PINC was Added.
Change:	PINC was added to conduct a more detailed
Rational:	Electrical Inspection.
Added PINC F-106	PINC was added.
Change:	PINC was added to conduct a more detailed
Rational:	<u>Electrical Inspection</u>
Added PINC F-108	PINC was added.
Change:	PINC was added to conduct a more detailed
Rational:	Electrical Inspection.

Wiring and Grounding

Added PINC F-124 Changed: Rational:

PINC was added. PINC was added to conduct a more detailed Electrical Inspection.

Lockout / Tagout Procedures

Added PINC F-141 Change: Rational:

PINC was added. PINC was added to conduct a more detailed Electrical Inspection.

Name Plate Information

Added PINC F-161 Change: Rational:

PINC was added. PINC was added to conduct a more detailed Electrical Inspection.

Training

Deleted PINC G-400	PINC was replaced by Office PINC G-841
Deleted PINC G-401	PINC was replaced by Office PINC G-856
Deleted PINC G-402	PINC was replaced by Office PINC G-844
Deleted PINC G-403	PINC was replaced by Office PINC G-849
Deleted PINC G-404	PINC was replaced by Office PINC G-843
Deleted PINC G-405	PINC was replaced by Office PINC G-846
Deleted PINC G-406	PINC was replaced by Office PINC G-845
Deleted PINC G-407	PINC was replaced by Office PINC G-860
Deleted PINC G-408	PINC was replaced by Office PINC G-847
Deleted PINC G-409	PINC was replaced by Office PINC G-862
Deleted PINC G-410	PINC was replaced by Office PINC G-848
Deleted PINC G-411	PINC was replaced by Office PINC G-853
Deleted PINC G-412	PINC was replaced by Office PINC G-854
Deleted PINC G-413	PINC was replaced by Office PINC G-855
Deleted PINC G-414	PINC was replaced by Office PINC G-850

	I many set to the set of the set
Deleted PINC G-416	PINC was replaced by Office PINC G-842
Deleted PINC G-417	PINC was replaced by Office PINC G-857
Deleted PINC G-418	PINC was replaced by Office PINC G-861
Deleted PINC G-419	PINC was replaced by Office PINC G-858
Deleted PINC G-420	PINC was replaced by Office PINC G-859
Deleted PINC D-451	PINC was replaced by Office PINC G-841 thru G-862
Deleted PINC D-452	PINC was replaced by Office PINC G-841 thru G-862
Deleted PINC P-106	PINC was replaced by Office PINC G-841 thru G-862

PINC was replaced by Office PINC G-851

Deleted PINC G-415

Pollution – Prevention

Revised PINC E-108	
Change:	PINC Statement, Inspection Procedure and Noncompliance
	Statement were revised.
Rational:	Revisions to the PINC Statement, Inspection Procedure and
	Noncompliance Statement were revised to better indicate
	what is to be inspected. The two notes were deleted to clarify
	the Noncompliance Statement.

Drilling- Subsea BOP Systems

Revised PINC D-241	
Change: Rational:	PINC Authority, Enforcement Action, Inspection Procedure and Noncompliance Statement were revised. Revisions to the PINC Authority, Enforcement Action, Inspection Procedure and Noncompliance Statement were revised to better Comply with API, RP, 53.
	Drilling – BOP Test, Actuators, Inspections and Maintenance
Revised PINC D-253	
Change:	PINC Statement, PINC Authority, Inspection Procedure, Noncompliance Statement and Inspection Form were Revised.
Rational:	Revisions to the PINC Statement, PINC Authority, Inspection Procedure, Noncompliance Statement and Inspection Form were revised to better reflect the requirements in Subpart D.
Revised PINC D-260	
Change: Rational:	Inspection Procedure was revised. Revision to the Inspection Procedure was revised to better reflect the requirements in Subpart D.
	Well – Workover Operations
Revised PINC W-153	
Change:	PINC Statement, Inspection Procedure, Noncompliance Statement, Inspection Form were revised and a note was added.
Rational:	Revisions to the PINC Statement, Inspection Procedure, Noncompliance, Inspection Form were revised and a note was added to better indicate the requirements in Subpart F.

Production Operations

Added a note below Production Operations:

Note: During production operations, the API RP 14C SAC reference must be verified when a SAC reference is SACed out on a production equipment component. When a SAC alternative device is acceptable, the device(s) on the upstream or downstream component must be tested to insure adequate protection.

Revised PINC P-102

Change:Added an Inspection Procedure.Rational:An Inspection Procedure was added to insure that all End
Devices close with in 45 seconds upon receiving a
Signal form the sensor(s) during an abnormal condition.
As recommended in API RP 14C.

Production Notification

Added PINC P-120 Change: Rational:

PINC was added. The PINC is required to address a new requirement In the currant revised Subpart H.

Fire Water System

Revised PINC P-130	PINC Statement was revised.
Change:	Revision to the PINC Statement was required to
Rational:	better conform to the requirements in Subpart H.
Revised PINC P-131	Inspection Procedure was revised.
Change:	Revision to the Inspection Procedure was required
Rational:	to clarify the requirements in Subpart H.
Revised PINC P-132	Inspection Procedure, was revised.
Change:	Revision to the Inspection Procedure was required
Rational:	to better indicate what is to be inspected.

ESD System

Revised PINC P-243	
Change:	Inspection Procedure, Noncompliance Statement was revised
	And a note was added.
Rational:	Revision of the Inspection Procedure and the Noncompliance
	Statement was required to clarify the requirements in Subpart H.
	The note was added to insure the ESD loop at the boat landing
	shall be considered a station in accordance with API RP 14 C.
	Subsurface Safety Systems
Revised PINC P-268	
Change:	Inspection Procedure, Noncompliance Statement was revised
	And the note was deleted.
Rational:	Revision of the Inspection Procedure and Noncompliance
	Statement were required to reflect the changes in Subpart H.
	The Note was deleted because the date is incorrect.
	Surface Safety Device Testing
Revised PINC P-300	
Change:	PINC Statement, Inspection Procedure and Noncompliance
Detienel	Statement were revised.
Rational:	Revision of the PINC Statement, Inspection Procedure and
	Noncompliance Statement were required to reflect the changes In Subpart H.
	In Subpart II.
	Records
Deleted DINIC D 201	DING
Deleted PINC P-321	PINC was replaced by Office PINC G-822
	Non-Pipeline Pumps
Revised PINC P-340	
Change:	Inspection Procedure was revised.
Rational:	Revision of the Inspection Procedure was required to
Katonal.	reflect the recommendations in API RP 14C.

Revised PINC P-341	
Change: Rational:	Inspection Procedure was revised. Revision of the Inspection Procedure was required to reflect the recommendations in API RP 14C.
Added PINC P-342	
Rational:	PINC was added to reflect the recommendations for pressure safety valves for non-pipeline pumps in API RP 14C.
	Gas Lift and Injection Lines
Revised PINC P-361 Change: Rational:	Inspection Procedure was revised. Revision of the Inspection Procedure was required to reflect the recommendations in API RP 14C.
Revised PINC P-362 Change: Rational:	Inspection Procedure was revised. Revision of the Inspection Procedure was required to reflect the recommendations in API RP 14C.
	Headers
Revised PINC P-380 Change: Rational:	Inspection Procedure was revised. Revision of the Inspection Procedure was required to Reflect the recommendations in API RP 14C.
Revised PINC P-381	
Change: Rational:	Inspection Procedure was revised. Revision of the Inspection Procedure was required to

reflect the recommendations in API RP 14C.

Wellheads and Flowlines

Revised PINC P-405			
Change:	PINC Authority, Inspection Procedure and Noncompliance Statement were revised.		
Rational:	The authority was revised to reflect a change in Subpart H. The Inspection Procedure was revised to better comply with the requirements in Subpart H and the Non-compliance Statement was revised to clarify the instructions for issuing an INC.		
Revised PINC P-408			
Change:	Inspection Procedure, Noncompliance Statement was revised And the note was deleted.		
Rational:	The Inspection Procedure and Noncompliance Statement was Revised to comply with a dates set forth in Subpart H and for Clarification purposes. The note was deleted because the date was incorrect.		
Pressure Vessels			
Added PINC P-429			
Change: Rational	PINC was added. Requirement in the ASME Boiler and Pressure vessel code, Section V111, Appendix M. This PINC was added due to concerns that the PSV on Pressure Vessels should be in service at all times.		
Relief Valves			
Revised PINC P-451			
Change:	PINC Statement, Inspection Procedure and Noncompliance Statement were revised.		
Rational:	The PINC Statement, Inspection Procedure and Noncompliance Statement were revised to better comply with Subpart H and the Recommendations in API RP 14C.		

Fired and heated Components

Revised PINC P-528	Inspection Procedure was revised.	
Change:	The Inspection Procedure was changed to better comply with	
Rational:	the recommendations in API RP 14C.	
Revised PINC P-529	Inspection Procedure was revised.	
Change:	The Inspection Procedure was changed to better comply with	
Rational:	the recommendations in API RP 14C.	
Steam Generators		
Revised PINC P-540	Inspection Procedure was revised.	
Change:	The Inspection Procedure was changed to better comply with	
Rational:	the recommendations in API RP 14C.	
Revised PINC P-550	Inspection Procedure was revised.	
Change:	The Inspection Procedure was changed to better comply with	
Rational:	the recommendations in API RP 14C.	
Revised PINC P-551	Inspection Procedure was revised.	
Change:	The Inspection Procedure was changed to better comply with	
Rational:	the recommendations in API RP 14C.	

Pipelines

Added a note below Pipelines:

Note: During pipeline inspections, the API RP 14C SAC reference must be verified when a safety device is SACed out on a pipeline component. When a SAC alternate device is acceptable, the device(s) on the upsteam or downstream component must be tested to ensure adequate protection.

Hydrogen Sulfide

Revised PINC H-134	
Change:	PINC Statement, Noncompliance Statement and Inspection
	Form were revised.
Rational:	Revisions to the PINC Statement, Noncompliance Statement and Inspection Form were revised to better indicate what exactly is to be inspected.
Revised PINC H-135	
Change:	PINC Statement, Inspection Procedure, Noncompliance
	Statement and Inspection Form were revised.
Rational:	Revisions to the PINC Statement, Inspection Procedure,
	Noncompliance Statement and Inspection Form were
	Revised to better indicate what exactly is to be inspected.
	Measurement -Run Tickets
Deleted PINC M-145	PINC was replaced by Office PINC M-803

Personal Safety Guidelines

Revised PINC Z-106	
Change:	PINC Statement, PINC Authority and Inspection Procedure were revised.
Rational:	Revisions to the PINC Statement, PINC Authority and Inspection Procedure were revised to better comply with the Coast Guard Regulations and to better indicate exactly what is to be inspected.
Revised PINC Z-110	
Change:	Inspection Procedure was revised.
Rational:	Revision to the Inspection Procedure was revised to clarify what types of platforms are required to maintain eyewash equipment.
Revised PINC Z-130	
Change:	PINC Authority was revised.
Rational:	Revision to the PINC Authority was to changed to support the language used in the Note, Inspection Procedure and the Noncompliance Statement of this PINC.