#### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

#### LAST UPDATE JULY 2004

#### **RCRA Corrective Action**

| Facility Name:     | Pioneer Americas Inc                         |
|--------------------|--|
| Facility Address:  | 605 Alexander Ave, Tacoma, Washington, 98421 |
| Facility EPA ID #: | WAD 00924 2314                               |
| •                  |  |

**Subarea: ONSITE AREA** 

**Environmental Indicator (EI) RCRIS code (CA725)** 

#### **Current Human Exposures Under Control**

1. Has **all** available relevant/significant information on known and reasonably suspected releases to soil, groundwater, surface water/sediments, and air, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

[EI determinations are intended to be a "snapshot" of

| below.  |
|---|
| <br>If no - re-evaluate existing data, or   |
| <br>if data are not available skip to #6 and enter"IN" (more information needed) status |

\_X\_ If yes - check here and continue with #2

current site conditions, and should NOT require additional data to be gathered at the time an EI determination is made. Even if available data are clearly insufficient to determine the nature and extent of contamination or whether cleanup standards are met, it is perfectly acceptable to check "yes" for question #1 as long as whatever data currently available has been considered. When data currently available are considered but are insufficient for EI determinations, such a conclusion should be indicated in question 3 for pathways and question 4 for exposures.

#### **BACKGROUND**

## <u>Definition of Environmental Indicators (for the RCRA Corrective</u> Action)

Environmental Indicators (EI) are measures being used by the RCRA

Corrective Action program to go beyond programmatic activity measures
(e.g., reports received and approved, etc.) to track changes in the quality
of the environment. The two EI developed to-date indicate the quality of
the environment in relation to current human exposures to contamination
and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be
developed in the future.

Note: Even though only currently available data should be used for EI determinations, the process of making EI determinations may well identify data gaps that need to be filled through the corrective action process.

## **Definition of "Current Human Exposures Under Control" EI**

A positive "Current Human Exposures Under Control" EI determination ("YE" status code) indicates that there are no "unacceptable" human exposures to "contamination" (i.e., contaminants in concentrations in excess of appropriate risk-based levels) that can be reasonably expected under current land- and groundwater-use conditions (for all "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

## **Relationship of EI to Final Remedies**

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Current Human Exposures Under Control" EI are for reasonably expected human exposures

under current land- and groundwater-use conditions ONLY, and do not consider potential future land- or groundwater-use conditions or ecological receptors. The RCRA Corrective Action program's overall mission to protect human health and the environment requires that Final remedies address these issues (i.e., potential future human exposure scenarios, future land and groundwater uses, and ecological receptors).

## **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

| 2. | "contaminated' well as other app | r, soil, surface water, sediments, or air <b>media</b> known or reasonably suspected to be above appropriately protective risk-based "levels" (applicable promulgated standards, as propriate standards, guidelines, guidance, or criteria) from releases subject to RCRA on (from SWMUs, RUs or AOCs)? |
|----|----------------------------------|---|
|    |                                  | If no (for all media) - skip to #6, and enter "YE," status code after providing or citing appropriate "levels," and referencing sufficient supporting documentation demonstrating that these "levels" are not exceeded.   |
|    | _X_                              | If yes (for any media) - continue after identifying key contaminants in each "contaminated" medium, citing appropriate "levels" (or provide an explanation for the determination that the medium could pose an unacceptable risk), and referencing supporting documentation.                            |
|    |                                  | If unknown (for any media) - skip to #6 and enter "IN" status code.   |
|    | •                                | ble sampling and analytical data will be insufficient to fully document whether or not  |

In many cases, available sampling and analytical data will be insufficient to fully document whether or not contaminant levels in the various media are above or below appropriate risk-based levels. For purposes of making EI determinations, it is entirely appropriate to use sound professional judgement as to whether particular media are or are not contaminated. For example, at a site with metal contamination in groundwater, professional judgement could easily be used to determine that no air (indoor or outdoor) contamination had occured. This is particularly important when a phased approach is used for site characterization or corrective action - if characterization of a particular portion of a site has been deferred under a phased approach on the basis that that area is not believed to be contaminated and this belief is reasonably supported by an analysis of historical activities, processes knowledge or other information, then it is quite reasonable to conclude that media in that area are not "contaminated" as part of a site-wide EI determination. Should data contradicting the initial phased-investigation presumption be gathered later in the site characterization process, it can easily be reflected in an updated EI determination. Deferral of a particular area as being low priority but still or likely to be contaminated should be reflected by a "no" or "in" EI.

|                             | Yes          | No       | ?      | Rationale / Key Contaminants                     |
|-----------------------------|--------------|----------|--------|--|
| Groundwater                 | <u>X</u>     |          |        | volatile organic compounds*                      |
| Air (indoors) <sup>2</sup>  |              |          |        |  |
| Surface Soil (e.g., <2 ft)  |              |          |        |  |
| Surface Water               | X            |          |        | groundwater with high pH and volatile organic    |
|                             | con          | pounds ( | discha | rges from embankment seeps into Hylebos Waterway |
| Sediment                    | _X           |          |        | groundwater moving through embankment with       |
|                             |              |          | high   | pH and VOCs partitions into embankment sediment  |
| Subsurf. Soil (e.g., >2 ft) | _ <u>X</u> _ |          |        | volatile organic compounds*                      |
| Air (outdoors)              |              |          |        |  |
|                             |              |          |        |  |

The rationale/key contaminants should have a brief note of the "principle threat" contaminants (those that most significantly drive cleanup decisions), as well as a reference to key documents, if any. A note as to which particular risk-based standard is being used as the basis of comparison should also be included. For complex documents, a note to the particular section, table, etc. from which data or standards are selected should be provided, as it is often difficult to verify data out of context.

Semantic Alert: In this instance, saying "NO" complete pathways exist translates to a "YE" environmental indicator. Go figure.

\* Volatile organic compounds include: vinyl chloride, methylene chloride, 1,1-dichloroethene, trans –1,2-dichloroethene, cis-1,2-dichloroethene, chloroform, carbon tetrachloride, trichloroethene, 1,1,2-Trichloethane, 1,1,2,2-tetrachloroethane, tetrachloroethene

#### Rationale:


Semi-annual chemical groundwater monitoring conducted according to the approved Corrective Action Monitoring Plan (CAMP) documents show state cleanup levels have been exceeded for the volatile Organic compounds listed above (ref. "Annual Performance Evaluation Report, October 2002 through September 2003", December 2003). Results from soil sampling indicate areas of high concentrations of total chlorinated organics such as 530 mg/kg at 2-3 feet and 4-5 ft. depths respectively, where the former settling ponds were located for the effluent from the former PCE/TCE process (ref. "Compilation of Soils and Related Data", January 1999). Analytical results of samples taken from seeps located adjacent to Docks Nos. 1 and 2 taken by Ecology during the June 22, 2001 site visit also showed exceedances of state cleanup levels for groundwater discharging to surface water for tetrachloroethene (PCE) and trichloroethene (TCE). Furthermore, high concentrations of PCE and TCE in embankment sediments adjacent to the Hylebos waterway were discovered during dredging of the adjacent Area 5106 sediments (ref. Post Treatment Work Plan, Area 5106 Removal Action, August 2003. Additional investigations are currently being undertaken to determine the source(s) contributing to these discharges.

During Ecology site visits on May 25 and June 22, 2001 pH measurements from groundwater issuing from seeps discharging to the Hylebos Waterway show pH in the discharges ranging upwards 11.8. The high pH in seep discharges issuing from upland groundwater was confirmed in results of extensive sampling of seeps conducted between November 2002 and January 2003 and in January 2004 documented in the <u>Draft Rapid pH Assessment Report</u>, revised July 1, 2004

## Footnotes:

<sup>1</sup> "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriately protective risk-based "levels" (for the media, that identify risks within the acceptable risk range).

<sup>2</sup> Recent evidence (from the Colorado Dept. of Public Health and Environment, and others) suggest that unacceptable indoor air concentrations are more common in structures above groundwater with volatile contaminants than previously believed. This is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration necessary to be reasonably certain that indoor air (in structures located above (and adjacent to) groundwater with volatile contaminants) does not present unacceptable risks.



| If unknown (for any "Contaminated" Media - Human Receptor combination) - skip to #6 |
|---|
| and enter "IN" status code  |

## Summary Exposure Pathway Evaluation Table

#### Potential **Human Receptors** (Under Current Conditions)

| "Contaminated" Media          | Residents | Workers | Day-Care | Construction | Trespassers | Recreation | Food <sup>3</sup> |
|-------------------------------|-----------|---------|----------|--------------|-------------|------------|-------------------|
| Groundwater                   |           | _no_    |          | _no          |             |            |                   |
| Air (indoors)                 |           |         |          |              |             |            |                   |
| Soil (surface, e.g., <2 ft)   |           |         |          |              |             |            |                   |
| Surface Water                 |           |         |          |              |             | _yes       | _yes              |
| Sediment                      |           |         |          |              |             | _yes       | _yes_             |
| Soil (subsurface e.g., >2 ft) |           |         |          | _no_         |             |            |                   |
| Air (outdoors)                |           |         |          |              |             |            |                   |

<sup>&</sup>lt;sup>3</sup> Indirect Pathway/Receptor (e.g., vegetables, fruits, crops, meat and dairy products, fish, shellfish, etc.)

Note: In order to focus the evaluation to the most probable combinations some potential "Contaminated" Media - Human Receptor combinations (Pathways) do not have check spaces ("\_\_\_"). While these combinations may not be probable in most situations they may be possible in some settings and should be added as necessary.

#### Rationale and References:

Subsurface Soils and Groundwater: Site groundwater is not used for potable water and is limited to industrial use by a restrictive covenant. Potential exposure of site workers maintaining the groundwater injection/extraction/treatment system to the identified chlorinated organic compounds in the contaminated groundwater could occur. However, this potential exposure is minimized through health and safety procedures including notification and the use of the appropriate personal protective equipment (PPE). Similarly, the potential exposure of any construction workers on the Pioneer property resulting from contacting contaminated subsurface soils or groundwater during excavation activities would also be minimized through notification and using PPE.

Surface Water and Sediments: There is no fencing or other physical means for keeping potential recreational boaters in the Hylebos waterway from potentially coming into direct skin contact with the elevated pH in the surface water and sediment porewater in the immediate vicinity of the seeps. Another potential pathway for human exposure is through human consumption of fish caught in the Hylebos Waterway that have migrated through the contaminated discharges from the seeps and/or have ingested marine organisms which, in turn, are exposed to chlorinated solvents including PCE and TCE that are present in these contaminated discharges and/or contaminated embankment sediments impacted by the contaminated groundwater discharging through these embankment sediments. High concentrations of PCE and TCE in embankment sediments were identified during dredging of the adjacent Area 5106 sediments (ref. Post Treatment Work Plan, Area 5106 Removal Action, August 2003).

For sediments (if not other media like surface or groundwater), exposure should consider the potential for subsistence food source exposures, in addition to traditional exposure routes such as direct contact or direct ingestion.

| 4. | Can the <b>exposures</b> from any of the complete pathways identified in #3 be reasonably expected to be "significant" (i.e., potentially "unacceptable" because exposures can be reasonably expected to be: 1) greater in magnitude (intensity, frequency and/or duration) than assumed in the derivation of the acceptable "levels" (used to identify the "contamination"); or 2) the combination of exposure magnitude (perhaps ever though low) and contaminant concentrations (which may be substantially above the acceptable "levels") could result in greater than acceptable risks)? |   |  |  |
|----|---|---|--|--|
|    |   | If no (exposures can not be reasonably expected to be significant (i.e., potentially "unacceptable") for any complete exposure pathway) - skip to #6 and enter "YE" status code after explaining and/or referencing documentation justifying why the exposures (from each of the complete pathways) to "contamination" (identified in #3) are not expected to be "significant."   |  |  |
|    |   | See Semantic Alert above.   |  |  |
|    | _X  | If yes (exposures could be reasonably expected to be "significant" (i.e., potentially "unacceptable") for any complete exposure pathway) - continue after providing a description (of each potentially "unacceptable" exposure pathway) and explaining and/or referencing documentation justifying why the exposures (from each of the remaining complete pathways) to "contamination" (identified in #3) are not expected to be "significant." |  |  |
|    | 4 If there is a   | If unknown (for any complete pathway) - skip to #6 and enter "IN" status code by question on whether the identified exposures are "significant" (i.e., potentially  |  |  |
|    |   | ble") consult a human health Risk Assessment specialist with appropriate education,   |  |  |

In general, EI's (if not cleanup standards themselves) can be met through a combination of reduction of contaminant concentrations (assuming that concentrations have been unacceptable) and (physical) engineering or institutional controls that interrupt an exposure pathway. For purposes of EI determinations, however, institutional or engineering controls do not need to have the sophistication, permanence, or legal defensibility as would be necessary for a final corrective action remedy. Rather, they need to be functional and reasonable - should the controls later be found to be no longer effective, the finding can easily be reflected in an updated EI determination.

An example might be the existence of off-site groundwater contamination that might pose risks to utility workers outside of the facility boundary. In this instance, evidence of an agreement between the facility and the utility that excavations would not occur in the contaminated area without appropriate protective gear would be acceptable for meeting the human exposures controlled EI.

## Rationale:

training and experience.

Exposure to the groundwater with high pH issuing from the seeps would potentially cause injury to any recreational users of the Hylebos who happen to come into direct contact with this high pH groundwater. Human consumption of fish that bioaccumulate chlorinated solvents, either through direct exposure or ingestion of exposed marine organisms, will result in a significant exposure pathway for known carcinogens PCE and TCE.

| 5. | Can the "signific | ant exposures (identified in #4) be snown to be within acceptable limits?   |
|----|-------------------|---|
|    |                   | If yes (all "significant" exposures have been shown to be within acceptable limits) - continue and enter "YE" after summarizing <u>and</u> referencing documentation justifying why all "significant" exposures to "contamination" are within acceptable limits (e.g., a site-specific Human Health Risk Assessment). |
|    | <u>X</u>          | If no (there are current exposures that can be reasonably expected to be "unacceptable")-continue and enter "NO" status code after providing a description of each potentially "unacceptable" exposure.  If unknown (for any potentially "unacceptable" exposure) - continue and enter "IN" status code               |

The response to this question should include a brief description of the analysis and assumptions used in arriving at whatever conclusion is reached. The description does not have to be particularly detailed, but it should allow the reader to gain a basic understanding of the reasoning employed by the decision-maker.

Rationale: The high pH water discharging from the seeps would cause injury to any recreational boaters in the Hylebos who happen to come into direct skin contact with these high pH discharges without protective equipment. There is also a potential for significant human exposure to carcinogens PCE and TCE through consumption of fish caught in the Hylebos Waterway that have migrated through the discharges from seeps contaminated with these constituents and/or have ingested marine organisms which, in turn, are exposed to these contaminated discharges and/or embankment sediments impacted by the contaminated groundwater.

# Current Human Exposures Under Control (CA 725)

| (CA725), and obtain Super | priate RCRIS status codes for the Current Huervisor (or appropriate Manager) signature arting documentation as well as a map of the fa |   |
|---------------------------|--|---|
|                           | Washington, 98421 under current and rea  | EI Determination, "Current Human trol" at the <b>Pioneer Americas Inc_(onsite</b> , located at <b>605 Alexander Ave., Tacoma,</b> |
| <u>X</u>                  | NO - "Current Human Exposures" are NC  | OT "Under Control."   |
|                           | IN - More information is needed to make  | e a determination.  |
| Completed by              | Leon J. Wilhelm Environmental Engineer Department of Ecology Southwest Regional Office   | Date  |
| Supervisor                | K Seiler Section Supervisor Department of Ecology Southwest Regional Office  | Date  |
| Locations where           | References may be found:   |   |
| Site file                 | es for RCRA corrective action at this facility   |   |
| Contact telephor          | ne and e-mail numbers  |   |
|                           | <u>Wilhelm</u><br>07 - 6362  |   |

FINAL NOTE: THE HUMAN EXPOSURES EI IS A QUALITATIVE SCREENING OF EXPOSURES AND THE DETERMINATIONS WITHIN THIS DOCUMENT SHOULD NOT BE USED AS THE SOLE BASIS FOR RESTRICTING THE SCOPE OF MORE DETAILED (E.G., SITE-SPECIFIC) ASSESSMENTS OF RISK.

leow461@ecy.wa.gov

#### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

LAST UPDATE JULY 2004

#### **RCRA Corrective Action**

| Facility Name:<br>Facility Address:<br>Facility EPA ID #: | Pioneer Americas Inc<br>605 Alexander Ave, Tacoma, Washington, 98421<br>WAD 00924 2314  |
|---|---|
| Subarea: ONSITE AREA                                      | L   |
|   | Environmental Indicator (EI) RCRIS code (CA750)   |
|   | Migration of Contaminated Groundwater Under Control   |
| groundwater medi  | relevant/significant information on known and reasonably suspected releases to the ia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units ted Units (RU), and Areas of Concern (AOC)), been <b>considered</b> in this EI determination? |
| <u>X</u>  | If yes - check here and continue with #2 below.   |
|   | If no - re-evaluate existing data, or   |
|   | if data are not available, skip to #8 and enter"IN" (more information needed) status code.  |
| <u>BACKGROUND</u>   |   |
| Definition of Environmen                                  | tal Indicators (for the RCRA Corrective Action)   |

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

## **Definition of "Migration of Contaminated Groundwater Under Control" EI**

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

## Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

## **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

| 2.      | Is <b>groundwater</b> known or reasonably suspected to be <b>"contaminated"</b> above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility? |   |  |  |  |
|---------|--|---|--|--|--|
|         | _ <u>X</u> _   | If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.  |  |  |  |
|         |  | If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."   |  |  |  |
|         |  | If unknown - skip to #8 and enter "IN" status code.   |  |  |  |
| Footnot | es:  |   |  |  |  |
|         | and/or dissolved.  | "and "contaminated" describes media containing contaminants (in any form, NAPL vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate riate for the protection of the groundwater resource and its beneficial uses). |  |  |  |

#### Rationale and Reference:

Semi-annual chemical groundwater monitoring conducted according to the approved Corrective Action Monitoring Plan (CAMP) documents show state cleanup levels have been exceeded for the volatile Organic compounds listed above (ref. "Annual Performance Evaluation Report, October 2002 through September 2003", December 2003). Analytical results of samples taken from seeps located adjacent to Docks Nos. 1 and 2 taken by Ecology during the June 22, 2001 site visit also showed exceedances of state cleanup levels for groundwater discharging to surface water for tetrachloroethene (PCE) and trichloroethene (TCE). Furthermore, high concentrations of PCE and TCE in embankment sediments adjacent to the Hylebos waterway were discovered during dredging of the adjacent Area 5106 sediments (ref. Post Treatment Work Plan, Area 5106 Removal Action, August 2003. Additional investigations are currently being undertaken to determine the source(s) contributing to these discharges.

During Ecology site visits on May 25 and June 22, 2001 pH measurements from groundwater issuing from seeps discharging to the Hylebos Waterway show pH in the discharges ranging upwards 11.8. The high pH in seep discharges issuing from upland groundwater was confirmed in results of extensive sampling of seeps conducted between November 2002 and January 2003 and in January 2004 documented in the <u>Draft Rapid pH Assessment Report</u>, revised July 1, 2004.

| 3. | Has the <b>migration</b> of contaminated groundwater <b>stabilized</b> (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?   |
|----|---|
|    | If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" <sup>2</sup> ).  |
|    | This question focuses ONLY on the movement of contaminated groundwater, not the level of contamination. A "YES" response should be arrived at if, through interpretation of groundwater flow data or sound professional judgement, groundwater contamination can be shown to not be expanding in spatial extent. It is perfectly acceptable to have a "YE" groundwater EI if: |
|    | 1) contaminated groundwater is located off-site but not migrating further; 2) contaminated groundwater is contaminated above cleanup standards, but not migrating further;  |
|    | 3) natural attenuation is occuring such that the rate of attenuation (through any of the acceptable attenuation mechanisms and in accordance with EPA's Monitored Natural Attenuation Guidance, Directive 9200.4-17 - December 1997 Use of Monitored Natural Attenuation at Corrective  |
|    | Action Sites ) is such that the outer boundaries of the plume are not expanding.  |
|    | <ul> <li>If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination"</li> <li>skip to #8 and enter "NO" status code, after providing an explanation.</li> </ul>  |
|    | If unknown - skip to #8 and enter "IN" status code.   |

## Rationale and Reference:

Evidence of ongoing discharges of high pH groundwater from several seeps to the waterway adjacent to the site was documented during Ecology site visits on May 25 and June 22, 2001. The presence of these high pH discharges was subsequently confirmed in results of extensive sampling of seeps conducted between November 2002 and January 2003 and in January 2004 documented in the <u>Draft Rapid pH Assessment Report</u>, revised July 1, 2004.

Evidence of the ongoing discharges of contaminated site groundwater to the Hylebos Waterway was also found in results of the Ecology June 2001 seep sampling that revealed the presence of volatile organic compounds PCE and TCE in seep discharges adjacent to Docks No. 1 and 2. Furthermore, results of chemical and hydraulic monitoring data collected in May 2004 indicate that upland groundwater containing concentrations of vinyl chloride significantly in excess of the MTCA cleanup level for groundwater discharging to surface water is migrating past some of the injection wells into the waterway (ref. May 2004 Monitoring Event and System Performance Evaluation Report, July 2004).

2 "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

| 4. Does "contaminated" groundwater <b>discharge</b> into <b>surface water</b> bodies?  |  |  |  |  |  |
|--|--|--|--|--|--|
| _ <u>X</u>   | If yes - continue after identifying potentially affected surface water bodies.   |  |  |  |  |
| (Impacted water body is the Hylebos Waterway.)   |  |  |  |  |  |
| _  | If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.  |  |  |  |  |
|  | If unknown - skip to #8 and enter "IN" status code.  |  |  |  |  |
| Rationale: As stated above for Item #3, evidence of discharges of high pH groundwater from several seeps to the Hylebos Waterway adjacent to the site and the presence of volatile organic compounds in seep discharges adjacent to Docks No. 1 and 2 indicate the ongoing discharge of contaminated site groundwater into the Hylebos Waterway adjacent to the Pioneer property. Furthermore, results of chemical and hydraulic monitoring conducted in May 2004 indicate that upland contaminated groundwater is migrating past some of the injection wells installed to provide a hydraulic barrier to the discharge of contaminated groundwater into the waterway (ref. May 2004 Monitoring Event and System Performance Evaluation Report, July 2004. |  |  |  |  |  |
| 5. Is the <b>discharge</b> of "contaminated" groundwater into surface water likely to be " <b>insignificant</b> " (i.e., the maximum concentration <sup>3</sup> of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?   |  |  |  |  |  |
|  | If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration <sup>3</sup> of <u>key</u> contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.   |  |  |  |  |
| <u>X</u>   | If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration <sup>3</sup> of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations <sup>3</sup> greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing. |  |  |  |  |
|  | If unknown - enter "IN" status code in #8.   |  |  |  |  |

<sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

Rationale: Measured values of the pH of groundwater discharging from the seeps are significantly in excess of the state criteria of 8.5 for pH in marine waters at several locations. Also, the concentrations of PCE and TCE in results from samples of seep discharges to the Hylebos Waterway obtained during Ecology's June 22<sup>nd</sup> seep sampling exceeded the National Toxics Rule criteria for these constituents in surface water based on human consumption of fish coming into contact with these constituents.

| 6. | Can the <b>discharge</b> of "contaminated" groundwater into surface water be shown to be " <b>currently acceptable</b> " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented <sup>4</sup> )? |   |  |
|----|---|---|--|
|    |   | If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination. |  |
|    | _ <u>X</u> _  | If no - (the discharge of "contaminated" groundwater can not be shown to be " <b>currently acceptable</b> ") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.  |  |
|    |   | If unknown - skip to 8 and enter "IN" status code.  |  |

#### Rationale:

As stated above in #5, measured values of the pH of groundwater discharging from the seeps were significantly in excess of the state criteria of 8.5 for pH in marine waters at several locations. During the site visits on May 25 and June 22, 2001 Ecology staff observed "dead zones" of whitish precipitate in the sediments devoid of any signs of life in the vicinity of the seeps discharging high pH groundwater. Also, the concentrations of PCE and TCE in seep discharges to the Hylebos Waterway based on the results from samples obtained during Ecology's June 22<sup>nd</sup> seep sampling exceeded the National Toxics Rule criteria for surface water based on human consumption of fish coming into contact with these constituents.

| necessary) b   | vater <b>monitoring</b> / measurement data (and surface water/sediment/ecological data, as collected in the future to verify that contaminated groundwater has remained within the vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"  |
|--|--|
| _  | If yes - continue after providing or citing documentation for planned activities or fu sampling/measurement events. Specifically identify the well/measurement location which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination." |
|  | If no - enter "NO" status code in #8.  |
|  | ring discharge of groundwater to surface water, it is important to remember that some y be considered acceptable - it is not necessary to demonstrate that there are no discharge  |
| discharges ma<br>that groundwa<br>levels. As wit   |  |
| discharges mathat groundwalevels. As with may be used in The GW/SW insignificant; obtained if applications and/or data incomplete the control of the control | y be considered acceptable - it is not necessary to demonstrate that there are no discharg<br>ter meets surface water criteria at the point of discharge, as may be the case with final cl<br>h human exposures controlled and other groundwater criteria, sound professional judger   |

water from an EI perspective should not require a disproportionate effort.

If unknown - enter "IN" status code in #8.

<sup>&</sup>lt;sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>&</sup>lt;sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

## Migration of Contaminated Groundwater Under Control Environmental Indicator (EI) RCRIS code (CA750)

| 8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Co EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility). |  |   |                  |  |  |
|---|--|---|------------------|--|--|
|   |  | YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Pioneer Americas Inc (onsite area) facility, EPA ID # WAD 00924 2314, located at 605 Alexander Ave., Tacoma, Washington, 98421. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility. |                  |  |  |
| -   | X NO - Unacceptable migration of contaminated groundwater is observed or |   |                  |  |  |
| -   |  | IN - More information is needed to make a   | a determination. |  |  |
| Completed by  |  | Leon J. Wilhelm Environmental Engineer Department of Ecology Southwest Regional Office  | Date             |  |  |
| Supervisor  |  | K Seiler Section Supervisor Department of Ecology Southwest Regional Office   | Date             |  |  |
| Locations where References may be found:  |  |   |                  |  |  |
| Site files for RCRA corrective action at this facility  |  |   |                  |  |  |
| <u>Leon J.</u> (360) 4  |  | e and e-mail numbers  |                  |  |  |
|   |  | Wilhelm<br>17 - 6362<br>@ecy.wa.gov   |                  |  |  |