

Back Pain Literature References

1. Aberg J. Evaluation of an advanced back pain rehabilitation program. *Spine* 1984; 9(3): 317-318.
2. Alaranta H, Rytokoski U, Rissanen A, Talo S, *et al.* Intensive physical and psychosocial training program for patients with chronic low back pain. A controlled clinical trial. *Spine* 1994; 19(12): 1339-1349.
3. Altmaier EM. Clinical trial of common treatments for low back pain in family practice. *Br J Med* 1985; 291(6498): 791-794.
4. Altmaier EM, Lehmann TR, Russell DW, Weinstein JN, *et al.* The effectiveness of psychological interventions for the rehabilitation of low back pain: A randomized controlled trial evaluation. *Pain* 1992 Jun; 49(3): 329-335.
5. Anderson GB, Lucente T, Davis AM, Kappler RE, Lipton JA, Leurgans S. A comparison of osteopathic spinal manipulation with standard care of patients with low back pain. *N Engl J Med* 1999 Nov 4; 341(19): 1426-1431.
6. Ariyoshi M, Sonoda K, Nagata K, Mashima T, Zenmyo M, Paku C, Takamiya Y, Yoshimatsu H, Hirai Y, Yasunaga H, Akashi H, Imayama H, Shimokobe T, Inoue A, Mutoh Y. Efficacy of aquatic exercises for patients with low-back pain. *Kurume Med J* 1999; 46(2): 91-96.
7. Arkuszewski Z. The efficacy of manual treatment in low back pain: a clinical trial. *Man Med* 1986; (2) 68-71.
8. Arokoski JPA, Kankaanpaa M, Valta T, *et al.* Back and hip extensor muscle function during therapeutic exercises. *Arch Phys Med Rehabil* 1999 July; 80: 842-850.
9. Asfour SS, Khalil TM, Waly SM, Goldberg ML, Rosomoff RS, Rosomoff HL. Biofeedback in back muscle strengthening. *Spine* 1990; 15(6): 510-513.
10. Atlas SJ, Keller RB, Robson D, *et al.* Surgical and nonsurgical management of lumbar spinal stenosis. *Spine* 2000; 25(5): 556-562.
11. Basford JR, Sheffiled CG, Harmsen WS. Laser Therapy: a randomized, controlled trial of the effects of low-intensity nd: YAG laser irradiation on musculoskeletal back pain. *Arch Phys Med Rehabil* 1999; 80(6): 647-652.
12. Batt ME, Todd C. Five facts and five concepts for rehabilitation of mechanical low back pain. *Br J Sports Med.* 2000 Aug; 34(4): 261.
13. Bendix T, Bendix A, Labriola M, Hastrup C, Ebbelohj N. Functional restoration versus outpatient physical training in chronic low back pain: a randomized comparative study. *Spine* 2000; 25(19): 2494-2500.
14. Bendix AF, Bendix T, Hastrup C, Busch E. A prospective, randomized 5-year follow-up study of functional restoration in chronic low back pain patients. *Eur Spine J* 1998; 7(2): 111-119.
15. Bendix AF, Bendix T, Labriola M, Boekgaard P. Functional restoration for chronic low back pain. Two-year follow-up of two randomized clinical trials. *Spine* 1998; 23(6): 717-725.

16. Bendix AF, Bendix T, Lund C, Kirkbak S, Ostenfield S. Comparison of three intensive programs for chronic low back pain patients: a prospective, randomized, observer-blinded study with one-year follow-up. *Scand J Rehabil Med* 1997; 29(2): 81-89.
17. Bendix AF, Bendix T, Vaegter K, Lund C, *et al.* Multidisciplinary intensive treatment for chronic low back pain: a randomized, prospective study. *Cleve Clin J Med* 1996; 63(1): 62-69.
18. Bentsen H, Lindgarde F, Manthorpe R. The effect of dynamic strength back exercise and/or a home training program in 57- year- old women with chronic low back pain. Results of a prospective randomized study with a 3-year follow-up period. *Spine* 1997; 22(13): 1494-1500.
19. Berwick DM, Budman S, Feldstein M. No clinical effect of back schools in an HMO. A randomized prospective trial. *Spine* 1989; 14(3): 338-344.
20. Beurskens AJ, de Vet HC, Koke AJ, Lindeman E, Regtop W, van der Heijden GJ, Knipschild PG. Efficacy of traction for non-specific low back pain: a randomized clinical trial. *Lancet* 1995 Dec; 346(8990): 1596-1600.
21. Beurskens AJ, de Vet HC, Koke AJ, Lindeman E, Regtop W, van der Heijden GJ, Knipschild PG. Efficacy of traction for non-specific low back pain. 12-week and 6-month results of a randomized clinical trial. *Spine*; 22(23): 2756-2762.
22. Blomberg S, *et al.* A Controlled, multicentre trial of manual therapy in low-back pain. *Scand J Prim Health Care* 1992 Sep; 10(3): 170-178.
23. Blomberg S, Halin G, Grann K, Berg E, Sennerby U. Manual therapy with steroid injections-a new approach to treatment of low back pain. A controlled multicenter trial with an evaluation by orthopedic surgeons. *Spine* 1994; 19(5): 569-577.
24. Bronfort G, Evans RL, Anderson AV, Schellhas KP, Garvey TA, Marks RA, Bittell S. Nonoperative treatments for sciatica: a pilot study for a randomized clinical trial. *J Manipulative Physiol Ther* 2000 Oct; 23(8): 536-544.
25. Bronfort G, Goldsmith CH, Nelson CF, Boline PD, Anderson AV. Trunk exercise combined with spinal manipulative or NSAID therapy for chronic low back pain: a randomized, observed-blinded clinical trial. *J Manipulative & Physiological Therapeutics* 1996; 19(9): 570-582.
26. Bush C, Ditto B, Feuerstein M. A controlled evaluation of paraspinal EMG biofeedback in the treatment of chronic low back pain. *Health Psycho* 1985; 4(4): 307-321.
27. Buswell J. Low back pain: a comparison of two treatment programmes. *New Zealand J Physiotherapy* 1982; 10(2): 13-17.
28. Callaghan MJ. Evaluation of a back rehabilitation group for chronic low back pain in an out-patient setting. *Physiotherapy* 1994; 80(10): 677-681.
29. Carpenter DM, Nelson BW. Low back strengthening for the prevention and treatment of low back pain. *Medicine and Science in Sports and Exercise* 1999; 31(1): 18-24.
30. Cassisi JE, *et al.* Trunk strength and lumbar paraspinal muscle activity during isometric exercise in chronic low-back pain patients and controls. *Spine* 1993; 18 (2): 245-251.

31. Cherkin DC, Deyo RA, Battie M, Street J, Barlow W. A comparison of physical therapy, chiropractic manipulation, and provision of an educational booklet for the treatment of patients with low back pain. *N Engl J Med* 1998 Oct; 339(15): 1021-1029.
32. Cherkin DC, Deyo RA, Street JH, Hunt M, Barlow W. Pitfalls of patient education. Limited success of a program for back pain in primary care. *Spine* 1996; 21(3): 345-355.
33. Chok B, Lee R, Latimer J, Tan SB. Endurance training of the trunk extensor muscles in people with subacute low back pain. *Phys Ther* 1999 Nov; 79(11): 1032-42.
34. Coan RM, Wong G, Ku SL, *et al.* The acupuncture treatment of low back pain: a randomized controlled study. *Am J Chinese Med* 1980; 8(1-2): 181-189.
35. Collacott EA, Zimmerman JT, White DW, Rindone JP. Bipolar permanent magnets for the treatment of chronic low back pain: A pilot study. *JAMA* 2000 Mar; 283(10): 1322-1325.
36. Constant F, Guillemin F, Collin JF, Boulange M. Use of spa therapy to improve the quality of life of chronic low back pain patients. *Med Care* 1998 Sep; 36(9): 1309-1314.
37. Constant F, Guillemin F, Collin JF, Boulange M. Effectiveness of spa therapy in chronic low back pain: a randomized clinical trial. *J Rheumatol* 1995; 22(7): 1315-1320.
38. Corley MC, Ferriter J, Zeh J, Gifford C. Physiological and psychological effects of back rubs. *Appl Nurs Res* 1995; 8(1): 39-42.
39. Cote P, Mior SA, Vernon H. The short-term effect of a spinal manipulation on pain/pressure threshold in patients with chronic mechanical low back pain. *J Manipulative & Physiological Therapeutics* 1994; 17(6): 364-368.
40. Coxhead CE. A clinical trial of the management of sciatica with or without low back pain. *Physiotherapy* 1974; 60(3): 72-74.
41. Coyer AB, Curwen IH. Low back pain treated by manipulation. A controlled series. *BMJ* 1955 Mar; 705-707.
42. Cramer GD, Humphreys CR, Hondras MA, McGregor M. The Hmax/Mmax ration as an outcome measure for acute low back pain. *J Manipulative & Physiological Therapeutics* 1993; 16(1): 7-13.
43. Daltroy LH, Iversen MD, Larson MG, Lew R, Wright E, Ryan J, Zwerling C, Fossel AH, Liang MH. A controlled trial of an educational program to prevent low back injuries. *N Engl J Med* 1997 July; 337(5): 322-328.
44. Daltroy LH, Iversen MD, Larson MG, Ryan J. Teaching and social support; effects on knowledge, attitudes, and behaviors to prevent low back injuries in industry. *Health Education Quarterly* 1993; 20(1): 43-62.
45. Davies JE, Gibson T, Tester L. The value of exercises in the treatment of low back pain. *Rheumatology Rehabilitation* 1979; 18(4): 243-247.
46. Deen HG, *et al.* Measurement of exercise tolerance on the treadmill in patients with symptomatic lumbar spinal stenosis: a useful indicator of functional status and surgical outcome. *J Neurosurg* 1995; 83:27-30.

47. Delitto A, *et al.* Evidence for use of and extension-mobilization category in acute low back syndrome: a prescriptive validation pilot study. *Phys Ther* 1993 April; 73(4): 216-222;(discussion 223-228).
48. Delitto A, *et al.* A Treatment-Based classification approach to low back syndrome: identifying and staging patients for conservative treatment. *Phys Ther* 1995 June; 75(6): 470-485; (discussion 485-490).
49. Dettori JR, Bullock SH, Sutlive TG, Franklin RJ, Patience T. The effects of spinal flexion and extension exercises and their associated postures in patients with acute low back pain. *Spine* 1995; 20(21): 2303-2312.
50. Deyo RA, Diehl AK, Rosenthal M. How many days of best rest for acute low back pain? A randomized clinical trial. *NEJM* 1986; 315(17): 1064-1070.
51. Deyo RA, *et al.* A controlled trial of transcutaneous electrical nerve stimulation (tens) and exercise for chronic low back pain. *Arch Phys Med Rehabil* 1990 June 7; 322 (23): 1627-1634.
52. Dishman JD, Bulbulian R. Spinal reflex attenuation associated with spinal manipulation. *Spine* 2000; 25(19): 2519-24; discussion 2525.
53. Dolan P, Greenfield K, Nelson RJ, Nelson IW. Can exercise therapy improve the outcome of microdiscectomy? *Spine* 2000; 25(12): 1523-1532.
54. Donaldson S, Romney D, Donaldson M, Skubick D. Randomized study of the application of single motor unit biofeedback training to chronic low back pain. *J Occup Rehab* 1994; 4(1): 23-37.
55. Doran DM, Newell DJ. Manipulation in treatment of low back pain; a multicentre study. *Br Med J* 1975; 2(5964): 161-164.
56. Driscoll MD, Hall MJ. Effects of spinal manipulative therapy on autonomic activity and the cardiovascular system: a case study using the electrocardiogram and arterial tonometry. *J Manipulative Physiol Ther* 2000 Oct; 23(8): 545-50.
57. Dubb IB, Driver HS. Ratings of sleep and pain in patients with low back pain after sleeping on mattresses of different firmness. *Physiotherapy Canada* 1993; 45(1): 26-28.
58. Eck JC, Circolone NJ. The use of spinal manipulation in the treatment of low back pain: a review of goals, patient selection, techniques, and risks. *J Orthop Sci* 2000; 5(4): 411-417.
59. Edelist G, Gross AE, Langer F. Treatment of low back pain with acupuncture. *Can Anaesth Soc J* 1976; 23(3): 303-306.
60. Erhard RE, Delitto A, Cibulka MT. Relative effectiveness of an extension program and a combined program of manipulation and flexion and extension exercises in patients with acute low back syndrome. *Phys Ther* 1994 Dec; 74(12): 1093-1100.
61. Ernest, Edzard. Massage therapy for low back pain: A systematic review. *J Pain Symptom Manage* 1999; 17:65-69.
62. Evans C, Gilbert JR, Taylor W, Hildebrand A. A randomized controlled trial of flexion exercises, education, and bed rest for patients with acute low back pain. *Physiotherapy Canada* 1987 Mar-April; 39(2): 96-101.

63. Faas A, *et al.* A randomized, placebo-controlled trial of exercise therapy in patients with acute low back pain. *Spine* 1993 November; 18(11): 1388-1395
64. Fairbank JCT, *et al.* The Oswestry low back pain disability questionnaire. *Physiotherapy* 1980 Aug; 66(8): 271-273.
65. Faas A. Exercises: Which ones are worth trying, for which patients, and when? *Spine* 1996; 21(24): 2874-2879.
66. Faas A, van Eljk JT, Cravannes AW, Gubbels JW. A randomized trial of exercise therapy in patients with acute low back pain. Efficacy on sickness absence. *Spine* 1995; 20(8): 941-947.
67. Faas A, van Eljk JT, Chavannes AW, Gubbels JW. A randomized, placebo-controlled trial of exercise therapy in patients with acute low back pain. *Spine* 1993; 18(11): 1388-1395.
68. Fast A. Low back disorders: conservative management. *Arch Phys Med Rehabil* 1988 Oct; 69(10): 880-891.
69. Farrell JP, Twomey LT. Acute low back pain. Comparison of two conservative treatment approaches. *Med J Aust* 1982; 1(4): 160-164.
70. Fauno P, Kalund S, Andreasen I, Jorgensen U. Soreness in lower extremities and back is reduced by use of shock absorbing heel inserts. *Int J Sports Med* 1993; 14(5): 288-290.
71. Flor H, Haag G, Turk DC, Koehler H. Efficacy of EMG biofeedback, pseudotherapy, and conventional medical treatment for chronic rheumatic back pain. *Pain* 1983; 17(1): 21-31.
72. Flor H, Haag G, Turk DC. Long-term efficacy of EMG biofeedback for chronic rheumatic back pain. *Pain* 1986; 27(2): 195-202.
73. Fordyce WE, Brockway JA, Bergman JA, Spengler D. Acute back pain: a control-group comparison of behavioral vs. traditional management methods. *J Behav Med* 1986; 9(2): 127-140.
74. Fraser J, Kerr JR. Psychophysiological effects of back massage on elderly institutionalized patients. *J Advanced Nurs* 1993; 18(2): 238-245.
75. Friedrich M, Gittler G, Halberstadt Y, Cermak T, Heiller I. Combined exercise and motivation program; effect on the compliance and level of disability of patients with chronic low back pain: a randomized controlled trial. *Arch Phys Med Rehabil* 1998 May; 79(5): 475-487.
76. Fritz JM, *et al.* Lumbar Spinal Stenosis: A review of current concepts in evaluation, management, and outcome measurements. *Arch Phys Med Rehabil* 1998 Jun; 79:700-708.
77. Fritz JM, Erhard RE, Vignovic M. A Non-surgical treatment approach for patients with lumbar spinal stenosis. *Phys Ther* 1997 Sep; 77(9): 962-973.
78. Frost H, Klaber Moffett JA, Moser JS, Fairbank JC. Randomised controlled trial for evaluation of fitness programme for patients with chronic low back pain. *BMJ* 1995 Jan; 310(6973): 151-154.
79. Frost H, Lamb SE, Klaber Moffett JA, Fairbank JC, *et al.* A fitness programme for patients with chronic low back pain: 2-year follow-up of a randomized controlled trial. *Pain* 1998; 75(2-3): 273-279.

80. Gemmell HA, Jacobson BH. The immediate effect of activator vs. meric adjustment on acute low back pain: a randomized controlled trial. *J Manip Physio Ther* 1995; 18(7): 453-456.
81. Gibson T, Grahame R, Harkness J, Woo P, *et al.* Controlled comparison of short-wave diathermy treatment with osteopathic treatment in non-specific low back pain. *Lancet* 1985; 1(8440): 1258-1261.
82. Goel, Amitabh. Meralgia paresthetica secondary to limb length discrepancy: Case Report. *Arch Phys Med Rehabil* 1999 Mar; 80:348-349.
83. Ghoname EA, Craig WF, White PF, Ahmed HE, Hamza MA, Henderson BN, Gajraj NM, Huber PJ, Gatchel RJ. Percutaneous electrical nerve stimulation for low back pain: A randomized crossover study. *JAMA* 1999 Mar; 281(9): 818-823.
84. Gilber JR, Taylor DW, Hildebrand A, Evans C. Clinical trial of common treatments for low back pain in family practice. *BMJ* 1985 Sept; 291(6498): 791-794.
85. Glover JR, Morris JG, Khosia T. Back pain; a randomized clinical trial of rotational manipulation of the trunk. *Br J Industrial Med* 1974; 31(1): 59-64.
86. Goodsell M, Lee M, Latimer J. Short-term effects of lumbar posteroanterior mobilization in individuals with low-back pain. *J Manipulative Physiol Ther* 2000 Jun; 23(5): 332-242.
87. Gramse RR, Sinaki M, Ilstrup DM. Lumbar Spondylolisthesis: A rational approach to conservative treatment. *Mayo Clin Proc* 1980; 55:681-686.
88. Grant DJ, Bishop-Miller J, Winchester DM, Anderson M, Faulkner S. A randomized comparative trial of acupuncture versus transcutaneous electrical nerve stimulation for chronic back pain in the elderly. *Pain* 1999; 82(1): 9-13.
89. Grieve, GP. Neck Traction. *Physiotherapy* 1982; 6:260-265.
90. Guillemin F, Constant F, Collin JF, Boulange M. Short and long-term effect of spa therapy in chronic low back pain. *Br J Rheumatol* 1994; 33(2): 148-151.
91. Gundewall B, Liljeqvist, Hansson T. Primary prevention of back symptoms and absence from work. A prospective randomized study among hospital employees. *Spine* 1993; 18(5): 587-594.
92. Hackett GI, Seddon D, Kaminski D. Electroacupuncture compared with paracetamol for acute low back pain. *Practitioner* 1988; 232(1443): 163-164.
93. Hagen EM, Eriksen HR, Ursin H. Does early intervention with a light mobilization program reduce long-term sick leave for low back pain? *Spine* 2000; 25(15): 1973-1976.
94. Hagins M, Adler K, Cash M, *et al.* Effects of practice on the ability to perform lumbar stabilization exercises. *JOSPT* 1999; 29(9): 546-555.
95. Haigh R, Clarke AK. Effectiveness of rehabilitation for spinal pain. *Clin Rehabil* 1999; 13 Suppl 1:63-81.
96. Hammila HM, Keinanen-Kiukaanniemi SM, Levoska S, Puska P. Does folk medicine work? A randomized clinical trial on patients with prolonged back pain. *Arch Phys Med Rehabil* 1997; 78(6): 571-577.

97. Hamza MA, Ghoname EA, White PF, Craig WF, Ahmed HE, Gajraj NM, Vakharia AS, Noe CE. Effect of the duration of electrical stimulation on the analgesic response in patients with low back pain. *Anesthesiology* 1999 Dec; 91(6): 1622-1627.
98. Handa N, Yamamoto H, Tani T, Kawakami T, Takemasa R. The effect of trunk muscle exercises in patients over 40 years of age with chronic low back pain. *J Orthop Sci* 2000; 5(3): 210-216.
99. Hansen RF, Bendix T, Skov P, Jensen CV, Kristensen JH, Krohn L, Schieler H. Intensive dynamic back-muscle exercises, conventional physiotherapy, or placebo-control treatment of low-back pain. A randomized, observer-blind trial. *Spine* 1993 Jan; 18(1): 98-108.
100. Hansson TH, Hansson EK. The effects of common medical interventions on pain, back function, and work resumption in patients with chronic low back pain: A prospective 2-year cohort study in six countries. *Spine* 2000 Dec 1; 25(23): 3055-3064.
101. Harkapaa K, Mellin G, Jarvikoski A, Hurri H. A controlled study on the outcome of inpatient and outpatient treatment of low back pain. Part III. Long-term follow-up of pain, disability, and compliance. *Scand J Rehabil Med* 1990; 22(4): 181-188.
102. Harris, PR. Cervical traction: Review of the literature and treatment guidelines. *Phys Ther* 1977; 57:910-914.
103. Hartigan C, Rainville J, Sobel JB, Hipona M. Long-term exercise adherence after intensive rehabilitation for chronic low back pain. *Med Sci Sports Exerc* 2000 Mar; 32(3): 551-557.
104. Helewa A, Goldsmith CH, Lee P, Smythe HA, *et al.* Does strengthening the abdominal muscles prevent low back pain - a randomized controlled trial? *J Rheumatol* 1999; 26(8): 1808-1815.
105. Herman E, Williams R, Stratford P, Fargas-Babjak A, Trott M. A randomized controlled trial of transcutaneous electrical nerve stimulation (CODETRON) to determine its benefits in a rehabilitation program for acute occupational low back pain. *Spine* 1994; 19(5): 561-568.
106. Hides JA, Richardson CA, Jull GA. Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain. *Spine* 1996; 21(23): 2763-2769.
107. Hodges P, Jull G. Does strengthening the abdominal muscles prevent low back pain? *J Rheumatol* 2000 Sep; 27(9): 2286-2288.
108. Hoehler FK, Tobis JS, Buerger AA. Spinal manipulation for low back pain. *JAMA* 1981; 245(18): 1835-1838.
109. Horii A. Static stretching. *Nippon Rinsho* 2000 Sep; 58 Suppl: 259-264. (Japanese).
110. Hsieh C-YJ, *et al.* Range of motion of the lumbar spine required for four activities of daily living. *J Manipulative Physiol Ther* 1994 July-Aug; 17(6): 353-358.
111. Hsieh C-YJ, Phillips RB, Adams AH, Pope MH. Functional outcomes of low back pain: Comparison of four treatment groups in a randomized controlled trial. *J Manipulative Physiol Ther* 1992; 15(1): 4-9.
112. Hurri H. The Swedish back school in chronic low back pain. Part II. Factors predicting outcome. *Scand J Rehabil Med* 1989; 21(1): 41-44.

113. Hurri H. The Swedish back school in chronic low back pain. Part I. Benefits. *Scand J Rehabil Med* 1989; 21(1): 33-40.
114. Indahl A, *et al.* Five-year follow-up study of a controlled clinical trial using light mobilization and an informative approach to low back pain. *Spine* 1998; 23:2625-2630.
115. Indahl A, Velund L, Reikeraas O. Good prognosis for low back pain when left untampered. A randomized clinical trial. *Spine* 1995; 20(4): 473-477.
116. Jackson CP, *et al.* Is there a role for exercise in the treatment of patients with low back pain? *Clinical Orthopedics and Related Research* 1983 Oct; 179:39-45.
117. Jessep S. Comparison study of the effectiveness of two methods of back education; a pilot study. *New Zealand J Physiotherapy* 1991; 13(3): 32-39.
118. Jette AM, *et al.* Physical therapy episodes of care for patients with low back pain. *Phys Ther* 1994 Feb; 74(2): 101-110; (discussion 110-115).
119. Jette DU. Effect of intermittent, supine cervical traction on the myoelectric activity of the upper trapezius muscle in subjects with neck pain. *Phys Ther* 1985; 65:1173-1176.
120. Jette DU, Jette AM. Physical therapy and health outcomes in patients with spinal impairments. *Phys Ther* 1996 Sept; 76(9): 930-941; (discussion 942-945).
121. Johannsen F, *et al.* Exercises for chronic low back pain: A clinical trial. *JOSPT* 1995 Aug; 22(2): 52-59.
122. Johansson C, Mellstrom D, Rosengren K, Rundgren A. A community-based population study of vertebral fractures in 85-year-old men and women. *Age and Aging* 1994 Sep; 23(5): 388-392.
123. Julkunen J, Hurri H, Kankainen J. Psychological factors in the treatment of chronic low back pain. Follow-up study of a back school intervention. *Psychotherapy Psychosomatics* 1988; 50(4): 173-181.
124. Kankaanpaa M, *et al.* The efficacy of active rehabilitation in chronic low back pain. *Spine* 1999; 24(10): 1034-1042.
125. Kaplan EA. Percutaneous electrical nerve stimulation for treatment of low back pain. *JAMA* 1999 Sep 8; 282(10): 941-942.
126. Keijsers JFEM, Groenman NH, Gerards FM, *et al.* A back school in the Netherlands: evaluating the results. *Patient Educ Couns* 1989; 14(1): 31-44.
127. Keijsers JFEM, Steenbakkens MWH, Meertens RM, Bouter LM, *et al.* The efficacy of the back school: a randomized trial. *Arthritis Care Res* 1990; 3(4): 204-209.
128. Keller RB. Physiotherapy, muscle conditioning, and aerobics were effective for chronic low back pain. *J Bone Joint Surg Am* 2000 Jun; 82(6): 875.
129. Keller TS, Colloca CJ. Mechanical force spinal manipulation increases trunk muscle strength assessed by electromyography: a comparative clinical trial. *J Manipulative Physiol Ther* 2000 Nov-Dec; 23(9): 585-595.

130. Kellett KM, Kellett DA, Nordholm LA. Effects of an exercise program on sick leave due to back pain. *Phys Ther* 1991; 71(4): 283-291.
131. Kinalski R, Kuwik W, Pietrzak D. The comparison of the results of manual therapy versus physiotherapy methods used in treatment of patients with low back pain syndromes. *J Man Med* 1989; 4(2): 44-46.
132. Klaber Moffett JA. Exercise for backache: a double-blind controlled trial. *Physiotherapy* 1968; 54:154-157.
133. Klaber Moffett J, Torgerson D, Bell-Syer S, Jackson D, Llewelyn-Phillips H, Farrin A, Barber J. Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, preference. *BMJ* 1999; 319:279-293.
134. Klaber Moffett JA, Chase SM, Portek I, Ennis JR. A controlled, prospective study to evaluate the effectiveness of a back school in the relief of chronic low back pain. *Spine* 1986; 11(2): 120-122.
135. Klein RG, Eek BC. Low-energy laser treatment and exercise for chronic low back pain: double-blind controlled trial. *Arch Phys Med Rehabil* 1990 Jan; 71(1): 34-37.
136. Koes BW, Assendlelft WJ, van der Heijden GJ, Bouter LM. Spinal manipulation for low back pain. An updated systematic review of randomized clinical trials. *Spine* 1996; 21(24): 2860-2873.
137. Koes BW, Bouter LM, van Mameren H, Essers AH, Verstegen GM, Hofhuizen DM, Houben JP, Knipschild PG. Randomized clinical trial of manipulative therapy and physiotherapy for persistent back and neck complaints: results of one year follow-up. *BMJ* 1992 Mar; 304(6827): 601-605.
138. Koes BW, Bouter LM, van Mameren H, Essers AH, *et al.* A blinded randomized clinical trial of manual therapy and physiotherapy for chronic back and neck complaints: physical outcome measures. *J Manipulative & Physiol Therapeutics* 1992; 15(1): 16-23.
139. Koes BW, Bouter LM, van Mameren H, Essers AH, Verstegen GM, Hofhuizen DM, Houben JP, Knipschild PG. The effectiveness of manual therapy, physiotherapy, and treatment by the general practitioner for nonspecific back and neck complaints. A randomized clinical trial. *Spine* 1992; 17(1): 28-35.
140. Koes BW, Bouter LM, van Mameren H, Essers AH, *et al.* A randomized clinical trial of manual therapy and physiotherapy for persistent back and neck complaints: subgroup analysis and relationship between outcome measures. *J Manipulative & Physiological Therapeutics* 1993; 16(4): 211-219.
141. Konrad K, Tatrai T, Hunka A, Vereckei E, Korondi I. Controlled trial of balneotherapy in treatment of low back pain. *Ann Rheum Disease* 1992; 51:820-822.
142. Kovacs FM, Abraia V, Pozo F, Kleinbaum DG, Beltran J, Mateo I, Perez de Ayala C, Pena A, Sea A, Gonzalez-Lanza M, Morillas L. Local and remote sustained trigger point therapy for exacerbations of chronic low back pain. A randomized, double-blind, controlled, multi-center trial. *Spine* 1997; 22(7): 786-797.
143. Krause M, Refshauge KM, Dessen M, Boland R. Lumbar spine traction: evaluation of effects and recommended application for treatment. *Man Ther* 2000 May; 5(2): 72-81.

144. Kuukkanen TM, Malkia EA. An experimental controlled study on postural sway and therapeutic exercise in subjects with low back pain. *Clin Rehabil* 2000 Apr; 14(2): 192-202.
145. Kuukkanen T, Malkia E. Effects of a three-month active rehabilitation program on psychomotor performance of lower limbs in subjects with low back pain: a controlled study with a nine-month follow-up. *Percept Mot Skills* 1998; 87:739-753.
146. Kuukkanen T, Malkia E. Effects of a three-month therapeutic exercise programme on flexibility in subjects with low back pain. *Physiotherapy Research International* 2000; 5(1): 46-61.
147. Kuukkanen T, Malkia E. Muscular performance after a 3 month progressive physical exercise program and 9 month follow-up in subjects with low back pain. A controlled study. *Scand J Med Sci Sports* 1996; 6(2): 112-121.
148. LaBan MM, *et al.* Restless legs syndrome associated with diminished cardiopulmonary compliance and lumbar spinal stenosis - A motor concomitant of 'Vesper's Curse'. *Arch Phys Med Rehabil* 1990 May; 71(6): 384-388.
149. Labrecque M, Nouwen A, Bergeron M, Rancourt JF. A randomized controlled trial of non-pharmacologic approaches for relief of low back pain during labor. *J Fam Pract* 1999; 48(4): 259-263.
150. Lankhorst GJ, Van de Stadt RJ, Vogelaar TW, *et al.* The effect of the Swedish back school in chronic idiopathic low back pain. A prospective controlled study. *Scand J Rehabil Med* 1993; 15(3): 141-155.
151. Larequi-Lauber T, Vader JP, Burnand B, Brook RH, *et al.* Appropriateness of Indications for surgery of lumbar disc hernia and spinal stenosis. *Spine* 1997; 22(2): 203-209.
152. Leclaire R, Esdaile JM, Suissa S, Rossignol M, Proulx R, Dupuis M. Back school in a first episode of compensated acute low back pain: a clinical trial to assess efficacy and prevent relapse. *Arch Phys Med Rehabil* 1996 July; 77(7): 673-679.
153. Leggett S, *et al.* Restorative exercise for clinical low back pain. *Spine* 1999; 24(9): 889-898.
154. Lehmann TR, Russell DW, Spratt KF, Colby H, *et al.* Efficacy of electroacupuncture and TENS in the rehabilitation of chronic low back pain patients. *Pain* 1986; 26(3): 277-290.
155. Leinonen V, Kamkaapaa M, Airaksinen O, *et al.* Back and hip extensor activities during trunk flexion/extension: effects of low back pain and rehabilitation. *Arch Phys Med Rehabil* 2000 Jan; 81:32-37.
156. Letchuman R, Deusinger RH. Comparison of sacrospinalis myoelectric activity and pain levels in patients undergoing static and intermittent lumbar traction. *Spine* 1993; 18:1361-1365.
157. Leveille SG, Guralnik JM, Hochberg M, *et al.* Low back pain and disability in older women: independent association with difficulty but not inability to perform daily activities. *J of Gerontology* 1999; 54A(10): M487-M493.
158. Lidstrom A, Zachrisson M. Physical therapy on low back pain and sciatica. An attempt at evaluation. *Scand J Rehabil Med* 1970; 2(1): 37-42.
159. Lindequist S, Lundberg B, Wikmark R, Bergstad B. Information and regime at low back pain. *Scand J Rehabil Med* 1984; 16:113-116.

160. Lindgren KA, Sihvonen T, Leino E, Pitkanen M, Manninen H. Exercise therapy effects on functional radiographic findings and segmental electromyographic activity in lumbar spine instability. *Arch Phys Med Rehabil* 1993 Sep; 74(9): 933-939.
161. Lindstrom I, Ohlund C, Eek C, Wallin L, Peterson LE, Nachemson A. Mobility, strength, and fitness after a graded activity program for patients with sub-acute low back pain. A randomized prospective clinical study with a behavioral therapy approach. *Spine* 1992; 17(6): 641-652.
162. Lindstrom I, Ohlund C, Nachemson A. Physical performance, pain, pain behavior and subjective disability in patients with subacute low back pain. *Scand J Rehabil Med* 1995; 27(3): 153-160.
163. Lindstrom I, *et al.* The effect of graded activity on patients with subacute low back pain: a randomized prospective clinical study with an operant-conditioning behavioral approach. *Phys Ther* 1992; 72(4): 279-293.
164. Linton SJ, Bradley LA, Jensen I, Spangfort E, Sundell L. The secondary prevention of low back pain: a controlled study with follow-up. *Pain* 1989; 26(2): 197-207.
165. Linton SJ, Hellsing AL, Larsson I. Bridging the gap; support groups do not enhance long-term outcome in chronic low back pain. *Clin J Pain* 1997; 13(3): 221-228.
166. Ljunggren AE, Weber H, Kogstad O, Thom E, *et al.* Effect of exercise on sick leave due to low back pain. A randomized, comparative, long-term study. *Spine* 1997; 22(14): 1610-1617.
167. Loisel P, Abenhaim L, Durand P, Esdaile JM, *et al.* A population-based, randomized clinical trial on back pain management. *Spine* 1997; 22(24): 2911-2928.
168. Lonn JH, Glomstrod B, Soukup MG, Bo K, Larsen S. Active back school: prophylactic management for low back pain. A randomized, controlled, 1-year follow-up study. *Spine* 1999; 24(9): 865-871.
169. Macdonald AJR, Macrae KD, Master BR, Rubin AP. Superficial acupuncture in the relief of chronic low back pain. *Ann Royal College of Surgeons of England* 1983; 65:44-46.
170. Malmivaara A, Hakkinen U, Aro T, Heinrichs ML, Koskeniemi L, Kuosma E, Lappi S, Paloheimo R, Servo C, Vaaranen V, *et al.* The treatment of acute low back pain-bed rest, exercises, or ordinary activity? *New England J Med* 1995 Feb; 332(6): 351-355.
171. Maede TW, Dyer S, Browne W, Frank AO. Randomised comparison of chiropractic and hospital outpatient management for low back pain: results from extended follow up. *BMJ* 1995; 311(7001): 349-351.
172. Manniche C, Asmussen K, Lauritsen B, Vinterberg H, *et al.* Intensive dynamic back exercises with or without hyperextension in chronic back pain after surgery for lumbar disc protrusion. A clinical trial. *Spine* 1993; 18(5): 560-567.
173. Manniche C, Hasselsoe G, Bentzen L, Christensen I, *et al.* Clinical trial of intensive muscle training for chronic low back pain. *Lancet* 1988; 2(8626-8627): 1473-1476.
174. Manniche C, Skall HF, Braendholt L, Christensen BH, Christophersen L, *et al.* Clinical trial of postoperative dynamic back exercises after first lumbar discectomy. *Spine* 1993; 18(1): 92-97.

175. Manniche C, Lundenberg E, Christensen I, Bentzen L, *et al.* Intensive dynamic back exercises for chronic low back pain; a clinical trial. *Pain* 1991; 47(1): 53-63.
176. Minion AF, Mutineer M, Timely S, Dvorak J. A randomized clinical trial of three active therapies for chronic low back pain. *Spine* 1999; 24(23): 2435-2448.
177. Marchand S, Charest J, Li J, Chenard JR, *et al.* Is TENS purely a placebo effect? A controlled study on chronic low back pain. *Pain* 1993; 54(1): 99-106.
178. Marras WS, Allread WG, Burr DL, Fathallah FA. Prospective validation of a low-back disorder risk model and assessment of ergonomic interventions associated with manual materials handling tasks. *Ergonomics* 2000 Nov; 43(11): 1866-86.
179. Martin PR, Rose MJ, Nichols PJ, Russell PL, Hughes IG. Physiotherapy exercises for low back pain: process and clinical outcome. *Int Rehabil Med* 1986;8(1): 34-38.
180. Matthews JA, Mills SB, Jenkins VM, Grimes SM, *et al.* Back pain and sciatica: controlled trials of manipulation, traction, sclerosant and epidural injections. *British J Rheumatology* 1987; 26(6): 416-423.
181. McCauley JD, Thelen MH, Frank RG, Willard RR, *et al.* Hypnosis compared to relaxation in the outpatient management of chronic low back pain. *Arch Phys Med Rehabil* 1983; 64(11): 548-552.
182. McIlveen B, Robertson VJ. A randomized controlled study of the outcome of hydrotherapy for subjects with low back or back and leg pain. *Physiotherapy* 1998; 84(1): 17-26.
183. Meade TW, Dyer S, Browne W, Townsend J, *et al.* Low back pain of mechanical origin: randomized comparison of chiropractic and hospital outpatient treatment. *Br Med J* 1990; 300(6737): 1431-1437.
184. Mellin G, Hurri H, Harkapaa K, Jarvikoski A. A controlled study on the outcome of inpatient and outpatient treatment of low back pain. Part II. Effects on physical measurements three months after treatment. *Scand J Rehabil Med* 1989; 21(2): 91-95.
185. Melzack R, Vetere P, Finch L. Transcutaneous electrical nerve stimulation for low back pain. A comparison of TENS and massage for pain and range of motion. *Phys Ther* 1983; 63(4): 489-493.
186. Mendelson G, Selwood TS, Kranz H, Loh TS, Kidson MA, Scott DS. Acupuncture treatment of chronic back pain. A double-blind placebo-controlled trial. *Am J Med* 1983; 74(1): 49-55.
187. Mens JM, Snijders CJ, Stam HJ. Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. *Phys Ther* 2000 Dec; 80(12): 1164-1173.
188. Million R, Haavik Nilsen K, Jayson MIV, Baker RD. Evaluation of low back pain and assessment of lumbar corsets with and without back supports. *Ann Rheum Diseases* 1981; 40:449-454.
189. Mitchell RI, Carmen GM. The functional restoration approach to the treatment of chronic pain in patients with soft tissue and back injuries. *Spine* 1994; 19(6): 633-642.
190. Moffett JK, Torgerson D, Bell-Syer S, Jackson D, Llewlyn-Phillips H, Farrin A, Barber J. Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, and preferences. *BMJ* 1999 Jul 31; 319(7205): 279-283.

191. Morrison GE, Chase W, Young V, Roberts WL. Back pain: treatment and prevention in a community hospital. *Arch Phys Med Rehabil* 1988; 69(8): 605-609.
192. Moore SR, Shurman J. Combined neuromuscular electrical stimulation and transcutaneous electrical nerve stimulation for treatment of chronic back pain: a double-blind, repeated measure comparison. *Arch Phys Med Rehabil* 1997 Jan; 78(1): 55-60.
193. Murphy DR. A non-surgical approach to low back pain. *Med Health R I* 2000 Apr; 83(4): 104-107.
194. Murphy JA. The effects of spinal traction. *Physiotherapy* 1972; 58:64-66.
195. Nelson BW, *et al.* Can spinal surgery be prevented by aggressive strengthening exercises? A prospective study of cervical and lumbar patients. *Arch Phys Med Rehabil* 1999 Jan; 80:20-25.
196. Newswanger DL, Patel AT, Ogle A. Osteopathic medicine in the treatment of low back pain. *Am Fam Physician* 2000 Dec 1; 62(11): 2414-2415.
197. Nicholas MK, Wilson PH, Goyen J. Operant-behavioral and cognitive-behavioral treatment for chronic low back pain. *Behav Res Ther.* 1991; 29(3): 225-238.
198. Nicholas MK, Wilson PH, Goyen J. Comparison of cognitive-behavioral group treatment and an alternative non-psychological treatment for chronic low back pain. *Pain* 1992; 48(3): 339-347.
199. Noose LJ. Inverted spinal traction. *Arch Phys Med Rehabil* 1978; 59:367-370.
200. Nouwan A. EMG biofeedback used to reduce standard levels of paraspinal muscle tension in chronic low back pain. *Pain* 1983; 17(4): 353-360.
201. Nowakowski P, *et al.* Lumbar spinal stenosis. *Phys Ther* 1996 Feb; 76(2): 187-190.
202. Nwuga, Vincent C.B. Ultrasound in treatment of back pain resulting from prolapsed intervertebral disc. *Arch Phys Med Rehabil* February 1978; 64:88-89.
203. Nwuga G, Nwuga V. Relative therapeutics efficacy of the Williams and McKenzie protocols in back pain management. *Physiother Pract* 1985; 1(2): 99-105.
204. Nwuga VC. Relative therapeutic efficacy of vertebral manipulation and conventional treatment in back pain management. *Am J Phys Med* 1982; 61(6): 273-278.
205. Ongley MJ, Kiein RG, Dorman TA, Eek BC. A new approach to the treatment of chronic low back pain. *Lancet* 1987; 2(8551): 143-146.
206. Oostendorp RAB. A preliminary report on the use of the proprioceptive facilitating method versus the Williams method in the treatment of patients with non-specific low back pain. *Man Med* 1988; 3(3): 106-109.
207. Ostgaard HC, Zetherstrom G, Roos-Hansson E, Svanberg B. Reduction of back and posterior pelvic pain in pregnancy. *Spine* 1994; 19(8): 894-900.
208. Ostgaard HC, Zetherstrom G, Roos-Hansson E. Back pain in relation to pregnancy: a 6-year follow-up. *Spine* 1997; 22(24): 2945-2950.

209. O'Sullivan PB, Phyty GDM, Twomey LT, *et al.* Evaluation of specific stabilizing exercise in the treatment of chronic low back pain with radiologic diagnosis of spondylolysis or spondylolisthesis. *Spine* 1997; 22(24): 2959-2967.
210. O'Sullivan PB, Twomey L, Allison GT. Altered abdominal muscle recruitment in patients with chronic back pain following a specific exercise intervention. *JOSPT* 1998 Feb; 27(2): 114-123.
211. Overman SS, Larson JW, Dickstein DA, Rockey PH. Physical therapy care for low back pain. Monitored program of first-contact non-physician care. *Phys Ther* 1988; 68(2): 199-207.
212. Pal B, Mangion P, Hossain MA, Diffey BL. A controlled trial of continuous lumbar traction in the treatment of back pain and sciatica. *Br J Rheumatol* 1986; 25(2): 181-183.
213. Poiraudeau S, Lefevre-Colau MM, Mayoux-Benhamou MA, Revel M. Which rehabilitation for which low back pain? *Rev Prat* 2000 Oct 15; 50(16): 1779-1783. (French).
214. Pope MH, Phillips RB, Haugh LD, Hsieh CY, MacDonald L, Haldman S. A prospective randomized three-week trial of spinal manipulation, transcutaneous muscle stimulation, massage and corset in the treatment of sub-acute low back pain. *Spine* 1994; 19(22): 2571-2577.
215. Postacchini F, Facchini M, Palieri P. Efficacy of various forms of conservative treatment in low back pain. A comparative study. *Neuro-Orthopedic* 1988; 6(1): 28-35.
216. Preyde M. Effectiveness of massage therapy for subacute low-back pain: a randomized controlled trial. *CMAJ* 2000 Jun 27; 162(13): 1815-1820.
217. Reddell CR, Conglestone JJ, Hutchingson RD, Montgomery JF. An evaluation of a weightlifting belt and back injury prevention training class for airline baggage handlers. *Appl Ergon* 1992; 23(5): 319-329.
218. Reilly K, Lovejoy B, Williams R, Roth R. Differences between supervised and independent strength conditioning program with chronic low back syndromes. *J Occup Med* 1989; 31(6): 547-550.
219. Reinecke JM, Hazard RG, Coleman K. Continuous passive motion in seating: a new strategy against low back pain. *J Spin Disord* 1994; 7(1): 29-35.
220. Revel M. Does traction still have a role in nonspecific low back disorders? *Joint Bone Spine* 2000; 67(3): 146-149.
221. Rider RA, *et al.* Effects of flexibility training on enhancing spinal mobility in older women. *J Sports Med Phys Fitness* 1991 June; 31(2): 213-217.
222. Risch SV, Norvell NK, Pollock ML, Risch ED, *et al.* Lumbar strengthening in chronic low back pain patients. Physiologic and psychological benefits. *Spine* 1993; 18(2): 232-238.
223. Rodriguez AA, *et al.* Therapeutic Exercise in Chronic Neck and Back Pain. *Arch Phys Med Rehabil* 1992 Sep; 73(9): 870-875.
224. Rose MJ, Reilly JP, Pennie B, Bowen-Jones K, *et al.* Chronic low back pain rehabilitation programs: a study of the optimum duration of treatment and a comparison of group and individual therapy. *Spine* 1997; 22(19): 2246-2253.

225. Sal JA. Dynamic muscular stabilization in the Non-operative treatment of lumbar pain syndromes. *Orthopaedic Review* 1990 Aug; 19(8): 691-700.
226. Saal JA, Saal JS. Nonoperative treatment of herniated lumbar intervertebral disc with radiculopathy, An Outcome Study. *Spine* 1989; 14(4): 431-436.
227. Sanders GE, Reinert O, Tepe R, Maloney P. Chiropractic adjustive manipulation on subjects with acute low back pain: visual analog pain scores and plasma beta-endorphin levels. *J Manipulative Physiol Ther* 1990; 13(7): 391-395.
228. Sriver V, Crowe J, Wilkinson A, Meadowcroft C. A randomized controlled trial of the effectiveness of exercise and/or alternating air mattress in the control of back pain after percutaneous transluminal coronary angioplasty. *Heart and Lung* 1994; 23(4): 308-316.
229. Sedergreen C. Is massage therapy genuinely effective? *CMAJ* 2000 Oct 17; 163(8): 953. (discussion 953-954)
230. Shi L. A cost-benefit analysis of a California country's back injury prevention program. *Public Health Reports* 1993; 108(2): 204-211.
231. Sinaki M, Grubbs NC. Back strengthening exercises: quantitative evaluation of their efficacy for women aged 40 to 65 years. *Arch Phys Med Rehabil* 1989 Jan; 70(1): 16-20.
232. Sims-Williams H, Jayson MI, Young SM, Baddeley H, Collins E. Controlled trial of mobilization and manipulation for low back pain: hospital patients. *Br Med J* 1979; 2(6201): 1318-1320.
233. Sinaki M, *et al.* Correlation of back extensor strength with thoracic kyphosis and lumbar lordosis in estrogen-deficient women. *Am J Phys Med Rehab* 1996 Sep-Oct; 75(5): 370-374.
234. Sinaki M, Offord KP. Physical activity in postmenopausal women: effect on back muscle strength and bone mineral density of the spine. *Arch Phys Med Rehab* 1988 April; 69(4): 277-280.
235. Sinaki M, *et al.* Lumbar spondylolisthesis: retrospective comparison and three-year follow-up of two conservative treatment programs. *Arch Phys Med Rehab.* 1989 Aug; 70(8): 594-598.
236. Sirles AT, Brown K, Hilyer JC. Effects of back school education and exercise in back injured municipal workers. *AAOHN Journal* 1991; 39(1): 7-12.
237. Skargren EL, Oberg BE, Carlsson PG, Gade M. Cost and effectiveness analysis of chiropractic and physiotherapy treatment for low back and neck pain. Six-month follow up. *Spine* 1997; 22(18): 2167-2177.
238. Skargren EL, Carlsson PG, Oberg BE. One-year follow-up comparison of the cost and effectiveness of chiropractic and physiotherapy as primary management for back pain. Subgroup analysis, recurrence, and additional health care utilization. *Spine* 1998; 23(17): 1875-1884.
239. Snook SH, Webster BS, McGorry RW, Fogleman MT, McCann KB. The reduction of chronic nonspecific low back pain through the control of early morning lumbar flexion. A randomized controlled trial. *Spine* 1998; 23(23): 2601-2607.
240. Snyder-Mackler L, Barry AJ, Perkins AL, Soucek MD. Effects of helium-neon laser irradiation on skin resistance and pain in patients with trigger points in the neck or back. *Phys Ther* 1989; 69(5): 336-341.

241. Soukup MG, Glomsrod B, Lonn JH, Bo K, Larsen S. The effect of a Mensendieck exercise program as secondary prophylaxis for recurrent low back pain: a randomized, controlled trial with 12-month follow-up. *Spine* 1999; 24(15): 1585-1592.
242. Spratt KF, Weinstein JN, Lehmann TR, Woody J, Sayre H. Efficacy of flexion and extension treatments incorporating braces for low-back pain patients with retrodisplacement, spondylolisthesis, or normal sagittal translation. *Spine* 1993; 18(13): 1839-1849.
243. Stankovic R, Johnell O. Conservative treatment of acute low-back pain. A prospective randomized trial: McKenzie method of treatment versus patient education in mini back school. *Spine* 1990; 15(2): 120-123.
244. Stankovic R, Johnell O. Conservative treatment of acute low back pain. A 5-year follow-up study of two methods of treatment. *Spine* 1995; 20(4): 469-472.
245. Stuckley SJ, Jacobs A, Goldfarb J. EMG biofeedback training, relaxation training, and placebo for the relief of chronic back pain. *Percept Mot Skills* 1986; 63(3): 1023-1036.
246. Sweetman BJ, Heinrich I, Anderson JAD. A randomized controlled trial of exercises, short wave diathermy, and traction for low back pain, with evidence of diagnosis-related response to treatment. *J Ortho Rheumatology* 1993; 6(4): 159-166.
247. Szpalski M, Hayez JP. How many days of bed rest for acute low back pain? Objective assessment of trunk function. *Eur Spin J* 1992; 1(1): 29-31.
248. Tan JC, Nordin M. Role of physical therapy in the treatment of cervical disc disease. *Orthopedic Clinics of North America* July 1992; 23(3): 435-449.
249. Timm KE. A randomized-control study of active and passive treatments for chronic low back pain following 15 laminectomy. *JOSPT* 1994 Dec; 20 (6): 276-286.
250. Torstensen TA, Ljunggren AE, Meen HD, Odland E, *et al.* Efficiency and costs of medical exercise therapy, conventional physiotherapy, and self-exercise in patients with chronic low back pain. A pragmatic, randomized, single-blinded, controlled trial with 1-year follow-up. *Spine* 1998; 23(23): 2616-2624.
251. Triano JJ, McGregor M, Hondras MA, Brennan PC. Manipulative therapy versus education programs in chronic low back pain. *Spine* 1995; 20(8): 948-955.
252. Turner JA, Clancy S, McQuade KJ, Cardenas DD. Effectiveness of behavioral therapy for chronic low back pain: a component analysis. *J Consult Clin Psychol* 1990; 58(5): 573-579.
253. Turner JA, Clancy S. Comparison of operant behavioral and cognitive-behavioral group treatment for chronic low back pain. *J Consult Clin Psychol* 1988; 56(2): 261-266.
254. Turner JA, Clancy S. Strategies for coping with chronic low back pain: relationship to pain and disability. *Pain* 1986; 24(3): 355-364.
255. Turner JA, Jensen MP. Efficacy of cognitive therapy for chronic low back pain. *Pain* 1993; 52(2): 169-177.
256. Turner JA. Comparison of group progressive-relaxation training and cognitive-behavioral group therapy for chronic low back pain. *J Consult Clin Psychol* 1982; 59(5): 757-765.

257. Underwood MR, Morgan J. The use of a back class teaching extension exercises in the treatment of acute low back pain in primary care. *Fam Pract* 1998; 15(1): 9-15.
258. van der Velde G, Mierau D. The effect of exercise on percentile rank aerobic capacity, pain, and self-rated disability in patients with chronic low-back pain: a retrospective chart review. *Arch Phys Med Rehabil* 2000 Nov; 81(11): 1457-1463.
259. Van Dongen AM. Two weeks bed rest not effective for the lumbosacral radicular syndrome; a randomized clinical trial. *Ned Tijdschr Geneesk* 2000 Sep 2; 144(36): 1758. (Dutch).
260. Van Harp G, Rowe P, Salter P, Paul JP. Three-dimensional lumbar spinal kinematics: a study of range of movement in 100 healthy subjects aged 20 to 60+ years. *Rheumatology* 2000 Dec; 39(12): 1337-1340.
261. Van Popper MNM, Koes BW, Van der Pole T, and Sid T, Bouter LM. Lumbar supports and education for the prevention of low back pain in industry: a randomized controlled trial. *JAMA* 1988; 279(22): 1789-1794.
262. van Tulder M, *et al.* The effectiveness of acupuncture in the management of acute and chronic low back pain. *Spine* 1999; 24(11): 1113-1123.
263. van Tulder M, Malmivaara A, Esmail R, Koes B. Exercise therapy for low back pain: a systematic review within the framework of the Cochrane collaboration back review group. *Spine* 2000 Nov 1; 25(21): 2784-2796.
264. Vautravers P, Isner-Horobeti ME. Spinal manipulation in the treatment of common low back pain. *Rev Prat* 2000 Oct 15; 50(16): 1784-1787 (French).
265. Vezina MJ, Hubley-Kozey CL. Muscle activation in therapeutic exercises to improve trunk stability. *Arch Phys Med Rehabil* 2000 Oct; 81(10): 1370-1379.
266. Walsh NE, Schwartz RK. The influence of prophylactic orthoses on abdominal strength and low back injury in the workplace. *Am J Phys Med Rehabil* 1990; 69(5): 245-250?
267. Waagen GN, Haldeman S, Cook G, Lopez D, DeBoer KF. Short term trial of chiropractic adjustments for the relief of chronic low back pain. *Man Med* 1986; 2: 63-67.
268. Wassell JT, Gardner LI, Landsittel DP, Johnston JJ, Johnston JM. A prospective study of back belts for prevention of back pain and injury. *JAMA* 2000 Dec 6; 284(21): 2727-2732.
269. Waterworth RF, Hunter IA. An open study of diflunisal, conservative and manipulative therapy in the management of acute mechanical low back pain. *NZ Med J* 1985; 98(779): 372-375.
270. Werners R, Pynsent PB, Bulstrode CJK. Randomized trial comparing interferential therapy with motorized lumbar traction and massage in the management of low back pain in a primary care setting. *Spine* 1999; 24(15): 1579-1584.
271. White MA. The initial evaluation and treatment of low back pain. *J S C Med Assoc* 2000 Nov; 96(11): 451-453.
272. White, AW. Low back pain in men receiving workmen's compensation. *CMAJ* 1966; 95(2): 50-56.

273. Wilkinson MJ. Does 48 hours bed rest influence the outcome of acute low back pain? *Br J Gen Pract* 1995; 45(398): 481-484.
274. Witzmann A. Acupuncture and other forms of treatment for patients with chronic back pain. *Wien Med Wochenschr* 2000; 150(13-14): 286-294 (German).
275. Yurtkuran M, Kahraman Z, Sivriogiu K, Afsin Y, *et al.* Balneotherapy in Low Back Pain. *Eur J Phys Med Rehabil* 1997; 7(4): 120-123.
276. Zytowski A. Ectodermal method of Ryodorak--an attempt at clinical measurement for evaluation of physiotherapy effects in patients with low back pain. *Neurol Neurochir Pol* 1999; 32 Suppl 6:207-215(Polish).